



A. P. M. DE KLUIJS TILBURG

J. Minder (1576)



Gift of

DR. DAN H. NICOLSON

E A



# Hortus Suburbanus Londinensis:

OR,

## A CATALOGUE OF PLANTS

CULTIVATED IN

#### THE NEIGHBOURHOOD OF LONDON;

ARRANGED ACCORDING TO

#### THE LINNEAN SYSTEM:

WITH THE ADDITION OF THE

Natural Orders to which they belong, References to Books where they are described, their native Places of Growth, when introduced, Time of Flowering, and Reference to Figures.

- BY ROBERT SWEET, F.L.S. -

#### London:

PRINTED FOR JAMES RIDGWAY, 170, PICCADILLY.

1818.

QK 306 394 1818 96NAD8

## ADVERTISEMENT.

An appeal to the numerous and rapidly succeeding editions of works of the same stamp as the one now offered to the Public, supersedes the necessity of enlarging upon the utility such may possess. The Compiler of the present has, from his infancy to the present time, been unceasingly employed in the cultivation of exotic plants as the means of his livelihood; and, as far as a laborious business and his opportunities of acquirement have admitted, he has industriously endeavoured to combine the scientific with the practical part of his calling. That no one can have possessed better or readier means of inspecting the plants contained in the collections and gardens of this country, is what he knows will not be contradicted by any one enabled to judge, and what the extent of his employment entitles him to say. Whether he has availed himself of these means in a way to have rendered himself equal to the present task, is for those into whose hands his publication may fall to More than a thousand species have been added to the latest edition of any work of the same scope that has come to his knowledge. Every species which has been represented by a figure, is recorded with its figure for the synonym. No species has been taken up without reference to an authentic document. In one material point the present compilation has an advantage over any other, viz. the addition of the natural orders, which has been made without disturbing the sequence and facility of the Linnean method, maintained throughout. Natural orders, independent of their relation to science, are in some degree useful in practice, in as

far as they point out to the cultivator the vegetable relatives, between which there is always the greatest probability of success in attempting the union, either by engrafting or inarching, or mixing the breed. At least, such natural groups generally indicate the confines, out of which species cannot be united by any of those means. All plants contained in the various periodical publications where the vegetables cultivated amongst us are treated of, have been most carefully enumerated up to the present moment; and this Compilation may be so far considered as a general index to them.

### BOOKS QUOTED.

Act. her. Mémoires de l'Académie Royale des Sciences et Belles Lettres.

Act. helv. Acta Helvetica physico, mathematico, botanico-medica.

Act. par. Histoire de l'Académie Royale des Sciences, avec les Mémoires de Mathématique et de Physique.

Act. pet. Acta Academiæ Scientiarum Imperialis Petropolitanæ.

Act. soc. h. nat. par. Actes de la Société d'Histoire Naturelle de Paris.

Act. stock. Kongl. Vetenskaps Academiens Handlingar. Stockholm.

Act. ups. Acta Societatis Regiæ Scientiarum Upsaliensis.

Ait. Kew. Aiton's Hortus Kewensis.

All. ped. Car. Allionii Flora Pedemontana.

All. rar. Car. Allionii Rariorum Pedemontii Stirpium Specimen.

All. taur. Car. Allionii Miscellanea Philosophico-mathematica Societatis privatæ Taurinensis.

Alp. ægypt. Prosp. Alpini de Plantis Ægypti Liber. Alp. exot. Prosp. Alpini de Plantis exoticis Libri 2.

Amm. ruth. Stirpium rariorum in Imperio Rutheno sponte provenientium Icones et Descriptiones collectæ à Jo. Ammano.

And. ger. Geraniums; or, a Monograph of the Genus Geranium. By H. C. Andrews.

And. heaths. Coloured Engravings of Heaths. By H. C. Andrews.

Ann. nuss. Annales du Muséum d'Histoire Naturelle. Par les Professeurs de cet Etablissement.

Ann. bot. Annals of Botany. By C. Konig and J. Sims.

Ard. mem. Mémorie di Osservazioni, e di Sperienze sopra la Coltura, e gli Usi di varie Piante. Da P. Arduino.

Ard. spec. Petr. Arduini Animadversionum Botanicarum Specimen 1, Patavii, 1759. Specimen 2, Venetiis, 1764.

Asiat. res. Asiatic Researches; ov, Transactions of the Society instituted in Bengal.

Aub. gui. Histoire des Plantes de la Guiane Françoise. Par M. Fusée Anblet.

Balb. mis. Balbis (Joh. Bapt.) Miscellanea Botanica.
1 Fasc. in 4. ex Actis Academiæ Taurinensis, exserta.

B. Houst. Reliquiæ Houstounianæ, in Bibliotheca Jos. Banks asservatis.

Barr. ic.
Barr. rar.

Plantæ per Galliam, Hispaniam, et Italiam, observatæ, Iconibus æneis exhibitæ à Jac. Barreliero.

Bartr. it.
Bartr. trav.

Travels through North and South
Carolina, Georgia, East and West
Florida, &c. Ey W. Bartram.

Bauh. prod. Casp. Bauhini Προδρομος Theatri Botanici.

Berg. cap. Petr. Jon. Bergii Descriptiones Plantarum ex Capite Bonæ Spei.

Besl. eyst. Bas. Besleri Hortus Eystettensis.

Blackw. Blackwell (Elizabeth). A curious Herbal, containing 500 Cuts of the useful Plants.

Boc. mus. Museo di Piante rare. Di Don Paulo Boccone.

Boc. sic. Icones et Descriptiones rariorum Plantarum Siciliæ, Melitæ, Galliæ, et Italiæ. Auctore Paulo Boccone.

Bocr. lugd. Herm. Boerhaave Index alter Plantarım quæinHorto Academiæ Lugduno Batavæ aluntur.

Bot. mag. Curtis's Botanical Magazine.

Bot. reg. The Botanical Register.

Bot. rep. The Botanist's Repository for new and rare Plants. By H. Andrews.

Bradl. suc. Ric. Bradley Historia Plantarum succulentarum.

Breyn. cent. Jac. Breynii Exoticarum aliarumque minus cognitarum Plantarum Centuria prima.

Breyn. ic. Jac. Breynii Icones rariorum et exoticarum Plantarum.

Bro. jam. The civil and natural History of Jamaica. By Patr. Browne.

Bull. herb. Herbier de la France. Par Mr. Bulliard. Burm! afr. Jo. Burmanni rariorum Africanarum Plantarum Decades 10.

Burm. ind. Nic. Laur. Burmanni Flora Indica.

Burm, zeyl. Jo. Burmanni Thesaurus Zeylanicus.

Buxb, cent. Joh. Chr. Buxbaumii Plantarum minus cognitarum Centuriæ 5.

Camer. hort. Joach. Camerarii Hortus medicus et philosophicus.

Cat. car. The natural History of Carolina, Florida, and the Bahama Islands. By Mark Catesby.Cav. dis. Monadelphiæ Classis Dissertationes decem.

Cav. dis. Monadelphiæ Classis Dissertationes decem. Auctore Ant. Jos. Cavanilles. Cav. ic. Ant. Jos. Cavanilles, Icones et Descriptiones

Plantarum quæ aut sponte in Hispania crescunt, aut in Hortis hospitantur.

Clus. his. Car. Clusii rariorum Plantarum Historia.

Col. ecphr. Fab. Columnæ minus cognitarum Stirpium Ecphrasis.

Col. phyt. Fab. Columnæ Phytobasanos sive Plantarum aliquot Historia.

Com. hort. Horti medici Amstelodamensis rariorum Plantarum Descriptio et Icones. Auctore Jo. Commelino.

Com. præl. Casp. Commelini Præludia Botanica.

Com. rar. Casp. Commelini Plantæ rariores exotica Horti Medici Amstelodamensis.

Com. pet. Commentarii Academiæ Scientiarum Imperialis Petropolitanæ.

Com. got. Commentarii Societatis Regiæ Scientiarum Gottingensis.

Cor. can. Jac. Cornuti Canadensium Plantarum, aliarumque nondum editarum Historia.

Cyr. neap. Dom. Cyrilli Plantarum rariorum Regni Neapolitani.

D. Asso arag. (Ign. de Asso) Synopsis Stirpium indigenarum Aragoniæ.

Dec. ann. mus. Annales du Muséum d'Histoire Naturelle. Dec. astrag. Augustini Pyrami Decandolle Astraga-

Dec. pl. gras. Histoire des Plantes Grasses. Par A. P. Decandolle. Avec leurs Figures en Couleurs. Dessinées par P. J. Redouté.

Delar. ering. Eryngierum Historia. Auctore F. Delaroche.

Desf. ann. mus. Annales du Muséum d'Histoire Naturelle.

Desf. atl. Flora Atlantica. Auctore Renato Desfontaines.

Dill. elt. Joh. Jac. Dillenii Hortus Elthamensis.

Dill. musc. Joh. Jac. Dillenii Historia Muscorum.

Dod. mem. Mémoires pour servir à l'Histoire des Plantes. Par M. Dodart.

Duham arb. Traité des Arbres ct Arbustes, qui se

cultivent en France en pleine Terre. Par M. Du Hamel du Monceau.

Ehr. pict. Plantæ et Papiliones rariores. Depictæ

et Eri incisæ, à Ge. Dion. Ehret. Eng. bot. English Botany. By J. E. Smith: the Figures by J. Sowerby.

Exot. bot. Exotic Botany. By J. E. Smith: the Figures by J. Sowerby.

Feuil. it. Journal des Observations faites sur les Cotes orientales de l'Amérique Meri-Few. per. dionale. Par le R. P. Louis Feuillée.

Fl. dan. Icones Plantarum sponte nascentium in Regnis Daniæ et Norvegiæ. Editæ à Ge. Chr. Œder, Oth. Frid. Muller, et Mart. Vahl.

Fl. græc. Flora Græca; sive Plantarum rariorum Historia quas in Provinciis aut Insulis Græciæ legit, investigavit, et depingi curavit Joh. Sibthorp; Characteres omnium, Descriptiones et Synonyma claboravit Jac. Edv. Smith.

Fl. per. Ruiz et Pavon Flora Peruviana et Chilensis. Forsk. ic. Fcones Rerum naturalitum, quas in Itinere Orientali depingi curavit Petr. Forskal.

Fuchs. hist. Leon. Fuchsii de Historia Stirpium Commentarii.

Gært. de fruct. { Jos. Gærtner de Fructibus et Semi-Gært. se. { nibus Plantarum.

Garid. prov. Histoire des Plantes qui naissent en Provence et principalement aux Environs d'Aix. Par Mr. Garidel.

Ger. emac. J. Gerard's Herball, enlarged by Th. Johnson.

Ger. herb. J. Gerard's Herball.

Ger. prov. Lud. Gerard Flora Gallo-provincialis.

Gische ic. Gische et Schulze Icones Plantarum.

Gmel. it. Sam. G. Gmelin, Reise durch Russland. Gmel. sib. Jo. Ge. Gmelin, Flora Sibirica.

Gouan. ill. Ant. Gouan Illustrationes et Observationes Botanicæ.

Hacq. pl. alp. Hacquet (Balth.) Plantæ Alpinæ Carniolicæ.

Hall. hist. Alb. v. Haller Historia Stirpium indigenarum Helvetiæ inchoata.

Hall. opus. Halleri Opuscula Botanica.

Hayne in ust. ann. Hayne in Usteri Annalen der

Herm. par. P. Hermanni Paradisus Batavus.

Hill. exot. Hill (John). Exotic Botany illustrated. (Flore Portugaise. Par J. C. Hof. et L. lus. Comte de Hoffmansegg et H. et L. fl. por. H. F. Link.

Hort. ang. A Catalogue of Trees, Shrubs, Plants, and Flowers, which are propagated for Sale in the Gardens near London.

Hort. Kew. Aiton's Hortus Kewensis.

Hort. trans. Transactions of the Horticultural Society.

Host. gram. Nic. Thomæ Host Icones et Descriptiones Graminum Austriacorum.

Houst. phil. trans. Philosophical Transactions of the Royal Society.

Natuurlyke Historie of Nitvoerige Beschryving der Dieren. Planten Hout. nat. his. en Mineraalen, Volgens het Sa-Hout. sys. menstel van den Heer Linnæus (Door Mart. Houttuyn).

Icon. hort. kew. Delineations of exotic Plants cultivated in the Royal Garden at Kew. Drawn by Francis Bauer; published by W. T. Aiton.

Icon. Kæmpf. Icones selectæ Plantarum quas in Japonia collegit et delineavit Engelb. Kæmpfer; ex Archetypis in Museo Britannico asservatis (edidit Jos. Banks).

Isnard act. par. Vid. Act. par.

Jac. amer. Nic. Jos. Jacquin selectarum Stirpium Americanarum Historia.

Jac. am. ed. pict. N. J. Jacquin Stirpium Americanarum Historia. Ed. additis Tab. pictis.

Jac. aust. N. J. Jacquin Flora Austriaca.

Jac. col. N. J. Jacquin Collectanea ad Botanicam, Chemiam et Historiam Naturalem spectantia.

Jac. frag. N. J. Jacquin Fragmenta Botanica. Jac. ic. Icones Plantarum rariorum. Editæ à N. J. Jacquin.

Juc. mis. N. J. Jacquin Miscellanea Austriaca ad Botanicam etc. spectantia.

Jac. obs. N. J. Jacquin Observationes Botanicæ.

Jac. ox. Oxalis Monographia Iconibus illustrata. Autore N. J. Jacquin.

Jac. schan. Plantarum rariorum Horti Cæsarei Scheenbrunnensis Descriptiones et Icones. Opera N. J. Jacquin.

Jac. stap. N. J. Jacquin Stapeliæ cultæ.

Jac. vind. N. J. Jacquin Hortus Botanicus Vindobonensis.

Jour. of sc. J. B. Ker, in Journal of Science and the Arts.

Jung. ic. rar. Junghan's (Phil. Casp.) Icones Plantarum ad Vitam impressæ.

Kamp. aman. Engelb. Kampfer Amanitates exoticæ.

Ker's rev. Ker's Review of the Genera Amaryllis, Crinum, and Pancratium, in the Journal of Science and the Arts.

Knight's prot. Knight (Joseph). Horticultural Essays on the natural Order of Proteeæ.

Kniph. cent. Kniphoff (Joh. Hier.) Botanica in originali seu Herbarium vivum, Centuriæ 12.

Knorr. thes. Thesaurus Rei herbariæ hortensisque universalis. Apud Ge. Wolfg. Knorrii Hæredes.

Krock. sil. Krocker (Ant. Joh.) Flora Silesiaca renovala.

Lab. nov. hol. Novæ Hollandiæ Plantarum Specimen. Auctore Jac. Jul. Labillardière.

Lab. syr. Icones Plantarum Syriæ rariorum. Auctore Jac. Jul. Labillardière.

Lam. enc. Encyclopédie Methodique Botanique. Par M. le Chevalier de Lamarck.

Lam. ill. Tableau Encyclopédique et Methodique des trois Regnes de la Nature, Botanique : Illustration des Genres. Par M. de Lamarck.

Lamb. cinch. A Description of the Genus Cinchona. By A. B. Lambert.

Lamb. pin. A Description of the Genus Pinus. By Aylmer Bourke Lambert.

Lap. pyr. SFigures de la Flore des Pyrenées. Par Lapey. A. Phil. Picot Lapeyrouse.

Leers herb. Joh. Dan. Leers Flora Herbornensis.

L'Her. ger. Car. Lud. L'Heritier Geraniologia. L'Her. sert. Car. Lud. L'Heritier Sertum Anglicum.

L'Her. stirp. Stirpes novæ Descriptionibus et Iconibus illustratæ. A Car. Lud. L'Heritier.

Lin. act. ups. Vid. Act. ups.

L. aman. ac. Caroli Linnai Amanitates Academica. Lin. fil. dec. Car. Linnæi Fil. Decas 1 & 2. Plantarum rariorum Horti Upsaliensis.

Lin. fil. fasc. Car. Linnei Fil. Plantarum rariorum Horti Upsaliensis Fasciculus 1.

Lin. hort. clif. Car. Linnai Hortus Cliffortianus.

Lin. trans. Transactions of the Linnæan Society of

Lin. zeyl. Car. Linnæi Flora Zeylanica.

Lind. alsat. Von Lindern (Fr. Balth.) saticus Plantas in Alsatia nobili designans.

Lob. hist. Plantarum seu Stirpium Historia Matthiæ de Lobel.

Lob. ic. Plantarum seu Stirpium Icones.

Lef. it. Leefling (Petr.) Iter Hispanicum, eller Resa til Spanska, &c. 1 vol. in 8.

Læs. prus. Joh. Læselii Flora Prussica. Auxit et edidit Joh. Gottsched.

Ludw. ect. Ludwig (C. Gottl.) Ectypa Vegetabilium Usibus medicis destinatorum.

Magn. b. mons. Petri Magnol Botanicum Monspeli-

Magn. h. mone. Petri Magnol Hortus Regius Monspeliensis.

Marcg. bras. (Guil. Pisonis et Ge. Marcgravii) Historia naturalis Brasiliæ.

Mart. dec. Jo. Martyn Historia Plantarum rariorum. Mass. stap. Stapeliæ Novæ; or, a Collection of several new Species of that Genus discovered in the interior Parts of Africa. By Fras. Masson.

Mat. com. Petri Andr. Matthioli Commentarii in Libros Dioscoridis de Medica Materia.

Meerb. ic. 1. Afbeeldingen van Zeldzaame Gewassen. Door Nic. Meerburgh.

Meerb. ic. 2. Plantarum selectarum Icones pictæ. Editæ à N. Meerburgh.

Mem. de l'Ins. Mémoires de l'Institut National des Sciences et Arts, Sciences mathématiques et physiques.

Mem. de l'Soc. his. nat. Mémoires de l'Société d'Histoire Naturelle de Paris.

Merian. sur. Maria Sibylla Merian de Generatione et Metamorphosibus Insectorum Surinamensium.

Mich. gen. Nova Plantarum Genera. Auctore Petro Aut. Michelio.

Mich. hort. Petr. Ant. Michelii Catalogus Plantarum Horti Cæsarei Florentini.

Mich. amer. Andr. Michaux Flora Boreali-Americana.

Mich. arb. Histoire des Arbres forestiers de l'Amérique Septentrionale. Par F. André Michaux.

Mich. querc. Histoire des Chênes de l'Amérique Septentrionale. Par André Michaux.

Mill. dict. Phil. Miller's Gardener's Dictionary. Mill. ic. Figures of Plants described in the Gardener's Dictionary. By Phil. Miller.

J. Mill. ic. Seven coloured Plates of Plants. John Miller.

J. Mill. ill. Joh. Miller Illustratio Systematis sexualis Linnæi.

J. F. Mill. ic. Sixty coloured Plates of Plants and Animals. By Joh. Fred. Miller.

Mis. taur. Melanges de Philosophie et de Mathématique de la Société Royale de Turin.

Miss Lawr. pas. Six numbers of coloured Figures of Passion-flowers. By Miss Lawrance.

Miss Lawr. ros. A Collection of Roses from Nature. By Miss Lawrance. Ninety Plates.

Mench. h. m. Conrad Moench Methodus Plantas Horti et Agri Marburgensis describendi.

Mænch. h. weis. Verzeichniss Auslandischer Baume und Stauden des Lustchlosses Weissenstein bey Cassel. Von C. Monch.

Mont. act. ups. Vid. Act. ups.

Moris. his. { Rob. Morison Historia Plantarum uni-Moris. s. versalis Oxoniensis. Moris. umb. Rob. Morison Plantarum unbellifera-

rum Distributio nova.

Murr. com. goett. Vid. Com. got.

Nissole in act. par. Vid. Act. par.

Nov. act. ac. nat. cur. Nova Acta Physico-medica Academiæ Cæsareæ Naturæ Curiosorum.

Nov. act. ber. Der Gesselschaft Naturforschender Freunde zu Berlin Neue Schriften.

Nov. act. pet. Nova Acta Academiæ Scientiarum Imperialis Petropolitanæ.

Nov. act. ups. Nova Acta Regiæ Societatis Scientiarum Upsaliensis.

Nov. com. got. Novi Commentarii Societatis Regiæ Scientiarum Gottingensis.

Nov. com. pet. Novi Commentarii Academiæ Scientiarum Imperialis Petropolitanæ.

Ort. dec. Cas. Gom. Ortegæ novarum aut rariorum Plantarum Horti Reg. Botan. Matrit. Descriptionum Decades.

Osb. it. Pehr Osbecks Dagbok ofver en Ostindisk

Palis. d. Owar. Palisot de Beauvois Flore des Royaumes d'Oware et de Benin.

Pall. act. pct. Vid. Act. pet.

Pall. astrag. Species Astragalorum descriptæ et Iconibus coloratis illustratæ. A P. S. Pallas.

Pall. it. P. S. Pallas Reise durch Verschiedene Provintzen des Russischen Reichs.

Pall. ros. Flora Rossica. Edidit P. S. Pallas.

Par. lon. The Paradisus Londinensis.

Park. par. J. Parkiuson Paradisi in Sole Paradisus terrestris.

Park. theat. J. Parkinson Theatrum Botanicum. Pass. hort. Crispinus Passarus Hortus floridus.

Paters. it. A Narrative of four Journeys into the Country of the Hottentots and Caffraria. By Will. Patterson.

Pers. in ust. an. Persoon in Paul Usteri Annalen der Botanik.

Pet. H. Brit. James Petiver Herbarii Britannici Catalogus.

Pet. gaz. Jac. Petiver Gazophylacium Naturæ et Artis.

Phil. trans. Philosophical Transactions of the Royal Society of London.

Pic. hort. pan. Hortus Pansiaticus, o sia Catalogo delle Piante esotiche nel Giardino della Villa detta la Loggia. Descritto da Gius. Piccivoli.

Pis. bras. Gul. Pisonis de Indiæ utriusque re naturali et medica, Libri 14.

Plant. grass. Histoire des Plantes Grasses. A. P. Decandolle. Avec leurs Figures en Couleurs. Dessinées par P. J. Redouté.

Pl. rar. hung. Franc. Comitis Waldstein et Pauli Kitaibel Descriptiones et Icones Plantarum rariorum Hungariæ,

Pluk. alm. Leon. Plukenett Almagestum Botanicum.

Pluk, amalth. L. Plukenett Amaltheum Botanicum. Pluk. mant. L. Plukenett Mantissa Almagesti Botanici.

Pluk. phyt. L. Plukenett Phytographia.

Plum. amer. Description des Plantes de l'Amérique, avec leurs Figures. Par le R.P. Charles Plu-

Plum. fil. Charles Plumier Traité des Fougères de l'Amérique.

Plum. ic. Plantarum Americanarum Fasciculi 10, continentes Plantas quas olim Car. Plumierius detexit et depinxit. Edidit Jo. Burmannus.

Poir. it. ed. germ. Poiret (J. L. M.) Voyage en Barbarie.

Poit. ann. mus. Vid. Ann. Mus.

Poit. et T. arb. Traité des Arbres fruitiers. Par Du Hamel du Monceau. Nouvelle Edition, augmentée. Par A. Poiteau et P. Turpin.

Poit. et T. fl. par. Flore Parisienne. Par A. Poiteau et P. Turpin.

Pursh. fl. amer. Flora America Septentrionalis; or, A Systematic Arrangement and Description of the Plants of North America. By Frederick Pursh.

Rauw. it. Der vierte Thail Leonh. Rauwolfen, etlicher Schoner Ausslandischer Kreuter, deren in Seiner Rayss in die Morgenlander Gethon, Gedacht wirt, lebendige Contrafactur.

Red. lil. Les Liliacées. Par P. J. Redouté.

Regn. bot. Regnault (Sr. et De.) La Botanique mise à la portée de tout le Monde.

Reliqu. houst. Vid. B. Houst.

Ren. spec. Pauli Renealmi Specimen Historiæ Plan-

Ret. obs. And. Jah. Retzii Observationes Botanicæ. Ret. Stock. And. Jah. Retzii Floræ Scandinaviæ Prodromus.

Rheed mal. Hortus Indicus Malabaricus. Adornatus per Henr. van Rheede van Drakenstein.

Riv. mon. Aug. Quir. Rivini Ordo Plantaram, quæ sunt Flore irregulari monopetalo.

Riv. tetr. Aug. Quir. Rivini Ordo Plantarum, quæ sunt Flore irregulari tetrapetalo.

Riv. pent. A. Q. Rivini Ordo Plantarum, quæ sunt Flore irregulari pentapetalo.

Rob. ic. Three Hundred and Nineteen Plates of Plants. Engraved by Nic. Robert, A. Bosse, and Lud. de Chastillon.

Roche diss. De la Roche (Daniel) Specimen Botanicum inaugurale sistens Descriptiones Plantarum aliquot novarum.

Ræm. arch. Archiv fur die Botanik. Herausgegeben von Joh. Jac. Ræmer.

Ræm. pl. hisp. lus. Joh. Jac. Ræmer Scriptores de Plantis Hispanicis, Lusitanicis et Brasiliensibus.

Roth abhand. Botanische Abhandlungen und Beobachtungen von Albr. Wilh. Roth.

Rott. gram. C. Friis Rottboll Descriptiones et Icones Plantarum rariorum.

Roxb. cor. Plants of the Coast of Coromandel. By Will. Roxburgh.

Rudb. elys. Campi Elysii Liber 2dus, Opera Olai Rudbeckii, Patris et Filii.

Rudge pl. gui. Rudge (Edward) Plantarum Guianæ rariorum Icones et Descr.

Rum. amb. Ge. Everh. Rumphii Herbarium Amboinense.

Sabb. hort. Sabbati (Liberatus) Hortus Romanus.

Sal. stirp. R. A. Salisbury Icones Stirpium rariorum Descriptionibus illustratæ.

Scheuth. gram. Joh. Scheuchzer, Agrostographia, sive Graminum, Juncorum, Cyperorum, iisque affinium Historia.

Schk. bot. hand. S Botanisches Handbuch. Von Schk. hand. Christ. Schkuhr.

Schk. car. C. Schkuhr Abbildungen der Riedgraser. Schh. fil. C. Schkuhr Abbildungen der Farrnkrauter.

Schmidel. ic. Cas. Christ. Schmidel Icones Plantarum. Schmidt arb. Franz Schmidt, Oesterreichs Allge-

meine Baumzucht.

Schneev. ic. G. Voorhelm Schneevoogt Icones Plantaram rariorum.

Schous. maroc. P. K. A. Schousboe's Beobachtungen uber das Gewachsreich in Marokko.

Schr. bot. Journ. Journal fur die Botanik. Herausgegeben von Schrader.

Schr. neu. jour. Neues Journal fur die Botanik. Herausgegeben von Schrader.

Schr. sert. han. J H. A. Schrader Sertum Hannover-

anum. Schr. ver. H. A. Schrader Commontatio super Vero-

nicis Spicatis Linnæi. Sch. gram. J. C. D. Schreber's Beschreibung der

Graser. Sch. ic. J. C. D. Schreber Icones Plantarum minus cognitarum Decas 1.

Schw. bes. M. W. Schwencke, Kruidkundige Beschryving der Gewassen.

Scop. carn. Jo. Ant. Scopoli Flora Carniolica.

Scop. ins. J. A. Scopoli Deliciæ Floræ et Faunæ Insubricæ.

Seb. mus. Alb. Sebæ locupletissimi Rerum naturalium Thesauri Descriptio.

Sec. du chen. Mémoires sur l'Histoire naturelle du Chêne. Par M. de Secondat.

Segu. ver. Plantæ Veronenses. Auctore Jo. Franc. Seguierio.

A Voyage to the Islands Madeira, Barbadoes, Nieves, S. Christopher's, and Slo. jam. Jamaica; with the natural History of Slo. hist. the last of those Islands. By Hans Sloane.

Smith ic. Icones pictæ Plantarum rariorum. Auctore J. E. Smith.

Sm. ined. Plantarum Icones hactenus ineditæ. Auctore J. E. Smith.

Sm. n. holl. A Specimen of the Botany of New Holland. By J. E. Smith.

Sm. spicil. Spicilegium Botanicum. Auctore J. E. Smith.

Smith's tracts. Tracts relating to natural History. By J. E. Smith.

Sole's mints. Menthæ Britannicæ; being a new botanical Arrangement of all the British Mints hitherto discovered. By W. Sole.

Sonn. it. Voyage aux Indes Orientales et à la Chine. Par M. Sonnerat.

Sonn. n. gui. Voyage à la nouvelle Guinée. Par M. Sonnerat.

Sparr. act. st. Vid. Act. stock.

Spren. fl. hal. Kurt Sprengel Floræ Halensis Tentamen novum.

Swart. obs. Observationes botanicæ. Auctore Olof Swartz.

Tabern. ic. Eicones Plantarum (cadem ac in Tabernæmontani Krauterbuck).

Th. act. hafn. C. P. Thunberg Acta medica et philosophica Hafniensis.

Thunb. act. st. Vid. Act. stock.

Thunb. diss. C. P. Thunberg Dissertationes.

Thunb. eric. C. P. Thunberg Præsidis Dissertatio de

Thu. gar. C. P. Thunberg Diss. de Gardenia. Thunb. jap. C. P. Thunberg Flora Japonica.

Thunb. prot. C. P. Thunberg Diss. de Protea.

Till. pis Mich. Aug. Tilli Catalogus Plantarum Horti Pisani.

Tourn. ins. Jos. Pitton Tournefort Institutiones Rei herbariæ.

Tourn. it. Relation d'un Voyage du Levant. Par M. Pitton de Tournefort.

Trew ehret. Plantæ selectæ, quarum Imagines pinxit Ge. Dion. Ehret, collegit et illustravit Christ. Jac. Trew.

Trew pl. rar. Plantæ rariores, quas depingendas Ærique incidendas curavit Chr. Jac. Trew.

Observationes de Ortu ac Vegetatione Plantarum, cum novarum Stirpium Historia Iconibus illustrata. Auc-Triumf. obs. tore Jo. Bapt. Triumfetti.

Triumf. præl. Prælusio ad publicas Herbarum Ostensiones, à Jo. B. Triumfetti, cui accesserunt novarum Stirpium Descriptiones et Icones.

Turp. ann. mus. Vid. Ann. mus.

Tuss. fl. d. ant. Flore des Antilles. Par F. R. de Tussac.

Uster, ann. bot. Annalen der Botanik. Herausgegeben von Paul Usteri.

Vahl symb. Mart. Vahl Symbolæ Botanicæ.

Vahl eclog. Mart. Vahl Eclogæ Americanæ, et Icones Plantarum in Eclogis descriptarum.

Vail. par. Seb. Vaillant Botanicum Parisiense, Leide, et Amsterdam.

Vent. cels. Description des Plantes nouvelles et peu connues cultivées dans le Jardin de J. M. Cels; avec Figures. Par E. P. Ventenat.

Vent. choix. Choix de Plantes dont la plûpart sont cultivées dans le Jardin de Cels. Par E. P. Vent. desc. pl. nov. E. P. Ventenat Decas Generum novorum.

Vent. mal. Jardin de la Malmaison. Par E. P. Ven-

Vent. sc. phys. Vid. Act. par.

Vill. dauph. { Histoire des Plantes de Dauphiné. Par Vill. delph. { M. Villars.

Volck. norib. Joh. Go. Volckameri Flora Noribergensis. Voya. de Lab. Relation du Voyage à la Récherche

de la Pérouse. Par le C. Labillardière.

Waldst. ct Kit. Vid. Pl. rar. hung.

Walth. hort. Designatio Plantarum quas Hortus Aug. Frid. Waltheri complectitur; accedunt novæ Plantarum Icones 24.

Wang. amer. F. A. J. von Wangenheim Anpflanzung North Amerikanischer Holzarten.

Wein. phyt. Joh. Wilh. Weinmann Phytanthozaiconegraphia.

Wend. eric. Ericarum Icones et Descriptiones. Auctore J. C. Wendland.

Wend. her. Hortus Herrenhusanus. Auctore J. C. Wendland.

Wend, in Ram, archiv, Vid. Ram. arch.

Wend. obs. Botanische Beobachtungen. Von J. C. Wendland.

Wend. sert. han. Sertum Hannoveranum. Auctore J. C. Wendland.

Willd. amar. Historia Amaranthorum. Auctore Car. Lud. Willdenow.

Willd. arb. Berlinische Baumzucht. Willdenow.

Willd. ber. C. L. Willdenow Hortus Berolinensis.

W. N. act. ber. Vid. Nov. act. ber.

Willd. phyt. C. L. Willdenow Phytographia.

Zanon hist. Jac. Zanonii rariorum Stirpium Historia.

Zorn. ic. Icones Plantarum medicinalium. Joh. Zorn.)

### ABBREVIATIONS.

A. G. Andrews's Geraniums.

A. H. Andrews's Heaths.

B. Robert Brown, in Transactions of the Wernerian Society.

B. M. Botanical Magazine.

B. P. Brown's Prodromus Floræ Novæ Hollandiæ.

B. R. Botanist's Repository,

B. reg. Botanical Register.

Cav. Cavanilles.

D. Decandolle's Regni vegetabilis Systema naturale.

Dec. Decandolle's Astragalogia, &c.

Desf. Desfontaine's Flora Atlantica.

E. B. English Botany.

F. P. Flora Peruviana.

G. Gærtner.

H. K. Hortus Kewensis. Second Edition.

H.R. Enumeratio Plantarum Horti Botanici Regio-

H. S. Haworth on Succulent Plants.

J. Jussieu's Genera Plantarum.

Jac. Jacquin.

Kn. P. Joseph Knight on the natural Order of Proteeæ.

K. R. Ker's Review of Amaryllideæ in the Journal of Science and Arts.

L. Linnæus.

Lam. Lamarck.

L'Her. L'Heritier.

L. T. Transactions of the Linnwan Society of Lor-

M. n. Miscellanea naturalia. By A. H. Haworth.

Mi. Mich. Michaux Flora Boreali-Americana.

Ph. Pursh's Flora of North America.

P. L. Paradisus Londinensis.

P. S. Persoon's Synopsis Plantarum.

R. L. Les Liliacées. Par P. J. Redouté.

Ros. Roscoe, in Transactions of the Linnæan Society.

Rox. Roxburgh.

Ru. Rudge (Edward) Plantarum Guianæ rariorum Icones et Descr.

Sc. Schrader.

Sm. Smith.

S. M. Sole's Mints,

S. P. Salisbury's Prodromus.

Sw. Swartz.

Th. Thunberg.

V. Vent. Ventenat.

Vill. Villars.

W. Willdenow's Species Plantarum.

W. en. Willdenow Enumeratio Plantarum Horti Bot, Berolinensis.

1.2. &c. Flowering the first and second month, &c.

1.12. Flowering all the year.

- Same as the line above it.

.... Uncertain.

H. h. Hardy shrub or tree.

F. h. Shrubs requiring the protection of a frame or

G. h. Greenhouse shrub. S. h. Stove shrub.

D.S. h. Dry stove shrub, requiring but little water, 4. Perennial.

J. Biennial.

O. Annual.

C. B. S. Cape of Good Hope.

N. S. W. New South Wales.

N. Holl. New Holland.

V. Diem. I. Van Diemen's Island.

W. Ind. West Indies.

E. Ind. East Indies,

S. Eur. South of Europe.

N. Eur. North of Europe,

S. Amer. South America.

N. Amer. North America,

## HORTUS SUBURBANUS LONDINENSIS,

&c,

## CLASS I.—ORDER I,

#### MONANDRIA MONOGYNIA.

Systematic Name.	English Name.	Natural Order. Canneæ. B. P.	Native.	Cultiv. Flowers.	Ref. to Figures,
CANNA. W.	Indian Shot.		v 11		D 1 11 con 1997
1 Indica. Ros.	common.				. Red. lil. 201.
2 coccinea. Ros.	scarlet.		S, America.	1731. —— S.4	. Bot. reg.
3 patens. Ros.	spreading.		Rio Janeiro	. 1778. —— G.4	. Bot. reg.
4 lutea. Ros.	yellow.		E. Ind.	1629 S. 24	208577
5 glauca. Ros.	glaucous.				. Ex. bot. 2. t. 102.
6 flaccida. Ros.	flaccid.		S. Carolina.		. Sal. stirp.rar.3.t.2.
· ·		•			
7 gigantea. R. L.	gigantic,			12.2. 5.4	. Bot. reg. 206.
MARANTA. W.	ARROW-ROOT.	Canneæ. B. P.			
1 arundinacea. W.	Indian.		S. Amer.	1732. 7.8. S.4	. Red. lil. 57.
. 111					SRudge pl. guian.
2 obliqua. Ru.	øblique.		Guiana.	1803. 12. S.4	P. 8. t. 2.
3 lutea. W. en.	wallow		Caracas.	1000 67 63	Jac. ic.rar.2, t.201,
	yellow.				
4 comosa. W.	close-spiked.	V		1812. 6.7. S.4	
5 zebrina. B. M.	striped-leaved.		Brasil.	1815. — S.4	Bot. mag. 1926.
THALIA. W.	THALIA.	Canneæ. B. P.			
dealbata. Ros.	mealy.	-	S. Carolina.	1791. 7.8. G. 2L.	Bot. mag. 1690.
PHRYNIUM. W.	PHRYNIUM.	Canneæ. B. P.		-,0	3
1 capitatum. W.	headed.	Connect: D. 1.	Tr. Th.A	1007 531	Asiat. res. 11. t. %
2 dichotomum.	forked.			1810. 7.8. S.4	•
HEDYCHIUM. W,	GARLAND FLOW.	Scitamineæ. B. P.		*	
1 coronarium.	sweet-scented.		E. Ind.	1791. 7.9. S.4	Bot. mag. 708,
2 angustifolium. B.R.	scarlet.			1815. S.21	Bot. reg. 157.
ALPINIA. W.	ALPINIA.			Renealmiæ species I	
1 racemosa. Ros.	clustered.	Dettainment D. 1			Plum. ic. 11. t. 200
· · · · · · · · · · · · · · · · · · ·					
2 comosa. W.	close-spiked.		Caracas.		Jac. ic. rar. v. 3.
3 occidentalis. W.	occidental.		Jamaica.	1793 S.24.	
4 nutans. Ros.	nodding.		E. Ind.	1792. 4.6. S.4.	Ex. bot. 2. t. 106.
5 cernua. B. M.	drooping.	-		S. 24.	Bot. mag. 1900.
6 calcarata. Ros.	upright.				Bot. rep. 421.
HELLENIA. W.	HELLENIA.	Scitamineæ. B. P.			23001011110
					D.4 501
Allughas. W.	Ceylon.			1796. 2.3. S.4.	Bot. rep. 501.
ZINGIBER. Ros.	GINGER.	Scitamineæ. B. P.			
1 officinale. Ros.	narrow-leaved.				Jac. vind. 1. t. 75.
2 Zerumbet. Ros.	broad-leaved.		E. Ind.	1690. 9.11. 8.24.	Ex. bot. 2. t. 112.
3 Casumunar. B. M.	downy-leaved.		E. Ind.		Bot. mag. 1426.
	,				
4 sylvestre. Sw.	wood.		Jamaica.	1804. 5.7. S.4.	Sloan. hist. 1. t. 105. f. 2.
r M' n					
5 Mioga. Ros.	Japanese.			1796 G. 4.	
6 purpureum. Ros.	purple-bracted.		E. Ind.	9. S.4.	
ELETTARIA. L. T.	CARDAMOM.	Scitamineæ. B. P.	Amomi speci		
Continue				0.01	(Linn.trans.v.10.
Cardamomum. L.T.	true.		E. Ind.	1815 5.4.	{ Linn.trans.v.10, t. 4, 5.
COSTUS. W.	Cosmis	Saitaminam P D			( 0. 7) 0.
	Costus.	Scitamineæ. B. P.	** * 1		T
1 speciosus. Ros.		**************************************		1794. 8.9. S.4.	Jac. 1c. 1. t. 1.
2 arabicus. Ros.	Arabian.			1752. 8. S.4.	
3 spicatus. Ros.	spiked.	Contrast or with residence of the same of	S. Amer.	1793. 6, S.4.	Jac. am. 1. t. 1.
		B			
		( )			

1							
KÆMPFERIA. W.	GALANGALE.	Scitamineæ. B. P.					
1 rotunda. Ros.	round-rooted.		É. Ind.	1768.	7.8.	S. 21.	Bot. mag. 920.
2 Galanga. Ros.	officinal.		E. Ind.				Bot. mag. 850.
3 angustifolia. Ros.	narrow-leaved.		E. Ind.	1797.			8
4 pandurata. B. Reg.	fiddle-shaped.						Bot. reg. 173.
AMOMUM. Ros.	AMOMUM.	Scitamineæ. B. P.				·	-
1 Afzelii. Ros.	sweet-scented.		SierraLeone.	1795.	5,6.	S. 24 .	Ann. bot. 1. t. 18.
2 grandiflorum.Ex.B.	large-flowered.				6.7.	S. 2L.	Ex. bot. t. 111.
CURCUMA. W.	TURMERIC.	Scitamineæ. B. P.		4			
1 Zedoaria. Ros.	broad-leaved.	-	E. Ind.	1797.	4.8.	S:21.	Bot. mag. 1546.
2 Zerumbet. Roxb.	Zedoary.			1807.		S. 21.	Rum, amb, 5, t.68.
3 æruginosa. Roxb.	rusty.		,			S. 21.	Rum. amb. 5. t.68.
4 rotunda. W.	round-rooted.			1803.	8.	8.21.	Rheed.mal.11.t.10.
5 longa. Ros.	long-rooted.			1754	× .	> 21	Jac. vind. 3. t. 4.
6 rubescens. Roxb.	reddish.			1805.	3.9.	S. 2L.	100
GLOBBA, Ros.	GLOBBA.	Scitamineæ. B. P.			~	~· <b>-</b>	
1 marantina. Ros.	marantine.			1800.	7.8.	S. 2L.	Ex. bot. 2. t. 103.
2 purpurea. B. R.	purple.				77 O	6 21	Bot ron + 000
3 sessiliflora. B. M.	sessile-flowered.			1807.	. 8.	S. 21.	Bot. mag. 1428.
4 radicalis, Roxb.	opera girl's.		E. Ind.	1808.	6.	S. 21	Bot. mag. 1320.
Mantisia saltatoria			23. 1114.	10000	٠.	<b>∼</b>	Dott Magv 10401
PHILYDRUM. B. P.		Junceæ. B. P.					
lanuginosum. B. P.			China	1001	67	2 1	Bot. mag. 783.
LOPEZIA. Cav.	LOPEZIA.	Onagrariæ. J.	Cimia.	1001.	6.7.	0.0.	Dott Mag. 700.
1 hirsuta. H. K.	hairy.	Onagrariac. v.	Mexico	1706	0 11	8 1	Jac.c.sup.5.t.15.f.4
2 racemosa, H. K.	envocili			1700	0.10	0 1	Rot mar 054
3 coronata. H. K.	coronet-flowering	Ş		. 1905	7.0	HO	Bot ren 551.
BOERHAAVIA. W.		Nyctagines. B. P.		1000.	1.3.	11.0.	Bot. Tep. 501.
1 erecta. W.	upright.	Tryctagines. D. 1		1722	7.0	8 21	Jac. vind. 1. t. 5, 6.
2 diffusa. W.	spreading.		India.	. 1690.			
3 hirsuta. W.	scarlet-trailing.		Iamaica	1722	5.9	S. L.	Jac. vind. 1. t. 7.
4 scandens. W.	climbing.		o amaica.	. 1601	4.0	S.D.	Jac. vind. 1. t. 4.
POLLICHIA. W.	Pollichia.			1031.	4.9.	S. 17.	5ac. vina. 1. c. 4.
campestris. W.	whorl-leaved.			1780.	9.	G 1	Sm. spicil. 1. t. 1.
SALICORNIA. W.	GLASSWORT.			1/00.	9.	G. o .	Sm. spicii. 1. t. 1.
1 arabica. W.	Arabian.	Chenopodeæ. B.P.		1 7 5 0		C.T.	Mariaha taa f7
2 fruticosa. W.			Duitain				Moris.h.2. t.33.f.7.
3 radicans. E. B.	shrubby.					H.h.	
	rooting.			,	9.	11.4	Eng. bot. 1691. Eng. bot. 415.
4 herbacea. W.	marsh.		England		8.9.	H.O.	Eng bot 1601
5 procumbens. E. B.		William T	England.	• • • • •	8.	H.O.	Eng. bot. 1691.
HIPPURIS. W.	MARESTAIL.	Naiades. J.	D'4 a.' m		_	TT 31	Eng hat #69
vulgaris.	common.		· Britain.			11.4.	Eng. bot. 763.
r.		DICTOR					
		DIGYNIA	۸.				
CORISPERMUM. W	. Tickseed.	Chenopodeæ. B.P					
1 hyssopifolium. W.	hyssop-leaved.		- Europe.	1739.	7.	H.⊙.	Fl. græc. 1. t. 1.
2 squarrosum. W.	rough-spiked.		- Russia.	1759.	8.9.	H. ①.	Pal. ros. 2. t. 99.
CALLITRICHE. W.	WATER STAR-	Noinder I					
Chilitiactic. W.	( wort.	)					
aquatica. E.B.	common.	<del></del>	- Britain.		4.10	H.⊙.	Eng. bot. 722.
BLITUM, W.	STRAWBERRY	Chenopodeæ. B.P.					
DELLONI. W.	BLITE.						
1 capitatum. W.	berry-headed.		- Austria.	1633.	5.8.	H.O.	Poit. et T. fl. p. 1. t. 2.
2 yirgatum. W.	slender.		· S. Europe.	1680.	5.9.	H.O.	Bot. mag. 276.
-			_				

## CLASS II.

NYCTANTHES. W. arbor tristis. W.	NYCTANTHES. square-stalked.	Jasmineæ. B. P.	E. Ind.	1781	"S. h. Lam. ill. t. 63)
JASMINUM. W.	JASMINE.	Jasmineæ. B. P.			
1 Sambac. W.	single Arabian.		E. Ind.	1665. 1.12.	S. b. Bot. reg. 1.
β flo. pleno.	double ditto.			1700. 1.12.	S. b. Bot. rep. 497.
y trifoliatum.	Tuscan.		-	1730. —	S.h. Bot. mag. 1786



	DIA	TAINTITE INTO	01100111	IA.			ð
hirsutum. Ex. B.	hairy Indian.	Jasmine. B. P.	E. Ind.	1759.	5.8.	S.b.	Ex. bot. 2. t. 118.
3 gracile. B. P.	slender.						. Bot. rep. 127. Ac. 60
4 glaucum. W.	glaucous.		- C. B. S.				Sat. strip. rar. t. 8.
5 trinerve. W.	three-nerved.		- Java.				attend it
6 auriculatum. W.	auriculated.						Bot. reg. 25
7 azoricum. W.	Azerian.		- Madeira.				Bot. reg. 89. 3 700
8 fruticans. W.	common yellow.		· S. Eur.				Bot. mag. 461.
9 bumile. W.	Italian.		35 3				Bot. reg.
10 odoratissimum. W. 11 revolutum. B. M.			Madeira.				Bot. mag. 285.
12 officinale. W.	curled-flowered.		Cilina.				Bot. reg. 178.
13 grandiflorum. W.	Catalonian.		E. Ind.	1690	6.10	G L	Bot. reg. 91.
GALIPEA. Ju.	GALIPEA.			1029.	6.10.	C. n.	Dot. 1cg. 51.
trifoliataW.	three-leaved.			1803.		S. b .	Aub.gui.662.t.269.
LIGUSTRUM. W.	PRIVET.	Oleinæ. B. P.				٠٠١٢٠	2240154110021112091
1 vulgare. W.	common.	-	Britain.		6.7.	Н.Ь.	Eng. bot. 764.
β sempervirens.	evergreen.		· Italy.			Н. р.	
2 lucidum. H. K.	Wax-tree.		China.			G. 12 .	
OLEA. B. P.	OLIVE & PHIL-	Oleinæ, B. P.	Olea et Phili	luroa	r.		
	LYREA.		Dica et 2 hitt	-			
1 europæa. W.	European olive.		S. Eur.	1570.	6.8.	G.h.	Fl. græc. 1. t. 3.
β longifolia.	long-leaved.						
y latifolia.	broad-leaved.						
δ ferruginea. ε obliqua.	iron-coloured. twisted-leaved.					-	
ζ buxifolia.	box-leaved.						
2 capensis. W. en.	leathery-leaved.			1790	60	G L	Burm. afr. t. 81. f.2.
3 undulata. W. en.	wave-leaved.			1780,	4.5	G h	Jac. sch. 1. t. 2.
4 verrucosa. W.	warted.			1814.	4.0.	G.b.	o (c. sen. 1. c. 2.
5 americana. W.	American.		N. Amer.	1758.			Cat. car. 1. t. 61.
6 excelsa. W.	laurel-leaved.		Madeira.	1784.		G. 12.	
7 fragrans. W.	fragrant.		China.				Bot. mag. 1552.
8 angustifolia.W.en.	narrow-leaved					•	
	Phillyrea.		S. Eur.	1597.		-	
9 media. W. en.	twiggy.					H. h.	
10 virgata. W. en.	privet-leaved.					H.h.	
11 pendula. W. en.	drooping.					H.h.	
12 oleæfolia. W. en. 13 lævis. W. en.	olive-leaved.	-				H.h.	
14 ilicifolia. W. en.	smooth-leaved.	·				H. 17.	
15 latifolia. W.en.	holly-leaved. broad-leaved.			-		H. h.	
16 obliqua. W. en.	oblique-leaved.					H. L.	
NOTELÆA. B. P.	Notelæa.	Oleinæ. B. P.				11.7.	
1 longifolia. B. P.	long-leaved.		N. S. W.	1790.	3.6.	G. h.	Vent. choix. 25.
2 ligustrina. B. P.	privet-leaved.		Van Die.				
CHIONANTHUS. W.		Oleinæ. B. P.					
1 virginica. W.	smooth-leaved.		N. Amer.	1736.	5.7.	н.ь.	Cates. car. 1. t. 68.
2 maritima. Ph.	pubescent.					H.h.	
LINOCIERA. B. P.	LINOCIERA.	Oleinæ. B. P.	Chionanthi sp				
compacta, B. P.	Caribean.		W. Ind.	1793.		S.h.	Jac. col. 2. t. 6. f.1.
ORNUS. P. S.	FLOWERINGASH		Fraxini sp. 1				
1 europæa. P. S.	European.		•				Fl. græc. 1. t. 4.
2 rotundifolia. P. S.	Manna.	01: 7: 7:		1697.	4.	H. h.	
SYRINGA. W.	LILAC.	Oleinæ. B. P.	Donaia	150=	-	TT T	Sahlun hand 1 40
β violagea.	purple.		Persia.	1597.			Schku. hand. 1. t.2.
y alba.	white.						Bot. mag. 183.
2 chinensis. W.	Chinese.		China.	1795.			
3 persica. W.	Persian.		Persia.	1640.			Bot. mag. 486.
β alba.	white.						
y laciniata.	cut-leaved.						Schmidt arb.2.t.79.
CATALPA. Ju.	CATALPA.	Bignoniaceæ.B.P.					
1 Syringifolia. H. K.	common.	-	N. Amer.	1726.	6.8.	Н. р.	Bot. mag. 1094.
2 longissima. H. K.	wave-leaved.						Plum. ic. t. 57.
PIMELEA. B. P.	PIMELEA.	Thymelææ. B. P.					
1 linifolia. B. P.	flax-leaved.		N. S. W.				Bot. mag. 891.
2 rosea. B. P.	rose-coloured.						Bot. mag. 1458.
3 pauciflora. B. P.	few-flowered.		Van Die.	1812.		G.h.	1
FONTANESIA. W. phillyræoides. W.	FONTANESIA.	• • • • • • • • • • • • • • • • • • • •	Sunia	1=0=	0	Y T.3	Tob arm 1 4 3
phinipateolics, W.	i mnyrea-ieaved.	Ro	Syria.	1787.	٥.	12. n.	Lab. syr. 1. t. 1.
		B 2					

	* >						
	ENCHANTER'S }	Onagrariæ. J.					
	Nightshade.	_	44			A- 7.	,
i lutetiana. W.	common.		Britain.				Eng. bot. 1056.
2 alpina. W.	mountain. Speedwell.	Cananhalaniam D.D		• • • • •	6.9.	н.4.	1057.
VERONICA. W.	Siberian.	Scrophularinæ. B.P		1770	m 0	ET 3/	Amous much an 4 d.
-	Virginian.		Virginia				Amm. ruth. 20.t.4:
2 virginica. W. β incarnata.	flesh-coloured.		viiginia.	1/14.	7.9.	11.4.	Hoff. got. 15. t. 1.
8 neglecta. W. en:	canescent		Siberia.	1797.	7 8.	H.4.	
4 incana. Sc.	hoary.		Russia.				Hoff. got. 15. t. 6.
5 spicata. Sc.	spiked.		England.				Eng. bot. 2.
6 hybrida. Sc.	Welsh.					LI M	CHO
•	11. U		0.10			TT 21	Schr. ver. p. 22.
7 arguta. Sc.	sharp-notched.			1812.		н. 4.	Schr. ver. p. 22. t. 2. f. 2.
8 media. Sc.	long-spiked.		Germany.	1804.		H.4.	-, p. 23. t.1. f. 2.
9 australis. Sc.	pubescent.		S. Eur.	1812.		H.4.	-, p. 24. t. 2. f. 3.
10 glabra. Sc.	smooth.		S. Eur.	1804.		H.24.	-, p. 25. t. 1. f. 4.
β alba.	white.	2					
11 amethystina. W. en.				1812.			
12 elatior. W. en.	tall.		S. Eur.	1808.	-	H.4.	601
13 longifolia. Sc.	long-leaved.		1.5	1731.		H. 24.	Schr. ver. p. 26, t. 2, f. 1.
	o .		C J			E.T. O.	( t. 2. t. 1.
14 maritima. Sc.	sea-side.		Sweden.	1570.			-, p. 29. t. 1. f.1.
15 complicata. W. en. 16 crenulata. Vahl.	notch-flowered.					H.4.	
an cienulata. Vani.				1804.	7.9.	11.4.	(Schr ver n. 31.
17 villosa. Sc.	villose.					н.4.	Schr. ver. p. 31. t. 1. f. 3.
18 foliosa. Sc.	leafy.		Hungary.	1805.		H.21.	-, p. 35. t. 2. f. 5.
19 spuria. Sc.	bastard.	4-9	Siberia.				Gmel. it. 1. t. 39.
20 pinnata. Sc.	wing-leaved.			1776.	6.8.	H. 1.	Hoff. got. 15. t. 10.
21 laciniata. Sc.	jagged-leaved.			1780.		H. 2/.	Jung. ic. rar. f. 2.
22 incisa. Sc.	cut-leaved.			1779.		H.4.	0
23 aphylla. W.	naked-stalked.	· · · · · · · · · · · · · · · · · · ·	Italy	1775	5.	H. 2/ .	Segu. ver.1.t.3.f. 2.
24 bellidioides. W.	Daisy-leaved.		Switzerland.		6.7.	H. 21.	Hall, hist, t.15, f.1:
25 gentianoides. W.	Gentian-leaved.		Levant.	1748.	5.6.	H.4.	Bot. mag. 1002.
26 fruticulosa. W.	flesh-coloured.		Scotland.		6.8.	H.h.	Bot. mag. 1002. Eng. bot. 1028.
27 saxatilis. W.	blue Rock.				7.	H.4.	1027
28 alpina. W.	Alpine.	<del></del>			5.	H.4.	484.
29 serpyllifolia. W.	smooth.		Britain.		4.7	н.4.	1075. ————————————————————————————————————
30 officinalis. W.	officinal.			• • • • •		H.4.	765.
31 Allionii. W.	shining-leaved.		S. Eur.	1748.	6.8	н.и.	Allion. ped. 1. t. 46. f. 3.
32 decussata. W.	cross-leaved.		Falkland Isl.	1776.		G.h.	Bot. mag. 242.
83 integrifolia. W.	entire-leaved.		Silesia.				Krock. sil. 28. t. 3.
39 Beccabunga. W.	Brook-lime. labiated.		britain.				Eng. bot. 655. Bot. mag. 1660.
41 Anagallis. W.	long-losy water		Rritain				Eng. bot. 781.
42 scutellata. W.	marsh.		Diffeati.				782.
43 Teucrium. P. S.	rugged-leaved.	<u> </u>	Germany.				Rivin. t. 95.
44 prostrata. W.	trailing.						Riv. mon. 95,
45 perfoliata. B. P.	perfoliate.		N. S. W.				B.m. 1036
46 montana. W.	mountain.		Britain.				Eng. bot. 766.
47 Chamædrys. W.	Germander.					H.4.	- 623.
48 orientalis. W.	various-leaved.		Levant.	1748.	6.8.	H.4.	Sal. stirp. rar. 7. t.4.
49 austriaca. Jac.	Austrian.		Austria.	1748.		H.4.	Jac. aust. 4. t. 329.
50 multifida. W.	fine-cut.		Siberia.		5.7.	H.4.	Bot. mag. 1679.
51 urticæfolia. W.	Nettle-leaved.		Austria.				Jac. aust. 1. t. 59.
52 latifolia. W.	broad-leaved.						t. 60.
53 paniculata. W.	panicled.		Russia.			H.4.	
54 agrestis. W.	field.		Britain.				Eng. bot. 783.
55 arvensis. W.	wall.		h	• • • • •	4.7.	H.O.	734.
56 hederifolia. W.	Ivy-leaved.			• • • • •	3.6.	H	784.
57 triphyllos. W.	fingered.			• • • • •	4.5.	H.().	26.
58 verna. W.	vernal.		C. Francisco				25.
59 digitata. W.	digitated.		J. Eur.	1805.	1.	H.⊙.	Bux.cen.1.t.40.f.1:
60 filiformis. W. 61 acinifolia. W.	long-stalked. Basil-leaved.			1780.			Poit.et.T.fl.p.1.t.23
	Knot-grass leav.						Fl. dan. 407.
ELYTRARIA. M.	ELYTRARIA.	Acanthaceæ. B. P		1000.	0.0.	41.0.	
virgata. M.	twiggy.	Acanthacea. D. F		1813.	7.	H. 2.	Mich. am. 1. t. 1.
			- ME GENTANT				

	DIA	HDIVIA MIC	MOUTH	171			9
JUSTICIA. W.	Justicia.	Acanthaceæ. B. P.					
1 bicalyculata. W.	Malabar.			1785.	8.	$S.\odot.$	Ret. stoc. 1775. t.9.
2 sexangularis. W.	Chickweed-leav.		S. Amer.	1733.	7.		
3 Ecbolium. W.	long-spiked.						Bot. mag. 1847.
4 coccinea. W.	scarlet.			1770.			432.
5 quadrifida. H. K. 6 nitida. W.	twiggy.		Wexico.				Par. lon. 50. Bot. rep. 570.
7 picta. W.	glossy.						Rheed, mal. 6. t. 60.
8 lucida. Va.	shining-leaved.						Bot. mag. 1014.
9 secunda. Va.	side-flowering.						2060
10 ciliaris. W.	ciliated.						Jac. vind. 2. t. 104.
11 Gendarussa. W.	Willow-leaved.		E. Ind.	1800.	6.7.	S.h.	Rheed. mal. 9. t. 42.
12 carthaginensis. W.		<del></del>	Carthagena.				Jac. amer. 5. t. 5.
13 americana. W.	American.						Pluck.alm.t.423.f.5
14 procumbens. W.	procumbent.						t. 56. f.3.
15 comata. W. 16 eustachiana. W.	Balsam-herb. Eustachian.		St Fuctachia	1795.	8.0	S.4.	Slo.jam.1.t.103.f.2. Jac. amer. 4. t. 4.
17 nasuta. W.	white-flowering.		E. Ind.				Bot. mag. 325.
18 pectoralis. W.							Jac. amer. 3. t. 3.
19 periplocifolia. W.							Jac.cel.sup. t.7. f.2.
20 lithospermifolia. W.	Gromwell-leav.						Jac. scheen. 1. t. 4.
21 furcata. Va.	forked.						Bot. mag. 430.
22 scorpioides. L.	scorpion-like.	<b></b>	Vera Cruz.				B. Houst. p.3. t. 1.
23 paniculata. Va.	panicled.	.,	E. Ind.				Rheed. mal. 9. t. 56.
24 resupinata. W. 25 Adhatoda. W.	resupinate. Malabar-nut.	2.1	Conlan				Dat man oci
26 pectinata. Va.	small-flowered.		E Ind				Bot. mag. 861. Roxb. cor. 2. t.153.
27 Betonica. Va.	Betony-leaved.						Rheed. mal. 2. t. 21.
28 hyssopifolia. W.	Snap-tree.		Canaries.				Mill. ic. 9. t. 13.
29 orchioides. W.	Broom-leaved.		C. B. S.				Vent. mal. 51.
ERANTHEMUM.B.P	ERANTHEMUM.	Acanthaceæ. B.P.	Justiciæ spec			·	
1 spinosum. B. P.	thorny.		W. Ind.				Jac. amer. 2. t. 2. f. 1.
2 pulchellum. B. R.	nervose.		E. Ind.				Bot. rep. 88.
3 bicolor. B. M. GRATIOLA. Mich.	two-coloured.			1802.	5.8.	S. 7.	Bot. mag. 1423.
1 officinalis. W.	officinal.	Scrophularinæ. B.P	Enrope	1560	5.0	ET 21	Fl. dan. 363.
2 veronicifolia. W.	Speedwell-leav.		E. Ind.				Rheed. mal. 9. t. 59.
3 virginica. W.	Virginian.		Virginia.	1759.		H.4.	201100011111111111111111111111111111111
SCHWENKIA. W.	SCHWENKIA.	Scrophularinæ. B.P					
americana W.	Guinea.			1781.	8.9.	S. 3.	Schw.bes.p.328.t.1.
CALCEOLARIA. W.		Scrophularinæ, B.P					
1 pinnata. W.	wing-leaved.		Peru.	1778.	7.9.	$G.\odot$ .	Bot. mag. 41.
2 Fothergillii. W.	Fothergill's.	r (1 1 1 mm	Falkland Isl.	1777.	5.8.	G. 24.	348.
PINGUICULA. W. 1 lusitanica. W.	BUTTERWORT.	Lentibulariæ.B.P.			C 7	TJ N	Eng hot 145
2 vulgaris. W.	pale.						Eng. bot. 145.
3 alpina. W.	Alpine.		Germany.				Fl. dan. 453.
4 grandiflora. W.	large-flowered.		Britain.				Eng. bot. 1128.
5 lutea. M.	yellow.		Carolina.				Bot. reg. 126.
UTRICULARIA. W.	S HOODED MIL- }	Lentibulariæ.B.P.					
	foil.	Benefould faile is it					<b>7</b>
1 vulgaris. W.	common.		Britain.	• • • • •	6.7.	H.24.	Eng. bot. 253.
2 minor. W. 3 intermedia. P. S.	lesser.	**************************************		• • • • •	5.0	F1.4.	254. 2489.
GHINIA. W.	intermediate.	Verbenaceæ. B.P.	Tamonea P.	rs. Sam	0.0.	11.4.	.2489•
spinosa. W.	thorny-fruited.		W. Ind.	1733.	8.	S.O.	Banks, r. Hous. t.2.
STACHYTAR- ?	(BASTARD						
PHETA. Va.	VERVAIN.	· Verbenaceæ. B. P.	Cymourus. 3	aı. par.	ton.		
1 indica. Va.	Indian.		Ceylon.	1732.	8.9.	$S.\odot.$	
2 urticifolia. B. M.	Nettle-leaved.						Bot. mag. 1848.
3 jamaicensis. Va.	Jamaica.		W. Ind.				1860.
4 orubica. Va. 5 mutabilis. Va.	Orubian. changeable-flow		Fanama.				Ehr. pict. t. 5. f. 1.
6 prismatica. Va.	Germander-leav.						Bot. mag, 976. Jac. ic. 2. t. 208.
	(WATER-		// · znu	1000.	0.0.	~.0.	1
LYCOPUS. W.	HOREHOUND.	Labiatæ. B. P.					
1 europæus. W.	common.		Britain.		7.8.	H.4.	Eng. bot. 1105.
2 exaltatus. W.	tall.		Italy.				Fl. græc. 1. t. 12.
3 virginicus. W.	Virginian.		Virginia.	1760.	8.9.	H.4.	
AMETHYSTEA. W.		Labiatæ. B. P.	Cith and	1.550		11.0	77-11
cærulea, W,	blue-flowering.	A STATE OF THE PARTY OF THE PAR	Siberia.	1759.	6.7.	H.O.	Hall. ups.1742.t.4.
							الد أحاب ألم

CUNILA. P.S.	CUNILA.	Labiatæ. B. P.					
1 mariana. Ph.	Mint-leaved.		N. Amer.	1759.	7.9.	H. 2.	Moris. h.3.t.19.f.7.
2 capitata. P. S.	headed.			1799.			
ZIZIPHORA. W.	ZIZIPHORA.	Labiatæ. B. P.	DIDCIA	1/33.	7.0.	11.4.	
			e			** 0	771
1 capitata. W.	oval-leaved.		Syria.				Fl. græc. 1. t. 13.
2 hispanica. W.	Spanish.		Spain.	1759.	6.	H.⊙.	Lam. ill. t. 18. f. 1.
3 tenuior. W.	spear-leaved.		Levant.	1752.	6.7.	H.O.	t. 18. f. 2.
4 acinoides. W.	Thyme-leaved.		Siberia.	1786.			
5 serpyllacea. B.M.	sweet-scented.		Caucasus				Bot. mag. 906.
6 dasyantha. W. en.	hairy-flowering.		Ciharia				Dot. mag. 900.
				1814.			-
7 Pouschkini. B. M.	hairy-headed.						Bot. mag. 1093.
8 taurica. W. en.	Taurian.	<del></del>		1816.	7.9.	н.⊙.	
HEDEOMA. P. S.	HEDEOMA.	Labiatæ, B. P. Ca		W.			
1 pulegioides. Ph.	Pennyroval-leav.		N. Amer.	1777.	6.8.	H.O.	
2 thymoides. P. S.	Thyme-leaved.		France.				Moris.his.3.t.19.f.6
MONARDA. W.	MONARDA.	Labiatæ. B. P.	2 100000	1000.		11.0.	110113111310101131110
1 didyma. W.	Oswego Tea.		NT A	1550	0.0	TT 21	D-4
	Oswego rea.		N. Amer.	1752.	6.8.	11.4.	Bot. mag. 546.
2 Kalmiana. Ph.	pubescent-flowa.			1813.		H.4.	Pursh. flor. am. t. 1.
3 rugosa. Ph.	white.			1761.	7.9.	н.и.	
4 clinopodia. Ph.	Wild Basil leav.			1771.	7.	H. 2/ .	
5 purpurea. Ph.	crimson.			1789.	6.8.	H. 21.	Bot. mag. 145.
6 media. W. en.	purple-bracted.			2,00.	6.0	II N	2001 11.191 11.191
	long-looved			1761	7.0	11.4.	
7 oblongata. Ph.	long-leaved.			1/01.	1.9.	11.4.	
8 mollis. Ph.	soft.			• • • • •	6.9.	н.4.	
9 fistulosa. Ph.	hollow-stalked.			1656.	6.8.	H. 24.	Mill. ic. t. 122. f. 2.
10 punctata. Ph.	spotted.			1714.	6.10.	H. 24.	Bot. reg. 87.
11 ciliata. Ph.	blue-flowered.			1798.	7.	H. 21 .	Pluk.alm.t.164.f.3.
12 hirsuta. Ph.	hairy.				7.0	LIN	
ROSMARINUS. W.	ROSEMARY.				1.9.	11.4.	
		Labiatæ. B. P.	a ==				
1 officinalis. W.	common.		S. Eur.	1548.	1.4.	H.h.	Fl. grac. 1. t. 14.
2 chilensis. W.	Chili.		Chili.	1795.	7.	G.h.	
SALVIA. W.	SAGE.	Labiatæ. B. P.				·	
1 ægyptiaca. W.	Egyptian.		Egynt.	1770.	67.	HO.	Jac. vind. 2. t. 108.
2 dentata. W.	tooth-leaved.		C B S	1774.			040. 11.4. 2. 6. 104.
						-	Pin man 4 100
3 cretica. W.	Cretan.						Riv. mon. t. 128.
4 angustifolia. Ca.	narrow-leaved.			1806.	6.7.	G. 4.	Cav. ic. t. 317.
5 azurea. Ph.	azure-flowered.		Carolina.		8.	H. 4.	Bot. mag. 1728.
6 lyrata. W.	lyre-leaved.		N. Amer.	1728.	6.7.	H. 4.	Mor. h.3. t.13. f.27.
7 Hablitziana. W.	Siberian.		Siberia.				Bot. mag. 1429.
8 officinalis. W.	garden.						Ger. herb. 623. f. 1.
	garuen.		S. Dui.				Get. nero. 023. 1. 1.
9 grandiflora. W.				1616.			771
10 triloba. W.	three-lobed.			1596.	6.7.	H.h.	Fl. græc. 1. t. 17.
11 pomifera. W.	Apple-bearing.		Candia.	1699.	7.8.	H.4.	t. 15.
12 urticifolia. W.	Nettle-leaved,		N. Amer.	1799.	6.7.	H.1.	Mor. h.3. t.13. f.31.
13 tiliæfolia. W.	Lime-leaved.		S. Amer.				Jac.schœn.3.t.254.
15 viridis. W.	green-topped.	•———	Italy				Fl. grac. 1. t. 19.
	green-topped.		C. E.				
16 Horminum. W.			S. Europe.	1596.	6.7.	H.O.	t. 20.
a violacea.	purple-topped.						
β rubra.	red-topped.						
17 truncata. W. en.	truncated.			1800.	7.8.	H.O.	
18 serotina. W.	late-flowering.		Chio.				Jac. ic. rar. 1. t. 3.
19 virgata. W.	long-branched.		Armenia				Jac. schoen. 1. t.37.
	field.						5 45 0 DOINGIL 1 0 00/ 6
20 campestris. W. en.	atum alar		T auria.	1813.			
21 amplexicaulis. W.en	stem-clasping.		Levant.				
22 sylvestris. W.	spotted-stalked.		Germany.	1759.	6.10.	H.4.	Jac. aus. 3. t. 212.
23 nemorosa. W.	spear-leaved.			1728.	6.9.	H.4.	
24 syriaca. W.	Syrian.		Levant.				Bauh. prodr. t.114.
25 viscosa. W.	clammy.						Jac. ic. 1. t. 5.
26 hæmatodes. W.	bloody-veined.	<del></del>	T 1 1				Mor.h.3. t.14.f. 15.
27 pratensis. W.	meadow.		England.				Eng. bot. 153.
28 variegata. W. en.	variegated.		Hungary.	1814.	6.8.	H.4.	
29 bicolor. W.	two-coloured.		Barbary.	1793.	6.7.	H. 4.	Bot. mag. 1774.
30 crassifolia. P. S.	thick-leaved.			1804.			
31 indica. W.	Indian.		India				Bot. mag. 395.
32 hirsuta. W. en.	hirsute.		• • • • • • • • •				Jac.schæn.3.t.252.
33 lanceolata. W. en.	lanceolate.			1813.			
34 dominica. W.	Dominica.			1759.	7.	S. 4.	Swart.ob.18.t.1.f.1.
35 verbenaca. W.	wild Clary.			(	5.10.	H. 4.	Eng. bot. 154.
36 Spielmanni. W. en.	Spielman's.			1813.			
37 scabra. W.	rough-leaved.		C. B. S.	1774.			
of sousine it.	roagn-reaveur		C1 20 0 0	-11/4	2.0.	77.15	

38 runcinata. W.	runcinated.	Labiatæ. B. P.	C. B. S.	795, 6.7, G.b.	Jac. scheen. 1. t. 8.	
39 clandestina. W.	cut-leaved.				Fl.græc.1.p.18.t.24	
40 austriaca. W.	Austrian.		Austria.		Jac. aust. 2. t. 112.	
41 bullata. W. en.	blistered.		Portugal.	1804. 7.8. H. 4.		
4º disermas. W.	long-spiked.	1	Svria.		Arduin. spec.1. t.1.	
43 rugosa. W.	wrinkle-leaved.			1775. 7.8. G. h.		
44 nubia. W.	Nubian.				Murr.gott.1778.t.3	
45 nilotica. W.	Nilotic.		Egypt.		Jac. vind. 3. t. 92.	
46 mexicana. W.	Mexican.		Mexico.	1724. 5.7. G.h.		
47 cæsia. W. eu.	grey.		S. Amer.	1813. 6.9. G.h.		
48 reptans. W. en.	linear-leaved.		Mexico.	1799. 5.8. G. 4.		
49 formosa. W.	shining-leaved.		Peru.	1783. 4.10. G. h.		
50 coccinea. W.	scarlet-flowered.		S. Amer.		Murr.gott.1778.t.1	
51 pseudococcinea. W.					Jac. ic. 2. t. 209.	
52 amarissima. H. K.	bitter.				Cav. ic. 4. t. 318. 34	
53 hispanica. W.	Spanish.				Ard. spec. 1. t. 2. 3	
54 abyssinica. W.	Abyssinian.		Africa.	1775. 6.7. G. 4		
55 verticillata. W.	whorl-flowered.	-	Germany.	1658. 6.11. H.4		
56 napifolia. W.	Rape-leaved.		Italy.		Jac. vind. 2. t. 252.	
57 glutinosa. W.	glutinous.		Germany.		Mor.h.3.t.13.f.18.	
58 amœna. B. M.	Violet-flowered.		W. Ind.		Bot. mag. 1294.	
59 canariensis. W.	Canary.				Trew.pl.rar.2. t.19.	
60 aurita. W.	eared-leaved.		C. B. S	1795. 5.6. G. h		
61 africana. W.	African.				. Comm.hort.2.t.91.	
62 aurea. W.	golden-flowered.			4.11. G. h		
63 colorata. W.	coloured-calyxed				Mill. ic. t. 225. f.2.	
64 chamædryoides. Va				1795. 6.9. G.h		
65 paniculata. W.	panicled.				Mill. ic. t. 225. f.1,	
*	thorny-calyxed.		Egypt	1789. 6. G.J		
66 spinosa. W.	Tangier.		Barbary		Riv. mon. t. 62.	
67 tingitana. W.	sweet-scented.		Bardad	1804. — G. h		
68 odorata. W. en. 69 Sclarea. W.	common Clary.		Italy		. Fl. græc. 1. t. 25.	
	horn-leaved.		Darcia		. Pluk.alm.t.194.f.5.	
70 ceratophylla. W.						
71 argentea. W.	silvery.			1805. — H. &	. Fl. græc. 1. t. 27.	
72 patula. W. en.	spreading.				. Jac. aus. 3. t. 211.	
73 Æthiopis. W.	woolly.		Austra,			
74 phlomoides. W.	Mullein-leaved.		Spain.	1805 H. 4	Rem.pl. hisp. lus.	
ar sinuata Wa	winged leaved		Lawant			
75 pinnata. Va.	winged-leaved.		Powhons		Boer.lugd.1.t.167.	
76 interrupta. Va.	Ash-leaved.				. Schons.moroc.6.t.1	
77 ceratophylloides.W			Lgypt.		. Arduin. spec.2. t.2.	
78 Forskohlii. W.	Forskohl's.		Pussia	1500. 6.8. F1.4	. Bot. mag. 988.	14
79 nutans. W.	nodding.			1780. — H. 4	. Kniph.cent.7.t.79. 2	Miles 1
80 betonicæfolia. W.	Betony-leaved.			1804. —— H. 4	•	
COLLINSONIA. W.		Labiatæ. B. P.	NT A	1805 0 10 TT 31	Time house all Chief	
1 canadensis. W.	Nettle-leaved.				. Linn. hort, cliff, t.5.	
2 scabriuscula. W.	rough-stalked.			1776. 7.9. G. 24		
3 ovalis. Ph.	oval-leaved.		· Caronna.	1812. 8. H. 2	•	
4 tuberosa. Ph.	tuberous.			1806. — H. 4		-
5 anisata. B. M.	Anise-scented.	Dinasaum I		10. H.4	. Bot, mag. 1213.	
MORINA. W.	MORINA.	Dipsaceæ. J.	Donais	1540 50 CM	TN 1 4 00	
persica. W.	Persian.	Passage I day			. Fl. græc. 1. t. 28.	
ACÆNA. Vahl.	ACÆNA.	Rosaceæ. J. And				
1 latebrosa. Va.	hairy.		Now Zoolor 1	1774. 4.6. G. 4	Town III 6 20 C 2	
2 Sanguiserbæ. Va.	Burnet-leaved.		- New Zearand	1/90. 6. H.4	. Lam. ill. t. 12. f. 1.	
3 ovalifolia. Va.	creeping.		Folkland 1-1	1802. 5.6. H. 4	vent. cels. 6.	
4 lucida. Va.	shining.		Magallan	1777. 5.6. G. 2	Lam. ill.1. t.22.f.3.	
5 lævigata. H. K.	smooth.		- Magellan.	1790. 6.8. H. 4	• 1	
		DICES	TA			
		DIGYN	IA.			
ANTHOXAN-	SPRING-GRASS.	Gramineæ. B. P.				
THUM. W.	)	Grammea, D. F.				
1 odoratum. W.	sweet-scented.		- Britain.	5. H.24	Eng. bot. 647,	
2 amarum. Brot.	bitter.		- Morocco.	1810. 7. H.2		
		TRICVA	JI A			
DIDED III	D	TRIGYN	1111			
PIPER. W.	PEPPER.	Urticæ? J.				
1 peltatum. W.	peltated.	Urticæ? J.	- W. Ind.		. Plum.amer.56.t.74	
		Urticæ? J.	W. Ind.		. Plum.amer.56.t.74	
1 peltatum. W.	peltated.	Urticæ? J.				

3 macrophyllum. W.	broad-leaved.	Urticæ ? J.	W. Ind.	1800	. S.h.	
4 aduncum. W.	hooked.		Jamaica.	1748. 5.	S.h.	Jac. io. 2. t. 210.
5 reticulatum. W.	netted.		W. Ind.			Plum.amer.57.t.75
6 Amalago. W.	rough-leaved.		Jamaica.			Sloa.hist.1. t.87.f.1.
7 nigrum. W.	black.	-	E. Ind.			Lam. ill. 79. t. 23.
8 Betle, W.	Betle.	·				Rheed. mal. 7. t. 15.
9 longum. P. S.	long.			1788	S.h.	Rumph. amb. 5. t. 116. f. 2.
10 clusiæfolium. H. K.	Clusia-leaved.					Jac. ic. 2. t. 212.
11 maculosum. L.	spot-stalked.		Pillao.			Plum.amer.60.t.66,
12 nitidum. W.	shining-leaved.		Jamaica.	1793. 5.6.		
13 distachyon. P. S.	two-rowed.					Plum.amer.51.t.67
14 alatum. P. S.	winged.					Fl. per. 31. t. 48.
15 hispidum. W.	hairy-leaved.		Jamaica.	1793. 7.		
16 pellucidum. W.	pellucid.		S. Amer.			Plum.amer.54.t.72
17 cuneifolium. W. en.						Jac. ic. 2. t. 214,
18 acuminatum. W. en.	O					Bot. mag. 1882.
19 amplexicaule. W.	stem-clasping.			1793. 6.9		Dott mag 1004
20 magnoliæfelium. Va						Jac. ic. 2. t. 213.
21 obtusifolium, W.	obtuse-leaved.					Trew ehret.54.t.96.
22 blandum. W.	villous.			1802. 5.11		21ch careno milos
23 pubescens. H. S.	pubescent.			1809. 7.10		
24 polystachion. W.	many-spiked.					Jac. ic. 1. t, 9.
25 trifolium. P. S.	three-leaved.					Plum.amer.52.t.68
26 pulchellum. W.	small-leaved.					1 tum.amer. 32. t.92
27 stellatum. P. S.			oamaica.	1778. 7.10		Ing wind a + alm
•	starry.		T			Jac. vind. ?. t. 217,
28 inæqualifolium.	nnequal-leaved,	With the second second second second	reru.	1800. 7.8.	5.4.	Fl. per. 1. t. 46. a.

## CLASS III.

				,			
WALERIANA, W.	VALERIAN.	Dipsaceæ. J.					
I rubra. W.	red.		England.		6.10.	H. 24.	Eng. bot. 1581,
2 angustifolia. W.	narrow-leaved.						Fl. græc. 1. t. 29,
3 Calcitrapa. W.	cut-leaved.	<del></del>	Portugal.				1. t. 30,
4 dioica. W.	diœcious.						Eng. bot. 628.
5 officinalis. W.	great wild.						698.
6 Phu. W.	garden.		Germany.				Blacw. t. 250.
7 tripteris. W.	three-leaved.		Switzerland.				Jac. aus. 3. t. 268,
8 montana. W.	mountain.						3. t. 269.
9 celtica. W,	Celtic.						Jac. coll. T. t. 1.
10 tuberosa. W.	tuberous-rooted.		S. Eur.	1629.	5.6.	н, 4.	•
11 saxatilis. W.	rock.	<del></del>	Austria.	1748.	7.	H. 1.	Jac. aus. 3. t. 267,
12 elongata. Ja.	elongated.			1812.	6.7.	Н. 4.	3. t. 219.
33 pyrenaica. W.	heart-leaved,	<del></del>	Scotland.		5.6.	H.4.	Eng. bot. 1591.
FEDIA. Gært.	FEDIA.	Dipsaceæ. J. Val	erianæ species				•
1 sibirica. W.	Siberian.		Siberia.	1759.	5.6.	H,⊙,	Gmel. sib. 3. t. 24,
2 ruthenica. W.	Russian.			1801.	6.	H.4.	Amm. ruth. 18, t. 3.
3 Cornucopiæ. W.	purple.	<del></del>	S. Eur.	1596.	5.8.	н.⊙.	Fl. græc. 1. t. 32.
4 echinata, W.	prickly capsuled.			1807.	7.8.	H.⊙,	Col. ecph. 1. t. 206,
5 olitoria. W.	Lamb's Lettuce.		Britain.				Eng. bot. 811.
6 dentata. W.	oval-fruited.	<del></del>					1370,
7 vesicaria. W.	bladdered.		Candia.				Fl. græc. 1. t. 34.
8 coronata. W.	prickly-seeded.	<del></del>					Col. ecph. 1. t. 209.
9 discoidea. W.	discoid.		Italy.	•	4.7.	н,⊙.	Mor.his.3.t.16,f.29
OXYBAPHUS, W.	{Umbrella-}	Nyctagines. J. Ca	lhymenia. Pe	rs. Syn			-
****	WORT.		-			Ø 91	Dot man 494
1 viscosus. W.	viscid.						Bot. mag. 434.
2 aggregatus. Cav.	aggregate.						
3 glabrifolius. W. en.						3.4.	c. 5/9,
CNEORUM. W.	WIDOW-WAIL, smooth.	Terebintaceæ. J.	e Tun	1709	4.0	GL	Tem ill + 97
COMOCLADIA. W.	MAIDEN PLUM.		n. Trair.	1/33.	7.5.	υ.η.	Lam. ill. t. 27.
	MINIDEN PLUM,	refeomacea. s.					Sloan. jam. 2, t,
1 integrifolia, W.	entire-leaved.		Jamaica,	1778.		S. h	) 000 f 1

		1 1012	CITADICALE	111011001			
	2 dentata, W.	tooth-leaved.	Terebintaceæ.				Jac.am.13.t.173.f.4
		hally langed		- Caribea Isl	1790	SI	Plum. ic. 108. t. 118. f. 1.
	3 ilicifolia. W.	holly-leaved.			1705.	5.7	118. f. 1.
	MELOTHRIA. W.	MELOTHRIA.	Cucurbitaceæ.				. DI :
	pendula. W.	pendulous.		- America.	1752.	6.7, H.	). Plum. ic. t. 66. f. 2.
	ORTEGIA. W.	ORTEGIA,	Caryophylleæ.		1=00	C TI N	Con in 1 4 47
	1 hispanica. W.	Spanish. forked.		Spain.			. Cav. ic. 1. t. 47 Allio.tauri.3, t.4.f.1
	2 dichotoma. W.	LŒFLINGIA.	Caryophylleæ.		1701.	0.7. 41. 4	21110.00011.0.0.1.1
	LŒFLINGIA. W.	Spanish.	Caryophynear		1770.	6. H.C	). Cay. ic. 1. t. 94.
		POLYCNEMUM.	Chenopodeæ. I		2,,,,,		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	arvense, W.	trailing.			1640.	7. H.O	). Jac. aus. 4. t. 365,
	HIPPOCRATEA. W.	HIPPOCRATEA.	Aceræ. J.				
	volubilis. W.	climbing.		S. Amer.	1739.	S. h	. Jac. amer. t. 9.
	CROCUS. Ker.	Crocus.	Irideæ. B. P.				3.9
	1 vernus. E. B.	spring.		- England.			Eng. bot. 344.
	2 versicolor. H. K.	party-coloured.		— S. Eur. — Crimea.			Bot. mag. 1110.
	3 biflorus. H. K.	Scotch.					845.
	4 susianus. H. K.	Cloth of Gold. sulphur-colour'd		- Turkey.			652.
	5 sulphureus. H. K. B. flavus.	pale Yellow.		3. Eur.	1023.	H 2	1384.
	6 mæsiacus. H. K.	common yellow.				H. 2	1111.&45
	7 sativus. W.	saffron.		- England			Eng. bot. 343.
	8 serotinus. H. K.	late-flowered.		S. Eur. England.			. Bot. mag. 1267.
	9 nudiflorus. H. K.	naked-flowered.		- England.			. Eng. bot. 491.
	TRICHONEMA, Ker.	TRICHONEMA.	Irideæ. B. P.	Ixiæ species Wil	ld.		
	1 Bulbocodium. H.K.	channel-leaved.		- S. Eur.	1739.	3.4. H.4	. Bot. mag. 265.
	2 cruciatum. H. L.	square-leaved.		— C. B. S.	1758.		.: 575.
	3 caulescens. B. M.	caulescent.					1392.
	4 pudicum. B. M.	blush.		<del></del>			1244.
	5 speciosum. B. M.	crimson.					1476.
	6 roseum. B. M.	rose-coloured.	Tailan D. D.	Y	1.1	7. G, 4	1225.
	GEISSORHIZA, Ker.			Ixiæ species Wil — C.B.S.		5 G 1	Bot man soc
	1 Rochensis. H. K. 2 setacea. B. M.	plaid. bristle-leaved.		— С. Б. з.	1799.	67 G 2	Bot. mag. 598.
	3 obtusata. H. K.	yellow-flowered.			1801.		672.
	4 secunda. H. K.	one-ranked.					597.1105.
	5 excisa. H. K.	short-leaved.	-		1789.	4.5. G.2	584.
	6 ciliaris. Sal.	ciliated.				G. 2	1.
	HESPERANTHA. }	[EVENING ]					
	Ker.	FLOWER.	Iridea. D. F.	Ixiæ species Wi			
	1 radiata. H. K.	nodding-flower'd	<del></del>		1794.	4.6, G, 2	. Bot. mag. 573,
	2 pilosa. B. M.	hairy.			1811.	4.5. G. 2	1475,
	3 graminifolia.	grass-leaved.			1808.	8.9. G.2	1254,
	4 falcata. H. K.	sickle-leaved.	<del></del>	<del></del>	1787.	4.5. G.2	566.
	5 cinnamomea, H. K.		Inidam D D	Luim amasias Wi	11.7	G. 2	1054,
	SPARAXIS, Ker.	Sparaxis. three-coloured.		Ixiæ species Wie	1789.	5 G 1	Pot man gos
	1 tricolor. H. K.  \$\beta\$ sanguineo-pur- \right\{}	titiee-colonien.	<u> </u>			1	4. Bot. mag. 381.
	purea.	various-coloured.		<del></del>	1811.	4.5, G. 2	1482.
	y violaceo-purpurea	dark-coloured.		<del></del>	-	G. 2	1482.f.2,
	\$ roseo-alba.	light-coloured.				G. 2	1489 fg
	2 bicolor. H. K.	two-coloured.			1786.	3.4. G.2	548.
	3 grandiflora. H. K.	purple-flowered.			1758.	4. G.2	541.
	β striata.	streak-flowered.				G. 2	779.
	y Liliago.	lily-flowered.				G. 2	L. Bot. reg. 252.
•	4 bulbifera. H. K.	bulb-bearing,			-	5.5. G. 2	, Bot. mag. 545.
	IXIA. Ker.	IXIA.	Irideæ. B. P.	~ ~ ~	1		
	1 linearis. H. K.	slender.		C. B. S.	1796.	4.5. G. 2	4. Bot. mag. 570,
	2 capillaris. B. M.	capillary.			1774.	G. 2	617.
	3 aulica. W.	rose-coloured.			President	67 C.2	1013,
	4 fucata. Ker. 5 patens. W.	painted. spreading-flow.			1770	0.7. G. 2	1379.
	6 leucantha. P. S.	white-flowered.			1779.	5. G 2	Jac. ic. 2. t. 278.
	7 flexuosa. H. K.	bending-stalked.			1757	4.5. G 2	L. Bot. mag. 624.
	8 hybrida. Ker.	spurious.			1,01,	G. 2	128.
	9 conica. H. K.				-	G. 2	539.
	10 monadelpha. H. K.		become a part of the same of t		1792.	G. 2	1 607.
	11 curta. B. R.	short.				G. 2	1378,
	12 columellaris, H. K.	variegated,	province to the second			8, G,2	630.
				¢			

10	Iniz	INDAIA	MUNUGIA	HIP		
13 maculata. W.	spotted.	Irideæ. B. P.	C. B. S.	1700	5 C C 31	Dat man 10/*
						Bot. rep. 196.
14 capitata. P. S.	headed.				G.4.	159.
15 ovata. B. R.	ovate.				G. 4.	23.
16 viridiflora. P. S.	green-flowered.				(i. 24.	29.
17 ochroleuca.	cream-coloured.			1809.	— G. 4.	Bot. mag. 1285.
18 erecta. H. K.	upright.			1757.	G. 4.	623.1173.
19 crateroides. H. K.	crimson.			1778.	G. 4.	594.
20 retusa. H. K.	sweet-scented.			1793.	1.2. G. 4.	629.
21 scillaris. H. K.	squill-flowered.			1787.	G. 24 .	542.
22 crispa. H. K.	curled-leaved.				4.5. G. 24.	599.
ANOMATHECA. Ker	ANOMATHECA.	Irideæ. B. P.	Gladioli species	Willd.		
iuncea. H. K.	cut-leaved.		C. B. S.		4.5. G. 21.	Bot. mag. 606.
TRITONIA. Ker.	TRITONIA.		xiæ & Gladioli			
1 crispa. H. K.	curled-leaved.		— C. B. S.			Bot mag 678
2 viridis. H. K.	green-flowered.			1788.		1275.
3 rosea. H. K.	rosy.			1700	67 G N	619
				1011	0.7. G.4.	013.
4 capensis. B. M.	Cape.			1811.	8.10. G. 4.	1531.
5 longiflora. H. K.	long-flowered.			1774.	4.6. (i.4.	256.
6 tenuiflora. Va	slender-tubed.			1811.	G. 21 .	{ major.
0 1011111111111111111111111111111111111				-01	0.4.	l major.
7 concolor.	self-coloured.				G 21	∫ — 1502. f.
/ concolor.					0.4.	minor.
8 Rochensis. B. M.	bending-flower'd	······································			8. G. 24.	1503. Jac.ic.rar. 2. t. 262.
9 pallida. Ker.	pale-flowered.			1806.	G. 2L.	Jac. ic. rar. 2. t. 262.
10 lineata. H. K.	pencilled. copper-coloured.			1774.	5. G.21.	Bot. mag. 487.
11 securigera, H. K.	conner-coloured.				G 2/	383.
12 flava. H. K.	vellow.			1700	0.4.	008.
	•			1700.	5 C 21	Bot mar 501
13 squalida. H. K.	sweet-scented.			1774.	5. G.4:	Bot. mag. 581.
14 fenestrata. H. K.	open-flowered.			1801.	5.6. G. 24.	704.
15 crocata. H. K.	crocus-flowered.		<del></del>	1758.	5.6. G. 24.	
16 deusta. H. K.	spotted.			1774.	5. G.4.	
17 miniata. H. K.	late-flowered.			1795.	8. G. 4.	609.
18 refracta. B. Reg.	reflexed.			1815.	5.6. G. 24.	Bot. reg. 135.
WATSONIA. Ker.	WATSONIA.	Irideæ. B. P.	lxiæ & Gladioli	species	Willd.	_
1 spicata. H. K.	hollow-leaved.		- C. B. S.	1791.	5. G. 2L.	Bot. mag. 523.
2 plantaginea. H. K.				1774.	67. G 21.	553.
3 punctata. H. K.	dotted-flowered.			1900	45 G 21	Bot. rep. 177
4 roseo-alba. B. M.	two-coloured.			1000.	70 C 1	Bot mag 597
					7.0. 0.4.	1193.
β variegata.	variegated.			1004	G. 4.	1193.
5 marginata. H. K.	broad-leaved.			1774.	6. G. 4.	608. 1530.
β minor.	shining-leaved.			1812.	10. G.4.	1530.
6 strictiflora. B. M.	upright-flowered			1810.	6. G.4.	1406.
7 rosea. H. K.	pyramidal.			1803.	7.8. G. 4.	1072.
8 brevifolia. H. K.	short-leaved.			1794.	5. G. 21.	601.
9 iridifolia. Ja.	iris-leaved.			1795.	5. G. 4.	Jac. ic. 2. t. 234.
10 fulgida. Sal.	scarlet.				G. 21.	Bet. mag. 600.
11 Meriana, H. K.	red-flowered.			1750.	5.6. G.21.	418.1194.
12 humilis. H. K.	lake-coloured.			1754	57 G 31	631 1105
13 aletroides. H. K.	aletris-like.			1774	G 2	44\$
β variegata.	variegated-flow.	•	1	1//4.	6.4.	522
GLADIOLUS. Ker.	CORN FLAG.	Irideæ. B. P.			G. 4 ·	000+
			0.70.0		-0.03	Dat 040
1 Cunonia. H. K.	scarlet-flowered.		С. в. S.	1756.	5.0. G.4.	Bot. mag. 343.
2 watsonius. H. K.	Watson's.			1794	9.4. (1.4.	450.569.
3 quadrangularis.	four-channelled.			1799.	3.4. G.24.	567.
H. K. ∫	iour chamicheur					
4 viperatus. H. K.	perfumed.			1787.	4.5. G. 4.	688.
5 alatus. H. K.	winged-flowered	<del></del>		1795.	5.6. G. 24.	586.
6 namaquensis, H. K.						592.
7 brevifolius. H. K.	short-leaved.					727.992.
8 hirsutus. H. K.	hairy.			1795	4.6. G.21.	574.
9 versicolor. H. K.				1794	5.6. G.21	α. 1042.
10 binervis. B. M.	two-nerved.					ε. 1042.
			,	1000.	G 2	Bot. reg. 169.
11 edulis. B. Reg.	eatable.			1910.	4.5 6.21	Pot mor 1504
12 hastatus. B. M.	spade.	A	·		4.5. 0.4.	Bot. mag. 1564.
13 tristis. B. M.	square-leaved.			1745.	5.6. (4.4.	Bot. mag. 272.
14 concolor. Sal.	self-coloured.		<del></del>	1790.	G. 4.	Par. Lon. 8.
15 trichonemifolius.	violet-scented.			1810	G 21	Bot. mag. 1483
B. M.	Violet-scenteu.			1010.	0.4.	Bot. mag. 1483.
16 gracilis. H. K.	slender.			1800.	3.4. G. 4.	562.
17 recurvus. H. K.	spotted-sheathed		man Amateuran management and	1758.	4.5. G.4.	578.
			4			. 0

>	4 1 1 1				~	70 /
18 carneus. H. K.	flesh-coloured.	Irideæ. B. P.				Bot. mag. 591.
19 chspidatus. H. K.	tall.		-	1795. 4.5.	G. 4.	582.
20 blandus. H. K.	blush.			1774. 6.	G. 4.	625.
21 campanulatus. P.S.				1794. 5.	G. 4.	Bot. rep. 188.
22 angustus. H. K.	narrow-leaved.			1757. 5.6.	G. 4.	Bot. mag. 602.
23 involutus. Ker.	involute.				G.4.	Roche. Diss. 2. t. 3.
24 undulatus. H. K.	wave-flowered.			1760. 4.5.	G. 4.	Bot. mag. 538.
25 floribundus, H. K.	large-flowered.			1788. 5.7.	G. 24.	610.
26 Milleri. H. K.	Miller's.			1751. 4.5.	G. 24.	632.
27 cardinalis. H. K.	superb.		FD 1	1789. 7.8.	G. 24.	135.
28 byzantinus. H. K.	Turkish.	***************************************	Turkey.	1629. 6.7.	H.4.	874.
29 communis. H. K.	common.		S. Europe.	1596	H.4.	8fi.
MELASPHÆRULA.	MELASPHÆRULA	.Irideæ. B. P. Gle	adioli species 1	Villd.		
Ker.						70 4
graminea. H. K.	grass-leaved.	* / 1	C. B. S.	1787. 4.8.	G.4.	Bot. mag. 615.
ANTHOLYZA. Ker.	ANTHOLYZA.	Irideæ. B. P.			~	77 4 1 2 2 2
1 vittigera. Sal.	riband.		C.B.S.	1.2.	G. 24.	Bot. mag. 1172.
2 æthiopica. H. K.	flag-leaved.	, t	C. B. S.			
3 segetum. Ker.	European.					719.
BABIANA. Ker.	BABIANA.	Irideæ. B. P. Ixi				
1 Thunbergii. H. K.	many-spiked.		C. B. S.	1774. 4.	G.4.	Comm.hort.1. t.41.
2 ringens. H. K.	gaping-flowered.			1752. 5.6.	G.4.	Comm.hort.1. t.41.
3 tubiflora. W.	tube-flowered.			1774. 6.	G.4.	Bot. mag. 847.
4 tubata. W.	long-tubed.				G. 21.	680.
5 spathacea. H. K.	stiff-leaved.			1801. —	G. 4.	638.
6 sambucina. H. K.	elder-scented.			1799. 4.5.	G. 4.	1019.
7 disticha. H. K.	two-ranked.			1774. 6.7.	G. 4.	626.
8 plicata. H. K.	sweet-scented.			5.6.	G. 24.	576.
9 stricta. H. K.	upright.			1757. ——	G.4.	621.637
10 purpurea. W.	purple.			1806. 5.6.	G. 4.	1052.
14 villosa. H. K.	dark-red.			1778. 8.	G. 24.	583.
12 rubro-cyanea. H.K.				1794. 4.6.	G.4.	410.
ARISTEA. Ker.	ARISTEA.	Irideæ. B. P.				
1 cyanea. H. K.	woolly headed.		C. B. S.	1759. 4.6.	G. 24.	Bot. mag. 458.
2 capitata. H. K.	tallest.	<del></del>		1790. 7.8.	G. 4.	605.
3 spiralis. H. K.	spiral-flowered.			1795. 4.5.	G.4.	520.
4 melaleuca. H. K.	three-coloured.			1786. 5.6.	G.4.	1277.
5 pusilla. B. M.	flat-stemmed.			1806. 6.7.	G.4.	1231.
WITSENIA. Ker.	WITSENIA.	Irideæ. B. P.				
1 maura. H. K.				1790. 11.1.		
2 corymbosa. H. K.	corymbose.				G.4.	Bot. mag. 895.
LAPEYROUSIA. Ker.	LAPEYROUSIA.	Trideæ. B. P. Ixid	æ specie <b>s II</b> *il	ld:		
1 corymbosa. H. K.	level-topped.	Til D.D.	C. B. S.	1791. 5.6.	G. 4.	Bot. mag. 595.
2 fissifolia. B. M.	leafy-spiked.			1809. 8.9.	G. 24.	1246.
MORÆA. Ker.	MORÆA.	Iridea. B. P.				
1 flexuosa. H. K.	flexuose.		C. B. S.	1803. 4.5.	G.4.	Bot. mag. 695.
2 collina. B. M.	equal-flowered.			1768. 5.	G. 4.	1033.
3 miniata. B. R.	spot-flowered.			5.6.	G.4.	Bot. rep. 404.
4 pavonia. H. K.	Peacock.			1790	(†. 2L.	Bot. mag. 1247.
5 tripetala. H. K.	three-netaled.			1809, 4.5,	G. 21 .	702.
6 angusta. B. M.	narrow-leaved.			1790. 5.6.	G. 21.	1276.
7 tricuspis. H. K.	trident-petaled.			1776. 6.	G. 21.	696 & 772.
8 tenuis. H. K.	brown-flowered.			1807. 5.6.	G. 4.	1047.
9 unguiculata. H. K.	long-clawed.			1802. ——	G. 4.	593.
10 edulis. H. K.	long-leaved.			1792. ——	G. 4.	613 & 1238
	long-flowered.			1801. —	G.4.	712.
12 spicata. B. M.	spiked.			1785. ——	G. 4.	1283.
13 tristis. H. K.	dull-coloured.			1768	G. 24.	577.
14 crispa, H. K.	short-spathed.			1803	G. 4.	1284.
15 bituminosa. H. K.	clammy.			1787. 4.5.	G. 4.	1045.
16 viscaria. H. K.	bird-limed.			1800. 6.	G. 21.	587.
17 ramosa. H. K.	branching.			1789. 5.6.	G. 4.	771.
18 villosa. B. M.	villous.			4.5.	G. 4.	571.
19 barbigera. Sal.	bearded.				G. 24 .	1012.
20 ciliata. H. K.	fringed-leaved.					1061.
21 Sisyrinchium, H.K.	Spanish-nut.		S. Europe.	1597. 5.6.	H.4.	1407.
22 papilionacea. H. K.	Butterfly.	<del></del>				750.
23 spathacea. W.	sheathed.			1798. 7.		
IRIS. Ker.	IRIS.	Irideæ. B. P.				
2 pumila, H. K.	dwarf.	-	Austria.	1596. 4.5.	H.4.	Bot. mag. 6. 1209.
		C 2				

2 lutescens. W.	pale yellow.	Irideæ. B. P.	Germany.	1748.	4.5.	H. 4.	
3 cristata. W.	crested.		N. America.	1756.	5.	H.4.	Bot. mag. 412.
4 arenaria. W. en.	sand.		Hungary.	1802.	6.	H.4.	Walds. & Kits
5 susiaria. W.	Chalcedonian.	<u></u>	Levant.	1596.	3.4.	H.21.	hung. 1. t. 57. 5. 1. Bot. mag. 91.
6 florentina. W.			S. Europe.				671.
7 flavissima. W.	bright yellow.		Siberia.				Jac. ic. 3. t. 220.
8 biflora. W.	two-flowered.		S. Europe.	1596.			0 0001101010101
9 aphylla. W.	naked-stalked:						Bot. mag. 870.
10 variegata. W.	variegated.		Hungary.				16.
11 squalens. W.	brown-flowered.		S. Europe.				787.
12 sambucina. W.	elder-scented.						187.
13 lurida. W.	dingy.			1758.	4.	H. 1.	669.986
14 fimbriata. Ven.	Chinese.		China.	1792.	5.6.	H. 24.	373.
15 subbiflora. H. K.	double-bearing.	<del></del>	Portugal.				1130.
16 germanica:	German.		Germany.	1573.	5.6.	H.4.	670.
17 pallida. W.	pale Turkey.		Turkey.	1596.	٠	LI N	COE
18 hungarica. W. en.		***************************************		1815.	5.	H.21.	Walds. et Kit.
19 dichotoma. W.	forked.						hung. 3. t. 226. Bot. reg. 246.
20 moræoides. Ker.	Moræa-flowered.		C B S	1784.			Bot. mag. 693.
21 Pseud-Acorus. W.							Eng. bot. 578.
22 ochroleuca. W.							Bot. mag. 61.
23 halophila. W.	long-leaved.		Siheria				1131.
24 spuria. W.	spurious.		Mideria.				875.
25 spathulata:	snathulate-flowd		Germany				58.
26 desertorum. Fl. C.	sweet-scented.		Russia:				1514.
27 stenogyna. Red.							1515.
28 fœtidissima. W.	Gladwyn.						Eng. bot. 596.
29 graminea. W.	grass-leaved.	·	Austria.				Bot. mag. 681.
30 sibirica. W.	Siberian.		Siberia.				50 & 1163.
31 prismatica. Ph.	New Jersey.			1812.	0.0.	H. 2/.	1504.
32 orientalis. W.	red-leaved.	<del></del>	China.				1604.
33 fulva. B. M.							
34 virginica. W.	Virginian.						703.
35 versicolor. W.	various-coloured.						21.
36 verna. W.	spring.	7.	Virginia.				Pluk.alm.t.196.f.6.
37 ruthenica. Ker.	pigmy,		Siberia.				Bot.m.1123&1393.
38 tenuifolia. W.	slender-leaved.		Dauria.				Pall. it. 3. t. C. f. 2.
39 ventricosa. W.	bellied.			1800.	6.	H. 24 .	t. B. f. 1.
40 Xiphium. W.	small bulbous.		Spain.	1596.		H. 4.	Bot. mag. 686.
41 Xiphioides. W.	great bulbous.			1571.		H. 24 .	687.
42 lusitanica. H. K.	Portuguese.		Portugal.	1596.	4.	H. 24.	679.
43 alata: Lanı.	long-tubed.	<del></del>	Algiers.	1801.		H.4.	Desf. Atl. 1. t. 6.
44 persica. W.	Persian.	-	Persia.	1629.	3.	H. 4.	Bot. mag. 1.
45 tuberosa. W.	Snake's-head.		Levant.	1597.	3,4.	H. 4.	531.
MARICA. Ker.	MARICA.	Irideæ. B. P.					.)
1 Northiana. H. K.	broad-stemmed.			1789.	4.8.		Bot. mag. 654.
2 martinicensis. H.K.	Martinico.		Martinico.	1782.			416.
3 gladiata. B. Reg.	Cape.		C.B.S.				Bot. reg. 229.
4 paludosa. H. K.	marsh.		Guiana.				Bot. mag. 646.
5 plicata. B. M.	broad-leaved.	-	W. Ind.	1737.	6.8.	. S. 24.	655.
6 californica. B. M.	yellow.		California.				983.
7 palmifolia. W.	palm-leaved.					S. 4.	
8 striata. B. M.	streaked.		Mexico.		4.9.	H.4.	Bot. mag. 701.
PARDANTHUS. Ker.		Irideæ. B. P. Be				¥¥ 41	D-4 171
chineusis. H. K.	Chinese.	() P. P. P.		1759.	6.7.	H. 4.	Bot. mag. 171.
COMMELINA. B. P.	COMMELINA	Commelineæ. B.P		1,500	0 =	TT O	Ped 13 006
1 communis. W.	common.						Red. lil. 206.
2 africana. W.	African. Bengal.		Bengal.	1759.			Bot. mag. 1431. Murr.gott.p.18.t.5.
3 bengalensis. W.							Dil.elt.94.t.77.f.88.
4 erecta. W.	upright.		Virginia.				Pluk. alm. 135.
5 virginica. W.	Virginian.	<del></del>		1779.	6.	H.4.	t. 174. f. 4.
6 longicaulis. W.	long-stalked.		Caracas.	1806.			Jac. ic. 2. t. 294.
7 mollis. W.	soft.						2. t. 293.
8 tuberosa. W. en.	tuberous-rooted.		Mexico.	1732.		_	Bot. rep. 399.
9 cœlestis. W. en.	sky-blue.					- S.4.	Bot. mag. 1695.
ANEILEMA. B. P.	ANEILEMA.	Commelineæ. B.I					
epirata. B. P.	spear-leaved.		E. Ind.	1783	7.8	S.⊙₁	

CALLISIA. W.	CALLISIA.	Commelineæ. B.F				
repens. W	creeping.		W. Ind.	1776. 6.7	. S. 4.	Jac. amer. 11. t, 11.
LEPTANTHUS.Mich.						
reniformis. M.	kidney-leaved.		N. America.	1812. 6.7	. н.4.	
WACHENDORFIA.	WACHENDOREIA	Hamodoracea B.	p <sub>_</sub>			
	WACHENDORFIA	11amouoracca.b.	•			
1 thyrsiflora. W.	tall-flowered.		C. B. S.	1759. 5.6	G.4.	Bot. mag. 1060.
2 pariculatà. W.	panicled.			1700. 2.	G. 24.	616.
3 graminea. W.	grass-leaved.	<u></u>		6.	G4.	
4 hirsuta. W.	hairy.			1687.	- G.4.	614.
5 brevifolia. H. K.	short-leaved.		_	1795. 3.4	G.4.	1166.
XIPHIDIUM. W.	Xiphidium.	Hæmodoraceæ.B.			_	
1 album. W.	white.		W.Ind.	1787		
2 coeruleum. W.	blue.			1793	. S.h.	Aub. Gui. 1. t. 11.
DILATRIS. Ker.	DILATRIS.	Hæmodoraceæ.B.			A	
1 corymbosa. W.	broad-petaled.					Ex. bot. 1. t. 16.
2 viscosa. W.	clammy.	** 1 7		1795	. G.4.	Lam. ill. t. 34.
HÆMODORUM. Sm.		Hæmodoraceæ.B.			~	-
planifolium. B. P.	plain-leaved.	D 41 B D	N. S. W.	1810. 7.11	. G. 4.	Bot mag. 1610.
XYRIS. L.	XYRIS.	Restiaceæ. B. P.	NT (2 337	1004 0 =	C 21	T)
1 operculata. B. P.	rush-leaved.		N. S. W.			Bot. mag. 1158.
2 brevifolia. P. S.	short-leaved			1812. 6.8	. H.4.	
MARISCUS. Va.	Mariscus.	Cyperaceæ. B. P.			0.41	-
1 umbellatus. W. en.			E. Ind.	1789. 6.8	. 8.4.	Rott.gram.t.4.f.2.
2 elatus. W. en.	tall.			1805. —	- 5.4.	Jac. ic. 2. t. 300.
KYLLINGA. W.	KYLLINGA.	Cyperaceæ. B. P.	7 11		(7. 64	
1 monocephala. W.	one-headed.		India.			Rott.gram.t.4.f.4.
2 triceps. W.	three-headed.			1776. 9.1	i. S. 4.	t. 4. f.6.
CYPERUS. W.	CYPERUS.	Cyperaceæ. B. P.	T2 T 1		0' 24	5.4
1 dubius. W.	bulbous-rooted.		E. Ind.			Rot.gram.20.t.4.f.5
2 pannonicus. W.,	dwarf.		riungary.			Host. gram.3.t.20.
3 Luzulæ. W.	compact-flowerd.		Iomeius			Rott.gram.t.13.f.3.
4 viscosus. W.	clammy.	<u>Carrier</u>	Jamaica.			Jac. ic. 2. t. 295.
5 fastigiatus. W.	lofty.		Leal-	1800	- 5.4.	Rot.gram.32.t.7.f.2
6 glomeratus. W. en.	round-headed.		Tombies	1804		
7 elegans. W. 8 flavescens. W.	elegant.		Cormony	1801. 5.9.	T. 7	Sloan.ja.1.t.75.f.1.
9 fuscus. W.	yellow. brown.		Europe	1770. 6.9.	п.б.	Host. gram.3.t.72.
10 strigosus. W.	bristle-spiked.		W Ind			3. t. 73. Rott.g.40.t.11.f.3.
11 vegetus. W.	smooth.		America			Jac. vind. 3. t. 12.
12 esculentus. W.	Rush-nut.					Host. gram.3. t. 75.
13 longus. W.	sweet.					
14 Iria. W.	tall.	¥	E. Ind.	1809. —	- 8 21	Eng. bot. 1309. Rheed.mal.12.t.56.
15 Papyrus. W.	Paper.		Egypt.			Mich.gen. 44. t.19.
16 alopecuroides. P. S.			C R & 810	1904 5 0	C 21	Dath - 00 4 0 f 0
17 badius. P. S.	saw-leaved.		Algiers.	1800. 7.	G. 21	Desf. At.1. t.7. f. 2. Jac. ic. 2. t. 298.
18 alternifolius. W.	alternate-leaved.		Madagascar.	1781, 2.3.	8.21	Jac ic 9 t 989
ISOLEPIS. B. P.	ISOLEPIS.	Cyperaceæ. B. P.	Scirni species	Willd.	2.4.	0 10 10 2 0 2 3 6 1
1 fluitans. B. P.	floating.				H21.	Eng. hot. 216
2 setacea. B. P.	bristle-like.				H.O.	1693.
SCIRPUS. B. P.	CLUB-RUSH.	Cyperaceæ. B. P.				1000
1 multicaulis. E. B.	many-stalked.	71	Britain.	7.	H.21.	Eng. bot. 1187.
2 cæspitosus. W.	scaly-stalked.				H.24.	1029.
3 pauciflorus. E. B.	chocolate-headd.		-	8.	H. 3/ .	1100
4 compressus. P. S.	compressed.			6.7.	H. 24.	791.
5 lacustris. W.	tall.			7.8.	H.4.	666.
6 Holoschænus. W.	cluster-headed.		England.	7.	H. 4.	1612.
7 romanus. W.	Roman.					Jac. aust. 5. t. 448.
8 glaucus. E. B.	glaucous.	M		7.8.	H.4.	Eng. bot. 2321.
9 triqueter. W.	triangular.	***************************************				1694.
10 mucronatus. W.	sharp-pointed.				H.4.	
11 carinatus. E. B.	blunt-edged.			7.8.	H.4.	Eng. bot. 1983.
12 maritimus. W.	salt marsh.	-	Britain.	7.9.	H.4.	542.
13 Luzulæ. W.	clustered.	-	E Ind			
	orastereus.			1//0.	- 13.4.	{ Pluk. mant. 27. t. 417. f. 3.
14 sylvaticus. W.	wood.				-H.4.	Eng. bot. 919.
ELEOCHARIS. B. P.	SPIKE-RUSH.	Cyperaceæ. B. P.		Willd.		
1 palustris. B. P.	marsh.		Britain.	7.	H.4.	Eng. bot. 131.
2 acicularis. B. P.	upright-needle.		-	4 + 1 3 THEOREM	. н. 4.	749.

RHYNCHOSPORA.	RHYNCHOSPORA.	Cyperaceæ, B. P.	Scheni spec	ice T.		
Va.						
1 alba. H. K.	white-headed.					Eng. bot. 985.
2 fusca. H. K.	brown-headed.	C 7. 7. 7.		• • • • •	— н. 4.	1575.
SCHŒNUS. Va.	Bog-Rush.	Cyperaceæ. B. P.	0.17			
1 mucronatus. W.	clustered.		S. Europe.			Fl. græc. 1. t. 43.
2 nigricans. W.	black.		Britain.	• • • • •	7. H.4.	Eng. bot. 1121.
3 rufus. E. B.	brown.		Scotland.	• • • • •	Н. 4.	1010.
4 monoicus. E. B. CLADIUM. B. P.	monœcious.	Company D. D.	England.		7.8. H.4.	1410.
Mariscus. B. P.	prickly.	Cyperaceæ. B. P.			W 0 TT 3/	E 1-4 050
TRICHOPHO-	TRICHO-		0			Eng. bot. 95%.
	PHORUM.	Cyperaceæ. B. P.	Eriophori sp	pecies In	Villd.	
1 cyperinum. P. S.	cyperine.		N Amer	1800	5 0 TJ 31	Pluk.mant.t.419.f.3
2 alpinum. P. S.	Alpine.		Scotland.			Eng. bot. 311.
ERIOPHORUM. P. S.			Coolimita		7. 11.4.	11115. 100. 011.
1 vaginatum. W.	Hare's-tail.		Britain.		3.4. H.2/.	Eng. bot. 873.
2 polystachion. W.	broad-leaved.					563.
3 angustifolium. W.	narrow-leaved.					564.
4 virginicum. W.	Virginian.		N. Amer.			Pluk.alm. t.299.f.4.
5 gracile. P. S.	slender.		Scotland.			Eng. bot. 2402.
6 capitatum. E. B.	round-headed.					2387.
NARDUS. W.	MAT-GRASS.	Gramineæ. B. P.			·	
1 stricta. W.	upright.		Britain.		6.7. H.4.	Eng. bot. 290.
2 aristata. W.	awned.		S. Europe.	1805.	—-H.⊙.	Vill. delph. 2. t. 2.
LYGEUM. W.	LYGEUM.	Gramineæ. B. P.			•	
Spartum. W.	rush-leaved.		Spain.	1776.	5.6. H.4.	Clus. hist. 2. f. 2.
CORNUCOPIÆ. W.	CORNUCOPIÆ.	Gramineæ. B. P.	T			***
cucullatum. W.	hooded. Cenchrus.	Gramineæ. B. P.	Levant.	1788.	8. H.O.	Fl. græc. 1. t. 51.
CENCHRUS. P. S. 1 lappaceus. W.	Bur.		In Ho	1000	7 II O	
2 echinatus. W.	rough-spiked.		W Ind	1773.	7. H.O.	Cav.ic.5.p.39.t.462
SESLERIA. W. en.	SESLERIA.	Gramineæ. B. P.	** · III.	1031*	0.12. 0.0.	Cav.10.3.p.33.0.402
1 cœrulea. E. B.	blue.	·	Britain.		4.5. H.2/.	Eng. bot. 1613.
2 elongata. W. en.	long-spiked.		Austria.			Host. gram. 2. t.97.
LIMNETIS. P. S.	LIMNETIS.	Gramineæ. B. P.	Dactylidis s	pecies 1	J	o .
~ ^			T) 1/ 1			
1 pungens. P. S.	upright.		Britain.		8. H.4.	Eng. bot. 380.
1 pungens. P. S. 2 cynosuroides. P. S.	Dog's-tail.		N. Amer.	1781	8.0. H.21	Eng. bot. 380. Lin.fil.fa.1.p.17.t.9
2 cynosuroides. P. S. 3 polystachia. Ph.	Dog's-tail. many-spiked.		N. Amer.	1781.	8.9. H.4. —— H.4.	Eng. bot. 380. Lin.fil.fa.1.p.17.t.9
2 cynosuroides. P. S.	Dog's-tail.		N. Amer.	1781.	8.0. H.21	Eng. bot. 380. Lin.fil.fa.1.p.17.t.9
2 cynosuroides. P. S. 3 polystachia. Ph.	Dog's-tail. many-spiked.		N. Amer.	1781.	8.9. H.4. —— H.4.	Eng. bot. 380. Lin.fil.fa.1.p.17.t.9
2 cynosuroides. P. S. 3 polystachia. Ph.	Dog's-tail. many-spiked.		N. Amer.	1781.	8.9. H.4. —— H.4.	Eng. bot. 380. Lin.fil.fa.1.p.17.t.9
2 cynosuroides. P. S. 3 polystachia. Ph.	Dog's-tail. many-spiked.	DIGYNI	N. Amer.	1781.	8.9. H.4. —— H.4.	Eng. bot. 380. Lin.fil.fa.1.p.17.t.9
2 cynosuroides. P. S. 3 polystachia. Ph. 4 juncea Ph.	Dog s-tail. many-spiked. spreading.	DIGYNI	A.	1781.	8.9. H.4. H.4. 7.8. H.4.	Eng. bot. 380. Lin.fil.fa.1.p.17.t.9
2 cynosuroides. P. S. 3 polystachia. Ph.	Dog's-tail. many-spiked.	DIGYNI Gramineæ. B. P.	A. Agrostidis sp	pecies L	8.9. H.4. —— H.4. 7.8. H.4.	Lin.fil.fa.1.p.17.t.9
2 cynosuroides. P. S. 3 polystachia. Ph. 4 juncea Ph. TRICHODIUM Mi.	Dog's-tail. many-spiked. spreading. TRICHODIUM.	DIGYNI Gramineæ. B. P.	A. Agrostidis sp	pecies L	8.9. H.4. —— H.4. 7.8. H.4.	Eng. bot. 380. Lin.fil.fa.1.p.17.t.9  Fraser.Mon.cum.ie Eng. bot. 1856.
2 cynosuroides. P. S. 3 polystachia. Ph. 4 juncea Ph.  TRICHODIUM Mi. 1 decumbens. Mi. 2 caninum. W. en. SPOROBOLUS. B. P.	Dog's-tail. many-spiked. spreading.  TRICHODIUM. decumbent.	DIGYNI Gramineæ. B. P.	A.  Agrostidis sp N. Amer. Britain. Agrostidis sp	pecies L 1786.	8.9. H. 4. 7.8. H. 4. 6.7. H. 4. 7.8. H. 4.	Lin.fil.fa.1.p.17.t.9
2 cynosuroides. P. S. 3 polystachia. Ph. 4 juncea Ph.  TRICHODIUM Mi. 1 decumbens. Mi. 2 caninum. W. en. SPOROBOLUS. B. P. indicus. B. P.	Dog's-tail. many-spiked. spreading.  TRICHODIUM. decumbent. brown. SPOROBOLUS. Indian.	DIGYNI Gramineæ. B. P. Gramineæ. B. P.	A.  Agrostidis sp N. Amer. Britain. Agrostidis sp	pecies L 1786.	8.9. H. 4. 7.8. H. 4. 6.7. H. 4. 7.8. H. 4.	Lin.fil.fa.1.p.17.t.9
2 cynosuroides. P. S. 3 polystachia. Ph. 4 juncea Ph.  TRICHODIUM Mi. 1 decumbens. Mi. 2 caninum. W. en. SPOROBOLUS. B. P. indicus. B. P. AGROSTIS. W.	Dog's-tail. many-spiked. spreading.  TRICHODIUM. decumbent. brown. SPOROBOLUS. Indian. BENT-GRASS.	DIGYNI Gramineæ. B. P. Gramineæ. B. P.	A.  Agrostidis sp N. Amer. Britain. Agrostidis sp India.	1781.  1786.  1786.  1773.	8.9. H. ¼. 7.8. H. ¼. 6.7. H. ¼. 7.8. H. ¼. 8.10. H. ⊙.	Fraser.Mon.cum.ie Eng. bot. 1856.
2 cynosuroides. P. S. 3 polystachia. Ph. 4 juncea Ph.  TRICHODIUM Mi. 1 decumbens. Mi. 2 caninum. W. en. SPOROBOLUS. B. P. indicus. B. P. AGROSTIS. W. 1 Spica-venti. W.	Dog's-tail. many-spiked. spreading.  TRICHODIUM. decumbent. brown. SPOROBOLUS. Indian. BENT-GRASS. silky.	DIGYNI Gramineæ. B. P. Gramineæ. B. P. Gramineæ. B. P.	A.  Agrostidis sp N. Amer. Britain. Agrostidis sp India. England.	1781.  pecies L  1786.  pecies L  1773.	8.9. H. ¼. 7.8. H. ¼. 6.7. H. ¼. 7.8. H. ¼. 8.10. H. ⊙.	Lin.fil.fa.1.p.17.t.9
2 cynosuroides. P. S. 3 polystachia. Ph. 4 juncea Ph.  TRICHODIUM Mi. 1 decumbens. Mi. 2 caninum. W. en. SPOROBOLUS. B. P. indicus. B. P. AGROSTIS. W. 1 Spica-venti. W. 2 retrofracta. W. en.	Dog's-tail. many-spiked. spreading.  Trichodium. decumbent. brown. Sporobolus. Indian. Bent-Grass. silky. broad-leaved.	DIGYNI Gramineæ. B. P. Gramineæ. B. P. Gramineæ. B. P.	A.  Agrostidis sp N. Amer. Britain. Agrostidis sp India.  England. N. Holland.	1781.  1786. 1773. 1806.	8.9. H. 4. 7.8. H. 4. 7.8. H. 4. 6.7. H. 2. 8.10. H. ©. 6.7. H. ©. 7.8. H. 4.	Fraser.Mon.cum.ie Eng. bot. 1856.
2 cynosuroides. P. S. 3 polystachia. Ph. 4 juncea Ph.  TRICHODIUM Mi. 1 decumbens. Mi. 2 caninum. W. en. SPOROBOLUS. B. P. indicus. B. P. AGROSTIS. W. 1 Spica-venti. W. 2 retrofracta. W. en. 3 littoralis. E. B.	Dog's-tail. many-spiked. spreading.  TRICHODIUM. decumbent. brown. SPOROBOLUS. Indian. BENT-GRASS. silky. broad-leaved. sea-side.	DIGYNI Gramineæ. B. P. Gramineæ. B. P.	A.  Agrostidis sp N. Amer. Britain. Agrostidis sp India.  England. N. Holland.	1781.  1786.  1773.  1806.	8.9. H.4. 7.8. H.4. 7.8. H.4. 6.7. H.4. 8.10. H.0. 6.7. H.0. 7.8. H.4. 8. H.4.	Fraser.Mon.cum.ic Eng. bot. 1856. Eng. bot. 1261.
2 cynosuroides, P. S. 3 polystachia, Ph. 4 juncea Ph.  TRICHODIUM Mi. 1 decumbens, Mi. 2 caninum, W. en. SPOROBOLUS, B. P. indicus, B. P. AGROSTIS, W. 1 Spica-venti, W. 2 retrofracta, W. en. 3 littoralis, E. B. 4 setacea, E. B.	Dog's-tail. many-spiked. spreading.  TRICHODIUM. decumbent. brown. SPOROBOLUS. Indian. BENT-GRASS. silky. broad-leaved. sea-side. bristly.	DIGYNI Gramineæ. B. P. Gramineæ. B. P. Gramineæ. B. P.	A.  Agrostidis sp N. Amer. Britain. Agrostidis sp India.  England. N. Holland. England. Britain.	1781.  1786.  1773.  1806.	8.9. H.4. 7.8. H.4. 7.8. H.4. 6.7. H.2. 7.8. H.4. 6.7. H.①. 6.7. H.①. 8. H.4. 8. H.4.	Fraser Mon. cum.ie Eng. bot. 1856.  Eng. bot. 1261.  ———————————————————————————————————
2 cynosuroides. P. S. 3 polystachia. Ph. 4 juncea Ph.  TRICHODIUM Mi. 1 decumbens. Mi. 2 caninum. W. en. SPOROBOLUS. B. P. indicus. B. P. AGROSTIS. W. 1 Spica-venti. W. 2 retrofracta. W. en. 3 littoralis. E. B. 4 setacea. E. B. 5 vulgaris. E. B.	Dog's-tail. many-spiked. spreading.  TRICHODIUM. decumbent. brown. SPOROBOLUS. Indian. BENT-GRASS. silky. broad-leaved. sea-side. bristly. fine.	DIGYNI Gramineæ. B. P. Gramineæ. B. P.	A.  Agrostidis sp N. Amer. Britain. Agrostidis sp India.  England. N. Holland. England. Britain.	1781.  1786.  1773.  1806.	8.9. H.4. 7.8. H.4. 7.8. H.4. 6.7. H.2. 7.8. H.4. 6.7. H.①. 6.7. H.①. 8. H.4. 8. H.4.	Fraser Mon. cum.ie Eng. bot. 1856.  Eng. bot. 1261.  ———————————————————————————————————
2 cynosuroides. P. S. 3 polystachia. Ph. 4 juncea Ph.  TRICHODIUM Mi. 1 decumbens. Mi. 2 caninum. W. en. SPOROBOLUS. B. P. indicus. B. P. AGROSTIS. W. 1 Spica-venti. W. 2 retrofracta. W. en. 3 littoralis. E. B. 4 setacea. E. B. 5 vulgaris. E. B. 6 hispida. W.	Dog's-tail. many-spiked. spreading.  TRICHODIUM. decumbent. brown. SPOROBOLUS. Indian. BENT-GRASS. silky. broad-leaved. sea-side. bristly. fine. hispid.	DIGYNI Gramineæ. B. P. Gramineæ. B. P.	A.  Agrostidis sp N. Amer. Britain. Agrostidis sp India. England. N. Holland. England. Britain. Europe.	1781.  1786.  1773.  1806.  1805.	8.9. H. ¼. 7.8. H. ¼. 6.7. H. ½. 7.8. H. ¼. 8.10. H. ⊙. 6.7. H. ⊙. 6.7. H. ↓. 7.8. H. ¼. 8. H. ¼. 1.8. H. ¼. 1.8. H. ¼. 1.8. H. ¼.	Eng. bot. 1856.  Eng. bot. 1856.  Eng. bot. 1261.  ———————————————————————————————————
2 cynosuroides. P. S. 3 polystachia. Ph. 4 juncea Ph.  TRICHODIUM Mi. 1 decumbens. Mi. 2 caninum. W. en. SPOROBOLUS. B. P. indicus. B. P. AGROSTIS. W. 1 Spica-venti. W. 2 retrofracta. W. en. 3 littoralis. E. B. 4 setacea. E. B. 5 vulgaris. E. B. 6 hispida. W. 7 stolonifera. W.	Dog's-tail. many-spiked. spreading.  TRICHODIUM. decumbent. brown. SPOROBOLUS. Indian. BENT-GRASS. silky. broad-leaved. sea-side. bristly. fine.	DIGYNI Gramineæ. B. P. Gramineæ. B. P.	A.  Agrostidis sp N. Amer. Britain. Agrostidis sp India.  England. N. Holland. England. Britain.	1781.  1786. 1773. 1806.	8.9. H. ¼. 7.8. H. ¼. 7.8. H. ¼. 7.8. H. ¼. 7.8. H. ¼. 8.10. H. ⊙. 6.7. H. ⊙. 6.7. H. ↓. 8. H. ¼. 7.8. H. ¼.	Eng. bot. 1261.  Eng. bot. 1261.  Eng. bot. 1532.
2 cynosuroides. P. S. 3 polystachia. Ph. 4 juncea Ph.  TRICHODIUM Mi. 1 decumbens. Mi. 2 caninum. W. en. SPOROBOLUS. B. P. indicus. B. P. AGROSTIS. W. 1 Spica-venti. W. 2 retrofracta. W. en. 3 littoralis. E. B. 4 setacea. E. B. 5 vulgaris. E. B. 6 hispida. W.	Dog's-tail. many-spiked. spreading.  Trichodium. decumbent. brown. Sporobolus. Indian. Bent-Grass. silky. broad-leaved. sea-side. bristly. fine. hispid. creeping.	DIGYNI Gramineæ. B. P. Gramineæ. B. P. Gramineæ. B. P.	A.  Agrostidis sp N. Amer. Britain. Agrostidis sp India. England. N. Holland. England. Britain. Europe.	1781.  1786.  1773.  1806.	8.9. H. ¼. 7.8. H. ¼. 7.8. H. ¼. 7.8. H. ¼. 8.10. H. ⊙. 6.7. H. ⊙. 8. H. ¼. 7.8. H. ¼. — H. ¼. — H. ¼. — H. ¼.	Eng. bot. 1261.  Eng. bot. 1261.  Eng. bot. 1532.
2 cynosuroides. P. S. 3 polystachia. Ph. 4 juncea Ph.  TRICHODIUM Mi. 1 decumbens. Mi. 2 caninum. W. en. SPOROBOLUS. B. P. indicus. B. P. AGROSTIS. W. 1 Spica-venti. W. 2 retrofracta. W. en. 3 littoralis. E. B. 4 setacea. E. B. 5 vulgaris. E. B. 6 hispida. W. 7 stolonifera. W. 8 alba. W.	Dog's-tail. many-spiked. spreading.  TRICHODIUM. decumbent. brown. SPOROBOLUS. Indian. BENT-GRASS. silky. broad-leaved. sea-side. bristly. fine. hispid. creeping. marsh.	DIGYNI Gramineæ. B. P. Gramineæ. B. P.	A.  Agrostidis sp. N. Amer. Britain. Agrostidis sp. India. England. England. Britain. Europe. Britain.	1781.  1786.  1773.  1806.  1805.	8.9. H. ¼. 7.8. H. ¼. 7.8. H. ¼. 7.8. H. ¼. 7.8. H. ¼. 8.10. H. ⊙. 6.7. H. ⊙. 6.7. H. ↓. 8. H. ¼. 7.8. H. ¼.	Eng. bot. 1261.  Eng. bot. 1261.  Eng. bot. 1532.
2 cynosuroides. P. S. 3 polystachia. Ph. 4 juncea Ph.  TRICHODIUM Mi. 1 decumbens. Mi. 2 caninum. W. en. SPOROBOLUS. B. P. indicus. B. P. AGROSTIS. W. 1 Spica-venti. W. 2 retrofracta. W. en. 3 littoralis. E. B. 4 setacea. E. B. 5 vulgaris. E. B. 6 hispida. W. 7 stolonifera. W. 8 alba. W. 9 Cinna. Ph.	Dog's-tail. many-spiked. spreading.  TRICHODIUM. decumbent. brown. SPOROBOLUS. Indian. BENT-GRASS. silky. broad-leaved. sea-side. bristly. fine. hispid. creeping. marsh. reed-like.	DIGYNI Gramineæ. B. P. Gramineæ. B. P.	A.  Agrostidis sp N. Amer. Britain. Agrostidis sp India. England. N. Holland. England. Britain.  Europe. Britain.  Canada. America.	1781.  1786.  1773.  1806.  1805.  1789.  1780.	8.9. H. ¼. 7.8. H. ¼. 7.8. H. ¼. 7.8. H. ¼. 7.8. H. ¼. 6.7. H. ☉. 8.10. H. ☉. 8.10. H. ☉. 8.10. H. ψ. 9.8. H. ¼. 7.8. H. ¼. 1.9. H. ¼.	Eng. bot. 1261.  Eng. bot. 1261.  Eng. bot. 1532.
2 cynosuroides. P. S. 3 polystachia. Ph. 4 juncea Ph.  TRICHODIUM Mi. 1 decumbens. Mi. 2 caninum. W. en. SPOROBOLUS. B. P. indicus. B. P. AGROSTIS. W. 1 Spica-venti. W. 2 retrofracta. W. en. 3 littoralis. E. B. 4 setacea. E. B. 5 vulgaris. E. B. 6 hispida. W. 7 stolonifera. W. 8 alba. W. 9 Cinna. Pb. 10 mexicana. W.	Dog's-tail. many-spiked. spreading.  TRICHODIUM. decumbent. brown. SPOROBOLUS. Indian. BENT-GRASS. silky. broad-leaved. sea-side. bristly. fine. hispid. creeping. marsh. reed-like. Mexican.	DIGYNI Gramineæ. B. P. Gramineæ. B. P.	A.  Agrostidis sp. N. Amer. Britain. Agrostidis sp. India. England. N. Holland. England. Britain. Europe. Britain. Canada. America. E. Ind.	1781.  1786.  1773.  1806.  1805.  1789.  1780.  1801.	6.7. H.2; 7.8. H.2; 7.8. H.2; 7.8. H.2; 7.8. H.2; 8.10. H.⊙. 6.7. H.⊙. 7.8. H.2; 8. H.2; 7.8. H.2; 1.9. H.2; 1	Eng. bot. 1261.  Eng. bot. 1261.  Eng. bot. 1532.
2 cynosuroides. P. S. 3 polystachia. Ph. 4 juncea Ph.  TRICHODIUM Mi. 1 decumbens. Mi. 2 caninum. W. en. SPOROBOLUS. B. P. indicus. B. P. AGROSTIS. W. 1 Spica-venti. W. 2 retrofracta. W. en. 3 littoralis. E. B. 4 setacea. E. B. 5 vulgaris. E. B. 6 hispida. W. 7 stolonifera. W. 8 alba. W. 9 Cinna. Pb. 10 mexicana. W. 11 tenacissima. W. 12 verticillata. W. 13 sylvatica. L.	Dog's-tail. many-spiked. spreading.  TRICHODIUM. decumbent. brown. SPOROBOLUS. Indian. BENT-GRASS. silky. broad-leaved. sea-side. bristly. fine. hispid. creeping. marsh. reed-like. Mexican. tough. whorl-flowered. wood.	DIGYNI Gramineæ. B. P. Gramineæ. B. P.	A.  Agrostidis sp. N. Amer. Britain. Agrostidis sp. India. England. N. Holland. England. Britain.  Europe. Britain.  Canada. America. E. Ind. S. Europe. Britain.	1781.  1786.  1773.  1806.  1805.  1789, 1780. 1801.	8.9. H. ¼. 7.8. H. ¼. 7.8. H. ¼. 7.8. H. ¼. 8.10. H. ⊙. 6.7. H. ⊙. 8. H. ¼. 7.8. H. ¼. 7.8. H. ¼. 7.8. H. ¼. 9. H. ¼. 10. H. ¼.	Eng. bot. 1261.  Eng. bot. 1261.  Eng. bot. 1532.
2 cynosuroides. P. S. 3 polystachia. Ph. 4 juncea Ph.  TRICHODIUM Mi. 1 decumbens. Mi. 2 caninum. W. en. SPOROBOLUS. B. P. indicus. B. P. AGROSTIS. W. 1 Spica-venti. W. 2 retrofracta. W. en. 3 littoralis. E. B. 4 setacea. E. B. 5 vulgaris. E. B. 6 hispida. W. 7 stolonifera. W. 8 alba. W. 9 Cinna. Pb. 10 mexicana. W. 11 tenacissima. W. 12 verticillata. W. 13 sylvatica. L. 14 lenta. W.	Dog's-tail. many-spiked. spreading.  TRICHODIUM. decumbent. brown. SPOROBOLUS. Indian. BENT-GRASS. silky. broad-leaved. sea-side. bristly. fine. hispid. creeping. marsh. reed-like. Mexican. tough. whorl-flowered. wood. forked.	DIGYNI Gramineæ. B. P. Gramineæ. B. P.	A.  Agrostidis sp. N. Amer. Britain. Agrostidis sp. India. England. N. Holland. England. Britain. Canada. America. E. Ind. S. Europe. Britain. E. Ind.	1781.  1786.  1773.  1806.  1805.  1789.  1780.  1801.  1890.	8.9. H. ¼. 7.8. H. ¼. 7.8. H. ¼. 7.8. H. ¼. 8.10. H. ⊙. 6.7. H. ⊙. 7.8. H. ¼. 8. H. ¼. 9. H. ¼. 1.4. H. ¼. 1.5. H. ¼. 1.6.9. H. ¼. 1.6.9. H. ¼. 1.6.7. H. ⊙. 1.7. H. ¼. 1.7. H. ¼. 1.8.9. S. ¼. 1.9. S. ¼. 1.9. H. ¼. 1.9. H. ¼.	Eng. bot. 1856.  Eng. bot. 1856.  Eng. bot. 1261.  ———————————————————————————————————
2 cynosuroides. P. S. 3 polystachia. Ph. 4 juncea Ph.  TRICHODIUM Mi. 1 decumbens. Mi. 2 caninum. W. en. SPOROBOLUS. B. P. indicus. B. P. AGROSTIS. W. 1 Spica-venti. W. 2 retrofracta. W. en. 3 littoralis. E. B. 4 setacea. E. B. 5 vulgaris. E. B. 6 hispida. W. 7 stolonifera. W. 8 alba. W. 9 Cinna. Pb. 10 mexicana. W. 11 tenacissima. W. 12 verticillata. W. 13 sylvatica. L. 14 lenta. W. KNAPPIA. E. B.	Dog's-tail. many-spiked. spreading.  Trichodum. decumbent. brown. Sporobolus. Indian. Bent-Grass. silky. broad-leaved. sea-side. bristly. fine. hispid. creeping. marsh. reed-like. Mexican. tough. whorl-flowered. wood. forked. KNAPPIA.	DIGYNI Gramineæ. B. P. Gramineæ. B. P.  Gramineæ. B. P.	A.  Agrostidis sp. N. Amer. Britain. Agrostidis sp. India. England. N. Holland. England. Britain.  Europe. Britain.  Canada. America. E. Ind. S. Europe. Britain. E. Ind. Agrostidis sp.	1781.  1786.  1773.  1806.  1789.  1780.  1801.  1800.  1778.	6.7. H.24. 7.8. H.24. 7.8. H.24. 7.8. H.24. 7.8. H.24. 7.8. H.24. 6.7. H.⊙. 6.7. H.⊙. 6.7. H.⊙. 7.8. H.24. 7.10. H.2. 7.10. H.⊙. 8.5turmia P.	Eng. bot. 1856.  Eng. bot. 1856.  Eng. bot. 1261.  ———————————————————————————————————
2 cynosuroides. P. S. 3 polystachia. Ph. 4 juncea Ph.  TRICHODIUM Mi. 1 decumbens. Mi. 2 caninum. W. en. SPOROBOLUS. B. P. indicus. B. P. AGROSTIS. W. 1 Spica-venti. W. 2 retrofracta. W. en. 3 littoralis. E. B. 4 setacea. E. B. 5 vulgaris. E. B. 6 hispida. W. 7 stolonifera. W. 8 alba. W. 9 Cinna. Ph. 10 mexicana. W. 11 tenacissima. W. 12 verticillata. W. 13 sylvatica. L. 14 lenta. W. KNAPPIA. E. B. agrostidea. E. B.	Dog's-tail. many-spiked. spreading.  TRICHODIUM. decumbent. brown. SPOROBOLUS. Indian. BENT-GRASS. silky. broad-leaved. sea-side. bristly. fine. hispid. creeping. marsh. reed-like. Mexican. tough. whorl-flowered. wood. forked. KNAPPIA. small.	DIGYNI Gramineæ. B. P. Gramineæ. B. P. Gramineæ. B. P.	A.  Agrostidis sp. N. Amer. Britain. Agrostidis sp. India. England. N. Holland. England. Britain. Canada. America. E. Ind. S. Europe. Britain. E. Ind.	1781.  1786.  1773.  1806.  1789.  1780.  1801.  1800.  1778.	6.7. H.24. 7.8. H.24. 7.8. H.24. 7.8. H.24. 7.8. H.24. 7.8. H.24. 6.7. H.⊙. 6.7. H.⊙. 6.7. H.⊙. 7.8. H.24. 7.10. H.2. 7.10. H.⊙. 8.5turmia P.	Eng. bot. 1856.  Eng. bot. 1856.  Eng. bot. 1261.  ———————————————————————————————————
2 cynosuroides. P. S. 3 polystachia. Ph. 4 juncea Ph.  TRICHODIUM Mi. 1 decumbens. Mi. 2 caninum. W. en. SPOROBOLUS. B. P. indicus. B. P. AGROSTIS. W. 1 Spica-venti. W. 2 retrofracta. W. en. 3 littoralis. E. B. 4 setacea. E. B. 5 vulgaris. E. B. 6 hispida. W. 7 stolonifera. W. 8 alba. W. 9 Cinna. Pb. 10 mexicana. W. 11 tenacissima. W. 12 verticillata. W. 13 sylvatica. L. 14 lenta. W. KNAPPIA. E. B. agrostidea. E. B. PEROTIS. H. K.	Dog's-tail. many-spiked. spreading.  Trichodium. decumbent. brown. Sporobolus. Indian. Bent-Grass. silky. broad-leaved. sea-side. bristly. fine. hispid. creeping. marsh. reed-like. Mexican. tough. whorl-flowered. wood. forked. KNAFPIA. small. PEROTIS.	DIGYNI Gramineæ. B. P.	A.  Agrostidis sp. N. Amer. Britain. Agrostidis sp. India. England. Britain. Europe. Britain. Canada. America. E. Ind. S. Europe. Britain. E. Ind. Agrostidis sp. Wales.	1781.  1786.  1773.  1806.  1805.  1789.  1780.  1801.  1800.  1778.  pecies L	8.9. H. ¼. 7.8. H. ¼. 7.8. H. ¼. 7.8. H. ½. 8.10. H. ⊙. 8.10. H. ⊙. 8. H. ¼. 7.8. H. ¼. 7.8. H. ¼. 7.8. H. ¼. 9.10. H. ¼. 10. H. ¾. 110. H. ⊙.	Eng. bot. 1856.  Eng. bot. 1856.  Eng. bot. 1261.  ———————————————————————————————————
2 cynosuroides. P. S. 3 polystachia. Ph. 4 juncea Ph.  TRICHODIUM Mi. 1 decumbens. Mi. 2 caninum. W. en. SPOROBOLUS. B. P. indicus. B. P. AGROSTIS. W. 1 Spica-venti. W. 2 retrofracta. W. en. 3 littoralis. E. B. 4 setacea. E. B. 5 vulgaris. E. B. 6 hispida. W. 7 stolonifera. W. 8 alba. W. 9 Cinna. Pb. 10 mexicana. W. 11 tenacissima. W. 12 verticillata. W. 13 sylvatica. L. 14 lenta. W. KNAPPIA. E. B. agrostidea. E. B. PEROTIS. H. K. latifolia. W.	Dog's-tail. many-spiked. spreading.  TRICHODIUM. decumbent. brown. SPOROBOLUS. Indian. BENT-GRASS. silky. broad-leaved. sea-side. bristly. fine. hispid. creeping. marsh. reed-like. Mexican. tough. whorl-flowered. wood. forked. KNAPPIA. small. PEROTIS. spiked.	DIGYNI Gramineæ. B. P.	A.  Agrostidis sp. N. Amer. Britain. Agrostidis sp. India. England. N. Holland. England. Britain.  Europe. Britain.  Canada. America. E. Ind. S. Europe. Britain. E. Ind. Agrostidis sp.	1781.  1786.  1773.  1806.  1805.  1789.  1780.  1801.  1800.  1778.  pecies L	8.9. H. ¼. 7.8. H. ¼. 7.8. H. ¼. 7.8. H. ½. 8.10. H. ⊙. 8.10. H. ⊙. 8. H. ¼. 7.8. H. ¼. 7.8. H. ¼. 7.8. H. ¼. 9.10. H. ¼. 10. H. ¾. 110. H. ⊙.	Eng. bot. 1856.  Eng. bot. 1856.  Eng. bot. 1261.  ———————————————————————————————————
2 cynosuroides. P. S. 3 polystachia. Ph. 4 juncea Ph.  TRICHODIUM Mi. 1 decumbens. Mi. 2 caninum. W. en. SPOROBOLUS. B. P. indicus. B. P. AGROSTIS. W. 1 Spica-venti. W. 2 retrofracta. W. en. 3 littoralis. E. B. 4 setacea. E. B. 5 vulgaris. E. B. 6 hispida. W. 7 stolonifera. W. 8 alba. W. 9 Cinna. Pb. 10 mexicana. W. 11 tenacissima. W. 12 verticillata. W. 13 sylvatica. L. 14 lenta. W. KNAPPIA. E. B. agrostidea. E. B. PEROTIS. H. K.	Dog's-tail. many-spiked. spreading.  TRICHODIUM. decumbent. brown. SPOROBOLUS. Indian. BENT-GRASS. silky. broad-leaved. sea-side. bristly. fine. hispid. creeping. marsh. reed-like. Mexican. tough. whorl-flowered. wood. forked. KNAPPIA. small. PEROTIS. spiked.	DIGYNI Gramineæ. B. P.	A.  Agrostidis sp. N. Amer. Britain. Agrostidis sp. India. England. N. Holland. England. Britain. Canada. America. E. Ind. S. Europe. Britain. E. Ind. Agrostidis sp. Wales. E. Ind.	1781.  1786.  1773.  1806.  1805.  1789.  1780.  1801.  1800.  1778.  1777.	8.9. H. ¼.  7.8. H. ¼.  7.8. H. ½.  7.8. H. ½.  8.10. H. ⊙.  6.7. H. ⊙.  6.7. H. ⊙.  8. H. ¼.  7.8. H. ¼.  4. H. ¼.  H. ¼.  H. ¼.  6.7. H. ⊙.  6.7. H. ⊙.  S. H. ¾.  7. H. ¼.  1. H. ¼.  6.9. H. ¼.  8.9. S. ¼.  6.7. H. ⊙.  Sturmia P  3.4. H. ⊙.  8.9. S. ⊙.	Eng. bot. 1856.  Eng. bot. 1856.  Eng. bot. 1261.  ———————————————————————————————————

		TALL CENTER	2201111	***	
STIPA. W.	FEATHER-GRASS	Gramineæ. B. P.			
1 pennata. W.	common.			7.8. H.4.	
2 humilis. P. S.	low.				Cav.ic.5. t.466. f.1.
3 juncea. W.	rush-leaved.				Fl. græc. 1. t. 85.
4 sibirica. P. S.	Siberian.		Siberia.		Gmel, sib. 1. t. 22.
5 aristella. W.	awned.		Montpelier.	1806. —— H. 24.	
TRISETUM. P. S.	TRISETUM.	Gramineæ. B. P.	,		
1 striatum. P. S.	striated.		S. Europe.	1804. 7.8. H.⊙.	G
2 hispanicum. P. S.	Læfling's.		Spain.		Cav. ic. 1. t. 45. f. 1.
3 pratense. P. S.	yellowish.		Britain.	— Н.4.	Eng. bot. 952.
AVENA. P. S.	OAT-GRASS.	Gramineæ. B. P.	N. Amoun	1505 C5 H O	
1 pensylvanica. W.	Pensylvanian.		Daltala	1785. 6.7. H.O.	Eng hot 1966
2 strigosa. W. 3 brevis. W.	bristle-pointed.		Cormony	— H.⊙. 1804. — H.⊙.	Eng. 500. 1200.
4 orientalis. W.	Tartarian.		Germany.	1798. — H.O.	
5 sativa. W.	common.		S. Amer.		Host.gram. 2. t. 59.
6 nuda. W.	naked.		S. Himer,		3, t, 43.
7 fatua. W.	wild.		Britain.	8. H.O.	3. t. 43. 
8 pubescens. W.	downy.			7.8. Н. 4.	Eng. bot. 1640.
9 sterilis. W.	bearded.		Barbary.		Host.gram.t. 2.57.
10 fragilis. W.	brittle.		S. Europe.		2.t.54
11 planiculmis. E. B.	flat-stalked.		Britain.	6.7. H. 2.	Eng. bot. 2141.
12 pratensis. W.	narrow-leaved.			— н. 4.	1204.
13 argentea. W. en.	silvery.		· Switzerland.	1791. ——H.4.	Host. gram. 2. t.53.
14 distichophylla.	fan-leaved.			H 21	{ Vill. delph. 2. t. 4. f. 4.
W. en.					4. f. 4.
BROMUS. W.	BROME-GRASS.	Gramineæ. B. P.		** 0	
1 secalinus. W.	smooth Rye.		England.	6.8, H.O.	
2 commutatus, W. en.				— H.O.	
3 multiflorus. W. en. 4 mollis. W.	many-flowered.			1815. — H.O.	Eng hat 1070
5 lanceolatus. W.	spear-leaved.		Cuenia	170° — H O	Eng. bot. 1078. Buxb.cen.5. f.ap.19
6 squarrosus. W.	corn.		England	H.4.	
7 Alopecurus. W.	Fox-tail.			1700 — H 🔾	Desf. atl. 1. t. 25.
8 purgans. W.	purging.		Canada.	1793. — H.4.	170311 (1111 41 01 204
9 inermis. W.	awnless.				Host. gram. 1. t. 9.
10 asper. W.	hairy wood.		England.	H.O.	Eng. bot. 1172.
11 pratensis. E. B.	meadow.			— Н. 4.	920.
12 littoreus. W.	sea.		Europe.	1802 H. 4.	
13 ciliatus. W.	ciliated.		Canada.	— — Н. 4.	
14 sterilis. W.	barren.		Britain.	— H.⊙.	Eng. bot. 1030.
15 arvensis. E. B.	field.			— Н. 4.	
16 erectus. E. B.	upright.	*	England.	— н. 4.	
17 tectorum. W.	nodding.				Hort. gram. 1.t. 15.
18 altissimus. Ph.	tallest.		N. Amer.	1812. — H. 4.	
19 racemosus. W.	smooth.		England.	— H.O.	
20 maximus. Roth.	great.			1804. — H.⊙.	
21 madritensis. W. 22 sylvaticus. E. B.	wall.			— H.⊙. — H. ¥.	
23 pinnatus. W.	spiked-heath.		Diffaill.	— Н. 4.	
24 cristatus. W.	crested.			— H. 4.	
25 distachyos. W.	two-spiked.				Host.gram. 1.t. 20.
FESTUCA. W.	FESCUE-GRASS.	Gramineæ. B. P.			
1 bromoides. W.	barren.				Eng. bot. 1411.
2 tenella. Ph.	slender.		N. Amer.	1804. 7.8. H.⊙.	
3 ovina. W.	sheep's.		Britain.	6. Н.4.	Eug. bot. 585.
4 vivipara. E. B.	viviparous.			7. H.4.	1355.
5 rubra. W.	creeping.				2056.
6 duriuscula, W.	hard.		0.70		470.
7 amethystina. W.	blue.			1804. 6.7. H. 4.	
8 cæsia. E. B.	gray.			Н. 4.	
9 dumetorum. W. 10 Myurus. W.	bushy. wall.			— н. 4.	_
11 uniglumis. W.	single-husked.			— H.⊙. — H.⊙.	
12 gigantea. E. B.	gigantic.			7.8. H.⊙.	
18 calamaria. E. B.	reed-like.			— Н. 4.	
14 triflora. E. B.	three-flowered.			— Н.2.	
15 spadicea. W.	Gerard's.	***************************************			Host.gram.3.t.20.
16 pratensis. E. B.	meadow.			6,7. Н, 24.	
17 vaginata. W. en.	sheathed.	Performance of second Persons Second	· Hungary.	1804. — H. 4.	

à	JL 3	CALLET TO TAKE	3010111	111.	
18 decidua. E. B.	deciduous.	Gramineæ. B. P.	England.	6.7. Н.4.	Eng. bot. 9966
19 elatior. W.	tall.			— Н. 4.	
20 diandra. Ph.	diandrous.			1810 — H 2/	Mich. amer. t. 10.
21 loliacea. W.	spiked.			— Н. 4.	For hot 1991
22 grandiflora. Ph.	large-flowered.		N Amer	1812. — H. 4.	Eng. 1021.
23 rubens. P. S.	Spanish.	Ba	S Furona		TT4 1 4 10
24 stipoides. P. S.	fine-leaved.		Majorea		Host.gram.1.t.18.
25 calycina. W.	bearded-leaved.		Ennin		Barrelic. t. 76. f. 1.
			· Spain,		Cav. ic. 1. t. 44. f. 2.
26 glauca. P. S.	glaucous.		S. Europe.		Lam.ill. 1.t. 46.f. 3.
27 ciliata. P. S.	ciliated.		Portugal.	1802. 7.8. H. 4.	
28 distichiphylla. Ph.	two-ranked.		- N. Amer.	1789. 6.7, H. 4.	
29 nutans. Ph.	nodding.		- <del> </del>	- 1805, —— H.4.	
30 heterophylla. P. S.	various-leaved.	<del></del>	France.	1812. —— H. 4.	Vaill. par. t. 19. f. 6.
31 unioloides. Ph.	uniola-like.		· N. Amer.	1796. ——H.4.	Willd. ber. t. 3.
TRITICUM. W.	WHEAT-GRASS.	Gramineæ. B. P.			
1 æstivum. W.	summer.	<del></del>		, 6.7. H,⊙.	
2 hybernum. W.	Lammas.			· — H.⊙.	Host.gram. 3. t. 20.
3 compositum. W.	Egyptian.		Egypt.	1799. —— H.O.	Moris. his.3. t.1.f.7.
4 turgidam. W.	turgid.			— н.⊙.	Host.gram.3.t.28.
5 polonicum. W.	Polish.			1600 H O	3 t 31
6 Spelta. W.	Spelt.			— н.о.	3.t.30.
7 monococcum. W.	one-grained.			H.⊙. 1648. — H.⊙.	3. t. 32.
8 prostratum. W.	trailing.		Siberia.	1780. 6. H.⊙.	Jac. vind. 3. t. 44.
9 squarrosum. Roth.			Egypt.	1800. 6.7. H.O.	
10 junceum. W.	rushy.		England.	— н. 4.	Eng bot 814
11 repens. W.	Couch-grass.		Britain	7.8. H. 4.	
12 caninum. E. B.	bearded.		Directi.	H 2	1279
13 tenellum. W.	dwarf.		Spain	— H.4. 1781. — H.⊙.	Host gram 9 t 96
14 unioloides. W.	linear-spiked.		Teoly		
15 loliaceum. W.			Duitoin	1758. 7.9. H,⊙,	
	spiked sea,		E Furana	6.7. H,⊙.	Eng. bot. 221.
16 unilaterale. W.	one-sided.		Commont.	1800. — H.⊙.	
17 rigidum. W. en.	rigid.		Germany.	1805. —— H.4.	
SECALE. W.	RYE.	Gramineæ. B. P.	04.	0 = TY O	TT 1 01 10
1 cereale. W.	common.		Crete.	6.7. H.O.	
2 villosum. W.	villous.		S. Europe.	1790. — H.⊙.	
3 orientale. W.	hairy-spiked.		Levant.	1807. —H.∂.	Willd. N. Act.
MODDETHA W		o			Ber. 2. t. 4. 1. 3.
HORDEUM. W.	BARLEY.	Gramineæ. B, P,	a. n		**
1 vulgare. W.	spring.		Sicily.	, 7. H.⊙.	Host.gram.3. t.34.
2 hexastichon. W.	winter.		• • • • • • • • • •	H.O.	3.t.35.
3 distichon. W.	common.		Tartary.	H.⊙. 8. H.⊙,	3.t.36,
4 Zeocriton. W.	Battledore.	<del></del>		8. H.⊙,	
5 bulbosum. W.	bulbous.	<del></del>	Italy.	1770. 7. H.4.	Fl. græc. 1. t. 98,
6 murinum. W.	wall.	<del></del>	Britain.	1770. 7. H.¼. 4.8. H.⊙. 6. H.¼. H.⊙.	Eng. bot. 1971.
7 pratense. Roth.	meadow.			6. Н.4.	409.
8 secalinum. Ro h.	rye-like.			<u>—</u> . H.⊙.	Host, gram. 1. t. 33,
9 maritimum. W.	sea.		Britain.	6.7. H.⊙.	Eng. bot. 1205.
10 jubatum. H. K.	long-bearded.		N. Amer.	1782. 7.8. H.J.	
ELYMUS. W.	LYME-GRASS.	Gramineæ. B. P.		. '	
1 arenarius. W.	upright sea.		Britain,	, 4.6. Н. 4.	Eng. bot. 1672.
2 geniculatus. E. B.	pendulous.		England.		1586.
3 sabulosus. W. en.	glaucous.		Siberia.	1806. 6.7. H.4.	
4 giganteus. W.	gigantic.		N. Amer.	1790. 7.8. H.4.	
5 sibiricus. W.	Siberian.		Siberia.	1758. 6.7, H.4.	Schr.gra.2.t.21.f.1.
6 tener. W.	tender.			1801. — H.4.	
7 philadelphicus. W.	Philadelphian.		N. Amer.	1790. 7.8. H.4.	
8 canadensis. W.	Canadian.			1699. — H. 4.	Mor, his, 3.t.2.f.10.
9 virginicus. W.	Virginian.		Virginia.	1781. 6.7. H. 24,	
10 striatus. W.	striated.		N. Amer.	1790. — H. 4.	
11 villosus. Ph.	villous.			1802. — H. 4.	
12 europæus. W.	wood.		England.	— н. 4.	Eng. bot. 1317.
13 crinitus. Sch.	loug-awned.		Smyrna.	1806. — H.O.	
14 Caput-Medusæ. W.	Portuguese.		Portugal,	1784. — H,⊙. {	2. p. 17. t. 24. f. 2.
LOLIUM. W.	DARNEL.	Gramineæ. B. P.			
1 perenne. W.	Rye-grass,		Britain.	5.6. H.4.	Eng. bot. 315,
2 tenue. W.	slender.			1590. 7.8. H.4.	*
3 temulentum. W.	bearded.		Britain.	., — н.⊙.	Eng. bot. 1124,
4 arvense. E, B,	beardless,	22.00		7. H.O.	
			4	, , ,	

· ·						a - (
KŒLERIA. P.S.	KŒLERIA.	Gramineæ. B. P.			77 21	
1 cristata. P. S.	crested.	_	Europe.	6.8		
2 tuberosa. P. S.	tuberous.		E Furone	1800. 6.7.	H 1	Eng. bot. 648.
3 pubescens. GLYCERÍA. B. P.	pubescent. GLYCERIA.	Gramineæ. B. P.				
fluitans. B. P.	floating.					Eng. bot. 1520.
POA. W.		Gramineæ. B. P.	2718000			
1 aquatica. W.	water.		Britain.	7.	H.4.	Eng. bot. 1315.
2 procumbens. E. B.	procumbent.				H.⊙.	532.
3 alpina. W.	Alpine.		Scotland.	6.7.	H.4.	1003.
4 flexuosa. E. B.	zigzag.					1123.
5 laxa. W.	loose-spiked.		Germany.	1800	- H.4.	Host.gram.3.t.15.
6 cæsia. E. B.	sea-green.		Scotland.		- H.4.	Eng. bot. 1719.
7 vivipara. W. en.	viviparous.		Switzerland.			
8 trivialis. W.	common.		Britain.			Eng. bot. 1072.
9 angustifolia. W.	narrow-leaved.		Germany.			Leers, t. 6. f. 3.
10 pratensis, W.	smooth-stalked. short bluish.		Dritain.	3.6.	11.4.	Eng. bot. 1073.
11 humilis. F. B. 12 annua. W.	annual.			3 10	H. Q.	1004.
13 badensis. W.	turfy.			1800. 7.		
14 amabilis. W.	purple:		E. Ind.	1802. —		
15 Eragrostis. W.	spreading.		Italy.	1699	- H.⊙.	Host. gram.2.t.69.
16 sudetica. W.	broad-leaved.		Germany.	1802. 7.8.		
17 cenisia. W. cn.	soft.		Mt. Cenis.	1791	- H. 24.	
18 flava. W.	pale yellow.		N America	1804. —	- H. 4.	
19 serotina. W. en.	late-flowering.		Germany.	1800. 7.9.	H.4.	
20 festncæformis.W.en	. Festuca-like.		Dalmatia.		H.4.	
21 pilosa. W. en.	pilose.		Italv.	1804. 7.8.		
22 abyssinica. W.	smooth upright.		Abyssinia.			Jac. ic. 1. t. 17.
23 capillaris. W.	hair-panicled.		N. America.			Moris.h.3.t.6.f.33.
24 megastachya, P. S.	Love-grass.	-	S. Europe.			Schreb. gram. t. 38.
25 tenella. W.	small.		E. Ind.			Burm. zey. t.47.f.3.
26 maritima. W.	sea. hard.		England			Eng. bot. 1140.
27 rigida. W.	flat-stalked.		England.	6.0	н.б.	1371. 365.
28 compressa. W. 29 glauca. E. B.	glaucous.		Billiani.			1720.
30 nemoralis. W.	wood.					1265.
31 amboinensis. W.	upright.		E. Ind.	1800. 6.7	S. 4.	Rumph. amb. 6. t. 7. f. 3.
32 bulbosa. W.	bulbous.		England.			Eng. bot. 1071.
33 distans. W.	distant.			1794. 7.8.	H.4.	986.
34 retroflexa. E. B.	reflexed.				- H.4.	1532.
35 ægyptiaca. W. en.	Egyptian.			1812. —	- H.⊙.	
36 elongata. W. en.	long-panicled.				S. 4.	
37 divaricata. W.	divaricate.		S. Europe.	1802. —	- H.⊙.	Gouan.ill.4.t.2.f.1.
38 peruviana. W.	Peruvian.		Peru.			Jac. ic. 1. t. 18.
39 nervata. W.	nerved.		N. America.			
40 ciliaris. W.	ciliated.		Jamaica.			Jac. ic. 2. t. 304.
41 digitata. B. P. TRIODIA. B. P.				1800	- H.O.	
decumbens.	TRIODIA.	Gramineæ. B. P.			T.T. O	Fra hot man
CALAMAGROS- 7	_				11.4.	Eng. bot. 792.
TIS. With.	CALAMAGROSTIS.	Gramineæ. B. P.	Arundinis sp	ecies L.		
1 epigejos. W.	wood.		Britain.	7.	H.24.	Eng. bot. 403.
2 stricta. E. B.	upright.		Scotland.			2160
3 speciosa. W. en.	beautiful.		Germany.	1813. —		
4 arundinacea. Roth.		·				
5 vulgaris.	common.		England.			Eng. bot. 2159.
6 arenaria. W.	Sea Mat-weed.		Britain.			520.
ARUNDO. B. P.		Gramineæ. B. P.				
1.Donax. W.			S. Europe.	1648. 7.8.		
B versicolor.	striped.					Moris.hist.3.t.8.f.9
2 phragmites. W.	common.	C : D D	Britain.	7.9.	H.4.	Eng. bot. 401.
AIRA. W.		Gramineæ. B. P.	m :/ :		**	7
1 aquatica. W.	water.		Britain.			Eng. bot. 1557.
2 giauca. W. en. 3 semineutra. W. en.	glaucous.		Saxony.	1800. 6.7.		
4 subspicata. W.	spike-flowered.		Switzenland	1813. ——		
5 cæspitosa. W.	turfy.		Britain	1800.		Eng hot 1450
6 lævigata. L. T.	smooth-sheathed					Eng. bot. 1453.
, , , , , , , , , , , , , , , , , , , ,	ou officiality	D		0.7.	*** 4 .	2102.

19	TRI	IANDRIA .	DIGINI	A.	
7 Sames W	www.wod.	Gramineæ. B. P.	Dultale.	# 0 TT 31	The bot series
7 flexuosa. W.	waved.	Grammeæ. D. P.	El	7.8. H.4.	
8 canescens. W.	grey.		England.	— Н.4.	
9 præcox. W.	early.		Britain.	5.6. H.O.	
10 caryophyllea. W.	silver.			7. H.⊙.	812.
MELICA. W.	Melic-Grass.	Gramineæ. B. P.			
1 ciliata. W.	ciliated.		Europe.	1771. 7. H.4.	Host.gram. 2.t. 12.
2 Bauhini. W. en.	Italian.		Italy.	1806. 6.7. H.4.	
3 nutans. W.	mountain.		Britain.	— н. 4.	Eng. bot. 1059.
4 uniflora. W.	wood.			5.6. Н. 4.	
5 pyramidalis. P. S.	pyramidal.		Barbary	1804. 6.7. H. 4.	
6 glabra. Ph.	smooth.		N. Anier.		Mor.his.3.t.7.f.51.
7 altissima. W.	tallest.		Siberia.		Host gram. 2. t. 9.
8 cærulea. W.	purple.		Britain		
ECHINARIA. Des.	ECHINARIA.	Gramineæ. B. P.	Dillain.	8. Н.4.	13ng. 00t. 700.
	headed.		C Farment	1001 50 110	Titost among 0 t 0
capitata. D.		Coming D. D.	S. Lurope.	1771. 5.8. H.O.	Host. gram. 3. t. 8.
LAPPAGO. W.	LAPPAGO.	Gramineæ. B. P.			
racemosa. W.	branching.				Host.gram.1.t.36,
ELEUSINE. B. P.	ELEUSINE.	Gramineæ. B. P.		cics L.	
1 coracana. P. S.	thick-spiked.	*	India.	1714. 7.9. H.⊙.	Schreb.gram.2.t.35
2 ægyptia. P. S.	creeping.		Egypt.	1770. — H.O.	
3 indica. P. S.	Indian.		India.	1714. — H.O.	Rheed.mal.12.t.69.
4 virgata. W. en.	fine-spiked.		Jamaica.		Sloa.jam.1.t.70.f.2.
CHRYSURUS. P. S.	CHRYSURUS.	Gramineæ. B. P.	Cunosuri sue		
cynosuroides. P. S.					Host. gram. 3. t. 4.
•	Dog's-TAIL		23011111111	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	22000-514IIII OF II 41
CYNOSURUS. P. S.	GRASS.	Gramineæ. B. P.			
1 mistatus XV			Dultain	o II M	Eng hot 210
1 cristatus. W.	crested.		pritain.	8. Н. 4.	
2 echinatus. W.	rough.		England.	— н.⊙.	
3 Lima. W.	imbricated.		Spain.	1776. 7.8. H.⊙.	
4 durus. W.	rigid.		S. Europe.	—— H.⊙.	Host.gram. 2.t. 73.
BECKMANNIA. Host	BECKMANNIA.	Grammeæ. B. P.	Cynosuri spe	cies Willd.	
erucæformis. W.en.	linear-spiked.		Europe.	1773. 7. H.⊙.	Host. gram. 3. t. 6.
TO A CODET TO THE	(COCK'S-FOOT)	Contract D D	-		
DACTYLIS. W. en.	GRASS.	Gramineæ. B. P.			
1 glomerata. W.	rough.		Britain.	6.7. Н. 4.	Eng. bot. 335.
2 hispanica. W. en.	Spanish.		Spain.	1814. — H. 4.	
UNIOLA. W.	SEASIDE OAT.	Gramineæ. B. P.	- para-		
1 latifolia. Ph.	broad-leaved.		M Amon	1809. 6.7. H.4.	1
			14. Zimer		Cates car 1 + 90
2 paniculata. Ph.	panicled.			1/93. — 11. 4.	Cates. car. 1. t. 32.
BRIZA. W.		Gramineæ. B. P.			T
1 minor. W.	small.		England.	7.8. H.⊙.	Eng. bot. 1316.
2 virens. W.	green.	Combine D. D.	Spain.	1300. —— H.⊙.	
3 media. W.	common.		Britain.	5.6. H.4.	
4 maxima. W.	greatest.		S. Europe.	1633. 6.7. H.⊙.	Host.gram. 2. t. 30.
CYNODON. P. S.	CYNODON.	Gramineæ. B. P.	Panici & A	grostidis species $oldsymbol{L}.$	
1 Dactylon. P. S.	creeping.	<del></del>	England.	7. H.4.	Eng. bot. 850.
2 linearis. W. en.	linear-leaved.			1796. 7.8. S. 4.	-
MILIUM. W.	MILLET-GRASS.	Gramineæ. B. P.			
1 lendigerum. W.	Panic.		England.	8. H.O.	Eng. bot. 1107.
2 effusum. W.	common,			6.7. H.4.	
3 paradoxum. W.	black-seeded.		France	1771. — H.O.	Host.gram. 3. t. 23.
				1778 H 2	3. t. 45.
4 multiflorum. W. en.			5. Europe.	1770	-0, 1, 40,
LAGURUS, W.	{ HARE's-	Gramineæ. B. P.			
	TAIL GRASS			0 11 0	Eng hot 1004
ovatus. W.	oval-spiked.		Guernsey.	6. Н.⊙.	Eng. Dot. 1334.
ALOPECURUS. W.	FOX-TAIL }	Gramineæ. B. P.			
	CRASS. ∫				
1 indicus. W.	giant.		Jamaica.	1739. 7.10. H.⊙.	
2 bulbosus. W.	bulbous.		England.	7. H.4.	Eng. bot. 1249.
3 pratensis. W.	meadow.	-	Britain.	5. H.4.	759.
4 alpinus. E. B.	Alpine.		Scotland.	5.6. H. 4.	1126.
5 agrestis. W.	slender.		Britain.	7.8. H.O.	848.
6 geniculatus. W.	floating.			5.8. H.4.	848. ———————————————————————————————————
7 fulvus. E. B.	Orange-spiked.		England.		1467.
	CAT'S-TAIL				
PHLEUM. W.		Gramineæ. B. P.			
1 mentiones TET	GRASS.		Britain.	w Y.T 31	Eng. bot. 1076.
1 pratense. W.	common.			7. H. 4.	
2 alpinum. W.	Alpine.		Scotland.	70 H.4.	Flor. dan. t. 380.
3 nodosum. W.	knotted.		Britain.		
4 Bochmeri. W. en.	Phalaris-like.		England.	— н.⊙.	Mag. 00t. 409.

			DIGITAL		
8 Michefii. W. en.	slender-spiked.	Gramineæ. B. P.	Scotland.	6.7. H. 4. Eng. bot. 2265.	
6 Bellardii. W. en.	bulbous.			1798. —— H. 4.	
7 asperum. W. en.	rough.		England.	H. O. Eng. bot. 1077.	
CRYPSIS. W.	CRYPSIS.	Gramineæ. B. P.			
aculeata. W.	prickly.		S. Europe.	1783. 8. H.O. Host.gram. 1.t. 31.	
PHALARIS. W. en.	CANARY-GRASS.	Gramineæ. B. P.			
1 arundinacea. P. S.	Reed-like.		Britain.	7. H.4. Eng. bot. 402.	
2 canariensis. W.	common.		_	6.8. H.O. —————————————————————————————————	
3 aquatica. W.	water.		Egypt.	1778. 6.7. H.O. Host.gram. 2.t. 38.	
4 capensis. W.	Cape.		C. B. S.	1804. — H.O. For het 000	
5 arenaria. W.	sea.		England.	7.8. H Eng. bot. 222. 1687. 6.7. H Host. gram. 2. t. 40.	
6 paradoxa. W.	bristle-spiked.	Gramineæ. B. P.			
TOZZETTIA. Savi. pratensis. Sa.	Tozzettia.	Grammess, D. F.		1777. 7.8. H.O. Host. gram. 3. t. 7.	
PASPALUM. W.	PASPALUM.	Gramineæ. B. P.	remy.	1/// / 12.0. 12.0.	
				Hout. nat. his. 13.	
1 scrobiculatum. W.	dimpled.		E. Ind.	1778. 7.9. S.4. { Hout. nat. his. 18. t. 89. f. 3.	
2 paniculatum. W.	panicled.		Jamaica.	1782. — S.O. Sloa.hist.1.t.72.f.2.	
3 stoloniferum. W.	purple.		Peru.	1794. — G. 4. Jac. ic. 2. t. 302.	
4 distichum. W.	two-spiked.		Jamaica.	1776. 7. S. J. Swar.obs. 35. t. 2.f. 1	
DIGITARIA. P. S.	FINGER-GRASS.	Gramineæ. B. P.		es L.	
1 sanguinalis. P. S.	slender-spiked.		Britain.	8. H Eng. bot. 849.	
2 villosa. P. S.	villous.		N. Amer.	1781. 7.9. H.⊙.	
3 ægyptiaca. W. en.	Egyptian.		Egypt.	1794. 7. H.O. Jac. obs. 3. t. 70.	
4 serotina. P. S.	decumbent.		N. Amer.	1804. 7.8. H.O.	
5 ciliaris. P. S.	ciliated.		China.	—— H.O.	
6 linearis. P. S.	linear.		India,	—— H.O. Bur.ind.25.t.10.f.3.	
PANICUM. B. P.	PANIC-GRASS.	Gramineæ. B. P.			
1 polystachion. W.	many-spiked.		E. Ind.	1804. 7.8. S.J.	
2 sericeum. W.	silky.		W. Ind.	1780. 5.9. H.O. Hoot grown 0 4 15	
3 germanicum. W.	German.		S. Europe.	1548. 7. H.O. Host.gram. 2. t.15.	
4 stagninum. W.	pond.		E. Ind.	1802. 7.8. H.⊙.	
5 Crus-corvi. W.	Crow's-foot.		England	1781. — H.O. Eng bot 876	1
6 Crus-galli. W. 7 colonum. W.	loose. purple.		F Ind	— H. ⊙. Eng. bot. 876. 1699. — H. ⊙. Ehret. pict. t. 3. f. 3.	
•	-			CDL 1 . 1 2 4	
8 brizoides. W.	Briza-like.			1801. 6.7. S. J. Pluk. alm. 174. t.	
9 fasciculatum. W.	fascicled.		Jamaica.	—— H.⊙.	
10 hispidulum. W.	hispid.		E. Ind.	1804. 7.8. H.⊙.	
11 cimicinum. W.	spotted.		India.	1778. 79. H.⊙.	
12 coloratum. W.	spotted. coloured.		Ecvnt.	1778. 7.9. H. ①. 1771. — H. ②. Jac. ic. 1. t. 12.	
12 coloratum. W. 13 repens. W.	spotted. coloured. slender.		Egypt. S. Europe.	1778. 7.9. H.⊙. 1771. — H.⊙. Jac. ic. 1. t. 12. 1777. — H.⊙. Fl. græc. 1. t. 61.	
12 coloratum. W. 13 repens. W. 14 miliaceum. W.	spotted. coloured. slender. millet.		Egypt. S. Europe. E. Ind.	1778. 7.9. H.⊙. 1771. — H.⊙. Jac. ic. 1. t. 12. 1777. — H.⊙. Fl. græc. 1. t. 61.	
12 coloratum. W. 13 repens. W. 14 miliaceum. W. 15 muricatum. W.	spotted. coloured. slender, millet. prickly.		Egypt. S. Europe. E. Ind.	1778. 7.9. H.⊙. 1771. — H.⊙. Jac.ic. 1.t. 12. 1777. — H.⊙. Fl. græc. 1.t. 61. 1596. — H.⊙. Host. gram. 2.t. 20. 1805. — H.⊙.	
12 coloratum. W. 13 repens. W. 14 miliaceum. W. 15 muricatum. W. 16 capillare. W.	spotted. coloured. slender, millet. prickly. hair-panicled.		Egypt. S. Europe. E. Ind.	1778. 7.9. H.⊙. 1771. — H.⊙. Jac. ic. 1. t. 12. 1777. — H.⊙. Fl. græc. 1. t. 61. 1596. — H.⊙. Host. gram. 2. t. 20. 1805. — H.⊙. 1758. 6.8. H.⊙.	
12 coloratum. W. 13 repens. W. 14 miliaceum. W. 15 muricatum. W. 16 capillare. W. 17 latifolium. W.	spotted. coloured. slender, millet. prickly. hair-panicled. broad-leaved.		Egypt. S. Europe. E. Ind. America. N. Amer.	1778. 7.9. H.⊙. 1771. — H.⊙. Jac. ic. 1. t. 12. 1777. — H.⊙. Fl. græc. 1. t. 61. 1596. — H.⊙. Host. gram. 2. t. 20. 1805. — H.⊙. 1758. 6.8. H.⊙. 1765. 8.9. H.↓. Mor. his. 3. t. 5. f. 4.	
12 coloratum. W. 13 repens. W. 14 miliaceum. W. 15 muricatum. W. 16 capillare. W. 17 latifolium. W. 18 clandestinum. W.	spotted. coloured. slender, millet. prickly. hair-panicled. broad-leaved. hidden-flowered.		Egypt. S. Europe. E. Ind. America. N. Amer.	1778. 7.9. H. ①.  1771. — H. ②. Jac. ic. 1. t. 12.  1777. — H. ②. Fl. græc. 1. t. 61.  1596. — H. ②. Host. gram. 2. t. 20.  1805. 6.8. H. ②.  1765. 8.9. H. 4. Mor. his. 3. t. 5. f. 4.  1802. 7. H. 4.	
12 coloratum. W. 13 repens. W. 14 miliaceum. W. 15 muricatum. W. 16 capillare. W. 17 latifolium. W. 18 clandestinum. W. 19 arborescens. W.	spotted. coloured. slender, millet. prickly. lair-panicled. broad-leaved. hidden-flowered. tree.		Egypt. S. Europe. E. Ind. America. N. Amer.	1778. 7.9. H.⊙. 1771. — H.⊙. Jac. ic. 1. t. 12. 1777. — H.⊙. Fl. græc. 1. t. 61. 1596. — H.⊙. Host. gram. 2. t. 20. 1805. — H.⊙. 1758. 6.8. H.⊙. 1765. 8.9. H. ¥. Mor. his. 3. t. 5. f. 4. 1802. 7. H. ¥. 1776. 3.4. S. ħ.	
12 coloratum. W. 13 repens. W. 14 miliaceum. W. 15 muricatum. W. 16 capillare. W. 17 latifolium. W. 18 clandestinum. W. 19 arborescens. W. 20 virgatum. W.	spotted. coloured. slender, millet. prickly. luair-panicled. broad-leaved. hidden-flowered. tree. long-panicled.		Egypt. S. Europe. E. Ind. America. N. Amer. E. Ind. N. Amer.	1778. 7.9. H.⊙. 1771. — H.⊙. Jac. ic. 1.t. 12. 1777. — H.⊙. Fl. græc. 1.t. 61. 1896. — H.⊙. Host. gram. 2.t. 20. 1758. 6.8. H.⊙. 1765. 8.9. H.↓. Mor. his. 3.t. 5.f. 4. 1802. 7. H.↓. 1776. 3.4. S.↓. 1781. 8.9. H.↓.	
12 coloratum. W. 13 repens. W. 14 miliaceum. W. 15 muricatum. W. 16 capillare. W. 17 latifolium. W. 18 clandestinum. W. 19 arborescens. W. 20 virgatum. W. 21 patens. P. S.	spotted. coloured. slender, millet. prickly. luair-panicled. broad-leaved. hidden-flowered. tree. long-panicled. spreading.		Egypt. S. Europe. E. Ind. America. N. Amer. E. Ind. N. Amer. India.	1778. 7.9. H.⊙. 1771. — H.⊙. Jac. ic. 1. t. 12. 1777. — H.⊙. Fl. græc. 1. t. 61. 1596. — H.⊙. 1805. — H.⊙. 1758. 6.8. H.⊙. 1765. 8.9. H.↓. Mor. his. 3. t. 5. f. 4. 1802. 7. H.↓. 1776. 3.4. S. ħ. 1781. 8.9. H.↓. 1804. 7.8. S. ♂.	
12 coloratum. W. 13 repens. W. 14 miliaceum. W. 15 muricatum. W. 16 capillare. W. 17 latifolium. W. 18 clandestinum. W. 19 arborescens. W. 20 virgatum. W. 21 patens. P. S. 22 brevifolium. W.	spotted. coloured. slender, millet. prickly. hair-panicled. broad-leaved. hidden-flowered. tree. long-panicled. spreading. short-leaved.		Egypt. S. Europe. E. Ind. America. N. Amer. E. Ind. N. Amer. India. E. Ind.	1778. 7.9. H.⊙. 1771. — H.⊙. Jac. ic. 1. t. 12. 1777. — H.⊙. Fl. græc. 1. t. 61. 1596. — H.⊙. 1805. — H.⊙. 1758. 6.8. H.⊙. 1765. 8.9. H.↓. Mor. his. 3. t. 5. f. 4. 1802. 7. H.↓. 1776. 3.4. S. ħ. 1781. 8.9. H.↓. 1804. 7.8. S.♂. 1800. — H.⊙. Pluk.alm.176.t.189	
12 coloratum. W. 13 repens. W. 14 miliaceum. W. 15 muricatum. W. 16 capillare. W. 17 latifolium. W. 18 clandestinum. W. 19 arborescens. W. 20 virgatum. W. 21 patens. P. S. 22 brevifolium. W. 23 divaricatum. W.	spotted. coloured. slender, millet. prickly. luair-panicled. broad-leaved. hidden-flowered. tree. long-panicled. spreading.		Egypt. S. Europe. E. Ind.  America. N. Amer.  E. Ind. N. Amer. India. E. Ind. Jamaica.	1778. 7.9. H.⊙. 1771. — H.⊙. Jac. ic. 1. t. 12. 1777. — H.⊙. Fl. græc. 1. t. 61. 1596. — H.⊙. 1758. 6.8. H.⊙. 1765. 8.9. H.↓. Mor. his. 3. t. 5. f. 4. 1802. 7. H.↓. 1776. 3.4. S. ħ. 1781. 8.9. H.↓. 1804. 7.8. S.♂. 1800. — H.⊙. Pluk.alm.176.t.189 1800. — S.↓. Jac, schœn. 1. t. 25.	
12 coloratum. W. 13 repens. W. 14 miliaceum. W. 15 muricatum. W. 16 capillare. W. 17 latifolium. W. 18 clandestinum. W. 19 arborescens. W. 20 virgatum. W. 21 patens. P. S. 22 brevifolium. W.	spotted. coloured. slender, millet. prickly. lair-panicled. broad-leaved. hidden-flowered. tree. long-panicled. spreading. shraddling. Palm-leaved.		Egypt. S. Europe. E. Ind.  America. N. Amer.  E. Ind. N. Amer. India. E. Ind. Jamaica.	1778. 7.9. H.⊙. 1771. — H.⊙. Jac. ic. 1. t. 12. 1777. — H.⊙. Fl. græc. 1. t. 61. 1596. — H.⊙. 1805. — H.⊙. 1758. 6.8. H.⊙. 1765. 8.9. H.↓. Mor. his. 3. t. 5. f. 4. 1802. 7. H.↓. 1776. 3.4. S. ħ. 1781. 8.9. H.↓. 1804. 7.8. S.♂. 1800. — H.⊙. Pluk.alm.176.t.189	
12 coloratum. W. 13 repens. W. 14 miliaceum. W. 15 muricatum. W. 16 capillare. W. 17 latifolium. W. 18 clandestinum. W. 19 arborescens. W. 20 virgatum. W. 21 patens. P. S. 22 brevifolium. W. 23 divaricatum. W. 24 palmifolium.  plicatum. W. en. ORTHOPOGON. B.P.	spotted. coloured. slender, millet. prickly. hair-panicled. broad-leaved. hidden-flowered. tree. long-panicled. spreading. short-leaved. straddling. Palm-leaved. different from plic		Egypt. S. Europe. E. Ind. America. N. Amer. E. Ind. N. Amer. India. E. Ind. Jamaica. E. Ind.	1778. 7.9. H.①.  1771. — H.②. Jac. ic. 1. t. 12.  1777. — H.③. Fl. græc. 1. t. 61.  1596. — H.④. Host. gram. 2. t. 20.  1758. 6.8. H.④.  1765. 8.9. H.¾. Mor. his. 3. t. 5. f. 4.  1802. 7. H.¾.  1776. 3.4. S.ħ.  1781. 8.9. H.¾.  1804. 7.8. S.♂.  1800. — H.④. Pluk.alm. 176. t. 189  1800. — S.¾. Jac. schœn. 1. t. 25.  1804. — S.¾.	
12 coloratum. W. 13 repens. W. 14 miliaceum. W. 15 muricatum. W. 16 capillare. W. 17 latifolium. W. 18 clandestinum. W. 19 arborescens. W. 20 virgatum. W. 21 patens. P. S. 22 brevifolium. W. 23 divaricatum. W. 24 palmifolium.  plicatum. W. en. ORTHOPOGON. B.P. hirtellus. B. P.	spotted. coloured. slender, millet. prickly. lair-panicled. broad-leaved. hidden-flowered. tree. long-panicled. spreading. short-leaved. straddling. Palm-leaved. different from plic ORTHOPOGON. hairy.	catum. P. S. Gramineæ, B. P.	Egypt. S. Europe. E. Ind. America. N. Amer. E. Ind. N. Amer. India. E. Ind. Jamaica. E. Ind. Panici speci W. Ind.	1778. 7.9. H.⊙. 1771. — H.⊙. Jac. ic. 1. t. 12. 1777. — H.⊙. Fl. græc. 1. t. 61. 1596. — H.⊙. 1758. 6.8. H.⊙. 1765. 8.9. H.Ψ. 1802. 7. H.Ψ. 1776. 3.4. S.ħ. 1781. 8.9. H.Ψ. 1804. 7.8. S.♂. 1800. — H.⊙. 1800. — H.⊙. 1800. — H.⊙. 1800. — S.Ψ. 1804. S.Ψ. 1804. S.Ψ. 1805. S.Ψ. 1806. — S.Ψ. 1806. — S.Ψ. 1807. Host. gram. 3. t. 52.	
12 coloratum. W. 13 repens. W. 14 miliaceum. W. 15 muricatum. W. 16 capillare. W. 17 latifolium. W. 18 clandestinum. W. 20 virgatum. W. 21 patens. P. S. 22 brevifolium. W. 23 divaricatum. W. 24 palmifolium.  plicatum. W. en. ORTHOPOGON. B.P. hirtellus. B. P. PENNISETUM. B. P.	spotted. coloured. slender, millet. prickly. lair-panicled. broad-leaved. hidden-flowered. tree. long-panicled. spreading. short-leaved. straddling. Palm-leaved. different from plic Orthopogon. hairy. Pennisetum.	catum. P. S. Gramineæ. B. P. Gramineæ. B. P.	Egypt. S. Europe. E. Ind.  America. N. Amer.  E. Ind. N. Amer. India. E. Ind. Jamaica. E. Ind. Panici speci W. Ind. Panici & Ce	1778. 7.9. H.⊙. 1771. — H.⊙. Jac. ic. 1. t. 12. 1777. — H.⊙. Fl. græc. 1. t. 61. 1596. — H.⊙. 1758. 6.8. H.⊙. 1765. 8.9. H.Ψ. 1802. 7. H.Ψ. 1776. 3.4. S.ħ. 1781. 8.9. H.Ψ. 1804. 7.8. S.♂. 1800. — H.⊙. 1800. — H.⊙. 1800. — H.⊙. 1800. — S.Ψ. 1804. S.Ψ. 1804. S.Ψ. 1805. S.Ψ. 1806. — S.Ψ. 1806. — S.Ψ. 1807. Host. gram. 3. t. 52.	
12 coloratum. W. 13 repens. W. 14 miliaceum. W. 15 muricatum. W. 16 capillare. W. 17 latifolium. W. 18 clandestinum. W. 20 virgatum. W. 21 patens. P. S. 22 brevifolium. W. 23 divaricatum. W. 24 palmifolium.  plicatum. W. en. ORTHOPOGON. B.P. hirtellus. B. P. PENNISETUM. B. P.	spotted. coloured. slender, millet. prickly. hair-panicled. broad-leaved. hidden-flowered. tree. long-panicled. spreading. short-leaved. straddling. Palm-leaved. different from plic ORTHOPOGON. hairy. PENNISETUM. rough.	catum. P. S. Gramineæ. B. P. Gramineæ. B. P.	Egypt. S. Europe. E. Ind.  America. N. Amer.  E. Ind. N. Amer. India. E. Ind. Jamaica. E. Ind. Panici speci W. Ind. Panici & Ce	1778. 7.9. H.⊙.  1771. — H.⊙. Jac. ic. 1.t. 12.  1777. — H.⊙. Fl. græc. 1.t. 61.  1596. — H.⊙.  1805. — H.⊙.  1758. 6.8. H.⊙.  1765. 8.9. H.¥. Mor. his. 3.t. 5.f. 4.  1802. 7. H.¥.  1776. 3.4. S.ħ.  1781. 8.9. H.¥.  1804. 7.8. S.♂.  1800. — H.⊙. Pluk.alm.176.t.189  1800. — S.¥. Jac. schœn. 1.t. 25.  1804. — S.¥.  1795. 6.7. S.♂. Host. gram. 3.t. 52.  mckri species L.  7.8. H.⊙. Eng. bot. 874.	
12 coloratum. W. 13 repens. W. 14 miliaceum. W. 15 muricatum. W. 16 capillare. W. 17 latifolium. W. 18 clandestinum. W. 20 virgatum. W. 21 patens. P. S. 22 brevifolium. W. 23 divaricatum. W. 24 palmifolium.  plicatum. W. en. ORTHOPOGON. B.P. hirtellus. B. P. PENNISETUM. B. P. 1 verticillatum. B. P. 2 glaucum. B. P.	spotted. coloured. slender, millet. prickly. liair-panicled. broad-leaved. hidden-flowered. tree. long-panicled. spreading. short-leaved. straddling. Palm-leaved. different from plic ORTHOPOGON. hairy. PENNISETUM. rough. glaucous.	Gramineæ. B. P. Gramineæ. B. P.	Egypt. S. Europe. E. Ind.  America. N. Amer.  E. Ind. N. Amer. India. E. Ind. Jamaica. E. Ind.  Panici speci W. Ind. Panici & Ce England. S. Europe.	1778. 7.9. H.⊙.  1771. — H.⊙. Jac. ic. 1. t. 12.  1777. — H.⊙. Fl. græc. 1. t. 61.  1596. — H.⊙. Host. gram. 2. t. 20.  1805. — H.⊙.  1765. 8.9. H.⊋. Mor. his. 3. t. 5. f. 4.  1802. 7. H.⊋.  1776. 3.4. S. ħ.  1804. 7.8. S.♂.  1800. — H.⊙.  1800. — H.⊙.  1800. — S.⊋. Jac. schœn. 1. t. 25.  1804. — S.⊋.  1804. — S.⊋.  1805. 6.7. S.♂. Host. gram. 3. t. 52.  1806. — S.⊋.  1807. H.⊙. Eng. bot. 874.  1771. — H.⊙. Host. gram. 2. t. 16.	
12 coloratum. W. 13 repens. W. 14 miliaceum. W. 15 muricatum. W. 16 capillare. W. 17 latifolium. W. 18 clandestinum. W. 20 virgatum. W. 21 patens. P. S. 22 brevifolium. W. 23 divaricatum. W. 24 palmifolium. plicatum. W. en. ORTHOPOGON. B.P. hirtellus. B. P. PENNISETUM. B. P. 1 verticillatum. B. P. 2 glaucum. B. P. 3 viride. B. P.	spotted. coloured. slender, millet. prickly. lair-panicled. broad-leaved. hidden-flowered. tree. long-panicled. spreading. short-leaved. straddling. Palm-leaved. different from plic ORTHOPOGON. hairy. PENNISETUM. rough. glaucous. green.	Gramineæ. B. P. Gramineæ. B. P.	Egypt. S. Europe. E. Ind.  America. N. Amer.  E. Ind. N. Amer. India. E. Ind. Jamaica. E. Ind.  Panici speci W. Ind. Panici & Ce England. S. Europe.	1778. 7.9. H.⊙.  1771. — H.⊙. Jac. ic. 1. t. 12.  1777. — H.⊙. Fl. græc. 1. t. 61.  1596. — H.⊙. Host. gram. 2. t. 20.  1805. — H.⊙.  1765. 8.9. H.⊋. Mor. his. 3. t. 5. f. 4.  1802. 7. H.⊋.  1776. 3.4. S. ħ.  1804. 7.8. S.♂.  1800. — H.⊙.  1800. — H.⊙.  1800. — S.⊋. Jac. schœn. 1. t. 25.  1804. — S.⊋.  1804. — S.⊋.  1805. 6.7. S.♂. Host. gram. 3. t. 52.  1806. — S.⊋.  1807. H.⊙. Eng. bot. 874.  1771. — H.⊙. Host. gram. 2. t. 16.	
12 coloratum. W. 13 repens. W. 14 miliaceum. W. 15 muricatum. W. 16 capillare. W. 17 latifolium. W. 18 clandestinum. W. 20 virgatum. W. 21 patens. P. S. 22 brevifolium. W. 23 divaricatum. W. 24 palmifolium.  plicatum. W. en. ORTHOPOGON. B.P. hirtellus. B. P. PENNISETUM. B. P. 1 verticillatum. B. P. 2 glaucum. B. P. 3 viride. B. P. 4 italicum. B. P.	spotted. coloured. slender, millet. prickly. lair-panicled. broad-leaved. hidden-flowered. tree. long-panicled. spreading. short-leaved. straddling. Palm-leaved. different from plic ORTHOPOGON. hairy. PENNISETUM. rough. glaucous. green. Italian.	Gramineæ. B. P. Gramineæ. B. P.	Egypt. S. Europe. E. Ind.  America. N. Amer.  E. Ind. N. Amer. India. E. Ind. Jamaica. E. Ind.  Panici speci W. Ind. Panici & Ce England. S. Europe. England. India.	1778. 7.9. H.⊙. 1771. — H.⊙. Jac. ic. 1. t. 12. 1777. — H.⊙. Fl. græc. 1. t. 61. 1596. — H.⊙. 1805. — H.⊙. 1758. 6.8. H.⊙. 1765. 8.9. H.¥. Mor. his. 3. t. 5. f. 4. 1802. 7. H.¥. 1776. 3.4. S. ħ. 1781. 8.9. H.¥. 1804. 7.8. S.♂. 1800. — H.⊙. 1800. — H.⊙. 1800. — H.⊙. 1800. — S.¥. Jac. schœn. 1. t. 25. 1804. — S.¥. 1795. 6.7. S.♂. Host. gram. 3. t. 52. cuchri species L. 1771. — H.⊙. Eng. bot. 874. 1771. — H.⊙. Eng. bot. 875. 1616. — H.⊙. Rum.am. 5. t. 76. f. 2.	
12 coloratum. W. 13 repens. W. 14 miliaceum. W. 15 muricatum. W. 16 capillare. W. 17 latifolium. W. 18 clandestinum. W. 20 virgatum. W. 21 patens. P. S. 22 brevifolium. W. 23 divaricatum. W. 24 palmifolium.  plicatum. W. en. ORTHOPOGON. B.P. hirtellus. B. P. PENNISETUM. B. P. 1 verticillatum. B. P. 2 glaucum. B. P. 3 viride. B. P. 4 italicum. B. P. 5 typhoideum. P. S.	spotted. coloured. slender, millet. prickly. lair-panicled. broad-leaved. hidden-flowered. tree. long-panicled. spreading. short-leaved. straddling. Palm-leaved. different from plic ORTHOFOGON. hairy. PENNISETUM. rough. glaucous. green. Italian. spiked.	Catum. P. S. Gramineæ. B. P. Gramineæ. B. P.	Egypt. S. Europe. E. Ind.  America. N. Amer. E. Ind. N. Amer. India. E. Ind. Jamaica. E. Ind. Panici speci W. Ind. Panici & Ce England. S. Europe. England. India.	1778. 7.9. H.⊙.  1771. — H.⊙. Jac. ic. 1. t. 12.  1777. — H.⊙. Fl. græc. 1. t. 61.  1596. — H.⊙.  1805. — H.⊙.  1758. 6.8. H.⊙.  1765. 8.9. H.↓. Mor. his. 3. t. 5. f. 4.  1802. 7. H.↓.  1776. 3.4. S. ħ.  1781. 8.9. H.↓.  1804. 7.8. S.♂.  1800. — H.⊙. Pluk.alm.176.t.189  1800. — S.↓.  1804. — S.↓.  1804. — S.↓.  1795. 6.7. S.♂. Host. gram. 3. t. 52.  mckri species L.  1771. — H.⊙. Eng. bot. 874.  1771. — H.⊙. Eng. bot. 874.  1616. — H.⊙. Rum.am.5. t. 76. f.2.  1592. 6.7. H.⊙. Pluk.alm. t. 32. f. 4.	
12 coloratum. W. 13 repens. W. 14 miliaceum. W. 15 muricatum. W. 16 capillare. W. 17 latifolium. W. 18 clandestinum. W. 20 virgatum. W. 21 patens. P. S. 22 brevifolium. W. 23 divaricatum. W. 24 palmifolium.  plicatum. W. en. ORTHOPOGON. B.P. hirtellus. B. P. 1 verticillatum. B. P. 2 glaucum. B. P. 3 viride. B. P. 4 italicum. B. P. 5 typhoideum. P. S. 6 cenchroides. P. S.	spotted. coloured. slender, millet. prickly. hair-panicled. broad-leaved. hidden-flowered. tree. long-panicled. spreading. short-leaved. straddling. Palm-leaved. different from plic ORTHOPOGON. hairy. PENNISETUM. rough. glaucous. green. Italian. spiked. ciliated.	Gramineæ. B. P. Gramineæ. B. P.	Egypt. S. Europe. E. Ind. America. N. Amer. E. Ind. N. Amer. India. E. Ind. Jamaica. E. Ind. Panici speci W. Ind. Panici & Ce England. S. Europe. England. India. C. B. S.	1778. 7.9. H.⊙.  1771. — H.⊙. Jac. ic. 1.t. 12.  1777. — H.⊙. Fl. græc. 1.t. 61.  1896. — H.⊙.  1805. — H.⊙.  1758. 6.8. H.⊙.  1758. 6.8. H.⊙.  1802. 7. H.¼.  1804. 7.8. S.♂.  1800. — H.⊙.  1804. 7.8. S.♂.  1800. — S.¼.  1804. — S.¼.  1804. — S.¼.  1804. — S.¼.  1805. — H.⊙.  1806. — H.⊙.  1955. 6.7. S.♂.  1795. 6.7. S.♂.  1795. 6.7. S.♂.  1795. 6.7. S.♂.  1791. — H.⊙.  1791. — H.⊙.  1791. — H.⊙.  1805. Rumam.5.t.76.f.₂.  1616. — H.⊙.  1616. — H.⊙.  1616. Plok. alm.t.32.f.4.  1777. 7.8. H.⊙. Gisecke ic. t. 23.	
12 coloratum. W. 13 repens. W. 14 miliaceum. W. 15 muricatum. W. 16 capillare. W. 17 latifolium. W. 18 clandestinum. W. 20 virgatum. W. 21 patens. P. S. 22 brevifolium. W. 23 divaricatum. W. 24 palmifolium.  plicatum. W. en. ORTHOPOGON. B.P. hirtellus. B. P. PENNISETUM. B. P. 1 verticillatum. B. P. 2 glaucum. B. P. 3 viride. B. P. 4 italicum. B. P. 5 typhoideum. P. S. 6 cenchroides. P. S. 7 setosum. P. S.	spotted. coloured. slender, millet. prickly. lair-panicled. broad-leaved. hidden-flowered. tree. long-panicled. spreading. short-leaved. straddling. Palm-leaved. different from plic ORTHOPOGON. hairy. PENNISETUM. rough. glaucous. green. Italian. spiked. ciliated. setose.	Gramineæ. B. P.	Egypt. S. Europe. E. Ind. America. N. Amer. E. Ind. N. Amer. India. E. Ind. Jamaica. E. Ind. Panici speci W. Ind. Panici & Ce England. S. Europe. England. India. C. B. S.	1778. 7.9. H.⊙.  1771. — H.⊙. Jac. ic. 1. t. 12.  1777. — H.⊙. Fl. græc. 1. t. 61.  1596. — H.⊙.  1805. — H.⊙.  1758. 6.8. H.⊙.  1765. 8.9. H.↓. Mor. his. 3. t. 5. f. 4.  1802. 7. H.↓.  1776. 3.4. S. ħ.  1781. 8.9. H.↓.  1804. 7.8. S.♂.  1800. — H.⊙. Pluk.alm.176.t.189  1800. — S.↓.  1804. — S.↓.  1804. — S.↓.  1795. 6.7. S.♂. Host. gram. 3. t. 52.  mckri species L.  1771. — H.⊙. Eng. bot. 874.  1771. — H.⊙. Eng. bot. 874.  1616. — H.⊙. Rum.am.5. t. 76. f.2.  1592. 6.7. H.⊙. Pluk.alm. t. 32. f. 4.	
12 coloratum. W. 13 repens. W. 14 miliaceum. W. 15 muricatum. W. 16 capillare. W. 17 latifolium. W. 18 clandestinum. W. 20 virgatum. W. 21 patens. P. S. 22 brevifolium. W. 23 divaricatum. W. 24 palmifolium. plicatum. W. en. ORTHOPOGON. B.P. hirtellus. B. P. PENNISETUM. B. P. 1 verticillatum. B. P. 2 glaucum. B. P. 3 viride. B. P. 4 italicum. B. P. 5 typhoideum. P. S. 6 cenchroides. P. S. 7 setosum. P. S. SACCHARUM. W.	spotted. coloured. slender, millet. prickly. lair-panicled. broad-leaved. hidden-flowered. tree. long-panicled. spreading. Palm-leaved. different from plic ORTHOPOGON. hairy. PENNISETUM. rough. glaucous. green. Italian. spiked. ciliated. setose. Sugar-Cane.	Gramineæ. B. P.  Gramineæ. B. P.	Egypt. S. Europe. E. Ind.  America. N. Amer.  E. Ind. N. Amer. India. E. Ind. Jamaica. E. Ind.  Panici speci W. Ind. Panici & Ce England. S. Europe. England. India.  C. B. S. W. Ind.	1778. 7.9. H.⊙.  1771. — H.⊙. Jac. ic. 1. t. 12.  1777. — H.⊙. Fl. græc. 1. t. 61.  1596. — H.⊙.  1805. — H.⊙.  1758. 6.8. H.⊙.  1765. 8.9. H.¥. Mor. his. 3. t. 5. f. 4.  1802. 7. H.¥.  1776. 3.4. S. ħ.  1781. 8.9. H.¥.  1804. 7.8. S.♂.  1800. — H.⊙.  1800. — H.⊙.  1800. — H.⊙.  1800. — S.¥. Jac. schœn. 1. t. 25.  1804. — S.¥.  1795. 6.7. S.♂. Host. gram. 3. t. 52.  11795. 6.7. S.♂. Host. gram. 3. t. 52.  11711. — H.⊙. Eng. bot. 874.  11711. — H.⊙. Eng. bot. 874.  11711. — H.⊙. Eng. bot. 875.  1616. — H.⊙. Rum.am. 5. t. 76. f. 2.  11992. 6.7. H.⊙. Pluk. alm. t. 32. f. 4.  11777. 7.8. H.⊙. Gisecke ic. t. 23,  1804. — H.⊙.	
12 coloratum. W. 13 repens. W. 14 miliaceum. W. 15 muricatum. W. 16 capillare. W. 17 latifolium. W. 18 clandestinum. W. 19 arborescens. W. 20 virgatum. W. 21 patens. P. S. 22 brevifolium. W. 23 divaricatum. W. 24 palmifolium.  plicatum. W. en. ORTHOPOGON. B.P. hirtellus. B. P. PENNISETUM. B. P. 1 verticillatum. B. P. 2 glaucum. B. P. 3 viride. B. P. 4 italicum. B. P. 5 typhoideum. P. S. 6 cenchroides. P. S. 7 setosum. P. S. SACCHARUM. W. officinarum. W.	spotted. coloured. slender, millet. prickly. lair-panicled. broad-leaved. hidden-flowered. tree. long-panicled. spreading. short-leaved. straddling. Palm-leaved. different from plic ORTHOPOGON. hairy. PENNISETUM. rough. glaucous. green. Italian. spiked. ciliated. setose. SUGAR-CANE. common.	Gramineæ. B. P.  Gramineæ. B. P.	Egypt. S. Europe. E. Ind.  America. N. Amer.  E. Ind. N. Amer. India. E. Ind. Jamaica. E. Ind.  Panici speci W. Ind. Panici & Ce England. S. Europe. England. India.  C. B. S. W. Ind.	1778. 7.9. H.⊙.  1771. — H.⊙. Jac. ic. 1.t. 12.  1777. — H.⊙. Fl. græc. 1.t. 61.  1896. — H.⊙.  1805. — H.⊙.  1758. 6.8. H.⊙.  1758. 6.8. H.⊙.  1802. 7. H.¼.  1804. 7.8. S.♂.  1800. — H.⊙.  1804. 7.8. S.♂.  1800. — S.¼.  1804. — S.¼.  1804. — S.¼.  1804. — S.¼.  1805. — H.⊙.  1806. — H.⊙.  1955. 6.7. S.♂.  1795. 6.7. S.♂.  1795. 6.7. S.♂.  1795. 6.7. S.♂.  1791. — H.⊙.  1791. — H.⊙.  1791. — H.⊙.  1805. Rumam.5.t.76.f.₂.  1616. — H.⊙.  1616. — H.⊙.  1616. Plok. alm.t.32.f.4.  1777. 7.8. H.⊙. Gisecke ic. t. 23.	
12 coloratum. W. 13 repens. W. 14 miliaceum. W. 15 muricatum. W. 16 capillare. W. 17 latifolium. W. 18 clandestinum. W. 20 virgatum. W. 21 patens. P. S. 22 brevifolium. W. 23 divaricatum. W. 24 palmifolium.  plicatum. W. en. ORTHOPOGON. B.P. hirtellus. B. P. 1 verticillatum. B. P. 2 glaucum. B. P. 3 viride. B. P. 4 italicum. B. P. 5 typhoideum. P. S. 6 cenchroides. P. S. 7 setosum. P. S. SACCHARUM. W. officinarum. W. ROTTBŒLLIA. W.	spotted. coloured. slender, millet. prickly. lair-panicled. broad-leaved. hidden-flowered. tree. long-panicled. spreading. short-leaved. straddling. Palm-leaved. different from plic ORTHOPOGON. hairy. PENNISETUM. rough. glaucous. green. ltalian. spiked. ciliated. setose. Sugar-Cane. common. HARD-GRASS.	Gramineæ. B. P.  Gramineæ. B. P.  Gramineæ. B. P.	Egypt. S. Europe. E. Ind. America. N. Amer. E. Ind. N. Amer. India. E. Ind. Jamaica. E. Ind. Panici speci W. Ind. Panici & Ce England. S. Europe. England. India. C. B. S. W. Ind. India.	1778. 7.9. H.⊙.  1771. — H.⊙. Jac. ic. 1.t. 12.  1777. — H.⊙. Fl. græc. 1.t. 61.  1596. — H.⊙.  1805. — H.⊙.  1758. 6.8. H.⊙.  1765. 8.9. H. \(\frac{1}{2}\). Mor. his. 3.t. 5.f. 4.  1802. 7. H. \(\frac{1}{2}\). Mor. his. 3.t. 5.f. 4.  1804. 7.8. S.\(\frac{1}{2}\).  1800. — H.⊙.  1800. — H.⊙.  1800. — S.\(\frac{1}{2}\).  1804. — S.\(\frac{1}{2}\).  1804. — S.\(\frac{1}{2}\).  1804. — S.\(\frac{1}{2}\).  1795. 6.7. S.\(\frac{1}{2}\).  1795. 6.7. S.\(\frac{1}{2}\).  1771. — H.⊙. Host. gram. 3.t. 52.  1616. — H.⊙. Eng. bot. 874.  1771. — H.⊙. Eng. bot. 875.  1616. — H.⊙. Rum.am. 5.t. 76.f.2.  1592. 6.7. H.⊙. Pluk. alm. t. 32.f. 4.  1777. 7.8. H.⊙. Gisecke ic. t. 23,  1804. — H.⊙.  1597 S.\(\frac{1}{2}\). Sloan. jam. 1. t. 66.	
12 coloratum. W. 13 repens. W. 14 miliaceum. W. 15 muricatum. W. 16 capillare. W. 17 latifolium. W. 18 clandestinum. W. 19 arborescens. W. 20 virgatum. W. 21 patens. P. S. 22 brevifolium. W. 23 divaricatum. W. 24 palmifolium.  plicatum. W. en. ORTHOPOGON. B.P. hirtellus. B. P. PENNISETUM. B. P. 1 verticillatum. B. P. 2 glaucum. B. P. 3 viride. B. P. 4 italicum. B. P. 5 typhoideum. P. S. 6 cenchroides. P. S. 7 setosum. P. S. SACCHARUM. W. officinarum. W.	spotted. coloured. slender, millet. prickly. luair-panicled. broad-leaved. hidden-flowered. tree. long-panicled. spreading. short-leaved. straddling. Palm-leaved. different from plic ORTHOPOGON. hairy. PENNISETUM. rough. glaucous. green. Italian. spiked. ciliated. setose. SUGAR-CANE. common. HARD-GRASS. sea.	Gramineæ. B. P.  Gramineæ. B. P.  Gramineæ. B. P.	Egypt. S. Europe. E. Ind. America. N. Amer. E. Ind. N. Amer. India. E. Ind. Jamaica. E. Ind. Panici speci W. Ind. Panici & Ce England. S. Europe. England. India. C. B. S. W. Ind. India. Britain.	1778. 7.9. H.⊙. 1771. — H.⊙. Jac. ic. 1. t. 12. 1777. — H.⊙. Fl. græc. 1. t. 61. 1596. — H.⊙. Host. gram. 2. t. 20. 1805. — H.⊙. 1765. 8.9. H.⊙. 1765. 8.9. H.♀. 1766. 3.4. S. ħ. 1781. 8.9. H.♀. 1804. 7.8. S.♂. 1800. — H.⊙. 1800. — H.⊙. 1800. — S.♀. 1800. — S.♀. 1804. — S.♀. 1904. — S.♀. 1904. — S.♀. 1904. — S.♀. 1905. 6.7. S.♂. Host. gram. 3. t. 52. 1105	
12 coloratum. W. 13 repens. W. 14 miliaceum. W. 15 muricatum. W. 16 capillare. W. 17 latifolium. W. 18 clandestinum. W. 20 virgatum. W. 21 patens. P. S. 22 brevifolium. W. 23 divaricatum. W. 24 palmifolium.  plicatum. W. en. ORTHOPOGON. B.P. hirtellus. B. P. PENNISETUM. B. P. 1 verticillatum. B. P. 2 glaucum. B. P. 3 viride. B. P. 4 italicum. B. P. 5 typhoideum. P. S. 6 cenchroides. P. S. 7 setosum. P. S. SACCHARUM. W. officinarum. W. ROTTBŒLLIA. W. 1 incurvata. Roth.	spotted. coloured. slender, millet. prickly. lair-panicled. broad-leaved. hidden-flowered. tree. long-panicled. spreading. short-leaved. straddling. Palm-leaved. different from plic ORTHOPOGON. hairy. PENNISETUM. rough. glaucous. green. ltalian. spiked. ciliated. setose. Sugar-Cane. common. HARD-GRASS.	Gramineæ. B. P.  Gramineæ. B. P.  Gramineæ. B. P.	Egypt. S. Europe. E. Ind. America. N. Amer. E. Ind. N. Amer. India. E. Ind. Jamaica. E. Ind. Panici speci W. Ind. Panici & Ce England. S. Europe. England. India. C. B. S. W. Ind. India. Britain. Portugal.	1778. 7.9. H.⊙.  1771. — H.⊙. Jac. ic. 1.t. 12.  1777. — H.⊙. Fl. græc. 1.t. 61.  1596. — H.⊙.  1805. — H.⊙.  1758. 6.8. H.⊙.  1765. 8.9. H. \(\frac{1}{2}\). Mor. his. 3.t. 5.f. 4.  1802. 7. H. \(\frac{1}{2}\). Mor. his. 3.t. 5.f. 4.  1804. 7.8. S.\(\frac{1}{2}\).  1800. — H.⊙.  1800. — H.⊙.  1800. — S.\(\frac{1}{2}\).  1804. — S.\(\frac{1}{2}\).  1804. — S.\(\frac{1}{2}\).  1804. — S.\(\frac{1}{2}\).  1795. 6.7. S.\(\frac{1}{2}\).  1795. 6.7. S.\(\frac{1}{2}\).  1771. — H.⊙. Host. gram. 3.t. 52.  1616. — H.⊙. Eng. bot. 874.  1771. — H.⊙. Eng. bot. 875.  1616. — H.⊙. Rum.am. 5.t. 76.f.2.  1592. 6.7. H.⊙. Pluk. alm. t. 32.f. 4.  1777. 7.8. H.⊙. Gisecke ic. t. 23,  1804. — H.⊙.  1597 S.\(\frac{1}{2}\). Sloan. jam. 1. t. 66.	

4 monandra. Roth.	monandrous.	Gramineæ. B. P.		1804.	7.	$H.\odot.$	Cav. ic. t. 39. f. 1.
5 exaltata. W.	tall.					- S.J.	* .
MICHROCHLOA.B.P	.Michrochloa.	Gramineæ. B. P.	Rottbælliæ s	pecies I	Roxb.		• .
setacea. B. P.	bristly.		E, Ind.	1806.	7.	H.O.	Roxb.c.2.p.13.t.132
LEERSIA. B. P.	LEERSIA.	Gramineæ. B. P.	Leersia & A				
1 oryzoides. Ph.	Virginian,						Host.gram.1.t.35,
2 Hystrix.	rough.		Levant.				Jac. ic. 2. t. 305,
# <b>-</b> 2,				-,,,,,			21 01 20 00 00 00
		TRIGY	NIA.				
ERIOCAULON. W.	PIPEWORT.	Restiaceæ. B. P.					
septangulare. E. B.	iointed.		Scotland.		9.	H. 24.	Eng. bot. 733.
MONTIA. W.	CHICKWEED,	Portulaceæ. J.					23.8.0.0.00
fontana. W.	water.		Britain.		4.5.	HO.	Eng. bot. 1206.
KŒNIGIA. W.	KŒNIGIA.	Polygoneæ. J.	2,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	• • • •		11.00	21.8. 500. 1200.
islandica. W.	Iceland.	20.75011000.01	Iceland.	1773	4	HO	Lam. ill. gen. t. 51.
HOLOSTEUM. W.	Holosteum,	Caryophylleæ. J.	rectaile.	1770.	7.	11.0.	Main. III. gen. c. o
umbellatum. W.	umbelliferous.		England		7 9	HO	Eng. bot. 27.
POLYCARPON, W.	ALL-SEED.	Caryophylleæ. J.	Liigiana.	• • • •	7.0.	11:00	12115. 001. 27.
tetraphyllum. W.	four-leaved.	Caryophynea. v.	England		'77	HO	Eng. bot. 1031
MOLLUGO. W.	Mollugo.	Caryophylleæ. J.	England.		1.	11.0.	Eng. 600. 1031.
verticillata. W.	whorled.	Caryophynea. 5.	Vivoinie	17/10	<i>c</i> o	HO	Ehret niet + C
MINUARTIA. W.	MINUARTIA.	Caryophylleæ. J.	viiginia.	1/40.	0.0.	11.0.	Ehret. pict. t. 6.
MINUARITA. W.	MINUARIIA.	Caryophynea. o.				•	( Nat stoolsh 1850
1 dichotoma. W.	forked.		Spain.	1771.	6.7.	H.O.	Act. stockh. 1758. t. 1. f. 2.
O	field.						
2 campestris. W.							t. 1. f.3,
3 montana. W.	mountain.	0 1 11 7				- n	Læfl.it.rar.t.1.f.4.
QUERIA. W.	QUERIA.	Caryophylleæ. J.	α .			** 0	
hispanica. W.	Spanish.	<u> </u>	Spain.	1800.	5.9.	н.⊙.	
LECHEA. W.	LECHEA.	Caryophylleæ. J.	0 1			** **	
1 major. W.	greater.						Lam.ill.1.t.52.f.2.
2 minor. W.	lesser.			1802,		- H, 4,	t.52.f.1.

## CLASS IV.

				-		
PETROPHILA, L. T.	PETROPHILA.	Proteaceæ. B. P.	Proteæ specie	s Wille	ł.	
1 pulchella. L. T.						Bot. mag. 796.
2 diversifolia. L. T.	various-leaved.		N. Holiand.	1803.	G. h.	
ISOPOGON. L. T.	Isopogon.	Proteaceæ. B. P.	Proteæ specie	es Wille	d.	
1 anethifolius. L. T.	Dill-leaved.					Cav. ic. 6. t. 549.
2 formosus. L. T.	handsome.					*
3 anemonifolius. L.T.						Bot. mag. 697.
4 trilobus. L. T.	three-lobed.					
PROTEA. L. T.	PROTEA.	Proteaceæ. B. P.				
1 cynaroides. L. T.	Artichoke-flowd.					Bot. mag. 770.
2 latifolia. L. T.	ray-flowered.					1717.
3 compacta. L. T.	compact.		,			T 1.4 0 4 01
4 longiflora. L. T.	milk-coloured.	····				Ex. bot. 2. t. 81.
5 speciosa L. T.	splendid.			1786.	3.6. G. h.	Knight's prot. c. ic.
6 obtusa. Kn. P.	obtuse:					Bot, rep. 110.
7 formosa. L. T.	crown-flowered.			1789.	5.6. G.n.	Bot ren 103
8 melaleuca, L. T.	black-fringed.					Bot. rep. 103.
9 Lepidocarpon. L.T.	Oleander-leaved.					Bot. reg. 208.
10 neriifolia, L. T.	wave-leaved.					Bot. reg. 20.
11 parenerius ar ar	spreading.			1790.	3.6. G.h.	Bot. rep. 543.
12 patens. L. T. 13 magnifica. Kn. P.	magnificent.					438.
14 longifolia. L. T.	long-leaved.					Bot. reg. 47.
15 umbonalis. Kn. P.	embossed.					
16 ligulæfolia. Kn P.						133.
17 mellifera. L. T.	honey-bearing.					
17 memiera. B. 1.	great-flowered.			1787.	5.6. G.h.	Wein.phyt.4.t.891.
19 Scolymus. L. T.	small-flowered.			1780.	G. b.	Bot. mag. 698.
20 mucronifolia L. T.	dagger-leaved.		-	1803.	7.12. G. h.	933.
for the contract of the contra		e de la companya della companya de la companya della companya dell				- "

```
1787. 4.7. G. h. Ex. bot. 1. t. 44.
                     dwarf.
                                      Proteaceæ. B. P. C. B. S.
21 nana. L. T.
                                                                   - 1806. 3.6. G.h.
22 pendula. L. T.
                      pendulous.
                      tough.
                                                                    1801. 2.5. G. h. Par. lond. 70.
23 tenax. L. T.
                                                                    1800. 12.2. G. h. Bot. rep. 437.
24 canaliculata. L. T.
                      channel-leaved.
                                                                 - 1809. 3.6. G. h. Bot. mag. 1694.
25 acuminata. B. M.
                     sharp-pointed.
                                                                  - 1802. 5.9. G. h. Boerh. lugd. bat.
26 acaulis. L. T.
                      short-stalked.
27 glaucophylla. Kn.P. glaucous-leaved.
                                                                           7.9. G. h. Par. lond. 11.
                                                                 - 1806. ... G. h. 3, 70 , 2439
28 lævis. L. T.
                      smooth-leaved.
                      rough-leaved.
                                                                 - 1809. .... G.h.
29 scabra. L. T.
                                                                  - 1800. .... G.h.
30 repens. L. T.
                      creeping.
                      turfy.
                                                                 - 1803. 4.5. G. L. Par. lond. 108.
31 turbiniflora, L. T.
32 Scolopendrium.L.T. Hart's-tongue.
                                                                 - 1802. .... G. h.
                                                                   - 1790. 3.5. G. h. Bot. rep. 289.
33 cordata. L. T.
                      heart-leaved.
34 amplexicaulis. L. T. stem-clasping.
                                                                  - 1802. 1.3. G. h. Par. lond. 67.
                      low-flowering.
                                                                           6.8. G. h. Bot. rep. 532.
35 humilis. L. T.
36 acerosa. L. T.
                      Pine-leaved.
                                                                 — 1803. 3.5. G.h. — 577.
LEUCOSPERMUM )
                     LEUCOSPERMUM. Proteaceæ. B. P. Leucadendron. Knts. Prot. Proteæ species Willd.
    L. T.
                                                                     1774. 8.9. G. h. Thunb. prot. n. 35. t. 4.
                                             . C. B. S.
                      linear-leaved.
 1 lineare. L. T.
                                                                         - 6.8. G.h.
                      smooth-bracted.
 2 tottum. L. T.
                                                                --- 1794. .... G.h.
 3 medium. L. T.
                      oval-leaved.
                      handsome.
                                                                   - 1784. 5.8. G. h. Bot. rep. 17.
 4 formosum. Kn. P.
 5 ellipticum. L. T.
                      elliptic.
                                                                  - 1803. - G. h.
                                                                   - 1774. .... G. h. Pluk.phyt.t.200.f.2
 6 Conocarpum. L. T.
                      many-toothed.
                      great-flowered.
                                                                 — 1800. 5.7. G. h. Par. lond. 116.
— 1774. 5.8. G. h.
 7 grandiflorum. L.T.
 8 puberum. L. T.
                      downy-leaved.
                                                                   - 1789. 8.9. G.h.
 9 tomentosum. Kn. P. cottony.
                                                                   - G.h. Bot. rep. 294.
10 parile. Kn. P.
                      matched,
11 candicans. B. R.
                      Rose-scented.
12 Hypophyllum. L.T. trifid-leaved.
                                                       - - 1787. .... G. h. Pluk.mant.t.440.f.3
MIMETES. L. T.
                      MIMETES,
                                       Proteaceæ. B. P. Proteæ species Willd.
                                                                     1774. 6.8. G. h. Wein. phyt. 4. t. 899. f. a.
                                                   --- C. B. S.
 1 hirta. L. T.
                      hairy,
                                                                               - G. h. Boerh. lugd. 2. p. 194. c. t.
 2 palustris. Kn. P.
                      marsh.
                                                                   - 1802. --
                                                                    - 1789. .... G. h. { Pluk. alm. 212. t. 304. f. 6.
                      three-toothed.
 3 cucullata. L, T.
                                                                  - 1795. 6.9. G.h.
 4 divaricata. L. T.
                       divaricate.
 5 vacciniifolia
                       Vaccinium-leavd.
                                                                    - 1800. .... G.h.
   Diastella vacciniifolia. Knts. Prot.
                      Heath-leaved.
 6 purpurea. L. T.
                                                                    - 1789. 11.12.G.h.
                                       Proteacew. B. P. Proteæ species Willd.
SERRURIA. L. T.
                      SERBURIA.
 1 abrotanifolia. Kn.P. Southernwood-ld
                                          ____ C. B. S.
                                                                     1803. 6.8. H. h. Bot. rep. 522.
                                                                     2 millefolia. Kn. P.
                       thousand-leaved.
                      Wormwood-ld.
 3 artemisiæfolia.Kn.P
                                                                   - 1789. --- G.h.
                                                                    1803. — G. h. — 512.
— G. h.
                       slender.
 4 pinnata. L. T.
 5 arenaria. L. T.
                       sand.
                                                                               - G. h. { Pluk. mant. 61. t. 345. f. 6.
 6 cyanoides. L. T.
                       trifid-leaved.
                                                                   - 1789. - G. h. Bot. rep. 264.
                       woolly-headed.
 7 pedunculata. L. T.
                                                                   - 1800. - G. h. - 349.
- 1803. - G. h.
 8 Niveni. L. T.
                       Nivens.
 9 ciliata. L. T.
                       ciliated.
                                                                   - 1788. - G. h. Bot. rep. 507. f. 4.
 10 phylicoides. L. T.
                       Phylica-flowered
                                                                     1803. — G. h.
 11 æmula. L. T.
                       grey-branched.
                       matched.
                                                                   - - G. h. Bot. rep. 507.
12 parilis. Kn. P.
                                                                         - --- G.h. -
 13 odorata.
                       sweet-scented.
                                                                                           ---- 545.
---- 536.
                       emarginated.
                                                                   - 1800. - G.h. -
 14 emarginata.
    Serruria arenaria. Knts. Prot.
 15 glomerata. L. T.
                       many-headed.
                                                                    - 1789. - G. h. Burm.afr. t.99. f.2.
                       decipient.
 16 decipiens. L. T.
                                                                   - 1806. - G.h.
                                                                         ___ G.h.
 17 Roxburgii. L. T.
                       Roxburgh's.
 18 Burmanni. L. T.
                       Burmann's.
                                                                   - 1786. - G. h. Burm.afr. t.99. f.1.
                                                                   - 1802. - G. h. Bot. rep. 447.
 19 triternata. L. T.
                       silvery-flowered.
                                                       1800. — G. h.
 20 elongata. L. T.
                       long-peduncled.
                                       Proteacew. B. P. Paranomus. Knts. Prot. Proteæ species Willd.
 NIVENIA. L.T.
                       NIVENIA.
                                                                     1790. 5.6. G. h. Sparr.act.st.1777. p. 53. t. 1.
  1 Sceptrum. L. T.
                       sceptre-like.
                                             ---- C. B. S.
                                                                    - 7.8. G. 4. Thunb.diss.n.58.t.5
  2 spathulata. L. T.
                       maiden-hair-ld.
  3 spicata. L. T.
                       spiked.
                                                             1786. 6.8. G.h.
```

```
4 crithmifolia. L. T.
                      Samphire-leaved. Proteaceæ. B. P. C. B. S.
                                                                       1797. 6.8. G. h. Bot. rep. 243.
                      middle.
                                                                     - 1803. - G. h.
 5 media. L. T.
SOROCEPHALUS.
                      SOROCEPHALUS.
                                       Proteacew. B. P. Soranthe. Kuts. Prot. Proteæ species Willd.
    L.T.
                                                                       1806. 6.8. G.h.
 1 imberbis. L. T.
                      smooth.
                                                        - C. B. S.
                                                                    - 1803. — G. h.
- 1802. — G. h.
 2 spatalloides. L. T.
                      club-bearing.
 3 tenuifolia. L. T.
                      slender-leaved.
                                                                      1790. 6.9. G. h. Thunb.dis.n.80.t.3.
 4 lanatus. L. T.
                      woolly.
                                                                     - 1794. 4.7. G. h. Bot. rep. 517.
 5 imbricatus. L. T.
                      imbricated.
SPATALLA. L. T.
                      SPATALLA.
                                       Proteacew. B. P. Proteæ species Willd.
                                                                      1800. 6.8. G. h. Thunb.diss.27. t.4.
                      proliferous.
 1 prolifera. L. T.
                                                         C. B. S.
                      incurved-leaved.
                                                                      1789. 5.6. G.h. ____ 22.t.3.
 2 incurva. L. T.
                                                                     - 1806. - G. h.
 3 Thunbergii. L. T.
                      Thunberg's.
PERSOONIA. L. T.
                      PERSOONIA.
                                        Proteaceæ. B. P.
                                                         Linkia. Cav. ic.
 I birsuta. L. T.
                      hairy.
                                                         N. S. W.
                                                                      1800. 5.7. G.h.
                      linear-leaved.
                                                                      1794. 7.8. G. h. Bot. mag. 760.
 2 linearis. L. T.
                                                                    - 1791. 6.7. G. h. Bot. rep. 74.
 3 lanceolata. L. T.
                      spear-leaved.
                                                                     - 1795. —
 4 salicina. L. T.
                      Willow-leaved.
                                                                                 - G. h .
                                       Proteaceæ. B. P. Stylurus. Lysanthe & Grevillea. Knight's Prot.
GREVILLEA. L. T.
                      GREVILLEA.
                                                          Embothrii species Willd.
 1 sericea. L. T.
                      silky.
                                                        N. S. W.
                                                                     1790. 4.9. G. h. Bot. mag. 862.
                                                                      2 linearis. L. T.
                      linear-leaved.
 3 riparia. L. T.
                      river-side.
 4 arenaria. L. T.
                      sand.
                                                                      1803. 4.9. G.h.
                                                                      1805. — G. h.
1809. — G. h.
                      acute-leaved.
 3 acuminata. L. T.
 6 stylosa. Kn. P.
                      long-styled. .
                                                                                 - G. h.
 7 mucronulata. L. T.
                      Podalyria-leav'd.
                                                                    - 1790. 2.9. G. h. Bot. rep. 218.
 8 buxifolia. L. T.
                      Box-leaved.
                                                                      1802. 3.7. G.h.
 9 collina. Kn. P.
                      hill.
                      Asplenium-leavd
                                                                    - 1806. - G. h.
10 aspleniifolia. L. T.
                      HAKEA.
                                       Proteaceæ. B. P. Conchium. Smith.
HAKEA. L. T.
 1 pugioniformis. L.T. dagger-fruited.
                                                       - N. S. W.
                                                                       1796. 5.6. G. h. Cav. ic. 6. t. 593.
                                                                       ___ G.h.
                                                       - Van Diem.
 2 parilis. Kn. P.
                      matched.
                                                       - N. Holland. 1803. ... G. h.
 3 obliqua. L. T.
                      oblique-flower'd.
 4 gibbosa. L. T.
                      gibbous-fruited.
                                                       - N. S. W.
                                                                      1790. 5.6. G. h. Cav. ic. 6. t. 534.
                      needle-leaved.
                                                                      1790. - G. h. Vent. mal. 111.
 5 acicularis. L. T.
                                                       - N. Holland. 1803. 11.1. G. h.
 6 suaveolens. L. T.
                      sweet-smelling.
                                                                             5.6. G. h. 2
                      many-flowered.
 7 florida. L. T.
                      Holly-leaved.
                                                                             7.9. G.h.
 8 ilicifolia. L. T.
                                                                             6.7. G. h.
 9 nitida. L. T.
                      glossy.
                                                                             .... G. h.
10 amplexicanlis. L. T. stem-clasping.
                      trailing.
                                                                            .... G.h.
11 prostrata. L. T.
                                                                          - .... G.h.
12 ceratophylla. L. T.
                      horn-leaved.
                      wave-leaved.
                                                                      1803. .... G. h.
13 undulata. L. T.
14 oleifolia. L. T.
                      Olive-leaved.
                                                                      1794. 6.7. G.h.
                                                                      1791. 3.7. G. h. Bot. rep. 215.
15 saligna. L. T.
                      Willow-leaved.
                                                                      1803. 6.7. G.h.
                      hoary-leaved.
16 cinerea. L. T.
                                                                       1790. 6.8. G. h. Cav. ic. 6. t. 535.
                                                       - N. S. W.
17 dactyloides. L. T.
                      nerved-leaved.
                      oval-leaved.
                                                        - N. Holland. 1794. - G. h.
18 elliptica. L. T.
LAMBERTIA. L. T.
                                       Proteaceæ. B. P.
                      LAMBERTIA.
                                                                       1788. 6.8. G. h. Bot. rep. 69. 2. 52 8
                                                        - N. S. W.
   formosa. L. T.
                      handsome.
                                       Proteaceæ. B.P.
XYLOMELUM. L. T.
                      XYLOMELUM.
                                                                       1789. .... G. h. Cav. ic. 6. t. 536.
                                                         N. S. W.
   pyriforme. L. T.
                      Pear-fruited.
                                                         Embothrii species Willd.
                                        Proteacere. B. P.
TELOPEA. L. T.
                      WARATAH.
                                                                       1789. 5.7. G. h. Bot. mag. 1128.
   speciosissima. L. T. splendid.
                                                         N. S. W.
                                                         Embothrii species Willd.
                      LOMATIA.
                                       Proteaceæ. B. P.
LOMATIA. L. T.
                                                                     1792. 6.8. G. h. Bot. mag. 1272.
                                                        - N. S. W.
 I silaifolia. L. T.
                      cut-leaved.
 2 longifolia. L. T.
                      long-leaved.
                                                                     - 1816. .... G. h. wood Meg and
                                       Proteaceæ. B. P.
RHOPALA. L. T.
                      RHOPALA.
                                                        - S. America.
                                                                       1802. 5.8. S.h.
                      tooth-leaved.
 1 dentata. L. T.
                                                                       1803. ... S. h. Rudge guian.1.t.31
                       sessile-leaved.
                                                        - Guiana.
 2 sessilifolia. L. T.
                                       Proteaceæ. B. P.
BANKSIA. L. T.
                      BANKSIA.
                      small-flowered.
                                                        - N. Holland. 1805. . . . G. h .
 1 pulchella. L. T.
                                                                      1803. .... G. h.
                      round-fruited.
 2 sphærocarpa. L. T.
                      nodding-flower'd
                                                                      1803. 6.9. G.h.
 3 nutans. L. T.
                                                         N. S. W.
                                                                      1788. 1.12. G. h. Bot. mag. 738.
 4 ericifolia. L. T.
                      Heath-leaved.
                                                                          - 12.5. G. h. Bot. rep. 457.
                       spiny.
 5 spinulosa. L. T.
                                                                    - 1800. .... G. h.
                      hill.
 6 collina. L. T.
                                                       - N. Holland. 1803. .... G. h.
 7 occidentalis. L. T.
                       West-coast.
                                                                --- ..., G.h.
 8 littoralis. L. T.
                      scaside.
```

		CANDRIA .	MONOG I	1141			23
9 marginata. L. T.	various-leaved.	Proteaceæ. B. P.	N. S. W.	1804.	5.8.	G.h.	Cav. ic. 6. t. 544.
10 integrifolia. L. T.	entire-leaved.			1788.		G.b.	6.t.545 & 546
11 verticillata. L. T.	verticillate.		N. Holland.	1794.	7.10.	G.b.	
12 coccinea. L. T.	scarlet-flowered.			1803.		G.b.	
13 paludosa. L. T.	marshy.			1805.	1.4.	G.b.	2.697
14 oblongifolia. L. T.	oblong-leaved.			1500	= 0	CI	Com 24 C 4 540
15 latifolia. L. T.	broad-leaved.		N. S. W.	1802.	5.8.	G. b.	Cav. ic. 6. t. 543. 24 Bot. rep. 258.
16 marcescens. L. T.	short-leaved.		N. Holl.	1794.	1.12.	G.h.	Bot. rep. 958.
17 attenuata. L. T.	smooth-flower'd.					G.h.	Dott rep. 2001
18 serrata. L. T.	saw-leaved.		NSW.	1788.	7 9.	G. h.	Bot. rep. 82.
19 æmula. L. T.	deeply-sawed.		11.6.11.			Gh	2
20 quercifolia. L. T.	Oak-leaved.		N. Holland.	1805.		Gh	1.000, 20, 1
			11. Honand.	1000.	5.8	G L	
21 speciosa. L. T.	long-leaved.			1704	0.0.	G.L	
22 grandis. L. T. 23 repens. L. T.	great-flowered.			1002	• • • •	G L	Voya.deLab.1.t.23.
DRYANDRA. L. T.	DRYANDRA.	Proteaceæ. B. P.		1000.		υ.η.	V O Ja. de Dao. 1. c. 23.
1 floribunda. L. T.	many-flowered.		N. Holland	1000	1 10	C L	Bot. mag. 1581.
	•		14. Honand.	1000.	1112.	G.L.	Doc. mag. 1551.
2 cuneata. L. T.	wedge-leaved.				1 10	G.T.	
3 armata. L. T.	acute-leaved.				1.12.	G.L.	
4 formosa. L. T.	splendid.		21971			G. n.	,
5 plumosa. L. T.	feathered.				• • • •	G. h.	
6 obtusa. L. T.	obtuse-leaved.					G. n.	Trans 1.7 .1 2 4 0 2
7 nivea. L. T.	white-leaved.						
8 longifolia. L. T.	long-leaved.			1805.	1.12.	G. h.	Bot. mag. 1582.
9 tenuifolia. L. T.	fine-leaved.	61.1.1.1.		1803.	3.5.	G. h.	
GLOBULARIA. W.	GLOBULARIA.	Globulariæ.	35.11			o .	G1
1 longifolia. W.	long-leaved.		Madeira.				Sloan.jam.1.t.5.f.3.
2 Alypum. W.	three-toothed.		S. Europe.	1640.	8.9.	G.b.	Nissole in act. par. 1712. t. 18.
			•				par. 1712. t. 18.
3 vulgaris. W.	common.		Europe.				Schku.hand.1.t.21. 2
4 spinosa. W.	prickly-leaved.		Spain.			G.4.	_
5 cordifolia. W.	wedge-leaved.		Germany.				Jac. aus. 3. t. 245.
6 nudicanlis. W.	naked-stalked.			1629.		н.4.	3. t. 230.
ADINA. P. L.	ADINA.	Globulariæ.					
globiflora. P. L.	globe-flowered.		China.	1804.	7.8.	S.h.	Par. lon. 115.
CEPHALAN-	BUTTON-WOOD.	Rubiaceæ, J.					
THUS. W.							
occidentalis. W.	American.		N. Amer.	1735.	8.	H. h.	Schmidt arb.1.t.45
DIPSACUS. W.							
	TEASEL.	Dipsaceæ. J.		.,			
1 fullonum. W.	manured.	Dipsaceæ. J.	Britain.		7.	н. д.	Eng. bot. 2080.
1 fullonum. W. 2 sylvestris. W.	manured. wild.				7.	Н.∂. Н.∂.	Eng. bot. 2080.
1 fullonum. W. 2 sylvestris. W. 3 laciniatus. W.	manured.		Germany.		7. 7.	н.∂.	Eng. bot. 2080.  1032.  Jac. aust. 5. t. 403.
1 fullonum. W. 2 sylvestris. W. 3 laciniatus. W. 4 pilosus. W.	manured. wild.		Germany.		7. 7. 7.8.	н.д. н.д.	1032.
1 fullonum, W. 2 sylvestris, W. 3 laciniatus, W. 4 pilosus, W. SCABIOSA, W.	manured. wild. cut-leaved. small. Scabious.	Dipsaceæ. J.	Germany. Britain.	1683.	7. 7. 7.8. 8.	Н.∂. Н.∂. Н.∂.	Jac. aust. 5. t. 403. Eng. bot. 877.
1 fullonum, W. 2 sylvestris, W. 3 laciniatus, W. 4 pilosus, W. SCABIOSA, W. 1 alpina, W.	manured. wild. cut-leaved. small.	Dipsaceæ. J.	Germany. Britain.	1683.	7. 7. 7.8. 8.	Н.∂. Н.∂. Н.∂.	Jac. aust. 5. t. 403. Eng. bot. 877.
1 fullonum, W. 2 sylvestris, W. 3 laciniatus, W. 4 pilosus, W. SCABIOSA, W.	manured. wild. cut-leaved. small. Scabious.	Dipsaceæ. J.	Germany. Britain. Switzerland. Siberia.	1683.	7. 7. 7.8. 8. 6.7.	н.д. н.д. н.д.	Jac. aust. 5. t. 403.
1 fullonum, W. 2 sylvestris, W. 3 laciniatus, W. 4 pilosus, W. SCABIOSA, W. 1 alpina, W.	manured. wild. cut-leaved. small. Scabious. Alpine.	Dipsaceæ. J.	Germany. Britain. Switzerland. Siberia. C. B. S.	1683. 1570. 1804.	7. 7. 7.8. 8. 6.7.	H. д. H. д. H. д. H. ц.	Jac. aust. 5. t. 403. Eng. bot. 877.
1 fullonum, W. 2 sylvestris, W. 3 laciniatus, W. 4 pilosns, W. SCABIOSA, W. 1 alpina, W. 2 albescens, W. en.	manured. wild. cut-leaved. small. Scabious. Alpine. whitish.	Dipsaceæ. J.	Germany. Britain. Switzerland. Siberia. C. B. S.	1683. 1570. 1804. 1731.	7. 7.8. 8. 6.7.	H. д. H. д. H. д. H. ц.	1032. Jac. aust. 5. t. 403. Eng. bot. 877. Bes.eyst.æst. t.8,f.1
1 fullonum, W. 2 sylvestris, W. 3 laciniatus, W. 4 pilosns, W. SCABIOSA, W. 1 alpina, W. 2 albescens, W. en. 3 rigida, W.	manured. wild. cut-leaved. small. SCABIOUS. Alpine. whitish. rough-leaved.	Dipsaceæ. J.	Germany. Britain. Switzerland. Siberia. C. B. S.	1683. 1570. 1804. 1731.	7. 7.8. 8. 6.7.	H. J. H. J. H. J. H. 4. G. h. G. h.	1032. Jac. aust. 5. t. 403. Eng. bot. 877. Bes.eyst.æst. t.8,f.1
1 fullonum, W. 2 sylvestris, W. 3 laciniatus, W. 4 pilosus, W. SCABIOSA, W. 1 alpina, W. 2 albescens, W. en. 3 rigida, W. 4 attenuata, W. 5 transylvanica, W. 6 syriaca, W.	manured. wild. cut-leaved. small. Scabious. Alpine. whitish. rough-leaved. narrow-leaved. Transylvanian. Syrian.	Dipsaceæ. J.	Germany. Britain. Switzerland. Siberia. C. B. S.	1683. 1570. 1804. 1731.	7. 7.8. 8. 6.7.	H. J. H. J. H. J. H. J. H. J. G. h. G. h.	1032. Jac. aust. 5. t. 403. Eng. bot. 877. Bes.eyst.æst. t.8.f.1 Comm.hort.2.t.93. Jac. vind. 2. t.111.
1 fullonum, W. 2 sylvestris, W. 3 laciniatus, W. 4 piloans, W. SCABIOSA, W. 1 alpina, W. 2 albescens, W. en. 3 rigida, W. 4 attenuata, W. 5 transylvanica, W.	manured. wild. cut-leaved. small. Scabious. Alpine. whitish. rough-leaved. narrow-leaved. Transylvanian.	Dipsaceæ. J.	Germany. Britain.  Switzerland. Siberia. C. B. S.  Transylvania. Syria. France.	1683. 1570. 1804. 1731. 1774. 1699. 1633.	7. 7. 7.8. 8. 6.7. 7.9. 7. 9.10.	H. ♂. H. ♂. H. ↓. H. ↓. G. h. G. h. H.⊙. H. ⊕.	1032. Jac. aust. 5. t. 403. Eng. bot. 877. Bes.eyst.æst. t.8,f.1 Comm.hort.2.t.93. Jac. vind. 2. t.111. Mor.his.3.t.14,f.14 Ger. emac.721. f. 8.
1 fullonum, W. 2 sylvestris, W. 3 laciniatus, W. 4 piloans, W. SCABIOSA, W. 1 alpina, W. 2 albescens, W. en. 3 rigida, W. 4 attenuata, W. 5 transylvanica, W. 6 syriaca, W. 7 leucantha, W.	manured. wild. cut-leaved. small. Scaßious. Alpine. whitish. rough-leaved. narrow-leaved. Transylvanian. Syrian. white-flowered.	Dipsaceæ. J.	Germany. Britain.  Switzerland. Siberia. C. B. S.  Transylvania. Syria. France.	1683. 1570. 1804. 1731. 1774. 1699. 1633.	7. 7. 7.8. 8. 6.7. 7.9. 7. 9.10.	H. ♂. H. ♂. H. ↓. H. ↓. G. h. G. h. H.⊙. H. ⊕.	1032. Jac. aust. 5. t. 403. Eng. bot. 877. Bes.eyst.æst. t.8,f.1 Comm.hort.2.t.93. Jac. vind. 2. t.111. Mor.his.3.t.14,f.14 Ger. emac.721. f. 8.
1 fullonum, W. 2 sylvestris, W. 3 laciniatus, W. 4 pilosus, W. SCABIOSA, W. 1 alpina, W. 2 albescens, W. en. 3 rigida, W. 4 attenuata, W. 5 transylvanica, W. 6 syriaca, W.	manured. wild. cut-leaved. small. Scabious. Alpine. whitish. rough-leaved. narrow-leaved. Transylvanian. Syrian.	Dipsaceæ. J.	Germany. Britain.  Switzerland. Siberia. C. B. S.  Transylvania. Syria. France. Hungary.	1683. 1570. 1804. 1731. 1774. 1699. 1633.	7. 7. 7.8. 8. 6.7. 7.9. 7. 9.10.	H. ♂. H. ♂. H. ↓. H. ↓. G. h. G. h. H.⊙. H. ⊕.	1032. Jac. aust. 5. t. 403. Eng. bot. 877. Bes.eyst.æst. t.8,f.1 Comm.hort.2.t.93. Jac. vind. 2. t.111. Mor.his.3.t.14,f.14 Ger. emac.721. f. 8.
1 fullonum, W. 2 sylvestris, W. 3 laciniatus, W. 4 piloans, W. SCABIOSA, W. 1 alpina, W. 2 albescens, W. en. 3 rigida, W. 4 attenuata, W. 5 transylvanica, W. 6 syriaca, W. 7 leucantha, W.	manured. wild. cut-leaved. small. Scabious. Alpine. whitish. rough-leaved. narrow-leaved. Transylvanian. Syrian. white-flowered. horned.	Dipsaceæ. J.	Germany. Britain.  Switzerland. Siberia. C. B. S.  Transylvania. Syria. France. Hungary.	1570. 1804. 1731. 1774. 1699. 1633.	7. 7. 7. 8. 6.7. 7. 9.10.	H. ♂. H. ♂. H. ↓. H. ↓. G. h. G. h. H. ⊙. H. ⊕.	1032. Jac. aust. 5. t. 403. Eng. bot. 877. Bes.eyst.æst. t.8,f.1 Comm. hort.2. t.93. Jac. vind. 2. t.111. Mor. his.3.t.14.f.14
1 fullonum, W. 2 sylvestris, W. 3 laciniatus, W. 4 piloans, W. SCABIOSA, W. 1 alpina, W. 2 albescens, W. en. 3 rigida, W. 4 attenuata, W. 5 transylvanica, W. 6 syriaca, W. 7 leucantha, W. 8 corniculata, P. S.	manured. wild. cut-leaved. small. Scabious. Alpine. whitish. rough-leaved. narrow-leaved. Transylvanian. Syrian. white-flowered. horned.	Dipsaceæ. J.	Germany. Britain.  Switzerland. Siberia. C. B. S.  Transylvania. Syria. France. Hungary. Sicily.	1683. 1570. 1804. 1731. 1774. 1699. 1693.	7. 7.8. 8. 6.7. 7.9. 7. 9.10. 7.8. 6.8.	H. ♂. H. ♂. H. Ų. H. Ų. G. h. G. h. H. ⊙. H. Ų. H. Ų.	1032. Jac. aust. 5. t. 403. Eng. bot. 877. Bes.eyst.æst. t.8,f.1 Comm.hort.2.t.93. Jac. vind. 2. t.111. Mor.his.3.t.14.f.14 Ger.emac.721. f. 8. { Pl. rar. hung. p. 11. t. 13.
1 fullonum, W. 2 sylvestris, W. 3 laciniatus, W. 4 piloans, W. SCABIOSA, W. 1 alpina, W. 2 albescens, W. en. 3 rigida, W. 4 attenuata, W. 5 transylvanica, W. 6 syriaca, W. 7 leucantha, W. 8 corniculata, P. S. 9 dichotoma, W. en.	manured. wild. cut-leaved. small. Scaßious. Alpine. whitish. rough-leaved. narrow-leaved. Transylvanian. Syrian. white-flowered. horned. forked.	Dipsaceæ. J.	Germany. Britain.  Switzerland. Siberia. C. B. S.  Transylvania. Syria. France. Hungary. Sicily.	1683. 1570. 1804. 1731. 1699. 1693. 1801.	7. 7.8. 8. 6.7. 7.9. 7. 9.10. 7.8. 6.8. 8.10.	H. ♂. H. ♂. H. Ų. H. Ų. G. h. G. h. H. ⊙. H. Ų. H. Ų.	1032. Jac. aust. 5. t. 403. Eng. bot. 877. Bes.eyst.æst. t.8,f.1 Comm.hort.2.t.93. Jac. vind. 2. t.111. Mor.his.3.t.14,f.14 Ger. emac.721. f. 8.
1 fullonum, W. 2 sylvestris, W. 3 laciniatus, W. 4 piloans, W. SCABIOSA, W. 1 alpina, W. 2 albescens, W. en. 3 rigida, W. 4 attenuata, W. 5 transylvanica, W. 6 syriaca, W. 7 leucantha, W. 8 corniculata, P. S. 9 dichotoma, W. en. 10 Succisa, W. 11 integrifolia, W. 12 tatarica, W.	manured. wild. cut-leaved. small. Scabious. Alpine. whitish. rough-leaved. narrow-leaved. Transylvanian. Syrian. white-flowered. horned. forked. Devil's-bit.	Dipsaceæ. J.	Germany. Britain.  Switzerland. Siberia. C. B. S.  Transylvania. Syria. France. Hungary. Sicily. Britain. France.	1683. 1570. 1804. 1731. 1774. 1699. 1633. 1801.	7. 7. 7. 8. 6.7. 7. 9.10. 7.8. 6.8. 8.10. 6.8.	H. ♂. H. ♂. H. ↓. H. ↓. G. ħ. H. Ų. H. Ų. H. Ų. H. Ų. H. Ų.	1032. Jac. aust. 5. t. 403. Eng. bot. 877.  Bes.eyst.æst. t.8.f.1  Comm.hort.2.t.93.  Jac. vind. 2. t.111. Mor.his.3.t.14.f.14 Ger. emac.721. f. 8. Pl. rar. hung. p. 11. t. 13.  Eng. bot. 878.
1 fullonum, W. 2 sylvestris, W. 3 laciniatus, W. 4 pilosns, W. 5 CABIOSA, W. 1 alpina, W. 2 albescens, W. en. 3 rigida, W. 4 attenuata, W. 5 transylvanica, W. 6 syriaca, W. 7 leucantha, W. 8 corniculata, P. S. 9 dichotoma, W. en. 10 Succisa, W. 11 integrifolia, W.	manured. wild. cut-leaved. small. Scabious. Alpine. whitish. rough-leaved. Transylvanian. Syrian. white-flowered. horned. forked. Devil's-bit. red-flowered.	Dipsaceæ. J.	Germany. Britain.  Switzerland. Siberia. C. B. S.  Transylvania. Syria. France. Hungary. Sicily. Britain. France. Russia.	1683. 1570. 1804. 1731. 1773. 1699. 1633. 1801. 1748.	7. 7. 7. 8. 6.7. 7. 9.10. 7.8. 6.8. 8.10. 6.8.	H. 3. H. 3. H. 4. H. 4. H. 4. G. h. H. 0. H. 4. H. 4.	1032. Jac. aust. 5. t. 403. Eng. bot. 877.  Bes.eyst.æst. t.8.f.1  Comm.hort.2.t.93.  Jac. vind. 2. t.111. Mor. his.3.t.14.f.14 Ger. emac.721. f. 8. Pl. rar. hung. p. 11. t. 13.  Eng. bot. 878.  Act.upsal.1744.t.1.
1 fullonum, W. 2 sylvestris, W. 3 laciniatus, W. 4 piloans, W. SCABIOSA, W. 1 alpina, W. 2 albescens, W. en. 3 rigida, W. 4 attenuata, W. 5 transylvanica, W. 6 syriaca, W. 7 leucantha, W. 8 corniculata, P. S. 9 dichotoma, W. en. 10 Succisa, W. 11 integrifolia, W. 12 tatarica, W. 13 arvensis, W.	manured. wild. cut-leaved. small. Scabious. Alpine. whitish. rough-leaved. narrow-leaved. Transylvanian. Syrian. white-flowered. horned. forked. Devil's-bit. red-flowered. Tartarian. field.	Dipsaceæ. J.	Germany. Britain.  Switzerland. Siberia. C. B. S.  Transylvania. Syria. France. Hungary. Sicily. Britain. France. Russia. Britain.	1683. 1570. 1804. 1731. 1774. 1699. 1633. 1801. 1748. 1748.	7. 7. 7.8. 8. 6.7. 7. 9.10. 7.8. 6.8. 8.10. 6.8. 7.10.	H. ♂. H. ♂. H. ↓. H. ↓. G. ħ. G. ħ. H. ①. H. ↓. H. ↓. H. ↓. H. ↓. H. ↓.	1032. Jac. aust. 5. t. 403. Eng. bot. 877.  Bes.eyst.æst. t.8.f.1  Comm.hort.2.t.93.  Jac. vind. 2. t.111. Mor.his.3.t.14.f.14 Ger. emac.721. f. 8. Pl. rar. hung. p. 11. t. 13.  Eng. bot. 878.  Act.upsal.1744.t.1. Eng. bot. 659.
1 fullonum, W. 2 sylvestris, W. 3 laciniatus, W. 4 piloans, W. SCABIOSA, W. 1 alpina, W. 2 albescens, W. en. 3 rigida, W. 4 attenuata, W. 5 transylvanica, W. 6 syriaca, W. 7 leucantha, W. 8 corniculata, P. S. 9 dichotoma, W. en. 10 Succisa, W. 11 integrifolia, W. 12 tatarica, W.	manured. wild. cut-leaved. small. Scaßious. Alpine. whitish. rough-leaved. narrow-leaved. Transylvanian. Syrian. white-flowered. horned. forked. Devil's-bit. red-flowered. Tartarian.	Dipsaceæ. J.	Germany. Britain.  Switzerland. Siberia. C. B. S.  Transylvania. Syria. France. Hungary. Sicily. Britain. France. Russia.	1683. 1570. 1804. 1731. 1773. 1699. 1633. 1801. 1748.	7. 7. 7.8. 8. 6.7. 7. 9.10. 7.8. 6.8. 8.10. 6.8. 7.10.	H. 3. H. 3. H. 4. H. 4. H. 4. G. h. H. 0. H. 4. H. 4.	1032. Jac. aust. 5. t. 403. Eng. bot. 877. Bes.eyst.æst. t.8,f.1 Comm.hort.2.t.93. Jac. vind. 2. t.111. Mor.his.3.t.14.f.14 Ger.emac.721.f.8. { Pl. rar. hung. p. 11. t. 13. Eng. bot. 878. Act.upsal.1744.t.1. Eng. bot. 659. { Murr. com. got.
1 fullonum, W. 2 sylvestris, W. 3 laciniatus, W. 4 piloans, W. SCABIOSA, W. 1 alpina, W. 2 albescens, W. en. 3 rigida, W. 4 attenuata, W. 5 transylvanica, W. 6 syriaca, W. 7 leucantha, W. 8 corniculata, P. S. 9 dichotoma, W. en. 10 Succisa, W. 11 integrifolia, W. 12 tatarica, W. 13 arvensis, W.	manured. wild. cut-leaved. small. Scabious. Alpine. whitish. rough-leaved. narrow-leaved. Transylvanian. Syrian. white-flowered. horned. forked. Devil's-bit. red-flowered. Tartarian. field.	Dipsaceæ. J.	Germany. Britain.  Switzerland. Siberia. C. B. S.  Transylvania. Syria. France. Hungary. Sicily. Britain. France. Russia. Britain. Siberia.	1683. 1570. 1804. 1731. 1774. 1699. 1633. 1801. 1748. 1748.	7. 7. 7.8. 8. 6.7. 7.9. 7.9. 9.10. 6.8. 8.10. 6.9. 7.10.	H. ♂. H. ♂. H. ↓. H. ↓. G. h. G. h. H. ↓. H. ↓. H. ↓. H. ↓. H. ↓. H. ↓. H. ↓. H. ↓.	1032. Jac. aust. 5. t. 403. Eng. bot. 877.  Bes.eyst.æst. t.8.f.1  Comm.hort.2.t.93.  Jac. vind. 2. t.111. Mor.his.3.t.14.f.14 Ger. emac.721. f. 8. { Pl. rar. hung. p. 11. t. 13.  Eng. bot. 878.  Act.upsal.1744.t.1. Eng. bot. 659. { Murr. com. got. 1782. t. 4.
1 fullonum, W. 2 sylvestris, W. 3 laciniatus, W. 4 pilosus, W. SCABIOSA, W. 1 alpina, W. 2 albescens, W. en. 3 rigida, W. 4 attenuata, W. 5 transylvanica, W. 6 syriaca, W. 7 leucantha, W. 8 corniculata, P. S. 9 dichotoma, W. en. 10 Succisa, W. 11 integrifolia, W. 12 tatarica, W. 13 arvensis, W.	manured. wild. cut-leaved. small. Scabious. Alpine. whitish. rough-leaved. Transylvanian. Syrian. white-flowered. horned. forked. Devil's-bit. red-flowered. Tartarian. field. Uralian.	Dipsaceæ. J.	Germany. Britain.  Switzerland. Siberia. C. B. S.  Transylvania. Syria. France. Hungary. Sicily. Britain. France. Russia. Britain. Siberia. Austria.	1683. 1570. 1804. 1731. 1774. 1699. 1633. 1801. 1748. 1759.	7. 7.8. 8. 6.7. 7.9. 7. 9.10. 6.8. 8.10. 6.8. 7.10. 7.8.	H. ♂. H. ♂. H. ↓. H. ↓. G. h. G. h. H. ↓. H. ↓. H. ↓. H. ↓. H. ↓. H. ↓. H. ↓. H. ↓.	1032. Jac. aust. 5. t. 403. Eng. bot. 877.  Bes.eyst.æst. t.8.f.1  Comm.hort.2.t.93.  Jac. vind. 2. t.111. Mor. his.3.t.14.f.14 Ger. emac.721. f. 8. Pl. rar. hung. p. 11. t. 13.  Eng. bot. 878.  Act.upsal.1744.t.1. Eng. bot. 659.  Murr. com. got. 1782. t. 4. Jac. aus. 4. t. 362.
1 fullonum, W. 2 sylvestris, W. 3 laciniatus, W. 4 piloans, W. SCABIOSA, W. 1 alpina, W. 2 albescens, W. en. 3 rigida, W. 4 attenuata, W. 5 transylvanica, W. 6 syriaca, W. 7 leucantha, W. 8 corniculata, P. S. 9 dichotoma, W. en. 10 Succisa, W. 11 integrifolia, W. 12 tatarica, W. 13 arvensis, W. 14 uralensis, W. 15 sylvatica, W.	manured. wild. cut-leaved. small. Scabious. Alpine. whitish. rough-leaved. narrow-leaved. Transylvanian. Syrian. white-flowered. horned. forked. Devil's-bit. red-flowered. Tartarian. field. Uralian. broad-leaved.	Dipsaceæ. J.	Germany. Britain.  Switzerland. Siberia. C. B. S.  Transylvania. Syria. France. Hungary. Sicily. Britain. France. Russia. Britain. Siberia. Austria.	1683. 1570. 1804. 1731. 1774. 1699. 1633. 1801. 1748. 1759. 1789. 1633. 1802.	7. 7.8. 8. 6.7. 7.9. 7. 9.10. 6.8. 8.10. 6.8. 7.10. 7.8. 7.8.	H. ♂. H. ♂. H. ↓. H. ↓.	1032. Jac. aust. 5. t. 403. Eng. bot. 877. Bes.eyst.æst. t.8.f.1 Comm.hort.2.t.93. Jac. vind. 2. t.111. Mor.his.3.t.14.f.14 Ger. emac.721.f.8. Pl. rar. hung. p. 11. t. 13. Eng. bot. 878. Act.upsal.1744.t.1. Eng. bot. 659. [Murr. com. got. 1782. t. 4. Jac. aus. 4. t. 362. Pl. rar. hun. p.4.t.5.
1 fullonum, W. 2 sylvestris, W. 3 laciniatus, W. 4 piloans, W. 5 CABIOSA, W. 1 alpina, W. 2 albescens, W. en. 3 rigida, W. 4 attenuata, W. 5 transylvanica, W. 6 syriaca, W. 7 leucantha, W. 8 corniculata, P. S. 9 dichotoma, W. en. 10 Succisa, W. 11 integrifolia, W. 12 tatarica, W. 13 arvensis, W. 14 uralensis, W. 15 sylvatica, W. 16 longifolia, P. S.	manured. wild. cut-leaved. small. Scabious. Alpine. whitish. rough-leaved. narrow-leaved. Transylvanian. Syrian. white-flowered. horned. forked. Devil's-bit. red-flowered. Tartarian. field. Uralian. broad-leaved. long-leaved.	Dipsaceæ. J.	Germany. Britain.  Switzerland. Siberia. C. B. S.  Transylvania. Syria. France. Hungary. Sicily. Britain. France. Russia. Britain. Siberia. Austria. Hungary.	1683. 1570. 1804. 1731. 1774. 1699. 1683. 1801. 1748. 1759. 1789. 1633. 1802.	7. 7.8. 8. 6.7. 7.9. 7.9. 7.8. 8.10. 6.8. 7.10. 7.8. 7.8.	H. ♂. H. ♂. H. ¼. H. ¼. G. ħ. ⊙. H. ¼. H. ¼. H. ¼. H. ¼. H. ¼. H. ¼. H. ¼. H. ¼. H. ¼. H. ¼.	1032. Jac. aust. 5. t. 403. Eng. bot. 877. Bes.eyst.æst. t.8,f.1 Comm.hort.2.t.93. Jac. vind. 2. t.111. Mor.his.3.t.14.f.14 Ger.emac.721.f.8. { Pl. rar. hung. p. 11. t. 13. Eng. bot. 878. Act.upsal.1744.t.1. Eng. bot. 659. { Murr. com. got. 1782. t. 4. Jac. aus. 4. t. 362. Pl. rar. hun. p.4.t.5 p. 53. t. 53.
1 fullonum, W. 2 sylvestris, W. 3 laciniatus, W. 4 piloans, W. SCABIOSA, W. 1 alpina, W. 2 albescens, W. en. 3 rigida, W. 4 attenuata, W. 5 transylvanica, W. 6 syriaca, W. 7 leucantha, W. 8 corniculata, P. S. 9 dichotoma, W. en. 10 Succisa, W. 11 integrifolia, W. 12 tatarica, W. 13 arvensis, W. 14 uralensis, W. 15 sylvatica, W. 16 longifolia, P. S. 17 canescens, P. S.	manured. wild. cut-leaved. small. Scaßious. Alpine. whitish. rough-leaved. Transylvanian. Syrian. white-flowered. horned. forked. Devil's-bit. red-flowered. Tartarian. field. Uralian. broad-leaved. long-leaved. hoary. cut-leaved.	Dipsaceæ. J.	Germany. Britain.  Switzerland. Siberia. C. B. S.  Transylvania. Syria. France. Hungary. Sicily. Britain. France. Russia. Britain. Siberia. Austria. Hungary. S. Europe.	1683. 1570. 1804. 1731. 1774. 1699. 1633. 1801. 1748. 1759. 1789. 1633. 1802.	7. 7.8. 8. 6.7. 7.9. 7.9. 9.10. 7.8. 6.8. 8.10. 6.8. 7.10. 7.8. 7.8.	H. & &	1032. Jac. aust. 5. t. 403. Eng. bot. 877.  Bes.eyst.æst. t.8.f.1  Comm.hort.2.t.93.  Jac. vind. 2. t.111. Mor.his.3.t.14.f.14 Ger. emac.721. f.8.  Pl. rar. hung. p. 11. t. 13.  Eng. bot. 878.  Act.upsal.1744.t.1. Eng. bot. 659.  Murr. com. got. 1782. t. 4. Jac. aus. 4. t. 362. Pl. rar. hun. p.4.t.5.  p. 53. t. 52. Ger.herb. 582. f. 2.
1 fullonum, W. 2 sylvestris, W. 3 laciniatus, W. 4 pilosus, W. SCABIOSA, W. 1 alpina, W. 2 albescens, W. en. 3 rigida, W. 4 attenuata, W. 5 transylvanica, W. 6 syriaca, W. 7 leucantha, W. 8 corniculata, P. S. 9 dichotoma, W. en. 10 Succisa, W. 11 integrifolia, W. 12 tatarica, W. 13 arvensis, W. 14 uralensis, W. 15 sylvatica, W. 16 longifolia, P. S. 17 canescens, P. S. 18 gramuntia, W.	manured. wild. cut-leaved. small. Scaßious. Alpine. whitish. rough-leaved. Transylvanian. Syrian. white-flowered. horned. forked. Devil's-bit. red-flowered. Tartarian. field. Uralian. broad-leaved. long-leaved. hoary. cut-leaved.	Dipsaceæ. J.	Germany. Britain.  Switzerland. Siberia. C. B. S.  Transylvania. Syria. France. Hungary. Sicily. Britain. France. Russia. Britain. Siberia. Austria. Hungary. S. Europe. Britain.	1683. 1570. 1804. 1731. 1774. 1699. 1633. 1801. 1748. 1759. 1789. 1633. 1802.	7. 7.8. 8. 6.7. 7.9. 7. 9.10. 6.8. 8.10. 6.8. 7.10. 7.8. 7.5. 7.8.	H. & &	1032. Jac. aust. 5. t. 403. Eng. bot. 877. Bes.eyst.æst. t.8.f.1 Comm.hort.2.t.93. Jac. vind. 2. t.111. Mor. his.3.t.14.f.14 Ger. emac.721. f. 8. Pl. rar. hung. p. 11. t. 13. Eng. bot. 878. Act.upsal.1744.t.1. Eng. bot. 659. Murr. com. got. 1782. t. 4. Jac. aus. 4. t. 362. Pl. rar. hun. p.4.t.5. — p. 53. t. 52. Ger.herb. 582. f. 2. Eng. bot. 1311.
1 fullonum, W. 2 sylvestris, W. 3 laciniatus, W. 4 piloans, W. SCABIOSA, W. 1 alpina, W. 2 albescens, W. en. 3 rigida, W. 4 attenuata, W. 5 transylvanica, W. 6 syriaca, W. 7 leucantha, W. 8 corniculata, P. S. 9 dichotoma, W. en. 10 Succisa, W. 11 integrifolia, W. 12 tatarica, W. 13 arvensis, W. 14 uralensis, W. 15 sylvatica, W. 16 longifolia, P. S. 17 canescens, P. S. 18 gramuntia, W. 19 columbaria, W.	manured. wild. cut-leaved. small. Scabious. Alpine. whitish. rough-leaved. narrow-leaved. Transylvanian. Syrian. white-flowered. horned. forked. Devil's-bit. red-flowered. Tartarian. field. Uralian. broad-leaved. long-leaved. hoary. cut-leaved. fine-leaved.	Dipsaceæ. J.	Germany. Britain.  Switzerland. Siberia. C. B. S.  Transylvania. Syria. France. Hungary. Sicily. Britain. France. Russia. Britain. Siberia. Austria. Hungary. S. Europe.	1683. 1570. 1804. 1731. 1774. 1699. 1633. 1801. 1748. 1759. 1789. 1633. 1802.	7. 7.8. 8. 6.7. 7.9. 7.9. 9.10. 6.8. 8.10. 6.8. 7.8. 7.8. 6.8. 6.9.	H.H. H.H.H.H.H.H.H.H.H.H.H.H.H.H.H.H.H.	1032. Jac. aust. 5. t. 403. Eng. bot. 877.  Bes.eyst.æst. t.8.f.1  Comm.hort.2.t.93.  Jac. vind. 2. t.111. Mor.his.3.t.14.f.14 Ger. emac.721. f.8.  Pl. rar. hung. p. 11. t. 13.  Eng. bot. 878.  Act.upsal.1744.t.1. Eng. bot. 659.  Murr. com. got. 1782. t. 4. Jac. aus. 4. t. 362. Pl. rar. hun. p.4.t.5.  p. 53. t. 52. Ger.herb. 582. f. 2.
1 fullonum, W. 2 sylvestris, W. 3 laciniatus, W. 4 piloans, W. 5 CABIOSA, W. 1 alpina, W. 2 albescens, W. en. 3 rigida, W. 4 attenuata, W. 5 transylvanica, W. 6 syriaca, W. 7 leucantha, W. 8 corniculata, P. S. 9 dichotoma, W. en. 10 Succisa, W. 11 integrifolia, W. 12 tatarica, W. 13 arvensis, W. 14 uralensis, W. 15 sylvatica, W. 16 longifolia, P. S. 17 canescens, P. S. 18 gramuntia, W. 19 columbaria, W. 20 grandiflora, P. S.	manured. wild. cut-leaved. small. Scabious. Alpine. whitish. rough-leaved. narrow-leaved. Transylvanian. Syrian. white-flowered. horned. forked. Devil's-bit. red-flowered. Tartarian. field. Uralian. broad-leaved. long-leaved. hoary. cut-leaved. great-flowered.	Dipsaceæ. J.	Germany. Britain.  Switzerland. Siberia. C. B. S.  Transylvania. Syria. France. Hungary. Sicily. Britain. France. Russia. Britain. Siberia. Austria. Hungary. S. Europe. Britain. Barbary. Dauphiny.	1683. 1570. 1804. 1731. 1774. 1699. 1633. 1801. 1748. 1759. 1789. 1597. 1804. 1804.	7. 7.8. 8. 6.7. 7.9. 7.9. 7.8. 6.8. 8.10. 6.8. 7.10. 7.8. 7.8. 6.9.	H.H. H.H.G.G.H.H.H. H.H.H.H.H.H.H.H.H.H.	1032. Jac. aust. 5. t. 403. Eng. bot. 877. Bes.eyst.æst. t.8.f.1 Comm.hort.2.t.93. Jac. vind. 2. t.111. Mor.his.3.t.14.f.14 Ger. emac. 721. f. 8. { Pl. rar. hung. p. 11. t. 13. Eng. bot. 878.  Act.upsal.1744.t.1. Eng. bot. 659. { Murr. com. got. 1782. t. 4. Jac. aus. 4. t. 362. Pl. rar. hun. p. 4.t.5. — p. 53. t. 52. Ger.herb. 582. f. 2. Eng. bot. 1311. Scop.del.ins.3. t.14.
1 fullonum, W. 2 sylvestris, W. 3 laciniatus, W. 4 piloans, W. 5 CABIOSA, W. 1 alpina, W. 2 albescens, W. en. 3 rigida, W. 4 attenuata, W. 5 transylvanica, W. 6 syriaca, W. 7 leucantha, W. 8 corniculata, P. S. 9 dichotoma, W. en. 10 Succisa, W. 11 integrifolia, W. 12 tatarica, W. 13 arvensis, W. 14 uralensis, W. 15 sylvatica, W. 16 longifolia, P. S. 17 canescens, P. S. 18 gramuntia, W. 19 columbaria, W. 20 grandiflora, P. S. 21 lucida, P. S.	manured. wild. cut-leaved. small. Scaßious. Alpine. whitish. rough-leaved. Transylvanian. Syrian. white-flowered. horned. forked. Devil's-bit. red-flowered. Tattarian. field. Uralian. broad-leaved. long-leaved. hoary. cut-leaved. great-flowered. great-flowered. shining. Sicilian.	Dipsaceæ. J.	Germany. Britain.  Switzerland. Siberia. C. B. S.  Transylvania. Syria. France. Hungary. Sicily. Britain. France. Russia. Britain. Siberia. Austria. Hungary.  S. Europe. Britain. Barbary. Dauphiny. Sicily.	1683. 1570. 1804. 1731. 1774. 1699. 1633. 1801. 1748. 1759. 1789. 1633. 1802. 1597. 1804. 1804.	7. 7.8. 8. 6.7. 7.9. 7.9. 9.10. 7.8. 8.10. 6.8. 7.10. 7.8. 6.9. 8.	H.H. H.H.H.H.H.H.H.H.H.H.H.H.H.H.H.H.H.	1032. Jac. aust. 5. t. 403. Eng. bot. 877. Bes.eyst.æst. t.8,f.1 Comm.hort.2.t.93. Jac. vind. 2. t.111. Mor.his.3.t.14.f.14 Ger.emac.721.f.8. { Pl. rar. hung. p. 11. t. 13. Eng. bot. 878. Act.upsal.1744.t.1. Eng. bot. 659. { Murr. com. got. 1782. t. 4. Jac. aus. 4. t. 362. Pl. rar. hun. p.4.t.5. — p. 53.t. 52. Ger.herb. 582. f. 2. Eng. bot. 1311. Scop.del.ins.3. t.14.
1 fullonum, W. 2 sylvestris, W. 3 laciniatus, W. 4 piloans, W. SCABIOSA, W. 1 alpina, W. 2 albescens, W. en. 3 rigida, W. 4 attenuata, W. 5 transylvanica, W. 6 syriaca, W. 7 leucantha, W. 8 corniculata, P. S. 9 dichotoma, W. en. 10 Succisa, W. 11 integrifolia, W. 12 tatarica, W. 13 arvensis, W. 14 uralensis, W. 15 sylvatica, W. 16 longifolia, P. S. 17 canescens, P. S. 18 gramuntia, W. 19 columbaria, W. 20 grandiflora, P. S. 21 lucida, P. S. 22 sicula, W.	manured. wild. cut-leaved. small. Scabious. Alpine. whitish. rough-leaved. Transylvanian. Syrian. white-flowered. horned. forked. Devil's-bit. red-flowered. Tattarian. field. Uralian. broad-leaved. long-leaved. hoary. cut-leaved. fine-leaved. great-flowered. shining.	Dipsaceæ. J.	Germany. Britain.  Switzerland. Siberia. C. B. S.  Transylvania. Syria. France. Hungary. Sicily. Britain. France. Russia. Britain. Siberia. Austria. Hungary.  S. Europe. Britain. Barbary. Dauphiny. Sicily.	1683. 1570. 1804. 1731. 1774. 1699. 1633. 1801. 1748. 1759. 1789. 1633. 1802. 1597. 1804. 1804.	7. 7.8. 8. 6.7. 7.9. 7.9. 9.10. 6.8. 8.10. 6.8. 7.10. 7.8. 6.9. 8. 6.9.	H.H. H.H.H.H.H.H.H.H.H.H.H.H.H.H.H.H.H.	1032. Jac. aust. 5. t. 403. Eng. bot. 877. Bes.eyst.æst. t.8.f.1 Comm.hort.2.t.93. Jac. vind. 2. t.111. Mor.his.3.t.14.f.14 Ger. emac. 721. f. 8. { Pl. rar. hung. p. 11. t. 13. Eng. bot. 878.  Act.upsal.1744.t.1. Eng. bot. 659. { Murr. com. got. 1782. t. 4. Jac. aus. 4. t. 362. Pl. rar. hun. p. 4.t.5. — p. 53. t. 52. Ger.herb. 582. f. 2. Eng. bot. 1311. Scop.del.ins.3. t.14.

201	11/1/	TOTAL TANGETTE	MONOU.	INIA.	
25 stellata. W.	starry.	Dipsaceæ. J.	Spain.	1596. 7.8. H.O.	Clus. hist. 2. p.1. ic.
26 prolifera. W.	prolific.	Diparette. 0.	Egypt.	1683 H O	Herm.parad.t.125.
27 atropurpurea. W.	sweet.		-5/1	1600. 70 H A	Pot mon 047
- unoparparent iii				1629. 7.9. H. 3	Doc. mag. 247.
28 argentea. W.	silvery.		Levant.	1713. 6.10. H. 4.	Desf. ann. mus.
29 urceolata. P. S.	jagged.		Porhory		
30 africana. W.	African.		Africa	1804. 7.8. H.	Moris. 6.1. 13. f. 24.
31 Massoni.	Masson's.		Agamas		Herm. par. t. 219.
Scabiosa lucida. He			· Azores.	1779. 6.8. H.4	•
32 cretica. W.	Cretan.		0	****** G *	35 31
	Grass-leaved.				Mor. his. 3. t. 15.f. 31.
33 graminifolia. W.			Switzeriana.		Pl.rar.hun.2. t.188.
34 caucasea. B. M.	Caucasian.		Caucasus.	1803. 7.8. H. 4	
35 lyrata. W.	lyrate-leaved.		Turkey.	1799. — G. đ	
36 palæstina. W.	Palestine.		Palestine.		Jac. vind. 1. t. 96.
37 isetensis. W.	Siberian.		Siberia.		Gmel. sib. 2. t. 88.
38 ucranica. W.	Ukraine.		Ukraine.		2. t. 87.
39 ochroleuca. W. en.	-		Germany.	1597. 7.8. H.4.	Jac. aust. 5. t. 439.
40 banatica. P. S.	Hungarian.		Hungary.	1800. — H. 4.	Pl.rar.hun.10.t.12.
41 papposa. W.	downy-headed.		S. Europe.	1739. 7. H.⊙.	
KNAUTIA. W.	KNAUTIA.	Dipsaceæ. J.			
1 orientalis. W.	red-flowered.		Levant.	1713. 6.9. H.⊙.	Schku. han. 1. t. 22.
2 propontica. W.	purple-flowered.			1768. 6.8. H. J.	Till. pis.153. t. 48.
ALLIONIA. W.	ALLIONIA.	Nyctagineæ. J. in	Ann. Mus.		_
1 linearis. Ph.	linearleaved.	-	Louisiana.	1812. 7.8. H.	
2 hirsuta. Ph.	hairy.			— — H.	
OPERCULARIA. W.	OPERCULARIA.	Nyctagineæ? J.	in Ann. Mus.		
	manushJ.J		BT C 337	1200 OF GI	(Ann. du mus. 4.
aspera. W.	rough-seeded.		IN. S. W.	1790. 6.7. G. n.	Ann. du mus. 4. t. 70. f. 1.
CRYPTOSPER-	SCRYPTO-	NT4	0		- ,
MUM. P. S.	{ SPERMUM. }	Nyciaginea: J.	Opercutariæ	species Young. in I	J. T.
Youngii. P. S.	chaffy.		N. S. W.	1793. 7.8. G. 2.	Linn. trans. 3. t. 5.
SPERMACOCE. W.	BUTTON-WEED.	Rubiaceæ. J.			,
1 tenuior. W.	slender.		W. Ind.	1732, 6.8, H.O.	Schku.hand.1.t.22.
2 latifolia. W.	broad-leaved.		Guiana.		Aub.gui.1. t.19.f.1.
3 strigosa. B. M.	Cross-wort.		W. Ind.	1760. 7.8. S.O.	
4 radicans. W.	rooting.		Guiana.		Aub.gui.1.t.20.f.4.
5 verticillata. W.	whorl-flowered.		Africa.		Dil.elt.t.277.f.358.
6 hispida. W.	bristly.		E. Ind.		Mur.com.got.3.t.6.
7 rubra. W. en.	red.				Jac.schæn.3.t.256.
SHERARDIA. W.	FIELD-MADDER.			1001. 0.0. 5.0.	011C.3CH & 110. (1. 200)
1 arvensis. W.	little.	10001110000.01	Britain	4.9. H.O.	Eng hot 801
2 muralis. W.	wall.		Italy		All.ped.34.t.77.f.1.
ASPERULA. W.	WOODRUFF.	Rubiaceæ. J.	Italy.	1000. 0.0. 11.0.	7111.ped.6-4.117 / 11.11
I odorata. W.	sweet-scented.	readmeca. o.	Reitain	5.6. Н.4.	Eng hot 755
2 arvensis. W.	field.	,	Enrope	1596. 7. H.⊙.	
3 taurina. W.	broad-leaved.		Italy		Moris.s.9.t.21.f.1.
4 crassifolia. W.	thick-leaved.		Lavent	1775. 6. H.4.	
	narrow-leaved.		Enrope	1764. 6.7. H. 4.	
5 tinctoria. W. 6 cynanchica. W.	small.		England	7. H.4.	
	shining.		Eligianu.		
7 lævigata. W. en. 8 montana. W. en.	mountain.		Hangery		Moris. his. t. 21. f. 4.
HOUSTONIA. W.		Rubiaceæ. J.	rungary.	1801. 6.7. H.4.	F
	Houstonia.	Rublacea. 9.	NT Amorica	agor to II a	Dat mag 270
1 cærulea. W.	blue-flowered. purple-flowered.		IV. America.	1785. 5.8. H.4. 1800. — H.4.	<b>Б</b> 01. mag. 3/0.
GALIUM. W.		D1.' Y		1800. — n. 4.	
	BED-STRAW.	Rubiaceæ. J.		1 TT 21	
1 rubioides. W.	Madder-leaved.		S. Europe.	1775. 7. H.4.	
2 palustre. W.	water.		12 1 1	7.8. H.4.	
3 Witheringii. E. B.	rough.		England.	6.7. Н. 4.	
4 austriacum. W.	Austrian.		Europe.	1804. — H.4.	
5 Bocconi. W.	Boccone's.		TD :4 :		Boc.mus.145.t.101
6 saxatile. W.	smooth Heath.		Britain.	4.9. H.4.	
7 erectum. E. B.	upright.		D 1	6.7. Н.4.	2067.
8 pusillum. W.	least.		England.	7.8. H.4.	74.
9 verum. W.	Cheese-rennet.		Britain.	— Н. 4.	660.
10 Mollugo. W.	great hedge.			— н. 4.	1673.
11 sylvaticum. W.	wood.	<del></del>	S. Europe.	1658. ←—H.4.	
12 linifolium. W.	Flax-leaved.			1759. 6.7. H.4.	Barrel. ic. 583.
13 rigidum. W.	rigid.			1778. — H. 4.	
14 aristatum. W.	awned.		Italy.	1699. — H. 4.	Bocc. mus. 83.t.75.
15 tyrolense. W. en.	Tyrolese.			1801. 7. H.4.	4.77

>	THIL	CTIVIDACTIC A	01011001	TANTE		140
16 glaucum. W.	glaucous.	Rubiaceæ. J.	S. Europe.	1710. 6.9.	H. 4.	Jac. aust. 1. t. 81.
17 purpureum. W.	purple.					
18 rubrum. W.	red.		Italy.			Ger. herb. 967. f.3.
			Britain			Eng. bot. 1871.
19 spurium. E. B.	spurious.					1972.
20 uliginosum, W.	marsh,					384,
21 anglicum. E. B.	wall.					
22 boreale. W.	cross-leaved.		Britain.			Eng. bot. 105.
23 Aparine. W.	Cleaver's.					816.
24 pilosum. W.	hairy.		N. America.	1778. 6.7.	H. 4.	
25 græcum. W.	Candian.		Candia.	1798. —	H.4.	Alp.exo.167.t.166.
CRUCIANELLA. W.	CROSS-WORT.	Rubiacex. J.				
1 angustifolia. W.	narrow-leaved.			1658. 6.7.	$H.\odot.$	Ex. bot. 2. t. 109.
2 latifolia. W.	broad-leaved.	<del></del>				Sch,ic.\$7.t.23.&24.
3 ægyptiaca. W.	Egyptian.		Egypt.	1800,	H	
4 patula. W.	spreading.		Spain.	1798		
5 pubescens, W.	pubescent.		Candia.	1799. 7.8.	G. 4.	
6 ciliata. W.	ciliated.		Levant.	1805		
7 maritima. W.	sea.					
8 monspeliaca. W.	Montpelier,			1640. —— 1791. ——	H.O.	
9 molluginoides.	mon penery					
W. en.	Mollugo-like.		Caucasus.	1800	H.4.	
	Manne	Dukingen I				
RUBIA. W.	MADDER.	Rubiaceæ. J.	C E	1500 0	TT 2/	
1 tinctorum W.	dyer's.			1596, 6,		Eng bot of
2 peregrina. W	wild.	· · · · · · · · · · · · · · · · · · ·	England.			Eng. bot. 851.
8 lucida, W.	shining.		Majorca.	1762.		
4 fruticosa. W.	prickly-leaved.					Jac. ic. 1. t. 25.
5 angustifolia. W.	narrow-leaved.	F	Minorca.	1772. 7.8.	G.h.	
6 cordifolia. W.	heart-leaved.		Siborio	1722 7	Hat	{ Pall. it. 3. p, 715, t, L. f. 1.
b cordinona. 14.	meat c-icaveu.	77.78	Siberia.	1700, 7.	11.4.	t, L. f. 1.
CATESBÆA. W.	LILY THORN.	Rubiaceæ. J,				
1 spinosa. W.	spiny.		I. Providence	1726. 5.9.	S.h.	Bot. mag. 131.
2 parviflora. P. S.	small-flowered.		Jamaica.			Sloa.his.2.t.207.f.1.
IXORA. W.	Ixora.	Rubiaceæ. J.				
1 grandiflora.	sessile-leaved.		E. Ind.	1814	S. L.	Bot. reg. 154.
2 coccinea.	scarlet.		China	1690. 78.	Sh	Bot. mag. 169.
3 parviflora. W.	small-flowered.		E Ind	1800 8 10	S. T.	Vah.sy.3.p,11,t.52.
4 alba. W.	white.		13. 111(1.	1500. 6.10.	S. N.	Rheed.mal. 2. t.14,
5 blanda. B. Reg.	charming.			. ,	S.n.	Bot. reg. 100.
PAVETTA. W.	PAVETTA,	Rubiaceæ. J.	77 T 1		0.7	70
indica. W.	Indian.		E. Ind.	1791. 8.10.	S.h.	Bot. reg. 198.
BOUVARDIA. H. K.	BOUVARDIA.	Rubiaceæ. J.				
1 triphylla. H. K.	three-leaved.		Mexico.			Par. lond. 88.
2 versicolor. B. Reg.	various-coloured	<del></del>	S. Amer.?	1814. 7.9.	G.h.	Bot. reg. 245.
ZIERIA. Sm.	ZIERIA.					
Smithii. B. M.	Smith's.		N. S. W,	1808, 4,7,	G, h.	Bqt. mag. 1395.
SIDERODEN-	IRON-TREE.	Rubinger I				
DRUM. W.	INUN-I REE.	Rubiaceæ, J.				
triflorum. W.	three-flowered.		W. Ind.	1793	S.b.	Jac.am.19.t.175.f.9
CHOMELIA. W.	CHOMELIA.	Rubiaceæ. J.			,	
spinosa. W.	spiny.		W. Ind.	1793	S.h.	Jac. amer. 18. t, 13.
ÆGIPHILA. W.	ÆGIPHILA.	Verbenaceæ. B.P.				**
1 martinicensis, W,	Martinico,		W. Ind.	1780, 11.	S. h	Jac. obs. 2. t. 27.
2 fœtida. W.	fœtid.			1800 67	Sh	
3 diffusa. B. R.	diffuse.			1804. 7 9	SL	Bot ren
4 obovata. B. R.	oval-leaved.			1004. 7.0.	S T.	Bot ver
MITCHELLA. W.	MITCHELLA.	Rubiaceæ. J.			5. n.	Dot. rel.
			MT A	1 1101 0	77 7	C-4 1 4 00
repens. W.	creeping.		N. Amer.	1761. 0.	n.n.	Cat. car. 1. t. 20.
COCCOCYPSI-	Coccocypsilum	Rubiaceæ. J.				
LUM. W.			777 T 7		0	w
repens. W.	creeping.		W. Ind,	1793. 5.	S, 24 91	Brown. jam. t,6.f.1
CALLICARPA. W.	CALLICARPA.	Verbenaceæ. B. P.			-	
1 americana. W.	American.		N. Amer.			Cat. car. 2. t. 47.
2 cana. W.	hoary.		E. Ind.			Ba, crow
3 lanata. W.	woolly.			1788. 6,7.		4
4 macrophylla. W.	long-leaved,		India.	1808	S.h.	Vahl. symb.3. t.53.
5 ferruginea. W.	rusty.		Jamaica.	1794, 6.7,	S.h.	
WITHERINGIA. W.	WITHERINGIA.	,,,,				
solanacea. W.	malforn domans 1		C A	1540 50	6 31	L'Her. sert. ang.
sorquiacea. VY	yellow-flowered.		S. Amer.	1/42. 0.9.	3.4.	L'Her. sert. ang,
MANETTIA. W.	MANETTIA,	Rubiaceæ. J.				•
-		В				

200	1.1.	TIMIDITA	LINIOINOGI	TATEL.		
coccinea. W.	scarlet.	Rubiaceæ. J.	Guiana.	1806. 5.	7. S.h.	Aub.gui.1.t.37.f.2.
PENÆA. W.	PENÆA.	• • • • • • • • • • • • • • • • • • • •			1	4013
1 mucronata. W.	heart-leaved scaly.	,	C. B. S.			vent. mar. 8/.
2 squamosa. W. BLÆRIA. W.	BLÆRIA.	Ericeæ. B. P.			(J. 17.	Bot. reg. 106.
			an e	1554 0 1	10 C I	Pet. gaz. 471. t. 2.
1 ericoides. W.	heath-leaved		С. В. S.	1774. 8.	10. G. h.	Pet. gaz. 471. t. 2. f. 10.
2 articulata. W.	jointed.	1		1795. 5.	6. G.h.	
3 purpurea. W.	purple-flowe Moss-leaved	red.	,	- 1791. —	— G. h.	
4 muscosa. W. 5 ciliaris. W.	ciliated.		T	- 1774. b. - 1795	8. G.n.	
BUDDLEA. W.	BUDDLEA.	Scrophularine	æ. J.			
1 globosa. W.	round-heade	d	Chili.	1774. 5.	6. H.h.	Bot. mag. 174.
2 salvifolia. W.	Sage-leaved.					Jac. scheen.1. t. 28.
3 saligna. W. en.				1816. —	— G. h.	
EXACUM. W. 1 viscosum. Sm.	Exacum.	Gentianeæ. B.	Canaries.	1701 6	7 C 1	Smith in fac 0 + 10
2 filiforme. W.	least.		— Britain.	1/81. 0	H ()	Smith.ic.fas.3.t.18. Eng. bot. 235.
SEBÆA. B. P.	SEBÆA.		P. Exaci species	s $L$ .	11. ().	nig. bot. 200.
cordata. B. P.	heart-leaved		C. B. S.		8. H.O.	Burm. afr. t.74. f. 5.
FRASERA. Walt.	and the same of th	Gentianeæ. B.		1	_	
caroliniensis. F			Carolina.	1795. 7	.s. H.♂.	
PLANTAGO. W.	PLANTAIN. greater.	Plantagineæ.	B. P. —— Britain.	_	* H 3	Vum hot 1550
1 major. W. 2 crassa. W.	greater. thick-leaved		S. Europe.			Eng. bot. 1558. Jac.col.sup.34.t.16
3 asiatica. W.	broad-leaved		Siberia.		7. H.4.	
4 maxima. W.	hollow-leave	d				Jac. ic. 1. t. 26.
5 media. W.	hoary.		Britain.	5		Eng. bot. 1559.
6 virginica. W.	Virginian.	1	— N. America.			Mor. his. 3. t. 15.f. 8.
7 altissima. W.	tall.		Italy.			Jac. obs. 4. t. 83.
8 lanceolata. W. 9 capensis. W.	Rib-Grass. Cape.		C. B. S.		.s. C.h.	Eng. bot. 507.
	1 1 1					
10 Lagopus. W.	round-heade	d	Spain.			\{\text{Wein. phyt. 4. t.}}\ 820. f. 2.
11 lusitanica. W.	Portugal.		0.72			Barrelic.119.t.745.
12 albicans. W.	woolly.		S. Europe. Patagonia.			Cav. ic. 2. t. 124?
13 patagonica. W.	Patagonian.		- C. B. S.			Jac. ic. 2. t 306. Jac.schwn. 3. t.253.
15 villosa. P. S.	villous.		C. B. S. Germany.		— H.⊙.	
16 Wulfeni. W. ei					— H. 4.	
17 alpina. W.	Alpine.	Equippe of the control of the contro	Austria.	1774. —	H. 4.	Jac. vind. 2. t. 125.
18 Bellardi. W.	Bellardi's.	<u> </u>	S. Europe.			Allio.ped.1.t.85.f.3
19 cretica. W.	Cretan.	-	— Candia. — Britain.		.7. H.⊙.	Eng. bot. 175.
20 maritima. W. 21 graminea. P. S	sea. . Grass-leaved		France.		.7. H.4.	
22 recurvata. W.	recurved-lea	ved.	S. Europe.			\{\begin{aligned} \text{Murr. com. gott.} \\ \text{1780.t.6.} \end{aligned}
23 subulata. W.	awl-leaved.	***************************************				Lob. ic. 439.
24 macrorhiza. W			— Morocco. — Barbary.			Mor. bis. t. 17. f. 2.
25 Serraria. W.	saw-leaved.	Earth ————	Barbary.			Col. ecphr. t. 259. Eng. bot. 892.
26 Coronopus. W 27 Læflingii. W.	narrow-leave	ed	Snain.	7	.8. H.O.	Jac. vind. 2. t. 126.
28 Cornuti. W.	cut-leaved.			1801. —	— н. ў.	Jac. ic. 1. t. 27. Cav. ic 2. t. 125.
29 amplexicaulis.	W. stem-leaved		Spain.	1797. 6	.7. H.⊙.	Cav. ic 2. t. 125.
30 Psyllium. W.	Fleawort.	**************************************	S. Europe.			
31 arenaria. P. S	sand.		- Hungary.			Pl. rar. hung. t. 51.
32 squarrosa. W. 33 indica. W.	leafy-spiked Indian.	, ,	Egypt. India.		.s. H.⊙.	Jac. ic. 1. t. 28.
34 stricta. P. S.	upright.		Morocco.			Scous.mar.1.ic.145
	dwarf.		S. Europe.		н.⊙.	Murr. com. gott.
35 pumila. W.	uwaii.		S. Europe.	1730.	11.0.	( 1//0.0.0.
36 Cynops. W.	shrubby.	Springer and the second		- 1596. 5	.s. H.h.	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
37 afra. W.	Barbary.		Sicily.	1640.	6. H.J.	Mor. his.3. t.17.f.4.
SCOPARIA. W.	SCOPARIA.	Scrophularine		1790 6	0 80	Herm. par. t. 241.
dulcis. W.	sweet. BASTARD	)	Jamaica.	1/30. 0		TTCTIM: Date or ware
CENTUNCULUS	S. W. PIMPERNE	L. Primulaceæ. I	3. P.			
minimus. W.	least.	**********	- Britain.	6	.7. H.⊙.	Eng. bot. 531.
		/				1

SANGUISORBA, W.							m 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 officinalis. W.	officinal.		Britain.	• • • •			Eng. bot. 1312.
β auriculata.	enred.		Italy.			H.4.	Bocc. mus. 19. t. 9
2 media. W.	short-spiked.		Canada.	1785.	7.9.	н. 4.	Zan. his. 181. t. 138.
3 canadensis. W.	Canadian.			1633,		H.4.	Cor.can.175.t.174.
CISSUS, W.	Cissus.	Vites. J.					CDI-l- want 07 t
1 vitiginea. W.	Vine-leaved.		India.	1772.		S.h.	{ Pluk. mant. 27. t. 337. f. 2.
0	1		M				( 337.1.2.
2 Ampelopsis, P. S.	heart-leaved.		N. Amer.	1803.	• • • •	H.h.	Wint shair of OAS
3 antarctica. Ven.	Kanguru-Vine.			1790.	0.8.	G. n.	Vent. choix. 21.
4 sicyoides. W.	naked-leaved. square-stalked.		F Ind	1708.		S.n.	Jac. amer. 22. t.15. Forsk. ic. t. 2.
5 quadrangularis. W. 6 capensis. W.	Cape.		C B S			G.h.	TOISIR: IC. D. Z.
7 acida. W.	acid.		Jamaica				Jac. scheen.1. t. 33.
8 trifoliata. W.	three-leaved.						Slo.jam.1.t.144.f.2.
	{ Virginian }					•	
9 hederacea. P. S.	Creeper.		N. America.	1629.	6.7.	H.h.	Corn. canad. t.100.
10 hirsuta. Ph.	hairy.			1806.		Н.Ь.	
11 pentaphylla. W.	five-leaved.					G.h.	
12 quinata. H. K.	wedge-leaved.					G. h.	
13 stans. P. S.	Pepper-Vine.		N. America.	1700.	7.9.	H. b.	Pluc.mant.t.412.f.2
EPIMEDIUM. W.	BARRENWORT.	Berberides. J.					
alpinum. W.	Alpine.		England.		4.5.	H.4.	Eng. bot. 438.
CORNUS. W.	Dogwood.	Caprifoliæ. J.	Ü				3
I suecica. W.	dwarf.		Britain.		4.	H.4.	Eng. bot. 310.
2 canadensis. W.	Canadian.		Canada.	1774.	6.8.	H.4.	Bot. mag. 889.
3 florida. W.	great-flowered.		N. America.	1731.	4.5.	H.h.	526.
4 mascula. W.	Cornelian \						Schm. arb. 2. t. 63. 26
-2 mascula. W.	Cherry.			1090.	2.4.	11. 17.	Schille aro. 2. t. o
5 sanguinea. W.	common.		Britain.	• • • •			Eng. bot. 249.
6 alba. W.	white-berried.		Siberia.	1741.	6.9.	H.h.	Sch. arb. 2. t. 65.
7 sericea. W.	blue-berried.		N. America.	1683.	8.	H.h.	2. t. 64.
8 circinata. W.	Pensylvanian.			1784.	7.8.	H.h.	2. t. 69.
9 stricta. W.	upright.			1758.	6.7.	H.h.	2. t. 67.
10 paniculata. W.	panicled.					H.h.	2. t. 68.
11 alternifolia. W.	alternate-leaved.			1760.	9.	H. h.	2. t. 70.
FAGARA. W.	FAGARA.	Terebintaceæ. J.	Ta	1500	0.0	e r	Dug ion 140 4 5 6 2
1 Pterota. W.			Jamaica.				Bro.jam.146.t.5.f.1
2 Piperita. W.	Ash-leaved.		Japan.				Kæmp.amæn.t.893
3 tragodes. W. MONETIA. W.	prickly-leaved.						Jac. amer. 21. t.14.
barlerioides. W.	Monetia.						L.Ker.sti.nov.1.t.1.
barrerioides. W.	(SHRUBBY		12. Ind.	1/000	/•	D. 17 .	13.1201.501.1107.11.014
PTELEA. W.	TREFOIL.	Terebintaceæ. J.					
trifoliata. W.	three-leaved.		N America.	1704.	6.7.	нь.	Schr. arb. 2. t. 76,
LUDWIGIA. W.	Ludwigia.	Onagrariæ, J.	111 12111111111111	.,	0.,.	220,6	
1 alternifolia. W.	large capsuled.		Virginia.	1752.	6.7.	H.O.	Lam. ill. 1. t. 77.
2 hirsuta. Ph.	hairy.		N. America.	1812.	6.8.	H. 4.	,,,
ISNARDIA. W.	ISNARDIA.	Onagrariæ. J.					
palustris. W.	marsh.		Europe, &c.	1776.	7.	н.⊙.	Schk. han. 1. t. 25,
OLDENLANDIA. W.	OLDENLANDIA.	Rubiaceæ. J.	- 1				
1 umbellata. W.	Indian Madder.		E. Ind.	1792.	7.8.	S. 4.	Roxb. cor. 1. t. 3.
2 corymbosa. W.	Hyssop-leaved.		Jamaica.	1730	6.10	SO	Ehret. pict. t. 2. f. 1. & t. 4.
•			- minaica.	1 100.	0.10	. 5.6.	1. & t. 4.
AMMANNIA. W.	Ammannia.	Salicariæ. J.					21
1 latifolia. W.	broad-leaved.		W. Ind.	1733.	7.8.	S.⊙.	Sloan.jam.1,t.7.f.4
2 debilis. W.	cluster-flowered.		E. Ind.			-H.⊙.	
3 ramosior. W.	branching.		Virginia.			·H.⊙.	
4 sanguinolenta. W.	bloody.		Jamaica.	1803.		-H.⊙.	
TRAPA. W.	{WATER-	{ Hydrocharideæ }	}				
	CALTROPS.	[ B. P.	Furance	1701	60	но	Rot rom
1 natans. W. 2 bicornis. W.	European. Chinese.		Europe. China.				Bot. reg. Gært. sem. 2. t. 95.
DORSTENIA. W.	Dorstenia.	Urticeæ, J.	Ollina.	1790.	• • • •	0.4.	Co. 10. Sciii. 2. b. Jil.
1 brasiliensis. W.	Brazilian.		S. America.	1799	3.4	8,21	
							( Houst, phil. trans.
2 Houstoni. W.	Houstoun's.			1747.	6.7.	S.4.	Houst. phil. trans.
2 Contraiones W	(Contrajerva )					_	
3 Contrajerva. W.	{ Root.		The state of the s	1/48,	5.8.	0.4.	Jac. ic. 3. t. 614.
	-	E 2					

20	ILII	ANDILLA .	LLIMAG	LT 14T	A.		
POTHOS. W.	Ротнов.	Aroideæ. B. P.					
1 acaulis. W.	stemless.		W. Ind.	1790.	4.7.	S. 21 .	Jac.amer.240.t.159
2 lanceolata. W.	lance-leaved.		Barbadoes.				Plum.amer.47.t.62
3 violacea. W.	blue-fruited.		Jamaica.			S. 24 .	
4 cannæfolia. H. K.	sweet-scented.		W. Ind.				Bot. mag. 603.
5 crassinervia. W.	thick-nerved.						Jac. ic. 3. t. 609.
6 cordata. W.	heart-leaved.	<del></del>	America.	1770.	4.	8.4.	Plum. ic. 26. t. 38.
7 sagittata. B. M.	arrow-leaved.	r		1800.	8.	S. 4.	Bot. mag. 1584.
8 macrophylla. W.	large-leaved.			1794.	5.6.	S. 24.	Jac. ic. 3. t. 610.
9 obtusifolia. H. K.	blunt-leaved.		Barbadoes.	1790.		- S.4.	
10 fœtida. H. K.	Scunkweed.		N. America.				Pot. mag. 836.
11 palmata. W.	palmated:		S. America.				Plum.amer.49.t.64
12 pentaphylla. W.	five-leaved.			-	10.11	.s.4.	Bot. mag. 1375.
CURTISIA. W.			0.00			~ -	70
faginea. W.	Beech-leaved.		C. B. S.	1775.	• • • •	G.h.	Burm.afr.235.t.82.
CHLORANTHUS.W.	CHULANS	*					CT Travit and and
1 inconspicuus. W.	trailing.	b*	China.	1781.	5.9.	G. h.	{ L'Herit. sert. ang. 35. t. 2.
2 erectus.	upright.						00. 6. 2.
ELÆAGNUS. W.	OLEASTER:	Elæagni. J.		1003.	0.01	u. n.	
1 angustifolia. W.	narrow-leaved.		S. Europe.	1633.	7.	н.ь.	Pall. ross. 1. t. 4.
2 argentea. Ph.	silvery.	-	N. America.	1813.		H.h.	
3 orientalis. W.	oriental.		Levant.	1748.			Pall, ross. 1. t. 5.
4 latifolia. W.	broad-leaved.	27	E. Ind.	1712.		· S.h.	Burm. zeyl. 92. t. 39. f. 2.
\$ANTALUM. W.	SANDAL-WOOD.	Santalaceæ. B. P.	Sirium. L. &				
album. W.	white.		E. Ind.	1804.		S.h.	Roxb. cor. 1. t. 2.
STRUTHIOLA. W.	STRUTHIOLA.	Thymelææ. B. P.					
1 juniperina. W.	drooping.						D2
2 erecta. W. en.	upright.			1798.	-	G. h.	2/35
3 ovata. W.	oval-leaved.	w		1792.	2.6.	G.h.	Bot. rep. 119.
4 imbricata. H. K.	tiled-leaved.		<del></del>	1794.	4.8.	G. h.	113.
5 tomentosa. H. K.	downy-leaved.		-	1799.	8.9.	G. h.	834.
6 virgata. H. K.	twiggy.			1779.	4.8.	G. n.	139,
7 ciliata. B. R. 8 pubescens. H. K.	ciliated. downy.			1700		G. h.	Bot. mag. 1812.
RIVINA. W.	RIVINA.	Chenopodeæ. B.P		1790.		G. n.	Dot. mag. 1812.
1 humilis. W.	downy.	Chehopotica: D.1	W. Ind.	1699.	1.10	S. L.	Bot. mag. 1781.
2 canescens. W.	hoary.			1804.	5.8.	S.b.	Dott 111011
3 purpurascens.W.en.	purple.		<del></del>	1815.		S.h.	
4 lævis. W.	smooth.			1733.	2.9.	S. h.	Bot. mag. 1781.  Lam. ill. t. 81. f. 2.
5 brasiliensis. W.	wave-leaved.		Brazil.	1790.	6.7.	S.h.	
6 octandra. W.	climbing.			1752.	5.6.	S.h.	Br.jam.149.t.23.f.2
CAMPHOROSMA.W.		Chenopodeæ. B.P					
monspellaca. W.	hairy.	D 7	S. Europe.	1640.	8.9.	G. h.	Schk. hand.1. t. 26.
ALCHEMILLA. W.	LADIES-MANTLE.		Dutanta	1	0.0	TT 31	For hat com
1 vulgaris. W. en.	common.		Britain.				Eng. bot. 597.
2 montana. W. en. 3 pubescens W. en.	pubescent.	pin	Cancague	1919		H 2/	Hort her 9 t 50.
4 sericea. W. en.	silky.		- wilcusus.	1010.		H. 21	Hort. ber. 2. t. 79.
5 alpina. W.	silvery.		Britain.		7.	H 21.	Eng. bot. 244.
6 pentaphylla. W.	five-leaved.		Switzerland.	1784.		H. 1.	
7 Aphanes. W.	Parsley-piert.	-	Britain.				Eng. bot. 1011.
		DIGYNIA.					
BUFFONIA. W.	BUFFONIA.	Caryophylleæ. J.		and the same			
tenuifolia. W.	slender-leaved.		England.	* * * *	6.	H.O.	Eng. bot. 1313.
HAMAMELIS. W.		Berberides? J.	23.78		•		
virginica. W.	Virginian.		N. Amer.	1736.	11.5.	H. I2.	Duham.arb.1.t.114
HYPECOUM. W.	Нуресоим,	Papaveraceæ. J.				·	
1 procumbens. W.			S. Europe.				Schk. hand.1. t. 27.
2 pendulum. W.	pendulous.	<b>5</b>	S. France.				Park.theat.372.f.2.
3 erectum: W.	erect.		Siberia,	1759.	5.6.	н.д.	Amm. ruth.58. t.9.
		TETRAGYNIA.					
ACTICIDA W	3.5						
MYGINDA. W.		Rhamni. J.	C America		0.0	e t	Too omen C4 416
1 uragoga. W.	saw-leaved						Jac. amer. 24. t.16.
2 Rhacoma. W. 3 latifolia. W.	blunt-leaved.		Jamaica. W. Ind				Jac. ic. 2. t. 311.
M. GIOCTE ATTEN AL 9	Ma ven-senten		TE & ALLIE	1795	Z101	2.15.	

ILEX. W.	Holly.	Rhamni. J.					
1 Aquifolium. W.	common.		Britain.		4.6.	Н.Б.	Eng. bot. 496
B heterophylla.	various-leaved.	þ	2511000111			-	238
y crassifolia.	thick-leaved.						
8 recurva.	slender.						`
a ferox.	hedge-hog.						
Z flava.	yellow-berried.						
n albo-marginata.	silver-edged.						
3 aureo-marginata.							
s medio picta.	painted.						
2 laxiflora. Ph.	loose-flowered.		Carolina.			н. ь.	
3 opaca. W.	Carolina.						Meerb. ic. 2. t. 5.
4 crocea. W.	African.					G. h.	1/1001 D. (C. 2. C. C.
5 Perado. W.	thick-leaved.	,					Meerb. ic. 2. t. 6.
6 Princides. W.	deciduous.						1110010110110101
7 Cassine, Ph.			Carolina.				Cat. car. 1. t. 31.
8 Dahoon. Ph.	Dahoon.						Citti Car. 1, ti Or.
9 angustifolia. W. en,				1906	5.07.	F L	*
10 vomitoria. W.	South Sea Tea.		Florida				Cat. car. 2. t. 57.
11 canadensis. Ph.	Canadian.		N Anurica	1900	4.5	H L	Mich. amer.2. t.49.
COLDENIA. W.	Coldenia.	Boragineæ. J.	N. America.	1002.	4.0.	11. 7.	Mich. amer.z. 647
procumbens. W.	trailing.	Doragmea. J.	F Ind	1600	7 9	80	Lam. ill. t. 89.
POTAMOGETON, W.		Alismaceæ, B. P.	Es inu.	1099.	7.0.	3.0.	Lam. III. v. oy.
1 natans. W.	broad-leaved.	Alisinacea. D. F.	Britain		0	H N	Eng. bot. 1822.
2 fluitans, W.	long-leaved.						1286.
	various-leaved.						1285.
B heterophyllum. W.	perfoliate.						168.
4 perfoliatum. W. 5 densum. W.	*						
6 lucens. W.	close-leaved.						397.
	shining.						376.
7 crispum. W.	flat-stalked.						1012.
8 compressum. W.	·						
9 pectinatum. W.	Fennel-leaved.		England				323.
10 lanceolatum. E. B.	spear-leaved.		England.				1985.
11 gramineum. W.	Grass-leaved.						2253.
12 pusillum. W.	small.	-					215.
13 setaceum. W	bristly.	NI-1-J. T		• • • •		н. 4.	
RUPPIA. W.	RUPPIA.	Naiades. J.	materia.		_	TT at	E 1-4 100
maritima. W.	sea.	C 1. 11. T	Britain.	• • • •	7.	н. 4.	Eng. bot. 136.
SAGINA. W.	PEARLWORT.	Caryophylleæ. J.	mate to		<b>.</b> 0	11.0	F 1
1 procumbens. W.	procumbent.			• • • •			Eng. bot. 880.
2 apetala. W.	small-flowered.			• • • •			881.
3 maritima. E. B.	sea-side.	C				н	2195.
MŒNCHIA. P. S.	MŒNCHIA.	Caryophylleæ. J.				11.0	E b-t coo
glauca. P. S.	glaucous.	C T	Britain.	• • • •	4.5.	H	Eng. bot. 609.
TILLÆA. W.	TILLEA.	Sempervivæ. J.	F 1		0 10	11.0	Fam. 1.4. 110
muscosa. W.	mossy.					н.б.	Eng. bot. 116.
RADIOLA. Sm.	RADIOLA.					TT 0	E 1.4 000
millegrana. Sm.	All-seed.	-	Dritain.	• • • •	7.8.	н.б.	Eng. bot. 893.

# CLASS V.

HELIOTROPIUM. V	V. Turnsole.	Boragineæ. B. P.						
1 peruvianum. W.	Peruvian.		Peru.	1757.	5.9.	G.h.	Bot. mag. 141.	
2 corymbosum. P. S	. large-flowered.			1808.		G.h.	1609.	
3 parviflorum. W.	small-flowered.		W. Ind.	1732.	7.9.	S.J.	Dill.elt.t.146.f.173	
4 europæum. W.	European.		S. Europe.	1562.	6.10.	H.O.	Jac. aust. 3. t. 207.	
5 curassavicum. W.	glaucous,		W. Ind.	1731.	6.7.	S. 3.	Mor.s.11.t.31.f.12.	
6 humile. B. P.	dwarf.	-	S. America.	1752.	5.6.	S.h.	Plum. ic. 227. f. 2.	ľ
Tournefortia humi	ilis Willd.					ŭ		
7 indicum. W.	Indian.		W. Ind.	1713.	6.8.	S.O.	Pluk. phyt. 245. f.4.	
8 supinum. W.	trailing.		S. Europe.	1640.	6.7.	H.O.	Gouan.m. 17. c.tab.	
MYOSOTIS. B. P.	SCORPION-GRASS	Boragineæ. B. P.	•			_	•	
I scorpioides. W.	marsh.	-	Britain.		4.8.	н.ч.	Eng. bot. 1973,	
		*				4.		

00	T 1717 T	ANDUIN	MONOG	1 14177			
2 arvensis. W.	field.	Boragineæ. B. P.	Britain.		4.8.	H.O.	Eng. bot. 480.
3 nana. W.	dwarf.						Hacq.pl.alp.t.2.f.6.
4 obtusa. W. en.	obtuse-calyxed.		Hungary.				Pl.rar.hung.1.t.100
5 rupicola, E. B.	rock.		Scotland.			H. 2.	Eng. bot. 2559.
LAPPULA. P. S.	LAPPULA.	Boraginere. B. P.	Myosotis spe	cies II	illd.		
1 virginiana. P. S.	Virginian.		Virginia.			H. &.	Mor.h.s.11.t.30.f.9.
2 vulgaris.	common.	-	Europe.	1656.	4.8.	H.O.	,
3 squarrosa. P. S.	squarrose.		Siberia.			· н.о́.	
*							(Pall, it. 3, app. n.
4 pectinata. P. S.	pectinated.	Character of the same of the s		1797.	6.8.	н. 4.	{ Pall. it. 3. app. n. 71. t. E. f. 4.
LITHOSPERMUM.W	V. GROMWELL.	Boragineæ. B. P.					
1 officinale. W.	officinal.		Britain.		5.8.	H.24.	Eng. bot. 134.
2 arvense. W.	corn.	-					123.
3 apulum. W.	small.		S. Europe.	1768.			Col. ecph. 1. t. 185.
4 purpureo-cæru- }	annanina		England				_
leum. W.	· creeping.		England.	• • • •	э.	п. 4.	Eng. bot. 117.
5 fruticosum. W.	shrubby.	***************************************	S. Europe.	1683.	5.6.	H. h.	Barr. ic. 1168.
6 distichum. P. S.	two-rowed.		Cuba.	1806.		- G. 24 .	
7 tenuiflorum. W.	slender-flowered.		Egypt.	1796.		-H.⊙.	Jac. ic. 2. t. 313.
8 dispermum. W.	two-seeded.		Spain.				Linn. dec. 1. t. 7.
BATSCHIA. Mich.	BATSCHIA.	Boragineæ. B. P.					
1 Gmelini. Ph.	Gmelin's.		Carolina.	1812.	5.7.	H. 24 .	
2 longiflora. Ph.	long-flowered.		Missouri.			H.4.	· ·
ONOSMODIUM. ?	Onosmodium.	Romainam R D	Tithocommi		777:11	J	
Mich.	ONOSMODIUM.	Boragineæ. B. P.	Lithospermi	species .	, ru	a.	
* himidum M	Vincinian		NT Amorian	1250	C	TT 3/	Moris. hist. 3. s.
1 hispidum. M.	Virginian.		N. America.	1759.	6.	11.4.	11. t. 28. f. 3.
2 molle. M.	soft.			1812.	6.8.	H.4.	Mich. amer. t. 15.
ANCHUSA. W.	Bugnoss.	Boragineae. B. P.				•	
1 paniculata. W.	panicled.		Madeira.	1777.	5.6.	H. 3.	
2 capensis. W.	Cape.		C. B. S.	1800.	7.	G. 3.	Bot. rep. 336.4
3 officinalis. W.	common.		Britain.		6.10.	H. 24.	Eng. bot. 662.
4 ochroleuca. B. M.	pale-flowered.		M. Caucasus.	1810.	7.8.	H.4.	Bot. mag. 1608.
5 italica. W.	Îtalian.		S. Europe.	1597.	6.10.	н.д.	Trew. pl. rar. t. 18. 2
6 angustifolia. W.	narrow-leaved.			1640.	5.6.	H.4.	1007
	in de		Ott				
7 rupestris.	rock.		Siberia.	1802.	1.	п. 4.	{ Pall. it. 3. ap. 71. t. E. f. 3.
Myosotis rupestris.			Sunin.	1750			
8 undulata. W.	waved-lcaved.			1702.	6.10	11.4.	Barrel. ic. 578. 2 5 Bot. rep. 576.
9 tinctoria. W.	dycr's.		Duitain				
10 scmpcrvirens. W. 11 Milleri. W. cn.	evergreen.		Lorent				Eng. bot. 45.
11 Milleri. W. Cii.	4		retant.	1/10.		11.4.	Bot. mag. 515.
CYNOGLOSSUM. W.	Hound's }	Boragineæ. B. P.					
1 officinale. W.	Tongue. 5		Britain.		6 7	TI 1	Fun hat not
2 sylvaticum. E. B.	green-lcavcd.		Dillain.				Eng. bot. 921.
	Madeira.		Madeira.	1650		G 7	B 20, 2131.
3 pictum. W.			N. America.				DO LOTE & ROLL
4 amplexicaule. Ph.	stem-clasping. silvery-leaved.		Levent			H. 3.	
5 cheirifolium. W. 6 apenninum. W. en.			Italy			H. 3.	*
7 hirsutum. W.	hirsute.		C. B. S.			H.O.	
\$ glomeratum. Ph.	clustered.		N. America.	1819	7.0.	H. 21	
	(Venus')						(Moris, 9.11 # 20
9 linifolium. W.	Navelwort.		Portugal.	1648.	6.8.	H.⊙.	Moris. s.11. f. 39. f. 11.
10 lanatum. W.	woolly.	<del></del>	Levant			G.4.	(
11 nitidum. W. en.	shining.		73 / 1	1812	4.6	H. 21	H.&L.Fl.por.1.t.25
12 Omphalodes. W.	Comfrey-lcaved.		S. Europe.				Bot. mag. 7.
PULMONARIA. W.	LUNGWORT.	Boraginew. B. P.					2
1 angustifolia. W.	narrow-leaved.		Britain.				Eng. bot. 1628,
2 officinalis. W.	common.		England.				118.
3 davurica. B. M.	Daurian.		Dauria.				Bot. mag. 1743.
4 paniculata. W.	panicled.		Huds,'s Bay.				
5 lanceolata. Ph.	spear-leaved.		Louisiana.			н.4.	and the
6 virginica. W.	Virginian.			1699	3.5.	H. 21	Bot. mag. 160.
7 sibirica. W.	Siberian.			1801.	6.7.	H. 21.	Gm.sib.4.n.15.t.39.
8 maritima. E. B.	sea.		Britain.				Eng. bot. 368.
SYMPHYTUM. W.	COMFREY.	Boragineæ. B. P.				-1	, ,
1 officinale. W.	common.		Britain.		5.7.	H.24.	Eng. bot. 817.
2 tuberosum. W.	tuberous.		Scotland.				1502.
3 bohemicum. Sch.	red-flowered.					H.4.	3 7

	1 1111	. 11111710111 1	1011001		
4 orientale. W. en.	eastern.	Boraginea. B. P.	Turkey.	1752. 5.7. H.4.	Buxb. cent. 5. t. 68.
5 tauricum. W. en.	Taurian.		Tauria.	1806. — H. 24.	
6 asperrimum. H. K.	roughest.		Caucasus.	1799. 5.9. H.4.	
7 cordatum. W.	heart-leaved.		Transylvan.	1813. 5.7. H.4.	Pl.rar.hung. 6. t.7.
CERINTHE. W.	Honeywort.	Boraginea. B. P.	0.77	TI O	D. t
1 major. W.	great.		S. Europe.	1596. 7.8. H.⊙.	Bot. mag. 333.
2 aspera. W.	rough.			1633. — H.O.	T 0 4 104
3 minor, W.	small.	Panaginam P. D.	Austria.	1570. 6.10. H. 8.	Jac. aus. 2. t. 124.
ONOSMA. W.	Onosma. linear-leaved.	Boragineæ. B. P.	Siberia	1769 A6 H N	Gmel. sib. 4. t. 40.
1 simplicissima. W. 2 taurica. H. K.	golden-flowered.		Cancasas	1801. — H. 4.	
3 orientalis. W.	oriental.			1752. 5.6. G. 4.	
4 echioides. W.	hairy.				Jac. aust. 3. t. 295.
5 sericea. W.	silky-leaved.		Levant.	1752. 6.7. H.4.	
BORAGO. W.	BORAGE.	Boragineæ. B. P.	22070000	27020 0070 22027	
1 officinalis. W.	common.		England.	6.9. H.O.	Eng. bot. 36.
2 orientalis. W.	oriental.		· Turkey.		Mill. ic. 1. t. 68.
3 laxifiora. B. M.	bell-flowered.		Corsica.		Bot. mag. 1798.
TRICHODESMA.B.P	TRICHODESMA.	Boragineæ. B. P.			
1 indica. B. P.	Indian.		K Ind	1750 6 10 H O	Pluk. alm. 30. t. 76. f. 3.
i murca. D. F.	mulan.		E. Hu.	1759. 0.10.11.	76. f. 3.
2 africana. B. P.	African.		CBS	78 HO	{ 176. i. 3. } { Isnard. act. par. } { 1718. t. 11.
z arricana. B. 1.	Zittican.			7.00 11.00	1718. t. 11.
3 zeylanica. B. P.	Ceylon.		E. Ind.	1799. —— S.O.	Jac. ic. 2. t. 314.
ASPERUGO, W.	GERMAN }	Boragineæ. B. P.			
	MADWORT.				7 1 4 22-
procumbens. W.	procumbent.		Britain.	4.5. H.⊙.	Eng. bot. 661.
LYCOPSIS. W.	WILD BUGLOSS		0.70	**************************************	
1 vesicaria. W.	bladdered.		S. Europe.	1686. 5.7. H.⊙	
2 pulla. W.	dark-flowered.		· Germany,		. Jac. aust. 2. t. 188,
o chiata. W.	ciliated.			1804. ——H.⊙	
4 variegata. W.	variegated.		· Candia.	1683. —H.⊙	Moris. s. 11. t. 26, f. 10.
5 arvensis. W.	small.	4	Rritain	5.8. H.⊙	
6 lutea. W.	yellow-flowered.		Diltain.	1805. 6.7. H.⊙	. 12ng. 50t. 35a.
7 orientalis, W.	oriental.		- Levant.		Buxb. cent. 5.t. 30.
	∫ VIPER'S BU- }		2301411101	1,000	
ECHIUM. W.	GLOSS.	Boragineæ. B. P.			
1 fruticosum. W.	shrubby.		- C. B. S.	1759. 5.6. G.h	. Bot. reg. 86. 24 1772
2 candicans. W.	hoary tree.		- Madeira.	1777. — G. h	
3 grandiflorum. H.K				- 1787. 6.7. G.h	
4 ferocissimum. B. R	. prickly-stalked.			- 1794 G. h	
5 giganteum. W.	gigantic.		- Canaries.	1779. 7.11. G. b.	. Vent. mal. 71.
6 strictum. W.	upright.			5.12. G. J	. Jac. scheen.1. t.35.
7 argenteum. W.	silvery.		CRC	1789. 6.7. G. h	
8 lævigatum. W.	smooth-stalked.			- 1774 G. h	•
9 glabrum. W.		1		- 1791. 5.6. G.h	. Jac. ic. 2. t. 312.
10 fastuosum. H. K.	fastuous.			1779. 4.8. G.h	
11 nervosum. II. K.	sinewy-leaved.		- Madeira.	1777. 6.8. G.h	
12 spicatum. W.	spiked dwarf.			1799. 3.5. G.h	
13 plantagineum. W.	Plantain-leaved.	<del></del>	- Italy.		. Barr. ic. t. 1026.
14 italicum. W.	white.		- Jersey.	1701 7. H. J	. Eng. bot. 2081.
	red.		- riungary.	1/91. 7.8. H. 6	. Jac. aus. 5. t. ap. 3.
16 vulgare. W. 17 violaceum. W.	Violet-flowered.		- Dritaili.	1658. — H.G	. Eng. bot. 181.
18 maritimum, W.	sea.		- Austria.		). Boc. mus. 2. t. 78.
19 pyrenaicum. W. en			- Pyrenees.	— Н. д	). Doc. mus. 2. t. 79.
20 creticum. W.	Cretan.		- Levant.		Bot. mag. 1934.
21 orientale. W.	oriental.				). Trew. pl. rar.1.t.1.
22 lusitanicum. W.	Portugal.		- S. Europe.	1731, 7.8. H.C	
23 parviflorum. H. K				1798. — H. O	
TOURNEFORTIA.			•		
В. Р.	TOURNEFORTIA	. Boragineæ. B. P.	1 ournefort	ia & Messerchmidia	. Linn.
1 Messerchmidia.	shrubby.		- Canaries.	1779. 6.10. G. F	· · · · · · · · · · · · · · · · · · ·
2 Arguzia.	herbaceous.			1780. — H.2	. Heb.com.pet.8.t.11
3 fætidissima. B. P.	Tobacco-leaved		- Jamaica.		. Plum.ic.226.t.230,
4 cymosa. B. P.	broad-leaved.			- 1777. 7. S.L	Jac. ic. 1. t. 31.
5 bicolor. B. P.	two-coloured.			- 1812 S. J	
6 suffruticosa. W.	hoary-leaved.			- 1759. J S. H	9,

7 volubilis. W.	climbing.	Boragineæ. B. P.	Jamaica.	1752. 7.8. S. J.	Slo.jam.1.t.143.f.2
CORDIA. B. P.	CORDIA.	Boragineæ. B. P.	Cordia & Ve	arronia. L. & Wille	l.
1 Myxa. W.	smooth-leaved.			1640 S. h.	Rheed, mal. 4. t. 37.
2 monoica. W.	Birch-leaved.	<del></del>			Roxb. cor. 1. t. 58.
3 Sebestena. W.	rough-leaved.			1728. 7.S. S.4.	Bot. mag. 794.
4 Geraschanthus. W.	Spanish Elm.		W. Ind.	1789. 5. S.h.	Brown.jam. t.29.f.3
5 macrophylla. W.	broad-leaved.			1752 S. h.	{ Sloan. jam. 2. t. 221. f. 1.
6 Collococca. W.	long-leaved.	-	Jamaica.	1759 S.h.	
7 hirsuta. W.	hairy.		Guiana.		Aub. guia. 1. t. 86.
8 elliptica. Sw.	elliptic,	-	W. Ind.	1804 S. b.	
9 lineata. W.	round-spiked.	***************************************		1793 S.h.	Brown.jam. t. 13.f.2
10 mirabiloides. W.	jointed.	-	Hispaniola.	1798. 9. S.h.	Jac. amer. 41. t. 33.
11 martinicensis. W.	Martinico.		Martinico	1705 90 9 L	41. t.32,
12 curassavica. W.	long-spiked.		S. America.	1759 S.h.	
13 angustifolia. W.	narrow-leaved,	_	Santa Cruz.	1808 S.b.	
14 Patagonula. W.	spear-leaved.	<del></del>	S. America.	1732. 6.8. G. h.	Lam. ill. t. 96.
BOURRERIA. Gært.	Bourreria.	Boragineæ. B, P.			
1 succulenta. Jac.	oval-leaved.				Jac.obs.2, p. 2. t. 26,
2 exsucca. Jac.	dry-fruited,			1804, S.h.	Jac.ame.t.173.f.17,
EHRETIA. W.	EHRETIA. W.	Boragineæ. B. P.		0.7	en la caracteria
1 tinifolia. W.	Tinus-leaved.				Trew. chret. 4. t. 25,
2 aspera. W.	rough-leaved.		E. Ind.	1795, S.h.	Roxb. cor. 1. t. 55,
HYDROPHYL- LUM. W.	WATER-LEAF.	Boragineæ. J.			
1 appendiculatum.Ph.	annendaged		N America	1813. 5.6. H. 24.	
2 virginicum. W.	Virginian.				Schku.hand. 1.t.35, 3.
3 canadense. W.	Canadian.		Canada.	1759. — H. 24.	
ELLISIA. W.	ELLISIA.	Boragineæ. J.	Canadas	1700.	Dot. 105. 242.
Nyctelea. W.	cut-leaved.	2074577747	Virginia.	1755, 7.8, H.O.	Ehr.na.cur.2.t.7.f.1
NOLANA. W.	NOLANA.	Boragineæ? J.		-,,	
prostrata. W.	trailing.	-	Peru.	1761. 7.9. H.O.	Bot. mag. 731.
ARETIA. W.	ARETIA.	Primulaceæ. B. P.			
1 helvetica, W,	imbricated.		Switzerland.	1775. 5.6. H. 4.	Schk.hand. 1. t. 32,
2 alpina. W.	linear-leaved.			H. 24.	Jac.aust.5.t.app.18.
3 Vitaliana. W.	Grass-leaved.		Pyrences.	1787. — H. 4.	Par. lond. 107,
ANDROSACE, W,	Androsace.	Primulaceæ. B. P.			
1 maxima. W.	oval-leaved.				Jac. aus. 4. t. 331.
2 elongata. W.	cluster-flowered.				4. t. 33Q,
3 septentrionalis. W.	tooth-leaved.				Flor. dan. t. 7. 2021
4 lactiflora. W, en.	milk-coloured.		Siberia.	1815. 6.9. H.4.	
5 villosa. W.	villous.		Pyrenees.	1790. 6.7. H.4.	Bot. mag. 743.
6 coronopifolia, B. R.			Siberia.		Bot. rep. 647. 202
7 Chamæjasme, W.	Grass-leaved.		Austria.	1768. 6.8. H.4.	T-4 000
\$ lactea. W.	white-flowered.		C-c'tgowloud	1752. — H. 4.	Dink alm 4 100 f 5
9 carnea. W.	awl-leaved.	Primulaceæ. B. P.	Switzerianu.	1708. 7.8. 11.4.	Pluk.alm.t.108.f,5.
PRIMULA. W.	PRIMROSE.		Britain	25 H 1	Eng bot A
1 vulgaris. E. B. \$\beta\$ pleno-carnea.B.M	common.		Elleuiti.	3.5. H.4, H.4.	Bot. mag. 999.
y pleno-alba.	double white.			— Н. 4.	
8 pleno-sulphurea.	double brimstone.	-		Н. 4.	
e pleno-rubra.	double red.		***************************************	— н.4.	
Y mlusia assesses	double commen			H 2/	
m pleno-atropurpurea	double dark purple	? <del></del>		— н. 4.	
n pleno-atropurpurea 2 elatior. W.	Oxlip.			H.4.	Eng. bot. 518,
3 veris. W.	Cowslip.			5.6. H.4.	5.
4 farinosa. W.	Bird's-eye.			6.7. Н.4.	6,
5 intermedia. B. M.	SiberianBird's-eye	·	Siberia.	1806. 5.6. H.4.	Bot. mag. 1219.
6 cortusoides. W.	Cortusa-leaved.			1794. 5.7. H.4.	
7 dentiflora. B. R.	tooth-flowered.			1806. — H. 4.	
8 longifolia. H. K.	long-leaved.			1790. 4,5. H.4.	
9 villosa. W.	villous-leaved.			1768. — H. 4.	14.
B flore albo.	white-flowered.			— Н.4,	1161.
10 nivalis. W.	snowy.	·	Dauria.	1790. — H.4.	Pal. it. t. G.*i. 2.
11 marginata. W.	silver-edged,			1777. 3.4. H.4.	Bot. mag. 191.
12 Auricula. W.	Auricula.				Jac. aus. 5. t. 415.
13 Palinuri. W, en,	flat-flowered.	·····		1816. — H. 4.	
14 integrifolia. W.	entire-leaved.			1792. 6.7. H.4.	
15 finniarchica. W.	Norwegian.	Facilities - National anticonstruction	norway.	1798, 5.6. H,4.	brot. fierr. todo.

	PEN	TANDRIA	MONOG	INT	<b>.T</b> •		00	
16 viscosa. W.	clammy.	Primulaceæ. B. P					Allion.ped.1.t.5.f.1	
17 decora. B. M. CORTUSA. W.	SEAR'S-EAR.	Primulaceæ. B. P.		• • • •	-	н. 4.	Bot. mag. 1922.	
Mathioli. W.	SANICLE. S short-calyxed.		Austria.	1596.	4.6.	H. 24.	Bot. mag. 987.	
SOLDANELLA. W.	SOLDANELLA.	Primulaceæ. B. P.					-	
1 alpina. W. en. 2 montana. W. en.	Alpine.		Switzerland.	1656.	4.	H.4.	Bot. mag. 49.	
DODECATHEON.W.	(AMERICANI)	Primulaceæ. B. P.		1010.		- 11.4.		
Meadia. W.	'\ Cowslip. \ Mead's.	Tilliulacee. D. 1		1744	16	TT 21	Bot. mag. 12.	
CYCLAMEN. W.	CYCLAMEN.	Primulaceæ. B. P.		1/44.	2.0.		Бот. шад. 12.	
1 coum. W.	round-leaved.		S. Europe.				Bot. mag. 4.	
2 europæum. W. 3 persicum. W.	common. Persian.		Cyprus.				Jac. aust. 5. t. 401. Bot. mag. 44.	
4 hederæfolium. W.	Ivy-leaved.			• • • •	4.	H.4.	1001.	
HOTTONIA. W. palustris. W.	water-violet.	Primulaceæ. B. P.			7.8.	н. 4.	Eng. bot. 364.	
LYSIMACHIA. W.	LOOSE-STRIFE.	Primulaceæ. B. P.						
1 vulgaris. W.	common.				7.9.	11.4.	Eng. bot. 761.  Mur. com. got.	
2 Ephemerum. W.	Willow-leaved.			1730.		н. 4.	{ Mur. com. got. 1782.t. 42. f. 2.	4
3 angustifolia. Mi.	narrow-leaved.			1803.		- H. 4.	Mur. com. got.	
4 dubia. W.	purple-flowered.			1759.		H.g.	Mur. com. got. 1782. t. 1.	
5 stricta. W. 6 thyrsiflora. W.	upright.		England.		5.7.	Η. μ.	Eng. bot. 176.	B
7 capitata. Ph.	headed.		N. America.	1813.		· H. 4.		
8 punctata. W. 9 quadrifolia. Ph.	punctated. four-leaved.		Holland.	1658.	7.8.	H.4.	Jac. aus. 4. t. 366. Lam.ill.1.t.101.f.2.	
10 ciliata. Ph.	ciliated.			1732.	-	H.4.	Walth. hort. t. 12.	
11 quadriflora. H. K.	four-flowered.		-	1798.		-11.4.	Bot. mag. 660.	
12 hybrida. Ph. 13 Linum-stellatum.W	hybrid.		Italy.				Magn.b.mon.t.162	
14 nemorum, W.	wood.		Britain.				Eng. bot. 527.	
15 Nummularia. W. ANAGALLIS. W.	Moneywort. PIMPERNELL.	Primulaceæ. B. P.		• • • •	6.7.	н.4.	528.	
1 arvensis. W.	common.		Britain.				Eng. bot. 529.	
2 cærulea. E. B. 3 fruticosa. H. K.	blue. large-flowered.		Morocco.				Bot. mag. 831.	
4 latifolia. W.	broad-leaved.		Spain.	1759.		-G.3.	Meerb. ic. 1. t. 22.	2
5 Monelli. W. 6 linifolia. W.	blue Italian. Flax-leaved.		Italy.			G. 4. G. 3.	Bot. mag. 319.	
7 tenella. W.	bog.		Britain.				Eng. bot. 530.	
DIAPENSIA. W. lapponica. W.	DIAPENSIA. obtuse-leaved.	Ericeæ. P. L.		1901	9.3	H 2/	Bot. mag. 1108.	
PYXIDANTHERA 7	Pyxidanthera.		Zapiana	10011	2.01	221.27	2000 11115. 11100.	
Mi. Sarbulata. Mi.	barbed.		Carolina.	1806	7.	H. 2/ .	Mich. amer. t. 17.	
AZALEA. W.	AZALEA.	Rhodoraceæ. J.						
1 procumbens. W. 2 indica. W.	trailing. Indian.						Eng. bot. 865. Bot. mag. 1480.	
3 pontica. W.	yellow.		Turkey.	1793.	5.6.	Hh.	433.	10
4 calendulacea. Ph. β flammea.	Orange. flame-coloured.		N. America.	1806.		H.h.	1791.	1
5 canescens. Ph.	downy.			1812.		н. h.	Bot. reg. 145.	
6 nudiflora. W.	naked-flowered.			1734.		·H.h.		
a coccinea. B speciosa.	small scarlet. large scarlet.			-	-	Н. Ь.	Bot. mag. 180.	
y aurantia.	orange.					H.h.		
δ cuprea. ε rutilans.	copper-coloured. deep red.					Н. р.		
Z carnea.	pale red.					H.h.	Bot. reg. 120.	
n alba. I papilionacea.	early white. variegated.					H.h.		
· partita.	five parted.					H.h.		
n semiplena.  A flore pleno.	semidouble.					H.h.		
7 bicolor. Ph.	double-flowered. two-coloured.					· Н. h.	Trew ehret. t. 48.	
8 viscosa. Ph.	viscid.	33			7.8.	H.h.	Meerb. ic. 2. t. 9.	
		F					,	

O E	7 7714 7	ANDICIA I	ionou i	TATES			
à odorata.	common white.	Rhodoraceæ. J.	N. America.	1734.	7.8.	H. % 5	
β vittata.	striped-flowered.			-		H.h.	
y fissa.	narrow-petaled.					H.h.	
9 nitida. Ph.	shining-leaved.			1812.		H.h.	Bong willing.
10 glauca. Ph.	dwarf glaucous.			1734.	6.	H.h.	0
11 hispida. Ph.	tall glaucous.	Engaridad D D	-	-		H.h.	
SPRENGELIA. B. P. incarnata. B. P.	SPRENGELIA. flesh-coloured.	Epacrideæ. B. P.	W. C. 317	3500	4.0	17 T .	Pot man artis
ANDERSONIA. B. P.		Epacrideæ. B. P.	14. 9. W.	1793.	4.0.	n.n.	Dot. mag. 1/19:
sprengelioides. B.P.		Epiteriate. D. 1.	N. Holland.	1803.	3.7.	G. b.	Bot. mag. 1645.
LYSINEMA. B. P.	LYSINEMA.	Epacrideae. B. P.	Enacridis sn	ecies C	an.		
pungens. B. P.	pungent.		N. S. W.	1804.	2.4.	G.b.	
a alba.	white-flowered.						Cav. ic. 4. t. 346.
β rubra:	red-flowered.				-	-	Bot. mag. 1199.
EPACRIS. B. P.	Epacris.	Epacrideæ. B. P.					3
1 purpurascens. B. P.			N. S. W.	1803.	1.3.	G. T.	Bot. mag. 844.
2 pulchella. B. P.	sweet-scented.			1804.	4.6.	G.h.	1170.
3 grandiflora. B. P.	crimson.		-	1803.	1.6.	G.h.	982.
4 obtusifolia. B. P.	blunt-leaved.	***************************************	Y7 D'	1804.	4.6.	G. h.	Ex. bot. 1. t. 40.
5 exserta. B. P. MONOTOCA. B. P.	exserted. Monoroca.	Engwiden P D	Van Diem.	1812.		. G. n.	
1 elliptica. B. P.	elliptic.	Epacrideæ. B. P.	N S W	1900	mun.	G L	
2 lineata. B. P.	lineated.		Van Diem	1804	J.0.	G.b.	Lab.nov.holl.1.t.6i
LEUCOPOGON. B. P.		Epacrideæ, B. P.	Stupheliæ sr	recies S	mith.		
1 lanceolatus. B. P.	small-flowered.		N.S.W.	1790.	5.8.	G.b.	Bot. rep. 287.
2 ericoides. B. P.	Heath-leaved.			1815.		G.b.	Bot. rep. 287. Cav.ic. 4. t.347. f.1. Linn. trans. 8. t. 8.
3 amplexicaulis. B. P.						G.h.	Linn. trans. 8. t. 8.
4 juniperinus. B. P.	Juniper-leaved.	<u></u>		1804.	4.6.	G.h.	
STENANTHERA. ?	STENANTHERA.	Epacrideæ. B. P.				-	
B. P.		-					
pinifolia B. P.	Pine-leaved.	72			5.7.	G.h.	Bot. reg. 218.
ASTROLOMA. B. P.	ASTROLOMA.	Epacrideæ. B. P.				~ 1	D. / 1400
humifusum. B. P.	Juniper-leaved.	Fuggidde P D	N. S. W.	1807.	5.10	.G. n.	Bot: mag. 1439.
STYPHELIA. B. P. 1 longifolia. B. P.	STYPHELIA. long-leaved.	Epacrideæ. B. P.	N C W	1907	16	G L	Rot rog 04
2 viridiflora. B. P.	green-flowered.		N. 9. W.	1701	4.0.	G. n.	Bot. rep. 312.
3 triflora. B. P.	three-flowered.			1796.	5.8.	G. b.	Bot. rep. 312. Bot. mag. 1297. Smith n. holl. t. 14.
4 tubiflora. B. P.	crimson.			1802.		- G. h.	Smith n. holl. t. 14.
PLUMBAGO. W.	LEADWORT.	Plumbagineæ. B.F	·.				
1 europæa. W.	European.			1596.	9.10	н.4.	Schk.handb.1.t.36. 21
2 zeylanica. W.	Ceylon.		E. Ind.	1731.	4.9.	S.h.	Rheed. mal. 10. t. 8.
3 rosea. W.	Rose-coloured.						Bot. mag. 230.
4 scandens. W.	climbing.	<del></del>	W. Ind.				Slo.jam.1.t.133.f.1.
5 tristis. H. K.	dark-flowered.			1792.	5.6.	G. h.	
CONVOLVULUS. B.P		Convolvulaceæ. B.I			~ ~	** **	Elim had one
1 drvensis. W.	small.		Britain.				Eng. bot. 312.
2 Scammonia. W. 3 pannifolius. H. K.	Scammony.			1805	6.0	G L	Mill. ic. 1. t. 102.
4 canariensis. W.	Canary.						
5 farinosus. W.	mealy-stalked.		Madeira.	1777.	5.6	G. 2L.	Par. lond. 45. Dill. elt. t. 85. f. 99. //
6 panduratus. W.	Virginian.		N. America.	1732.	6.9.	H.4.	Dill. elt. t. 85. f. 99. /43
7 ciliatus. W. en.	hairy:			1816.	7.9.	H.⊙.	Ja
8 Batatas. W.	tuberous.		India.	1597.		. S.4.	Rheed. mal. 7. t.50.
9 maximus. W.	great Ceylon.		Ceylon.	1799.	.7.	S. 24 .	11.t.53.
10 suffruticosus. H. K.			Madeira.			-G.h.	Bot. reg. 133.
11 Hermanniæ. W.	Peruvian.		Peru.	1799.	8.9.	G.4.	Jac. ic. 2. t. 315.
12 erubescens. B. M.	Maiden Blush.						Bot. mag. 1067.
13 althæoides. W.	Althæa-leaved.		Levant.				359.
14 bryoniæfolius. B.M. 15 macrocarpus. W.			S Amoriae	1750	7.8.	- SO	943. Plum. ic. t. 91. f.1.
16 glaber. W.	long-fruited.	4 1 2 2 2	Cavenne.	1806		S.h.	Aub. gui. t. 53.
17 siculus. W.	small-flowered.		S. Europe.	1640.	6.8	H.O.	Bocc. sic. t. 48.
18 pentapetaloides: W.			Majorca.	1789.	6.	H.O.	Jac. col. 4. t.22.f.2.
19 lineatus. W:	dwarf.		S. Europe.	1714.		-H.4.	Tri.obs.91.t.91.f.2.
20 saxatilis. W:	rock.	P		1796.		- G.4.	Bocc.mus.138.t.96
21 Cneorum. W.	silvery-leaved.		Levant.	1640.	5.9.	G. h.	Bot. mag. 459.
22 linearis. W.	narrow-leaved.			1770.		-G.h.	289.
23 Cantabrica. W.	Flax-leaved.	<del></del>	S. Europe.				Jac. aus. 3. t. 296.
24 Dorycnium. W.	silky-leaved.		Levant.	1806.	6.7.	H.h.	Want shair 04
25 scoparius. W.	Broom.	0.00	Canaries.	1733.	8.9.	G. ho	Vent. choix. 24.

	FENT	ANDRIA I					•
26 floridus. W.	many-flowered. C	Convolvulaceæ.B.P.	. Canaries.	1779.	8.9.	G. h.	Jac. ic. 1. t. 34.
27 elongatus. W. en.	long-peduncled.					H.⊙.,	
28 tricolor. W.	three-coloured.		S. Europe.	1629.		н.⊙.	Bot. mag. 27.
29 reptans. W.	creeping.		E. Ind.	1806.		S.h.	Rumph. amb. 5. t. 155. f. 1.
30 hirtus. W.	hairy-stalked.			1804.			(
CALYSTEGIA. B. P.	BEARBIND.	Convolvulaceæ.B.I					
1 sepium, B. P.			Britain.		6.9.	H.4.	Eng. bot. 313.
6 incarnata.		-173					Bot. mag. 732.
2 sylvestris. W. en.				1815.			
3 spithamæa. Ph.	small upright,						Eng. bot. 314.
4 Soldanella. B. P. IPOMŒA. B. P.	sea. Іром ФА.	Convolvulaceæ. B.1					
1 Quamoclit. W.	wing-leaved.						Bot. mag. 244.
2 luteola. W. en.	common scarlet.		Carolina.	1759.	6.9.	H.O.	221.
3 coccinea. W. en.	bright scarlet.		W. Ind.	1713.		S.⊙.	Bot. rep. 99. Willd.phy.1.t.2.f.3.
4 dissecta. Ph.	cut-leaved.		Georgia.	1813.		G.24.	Willd.phy.1.t.2.f.3.
5 carolina. Ph.	Carolina.		Carolina.	1732.	7.8.	H. Q.	Dill.elt. t. 84. f. 98.
6 lacunosa. W. 7 solanifolia. W.	Starry.		America	1759.		S. 3.	Plum. ic. t. 94. f. 1.
8 tuberosa. W.	tuberous-rooted.		W. Ind.	1731.		S. 4.	Sloa. jam.1.t.96.f.2.
9 insignis. B. Reg.	splendid.						Bot. reg. 75.
10 paniculata. B. Reg.	panicled.						62.
11 Bona nox. W.	prickly.						Bot. mag. 752.
12 campanulata. W.		<del></del>					Rheed. mal. 11. t. 56
13 violacea. W. 14 carnea. W.	purple-flowered. flesh-coloured.		S. America.	1732.		• S.O.	Plum. ic. t. 93. f. 1. Jac. am. 26. t. 18.
15 sanguinea. B. Reg.	blood-flowered.						Bot. reg. 9.
16 repanda. W.	scolloped.		W. Ind.				Par. lond. 81.
17 sibirica. P. S.	Siberian.		Siberia.	1779.	7.8.	H.⊙.	Pall.it.3. p.723.t.K.
18 medium. W.	arrow-headed.		E. Ind.			- S.⊙.	
19 denticulata. B. P.	denticulate.				·	- §.⊙.	Rheed.mal.11.t.55
20 tridentata. P. S.	trifid.		-:		2	- S.⊙.	11.t.65 Smith ic. pict. 17.
21 speciosa. P. S. 22 purpurea. P. S.	broad-leaved, great purple.		America	1699	6.9.	- S. η. Н. О.	Bot. mag. 113.
β incarnata.	flesh-coloured.					-H.⊙.	200 mag. 110.
y varia.	striped-flowered.						Bot. mag. 1682.
23 discolor. Jac.	spotted-flowered.						1005.
24 tamnifolia. W.	Tamnus-leaved.		Carolina.				Dill.elt.t.318.f.410
25 glaucifolia. W.			Mexico.				t. 87. f.101.
26 angustifolia. Jac.	narrow-leaved. three-lobed.		India.			s.⊙. H.⊙.	Jac. ic. rar. t. 317.
27 triloba. W. 28 hederifolia. W.	Ivy-leaved.		S America	1773.	7.		Plum.ic.82. t.93.f.2
29 Nil. P. S.	blue.		- America.				Bot. mag. 188.
30 hederacea. B. Reg.			N. America.	1729.		-H.⊙.	Bot. reg. 85.
31 cuspidata. P. S.	sharp-pointed.	-	S. America.	1732.	6.7	. H.⊙.	Fl. per. 2. t.119. f.a.
32 pentaphylla. Jac.	five-leaved.		W. Ind.	1739.	8.9	. §.⊙.	Jac. ic. 2. t. 319.
33 mutabilis. B. Reg.	changeable.	7	S. America. N. America.	1812.	5.9		Bot. reg. 39.
34 candicans. B. M.	hoary.		- N. America.	1000	0.8		Bot. mag. 1603. Bot. rep. 188.
35 grandiflora. B. R. 36 Jalapa. Ph.	great-flowered. Jalap.			1802.	8.9	G. h.	Bot. mag. 1572. 43
37 umbellata.	umbel-flowered.		W. Ind.	1739.	6.7	S.4.	Plum.am.88.t.102.
38 muricata. Jac.	rough-stalked.		· E. Ind.	1777.	7.8	. s.o.	Jac. schœ. 3, t. 323,
39 tuberculata. B.Reg.				1815.	8.9	S.h.	Bot. reg. 86.
40 pendula. B. P.	pendulous.						Bot. rep. 613.
41 hepaticifolia. W.	Hepatica-leaved.		- E. Ind.				Bur.ind.50. t.20.f.2
42 Pes-tigridis. W. 43 Pes-capræ.	palmated. thick-leaved.			1732.			Dill.elt.t.318.f.411 Rheed.mal.11.t.57,
44 brasiliensis.	Brazilian.	7.2	- S. America.				Plum ame.89.t.104
45 obscura. B. Reg.	hairy.		- E. Ind.				Bot. reg. 239.
RETZIA. Th.	RETZIA.	Convolvulaceæ?	J.				
spicata. Th.	spiked.	The same of	- C. B. S,	• • • •	5.6	. G.h.	Lam. ill. t. 103.
COBCEA. Cav.	Совса.	Bignoniaceæ. C.	Manie	7.500		0.07	D-4 050
scandens. Cay.	CGPER VA.		- Mexico.	1792	5.1	y. G. h	Bot. mag. 851.
POLEMONIUM. W.	GREEK VA-	Polemoniaceæ. J.					
1 reptans. W.	creeping.		- N. America.	1758	4.5	. H.2	Mill. ic. 2. t. 209,
2 cæruleum. W,	blue-flowered.		- Britain.	1100			Eng. bot. 14.
ß alba.	white-flowered.		<del></del>				F .7 1
y maculata,	spotted-flowered.			,	2 10	-	
		F 3	,				

PHLOX. W.	LYCHNIDEA.	Polemoniaceæ. J.				
1 paniculata. W.	panicled.		N. America.	1732. 8.9.	Н. ц.	Mill.ic. 2. t.205.f.2.
β alba.	white.			1813. —		
2 undulata. W.	waved-leaved.			1750 70	T.J. 31	
	_			1/09. /.0.	11.4.	Bet mer do and
3 acuminata. Ph.	Lyons.			1812. 5.8	11.4.	180
4 suaveolens. W.	white-flowered.			1766. 7.8.	н.4.	
5 maculata. W.	spot-stalked.			1740	- H.4.	Jac. vind. 2. t. 127.
6 pyramidalis. H. K.	pyramidal.			1800. 6.8.	H.1.	Ex. bot. 2. t. 87.
7 pilosa. W.	hairy-leaved.			1759 56	Hai	Bot mag. 1307.
8 amœna. B. M.	Fraser's hairy.			1000 65	LI M	1200
			0 11	1809. 6.7.	11.4.	1506.
9 Carolina. W.	rough-stemmed.		Carolina.	1728. 7.9	H. 4.	1344.
10 triflora. Mi.	pubescent.				- H.4.	
11 suffruticosa. W. en.	shining-leaved.		N. America.	1790. —	-H.4.	Bot. reg. 68.
12 glaberrima. W.	smooth.			1725. 6.8.	H. 2.	Dill.elt.t.166.f.202
13 divaricata. W.	early-flowering.			1746 46	Hal	Bot. mag. 163.
				1740. 4.0	YY 31	10t. mag. 100.
14 prostrata. H. K.	trailing.			1792.	-H.4.	
15 stolonifera. H. K.	creeping.			1800. 6.9	. н.ц.	Bot. mag. 563.
16 ovata. W.	ovate-leaved.			1759. 5.7	H.4.	528.
17 subulata. W.	awl-leaved.			1786, 4.6	. н.й.	411.
18 setacea. W.	fine-leaved.			4.5	T-T 2/	415.
VESTIA. W. en.	VESTIA.					
		Polemoniaceæ. J.	C-1 +14		~ -	. Bak = 0. 299.
lycioides. W. en.	Box-thorn-like.			1815	. G. h.	· DOR * * * KGG
IPOMOPSIS. Mi.	IPOMOPSIS.	Polemoniaceæ. J.	Cantuæ speci	es Willd.		
1 elegans. Ex. B.	scarlet.		Carolina.	1726, 8.9.	G. 2.	Ex. bot. 1. t. 13.
2 inconspicua. H. K.	small blue.					1. t. 14.
CALDASIA. W. en.	CALDASIA.		ZXIIICI ICI	1755. 5.11	. 11	1. 0. 1.10
		• • • • • • • • • • • • • • • • • • • •	NT 0 :		0.0	T ( 00
heterophylla.W.en.				1813. 5.12	s. <u>⊙</u> .	Bot. reg. 92.
LIGHTFOOTIA. W.	LIGHTFOOTIA.	Campanulaceæ.B.	P.			
1 oxycoccoides. W.	lance-leaved.	-	C. B. S.	1787. 7.	G.b.	Ex. bot. 2. t. 69.
2 subulata. W.	awl-leaved.		C.B.S.			L'Her.s.angl. 4.t.5.
CAMPANULA. B. P.				0.	0.4.	Li II Ci i Sitti Sitt I I I I I I I I I I I I I I I I I I
					TT 01	A11 12 4 0 C 0
1 cenisia. W.	ciliated.	***************************************	Switzerland.			All. ped.1. t.6. f. 2.
2 Bellardi. All.	Bellardi's.		Italy.	1813. —	-H.4.	t.85.f.5.
3 pulla. W	russet.		Austria.	1779	- H. 4.	Jac. aust. 3. t. 285. 24
4 gracilis. B. P.	slender.		N. S. W.			Bot. mag. 691.
5 Zoysii. W.	blunt-leaved.		Camiola			Jac. ic. 2. t. 334.
6 grandiflora. W.	great-flowered.	•	Siberia.			Bot. mag. 252.
7 carpatica. W.	Carpatian.		Carp. Alps.			117.
8 verticillata. W.	whorled-leaved.		Siberia.	1783. 6.	H. 4.	Pall. it. 3. t. G. f. 1.
9 rotundifolia. E. B.	round-leaved.		Britain.			Eng. bot. 866.
10 pumila. B. M.	dwarf.		Switzerland		TJ N	Pot mag 510
to pumna. D. M.	uwaii.		Switzeriand.		- 11.4.	CVIII 1 1 1 1 2
11 Scheuchzeri. Vill.	Scheuchzer's.		Europe.	1813	- H.M.	Vill. delph. 2. p. 50. t. 16.
-				-0-01		50. t. 16.
12 pubescens. W.	pubescent.		Bohemia.		- H.4.	
13 Lobelioides. W.	small-flowered.		Madeira.	1777. 7.8	. H.O.	
14 patula. W.	spreading.	-	Britain			Eng. bot. 42.
	_*		Directi.			
15 Rapunculus. W.	Rampion.					289.
16 persicifolia. W.	Peach-leaved.		Europe.	1596. 7.9	. н.4.	Fl. dan: 1087.
β maxima.	largePeach-leav.					Bot. mag. 397.
17 pyramidalis. W.	pyramidal.		Carniola.		- H.4:	
18 versicolor. H. K.	various-coloured		Greece	1788	- H. 21	Bot. rep. 396.
19 americana. W.	American		Dencylmania	1763 7	H 1	
	American.		rensylvania.	1700. 7.	11.0.	D 1 44110
20 nitida. W.	smooth-leaved.		N. America.			Dodar.mem.4.t.113
21 lilifolia. W.	Lily-leaved.	-	Siberia.	1784. 5.9	. н.4.	Bot. reg. 236.
22 rhomboidea. W.	Germander-leavel		Switzerland.	1775. 7.	H.4.	Barrel. ic. 567.
23 obliqua. W. en.	oblique-flowered.			1813. 6.7		
24 latifolia. W.	giant.		Dritain			Eng. bot. 302.
	0					
25 urticifolia. W.	Nettle-leaved.				H.4.	
26 Rapunculoides. W.			England.			Eng. bot. 1369.
27 azurea. B. M.	azure.		Switzerland.	1778	- H.4.	Bot. mag. 551.
28 collina. B. M.	Sage-leaved.					927.
29 bononiensis, W.	panicled.		Italy.			Mor.h.2.s.5.t.4.f.38
			Component			
30 ruthenica. W. en.	Russian.					2653.
31 Trachelium. W.	Throatwort.		Britain.			Eng. bot. 12.
32 sarmatica. B. Reg.	Betony-leaved.		Siberia.	1803	-H.4.	Bot. reg. 237.
33 glomerata. W.	clustered.		Britain.			Eng. bot. 90.4 628
\$4 Cervicaria. W.	wave-leaved.		Germany.			Fl. dan. 787.
			Switzenland	1705 60	H 1	Bot. mag. 1290.
35 thyrsoidea. W.	long-spiked.		Switzeriand.			
36 peregrina. W.	rough-leaved.					1257.
37 cernua. Th.	nodding-flowerd.		-	1804.	- G.∂.	
	-					

		A LIIV L	AALTIDIULIL II.	1011001		·		3,
5	88 capensis. W.	Cape.	Campanulaceæ.B.P.	C. B. S.	1803.	6.8.	$G, \odot$ .	Bot. mag. 782.
	39 hederacea. W.	Ivy-leaved.				5.6.	H.4.	Eng. bot. 73.
	10 Erinus. W.	forked.			1768.	7.8.	H.O.	Mor.h.s.5. t.3.f,25.
4	1 divergens. W. en.	spreading.			1814.			
	2 macrostachya. W.en.						H. 3.	
	13 caucasica. M. B.	Caucasian.		Caucasus.	1804.	7.8.	H.4.	
	14 lingulata. W. en.	tongue-leaved.		Hungary.				Plant.rar.hung.t.64
	15 capitata. B. M.	headed.		Greece.	1768.	6.7.	H.4.	Bot. mag. 811.
	6 punctata. W.	dotted-flowered.		Siberia.				1723.
	7 Medium. W.	Canterbury.		Germany.	1597.	6.9.	H. &.	Knorr.thes.1.t.G.2.
4	18 barbata. W.	bearded.		Italy.	1752.	6.7.	H.4.	Bot. mag, 1258.
	19 spicata. W.	spiked.		Switzerland.	1786.	7.	H. 3.	All. ped.1.t.46.f.2.
	00 alpina. W.	Alpine.			1779.		H.4.	Bot. mag. 957.
	1 coronata. B. Reg.	crowned.		Siberia.	1815.		H.4.	Bot. reg. 149.
	2 mollis. W.	soft.		Syria.				Bot, mag. 404.
5	3 saxatilis. W.	rock.		Candia.				Barr. ic. 79. t. 813.
5	4 laciniata. W.	jagged-leaved.		Greece.				Bot. rep. 385.
5	5 lanuginosa. W. en.	woolly-leaved.	-					•
	6 alliariæfolia. W.	Alliaria-leaved.		Caucasus.	1803.	7.9.	H. 24.	Par. lond. 26.
	7 sibirica. W.	Siberian.		Siberia.	1783.	]	н. д.	Bot. mag. 659,
	8 lacticolor. M. B.	milk-coloured.			1814.		H.4.	Bot. reg. 241.
	9 aggregata. W. en.	crowded-flowerd.			1817.		H. 24.	
	30 aurea. W.	golden-flowered.	4	Madeira.				Bot. reg. 57.
	1 fruticosa. W.	shrubby.		C. B. S.	1787.			G
	2 Speculum. W.		S	S. Europe.				Bot. mag. 102.
	3 hybrida. W.	Corn.		England.				Eng. bot. 375.
	4 Prismatocarpus. W.			C. B. S.				L'Her.ser.ang.2.t.3
	55 pentagonia. W.	five-angled.		Turkey.	1686.	1	H.O.	Bot. reg. 56.
	6 perfoliata. P. S.	perfoliate.		N. America.				Mor.h.2.s.5.t.2.f.23
	ROELLA. W.	1	Campanulaceæ.B.P.					
	1 ciliata. W.	ciliated.			1774.	6.9.	G.h.	Bot. mag. 378.
	2 squarrosa. W.	trailing.			1787.	7.	G.71.	200. 22.18. 01.01
	3 decurrens. W.	decurrent.				7.9.	G.O.	L'Her.ser.ang.4.t.6
	4 muscosa. W.	Moss-like.			1802.		G.O.	2 11er.ser.ang.4.0.0
1	PHYTEUMA. W.		Campanulaceæ.B.P.		10020		٥.٠٠	
•	1 hemisphærica. W.	linear-leaved.			1759	7.	н.э.	Jac ic 9 t 333.
	2 Scheuchzeri. W.	Scheuchzer's.		Switzeriana	1813	5.6	H 21	Rot mag 1:/07
	3 cordata. B. M.	heart-leaved.		Hungary				1466,
	4 comosa. W.	tufted.		Austria.				Jac.aus.5.t.app.50,
	5 orbicularis. W.	round-headed.		England				Eng. bot. 142.
	6 spicata. W.	spiked.		England.	1507	0.0.	H 2	Fl. dan. 362.
	7 ovatum. W.	oval-spiked.		Lattope.	1814.		H V	F1. dati. 302.
	8 canescens. W. en,	hoary.		Hungary				Pl. rar. hung. t. 14.
	9 campanuloides.H.K.			Concesses	1004.		H 2/	Bot. mag. 1015.
,	0 pinnata. W.	winged-leaved.		Candia	1640		G 21	Vent. cels. 52.
	TRACHELIUM. W.		Composition R D	Canula.	1040.		0.4.	vent. cets. 3z.
,	1 cæruleum. W.		Campanulaceæ.B.P.		1640	7.0	LI A	Dot you 70
		blue.	·	C. P. C				Bot. reg. 72.
	2 diffusum. W.	shrubby.	Married Control of the Control of th	C, D, S.	1787.		G.n.	
J	ASIONE. W.	SHEEP SSCA-	Campanulaceæ.B.P.					
	1 montana. W.	mountain.		Britain		07	HO	For hot dog
				Drain.				Eng. bot, 882.
_	2 perennis. W. OBELIA. W.	perennial.	Campanulaceæ.B.P.	r rance.	1/87.		11.4.	Add ong 50 to 12 10
1			Jampanuraceæ.D.P.	OBC	1.004	- 0	0 1	4
	1 simplex. W.	simple-stalked.		C. B. S.	1794.	5.8.	G. O.	
	2 linearis. W.	linear-leaved.			1791.	****	G.h.	D-4 242
	3 pinifolia. W.	Pine-leaved.						Bot. rep. 240.
	4 unidentata. H. K.	single-toothed.		D 14 1-				Bot. mag. 1484.
	5 Dortmanna. W.	water.		Britain.	3.004			Eng. bot. 140.
	6 salicifolia.	Willow-leaved.	, C 0 D C	Chin.	1794.	6.8.	G.h.	Bot. mag. 1325.
	Tupa. H. K. gigani			C D C	1500		0.31	
	7 bellidifolia. W.	Daisy-leaved.		C. B. S.	1790.		-	
	8 triquetra. W.	triangular.		T .	1774.	-	G. 4.	T
	9 longiflora. W.	long-flowered.			1752.		8.24.	Jac. vind. 1. t. 27,
	0 secunda, W.	side-flowering.			1790.		G. 4.	T. barrel . U. a. t. a.c.
	1 alata. B, P.	winged-stalked.						Lab.nov.holl.1.t.72
	2 assurgens. W.	purple.	<del></del>					Bot. rep. 553.
	3 fulgens. W. en.	fulgent.		Mexico.				659.
	4 splendens. W. en.	splendid.	-	*** * *				Bot. reg. 60.
	5 cardinalis. W.	Cardinal-flower.		Virginia.				Bot. mag. 320.
B	6 debilis, W.	feeble.		C. B. S,	1774.	7,8,	G.O.	
	F							

17 gracilis. B. P.	slender.	Campanulaceæ.B.P	P. N. S. W.	1801. 7.10	. G.⊙.	Bot. mag. 741.
18 purpurascens. B.P.	purplish.			1809. 6.8.	G. 4.	o a
19 siphilitica. W.	blue Cardinal.		· Virginia.	1665. 8.10.	. н. ц.	Jac. ic. 3. t. 597. 537 Bot. mag. 225.
20 surinamensis. W.	shrubby.		· W. Ind.	1786. 1.7.	S.b.	Bot. mag. 225.
21 inflata. W.	bladder-podded,		N. America.	1759. 7.8.	H.(.).	Lin.act.un 1741.f.1
22 cliffortiana. W.	purple-flowered.	<del></del>		1733	·н.о.	Lin.h.clif. 426.t.26.
23 urens. W.	acrid.		England.	6.7.	Н.и.	Lin.h.clif. 426.t.26, Eng. bot. 953.
24 goodenioides. H.K.			N. America.	1799. 68.	H 21.	Willd. hort. ber.30
25 amœna. Mi.	beautiful-blue.			1812.	H. 7/	Transition to belliou
26 pallida. Roth.	pale-blue.			1805	- IH 2/	
27 minuta. W.	small.		CBS	1779 60	G 21	Mich. gen.18. t.14. Bot. mag. 901. Herm.lugdb.t.109. Jac.schen.2. t.178.
28 Laurentia. W.	Italian.		Italy	1772. 0.9.	G.4.	Mich gan 10 + 14
	.t.		C P C	17/8. /.	G.O.	Mich. gen.18. t.14.
29 Erinus. W.	ascending		C. B. S.	1752. 6.9.	G. 4.	Bot. mag. 901.
30 erinoides. W.	trailing.	-		1759. 6.8.	G.J.	Herm.lugdb.t.109,
31 pubescens. W.	downy-leaved.		-	1780	- G. 4.	Jac.schoen.2.t.178.
32 bicolor. H. K.	spotted.			1/90.	- (*.(*).	Dot. mag. 514.
23 lutea. W.	yellow.		-	1774. 6.7.	G.4.	1319.
34 variifolia. B. M.	various-leaved.			1812	-G.4,	1692.
35 hirsuta. W.	hairy.			1759. 5.9.	G. 24.	Burm. afr. t. 40. f.2, Bot. mag. 644.
36 coronopifolia. W.	Buck's-horn.			1752. 7.8.	G. 4.	Bot. mag. 644.
37 ilicifolia. B. M.	Holly-leaved.			1815. 5.9.	G. 4.	1896.
38 crenata. W.	notched-leaved.	-	<del></del>	1794. 4.5.	G. 21.	
39 Speculum. B. M.	Looking-glass.			1812. 7.8.	$G. \bigcirc$	Bot. mag. 1499.
CYPHIA. W.		Campanulaceæ.B.P			٠.ن٠	
1 volubilis. W.	twining.	Campanulaceæ.D.1		1795.	G. 21	
			O. D. S.	1701 00	G. 34	Russy of t co fo
2 bulbosa, W.	bulbous.	Goodenavia D D		1791. 8.9.	G. 4.	Burm. afr.t. 39. f.2,
GOODENIA. B. P.	GOODENIA.	Goodenoviæ. B. P		1800 0	0.1	T) 4 05
1 ovata. B. P.	oval-leaved.		N. S. W.	1793, 6.10.	G.h.	Bot. rep. 68.
2 grandiflora. B. P.	large-flowered.			1802. 6.8.	G, h	Bot. mag. 890.
EUTHALES. B. P.	EUTHALES.	Goodenoviæ. B. P.	. Goodeniæ s	species. B. M.	lag.	
trinervis. B. P.	three-nerved.		New Holl.	1803. 5.9.	G, 4.	Bot. mag. 1137.
SCÆVOLA. B. P.	SCÆVOLA.	Goodenoviæ. B. P				
1 Lobelia. H. K.	Purslane-leaved.		W. Ind.	1724	S.h.	Plum.ic.t.165.f.1,
2 crassifolia. B. P.	thick-leaved.		New Holl.			Lab.nov.holl.1.t.79
3 microcarpa. B. P.	small-fruited.		N. S. W.			Bot. mag. 287.
4 suaveolens. B. P.	sweet-scented.			1793, 8.9.	G. 21 .	Bot. rep. 22.
DAMPIERA, B. P.	DAMPIERA.	Goodenoviæ. B. P.		1730. 0.5.	0,4.	Dot: 10p. 24.
		Ciodellovia: D. 1		1014 60	Cal	
stricta. B. P.	upright.			1814. 6.8.	G. 4 .	
SAMOLUS. W.	BROOK-WEED.	Primulaceæ? B. P			TT 21	F b. 4
1 Valerandi, B. P.	common.		Britain.			Eng. bot. 703,
2 littoralis. B. P.	sea-side.		N. S. W.	1806. 7.9.	G.4.	Lab.nov.hol.1.t.54.
CINCHONA. W.	CINCHONA.	Rubiaceæ. J.		,		
1 caribæa. W.	Caribæan.		W. Ind.	1780. 6.9.	S, h.	Bot. rep. 481.
2 floribunda. W.	many-flowered.	<del></del>	***************************************	1794	S.h.	Lamb.cinch.27.t.7.
PINCKNEYA. Mi.	PINCKNEYA.	Rubiaceæ. J.				
pubens. Mi.	downy.		Georgia.	1786. 6.7.	F.h.	Mich. amer. t. 13,
MUSS.ENDA. W.	Mussænda.	Rubiacea. J.	0			
pubescens. H. K.	pubescent.		China.	1805, 5.9.	G. b.	Bm 200 3. R. 511
PORTLANDIA. W.	PORTLANDIA.	Rubiaceæ. J.	· · · · · · · · · · · · · · · · · · ·	1000. 615.	0,17	
1 grandiflora. W.	great-flowered.	Tublacca. 5.	Jamaica	1775 69	SL	Bot. mag. 286.
	O .		oumaica.	1010	S.T.	1700 наб. 200.
2 coccinea. P. S.	scarlet.		Guiana	1012	S.n.	Aub minn 1 4 100
3 hexandra. W.	Laurel-leaved,		Adiana.	1909	13. n.	Aub.guian.1.t.122.
Contarea speciosa.	Aublet. & Pers.				FF-17 7	
GENIPA. P. S.	GENIP-TREE.	Rubiaceæ. J. Dun	roiæ & Garden	iæ species H	rold.	***
1 americana. P. S.	American.					Plum.i.c127.t.136.
2 Merianæ. P. S.	hairy.		Cayenne.	1800	S.h.	
GARDENIA. P. S.	GARDENIA.	Rubiaceæ. J.				
1 radicans. W.	rooting.		China.	1804. 3.6.	G.b.	Bot. reg. 73. 104
2 florida. W.	Cape Jasmine.					Rum.am.7.t.14.f.2.
B flore pleno.	double.					Ehret. pict. t. 15.
3 Thunbergia. W.	starry.	7	C. B. S.	1773, 1.3.	G.h.	Bot. mag. 1004.
4 latifolia. W.	broad-leaved.		E. Ind.	1787.	S. L.	Roxb. cor. 2. t.134.
A IGHIOIM. W.	Diona-Icarcu.				M. 15.	(Thunh, act stook
5 Rothmannia. W.	spotted-flowered	<del></del>	C. B. S.	1774. 7.	G.h.	Thunb. act. stock. 1776. t. 2.
					С Т	Powh son C + 105
6 uliginosa. W.	marsh.		E. Ind.			Roxb. cor. 2. t.135.
and the same of th						
7 armata. Sw.	armed.			1813		771
8 spinosa. W.	armed. thorny.	<del></del>	China.	1804. 7.9.	G.h.	Thu.gar.n.7.t.2.f.4.
	armed.		China. E. Ind.	1804. 7.9. 1777. —	G.h. S.h.	Roxb. cor. 2. t.136,
8 spinosa. W.	armed. thorny.		China. E. Ind.	1804. 7.9. 1777. ——————————————————————————————————	G.h. S.h. S.h.	Roxb. cor. 2. t.136, Thu.gar.n.8.t.1.f.2,
8 spinosa. W. 9 Dumetorum. W.	armed. thorny. bushy.		China. China.	1804. 7.9. 1777. ——————————————————————————————————	G.h. S.h. S.h.	Roxb. cor. 2. t.136,

	7 7714 7	LANDIUM II	1011001	11111	•		00
OXYANTHUS. Dec.	OXYANTHUS.	Rubiaceæ. J. Gar	deniæ species	Andre	vs.		
speciosus. H. K.	tube-flowered.		SierraLeone.		7.	S.h.	Bot. rep. 183:
RANDIA. P. S.	RANDIA.	Rubiaceæ. J.				~	
1 longiflora. P. L.	long-flowered.		SierraLeone.				
2 latifolia. P. S.	round-leaved.	D. I. T. C.			5.6.	S. h.	Bro.jam.143.t.8.f.1
WEBERA. W.	WEBERA.	Rubiaceæ. J. Cant	inium. Pers. A	3yn.		C 7.	Phood mal a + as
	cvmose.		E. Illu.	1811.		S.h.	Rheed. mal. 2.t.23.
2 cymosa. W. ERITHALIS. W.	ERITHALIS.	Rubiaceæ. J.		1011.	• • • •	J. 17 .	
fruticosa. W.	shrubby.		Jamaica.	1793.	7.8.	S.b.	Brown.jam.t.17.f.3
MORINDA. W.	MORINDA.	Rubiaceæ. J.					
1 umbellata. W.	umbelled.		E. Ind.	1809.			
2 citrifolia. W.	broad-leaved.		Otaheite.				Rheed. mal. 1. t. 52.
3 Royoc. W.	Laurel-leaved.	D 1: Y	W. Ind.		7.10.	S.h.	Jac. vind. 1. t. 16.
NAUCLEA. W.	NAUCLEA.	Rubiaceæ. J.	T2 T. 3	1000		C T	Dh . 1 1 0 4 00
orientalis. W.	oriental.	Pubicaco I	E. Ind.	1800.	• • • •	s.n.	Rheed. mal. 3.t.33.
CEPHAELIS. W.	CEPHAELIS.	Rubiacece. J.	Jamaica	1793.		Sh	
2 pedunculata. P. L.			SierraLeone.	1730.	2.	S.b.	Par, lond, 108,
HAMELLIA. W.	HAMELLIA.	Rubiaceæ. J.		• • • •		2.17.	
1 patens. W.	spreading.		St. Domingo	1752.	7.8.	S. h.	Ex. bot. 1. t. 24.
2 sphærocarpa. P. S.	round-fruited.		Mexico.	1811.		S.h.	Fl. par. 2. t. 221. f.b.
3 ventricosa. W.	large-flowered.		W. Ind.	1778.	9.11.	S.h.	Par. lond. 55.
RONDELETIA. W.	Rondeletia.	Rubiaceæ. J.	*** * 1			0.7	771
1 americana. W.	American.			1752.			Plum. ic. t. 242. f.1.
2 lævigata. H. K.	smooth-leaved.		Inmaios	1790.			
3 hirta. H. K. MACROCNEMUM {			vamaica,	1776.	0.0.	5. n.	
W.	MACROCNEMUM	Rubiaceæ. J.					
jamaicense. W.	Jamaica.		Jamaica.	1806.		S.h.	Swar.obs.68.t.3.f.1.
VANGUIERA. W.	VANGUIERA.	Rubiaceæ. J.				·	
edulis. W.	eatable.		India.	1809.		S.h.	Lam. ill. t. 159.
DENTELLA. W.	DENTELLA.	Rubiaceæ. J.					
repens. W.	creeping.		N. Holland.	1802.	7.	н.⊙.	Lam. ill. t. 118.
SERISSA. W.	Serissa. Japanese.	Rubiaceæ. J.	Innan	1707	5.0	G L	Rot mag 261
fætida. W.  \$ flore pleno.	double-flowered.		oapan.	1/0/.	0.9.	υ. η.	Dot. mag. 301.
PSYCHOTRIA. W.	PSYCHOTRIA.	Rubiaceæ. J.					*
1 asiatica. W.	Indian.		W. Ind.	1806.		S. b.	
2 citrifolia. W.	Citron-leaved.			1702		& L	
3 parasitica. W.	parasitic.	<del></del>		1802.	5.8.	S.h.	Jac.amer. t. 51.f.1.
4 brachiata. W.	cross-branched.		* .	1793.	• • • •	S.h.	
5 herbacea. W	herbaceous.		Jamaica.	1010	4.6.	S.4.	Jac. amer. t. 46.
6 pubescens. W.	pubescent. Coffee-tree.	Rubiaceæ. J.		1812.	• • • •	S. n.	
COFFEA. W. I arabica. W.	Arabian.	Ittiofaceæ. 5.	Yemen.	1696.	8.11.	S. L.	Bot. mag. 1303.
2 occidentalis. W.	western.		W. Ind.				Jac. amer. t. 47
CHIOCOCCA. W.	SNOW-BERRY.	Rubiaceæ. J.				.52.	,
racemosa. W.	cluster-flowered.		Jamaica.	1729.	2.	S. h.	Bot. rep. 284.
PÆDERIA. W.	PÆDERTA.	Rubiaceæ. J.	20.				
fœtida. W.	stinking.	D. I.	China.	1806.	• • • •	G.h.	Icon. Kæmpf. 9.
PLOCAMA. W.	PLOCAMA.	Rubiaceæ. J.	Conquies	1770		CI	
pendula. W.	pendulous. Honeysuckle.	Caprifoliæ. J. Ca		1779.			
LONICERA. W, 1 Caprifolium. W.	early.	Capitionae. 6.					Eng. bot. 799.
$\beta$ rubra.	early red.					H. h.	Schmidt arb. t.106.
2 dioica. W.	small-flowered.	]	N. America.	1766.	6.7.	Н. b.	Bot. reg. 138.
3 sempervirens. W.	trumpet.			1656.	5.8.	H. h.	Bot. mag. 781.
β minor.	small trumpet.		Carolina.	-		F.h.	1753.
4 grata. W.	evergreen.		N. America.	1730.	6.8.	Н.Ь.	Hort. angl. 15. n.
							10. t. 8.
5 flava. B. M. 6 implexa. W.	bright yellow.		Carolina. Minorca.				Bot. mag. 1318.
7 Periclymenum. W.			Britain.				Eng. bot. 800.
β serotina.	late red.						Schmidt arb. t.108.
y belgica.	Dutch.						Hor.ang.15. n.5.t.6
8 quercifolia.	Oak-leaved.					H.h.	~
8 japonica. W.	Japanese.						Bot. reg. 70.
9 nigra. W.	black-berried.						Schmidt arb. 110.
10 tatarica. W.	Tartarian.		Russia.	1752.	4.5.	H.h.	Bot. reg. 31.

11 Xylosteum. W.							
	fly.	Caprifoliæ. J.	England.		6.7.	H.b.	Eng. bot. 916.
12 pyrenaicum. W.	Pyrenean.		Pyrenees.	1739.	5.	H.h.	Mag.hor. mon. 200.
13 alpigena. W.	red-berried.		Switzerland.	1596.	4.5.	H. b.	Schmidt arb. t.112.
14 cærulea. W.	blue-berried.			1629.	3.4.	H.b.	t.114.
15 flexuosa. W.	flexuose.						
	ST. PETER'S ?					77 .	R:712
SYMPHORIA. Ph.	WORT.	Caprifoliæ. J. L	oniceræ specie	es Linn.			
glomerata. Ph.	common.		NI America	1500	00 1		6 1 111 1 1 1 1 1 1 1
DIERVILLA. J.	DIERVILLA.	Committee I F	N. America.	1/30.	8.9.	H. 12.	Schmidt arb. t.115.
		Caprifoliæ. J. L					
humilis. P. S.	yellow-flowered.		N. America.	1739.	6.7.	H. h.	Bot. mag. 1796.
TRIOSTEUM. W.	FEVERWORT.	Caprifoliæ. J.					
1 perfoliatum. W.	perfoliate.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	N. America.	1730.	6.7.	H.4.	Schku.hand.1.t.41
2 angustifolium. W.	narrow-leaved.	***************************************	Virginia.	1699.		H.4.	Pluk.alm.t.104.f.2.
CONOCARPUS. W.	BUTTON-TREE.	Combretaceæ. B.	P.				
1 erecta. W.	upright.			1752.		S.b.	Cat. car. 2. t. 33.
2 procumbens. W.	procumbent.		Cuba.				Jac. amer. t. 52. f. 2.
	(BASTARD )						
THESIUM. W.	{TOAD FLAX.}	Santalaceæ. B. P.					
1 linophyllum. W.	common.		England.		67	EI N	Fra hot 947
			Comment				Eng. bot. 247.
2 alpinum. P. S.	Alpine.		Germany.	1814.		F1.4.	Jac. aust. 5. t. 416.
3 ebracteatum. P. S.	obtuse-leaved.				]	H. 24.	Schrad, bot. jour.
							(
4 umbellatum. W.	umbelled.		N. America.	1782.	6.	H.4.	Pluk.man.t.342.f.1.
5 amplexicaule. W.	heart-leaved.		C. B. S.	1787.		Gh.	
MID ABILIS W	MARVEL OF	Mustaginam I					
MIRABILIS. W.	PERU.	Nyctagineæ. J.					
1 dichotoma. W.	forked.		Mexico.	1640.	7.8.	G. 24.	
2 Jalapa. W.	common.		India.				Bot. mag. 371.
β flava.	yellow-flowered.						
y alba.	white-flowered.	· · · · · · · · · · · · · · · · · · ·		-			
8 rubro-alba.	red and white.						
* rubro-flava.	red and yellow.			1010		Cal	
3 hybrida. W. en.	close-flowered.			1813.	6.9.	G. 4.	77 7 1 1 1 1 1 1
4 longiflora. W.	long-flowered.			1759.		G. 4.	Ex. bot. 1. t. 23.
CORIS. W.	Coris.	Primulaceæ. B. P.					R 536
monspeliensis. W.	Montpelier.			1640.	6.7.	G. 3.	Park.theat.571.f.3.
RAMONDA. P. S.	RAMONDA.	Solaneæ. B. P. V	erbasci specie	s Linn.			2151.
pyrenaica. W. cn.	Borage-leaved.		Damonobe	1001	e 1	T 31	Pot man acc
	2001 mg o 1000 t com		Pyrenees.	17.019	ે છેક ત્ર	12:4:	Bot. mag. 236.
			Pyrenees.	17.51,	- 01 I	11.4.	10t. mag. 236.
Verbascum Myconi	. Linn.		Pyrenees.	17.51,	. 91 1	11.4.	Dot. mag. 230.
Verbascom Myconi VERBASCUM. W.	. Linn. Mullein.	Solaneæ. B. P.					
Verbascom Myconi VERBASCUM. W. 1 Thapsus. W.	. Linn.  MULLEIN.  Shepherd's Club	Solaneæ. B. P.	Britain.		7.8. I	н. д.	Eng. bot. 549.
Verbascom Myconi VERBASCUM. W. 1 Thapsus. W. 2 Thapsoides. W.	. Linn. MULLEIN. Shepherd's Club bastard.	Solaneæ. B. P.	Britain. England.		7.8. I	H. &.	Eng. bot. 549.
Verbascom Myconi VERBASCUM. W. 1 Thapsus. W. 2 Thapsoides. W. 3 ovalifolium. H. K.	. Linn. MULLEIN. Shepherd's Club bastard. oval-leaved.	Solaneæ. B. P.	Britain. England. Caucasus.	1804.	7.8. I I 7.9. I	Н. д. Н. д. Н. ц.	Eng. bot. 549. Bot. mag. 1037.
Verbascum Myconi VERBASCUM. W. 1 Thapsus. W. 2 Thapsoides. W. 3 ovalifolium. H. K. 4 Boerbaavii. W.	. Linn. MULLEIN. Shepherd's Club bastard. oval-leaved. annual.	Solaneæ. B. P.	Britain. England. Caucasus. S. Europe.	1804. 1731.	7.8. I 7.9. I 7.8. I	H. ♂. H. ♂. H. ↓.	Eng. bot. 549.
Verbascum Myconi VERBASCUM. W. 1 Thapsus. W. 2 Thapsoides. W. 3 ovalifolium. H. K. 4 Boerhaavii. W. 5 elongatum. W. en.	. Linn. MULLEIN. Shepherd's Club bastard. oval-leaved. annual. long-stalked.	Solaneæ. B. P.	Britain. England. Caucasus. S. Europe.	1804. 1731. 1813.	7.8. I 7.9. I 7.8. I	H. ♂. H. ♂. H. ↓. H. ⊙.	Eng. bot. 549. Bot. mag. 1037.
Verbascum Myconi VERBASCUM. W. 1 Thapsus. W. 2 Thapsoides. W. 3 ovalifolium. H. K. 4 Boerhaavii. W. 5 elongatum. W. en. 6 pyramidatum. W.en.	. Linn. MULLEIN. Shepherd's Club bastard. oval-leaved. annual. long-stalked. pyramidal.	Solaneæ. B. P.	Britain. England. Caucasus. S. Europe.	1804. 1731. 1813.	7.8. I 7.9. I 7.8. I	H. ♂. H. ♂. H. Ų. H. ⊙. H. ♂.	Eng. bot. 549. Bot. mag. 1037.
Verbascum Myconi VERBASCUM. W. 1 Thapsus. W. 2 Thapsoides. W. 3 ovalifolium. H. K. 4 Boerhaavii. W. 5 elongatum. W. en. 6 pyramidatum. W. en. 7 hæmorrhoidale. W.	. Linn. MULLEIN. Shepherd's Club bastard. oval-leaved. annual. long-stalked. pyramidal. Madeira.	Solaneæ. B. P.	Britain. England. Caucasus. S. Europe. Caucasus. Madeira.	1804. 1731. 1813 1804	7.8. I 7.9. I 7.8. I ————————————————————————————————————	H. ♂. H. ♂. H. Ų. H. ♂. H. ♂.	Eng. bot. 549.  Bot. mag. 1037.  Mill. ic. 2. t. 273.
Verbascum Myconi VERBASCUM. W. 1 Thapsus. W. 2 Thapsoides. W. 3 ovalifolium. H. K. 4 Boerhaavii. W. 5 elongatum. W. en. 6 pyramidatum. W.en 7 hæmorrhoidale. W. 8 phlomoides. W.	. Linn. MULLEIN. Shepherd's Club bastard. oval-leaved. annual. long-stalked. pyramidal. Madeira. woolly.	Solaneæ. B. P.	Britain. England. Caucasus. S. Europe. Caucasus. Madeira. Italy.	1804. 1731. 1813 1804 1777. 1739.	7.8. I 7.9. I 7.8. I 6.8. 6	H. & . H. & . H. ↓ . H. Ø . H. & . G. & .	Eng. bot. 549.  Bot. mag. 1037.  Mill. ic. 2. t. 273.  Mœnchh.n.170.t.4.
Verbascum Myconi VERBASCUM. W. 1 Thapsus. W. 2 Thapsoides. W. 3 ovalifolium. H. K. 4 Boerhaavii. W. 5 elongatum. W. en. 6 pyramidatum. W. en. 7 hæmorrhoidale. W. 8 phlomoides. W. 9 floccosum. P. S.	. Linn. MULLEIN. Shepherd's Club bastard. oval-leaved. annual. long-stalked. pyramidal. Madeira. woolly.	Solaneæ. B. P.	Britain. England. Caucasus. S. Europe. Caucasus. Madeira. Italy.	1804. 1731. 1813 1804 1777. 1739.	7.8. I 7.9. I 7.8. I 1 6.8. 6	H. &. H. &. H. &. H. &. H. &. G. &. G. &.	Eng. bot. 549.  Bot. mag. 1037.  Mill. ic. 2. t. 273.  Mænchh.n.170.t.4.  Pl. rar. hung. t. 79.
Verbascum Myconi VERBASCUM. W. 1 Thapsus. W. 2 Thapsoides. W. 3 ovalifolium. H. K. 4 Boerhaavii. W. 5 elongatum. W. en. 6 pyramidatum. W. en. 7 hæmorrhoidale. W. 8 phlomoides. W. 9 floccosum. P. S. 10 Lychnites. W.	. Linn. MULLEIN. Shepherd's Club bastard. oval-leaved. annual. long-stalked. pyramidal. Madeira. woolly. wool-bearing. white.	Solaneæ. B. P.	Britain. England. Caucasus. S. Europe. Caucasus. Madeira. Italy. Hungary. Britain.	1894. 1731. 1813 1804 1777. 1739. 1805	7.8. I 7.9. I 7.8. I — I 6.8. ( 6.7. ( 6.8. I	H. &. H. &. H. &. H. &. H. &. G. &. H. &.	Eng. bot. 549.  Bot. mag. 1037.  Mill. ic. 2. t. 273.  Mœnchh.n.170.t.4.  Pl. rar. hung. t. 79.  Eng. bot. 58.
Verbascum Myconi VERBASCUM. W. 1 Thapsus. W. 2 Thapsoides. W. 3 ovalifolium. H. K. 4 Boerhaavii. W. 5 elongatum. W. en. 6 pyramidatum. W. en. 7 hæmorrhoidale. W. 8 phlomoides. W. 9 floccosum. P. S.	. Linn. MULLEIN. Shepherd's Club bastard. oval-leaved. annual. long-stalked. pyramidal. Madeira. woolly. wool-bearing. white.	Solaneæ. B. P.	Britain. England. Caucasus. S. Europe. Caucasus. Madeira. Italy. Hungary. Britain. England.	1804. 1731. 1813. 1804. 1777. 1739.	7.8. I 7.9. I 7.8. I 6.8. 6 6.7. 6 6.8. I	H. &. H. &. H. &. H. &. H. &. G. &. H. &. H. &.	Eng. bot. 549.  Bot. mag. 1037.  Mill. ic. 2. t. 273.  Mœnchh.n.170.t.4.  Pl. rar. hung. t. 79.  Eng. bot. 58.  ———————————————————————————————————
Verbascum Myconi VERBASCUM. W. 1 Thapsus. W. 2 Thapsoides. W. 3 ovalifolium. H. K. 4 Boerhaavii. W. 5 elongatum. W. en. 6 pyramidatum. W. en. 7 hæmorrhoidale. W. 8 phlomoides. W. 9 floccosum. P. S. 10 Lychnites. W.	. Linn. MULLEIN. Shepherd's Club bastard. oval-leaved. annual. long-stalked. pyramidal. Madeira. woolly. wool-bearing. white.	Solaneæ. B. P.	Britain. England. Caucasus. S. Europe. Caucasus. Madeira. Italy. Hungary. Britain. England. S. Europe.	1804. 1731. 1813. 1804. 1777. 1739. 1805.	7.8. I 7.9. I 7.8. I 6.8. 6 6.7. 6 6.8. I 5.8. I	H. ♂. H. ♂. H. ♂. H. ♂. H. ♂. G. ♂. H. ♂.	Eng. bot. 549.  Bot. mag. 1037.  Mill. ic. 2. t. 273.  Mœnchh.n.170.t.4.  Pl. rar. hung. t. 79.  Eng. bot. 58.  ———————————————————————————————————
Verbascum Myconi VERBASCUM. W. 1 Thapsus. W. 2 Thapsoides. W. 3 ovalifolium. H. K. 4 Boerhaavii. W. 5 elongatum. W. en. 6 pyramidatum. W. en. 7 hæmorrhoidale. W. 8 phlomoides. W. 9 floccosum. P. S. 10 Lychnites. W. 11 pulverulentum. E.B	. Linn. MULLEIN. Shepherd's Club bastard. oval-leaved. annual. long-stalked. pyramidal. Madeira. woolly. wool-bearing. white. powdered. rusty.	Solaneæ. B. P.	Britain. England. Caucasus. S. Europe. Caucasus. Madeira. Italy. Hungary. Britain. England. S. Europe. Caucasus.	1804. 1731. 1813. 1804. 1777. 1739. 1805.	7.8. I 7.9. I 7.8. I 6.8. 6 6.7. 6 6.8. I 5.8. I	H. ♂. H. ♂. H. ♂. H. ♂. H. ♂. G. ♂. H. ♂.	Eng. bot. 549.  Bot. mag. 1037.  Mill. ic. 2. t. 273.  Mœnchh.n.170.t.4.  Pl. rar. hung. t. 79.  Eng. bot. 58.  ———————————————————————————————————
Verbascum Myconi VERBASCUM. W. 1 Thapsus. W. 2 Thapsoides. W. 3 ovalifolium. H. K. 4 Boerhaavii. W. 5 elongatum. W. en. 6 pyramidatum. W. en. 7 hæmorrhoidale. W. 8 phlomoides. W. 9 floccosum. P. S. 10 Lychnites. W. 11 pulverulentum. E.B 12 ferrugineum. W. 13 cupreum. B. M.	. Linn. MULLEIN. Shepherd's Club bastard. oval-leaved. annual. long-stalked. pyramidal. Madeira. woolly. wool-bearing. white. powdered. rusty.	Solaneæ. B. P.	Britain. England. Caucasus. S. Europe. Caucasus. Madeira. Italy. Hungary. Britain. England. S. Europe. Caucasus.	1804. 1731. 1813. 1804. 1777. 1739. 1683. 1798.	7.8. I 7.9. I 7.8. I 6.8. G 6.7. G H 6.8. H	H. &. H. &. H. &. H. &. H. &. G. &. H. &. H. &. H. &. H. &.	Eng. bot. 549.  Bot. mag. 1037.  Mill. ic. 2. t. 273.  Mœnchh.n.170.t.4.  Pl. rar. hung. t. 79.  Eng. bot. 58.  ———————————————————————————————————
Verbascum Myconi VERBASCUM. W.  1 Thapsus. W.  2 Thapsoides. W.  3 ovalifolium. H. K.  4 Boerhaavii. W.  5 elongatum. W. en.  6 pyramidatum. W. en.  7 hæmorrhoidale. W.  8 phlomoides. W.  9 floccosum. P. S.  10 Lychnites. W.  11 pulverulentum. E.B  12 ferrugineum. W.  13 cupreum. B. M.  14 nigrum. W.	. Linn. MULLEIN. Shepherd's Club bastard. oval-leaved. annual. long-stalked. pyramidal. Madeira. woolly. wool-bearing. white. powdered. rusty.	Solaneæ. B. P.	Britain. England. Caucasus. S. Europe. Caucasus. Madeira. Italy. Hungary. Britain. England. S. Europe. Caucasus.	1804. 1731. 1813. 1804. 1777. 1739. 1683. 1798.	7.8. I 7.9. I 7.8. I 6.8. G 6.7. G H 6.8. H	H. &. H. &. H. &. H. &. H. &. G. &. H. &. H. &. H. &. H. &.	Eng. bot. 549.  Bot. mag. 1037.  Mill. ic. 2. t. 273.  Mœnchh.n.170.t.4.  Pl. rar. hung. t. 79.  Eng. bot. 58.  ———————————————————————————————————
Verbascum Myconi VERBASCUM. W. 1 Thapsus. W. 2 Thapsoides. W. 3 ovalifolium. H. K. 4 Boerhaavii. W. 5 elongatum. W. en. 6 pyramidatum. W. en. 7 hæmorrhoidale. W. 8 phlomoides. W. 9 floccosum. P. S. 10 Lychnites. W. 11 pulverulentum. E.B 12 ferrugineum. W. 13 cupreum. B. M. 14 nigrum. W. 15 phæniceum. W.	. Linn. MULLEIN. Shepherd's Club bastard. oval-leaved. annual. long-stalked. pyramidal. Madeira. woolly. wool-bearing. white. powdered. rusty. copper-coloured black-rooted. purple-flowered.	Solaneæ. B. P.	Britain. England. Caucasus. S. Europe. Caucasus. Madeira. Italy. Hungary. Britain. England. S. Europe. Caucasus. England. S. Europe.	1894. 1731. 1813. 1804. 1777. 1739. 1805. 1683. 1798.	7.8. I 7.9. I 7.8. I 6.8. ( 6.7. ( 6.8. I 5.8. I I	H. &	Eng. bot. 549.  Bot. mag. 1037.  Mill. ic. 2. t. 273.  Mœnchh.n.170.t.4.  Pl. rar. hung. t. 79.  Eng. bot. 58.  ———————————————————————————————————
Verbascum Myconi VERBASCUM. W.  1 Thapsus. W. 2 Thapsoides. W. 3 ovalifolium. H. K. 4 Boerhaavii. W. 5 elongatum. W. en. 6 pyramidatum. W. en 7 hæmorrhoidale. W. 8 phlomoides. W. 9 floccosum. P. S. 10 Lychnites. W. 11 pulverulentum. E.B 12 ferrugineum. W. 13 cupreum. B. M. 14 nigrum. W. 15 phæniceum. W. 16 virgatum. E. B.	. Linn. Mullein. Mullein. Shepherd's Club bastard. oval-leaved. annual. long-stalked. pyramidal. Madeira. woolly. wool-bearing. white. powdered. rusty. copper-coloured black-rooted. purple-flowered. slender.	Solaneæ. B. P.	Britain. England. Caucasus. S. Europe. Caucasus. Madeira. Italy. Hungary. Britain. England. S. Europe. Caucasus. England. S. Europe. Britain.	1804. 1731. 1813. 1804. 1777. 1739. 1683. 1798.	7.8. I 7.9. I 7.8. I 6.8. 6 6.7. 6 6.8. I 5.8. I 8. I	H. & &	Eng. bot. 549.  Bot. mag. 1037.  Mill. ic. 2. t. 273.  Mœnchh.n.170.t.4.  Pl. rar. hung. t. 79.  Eng. bot. 58.  ———————————————————————————————————
Verbascum Myconi VERBASCUM. W.  1 Thapsus. W. 2 Thapsoides. W. 3 ovalifolium. H. K. 4 Boerhaavii. W. 5 elongatum. W. en. 6 pyramidatum. W. en, 7 hæmorrhoidale. W. 9 floccosum. P. S. 10 Lychnites. W. 11 pulverulentum. E.B. 12 ferrugineum. W. 13 cupreum. W. 14 nigrum. W. 15 phæniceum. W. 16 virgatum. E. B. 17 Blattaria. W.	. Linn. Mullein. Shepherd's Club bastard. oval-leaved. annual. long-stalked. pyramidal. Madeira. woolly. wool-bearing. white. powdered. rusty. copper-coloured black-rooted. purple-flowered. slender. moth.	Solaneæ. B. P.	Britain. England. Caucasus. S. Europe.  Caucasus. Madeira. Italy. Hungary. Britain. England. S. Europe. Caucasus. England. S. Europe. Britain. Britain.	1804. 1731. 1818. 1804. 1777. 1739. 1805. 1683. 1798.	7.8. I 7.9. I 7.8. I 6.8. I 6.8. I 15.8. I 8. I 7.8. I	H.H.H.H.H.H.H.H.H.H.H.H.H.H.H.H.H.H.H.	Eng. bot. 549.  Bot. mag. 1037.  Mill. ic. 2. t. 273.  Mœnchh.n.170.t.4.  Pl. rar. hung. t. 79.  Eng. bot. 58.  ———————————————————————————————————
Verbascum Myconi VERBASCUM. W.  1 Thapsus. W. 2 Thapsoides. W. 3 ovalifolium. H. K. 4 Boerhaavii. W. 5 elongatum. W. en. 6 pyramidatum. W. en. 7 hæmorrhoidale. W. 8 phlomoides. W. 9 floccosum. P. S. 10 Lychnites. W. 11 pulverulentum. E.B 12 ferrugineum. W. 13 cupreum. W. 14 nigrum. W. 15 phæniceum. W. 16 virgatum. E. B. 17 Blattaria. W. 18 glabrum. W. en.	. Linn. Mullein, Shepherd's Club bastard. oval-leaved. annual. long-stalked. pyramidal. Madeira. woolly. wool-bearing. white. powdered. rusty. copper-coloured black-rooted. purple-flowered. slender. moth.	Solaneæ. B. P.	Britain. England. Caucasus. S. Europe.  Caucasus. Madeira. Italy. Hungary. Britain. England. S. Europe. Caucasus. England. S. Europe. Britain.	1804. 1731. 1813. 1804. 1777. 1739. 1805. 1683. 1798.	7.8. ] 7.9. ] 7.8. ] 6.8. ] 6.8. ] 5.8. ] 1 7.8. ] 7.9. ]	H.H.H.H.H.H.H.H.H.H.H.H.H.H.H.H.H.H.H.	Eng. bot. 549.  Bot. mag. 1037.  Mill. ic. 2. t. 273.  Mœnchh.n.170.t.4.  Pl. rar. hung. t. 79.  Eng. bot. 58.  ———————————————————————————————————
Verbascum Myconi VERBASCUM. W.  1 Thapsus. W.  2 Thapsoides. W.  3 ovalifolium. H. K.  4 Boerhaavii. W.  5 elongatum. W. en.  6 pyramidatum. W. en.  7 hæmorrhoidale. W.  9 floccosum. P. S.  10 Lychnites. W.  11 pulverulentum. E.B  12 ferrugineum. W.  13 cupreum. B. M.  14 nigrum. W.  15 phæniceum. W.  16 virgatum. E. B.  17 Blattaria. W.  18 glabrum. W. en.  19 repandam. W. en.	. Linn. Mullein. Shepherd's Club bastard. oval-leaved. annual. long-stalked. pyramidal. Madeira. woolly. wool-bearing. white. powdered. rusty. copper-coloured black-rooted. purple-flowered. slender. moth. smooth.	Solaneæ. B. P.	Britain. England. Caucasus. S. Europe.  Caucasus. Madeira. Italy. Hungary. Britain. England. S. Europe. Caucasus. England. S. Europe. Britain.	1804. 1731. 1813. 1804. 1777. 1739. 1683. 1596. 1596. 1805.	7.8. I 7.9. I 7.8. I 6.8. 6 6.7. 6 6.8. I 15.8. I 8. I 7.8. I	H.H.H.H.H.H.H.H.H.H.H.H.H.H.H.H.H.H.H.	Eng. bot. 549.  Bot. mag. 1037.  Mill. ic. 2. t. 273.  Mœnchh.n.170.t.4.  Pl. rar. hung. t. 79.  Eng. bot. 58.  ———————————————————————————————————
Verbascum Myconi VERBASCUM. W.  1 Thapsus. W.  2 Thapsoides. W.  3 ovalifolium. H. K.  4 Boerhaavii. W.  5 elongatum. W. en.  6 pyramidatum. W. en.  7 hæmorrhoidale. W.  8 phlomoides. W.  11 pulverulentum. E.B.  12 ferrugineum. W.  13 cupreum. B. M.  14 nigrum. W.  15 phæniceum. W.  16 virgatum. E. B.  17 Blattaria. W.  18 glabrum. W. en.  19 repandam. W. en.  20 sinuatum. W.	. Linn. Mullein. Mullein. Shepherd's Club bastard. oval-leaved. annual. long-stalked. pyramidal. Madeira. woolly. wool-bearing. white. powdered. rusty. copper-coloured black-rooted. purple-flowered. slender. moth. smooth. waved. scollop-leaved.	Solaneæ. B. P.	Britain. England. Caucasus. S. Europe. Caucasus. Madeira. Italy. Hungary. Britain. England. S. Europe. Caucasus. England. S. Europe. Britain. S. Europe. Britain.	1804. 1731. 1818. 1777. 1739. 1805. 1683. 1798. 1596. 1805. 1813. 1813.	7.9. I 1 7.9. I 1 7.9. I 1 6.8. 6.7. 6 6.7. 6 6.8. I 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	H.H.H.H.H.G.G.H.H.H.H.H.H.H.H.H.H.H.H.H	Eng. bot. 549.  Bot. mag. 1037.  Mill. ic. 2. t. 273.  Mœnchh.n.170.t.4.  Pl. rar. hung. t. 79.  Eng. bot. 58.  ———————————————————————————————————
Verbascum Myconi VERBASCUM. W.  1 Thapsus. W. 2 Thapsoides. W. 3 ovalifolium. H. K. 4 Boerhaavii. W. 5 elongatum. W. en. 6 pyramidatum. W.en. 7 hæmorrhoidale. W. 9 floccosum. P. S. 10 Lychnites. W. 11 pulverulentum. E.B. 12 ferrugineum. W. 13 cupreum. B. M. 14 nigrum. W. 15 phæniceum. W. 16 virgatum. E. B. 17 Blattaria. W. 18 glabrum. W. en. 19 repandam. W. en. 20 sinuatum. W.	. Linn. Mullein. Shepherd's Club bastard. oval-leaved. annual. long-stalked. pyramidal. Madeira. woolly. wool-bearing. white. powdered. rusty. copper-coloured black-rooted. purple-flowered. slender. moth. smooth. waved. scollop-leaved. pinnatifid.	Solaneæ. B. P.	Britain. England. Caucasus. S. Europe.  Caucasus. Madeira. Italy. Hungary. Britain. England. S. Europe. Caucasus. England. S. Europe. Britain. S. Europe. Archipelago.	1894. 1721. 1813. 1877. 1739. 1805. 1683. 1798. 1596. 1813. 1813. 1870. 1870.	7.8. 1 7.9. 1 7.8. 1 1 6.8. 9 6.8. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	H.H.H.H.G.G.H.H.H.H.H.H.H.H.H.H.H.H.H.H	Eng. bot. 549.  Bot. mag. 1037.  Mill. ic. 2. t. 273.  Mœnchh.n.170.t.4.  Pl. rar. hung. t. 79.  Eng. bot. 58.  487.  Bot. rep. 162.  Bot. mag. 1226.  Eng. bot. 59.  Bot. mag. 885.  Eng. bot. 550.  393.
Verbascum Myconi VERBASCUM. W.  1 Thapsus. W. 2 Thapsoides. W. 3 ovalifolium. H. K. 4 Boerhaavii. W. 5 elongatum. W. en. 6 pyramidatum. W. en. 7 hæmorrhoidale. W. 9 floccosum. P. S. 10 Lychnites. W. 11 pulverulentum. E.B. 12 ferrugineum. W. 13 cupreum. W. 14 nigrum. W. 15 phæniceum. W. 16 virgatum. E. B. 17 Blattaria. W. 18 glabrum. W. en. 19 repandam. W. en. 20 sinuatum. W. 21 pinnatifidum. W. 22 bipinnatifidum. B.M.	. Linn. Mullein. Shepherd's Club bastard. oval-leaved. annual. long-stalked. pyramidal. Madeira. woolly. wool-bearing. white. powdered. rusty. copper-coloured black-rooted. purple-flowered. slender. moth. smooth. waved. scollop-leaved. pinnatifid. cut-leaved.	Solaneæ. B. P.	Britain. England. Caucasus. S. Europe.  Caucasus. Madeira. Italy. Hungary. Britain. England. S. Europe. Caucasus. England. S. Europe. Britain.  S. Europe. Britain.  S. Europe. Archipelago. Tauria.	1804. 1731. 1813. 1804. 1777. 1739. 1805. 1683. 1798. 1596. 1813. 1570. 1778. 1788.	7.8. 1 7.9. 1 6.8. 6 6.7. 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	H.H.H.H.H.G.H.H.H.H.H.H.H.H.H.H.H.H.H.H	Eng. bot. 549.  Bot. mag. 1037.  Mill. ic. 2. t. 273.  Mœnchh.n.170.t.4.  Pl. rar. hung. t. 79.  Eng. bot. 58.  ———————————————————————————————————
Verbascum Myconi VERBASCUM. W.  1 Thapsus. W. 2 Thapsoides. W. 3 ovalifolium. H. K. 4 Boerhaavii. W. 5 elongatum. W. en. 6 pyramidatum. W.en. 7 hæmorrhoidale. W. 9 floccosum. P. S. 10 Lychnites. W. 11 pulverulentum. E.B. 12 ferrugineum. W. 13 cupreum. B. M. 14 nigrum. W. 15 phæniceum. W. 16 virgatum. E. B. 17 Blattaria. W. 18 glabrum. W. en. 19 repandam. W. en. 20 sinuatum. W.	. Linn. Mullein. Shepherd's Clubbastard. oval-leaved. annual. long-stalked. pyramidal. Madeira. woolly. wool-bearing. white. powdered. rusty. copper-coloured black-rooted. purple-flowered. slender. moth. smooth. waved. scollop-leaved. pinnatifid. cut-leaved. Osbeck's.	Solaneæ. B. P.	Britain. England. Caucasus. S. Europe.  Caucasus. Madeira. Italy. Hungary. Britain. England. S. Europe. Caucasus. England. S. Europe. Britain.  S. Europe. Britain.  S. Europe. Archipelago. Tauria.	1804. 1731. 1813. 1804. 1777. 1739. 1805. 1683. 1798. 1596. 1813. 1570. 1778. 1788.	7.8. 1 7.9. 1 6.8. 6 6.7. 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	H.H.H.H.H.G.H.H.H.H.H.H.H.H.H.H.H.H.H.H	Eng. bot. 549.  Bot. mag. 1037.  Mill. ic. 2. t. 273.  Mœnchh.n.170.t.4.  Pl. rar. hung. t. 79.  Eng. bot. 58.  487.  Bot. rep. 162.  Bot. mag. 1226.  Eng. bot. 59.  Bot. mag. 885.  Eng. bot. 550.  393.
Verbascum Myconi VERBASCUM. W.  1 Thapsus. W. 2 Thapsoides. W. 3 ovalifolium. H. K. 4 Boerhaavii. W. 5 elongatum. W. en. 6 pyramidatum. W. en. 7 hæmorrhoidale. W. 9 floccosum. P. S. 10 Lychnites. W. 11 pulverulentum. E.B. 12 ferrugineum. W. 13 cupreum. W. 14 nigrum. W. 15 phæniceum. W. 16 virgatum. E. B. 17 Blattaria. W. 18 glabrum. W. en. 19 repandam. W. en. 20 sinuatum. W. 21 pinnatifidum. W. 22 bipinnatifidum. B.M.	. Linn. Mullein. Shepherd's Club bastard. oval-leaved. annual. long-stalked. pyramidal. Madeira. woolly. wool-bearing. white. powdered. rusty. copper-coloured black-rooted. purple-flowered. slender. moth. smooth. waved. scollop-leaved. pinnatifid. cut-leaved.	Solaneæ. B. P.	Britain. England. Caucasus. S. Europe.  Caucasus. Madeira. Italy. Hungary. Britain. England. S. Europe. Caucasus. England. S. Europe. Britain.  S. Europe. Britain.  S. Europe. Archipelago. Tauria.	1804. 1731. 1818. 1777. 1739. 1805. 1683. 1798. 1596. 1813. 1570. 1788. 1813. 1752.	7.8. I 7.9. I 6.8. I 1 6.8. I 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	H.H.H.H.G.G.B.B.B.B.B.B.B.B.B.B.B.B.B.B.	Eng. bot. 549.  Bot. mag. 1037.  Mill. ic. 2. t. 273.  Mœnchh.n.170.t.4.  Pl. rar. hung. t. 79.  Eng. bot. 58.  ———————————————————————————————————
Verbascum Myconi VERBASCUM. W.  1 Thapsus. W. 2 Thapsoides. W. 3 ovalifolium. H. K. 4 Boerhaavii. W. 5 elongatum. W. en. 6 pyramidatum. W. en. 7 hæmorrhoidale. W. 8 phlomoides. W. 9 floccosum. P. S. 10 Lychnites. W. 11 pulverulentum. E.B. 12 ferrugineum. W. 13 cupreum. W. 14 nigrum. W. 15 phæniceum. W. 16 virgatum. E. B. 17 Blattaria. W. 18 glabrum. W. en. 19 repandam. W. en. 20 sinuatum. W. 21 pinnatifidum. W. 22 bipinnatifidum. B.M	. Linn. Mullein. Shepherd's Clubbastard. oval-leaved. annual. long-stalked. pyramidal. Madeira. woolly. wool-bearing. white. powdered. rusty. copper-coloured black-rooted. purple-flowered. slender. moth. smooth. waved. scollop-leaved. pinnatifid. cut-leaved. Osbeck's.	Solaneæ. B. P.	Britain. England. Caucasus. S. Europe. Caucasus. Madeira. Italy. Hungary. Britain. England. S. Europe. Caucasus. England. S. Europe. Britain. S. Europe. Archipelago. Tauria. Spain. China.	1804. 1731. 1818. 1804. 1777. 1739. 1805. 1683. 1798. 1596. 1813. 1752. 1731.	7.8. 1 7.9. 1 6.8. 6 6.7. 4 1 1 1.5.8. 1 1 1.5.8. 1 1 1.5.8. 1 1.5.8. 1 1.5.8. 1 1.5.8. 1 1.7.8. 1 1.7.9. 1	H.H.H.H.G.G.H.H.H.H.H.H.H.H.H.H.H.H.H.H	Eng. bot. 549.  Bot. mag. 1037. Mill. ic. 2. t. 273.  Mœnchh.n.170.t.4. Pl. rar. hung. t. 79. Eng. bot. 58. ————————————————————————————————————
Verbascum Myconi VERBASCUM. W.  1 Thapsus. W. 2 Thapsoides. W. 3 ovalifolium. H. K. 4 Boerhaavii. W. 5 elongatum. W. en. 6 pyramidatum. W. en. 7 hæmorrhoidale. W. 9 floccosum. P. S. 10 Lychnites. W. 11 pulverulentum. E.B 12 ferrugineum. W. 13 cupreum. W. 14 nigrum. W. 15 phæniceum. W. 16 virgatum. E. B. 17 Blattaria. W. 18 glabrum. W. en. 19 repandam. W. en. 19 repandam. W. en. 20 sinuatum. W. 21 pinnatifidum. W. 22 bipinnatifidum.B.M 23 Osbeckii. W. DATURA. W.	. Linn. Mullein. Shepherd's Club bastard. oval-leaved. annual. long-stalked. pyramidal. Madeira. woolly. wool-bearing. white. powdered. rusty. copper-coloured black-rooted. purple-flowered. slender. moth. smooth. waved. scollop-leaved. pinnatifid. cut-leaved. Osbeck's. Thorn-Apple.	Solaneæ. B. P.	Britain. England. Caucasus. S. Europe. Caucasus. Madeira. Italy. Hungary. Britain. England. S. Europe. Caucasus. England. S. Europe. Britain. S. Europe. Archipelago. Tauria. Spain. China.	1804. 1731. 1813. 1804. 1777. 1739. 1805. 1683. 1798. 1596. 1813. 1570. 11788. 1813. 1752.	7.8. I 7.9. I 1 6.8. I I 1 6.8. I I I 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	H.H.H.H.H.G.H.H.H.H.H.H.H.H.H.H.H.H.H.H	Eng. bot. 549.  Bot. mag. 1037. Mill. ic. 2. t. 273.  Mœnchh.n.170.t.4. Pl. rar. hung. t. 79. Eng. bot. 58. ————————————————————————————————————
Verbascum Myconi VERBASCUM. W.  1 Thapsus. W. 2 Thapsoides. W. 3 ovalifoliam. H. K. 4 Boerhaavii. W. 5 elongatum. W. en. 6 pyramidatum. W. en. 7 hæmorrhoidale. W. 9 floccosum. P. S. 10 Lychnites. W. 11 pulverulentum. E.B. 12 ferrugineum. W. 13 cupreum. B. M. 14 nigrum. W. 15 phæniceum. W. 16 virgatum. E. B. 17 Blattaria. W. 18 glabrum. W. en. 19 repandam. W. en. 20 sinuatum. W. 21 pinnatifidum. W. 22 bipinnatifidum. B.M 23 Osbeckii. W. DATURA. W. 1 ferox. W. 2 Stramonium. W.	. Linn. Mullein. Shepherd's Club bastard. oval-leaved. annual. long-stalked. pyramidal. Madeira. woolly. wool-bearing. white. powdered. rusty. copper-coloured black-rooted. purple-flowered. slender. moth. smooth. waved. scollop-leaved. pinnatifid. cut-leaved. Osbeck's. Thorn-Apple. Chinese. common.	Solaneæ. B. P.	Britain. England. Caucasus. S. Europe.  Caucasus. Madeira. Italy. Hungary. Britain. England. S. Europe. Caucasus. England. S. Europe. Britain. S. Europe. Archipelago. Tauria. Spain.  China. England.	1804. 1731. 1813. 1804. 1777. 1739. 1805. 1683. 1798. 1596. 1813. 1570. 11788. 1813. 1752.	7.8. I 7.9. I 1 6.8. I I 1 6.8. I I I 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	H.H.H.H.H.G.H.H.H.H.H.H.H.H.H.H.H.H.H.H	Eng. bot. 549.  Bot. mag. 1037. Mill. ic. 2. t. 273.  Mœnchh.n.170.t.4. Pl. rar. hung. t. 79. Eng. bot. 58. ————————————————————————————————————
Verbascum Myconi VERBASCUM. W.  1 Thapsus. W. 2 Thapsoides. W. 3 ovalifolium. H. K. 4 Boerhaavii. W. 5 elongatum. W. en. 6 pyramidatum. W. en. 7 hæmorrhoidale. W. 8 phlomoides. W. 9 floccosum. P. S. 10 Lychnites. W. 11 pulverulentum. E.B. 12 ferrugineum. W. 13 cupreum. W. 14 nigrum. W. 15 phemiceum. W. 16 virgatum. E. B. 17 Blattaria. W. 18 glabrum. W. en. 19 repandam. W. en. 20 sinuatum. W. 21 pinnatifidum. W. 22 bipinnatifidum. M. 23 Osbeckii. W. DATURA. W. 1 ferox. W. 2 Stramonium. W. 3 Tatula. W.	. Linn. Mullein. Shepherd's Club bastard. oval-leaved. annual. long-stalked. pyramidal. Madeira. woolly. wool-bearing. white. powdered. rusty. copper-coloured black-rooted. purple-flowered. slender. moth. smooth. waved. scollop-leaved. pinnatifid. cut-leaved. Osbeck's. Thorn-Apple. Chinese. common. blue.	Solaneæ. B. P.  Solaneæ. B. P.	Britain. England. Caucasus. S. Europe. Caucasus. Madeira. Italy. Hungary. Britain. England. S. Europe. Caucasus. England. S. Europe. Britain. S. Europe. Britain. China. England. N. America.	1804. 1731. 1813. 1804. 1777. 1739. 1805. 1683. 1798. 1596. 1813. 1570. 11788. 1813. 1752.	7.8. I 7.9. I 1 6.8. I I 1 6.8. I I I 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	H.H.H.H.H.G.H.H.H.H.H.H.H.H.H.H.H.H.H.H	Eng. bot. 549.  Bot. mag. 1037. Mill. ic. 2. t. 273.  Mœnchh.n.170.t.4. Pl. rar. hung. t. 79. Eng. bot. 58. ————————————————————————————————————
Verbascum Myconi VERBASCUM. W.  1 Thapsus. W. 2 Thapsoides. W. 3 ovalifolium. H. K. 4 Boerhaavii. W. 5 elongatum. W. en. 6 pyramidatum. W. en. 7 hæmorrhoidale. W. 9 floccosum. P. S. 10 Lychnites. W. 11 pulverulentum. E.B 12 ferrugineum. W. 13 cupreum. W. 14 nigrum. W. 15 phæniceum. W. 16 virgatum. E. B. 17 Blattaria. W. 18 glabrum. W. en. 19 repandam. W. en. 20 sinuatum. W. 21 pinnatifidum. B.M 23 Osbeckii. W. DATURA. W. 1 ferox. W. 2 Stramonium. W. 3 Tatula. W. 4 fastuosa. W.	. Linn. Mullein. Shepherd's Club bastard. oval-leaved. annual. long-stalked. pyramidal. Madeira. woolly. wool-bearing. white. powdered. rusty. copper-coloured black-rooted. purple-flowered. slender. moth. smooth. waved. scollop-leaved. pinnatifid. cut-leaved. Osbeck's. Thorn-Apple. Chinese. common. blue. purple.	Solaneæ. B. P.	Britain. England. Caucasus. S. Europe. Caucasus. Madeira. Italy. Hungary. Britain. England. S. Europe. Caucasus. England. S. Europe. Archipelago. Tauria. Spain. China. England. England.	1804. 1731. 1813. 1804. 1777. 1739. 1805. 1683. 1798. 1596. 1813. 1570. 1813. 1752. 1731. 1629.	7.8. I 7.9. I 1 6.8. I 1 6.8. I 1 1 5.8. I 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	H.H.H.H.H.G.H.H.H.H.H.H.H.H.H.H.H.H.H.H	Eng. bot. 549.  Bot. mag. 1037. Mill. ic. 2. t. 273.  Moenchh.n.170.t.4. Pl. rar. hung. t. 79. Eng. bot. 58. ————————————————————————————————————
Verbascum Myconi VERBASCUM. W.  1 Thapsus. W. 2 Thapsoides. W. 3 ovalifolium. H. K. 4 Boerhaavii. W. 5 elongatum. W. en. 6 pyramidatum. W. en. 7 hæmorrhoidale. W. 8 phlomoides. W. 9 floccosum. P. S. 10 Lychnites. W. 11 pulverulentum. E.B. 12 ferrugineum. W. 13 cupreum. W. 14 nigrum. W. 15 phemiceum. W. 16 virgatum. E. B. 17 Blattaria. W. 18 glabrum. W. en. 19 repandam. W. en. 20 sinuatum. W. 21 pinnatifidum. W. 22 bipinnatifidum. M. 23 Osbeckii. W. DATURA. W. 1 ferox. W. 2 Stramonium. W. 3 Tatula. W.	. Linn. Mullein. Shepherd's Club bastard. oval-leaved. annual. long-stalked. pyramidal. Madeira. woolly. wool-bearing. white. powdered. rusty. copper-coloured black-rooted. purple-flowered. slender. moth. smooth. waved. scollop-leaved. pinnatifid. cut-leaved. Osbeck's. Thorn-Apple. Chinese. common. blue. purple. downy.	Solaneæ. B. P.  Solaneæ. B. P.	Britain. England. Caucasus. S. Europe. Caucasus. Madeira. Italy. Hungary. Britain. England. S. Europe. Caucasus. England. S. Europe. Britain. S. Europe. Britain. China. England. N. America. Egypt. Asia.	1894. 1721. 1818. 1777. 1739. 1805. 1683. 1798. 1596. 1813. 1570. 1788. 1813. 1752. 1731. 1629.	7.8. I 7.9. I 1 6.8. I 1 6.8. I 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	H.H.H.H.H.G.G.H.H.H.H.H.H.H.H.H.H.H.G.H	Eng. bot. 549.  Bot. mag. 1037. Mill. ic. 2. t. 273.  Mœnchh.n.170.t.4. Pl. rar. hung. t. 79. Eng. bot. 58. ————————————————————————————————————

	,		,,,,,				
7 ceratacaula. Jac.	horn-stalked.	Solaneæ. B. P.	Cuba.	1805.	6.8.	H.⊙.	Bot. reg.
BRUGMANSIA. P.S.	BRUGMANSIA.	Solaneæ. B. P. 1	Daturæ svecies				
1 suaveolens. W. en.						S.h.	
2 arborea. W. en.	downy-stalked,			1813.			
HYOSCYAMUS. W.	HENBANE.	Solaneæ. B. P.		10.0.	•	2,16	
1 niger. W.	common.		Duitein		67	H 1	Eng. bot. 591. 230
			C Ennanc				1311g. 000. 001.
2 albus. W.	white.		S. Europe.			H.⊙.	Compliant Brit 4 00
3 reticulatus. W.	Egyptian.		Egypt.				Com.hort.77. t. 22.
4 pallidus. W. en.	pale-flowered.					H.⊙.	
5 Senecionis. W. en.	yellow-flowered.		Egypt.			G.4.	_
6 aureus. W.	golden.		Levant.				Bot. mag. 87.
7 canariensis. B. Reg.	various-leaved.		Canaries.	1816.	1.12.	.G. h.	Bot. reg. 180.
8 pusillus. W.	dwarf.			1691.	7.	H.⊙.	Pluk. alm. t. 37. f.5.
9 physaloides. W.	purple-flowered.		Siberia.				Bot. mag. 852.
10 Scopolia. W.	Nightshade-lead.		Carniola.				1126.
NICOTIANA. W.	TOBACCO.	Solancæ. B. P.			,		
1 Tabacuni. W. en.	Virginian.		America.	1570.	7.8.	H.O.	Blackw. t. 146.
2 macrophylla. W.en.							21402/11 5/ 2 500
				1600		G. h.	
3 frutiçosa. W.	shrubby.						Dot man CTO
4 undulata. B. P.	waved-leaved.		N. S. W.				Bot. mag. 673.
5 rustica. W.	common.		America.				Blackw. t. 437.
6 paniculata. W.	panicled.		Peru.				Flor. per. 2. t. 129.
7 glutinosa. W.	clammy.			1759.		H.⊙.	Bot. rep. 484.
8 plumbaginifolia. }	curled-leaved.		America	1816		G.4.	
W. en.	curren-reaven.		America.	1010.		0.4.	
9 pusilla. W.	Primrose-leaved.		Vera Cruz.	1733.	8.	S. 3.	Mill.ic. 2. t. 185.f. 2.
10 quadrivalvis. Ph.	four-valved.						Bot. mag. 1778.
MANDRAGORA.					,		2.000 mig. 277 00
W. en.	MANDRAKE.	Solaneæ. B. P.	stropæ species	Linn.			
	officinal.		Lawant	3 5 4 0	9.4	LI M	Dull book 4 145
officinalis. W. en.		C.l. D.D	tre, anti-	1040.	3.4.	11:4.	Bull. herb. t. 145.
ATROPA. W.	ATROPA.	Solaneæ. B. P.					
1 Belladonna. W.	{ Deadly }	-	Britain.		6.7.	H. 24.	Eng. bot. 592.
	Nightshade.						-
2 frutescens. W.	shrubby.		Spain.	1737.	1.3.	G. h.	Cav. ic. 2. t. 102.
SOLANDRA. W.	SOLANDRA.	Solaneæ. B. P.	*				
grandiflora. W.	great-flowered.		Jamaica,	1781.	3.	S.h.	Jac. scheen.1. t. 45.
grandiflora. W,	great-flowered.	G.1	Jamaica,	1781.	3,	S, h.	Jac. schæn.1. t. 45.
grandiflora. W, PHYSALIS. W.	WINTER }	Solangæ. B. P.	Jamaica,	1781.	3,	S, h.	Jac. schæn.1. t.45.
PHYSALIS. W.	{WINTER CHERRY, }	Solaneæ. B. P.		·			
PHYSALIS. W. 1 somnifera. W.	WINTER CHERRY. }	Solaneæ. B. P.	Mexico.	1596.	7.8.	G.h.	Jac. schœn.1. t.45.  Cav. ic. 2. t. 103.
PHYSALIS. W.  1 somnifera. W. 2 aristata. W.	WINTER CHERRY, clustered. bearded.	Solaneæ. B. P.	Mexico.	1596. 1779.	7.8.	G.h. G.h.	Cav. ic. 2. t. 103.
PHYSALIS. W.  1 somnifera. W. 2 aristata. W. 3 flexuosa. W.	WINTER CHERRY, clustered. bearded. flexuose.	Solangæ. B. P.	Mexico. Canaries. E. Ind.	1596. 1779. 1759.	7.8. 7.8.	G.h. G.h. G.h.	Car. ic. 2. t. 103.  Rliged. mal .4.t.55.
PHYSALIS. W.  1 somnifera. W, 2 aristata. W, 5 flexuosa. W. 4 arborescens. W,	WINTER CHERRY, clustered. bearded. flexuose. shrubby.	Solangæ. B. P.	Mexico. Canaries. E. Ind. Campeachy.	1596. 1779. 1759. 1733.	7.8. 7.8. 6.8.	G.h. G.h. G.h. S.h.	Cav. ic. 2. t. 103.  Rheed. mal. 4. t. 55.  Mill. ic. 2. t. 206. f. 2.
PHYSALIS. W.  1 somnifera. W. 2 aristata. W. 3 flexnosa. W. 4 arborescens. W. 5 curassavica. W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby. Curassavian.	Solangæ. B. P.	Mexico. Canaries. E. Ind. Campeachy.	1596. 1779. 1759. 1733. 1699.	7.8. 7.8. 6.8. 6.9.	G.h. G.h. S.h. S.4.	Cav. ic. 2. t. 103.  Rheed. mal. 4. t. 55.  Mill.ic. 2. t. 206. f. 2.  Pluk.alm.t.111.f. 5.
PHYSALIS. W.  1 somnifera. W, 2 aristata. W, 5 flexuosa. W. 4 arborescens. W,	WINTER CHERRY, clustered. bearded. flexuose. shrubby.	Solaneæ. B. P.	Mexico. Canaries. E. Ind. Campeachy. S. America. America.	1596. 1779. 1759. 1733. 1699.	7.8. 7.8. 6.8. 6.9.	G.h. G.h. S.h. S.4.	Cav. ic. 2. t. 103.  Rheed. mal. 4. t. 55.  Mill. ic. 2. t. 206. f. 2.
PHYSALIS. W.  1 somnifera. W. 2 aristata. W. 3 flexnosa. W. 4 arborescens. W. 5 curassavica. W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby. Curassavian.	Solaneæ. B. P.	Mexico. Canaries. E. Ind. Campeachy. S. America. N. America.	1596. 1779. 1759. 1733. 1699.	7.8. 7.8. 6.8. 6.9.	G.h. G.h. S.h. S.4.	Cav. ic. 2. t. 103.  Rheed. mal. 4. t. 55.  Mill.ic. 2. t. 206. f. 2.  Pluk.alm.t.111.f. 5.
PHYSALIS. W.  1 somnifera. W. 2 aristata. W. 3 flexuosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W.	WINTER CHERRY, clustered. bearded. flexuose. shrubby. Curassavian. clammy.	Solaneæ. B. P.	Mexico. Canaries. E. Ind. Campeachy. S. America. America. N. America. S. Europe.	1596. 1779. 1759. 1733. 1699. 1732.	7.8. 7.8. 6.8. 6.9. 7.9.	G.h. G.h. S.h. S.4. H.4.	Cav. ic. 2. t. 103.  Rheed. mal. 4. t. 55.  Mill.ic. 2. t. 206. f. 2.  Pluk.alm.t.111.f. 5.
PHYSALIS. W.  1 somnifera. W. 2 aristata. W. 5 fixuosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby. Curassavian, clammy. Pensylvanian,	Solaneæ. B. P.	Mexico. Canaries. E. Ind. Campeachy. S. America. America. N. America. S. Europe.	1596. 1779. 1759. 1733. 1699. 1732. 1726.	7.8. 7.8. 6.8. 7.9.	G.h. G.h. S.h. S.4. H.4. H.4.	Cav. ic. 2. t. 103.  Rheed. mal .4. t. 55.  Mill. ic. 2. t. 206. f. 2.  Pluk.alm. t. 111. f. 5.  Jac. vind. 2. t. 136. 2
PHYSALIS. W.  1 somnifera. W, 2 aristata. W, 2 flexuosa. W. 4 arborescens. W, 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W. 9 Peruviana. W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby, Curassavian, clammy, Pensylvanian, common, eatable.	Solaneæ. B. P.	Mexico. Canaries. E. Ind. Campeachy. S. America. America. N. America. S. Europe. S. America.	1596. 1779. 1759. 1733. 1699. 1732. 1726. 1548.	7.8. 7.8. 6.8. 6.9. 7.9. 4.10.	G.h. G.h. S.h. S.4. H.4. H.4. G.4.	Cav. ic. 2. t. 103.  Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk.alm. t. 111. f. 5. Jac. vind. 2. t. 136. 2
PHYSALIS. W.  1 somnifera. W. 2 aristata. W. 3 flexuosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W. 9 Peruviana. W. 10 pubescens. W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby, Curassavian, clammy, Pensylvanian, common, eatable, downy,	Solaneæ. B. P.	Mexico. Canaries. E. Ind. Campeachy. S. America. N. America. S. Europe. S. America. America.	1596. 1779. 1759. 1733. 1699. 1732. 1726. 1548. 1772. 1640.	7.8. 7.8. 6.8. 6.9. 7. 7.9. 4.10. 7.8. 6.9.	G.h. G.h. S.h. S.μ. H.μ. H.μ. H.μ.	Cav. ic. 2. t. 103.  Rheed. mal. 4. t. 55.  Mill. ic. 2. t. 206. f. 2.  Pluk.alm. t. 111. f. 5.  Jac. vind. 2. t. 136. 2  Bot. mag. 1068.  Feuill. it. 3. t. 1.
PHYSALIS. W.  1 somnifera. W. 2 aristata. W. 3 flexnosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W. 9 Pernviana. W. 10 pubescens. W. 11 angulata. W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby. Curassavian, clammy, Pensylvanian, common, eatable, downy, angular-branch,	Solaneæ. B. P.	Mexico. Canaries. E. Ind. Campeachy. S. America. N. America. S. Europe. S. America. America.	1596. 1779. 1759. 1733. 1699. 1732. 1726. 1548. 1772. 1640.	7.8. 7.8. 6.8. 6.9. 7. 7.9. 4.10. 7.8. 6.9.	G.h. G.h. S.h. S.μ. H.μ. H.μ. H.μ.	Cav. ic. 2. t. 103.  Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk.alm. t. 111. f. 5. Jac. vind. 2. t. 136. 2
PHYSALIS. W.  1 somnifera. W, 2 aristata. W. 5 flexuosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W. 9 Peruviana. W. 10 pubescens. W. 11 angulata. W, 12 chenopodifolia. W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby, Curassavian, clammy, Pensylvanian, common, eatable, downy, angular-branch, Goose-foot-leav <sup>d</sup> .	Solaneæ. B. P.	Mexico. Canaries. E. Ind. Campeachy. S. America. N. America. S. Europe. S. America. America.	1596. 1779. 1759. 1733. 1699. 1732. 1726. 1548. 1772. 1640.	7.8. 7.8. 6.8. 6.9. 7. 7.9. 4.10. 7.8. 6.9.	G.h. G.h. S.h. S.μ. H.μ. H.μ. H.μ.	Cav. ic. 2. t. 103.  Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk.alm. t. 111. f. 5. Jac. vind. 2. t. 136.  Bot. mag. 1068. Feuill. it. 3. t. 1. Dil. elt. 13. t. 1.
PHYSALIS. W.  1 somnifera. W, 2 aristata. W. 5 flexuosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W. 9 Peruviana. W. 10 pubescens. W. 11 angulata. W. 12 chenopodifolia. W. 13 barbadensis, W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby, Curassavian, clammy, Pensylvanian, common, eatable, downy, angular-branch, Goose-foot-leav <sup>d</sup> , Barbadoes.	Solaneæ. B. P.	Mexico. Canaries. E. Ind. Campeachy. S. America. America. N. America. S. Europe. S. America. India. W. Ind.	1596. 1779. 1759. 1733. 1699. 1732. 1726. 1548. 1772. 1640. 1732. 1798.	7.8. 7.8. 6.8. 6.9. 7. 7.9. 4.10. 7.8. 6.9. 7.8.	G.h. G.h. S.h. S.h. S.h. H.H. H.H. H.G. H.O. H.O.	Cav. ic. 2. t. 103.  Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk.alm. t. 111. f. 5. Jac. vind. 2. t. 136.  Bot. mag, 1068. Feuill. it. 3. t. 1. Dil.elt. 13. t. 1.2 f. 12  Jac. ic. 1. t. 39.
PHYSALIS. W.  1 somnifera. W, 2 aristata. W, 3 flexuosa. W. 4 arborescens. W, 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W. 9 Peruviana. W. 10 pubescens. W. 11 angulata. W, 12 chenopodifolia. W. 13 barbadensis. W, 14 minima. W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby, Curassavian, clammy, Pensylvanian, common, eatable, downy, angular-branch, Goose-foot-leav <sup>d</sup> , Barbadoes, small,	Solaneæ. B. P.	Mexico. Canaries. E. Ind. Campeachy. S. America. America. N. America. S. Europe. S. America. India. W. Ind. E. Ind.	1596. 1779. 1759. 1733. 1699. 1732. 1726. 1548. 1772. 1640. 1732. 1798.	7.8. 7.8. 6.8. 6.9. 7. 7.9. 4.10. 7.8. 6.9. 7.8.	G.h. G.h. S.h. S.4. H.4. H.4. G.4. H.⊙. H.⊙.	Cav. ic. 2. t. 103.  Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk.alm. t. 111. f. 5. Jac. vind. 2. t. 136. 2  Bot. mag. 1068. Feuill. it. 3. t. 1. Dil. elt. 13. t. 1. 2 f. 12  Jac. ic. 1. t. 39. Rheed. mal. 10, t. 71.
PHYSALIS. W.  1 somnifera. W, 2 aristata. W. 3 flexuosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W. 9 Peruviana. W. 10 pubescens. W. 11 angulata. W, 12 chenopodifolia. W. 13 barbadensis. W, 14 minima. W. 15 pruinosa. W,	WINTER CHERRY, clustered, bearded, ffexuose, shrubby, Curassavian, clammy, Pensylvanian, common, eatable, downy, angular-branch, Goose-foot-leav <sup>d</sup> , Barbadoes, small, hairy-annual,	Solaneæ. B. P.	Mexico. Canaries. E. Ind. Campeachy. S. America. N. America. S. Europe. S. America. America. India. W. Ind. E. Ind. America.	1596. 1779. 1759. 1733. 1699. 1732. 1726. 1548. 1772. 1640. 1732. 1759.	7.8. 7.8. 6.8. 6.9. 7. 7.9. 4.10. 7.8. 6.9. 7.8.	G.h. G.h. S.h. H.4. H.4. H.9. H.9. H.9. H.9. H.9.	Cav. ic. 2. t. 103.  Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk.alm.t.111.f. 5. Jac. vind. 2. t. 136.  Bot. mag. 1068. Feuill. it. 3. t. 1. Dil.elt. 13. t. 12. f. 12  Jac. ic. 1. t. 39. Rheed. mal. 10, t. 71. Dill. elt. 10, t. 9. f. 9.
PHYSALIS. W.  1 somnifera. W, 2 aristata. W. 5 flexuosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W. 9 Peruviana. W. 10 pubescens. W. 11 angulata. W, 12 chenopodifolia. W. 13 barbadensis. W, 14 minima. W. 15 pruinosa. W, 16 prostrata. W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby. Curassavian, clammy. Pensylvanian, common, eatable, downy, angular-branch, Goose-foot-leav <sup>d</sup> . Barbadoes, small, hairy-annual, trailing.	Solaneæ. B. P.	Mexico. Canaries. E. Ind. Campeachy. S. America. N. America. S. Europe. S. America. America. America. W. Ind. E. Ind. America. Peru.	1596. 1779. 1759. 1733. 1699. 1732. 1726. 1548. 1772. 1640. 1732. 1759. 1759. 1759.	7.8. 7.8. 6.8. 6.9. 7. 7.9. 4.10. 7.8. 6.9. 7.8.	G. h. G. h. S. h. S. ¼. H. ¼. H. ¼. H. ⊙. H. ⊙. H. ⊙.	Cav. ic. 2. t. 103.  Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk.alm. t. 111. f. 5. Jac. vind. 2. t. 136.  Bot. mag. 1068. Feuill. it. 3. t. 1. Dil.elt. 13. t. 12. f. 12  Jac. ic. 1. t. 39. Rheed. mal. 10, t. 71. Dill. elt. 10, t. 9. f. 9. Bot. rep. 75.
PHYSALIS. W.  1 somnifera. W, 2 aristata. W. 3 flexuosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W. 9 Peruviana. W. 10 pubescens. W. 11 angulata. W, 12 chenopodifolia. W. 13 barbadensis, W. 14 minima. W. 15 pruinosa. W. 16 prostrata. W. NICANDRA. J.	WINTER CHERRY, clustered, bearded, flexuose, shrubby, Curassavian, clammy, Pensylvanian, common, eatable, downy, angular-branch, Goose-foot-leav <sup>d</sup> , Barbadoes, small, hairy-annual, trailing, NICANDBA,	Solaneæ. B. P.	Mexico. Canaries. E. Ind. Campeachy. S. America. America. S. Europe. S. America. India. W. Ind. E. Ind. America. Peru.	1596. 1779. 1759. 1733. 1699. 1732. 1726. 1548. 1772. 1640. 1782. 1798.	7.8. 7.8. 6.8. 6.9. 7.9. 4.10. 7.8. 6.9. 7.8.	G.h. G.h. S.h. S.h. S.4. H.4. H.Q. H.O. H.O. H.O.	Cav. ic. 2. t. 103.  Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk.alm. t. 111. f. 5. Jac. vind. 2. t. 136. 2 d.  Bot. mag, 1068. Feuill. it. 3. t. 1. Dil. elt. 13. t. 1. Dil. elt. 13. t. 12. f. 12  Jac. ic. 1. t. 39. Rheed. mal. 10, t. 71. Dill. elt. 10. t. 9. f. 9. Bot. rep. 75. Est. Linn.
PHYSALIS. W.  1 somnifera. W, 2 aristata. W. 5 flexuosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W. 9 Peruviana. W. 10 pubescens. W. 11 angulata. W, 12 chenopodifolia. W. 13 barbadensis. W, 14 minima. W. 15 pruinosa. W, 16 prostrata. W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby. Curassavian, clammy. Pensylvanian, common, eatable, downy, angular-branch, Goose-foot-leav <sup>d</sup> . Barbadoes, small, hairy-annual, trailing.	Solaneæ. B. P.	Mexico. Canaries. E. Ind. Campeachy. S. America. America. S. Europe. S. America. India. W. Ind. E. Ind. America. Peru.	1596. 1779. 1759. 1733. 1699. 1732. 1726. 1548. 1772. 1640. 1782. 1798.	7.8. 7.8. 6.8. 6.9. 7.9. 4.10. 7.8. 6.9. 7.8.	G.h. G.h. S.h. S.h. S.4. H.4. H.Q. H.O. H.O. H.O.	Cav. ic. 2. t. 103.  Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk.alm. t. 111. f. 5. Jac. vind. 2. t. 136. 2 d.  Bot. mag, 1068. Feuill. it. 3. t. 1. Dil. elt. 13. t. 1. Dil. elt. 13. t. 12. f. 12  Jac. ic. 1. t. 39. Rheed. mal. 10, t. 71. Dill. elt. 10. t. 9. f. 9. Bot. rep. 75. Est. Linn.
PHYSALIS. W.  1 somnifera. W, 2 aristata. W. 3 flexuosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W. 9 Peruviana. W. 10 pubescens. W. 11 angulata. W, 12 chenopodifolia. W. 13 barbadensis, W. 14 minima. W. 15 pruinosa. W. 16 prostrata. W. NICANDRA. J.	WINTER CHERRY, clustered, bearded, flexuose, shrubby. Curassavian, clammy, Pensylvanian, common, eatable, downy, angular-branch, Goose-foot-leav <sup>d</sup> . Barbadoes, small, hairy-annual, trailing, NICANDRA, blue-flowered, NIGHTSHADE.	Solaneæ. B. P.	Mexico. Canaries. E. Ind. Campeachy. S. America. America. S. Europe. S. America. India. W. Ind. E. Ind. America. Peru.	1596. 1779. 1759. 1733. 1699. 1732. 1726. 1548. 1772. 1640. 1782. 1798.	7.8. 7.8. 6.8. 6.9. 7.9. 4.10. 7.8. 6.9. 7.8.	G.h. G.h. S.h. S.h. S.4. H.4. H.Q. H.O. H.O. H.O.	Cav. ic. 2. t. 103.  Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk.alm. t. 111. f. 5. Jac. vind. 2. t. 136.  Bot. mag. 1068. Feuill. it. 3. t. 1. Dil.elt. 13. t. 12. f. 12  Jac. ic. 1. t. 39. Rheed. mal. 10, t. 71. Dill. elt. 10, t. 9. f. 9. Bot. rep. 75.
PHYSALIS. W.  1 somnifera. W, 2 aristata. W, 5 flexuosa. W. 4 arborescens. W, 5 curassavica. W, 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W. 9 Peruviana. W. 10 pubescens. W. 11 angulata. W, 12 chenopodifolia. W. 13 barbadensis. W, 14 minima. W. 15 pruinosa. W, 16 prostrata. W. NICANDRA. J. plysaloides. P. S,	WINTER CHERRY, clustered, bearded, flexuose, shrubby. Curassavian, clammy, Pensylvanian, common, eatable, downy, angular-branch, Goose-foot-leav <sup>d</sup> . Barbadoes, small, hairy-annual, trailing, NICANDRA, blue-flowered, NIGHTSHADE.	Solaneæ. B. P. C	Mexico. Canaries. E. Ind. Campeachy. S. America. America. N. America. S. Europe. S. America. India. W. Ind. E. Ind. America. Peru.	1596. 1779. 1759. 1733. 1699. 1732. 1726. 1548. 1772. 1640. 1782. 1759. 1759. 1759.	7.8. 6.8. 6.9. 7. 7.9. 4.10. 7.8. 6.9. 7.9.	G.h. G.h. S.h. S.h. S.4. H.4. H.4. H.0. H.0. H.0. H.0. H.0. H	Cav. ic. 2. t. 103.  Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk.alm. t. 111. f. 5. Jac. vind. 2. t. 136.  Bot. mag. 1068. Feuill. it. 3. t. 1. Dil.elt.13. t. 12. f. 12  Jac. ic. 1. t. 39. Rheed. mal. 10, t. 71. Dill. elt. 10. t. 9. f. 9. Bot. rep. 75. es Linn. Jac. obs. 4. t. 98.
PHYSALIS. W.  1 somnifera. W, 2 aristata. W. 3 flexuosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W. 9 Peruviana. W. 10 pubescens. W. 11 angulata. W. 12 chenopodifolia. W. 13 barbadensis. W. 14 minima. W. 15 pruinosa. W. 16 prostrata. W. NICANDRA. J. plysaloides. P. S. SOLANUM. W. 1 verbascifolium. W. 2 auriculatum. W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby, Curassavian, clammy, Pensylvanian, common, eatable, downy, angular-branch, Goose-foot-leav <sup>d</sup> , Barbadoes, small, hairy-annual, trailing, NICANDRA, blue-flowered.	Solaneæ. B. P. C. Solaneæ. B. P. C.	Mexico. Canaries. E. Ind. Campeachy. S. America. N. America. S. Europe. S. America. America. India. W. Ind. E. Ind. America. Peru. alydermos Fl. Peru. W. Ind.	1596. 1779. 1759. 1733. 1699. 1736. 1548. 1772. 1640. 1732. 1798. 1759. 1759. 1759.	7.8. 6.8. 6.9. 7. 7.9. 4.10. 7.8. 6.9. 7.8. 7.9. 6.9. 6.9. 6.7.	G.h. G.h. S.h. S.H. H.4. H.4. H.9. H.9. H.9. H.9. H.9. S.h. S.h.	Cav. ic. 2. t. 103.  Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk.alm.t. 111. f. 5. Jac. vind. 2. t. 136.  Bot. mag, 1068. Feuill. it. 3. t. 1. Dil. elt. 13. t. 12. f. 12  Jac. ic. 1. t. 39. Rheed. mal. 10, t. 71. Dill. elt. 10, t. 9. f. 9. Bot. rep. 75. es Linn. Jac. obs. 4. t. 98.
PHYSALIS. W.  1 somnifera. W, 2 aristata. W. 3 flexuosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W. 9 Peruviana. W. 10 pubescens. W. 11 angulata. W. 12 chenopodifolia. W. 13 barbadensis. W. 14 minima. W. 15 pruinosa. W. 16 prostrata. W. NICANDRA. J. plysaloides. P. S. SOLANUM. W. 1 verbascifolium. W. 2 auriculatum. W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby. Curassavian, clammy, Pensylvanian, common, eatable, downy, angular-branch, Goose-foot-leav <sup>d</sup> . Barbadoes, small, hairy-annual, trailing, NICANDRA, blue-flowered, NIGHTSHADE, Mullein-leaved, ear-leaved.	Solaneæ. B. P. C. Solaneæ. B. P. C.	Mexico. Canaries. E. Ind. Campeachy. S. America. N. America. N. America. S. Europe. S. America. America. India W. Ind. E. Ind. America. Peru. (alydermos Fl. Peru. W. Ind. Madagascar.	1596. 1779. 1759. 1733. 1699. 1736. 1548. 1772. 1640. 1732. 1798	7.8. 6.8. 6.9. 7.9. 4.10. 7.8. 6.9. 7.8. 6.9. 7.8. 6.9. 6.7. 6.7.	G.h. G.h. S.h. S.h. S.4. H.4. H.4. G.4. H.O. H.O. H.O. H.O. S.h. S.h.	Cav. ic. 2. t. 103.  Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk.alm. t. 111. f. 5. Jac. vind. 2. t. 136.  Bot. mag. 1068. Feuill. it. 3. t. 1. Dil.elt.13. t. 12. f. 12  Jac. ic. 1. t. 39. Rheed. mal. 10, t. 71. Dill. elt. 10. t. 9. f. 9. Bot. rep. 75. es Linn. Jac. obs. 4. t. 98.
PHYSALIS. W.  1 somnifera. W, 2 aristata. W. 3 flexuosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W. 9 Peruviana. W. 10 pubescens. W. 11 angulata. W. 12 chenopodifolia. W. 13 barbadensis. W. 14 minima. W. 15 pruinosa. W. 16 prostrata. W. NICANDRA. J. plysaloides. P. S. SOLANUM. W. 1 verbascifolium. W. 2 auriculatum. W. 3 Pseudo-capsicum	WINTER CHERRY, clustered, bearded, flexuose, shrubby. Curassavian, clammy, Pensylvanian, common, eatable, downy, angular-branch, Goose-foot-leav <sup>d</sup> . Barbadoes, small, hairy-annual, trailing, NICANDRA, blue-flowered, NIGHTSHADE, Mullein-leaved.	Solaneæ. B. P. C. Solaneæ. B. P. C.	Mexico. Canaries. E. Ind. Campeachy. S. America. N. America. S. Europe. S. America. America. India. W. Ind. E. Ind. America. Peru. alydermos Fl. Peru. W. Ind.	1596. 1779. 1759. 1733. 1699. 1736. 1548. 1772. 1640. 1732. 1798	7.8. 6.8. 6.9. 7.9. 4.10. 7.8. 6.9. 7.8. 6.9. 7.8. 6.9. 6.7. 6.7.	G.h. G.h. S.h. S.H. H.4. H.4. H.9. H.9. H.9. H.9. H.9. S.h. S.h.	Cav. ic. 2. t. 103.  Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk.alm.t. 111. f. 5. Jac. vind. 2. t. 136.  Bot. mag, 1068. Feuill. it. 3. t. 1. Dil. elt. 13. t. 12. f. 12  Jac. ic. 1. t. 39. Rheed. mal. 10, t. 71. Dill. elt. 10, t. 9. f. 9. Bot. rep. 75. es Linn. Jac. obs. 4. t. 98.
PHYSALIS. W.  1 somnifera. W, 2 aristata. W, 5 flexuosa. W. 4 arborescens. W, 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W. 9 Peruviana. W. 10 pubescens. W. 11 angulata. W, 12 chenopodifolia. W. 13 barbadensis. W, 14 minima. W. 15 pruinosa. W, 16 prostrata. W. NICANDRA. J. plysaloides. P. S, SOLANUM. W. 1 verbascifolium. W. 2 auriculatum. W. 3 Pseudo-capsicum W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby, Curassavian, clammy, Pensylvanian, common, eatable, downy, angular-branch, Goose-foot-leav <sup>d</sup> , Barbadoes, small, hairy-annual, trailing, NICANDRA, blue-flowered, NICHTSHADE, Mullein-leaved, ear-leaved, Winter-cherry,	Solaneæ. B. P. Co Solaneæ. B. P. Co	Mexico. Canaries. E. Ind. Campeachy. S. America. N. America. S. Europe. S. America. India. W. Ind. E. Ind. America. Peru. alydermos Fl. Peru. W. Ind. Madagascar. Madeira.	1596. 1779. 1759. 1733. 1699. 1732. 1726. 1548. 1772. 1640. 1782. 1759. 1759. 1759. 1749. 1759.	7.8. 7.9. 6.8. 6.9. 7.9. 4.10. 7.8. 6.9. 7.9. 6.7. 6.9.	G.h. G.h. S.h. S.4. H.4. H.4. G.4. H.O. H.O. H.O. S.h. S.h. G.h.	Cav. ic. 2. t. 103.  Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk.alm. t. 111. f. 5. Jac. vind. 2. t. 136.  Bot. mag, 1068. Feuill. it. 3. t. 1. Dil.elt. 13. t. 12. f. 12  Jac. ic. 1. t. 39. Rheed. mal. 10. t. 71. Dill. elt. 10. t. 9. f. 9. Bot. rep. 75. es Linn. Jac. obs. 4. t. 98.  Jac. vind. 1. t. 13. Scop. insub. 3. t. 8.
PHYSALIS. W.  1 somnifera. W, 2 aristata. W. 5 flexuosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W. 10 pubescens. W. 11 angulata. W, 12 chenopodifolia. W. 13 barbadensis. W. 14 minima. W. 15 pruinosa. W. 16 prostrata. W. NICANDRA. J. plysaloides. P. S. SOLANUM. W. 1 verbascifolium. W. 2 auriculatum. W. 3 Pseudo-capsicum W. 4 diphyllum. W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby. Curassavian, clammy, Pensylvanian, common, eatable, downy, angular-branch, Goose-foot-leav <sup>d</sup> . Barbadoes, small, hairy-annual, trailing, NICANDRA, blue-flowered, NIGHTSHADE, Mullein-leaved, ear-leaved. Winter-cherry, two-leaved.	Solaneæ. B. P. C. Solaneæ. B. P. C.	Mexico. Canaries. E. Ind. Campeachy. S. America. N. America. N. America. S. Europe. S. America. America. India W. Ind. America. Peru. alydermos Fl. Peru. W. Ind. Madagascar. Madeira. W. Ind,	1596. 1779. 1759. 1733. 1699. 1736. 1548. 1772. 1640. 1732. 1798. 1759. 1759. 1749. 1749. 1759.	7.8 7.8. 6.8. 6.9. 7.9. 4.10. 7.8. 6.9. 7.8 6.9. 6.7. 6.9.	G.h. G.h. S.h. H.4. H.4. H.4. H.6. H.6. H.6. H.6. S.h. S.h. S.h. S.h. S.h. S.h. S.h. S	Cav. ic. 2. t. 103.  Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk.alm.t. 111. f. 5. Jac. vind. 2. t. 136.  Bot. mag, 1068. Feuill. it. 3. t. 1. Dil.elt. 13. t. 12. f. 12  Jac. ic. 1. t. 39. Rheed. mal. 10, t. 71. Dill. elt. 10, t. 9. f. 9. Bot. rep. 75. es Linn. Jac. obs. 4. t. 98.  Jac. vind. 1. t. 13. Scop. insub. 3. t. 8.
PHYSALIS. W.  1 somnifera. W, 2 aristata. W. 5 flexuosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 8 Alkekengi. W. 9 Peruviana. W. 10 pubescens. W. 11 angulata. W, 12 chenopodifolia. W. 13 barbadensis. W, 14 minima. W. 15 pruinosa. W. 16 prostrata. W. NICANDRA. J. physaloides. P. S, SOLANUM. W. 1 verbascifolium. W. 2 auriculatum. W. 3 Pseudo-capsicum W. 4 diphyllum. W. 5 Dulcamara. W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby. Curassavian, clammy. Pensylvanian, common, eatable, downy, angular-branch, Goose-foot-leav <sup>d</sup> . Barbadoes, small, hairy-annual, trailing, NICANDRA, blue-flowered, NIGHTSHADE, Mullein-leaved, ear-leaved. Winter-cherry, two-leaved, Bitter-sweet,	Solaneæ. B. P. C Solaneæ. B. P. C	Mexico. Canaries. E. Ind. Campeachy. S. America. N. America. N. America. S. Europe. S. America. America. M. Indi. E. Ind. America. Peru. alydermos Fl. Peru. W. Ind. Madagascar. Madeira. W. Ind, Britain.	1596. 1779. 1759. 1733. 1699. 1726. 1548. 1772. 1640. 1732. 1798. 1759. 1759. 1749. 1759. 1749.	7.8. 7.9. 6.8. 7.9. 4.10. 7.8. 6.9. 7.9. 6.9. 7.8. 6.9. 6.9. 6.7. 6.7. 6.7.	G.h. G.h. H.4. H.4. H.9. H.9. H.9. H.9. S.h. S.h. S.h. S.h. H.9. S.h. S.h. S.h. S.h. h.h.	Cav. ic. 2. t. 103.  Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk.alm.t. 111. f. 5. Jac. vind. 2. t. 136.  Bot. mag, 1068. Feuill. it. 3. t. 1. Dil.elt. 13. t. 12. f. 12  Jac. ic. 1. t. 39. Rheed. mal. 10, t. 71. Dill. elt. 10, t. 79. Bot. rep. 75. es Linn. Jac. obs. 4. t. 98.  Jac. vind. 1. t. 13. Scop. insub. 3. t. 8.  Jac. ic. 2. t. 322. Eng. bot. 565.
PHYSALIS. W.  1 somnifera. W, 2 aristata. W. 3 flexuosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W. 10 pubescens. W. 11 angulata. W, 12 chenopodifolia. W. 13 barbadensis, W. 14 minima. W. 15 pruinosa. W. 16 prostrata. W. NICANDRA. J. plysaloides. P. S. SOLANUM. W. 1 verbascifolium. W. 2 auriculatum. W. 3 Pseudo-capsicum W. 4 diphyllum. W. 5 Dulcamera. W. 6 crassifolium. W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby. Curassavian, clammy. Pensylvanian, common, eatable, downy, angular-branch, Goose-foot-leav <sup>d</sup> . Barbadoes, small, hairy-annual, trailing, NICANDRA, blue-flowered, NIGHTSHADE, mullein-leaved, ear-leaved. Winter-cherry, two-leaved. Bitter-sweet, thick-leaved.	Solaneæ. B. P. C Solaneæ. B. P. C	Mexico. Canaries. E. Ind. Campeachy. S. America. N. America. N. America. S. Europe. S. America. America. India W. Ind. E. Ind. America. Peru. W. Ind. Madagascar. Madeira. W. Ind. Britain. C. B. S.	1596. 1779. 1759. 1733. 1699. 1734. 1796. 1548. 1772. 1640. 1732. 1798. 1759. 1759. 1749. 1759. 1699	7.8. 7.8. 6.8. 6.9. 7.9. 4.10. 7.8.  Atropp 6.7. 6.9. 6.7. 6.9.	G.h. G.h. G.h. H.4. H.4. H.4. H.6. H.6. H.6. H.6. H.6	Cav. ic. 2. t. 103.  Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk.alm.t. 111. f. 5. Jac. vind. 2. t. 136.  Bot. mag. 1068. Feuill. it. 3. t. 1. Dil.elt. 13. t. 1. Dil.elt. 13. t. 1. Dil.elt. 10. t. 71. Dill. elt. 10. t. 71. Dill. elt. 10. t. 9. f. 9. Bot. rep. 75. es Linn. Jac. obs. 4. t. 93.  Jac. vind. 1. t. 13. Scop. insub. 3. t. 8.  Jac. ic. 2. t. 322. Eng. bot. 565. Dill.elt. 1. 273. f. 352
PHYSALIS. W.  1 somnifera. W, 2 aristata. W. 5 flexuosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W. 10 pubescens. W. 11 angulata. W. 12 chenopodifolia. W. 13 barbadensis. W. 14 minima. W. 15 pruinosa. W. 16 prostrata. W. NICANDRA. J. plysaloides. P. S. SOLANUM. W. 1 verbascifolium. W. 2 auriculatum. W. 3 Pseudo-capsicum W. 4 diphyllum. W. 5 Dulcamara. W. 6 crassifolium. W. 7 quercifolium. W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby, Curassavian, clammy, Pensylvanian, common, eatable, downy, angular-branch, Goose-foot-leav <sup>d</sup> , Barbadoes, small, hairy-annual, trailing, NICANDRA, blue-flowered, NIGHTSHADE, Mullein-leaved, ear-leaved, Winter-cherry, two-leaved, Bitter-sweet, thick-leaved, Oak-leaved,	Solaneæ. B. P. Co. Solaneæ. B. P	Mexico. Canaries. E. Ind. Campeachy. S. America. N. America. S. Europe. S. America. America. India. W. Ind. E. Ind. America. Peru. W. Ind. Madagascar. Madeira. W. Ind. Britain, C. B. S. Peru.	1596. 1779. 1733. 1699. 1732. 1732. 1732. 1749. 1759. 1759. 1749. 1759. 1749. 1759. 1749. 1759.	7.8. 7.9. 6.9. 7.9. 4.10. 7.8. 6.9. 7.8. 6.9. 6.9. 6.9. 6.7. 6.7.	G.h. G.h. G.h. H. 4. H. 4. G. H. Q. S. h.	Cav. ic. 2. t. 103.  Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk.alm.t. 111. f. 5. Jac. vind. 2. t. 136.  Bot. mag, 1068. Feuill. it. 3. t. 1. Dil.elt. 13. t. 12. f. 12  Jac. ic. 1. t. 39. Rheed. mal. 10. t. 71. Dill. elt. 10. t. 9. f. 9. Bot. rep. 75. es Linn. Jac. obs. 4. t. 98.  Jac. vind. 1. t. 13. Scop. insub. 3. t. 8.  Jac. ic. 2. t. 322. Eng. bot. 565. Dill.elt. 1273. f. 352 Few. per. 772. t. 15.
PHYSALIS. W.  1 somnifera. W, 2 aristata. W. 5 flexuosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W. 10 pubescens. W. 11 angulata. W, 12 chenopodifolia. W. 13 barbadensis. W, 14 minima. W. 15 pruinosa. W, 16 prostrata. W. NICANDRA. J. plysaloides. P. S. SOLANUM. W. 1 verbascifolium. W. 2 auriculatum. W. 2 hyendo-capsicum. W. 4 diphyllum. W. 5 Dulcamagra. W. 6 crassifolium. W. 7 quercifolium. W. 8 laciniatum. W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby. Curassavian, clammy. Pensylvanian, common, eatable, downy, angular-branch, Goose-foot-leav <sup>d</sup> . Barbadoes, small, hairy-annual, trailing, NICANDRA, blue-flowered, NIGHTSHADE, Mullein-leaved, ear-leaved. Winter-cherry, two-leaved, Bitter-sweet, thick-leaved, Oak-leaved, cut-leaved,	Solaneæ. B. P. C Solaneæ. B. P. C	Mexico. Canaries. E. Ind. Campeachy. S. America. N. America. N. America. S. Europe. S. America. America. India W. Ind. E. Ind. America. Peru. alydermos Fl. Peru. W. Ind. Madagascar. Madeira. W. Ind. Britain. C. B. S. Peru. N. Holland.	1596. 1779. 1759. 1733. 1699. 1732. 1748. 1772. 1640. 1782. 1759. 1759. 1749. 1759. 1749. 1759. 1749. 1759.	7.8. 7.8. 6.8. 7. 7.9. 4.10. 7.8. 6.9. 7.8. 6.9. 6.9. 6.7. 7.8. 6.9. 7.8.	G.h.h. G.h.h. H.4. H.4. H.O. H.O. H.O. S. h. h. G.h. S. h. h. G.h. G.h. G.h. H.O. H.O. H.O. H.O. H.O. H.O. H.O. H	Cav. ic. 2. t. 103.  Rheed. mal. 4. t. 55. Mill.ic. 2. t. 206. f. 2. Pluk.alm.t.111.f. 5. Jac. vind. 2. t. 136.  Bot. mag, 1068. Feuill. it. 3. t. 1. Dil.elt.13. t. 12.f. 12  Jac. ic. 1. t. 39. Rheed.mal.10.t. 71. Dill. elt. 10. t. 9. f. 9. Bot. rep. 75. es Linn. Jac. obs. 4. t. 98.  Jac. vind. 1. t. 13. Scop. insub. 3. t. 8.  Jac. ic. 2. t. 322. Eng. bot. 565. Dill.elt.t. 273.f. 352 Few. per. 772. t. 15. Bot. mag. 349.
PHYSALIS. W.  1 somnifera. W, 2 aristata. W. 5 flexuosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W. 10 pubescens. W. 11 angulata. W, 12 chenopodifolia. W. 13 barbadensis. W. 14 minima. W. 15 pruinosa. W, 16 prostrata. W. NICANDRA. J. plysaloides. P. S, SOLANUM. W. 1 verbascifolium. W. 2 auriculatum. W. 3 Pseudo-capsicum W. 4 diphyllum. W. 5 Dulcamara. W. 6 crassifolium. W. 7 quercifolium. W. 8 laciniatum. W. 9 radicans. W,	WINTER CHERRY, clustered, bearded, flexuose, shrubby, Curassavian, clammy, Pensylvanian, common, eatable, downy, angular-branch, Goose-foot-leav <sup>d</sup> , Barbadoes, small, hairy-annual, trailing, NICANDRA, blue-flowered, NIGHTSHADE, Mullein-leaved, ear-leaved, Winter-cherry, two-leaved, Bitter-sweet, thick-leaved, Oak-leaved,	Solaneæ. B. P. C Solaneæ. B. P. C	Mexico. Canaries. E. Ind. Campeachy. S. America. N. America. N. America. S. Europe. S. America. America. India. W. Ind. E. Ind. America. Peru. alydermos Fl. Peru. W. Ind. Madagascar. Madeira. W. Ind. Britain, C. B. S. Peru. N. Holland. Peru.	1596. 1779. 1759. 1733. 1699. 1732. 1726. 1548. 1772. 1640. 1732. 1759. 1759. 1759. 1749. 1759. 1749. 1759. 1773.	7.8. 7.9. 6.8. 7.9. 4.10. 7.8. 6.9. 7.9. 6.9. 6.7. 6.9. 7.8.	G.h.h. G.h.h. H.4. H.4. H.9. H.9. H.9. H.9. G. S. H. H.9. G. S. H. H. G. S. H. G. H.	Cav. ic. 2. t. 103.  Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk.alm.t. 111. f. 5. Jac. vind. 2. t. 136.  Bot. mag, 1068. Feuill. it. 3. t. 1. Dil.elt. 13. t. 12. f. 12  Jac. ic. 1. t. 39. Rheed. mal. 10, t. 71. Dill. elt. 10, t. 7. Dill. elt. 10, t. 7. Jac. obs. 4. t. 98.  Jac. vind. 1. t. 13. Scop. insub. 3. t. 8.  Jac. ic. 2. t. 322. Eng. bot. 565. Dill. elt. t. 273. f. 352 Few. per. 772. t. 15. Bot. mag. 349. Linn. fil. dec. 1. t. 10.
PHYSALIS. W.  1 somnifera. W, 2 aristata. W. 3 flexuosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 8 Alkekengi. W. 9 Peruviana. W. 10 pubescens. W. 11 angulata. W, 12 chenopodifolia. W. 13 barbadensis, W. 14 minima. W. 15 pruinosa. W. 16 prostrata. W. NICANDRA. J. plysaloides. P. S. SOLANUM. W. 1 verbascifolium. W. 2 auriculatum. W. 3 Pseudo-capsicum W. 4 diphyllum. W. 5 Dulcamera. W. 6 crassifolium. W. 7 quercifolium. W. 8 laciniatum. W. 9 radicans. W. 10 havanense. W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby. Curassavian, clammy. Pensylvanian, common, eatable, downy, angular-branch, Goose-foot-leav <sup>d</sup> . Barbadoes, small, hairy-annual, trailing, NICANDRA, blue-flowered, NIGHTSHADE, Mullein-leaved, ear-leaved. Winter-cherry, two-leaved, Bitter-sweet, thick-leaved, Oak-leaved, cut-leaved,	Solaneæ. B. P. C Solaneæ. B. P. C	Mexico. Canaries. E. Ind. Campeachy. S. America. N. America. N. America. S. Europe. S. America. America. India. W. Ind. E. Ind. America. Peru. alydermos Fl. Peru. W. Ind. Madagascar. Madeira. W. Ind. Britain, C. B. S. Peru. N. Holland. Peru.	1596. 1779. 1759. 1733. 1699. 1732. 1726. 1548. 1772. 1640. 1732. 1759. 1759. 1759. 1749. 1759. 1749. 1759. 1773.	7.8. 7.9. 6.8. 7.9. 4.10. 7.8. 6.9. 7.9. 6.9. 6.7. 6.9. 7.8.	G.h.h. G.h.h. H.4. H.4. H.9. H.9. H.9. H.9. G. S. H. H.9. G. S. H. H. G. S. H. G. H.	Cav. ic. 2. t. 103.  Rheed. mal. 4. t. 55. Mill.ic. 2. t. 206. f. 2. Pluk.alm.t.111.f. 5. Jac. vind. 2. t. 136.  Bot. mag, 1068. Feuill. it. 3. t. 1. Dil.elt.13. t. 12.f. 12  Jac. ic. 1. t. 39. Rheed.mal.10.t. 71. Dill. elt. 10. t. 9. f. 9. Bot. rep. 75. es Linn. Jac. obs. 4. t. 98.  Jac. vind. 1. t. 13. Scop. insub. 3. t. 8.  Jac. ic. 2. t. 322. Eng. bot. 565. Dill.elt.t. 273.f. 352 Few. per. 772. t. 15. Bot. mag. 349.
PHYSALIS. W.  1 somnifera. W, 2 aristata. W. 5 flexuosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W. 10 pubescens. W. 11 angulata. W, 12 chenopodifolia. W. 13 barbadensis. W. 14 minima. W. 15 pruinosa. W, 16 prostrata. W. NICANDRA. J. plysaloides. P. S, SOLANUM. W. 1 verbascifolium. W. 2 auriculatum. W. 3 Pseudo-capsicum W. 4 diphyllum. W. 5 Dulcamara. W. 6 crassifolium. W. 7 quercifolium. W. 8 laciniatum. W. 9 radicans. W,	WINTER CHERRY, clustered, bearded, flexuose, shrubby. Curassavian, clammy. Pensylvanian, common, eatable, downy, angular-branch, Goose-foot-leav <sup>d</sup> . Barbadoes, small, hairy-annual, trailing, NICANDRA, blue-flowered, NIGHTSHADE, Mullein-leaved, ear-leaved, Winter-cherry, two-leaved, Bitter-sweet, thick-leaved, Oak-leaved, cut-leaved, rooting,	Solaneæ. B. P. C Solaneæ. B. P. C	Mexico. Canaries. E. Ind. Campeachy. S. America. N. America. N. America. S. Europe. S. America. America. India. W. Ind. E. Ind. America. Peru. alydermos Fl. Peru. W. Ind. Madagascar. Madeira. W. Ind. Britain, C. B. S. Peru. N. Holland. Peru.	1596. 1779. 1759. 1733. 1699. 1736. 1548. 1772. 1640. 1732. 1798.  1759. 1749. 1773. 1596. 1699 1784. 1772. 1772. 1772.	7.8. 7.8. 6.8. 7.9. 4.10. 7.8. 6.9. 7.9. 6.9. 7.8. 6.9. 7.8. 7.8.	G.h.h. G.h.h. H.4. H.4. H.9. H.9. H.9. H.9. H.9. H.9	Cav. ic. 2. t. 103.  Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk.alm.t. 111. f. 5. Jac. vind. 2. t. 136.  Bot. mag, 1068. Feuill. it. 3. t. 1. Dil.elt. 13. t. 12. f. 12  Jac. ic. 1. t. 39. Rheed. mal. 10, t. 71. Dill. elt. 10, t. 7. Dill. elt. 10, t. 7. Jac. obs. 4. t. 98.  Jac. vind. 1. t. 13. Scop. insub. 3. t. 8.  Jac. ic. 2. t. 322. Eng. bot. 565. Dill. elt. t. 273. f. 352 Few. per. 772. t. 15. Bot. mag. 349. Linn. fil. dec. 1. t. 10.
PHYSALIS. W.  1 somnifera. W, 2 aristata. W. 3 flexuosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 8 Alkekengi. W. 9 Peruviana. W. 10 pubescens. W. 11 angulata. W, 12 chenopodifolia. W. 13 barbadensis, W. 14 minima. W. 15 pruinosa. W. 16 prostrata. W. NICANDRA. J. plysaloides. P. S. SOLANUM. W. 1 verbascifolium. W. 2 auriculatum. W. 3 Pseudo-capsicum W. 4 diphyllum. W. 5 Dulcamera. W. 6 crassifolium. W. 7 quercifolium. W. 8 laciniatum. W. 9 radicans. W. 10 havanense. W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby. Curassavian, clammy. Pensylvanian, common, eatable, downy, angular-branch, Goose-foot-leav <sup>d</sup> . Barbadoes, small, hairy-annual, trailing, NICANDRA, blue-flowered, NIGHTSHADE, Mullein-leaved, ear-leaved, Winter-cherry, two-leaved, Bitter-sweet, thick-leaved, Oak-leaved, cut-leaved, rooting, Havannah,	Solaneæ. B. P. C Solaneæ. B. P. C	Mexico. Canaries. E. Ind. Campeachy. S. America. N. America. S. Europe. S. America. America. India. W. Ind. E. Ind. America. Peru. W. Ind. Madagascar. Madeira. W. Ind. Britain. C. B. S. Peru. N. Holland. Peru. W. Ind.	1596. 1779. 1759. 1733. 1699. 17326. 1548. 1772. 1640. 1782. 1759. 1759. 1759. 1749. 1773. 1596. 1784. 1787. 1772. 1771.	7.8. 7.9. 6.8. 6.9. 7.9. 4.10. 7.8. 6.9. 7.9. 6.9. 6.7. 7.9. 6.7. 7.8.	G.G. h. 4.4. H. 4.4. H. 4.4. H. G. H. G. H. G. S. G. S. H. G. G. S. h.	Cav. ic. 2. t. 103.  Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk.alm.t. 111. f. 5. Jac. vind. 2. t. 136.  Bot. mag. 1068. Feuill. it. 3. t. 1. Dil.elt.13. t. 12. f. 12  Jac. ic. 1. t. 39. Rheed.mal. 10, t. 71. Dill. elt. 10, t. 74. Dill. elt. 10, t. 75. es Linn. Jac. obs. 4. t. 98.  Jac. vind. 1. t. 13. Scop. insub. 3. t. 8.  Jac. ic. 2. t. 322. Eng. bot. 565. Dill.elt. 273. f. 352 Few. per. 772. t. 16. Bot. mag. 349. Linn. fil.dec. 1. t. 10. Jac. amer. 49. t. 35.
PHYSALIS. W.  1 somnifera. W, 2 aristata. W. 3 flexuosa. W. 4 arborescens. W. 5 curassavica. W. 6 viscosa. W. 7 pensylvanica. W. 8 Alkekengi. W. 9 Peruviana. W. 10 pubescens. W. 11 angulata. W. 12 chenopodifolia. W. 13 barbadensis. W. 14 minima. W. 15 pruinosa. W. 16 prostrata. W. NICANDRA. J. plysaloides. P. S. SOLANUM. W. 1 verbascifolium. W. 2 auriculatum. W. 3 Pseudo-capsicum W. 4 diphyllum. W. 5 Dulcamera. W. 6 crassifolium. W. 7 quercifolium. W. 8 laciniatum. W. 9 radicans. W. 10 havanense. W. 11 racemosum. W.	WINTER CHERRY, clustered, bearded, flexuose, shrubby, Curassavian, clammy, Pensylvanian, common, eatable, downy, angular-branch, Goose-foot-leav <sup>d</sup> , Barbadoes, small, hairy-annual, trailing, NICANDRA, blue-flowered, NICHTSHADE, Mullein-leaved, ear-leaved, Winter-cherry, two-leaved, Bitter-sweet, thick-leaved, Oak-leaved, cut-leaved, rooting, Havannah, wave-leaved,	Solaneæ. B. P. C Solaneæ. B. P. C	Mexico. Canaries. E. Ind. Campeachy. S. America. N. America. N. America. S. Europe. S. America. America. India. W. Ind. E. Ind. America. Peru. alydermos Fl. Peru. W. Ind. Madagascar. Madeira. W. Ind. Britain, C. B. S. Peru. N. Holland. Peru.	1596. 1779. 1759. 1733. 1699. 17326. 1548. 1772. 1640. 1782. 1759. 1759. 1759. 1749. 1773. 1596. 1784. 1787. 1772. 1771.	7.8. 7.9. 6.8. 6.9. 7.9. 4.10. 7.8. 6.9. 7.9. 6.9. 6.7. 7.9. 6.7. 7.8.	G.G. h. 4.4. H. 4.4. H. 4.4. H. G. H. G. H. G. S. G. S. H. G. G. S. h.	Cav. ic. 2. t. 103.  Rheed. mal. 4. t. 55. Mill. ic. 2. t. 206. f. 2. Pluk.alm.t. 111. f. 5. Jac. vind. 2. t. 136.  Bot. mag, 1068. Feuill. it. 3. t. 1. Dil.elt. 13. t. 12. f. 12  Jac. ic. 1. t. 39. Rheed. mal. 10. t. 71. Dill. elt. 10. t. 71. Dill. elt. 10. t. 9. f. 9. Bot. rep. 75.  cs. Linn. Jac. obs. 4. t. 98.  Jac. vind. 1. t. 13. Scop. insub. 3. t. 8.  Jac. ic. 2. t. 322. Eng. bot. 565. Dill. elt. 1273. f. 352 Few. per. 772. t. 15. Bot. mag. 349. Linn. fl. dec. 1. t. 10. Jac. amer. 49. t. 35.  ———————————————————————————————————

Tre	1 1111 1	ALL IDICIAL A	1011001	TATE	•		
13 bonariense. W.	tree.	Solaneæ. B. P.	Buen. Ayres.	1727.	6.9.	G. h.	{ Dill. elt. 364. t. 272. f. 351.
14 macrocarpon. W.	large-fruited.		Peru.	1759.	5.9.	S.h.	Mill. ic. 2. t. 294.
15 tuberosum. W.	Potatoe.			1597.	6.8.	H.2.	Bauh.prod.89.t.89.
16 Lycopersicum. W.	Love-Apple.	-	S. America.	1596.	7.9.	н.⊙.	Rumph. amb. 5. t. 154. f. 1.
17 Pseudo-Lycoper- }	round-fruited.			1800.	•	H.O.	Jac. host. 1. t. 11.
sicum. W. 18 nigrum. W.	black-berried.		Rritain.			_	Eng. bot. 566.
19 patulum. W.	spreading.		India.				Dill.elt.t.275.f.355
20 villosum. W. en.	villous.		Barbadoes.	• • • •			t.274.f.353
21 guineense. W. en. 22 melanocerasum.	large-berried.					_	t.274.f.354
W. en.	small-berried.		0	• • • •		н.⊙.	t.275.f.356
23 suffruticosum.W.en 24 Seaforthianum. B.R			Barbary.	1804.	5.9.	G.h.	Dat man End ich 1/1
25 æthiopicum. W.	Ethiopian.		Ethiopia.				Bot. rep. 504. 70 . 16. 1. Jac. vind. 1. t. 12.
26 betaceum. P. S.	Beet-leaved.		S. America.				Bot. rep. 511.
27 Melongena. W. 28 subinerme. W.	Egg-plant.		Africa, &c.				Pluk.pliyt, 226. f. 2
29 muricatum. W.	warted.						Jac. amer. t. 40.f. 3. Feuill. per. 2. t. 26.
30 ferox. W.	Malabar.	-	E. Ind.	1795.	8.9.	S. 4.	
31 insanum. P. S. 32 campechiense. W.	insane. purple-spined.			1815. 1732.			Pluk. alm. t. 226.f.3.
33 mammosum. W.	nipple.						Dill.elt. t.268.f.347 Pluk. alm. t.226.f.1.
34 virginianum. W.	Virginian.			1662.	5.8.	H.⊙.	Dill.elt. t.267.f.346
35 Jacquini. W. 36 coagulans. W.	Jacquin's. scollop-leaved.		E. Ind.	1804.	9.11	. §.⊙.	Jac. ic. 2. t. 332.
37 indicum. W.	Indian.		India.				Dill.elt.t.270.f.349
38 carolinense. W.	Carolina.		Carolina.				Jac. ic. 2. t. 331.
39 sodomeum. W. 40 Pyracantha. Sm.	black-spined. Orange-thorned.						Her.lud.573.t.575. Ex. bot. 2. t. 64.
41 marginatum. W.	white-margined.		Africa.				Jac. ic. 1. t. 45.
42 stramolifolium. W.	broad-leaved.	-	W. Ind.	1778.		· S.h.	1. t. 44.
43 tomentosum. W. 44 bahamense. W.	woolly. Bahama.		C. B. S.	1662.	6.7.	G.h.	Bocc. sic. 8. t. 5. Dill.elt. t.271.f.350
45 giganteum. W.	tall.		C. B. S.				Jac. ic. 2. t. 328.
46 Milleri. W.	Miller's.			1762.	7.8.	G.h.	2. t. 330.
47 lanceolatum. W. 48 igneum. W.	spear-leaved. red-spined.						Cav. ic. 3. t. 245. 2 17. Jac. vind. 1. t. 14.
49 trilobatum. W.	three-lobed.		India.				Bur.ind.57.t.22.f.2
50 lycioides. W.	spiny.		Peru.				Jac. ic. 1. t. 46.
51 cordifolium. Vent. 52 amazonium. B. M.	Canary. Lambert's.		Brazils.				Vent. malm. 85. Bot. reg. 71.
58 Fontanesianum.	Desfontaines'.			1813.	7.9.	H.O.	177.
54 pinnatifidum.	pinnatifid.	47.				H.O.	Pur. fl. am. sept. t.7
Solanum heterandr CAPSICUM, W,	CAPSICUM.	Solaneæ. B. P.					
1 annuum. W.	long-podded.	***************************************					Knorr.thes.2.t.C.6.
2 sphæricum. W. en.							
3 baccatum, W. 4 sinense. W.	Bird Pepper. oval-fruited.						Sloa.jam.1.t.146.f.2 Jac. vind. 3. t. 67.
5 grossum. W.	heart-shaped.		India.	1759.	7.	S. Z.	Besl. eyst. aut. 1. t. 11. f. 1.
6 frutescens. W.	shrubby.			. 1656	60	S L	t. 11. f. 1. Rumph.amb.5.t.88
7 bicolor. Jac.	dark-fruited.			1804		- S. h.	Bot. mag. 1835.
8 cerasiforme. W.	Cherry Pepper.			1759		· H.⊙.	
9 pendulum. W. en. CESTRUM. W.	pendulous. Cestrum.	Solaneæ. J.	• • • • • • • • • • •	1804	4.7.	S. h.	
1 laurifolium. W.	Laurel-leaved.			1691	5.8.	S.h.	Smith spicil. 2. t. 2.
2 macrophyllum. P. S				- 1812	. —	- S.h.	Vent. choix. 18.
3 fætidissimum. W.er 4 nocturnum. W.	n. stinking. night-smelling.						Jac.schæn.3.t.329. Dill.elt.t.153.f.185
5 Parqui. W.	Willow-leaved.			1787	6.7.	G.h.	Bot. mag. 1770.
6 auriculatum. W.	ear-leaved.		- Peru.	1774		· S.h.	{ L'Her. st. nov. 1. t. 35.
7 vespertinum. W.				1759.	5.7.	S.b.	Jac.schœn.3.t.328.
8 fastigiatum. B. M.	Honeysuckle.				11.	S. h.	Bot. mag. 1729.
9 diurnum, W.	day-smelling.		**************************************	1732		S.h.	Dill.elt.t.154.f.186

	2, 22, 1						
10 venenatum. W.	poisonous.	Solaneæ. B. P.	C. B. S.	1787.	2.4.	G.h.	
11 salicifolium. Jac.	Sallow-leaved.		Caracas.				Jac.schæn.3.t.326.
12 tomentosum. W.	downy.		S. America.	1790.	6.7.	S.h.	
LYCIUM. W.	Box-Thorn.	Solaneae. J.					
1 afrum. W.	African.		C. B. S.	1712.	6.7.	S.h.	Trew ehret. 4. t.24.
2 rigidum. W.	rigid.			1795.	4.5.	G.h.	
3 ruthenicum. W.	Russian.		Siberia	1804		HL	Murr.comm.goet.
5 ruthethethis v.				1504.		11.72.	Murr.comm.goet. 1779. t. 2.
4 barbarum. P. S.	Willow-leaved.		Barbary.	1696.	5.8.	H.h.	Schk. hand. 1. t. 46.
5 turbinatum. P. S.	top-shaped.		China.				Duh.ed.n.119.t.31.
6 europæum. P. S.	European.		S. Europe.				Mich.gen.t.105.f.1.
7 lanceolatum. P. S.	spear-leaved.			• • • •		H.h.	D 1 1 4 00
8 chinense. P. S.	Chinese.						Duh. ed. nov. t. 30.
9 ovatum. P. S.	oval-leaved.					_	Lam. ill. t. 112. f. 2.
10 horridum. W.	succurent-reaved		U. B. S.	1791.			T 'TTom of m 45 4 00
11 boerhaaviæfolium.W 12 carolinianum. Ph.	.grancous-reaved.		Carolina				L'Her.st. n. 45.t.23
ARDISIA. W.				1806.	7.9.	п. п.	
1 acuminata. W.	ARDISIA. acuminated.	Myrsineæ. B. P.			70	G L	Bot mer 1670
2 solanacea. W.	Nightshade-like.		E Ind				Bot. mag. 1678.
3 crenulata. P. S.	crenulated.		D. Iru,	1900	0.5.	S.T.	Vent. choix. t. 5.
4 lateriflora. W.	side-flowering.		W Ind.	1793.		S. h.	vento chona to de
5 littoralis. B. R.	sea-side.		E. Ind.				Bot. rep. 186.
6 elegans. B. R.	elegant.						49.
7 excelsa. W.	Laurel-leaved.						Gært. sem. 1. t. 77.
JACQUINIA. W.	JACQUINIA.	Sapoteæ. J.	2.2				
1 armillaris. W.	obtuse-leaved.		W. Ind.	1768.		S. b .	Jac. amer. 53. t. 3).
2 aurantiaca. H. K.	Orange-flowered						
3 ruscifolia. W.	prickly.		S. America.	1729.		S.h.	Dill.elt.t.129.f.149
ACHRAS. W.	SAPOTA.	Sapoteæ. B. P.				_	
1 mammosa. W.	Mammee.		S. America.	1739.		S.h.	Jac.amer.t.182.f.19
2 Sapota. W.	common.			1731.		S.h.	Jac. amer. 57.t.41.
\$ Zapotilla.	Naseberry-tree.			<del></del> ,		S. h.	57.t.41.b
CHRYSOPHYL- }	STAR-APPLE.						
LUM. W.	SIAN-APPLE.	Sapoteæ. B. P.					
1 Cainito. W.	broad-leaved.			1737.	5.6.	S.h.	Jac.amer.51.t.37.f.1
2 argenteum. W.	narrow-leaved.		Martinico.	1758.	• • • •	S.h.	53.t.38.f.1
SIDEROXYLON. W.	IRON-WOOD.	Sapoteæ. B. P.					
inerme. W.	smooth.			1692.		G.h.	Lam.ill.2. t.120.f.1.
SERSALISIA. B. P.	SERSALISIA.	Sapoteæ. B. P. S				O T	
sericea. B. P.	silky-leaved	C D. D. C.		1772.		G.h.	
BUMELIA. W.	BUMELIA.	Sapoteæ. B. P. Se				TT T	D. I am out 0 4 00
1 lycioides. Ph.	Boxthorn-leaved.						Duham.arb.2. t. 68.
2 tenax. W. 3 salicifolia. W.	silvery-leaved.		S America	1750	1.0.	e L	Jac. obs. 3. t. 54.
4 nigra. W.	Willow-leaved.		W Ind	1806.		S.h.	Out. car. 2. t. /5.
5 lanuginosa. Ph.	woolly-leaved.		Carolina	1000.			
6 reclinata. Ph.	reclined.		- Caronna.				Vent. choix. 22.
7 serrata. Ph.	serrated.		Missouri.	1812.			
TECTONA. W.	TEAK-WOOD.	Verbenaceæ. J.					
grandis. W.	great.		E. Ind.	1777.		S.h.	Roxb. cor. 1. t. 6.
ELÆODENDRUM.W.	OLIVE-WOOD.	Rhamni. J.				•	
1 Argam. W.	spiny.		Morocco.	1711.	7.	н. р.	Comm.hort.1.t.83.
2 orientale. W.	oriental.		Mauritius.	1771.		S.h.	Jac. ic. 1. t. 48.
3 australe. H. K.	thick-leaved.		N. S. W.	1796.	6.8.	G.h.	Vent. malm. 117.
RHAMNUS. W.	BUCKTHORN.	Rhamni. J.					
1 catharticus. W.	purging.				5.6.	H.h.	Eng. bot. 1629.
2 infectorius. W.	yellow-berried.						Ardui.mem.78.t.14
3 lycioides, W.	Boxthorn-like.	-	Spain.				Cav. ic. 2. t. 182.
4 oleoides. W.	Olive-leaved.					H.h.	
5 crenulatus. W.	Teneriffe.		Teneriffe.	1778.		G.h.	Top ough 1 4 50
6 saxatilis. W.	rock.		Europe.				Jac. aust. 1. t. 53.
7 Theezans. W.	Thea.	-		1016			
8 tetragonus. W. 9 lanceolatus. Ph.				1816.			
10 alpinus. W.	spear-leaved. Alpine.		N. America.				Hall, hist. 1. t. 40.
11 pumilus. W.	dwarf.		Carniola.	1/32.			Jac. coll. 2. t. 11.
	[berry-bearg]						
12 Frangula. W.	Alder.		Britain.		4.5.	H.h.	Eng. bot. 250.
13 latifolius, W.	broad-leaved.		Azores.	1778.	7.	G. b.	L'Her. ser. ang. t.8.
		G 2					

TT	TELLI	AUDIUA I	1011001	TATU:			
14 glandulosus. W.		Rhamni. J.	Canaries.	1785.	5.7. G.	T <sub>2</sub> .	Vent. malm. 34.
15 prinoides. W.	Winter-berry-ld.		C.B.S.	1778. 8	3.9. G.	h.	L'Her. sert. t. 9.
16 mystacinus. W:	wiry. Alder-leaved.		N. America.	1775.			
17 alnifolius. W. franguloides. Ph.	ZINCI-ICAVCU.		14. Zimerica.	1770.	5. H.	70	
18 hybridus. P. S.	hybrid.	- 74		5	5.6. H.	ħ.	
19 Alaternus. W. en.	{ broad-leaved }	www.ls	S. Europe.	1629.	.6. H.	ь.	
20 Clusti. W. en.	Alaternus. s	1					
ZIZYPHUS. W.	Zizyphus.	Rhamni. J.			- 11.	٠,٠	
1 lineatus. W.	lined.		China.				Osb. it. t. 7.
2 volubilis. W.	twining.		Carolina.				Jac. ic. 2. t. 336.
3 Paliurus. W. 4 Lotus. W.	Christ's-thorn. Barbary.		S. Europe.				Pall. ross. 2. t. 64. Desf.ac.s. 1788.t.21
5 Napeca. W.	oblique-leaved.		Californ				Rumph.amb.2.t.37
6 Jujuba. W.	blunt-leaved.		E. Ind.	1759. 4	1.5. S.	h.	2.t.36.
7 vulgaris. W.	common.	***	S. Europe.				Pall. ross. 2. t. 59.
CELASTRUS. W.	STAFF-TREE			1500		T.,	Moorb is 1 + 10
1 lucidus. W. 2 bullatus. W.	shining. Virginian.		Virginia.	1759.	7. H.	ų. Ь.	Meerb. ic. 1. t. 12. Pluk. alm. t.28.f. 5. Schu,handb.1.t.47. L'Her. sert. 6. t. 10.
3 octogonus. W.	angular-leaved.		Peru.	1786.10	0.11.G.	h.	
4 scandens. W.	climbing.	•	N. America.	1736. 5	.6. H.	ħ.	Schu.handb.1.t.47.
5 cassinoides. W.							L'Her.sert. 6. t. 10.
6 cernuus. W. 7 tetragonus. P. S.	drooping. four-sided.		C. B. S.	1815	G	. h.	
8 buxifolius. W.	Box-leaved.			1752. 5	6. G.	h.	Hout.nat.h. t.21.f.1 2
9 pyracanthus. W.	Pyracantha-ld.			1742	G.	ħ.	Hout.nat.h. t.21.f.1 2 Bot. mag. 1167.
SENACIA. P. S.	SENACIA.	Rhamni. J. Cele	istri species W	rilld.			
undulata. P. S.	wave-leaved.	Phone: I	Bourbon.	1785	S	. h.	
EUONYMUS. W.	Spindle-Tree. Japan:	Rhamni. J.	tanan.	1804. 6	5.8. G	Ъ.	Kæmpf, ic. t. 8.
2 europæus. W.	Europeati.		Britain.		5.7. H	7.	Eng. bot. 362.
3 verrucesus. W.	warted.		Austria.	1763.	5.6. H	.ħ.	Schmidt arb. t. 72. t. 74.23
4 latifolius. W.	broad-leaved.			1730.	5.7. H.	.ħ.	t. 74.93
5 atropurpureus. W.	purple.						t. 73.
6 americanus. W. 7 angustifolius. Ph.	evergreen. narrow-leaved.			1806	— H	. h.	t. 75.
HOVENIA. Th.	HOVENIA.	Rhamni. J.					
dulcis. Th.	sweet.		Japan.	1812	G	. ħ .	Lam. ill. t. 131. 230
CEANOTHUS. W.	CEANOTHUS.	Rhamni. J.	wy Attichtus	amin e		т.	Calmidt out 120
1 americanus. W. 2 intermedius. Ph.	New Jersey Tea. intermediate.	1.6	N. America.	1713. 7	7.(U. E.	. h	Schmidt arb. 132. Pluk. alm. t. 28. f. 6.
3 sanguineus. Ph.	red-stalked.		Missouri.		5.7. H	. h .	2 2010 10110 10 20110
4 microphyllus. Ph.	small-leaved.		N. America.	1806.	6.7. G	.h.	
5 asiaticus. W.	Asiatic.		· Ceylon.	1691.	7.8. S	.ħ.	Cáv. ic.5. t.440.f.1.
6 colubrinus. P. S.	{ BahamaRed- }		Bahama.	1726.	6. S	. ħ .	Jac. vind. 3. t. 50.
Rhamnus colubrinu	wood.						
7 reclinatus. P. S.	oval-leaved.		Jamaica.	1758.	8. 5	. ħ.	Brown.jam.t.29.f.2
Rhamnus ellipticus						_	
8 africanus. W.	African.		C. B. S.	1712. 8	3.4. G.	h.	Pluk.phyt.126.f.1.
9 globulosus. H. K. POMADERRIS. Lab		Rhamni. J.	N. Holland.	1803.	4.5. G	.η.	Lab.nov.holl.1.t.85
1 apetala. H. K.	petalless.	Temamini. 0.	N. Holland.	1803.	5.6. G	. h.	Lab.nov.holl.1.t.87
	oval-leaved.			1805.	5.7. G	ιų.	Bot. mag. 1510.
3 lanigera. B. M.	woolly.	~		1806.	4.6. G	. ħ .	1823.
PHYLICA. W.	PHYLICA.	Rhamni. J.	C. B. S.	1721	0.4 G	L	Bot mag 994.
1 ericoides. W. 2 parviflora. W.	Heath-leaved.			1790.	9.4. G 4.7. G	. h.	Bot. mag. 224.
3 lanceolata. W.	lance-leaved.				4.5. G	.h.	
4 capitata. W. en.	headed.	<del></del>		1800.	5.8. G	. h .	2.711
5 pubescens. W.	downy.		20.00	1774.	2.4. G	. h.	Burm.afr. t. 44. f.3.
6 eriophoros. W.	pale-flowered.		• •	1015	11. G	. h .	Pluk.amal.t.445.f.1
7 rosmarinifolia. P. S. 8 axillaris. P. S. 9 plumosa. W.	axillary-flowered			1812.	5.6. G	. h.	
9 plumosa. W.	feathered.			1752.	3.5. G	.h.	Pluk.mant.t.342.f.3
10 villosa. W.	villous.			1790.	5. G	. h.	
11 stipularis. W.	horned.			1786.	5.9. G	h.	Burm. afr. t. 43. f.2. Comm.rar. 62. t. 12.
12 cordata. W.	heart-leaved. Box-leaved:			1789.	5.9. f	. F.	Burm.afr. t. 44.f.1.
A W INCAMANAGE TT 0	AFVA-ACM1 CUS		-	4,000	U	- 16 0	

	PENT.	ANDRIA A	IUNUGY.	NIA.		45
14 spicata. W.	spiked.	Rhamni. J.	C. B. S.	1774.11	.12.G.h.	Lam. ill. t. 127.f.3.
15 myrtifolia. P. S.	Myrtle-leaved.			1816	G.ħ.	
16 callosa. W.	callous-leaved.	<del></del>		1774. 3	.4. G. h	
17 paniculata. W.	panicled.			1812. 4	1.6. G. h.	
18 imbricata. W.	imbricated.			1801. 8	.11. G. h.	
19 cylindrica. W. en.	cylindrical.		•	• • • • 4	1.8. G. h.	
20 racemosa. W.		***		1790. 5	.9. G.h.	
21 pinifolia. W.	Pine-leaved.			1789.	5. G.h.	
BRUNIA, W. 1 nodiflora, W.	Brunia.	Rhamni? J.	CRC	1786 7	0 G L	Brown cent 22 f 16
2 paleacea. W.	chaffy.		U. D. S.	1791. 6	8. G.h.	Breyn.cent.22.t.16 Pluk.alm. t.318.f.4.
3 lanuginosa. W.	woolly.			1774	G. h.	Pluk.alm. t.318.f.4.
4 verticillata. W.	whoried.			1794	G. h.	
5 deusta. Th.	black-tipped.			1804	- G. h.	
6 microphylla. Th.	small-leaved.				G. h.	
7 laxa. Th.	spiked.			1805	G. h.	
8 alopecuroides. Th.	FOX-Tail.			1816	a a a CT. Da	
9 abrotanoides. W.		<del></del>	<del></del>	1787. 5	.7. G.h.	Burm.afr.t.100.f.1.
10 superba. W.	superb.			1791	G. h.	
11 fragarioides. W.				1794	G. h.	
12 ciliata. L.	ciliated.	Diameta T		1812	G. h.	
STAAVIA. W.	STAAVIA.	Rhamni? J.	CPS	1707 5	5 C L	Breyn.cen.165.t.82
2 glutinosa. W.	rayed.		C. B. S.	1702	15 G L	Dreyn.cen.103.4.62
PLECTRONIA. W.	PLECTRONIA.	Rhamni? J.		1/95.	1.0. O. n.	
corymbosa. P. S.	corymbed.		C. B. S.	1816	G.h.	
ADENANDRA. W.en.	ADENANDRA.	Diosmea. Dios	næ species Lin	in.	· -	
1 uniflora. W. en.	one-flowered.		C. B. S.	1775.	4.7. G.b.	Bot. mag. 273.
2 umbellata. W. en.	umbel-flowered.			1789	G.h.	1271.
3 fragrans. B. M.	red-flowered.			1812.	5.7. G. h.	1519.
4? tetragona. W.	tetragonal.			1789.	7.8. G.h.	
BAROSMA. W. en.	BAROSMA.	Diosmeæ, Dios	næ species Li	2222.		
1 serratifolia. W. en.	saw-leaved.		C. B. S.	1789.	3.6. G.h.	Bot. mag. 456.
2 latifolia. W.	broad-leaved.				7.8. G.h.	Bot. rep. 33.
3 crenata. W.	crenated.			1774.	1.3. G.h.	73.4
4 ovata. W. DIOSMA. W. en.	oval-leaved.	<b>D</b>		1790.	2.9. G. h.	Bot. mag. 1616.
1 oppositifolia. W.	Diosma.	Diosmeæ.	CPS	1500	9 7 G L	Comm was 1 4 4
2 linearis. W.	opposite-leaved.		C. D. S.	1900 -	3.7. G. h.	Comm. rar. 1. t. 1.
3 alba. Th.	white-flowered.			1000	G. h	
4 hirsuta. W.	hairy-leaved.			1731	G. b.	Comm. rar. 3. t. 3.
5 rubra. W.	red-calyxed.	<u> </u>		1752.	2.5. G.h.	2, t, 2, 5
ericifolia. B. R. 45						
6 pectinata. W. en.	pectinated.			1812.	4.6. G.h.	Wend.coll.pl.1.t.8. Mill.ic.1.t.124.f.2.
7 ericoides. W.	Heath-leaved.			1756.	3.7. G.h.	Mill.ic.1.t.124.f.2.
8 cupressina. W.	Cypress-leaved.			1700	C T	Dint alm + 270 fp
9 tenuifolia. W. en.	slender-leaved.			• • • •	4.6. G.h.	Wend.coll.pl.1.t.1.
10 succulenta. W. en.	succulent-leaved				G. h.	Wend.coll.pl.1.t.1.
AGATHOSMA.W.en.		Diosmeæ. Diosa	næ species Li	nn.	0 0 T	
1 hispida. W.	rough-leaved.		C. B. S.	1786.	6.8. G. h.	3 - 6 8 1 1
2 ciliata. W. 3 capitata. W.	ciliated.		70	17/4.	5.6 G L	201 40 266
4 villosa. W.	pale purple.			1796	60 G.h.	Wend coll of 1 to
5 imbricata. W.	imbricated.			1774.	46 G h	Wend.coll.pl.1.t.2.  — pl.1.t.9. — pl.1.t.28
6 acuminata. W. en.	acuminate.			1812	G. h.	nl.1.t.28
7 marginata. Th.	marginate.			1806	G. h.	Pluk.alm. t.411.f.3. Vent. malm. 93.
8 cerefolia. Ven.	Chervil-scented.			1790	- G. h.	Vent. malm. 93.
O'nubeccone W. on	whorant			1700	E 0 C T	Wend. coll. pl. 1.
9 pubescens. W. en.	pubescent.		1	1/98.	5.8. G.h.	Wend. coll. pl. 1. t. 13 et 14. Bot. mag. 1357.
10 pulchella. W.	blunt-leaved.			1787.	2.9. G.h.	Bot. mag. 1357.
LASIOPETALUM.	LASIOPETALUM.					
Vent.						
1 parviflorum. L. T.	small-flowered.		N. Holland.	1810.	4.7. G.b.	Linn. trans. v. 10. t. 19. f. 2.
				1 000	CI	t. 19. t. 2.
2 ferrugineum. B. R. 3 purpureum. H. K.	•			1791	G. h.	Bot. mag. 1766.
4 arborescens. H. K.	purple.			1903	G. L	1700.
5 solanaceum. B. M.	Solanum-like.			1802	G. h	Bot. mag. 1486
s quercifolium. H. K.				1000.	G. h.	Bot. mag. 1486.
					2.17.	1400,

BURSARIA. Cav.	Bursaria.	Pittosporeæ. Br.		. 0	
spinosa. Cav.	thorny.		- N. S. W.	1793. 8.12. G. h	. Bot. mag. 1767.
BILLARDIERA. Sm.		Pittosporeæ. Br.			
1 scandens. W.	climbing.		- N. S. W.	1790. 6.8. G. h	
2 mutabilis. H. K.	changeable.	***************************************		- 1795. 6.9. G.h	1313.
3 longiflora. B. M.	blue-berried.	T)'''	- Van Diem.	1810. — G. J <sub>2</sub>	1507.
PITTOSPORUM. W.		Pittosporeæ. Br.	36.3.1		
1 coriaceum. W.	thick-leaved.			1787. 5. G.h	
2 viridiflorum. B. M. 3 Tobira. H. K.	green-flowered. glossy-leaved.				. Bot. mag. 1684.
4 undulatum. H. K.	wave-leaved.		- N S W		1396.
5 revolutum. H. K.	downy-leaved.		11.13.11.	1789. 2.6. G. h - 1795. 2.4. G. h	
6 ferrugineum. H. K				1787. 9.5. S.L	1. 1. 2015
CYRILLA. L.	CYRILLA.	Ericeæ. J.	- ameai	17071 2.01 5.17	. L'es Mell
caroliniana. Ph.	Carolina.		- Carolina.	1765. 6.8. G.h	Jac. ic. 1. t. 47. 24
BROSSÆA. L.	BROSSÆA.	Ericeæ. J.			
coccinea. L.	scarlet.		S. America.	S.h.	Plu.gen.7.ic.64.f.2.
ITEA. L.	ITEA.	Saxifrageæ. P. S.			
virginica. W.	Virginian.		N. America.	1744. 6.8. H.h.	Trew.ehret.55.t.98
GALAX. W.	GALAX.		Blandfordia	. B. Rep.	2400
aphylla. W.	heart-leaved.		N. America.	1786. 6.7. H.4.	Bot. mag. 754.
CEDRELA. W.	BASTARDCEDAR.	Meliæ! J.			(7)
odorata. W.	Barbadoes.		W. Ind.	1739 S.b.	Brown. jam. 158. t. 10. f. 1.
					t. 10.1. 1.
CALODENDRUM. W			CDE	1500 · C.T	TT
capense. W.	Cape. MANGO-TREE.	Terebintaceæ. J.	C. B. S.	1789 G. h.	Hout.nat.his.4.t.22
MANGIFERA. W. indica. W.	Indian.	Tercomtatea. 5.	F Ind	1600 60 ST	Rot von 405
HIRTELLA. W.	HIRTELLA.	Rosaceæ. J.	E. Inc.	1690. 6.9. S. J.	вос. гер. 425.
americana. W.	American.		W. Ind.	1789 S L.	Aub. guian. 1. t. 98.
RIBES. W.	CURRANT.	Cacti. J.		1,021 1111 5.7.	1100. g alain. 1. 6. 70.
1 rubrum. W.	red.		Britain.	4.5. H. h.	Eng. bot. 1289.
\$ album.	white.			Н. h.	
2 petræum. W.	rock.		England.	5. H.h.	
3 procumbens. W.	trailing.		Dauria.	1804. 5.6. H.b.	Pall. ross. 2. t. 65.
4 prostratum. Ph.	glandulous.		N. America.	1777. 4.5. H.h.	L'Her. stirp. 1. t.2.
5 resinosum. Ph.	clammy.			1800. — H.h.	Bot. mag. 1583.
6 alpinum. W.	Alpine		Britain.	H.h.	Eng. bot. 704.
7 spicatum. Sm.	acid.		England.	— H. h.	1290.
8 nigrum. W.	black.		Britain.	— H.h.	1291.
9 aureum. Ph.	golden.		Missouri.	1812. — H.h.	Bot. reg. 125.
10 floridum. W.	Pensylvanian.		N. America.	1729. — H. h.	Dill.elt.t.244. f.315
11 laxiflorum. Ph.	loose-flowered.			1812. — H.h. — H.h.	
12 hirtellum. Ph.	hairy. slender.			п. и.	
13 gracile. Ph. 14 triflorum. Ph.	three-flowered.			—— H.h.	Will.hor.ber.1.t.61 Schmidt arb. t. 97.
15 Diacantha. W.	two-spined.		Siberia.	1781. 5.6. H. h.	Schmidt arb. t. 97.
16 reclinatum. W.	procumbent.		Germany.	1683. 4.5. H.h.	Committee of the to the
	[rough Goose-]				E 1 -4 -222
17 Grossularia. W.	berry.		England.	3.4. H.h.	Eng. bot. 1292.
10 Tivo-oriena W	Smooth (			— н. ь.	0057
18 Uva-crispa. W.	Gooseberry.			•	
19 oxyacanthoides. W.					Dill.elt.t.139.f.166.
20 lacustris. Ph.	swamp.			1812. — H. h.	0.1 .14 .
21 Cynosbati. W.	prickly-fruited.		Canada.	1759. 4. H.h.	Schmidt arb. 98.
HEDERA. W.		Caprifoliæ. J.	wa 1, 1		<b>77</b> 1 4 4 4 6 6 6
Helix. W.	common.		Britain.	10.11. H. h.	Eng. bot. 1267.
VITIS. P. S.	VINE.	Vites. J.	Various	e - Li	Tag is 1 + 50
1 vinifera. W. 2 indica. W.	common Grape. Indian.		Indies	6.7. H.h.	Rheed. mal. 7. t. 6.
3 Labrusca. W.	downy-leaved.			1656 H. h.	Jac. scheep. 496.
B baccis albis.	Bland's Grape.		a	1000 11. η.	0 201 0011 0011 1 2 DU
4 vulpina. W.	Fox-grape.			— н. ь.	425.
5 cordifolia. Ph.	Winter-grape.			1806 H. h.	
6 riparia. Ph.	sweet-scented.			1806 H. h. 5.6. H. h.	2122
	Bull-grape			H.h.	
	Parsley-leaved			1648. 6.7. H.h.	Schmidelic.34.t.8.
Account to make	LEEA.	Meliæ. J.			
1 sambucina. W.			E. Ind.	1790 S.h.	Cav. diss. 7. t. 218.
2 æquata. W.				1777 S. h.	•

	PENI.	ANDILLA D	HONOGI	IVIZI.			X (
3 crispa. W.	fringed-stalked.	Meliæ. J.	Bengal.	1676. 8	3.10.	S. 4.	Bot. rep. 355.
GRONOVIA. W.	GRONOVIA,	Cucurbitaceæ. J.	O				
scandens. W.	climbing.		Jamaica.	1731.	6.7.	S.4.	Jac. ic. 2. t. 338.
IMPATIENS. W.	BALSAM.	Geraniæ? J.					
1 Balsamina. W.	garden.		E. Ind.				Blackw. t. 583.
2 coccinea. H. K.		-	27 1				Bot. mag. 1256.
3 biflora. Ph.	two-flowered.			• • • •			Enm hat nom
4 Nolitangere. W.	Touch me not.		Engiana.	• • • • •		H.O.	Eng. bot. 937.
LAGŒCIA. W.	CUMIN. wild.	Umbelliferæ. J.	Levent	1640	67 1	HO	Lam. ill. t. 242.
cuminoides. W.	CLAYTONIA.	Portulaceæ. J.	Ectant.	1040.	0.7.	11.01	Maint III. or 2-12.
1 virginica. Ph.	Virginian.		N. America.	1748.	3.5.	H. 24.	Bot. mag. 941.
2 caroliniana. H. K.	spatula-leaved.			1789	]	H. 24.	Par. lond. 71.
3 lanceolata. Ph.	spear-leaved.			1812		H.4.	2.11
4 sibirica. W.	Siberian.		Siberia.	1768.	5.8.	$H.\odot.$	Act.stock.1746.t.5.
5 alsinoides. Ph.	Chickweed-like.		Nootka Sd.	1794.	3.6.	н.⊙.	Bot. mag. 1309.
6 perfoliata. W.	small-flowered.		N. America.	1794.	5.8.	H.⊙.	1336.
VIOLA. W.	VIOLET.	Violeæ.					m
1 palmata. W.	palmated.		N. America.	1752.	5.6.	H. 4.	Bot. mag. 535.
2 pedata. W.	cut-leaved.	-	C. F.	1759.		H. 4.	——————————————————————————————————————
3 pinnata. W.	winged-leaved.		N. America	1752.	7	H. 4.	Gmer.510.4.t.49.1.4.
4 sagittata. W.	arrow-leaved.		N. America.	17750	6.7	H 21	Gmel sih 4 + 40 f 2.
5 lanceolata. W.	oblique-flowered.			1769.	5.6.	H. 21.	Gmel.sib.4.t.49.f.2.
6 obliqua. W. 7 cucullata. W.	hollow-leaved.			1772.	5.7.	H.24.	Bot. mag. 1795.
8 blanda. Ph.	white-flowered.			1802.		H. 24 .	Willd.hort.ber. 24.
9 primulifolia. Ph.	Primrose-leaved.			1783.	4.6.	H. 2/.	
10 sororia. Ph.	white-rooted.			1802.		H.4.	Willd. hort.ber. 72.
11 hirta. W.	hairy.		- England.		4.5.	H. 24.	Eng. bot. 894.
12 papilionacea. Ph.	variegated.		N. America.	1800.	5.6.	H.4.	
13 clandestina. Ph.	small-flowered.		- Pensylvania.		5.	H.4.	
14 palustris. W.	marsh.		- Britain.		5.6.	H.4.	Eng. bot. 444.
15 odorata. W.	sweet.		the property of the second second second		3.5	H. 11.	619.
	7 0 1				0.0.		
a purpurea.	purple-flowered.				0.01		*
β alba.	white-flowered.				0.0.		
β alba. γ cærulea.	white-flowered. blue-flowered.				0.01		~
β alba. y cærulea. δ purpureo-plena.	white-flowered. blue-flowered. double purple.				0.0.		~
β alba. y cærulea. δ purpureo-plena. ε albo-plena.	white-flowered. blue-flowered. double purple. double white.				0.01		
β alba. y cærulea. δ purpureo-plena. ε albo-plena. ζ cæruleo-plena.	white-flowered. blue-flowered. double purple. double white. double blue.				0.01		
β alba. y cærulea. δ purpureo-plena. ε albo-plena.	white-flowered. blue-flowered. double purple. double white.		- Britain.				Eng. bot. 620.
β alba.  y cærulea. δ purpureo-plena. ε albo-plena. ζ cæruleo-plena. η pallido-plena.	white-flowered. blue-flowered. double purple. double white. double blue. Neapolitan.		- Britain. - England.		4.6.	H. 4.	Eng. bot. 620.
β alba. γ cærulea. δ purpureo-plena. ε albo-plena. ζ cæruleo-plena. η pallido-plena. 16 canina. W.	white-flowered. blue-flowered. double purple. double white. double blue. Neapolitan. dog's.		- Britain. - England. - Alps of Eur.		4.6.	H. 4.	
β alba.  y cærulea. δ purpureo-plena. ε albo-plena. ζ cærulco-plena. η pallido-plena. 16 canina. W. 17 lactea. E. B. 18 montana. W. 19 cenisia. W.	white-flowered. blue-flowered. double purple. double blue. Neapolitan. dog's. cream-coloured. mountain. Alpine.		- Britain. - England. - Alps of Eur. - Mt. Cenis.	 1683. 1759.	4.6. 5. 5.6. 6.7.	H.4. H.4. H.4.	Bot. mag. 1595.
β alba.  y cærulea. δ purpureo-plena. ε albo-plena. ζ cæruleo-plena. η pallido-plena. 16 canina. W. 17 lactea. E. B. 18 montana. W. 19 cenisia. W. 20 valderia. W. en.	white-flowered. blue-flowered. double purple. double white. double blue. Neapolitan. dog's. cream-coloured. mountain. Alpine. fringed-leaved.		- Britain. - England. - Alps of Eur. - Mt., Cenis.	1683. 1759.	4.6. 5. 5.6. 6.7.	H.4. H.4. H.4. H.4.	445. Bot. mag. 1595. All. ped. 2. t. 22, f. 6.
β alba.  y cærulea.  δ purpureo-plena.  ε albo-plena.  ζ cæruleo-plena.  η pallido-plena.  16 canina. W.  17 lactea. E. B.  18 montana. W.  19 cenisia. W.  20 valderia. W. en.  21 canadensis. W.	white-flowered. blue-flowered. double purple. double white. double blue. Neapolitan. dog's. cream-coloured. mountain. Alpine. fringed-leaved. Canadian.		- Britain. - England. - Alps of Eur. - Mt., Cenis. - N. America.	 1683. 1759. 1805. 1783.	4.6. 5. 5.6. 6.7. 5.6.	H.4. H.4. H.4. H.4.	445. Bot. mag. 1595. All. ped. 2. t. 22, f.6. t. 24, f.3.
β alba.  y cærulea. δ purpureo-plena. ε albo-plena. ζ cærulco-plena. η pullido-plena. 16 canina. W. 17 lactea. E. B. 18 montana. W. 19 cenisia: W. 20 valderia. W. en. 21 canadensis. W. 22 striata. W.	white-flowered. blue-flowered. double purple. double white. double blue. Neapolitan. dog's. cream-coloured. mountain. Alpine. fringed-leaved. Canadian. streaked.		- Britain. - England. - Alps of Eur. - Mt., Cenis. - N. America.	 1683. 1759. 1805. 1783.	4.6. 5. 5.6. 6.7. 5.6.	H.4. H.4. H.4. H.4. H.4.	445. Bot. mag. 1595. All. ped. 2. t. 22, f.6. t. 24. f.3.
β alba.  y cærulea. δ purpureo-plena. ε albo-plena. ζ cærulco-plena. 16 canina. W. 17 lactea. E. B. 18 montana. W. 19 cenisia. W. 20 valderia. W. en. 21 canadensis. W. 22 striata. W.	white-flowered. blue-flowered. double purple. double blue. Neapolitan. dog's. cream-coloured. mountain. Alpine. fringed-leaved. Canadian. streaked. downy.		- Britain England Alps of Eur Mt., Cenis N. America.	1683. 1759. - 1805. 1783.	4.6. 5. 5.6. 6.7. 5.6.	H.4. H.4. H.4. H.4. H.4. H.4.	445. Bot. mag. 1595. All. ped. 2. t. 22. f. 6. t. 24. f. 3.
β alba.  y cærulea. δ purpureo-plena. ε albo-plena. ζ cærulco-plena. 16 canina. W. 17 lactea. E. B. 18 montana. W. 19 cenisia. W. 20 valderia. W. en. 21 canadensis. W. 22 striata. W. 23 pubescens. W. 24 mirabilis. W.	white-flowered. blue-flowered. double purple. double blue. Neapolitan. dog's. cream-coloured. mountain. Alpine. fringed-leaved. Canadian. streaked. downy. broad-leaved.		- Britain England Alps of Eur Mt, Cenis N. America Germany.	1683. 1759. - 1805. 1783. - 1772.	4.6. 5. 5.6. 6.7. 5.6. 6.7.	H.4. H.4. H.4. H.4. H.4. H.4. H.4.	445. Bot. mag. 1595. All. ped. 2, t. 22, f.6. t, 24, f.3.
β alba.  y cærulea. δ purpureo-plena. ε albo-plena. ζ cæruleo-plena. η pallido-plena. 16 canina. W. 17 lactea. E. B. 18 montana. W. 19 cenisia. W. 20 valderia. W. en. 21 canadensis. W. 22 striata. W. 23 pubescens. W. 24 mirabilis. W. 25 biflora. W.	white-flowered. blue-flowered. double purple. double blue. Neapolitan. dog's. cream-coloured. mountain. Alpine. fringed-leaved. Canadian. streaked. downy. broad-leaved. two-flowered.		- Britain England Alps of Eur Mt, Cenis N. America Germany Alps of Eur.	1683. 1759. 1805. 1783. - 1772.	4.6. 5. 5.6. 6.7. 5.6. 6.7. 6.8. 4.5.	H.4. H.4. H.4. H.4. H.4. H.4. H.4.	445. Bot. mag. 1595. All. ped. 2, t. 22, f.6. t. 24, f.3.  Flor. dan. 1045. 46.
β alba.  y cærulea. δ purpureo-plena. ε albo-plena. ζ cærulco-plena. 16 canina. W. 17 lactea. E. B. 18 montana. W. 19 cenisia. W. 20 valderia. W. en. 21 canadensis. W. 22 striata. W. 23 pubescens. W. 24 mirabilis. W.	white-flowered. blue-flowered. double purple. double white. double blue. Neapolitan. dog's. cream-coloured. mountain. Alpine. fringed-leaved. Canadian. streaked. downy. broad-leaved. two-flowered. Siberian.		- Britain England Alps of Eur Mt., Cenis N. America Germany Alps of Eur Siberia Missouri.	1683. 1759. 1805. 1783. 1772. 1732. 1752. 1751.	4.6. 5. 5.6. 6.7. 5.6. 6.7. 4.5. 6.7. 5.6.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Bot. mag. 1595. All. ped. 2. t. 22, f.6. t. 24, f.3.  Flor. dan. 1045. Gmel.sib.4.t.48.f.5.
β alba.  y cærulea. δ purpureo-plena. ε albo-plena. ζ cæruleo-plena. 16 canina. W. 17 lactea. E. B. 18 montana. W. 19 cenisia: W. 20 valderia. W. en. 21 canadensis. W. 22 striata. W. 23 pubescens. W. 24 mirabilis. W. 25 biflora. W.	white-flowered. blue-flowered. double purple. double blue. Neapolitan. dog's. cream-coloured. mountain. Alpine. fringed-leaved. Canadian. streaked. downy. broad-leaved. two-flowered. Siberian. Nuttall's.		- Britain England Alps of Eur Mt, Cenis N. America Germany Alps of Eur Siberia Missouri N. America.	1683. 1759. 1805. 1783. 1772. 1732. 1752. 1751.	4.6. 5. 5.6. 6.7. 5.6. 6.7. 4.5. 6.7. 5.6.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Bot. mag. 1595. All. ped. 2. t. 22, f.6. t. 24, f.3.  Flor. dan. 1045. Gmel.sib.4.t.48.f.5.
β alba.  y cærulea. δ purpureo-plena. ε albo-plena. ζ cærulco-plena. 16 canina. W. 17 lactea. E. B. 18 montana. W. 19 cenisia: W. 20 valderia. W. en. 21 canadensis. W. 22 striata. W. 23 pubescens. W. 24 mirabilis. W. 25 biflora. W. 26 uniflora. W. 27 Nuttallii. Ph.	white-flowered. blue-flowered. double purple. double white. double blue. Neapolitan. dog's. cream-coloured. mountain. Alpine. fringed-leaved. Canadian. streaked. downy. broad-leaved. two-flowered. Siberian.		- Britain England Alps of Eur Mt, Cenis N. America Germany Alps of Eur Siberia Missouri N. America Carinthia.	1683. 1759. 1805. 1783. 1772. 1732. 1752. 1774. 1812. 1788.	4.6. 5. 5.6. 6.7. 5.6. 6.7. 5.6. 6.7. 7.9.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Hor. dan. 1045.  Flor. dan. 1045.  Gmel.sib.4.t.48.f.5.  Linn. trans. 6. t.28. Jac. coll.4. t.11.f.1.
β alba.  y cærulea. δ purpureo-plena. ε albo-plena. ζ cærulco-plena. η pallido-plena. 16 canina. W. 17 lactea. E. B. 18 montana. W. 19 cenisia. W. 20 valderia. W. en. 21 canadensis. W. 22 striata. W. 23 pubescens. W. 24 mirabilis. W. 25 biflora. W. 26 unifiora. W. 27 Nuttallii. Ph. 28 concolor. L. T.	white-flowered. blue-flowered. double purple. double blue. Neapolitan. dog's. cream-coloured. mountain. Alpine. fringed-leaved. Canadian. streaked. downy. broad-leaved. two-flowered. Siberian. Nuttall's. green-flowered.		- Britain England Alps of Eur Mt, Cenis N. America Germany Alps of Eur Siberia Missouri N. America Carinthia.	1683. 1759. 1805. 1783. 1772. 1732. 1752. 1774. 1812. 1788.	4.6. 5. 5.6. 6.7. 5.6. 6.7. 5.6. 6.7. 7.9.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Hor. dan. 1045.  Flor. dan. 1045.  Gmel.sib.4.t.48.f.5.  Linn. trans. 6. t.28. Jac. coll.4. t.11.f.1.
β alba.  y cærulea. δ purpureo-plena. ε albo-plena. ζ cæruleo-plena. 16 canina. W. 17 lactea. E. B. 18 montana. W. 19 cenisia. W. 20 valderia. W. en. 21 canadensis. W. 22 striata. W. 23 pubescens. W. 24 mirabilis. W. 25 biflora. W. 26 uniflora. W. 27 Nuttallii. Ph. 28 concolor. L. T. 29 Zoysii. W. 30 altaica. B. Reg. 31 arvensis. P. S.	white-flowered. blue-flowered. double purple. double blue. Neapolitan. dog's. cream-coloured. mountain. Alpine. fringed-leaved. Canadian. streaked. downy. broad-leaved. two-flowered. Siberian. Nuttall's. green-flowered. crenated. Tartarian. corn.		- Britain England Alps of Eur Mt, Cenis N. America Germany Alps of Eur Siberia Missouri N. America Carinthia.	1683. 1759. 1805. 1783. 1772. 1732. 1752. 1774. 1812. 1788.	4.6. 5. 5.6. 6.7. 6.8. 4.5. 6.7. 5.6. 7.9.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Hor. dan. 1045.  Flor. dan. 1045.  Gmel.sib.4.t.48.f.5.  Linn. trans. 6. t.28. Jac. coll.4. t.11.f.1. Bot. reg. 64.
β alba.  y cærulea.  δ purpureo-plena.  ε albo-plena.  ζ cærulco-plena.  16 canina. W.  17 lactea. E. B.  18 montana. W.  19 cenisia. W.  20 valderia. W. en.  21 canadensis. W.  22 striata. W.  23 pubescens. W.  24 mirabilis. W.  25 biflora. W.  26 uniflora. W.  27 Nuttallii. Ph.  28 concolor. L. T.  29 Zoysii. W.  30 altaica. B. Reg.  31 arvensis. P. S.  32 tricolor. P. S.	white-flowered. blue-flowered. double purple. double blue. Neapolitan. dog's. cream-coloured. mountain. Alpine. fringed-leaved. Canadian. streaked. downy. broad-leaved. two-flowered. Siberian. Nuttall's. green-flowered. crenated. Tartarian. corn. Heart's-ease.		- Britain England Alps of Eur Mt, Cenis N. America Germany Alps of Eur Siberia Missouri N. America Carinthia Siberia.	1683. 1759. 1805. 1783. 1772. 1732. 1752. 1774. 1812. 1788.	4.6. 5. 5.6. 6.7. 5.6. 6.7. 5.6. 6.7. 5.6. 4.5. 4.5. 4.9.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Hor. dan. 1045.  Flor. dan. 1045.  Gmel.sib.4.t.48.f.5.  Linn. trans. 6. t.28. Jac. coll.4. t.11.f.1. Bot. reg. 54.
β alba.  y cærulea. δ purpureo-plena. ε albo-plena. ζ cærulco-plena. η pallido-plena. 16 canina. W. 17 lactea. E. B. 18 montana. W. 19 cenisia. W. 20 valderia. W. en. 21 canadensis. W. 22 striata. W. 23 pubescens. W. 24 mirabilis. W. 25 biflora. W. 26 unifiora. W. 27 Nuttallii. Ph. 28 concolor. L. T. 29 Zoysii. W. 30 altaica. B. Reg. 31 arvensis. P. S. 32 tricolor. P. S. 33 amœna. E. B.	white-flowered. blue-flowered. double purple. double blue. Neapolitan. dog's. cream-coloured. mountain. Alpine. fringed-leaved. Canadian. streaked. downy. broad-leaved. two-flowered. Siberian. Nuttall's. green-flowered. Tartarian. corn. Heart's-ease. purple.		- Britain England Alps of Eur Mt., Cenis N. America Germany Alps of Eur Siberia Missouri N. America Carinthia Siberia Britain.	1683. 1759. 1805. 1783. 1772. 1732. 1752. 1752. 1752. 1812.	4.6. 5.6. 6.7. 6.8. 4.5. 6.7. 7.9. 3.6. 4.9.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Hor. dan. 1045.  Flor. dan. 1045.  Gmel.sib.4.t.48.f.5.  Linn. trans. 6. t.28. Jac. coll.4. t.11.f.1. Bot. reg. 54.
β alba.  γ cærulea.  δ purpureo-plena.  ε albo-plena.  ζ cærulco-plena.  16 canina. W.  17 lactea. E. B.  18 montana. W.  19 cenisia. W.  20 valderia. W. en.  21 canadensis. W.  22 striata. W.  23 pubescens. W.  24 mirabilis. W.  25 biflora. W.  26 unifiora. W.  27 Nuttallii. Ph.  28 concolor. L. T.  29 Zoysii. W.  30 altaica. B. Reg.  31 arvensis. P. S.  32 tricolor. P. S.  33 amœna. E. B.  34 rothomagensis. P.S	white-flowered. blue-flowered. double purple. double blue. Neapolitan. dog's. cream-coloured. mountain. Alpine. fringed-leaved. Canadian. streaked. downy. broad-leaved. two-flowered. Siberian. Nuttall's. green-flowered. crenated. Tartarian. corn. Heart's-ease. puiple. Rouen.		Britain. England. Alps of Eur. Mt, Cenis.  N. America. Germany. Alps of Eur. Siberia. Missouri. N. America. Carinthia. Siberia. Britain.	1683. 1759. 1805. 1783. 1772. 1732. 1752. 1774. 1812. 1788.  1805.	4.6. 5.6. 6.7. 5.6. 6.7. 6.8. 4.5. 6.7. 7.9. 3.6. 4.9. 5.7. 5.8.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Hor. dan. 1045.  Flor. dan. 1045.
β alba.  y cærulea. δ purpureo-plena. ε albo-plena. ζ cæruleo-plena. 16 canina. W. 17 lactea. E. B. 18 montana. W. 19 cenisia. W. 20 valderia. W. en. 21 canadensis. W. 22 striata. W. 23 pubescens. W. 24 mirabilis. W. 25 biflora. W. 26 uniflora. W. 27 Nuttallii. Ph. 28 concolor. L. T. 29 Zoysii. W. 30 altaica. B. Reg. 31 arvensis. P. S. 32 tricolor. P. S. 33 amœna. E. B. 44 rothomagensis. P.S. 35 sudetica. W. en.	white-flowered. blue-flowered. double purple. double blue. Neapolitan. dog's. cream-coloured. mountain. Alpine. fringed-leaved. Canadian. streaked. downy. broad-leaved. two-flowered. Siberian. Nuttall's. green-flowered. Tartarian. corn. Heart's-ease. purple. Rouen. tooth-flowered.		- Britain England Alps of Eur Mt, Cenis N. America Germany Alps of Eur Siberia Missouri N. America Carinthia Siberia Britain France.	1683. 1759. 1805. 1783. 1772. 1732. 1752. 1774. 1812. 1788. 	4.6. 5. 5.6. 6.7. 5.6. 6.7. 5.6. 6.7. 7.9. 5.7. 5.8.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Hor. dan. 1045.  Flor. dan. 1045.
β alba.  y cærulea.  δ purpureo-plena.  ε albo-plena.  ζ cærulco-plena.  16 canina. W.  17 lactea. E. B.  18 montana. W.  19 cenisia: W.  20 valderia. W. en.  21 canadensis. W.  22 striata. W.  23 pubescens. W.  24 mirabilis. W.  25 biflora. W.  26 uniflora. W.  27 Nuttallii. Ph.  28 concolor. L. T.  29 Zoysii. W.  30 altaica. B. Reg.  31 arvensis. P. S.  32 tricolor. P. S.  33 amœna. E. B.  34 rothomagensis. P.S.  35 sudetica. W. en.  36 lutea. E. B.	white-flowered. blue-flowered. double purple. double blue. Neapolitan. dog's. cream-coloured. mountain. Alpine. fringed-leaved. Canadian. streaked. downy. broad-leaved. two-flowered. Siberian. Nuttall's. green-flowered. crenated. Tartarian. corn. Heart's-ease. pupple. Rouen. tooth-flowered. yellow-flowered.		- Britain England Alps of Eur Mt, Cenis N. America Germany Alps of Eur Siberia Missouri N. America Carinthia Siberia Britain France.	1683. 1759. 1805. 1772. 1732. 1752. 1754. 1812. 1788.  1805.	4.6. 5. 5.6. 6.7. 5.6. 6.7. 5.6. 6.7. 5.6. 4.5. 5.7. 5.8.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Hor. mag. 1595. All. ped. 2. t. 22, f.6.
β alba.  y cærulea. δ purpureo-plena. ε albo-plena. ζ cærulco-plena. η pallido-plena. 16 canina. W. 17 lactea. E. B. 18 montana. W. 19 cenisia. W. 20 valderia. W. en. 21 canadensis. W. 22 striata. W. 23 pubescens. W. 24 mirabilis. W. 25 biflora. W. 26 unifiora. W. 27 Nuttallii. Ph. 28 concolor. L. T. 29 Zoysii. W. 30 altaica. B. Reg. 31 arvensis. P. S. 32 tricolor. P. S. 33 amæna. E. B. 34 rothomagensis. P.S 35 sudetica. W. en. 36 lutea. E. B. 37 grandiflora. L.	white-flowered. blue-flowered. double purple. double blue. Neapolitan. dog's. cream-coloured. mountain. Alpine. fringed-leaved. Canadian. streaked. downy. broad-leaved. two-flowered. Siberian. Nuttall's. green-flowered. crenated. Tartarian. corn. Heart's-ease. purple. Rouen. tooth-flowered. yellow-flowered great-flowered.		- Britain England Alps of Eur Mt, Cenis N. America Germany Alps of Eur Siberia Missouri N. America Carinthia Siberia Britain France.	1683. 1759. 1805. 1783. 1772. 1732. 1752. 1774. 1812. 1788.  1805.	4.6. 5. 5.6. 6.7. 5.6. 6.7. 5.6. 6.7. 7.9. 3.6. 4.9.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Hot. mag. 1595. All. ped. 2. t. 22, f.6.  t. 24, f.3.  Flor. dan. 1045. Gmel.sib.4.t.48.f.5. Linn. trans. 6. t. 28. Jac. coll.4. t.11.f.1. Bot. reg. 54.  Eng. bot. Bot. mag. 1498. Eng. bot. 721. Hall.helv. 566. t.17
β alba.  γ cærulea.  δ purpureo-plena.  ε albo-plena.  ζ cærulco-plena.  16 canina. W.  17 lactea. E. B.  18 montana. W.  19 cenisia. W.  20 valderia. W. en.  21 canadensis. W.  22 striata. W.  23 pubescens. W.  24 mirabilis. W.  25 biffora. W.  26 unifiora. W.  27 Nuttallii. Ph.  28 concolor. L. T.  29 Zoysii. W.  30 altaica. B. Reg.  31 arvensis. P. S.  32 tricolor. P. S.  33 amœna. E. B.  34 rothomagensis. P.S  35 sudetica. W. en.  36 lutea. E. B.  37 grandiflora. L.  38 calcarata. W.	white-flowered. blue-flowered. double purple. double blue. Neapolitan. dog's. cream-coloured. mountain. Alpine. fringed-leaved. Canadian. streaked. downy. broad-leaved. two-flowered. Siberian. Nuttall's. green-flowered. crenated. Tartarian. corn. Heart's-ease. purple. Rouen. tooth-flowered. yellow-flowered. spurred.		Britain. England. Alps of Eur. Mt, Cenis.  N. America. Germany. Alps of Eur. Siberia. Missouri. N. America. Carinthia. Siberia. Britain.  France.  Britain.	1683. 1759. 1805. 1783. 1772. 1732. 1752. 1752. 1812. 1788.  1805. 	4.6. 5. 5.6. 6.7. 5.6. 6.7. 6.8. 4.5. 6.7. 7.9. 3.6. 5.7. 5.8.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Hor. dan. 1045.  Flor. dan. 1045.
β alba.  y cærulea. δ purpureo-plena. ε albo-plena. ζ cærulco-plena. η pallido-plena. 16 canina. W. 17 lactea. E. B. 18 montana. W. 19 cenisia. W. 20 valderia. W. en. 21 canadensis. W. 22 striata. W. 23 pubescens. W. 24 mirabilis. W. 25 biflora. W. 26 unifiora. W. 27 Nuttallii. Ph. 28 concolor. L. T. 29 Zoysii. W. 30 altaica. B. Reg. 31 arvensis. P. S. 32 tricolor. P. S. 33 amæna. E. B. 34 rothomagensis. P.S 35 sudetica. W. en. 36 lutea. E. B. 37 grandiflora. L.	white-flowered. blue-flowered. double purple. double white. double blue. Neapolitan. dog's. cream-coloured. mountain. Alpine. fringed-leaved. Canadian. streaked. downy. broad-leaved. two-flowered. Siberian. Nuttall's. green-flowered. crenated. Tartarian. corn. Heart's-ease. purple. Rouen. tooth-flowered. yellow-flowered great-flowered. spurred. horned.		Britain. England. Alps of Eur. Mt, Cenis. N. America. Germany. Alps of Eur. Siberia. Missouri. N. America. Carinthia. Siberia. Britain. France. Britain. Switzerland Pyrenees.	1683. 1759. 1805. 1783. 1772. 1732. 1752. 1774. 1812. 1788.  1805.  1783. 1805.	4.6. 5. 5.6. 6.7. 5.6. 6.7. 5.6. 6.7. 5.6. 4.9. 5.7. 5.8.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Hor. dan. 1045.  Flor. dan. 1045.
β alba.  y cærulea. δ purpureo-plena. ε albo-plena. ζ cæruleo-plena. η pullido-plena. 16 canina. W. 17 lactea. E. B. 18 montana. W. 19 cenisia: W. 20 valderia. W. en. 21 canadensis. W. 22 striata. W. 23 pubescens. W. 24 mirabilis. W. 25 biflora. W. 26 uniflora. W. 27 Nuttallii. Ph. 28 concolor. L. T. 29 Zoysii. W. 30 altaica. B. Reg. 31 arvensis. P. S. 32 tricolor. P. S. 33 amœna. E. B. 34 rothomagensis. P.S 35 sudetica. W. en. 36 lutea. E. B. 37 grandiflora. L. 38 calcaruta. W. 39 cornuta. W.	white-flowered. blue-flowered. double purple. double blue. Neapolitan. dog's. cream-coloured. mountain. Alpine. fringed-leaved. Canadian. streaked. downy. broad-leaved. two-flowered. Siberian. Nuttall's. green-flowered. crenated. Tartarian. corn. Heart's-ease. purple. Rouen. tooth-flowered. yellow-flowered. spurred.		Britain. England. Alps of Eur. Mt, Cenis. N. America. Germany. Alps of Eur. Siberia. Missouri. N. America. Carinthia. Siberia. Britain. France. Britain. Switzerland Pyrenees.	1683. 1759. 1805. 1783. 1772. 1732. 1752. 1774. 1812. 1788.  1805.  1783. 1805.	4.6. 5. 5.6. 6.7. 5.6. 6.7. 5.6. 6.7. 5.6. 4.9. 5.7. 5.8.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Hor. dan. 1045.  Flor. dan. 1045.
β alba.  y cærulea. δ purpureo-plena. ε albo-plena. ζ cærulco-plena. η pallido-plena. 16 canina. W. 17 lactea. E. B. 18 montana. W. 19 cenisia. W. 20 valderia. W. en. 21 canadensis. W. 22 striata. W. 23 pubescens. W. 24 mirabilis. W. 25 biflora. W. 27 Nuttallii. Ph. 28 concolor. L. T. 29 Zoysii. W. 30 altaica. B. Reg. 31 arvensis. P. S. 32 tricolor. P. S. 33 amœna. E. B. 34 rothomagensis. P.S 35 sudetica. W. en. 36 lutea. E. B. 37 grandiflora. L. 38 calcarata. W. 39 cornuta. W. 40 arborescens. W.	white-flowered. blue-flowered. double purple. double purple. double blue. Neapolitan. dog's. cream-coloured. mountain. Alpine. fringed-leaved. Canadian. streaked. downy. broad-leaved. two-flowered. Siberian. Nuttall's. green-flowered. crenated. Tartarian. corn. Heart's-ease. purple. Rouen. tooth-flowered. yellow-flowered great-flowered. spurred. horaed. shrubby. IONIDIUM.	Violeæ. Violæ s	Britain. England. Alps of Eur. Mt, Cenis.  N. America. Germany. Alps of Eur. Siberia. Missouri. N. America. Carinthia. Siberia. Britain.  France. Britain. Switzerland Pyrenees. Spain.	1683. 1759. 1805. 1783. 1772. 1732. 1752. 1774. 1812. 1788.  1805.  1783. 1805. 	4.6. 5. 5.6. 6.7. 5.6. 6.7. 5.6. 6.7. 7.9. 3.6. 4.9. 3.6. 5.6. 4.5.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Hor. dan. 1045.  Flor. dan. 1045.
β alba.  y cærulea. δ purpureo-plena. ε albo-plena. ζ cærulco-plena. η pullido-plena. 16 canina. W. 17 lactea. E. B. 18 montana. W. 19 cenisia: W. 20 valderia. W. en. 21 canadensis. W. 22 striata. W. 23 pubescens. W. 24 mirabilis. W. 25 biffora. W. 26 unifiora. W. 27 Nuttallii. Ph. 28 concolor. L. T. 29 Zoysii. W. 30 altaica. B. Reg. 31 arvensis. P. S. 32 tricolor. P. S. 33 amœna. E. B. 34 rothomagensis. P.S 35 sudetica. W. en. 36 lutea. E. B. 37 grandiflora. L. 38 calcaruta. W. 39 cornuta. W. 40 arborescens. W. 40 NIDIUM. Vent. polygalæfolium. V. 41 HELICONIA. W.	white-flowered. blue-flowered. double purple. double white. double blue. Neapolitan. dog's. cream-coloured. mountain. Alpine. fringed-leaved. Canadian. streaked. downy. broad-leaved. two-flowered. Siberian. Nuttall's. green-flowered. crenated. Tartarian. corn. Heart's-ease. purple. Rouen. tooth-flowered. yellow-flowered great-flowered. spurred. horaed. shrubby. IONIDIUM. whorl-leaved. Heliconia.	Violeæ. Violæ s Musaceæ. P. S.	Britain. England. Alps of Eur. Mt, Cenis. N. America. Germany. Alps of Eur. Siberia. Missouri. N. America. Carinthia. Siberiaia. Britain. France. Pyrenees. Spain. Tyecies W. S. America.	1683. 1759. 1805. 1783. 1772. 1732. 1752. 1774. 1812. 1788 1805 1783. 1805 1776. 1779.	4.6. 5. 5.6. 6.7. 5.6. 6.7. 5.6. 6.7. 5.6. 4.5. 5.7. 5.8. 4.9.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Hot. mag. 1595. All. ped. 2. t. 22, f.6.
β alba.  γ cærulea.  δ purpureo-plena.  ε albo-plena.  ζ cæruleo-plena.  16 canina. W.  17 lactea. E. B.  18 montana. W.  19 cenisia. W.  20 valderia. W. en.  21 canadensis. W.  22 striata. W.  23 pubescens. W.  24 mirabilis. W.  25 biflora. W.  27 Nuttallii. Ph.  28 concolor. L. T.  29 Zoysii. W.  30 altaica. B. Reg.  31 arvensis. P. S.  32 tricolor. P. S.  33 amœna. E. B.  34 rothomagensis. P.S  35 sudetica. W. en.  36 lutea. E. B.  37 grandiflora. L.  38 calcarata. W.  39 cornuta. W.  40 arborescens. W.  HONIDIUM. Vent.  polygalæfolinm. V.  HELICONIA. W.  1 Bihai. W.	white-flowered. blue-flowered. double purple. double blue. Neapolitan. dog's. cream-coloured. mountain. Alpine. fringed-leaved. Canadian. streaked. downy. broad-leaved. two-flowered. Siberian. Nuttall's. green-flowered. crenated. Tartarian. corn. Heart's-ease. purple. Ronen. tooth-flowered. yellow-flowered great-flowered. spurred. horaed. shrubby. Ionidium. whorl-leaved. Heliconia. Plantain-leaved.	Violeæ. Violæ s Musaceæ. P. S.	Britain. England. Alps of Eur. Mt, Cenis. N. America. Germany. Alps of Eur. Siberia. Missouri. N. America. Carinthia. Siberia. Britain. France. Pyrenees. Spain. Spain. Fyecies W. S. America. W. Ind.	1683. 1759. 1805. 1783. 1772. 1732. 1752. 1774. 1812. 1788 1805 1783. 1805 1779.	4.6. 5. 5.6. 6.7. 6.8. 4.5. 6.7. 7.9. 5.8. 5.6. 4.9. 4.8. 4.5.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Hot. mag. 1595. All. ped. 2. t. 22, f.6.  t. 24, f.3.  Flor. dan. 1045.  46. Gmel.sib.4.t.48.f.5.  Linn. trans. 6. t.28. Jac. coll.4. t.11 f.1. Bot. reg. 54.  Eng. bot. Bot. mag. 1498.  Eng. bot. 721. Hall.helv. 566. t.17  Bot. mag. 791. Barr. ic. 568.  Vent. malm. 27.  Swart.ob.96.t.5.f.2
β alba.  y cærulea. δ purpureo-plena. ε albo-plena. ζ cærulco-plena. η pullido-plena. 16 canina. W. 17 lactea. E. B. 18 montana. W. 19 cenisia: W. 20 valderia. W. en. 21 canadensis. W. 22 striata. W. 23 pubescens. W. 24 mirabilis. W. 25 biffora. W. 26 unifiora. W. 27 Nuttallii. Ph. 28 concolor. L. T. 29 Zoysii. W. 30 altaica. B. Reg. 31 arvensis. P. S. 32 tricolor. P. S. 33 amœna. E. B. 34 rothomagensis. P.S 35 sudetica. W. en. 36 lutea. E. B. 37 grandiflora. L. 38 calcaruta. W. 39 cornuta. W. 40 arborescens. W. 40 NIDIUM. Vent. polygalæfolium. V. 41 HELICONIA. W.	white-flowered. blue-flowered. double purple. double white. double blue. Neapolitan. dog's. cream-coloured. mountain. Alpine. fringed-leaved. Canadian. streaked. downy. broad-leaved. two-flowered. Siberian. Nuttall's. green-flowered. crenated. Tartarian. corn. Heart's-ease. purple. Rouen. tooth-flowered. yellow-flowered great-flowered. spurred. horaed. shrubby. IONIDIUM. whorl-leaved. Heliconia.	Violeæ. Violæ s Musaceæ. P. S.	Britain. England. Alps of Eur. Mt, Cenis. N. America. Germany. Alps of Eur. Siberia. Missouri. N. America. Carinthia. Siberia. Britain. France. Pyrenees. Spain. Spain. Fyecies W. S. America. W. Ind.	1683. 1759. 1805. 1783. 1772. 1732. 1752. 1774. 1812. 1788 1805 1783. 1805 1779.	4.6. 5. 5.6. 6.7. 6.8. 4.5. 6.7. 7.9. 5.8. 5.6. 4.9. 4.8. 4.5.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Hot. mag. 1595. All. ped. 2. t. 22, f.6.

3 Psittacorum. W.	Parrot-beaked.	Musaceæ. P. S.	W. Ind.	1797.	8.9.	S. 4.	Bot. mag. 56%.
STRELITZIA. H. K.	STRELITZIA.	Musaceæ. P. S.					
1 augusta, H. K.	august.		C. B. S,	1791.	2.5.	S.h.	
2 reginæ. H. K.	Canna-leaved.			1773.	4.5.	S. 24.	Red. lil. 77. 78.
S ovata. H. K.	ovate-leaved.			1777.	2.4.	5.4.	Bot. mag. 119.120.
4 farinosa. H. K. 5 angustifolia. H. K.	mealy-stalked.	THE		1795.	2.3.	8.4.	
6 parvifolia. H. K.	rush-leaved.			1778.	3.0.	5.4.	20.514
•	(GLORE AMA-)			1730.	Q-/-	3.4.	soften a comment
GOMPHRENA. B. P.	{ RANTH. }	Amaranthaceæ. B.	. P.				
1 globosa. W,	annual.		India.	1714.	5.10.	5.0.	Rheed.mal.10.t.37.
2 perennis. W.	perennial.	<del></del>	S. America.	1732.	7.10.	S. 24.	Dill.elt.24.t.20.f.22
3 arborescens. W.	tree.			1802.		S.h.	
4 interrupta. W.	trailing.		W. Ind.	1733.	7.8.	S. 3.	Jac. ic. 1. t. 51.
PHILOXERUS. B. P.		Amaranthaceæ. B.	P. Gomphren	væ speci	ies Li	หา.	
1 vermiculatus. B. P.			S. America.	• • • • 7	7.10.	S.4.	Herm. parad. t. 15,
2 brasiliensis. B. P.	upright.			1790.		S.h.	Jac. ic. 2. t. 346.
ACHYRANTHES. W.		Amaranthaceæ. B	· P.				
1 argentea. W.	upright.		Sicily,	1713.	5.10.	S.h.	Bocc. sic. 16. t. 9. Mill. ic.1. t.11. f. 2, Rumph.amb.5. t.83
2 aspera. W.	rough.		India.	1751.		S. h.	Mill. ic.1. t.11. f. 2,
3 muricata. W. 4 alternifolia. W.	prickly. alternate-leaved.		E. Ind	1777.	7.0	5.4.	Pluk alm + 260 f
5 porrigens. H. K.	crimson-flowerd.		Ad Alide	1800	1.5.	S.O.	Rot mag 920
6 nivea. W.	white.		Canaries	1780	5.7	G.L	Pluk.alm. t.260. f.1 Bot, mag. 830.
PUPALIA. Juss.	PUPALIA.	Amaranthaceæ. B	. P. Achuran	this sne	cies I	T. 7.	
1 lappacea. J.	Burry.		E. Ind.	1759	8.10	S. L	Rheed mal.10.t.50
2 prostrata. B. P.	prostrate.		221 221 111	1793.	7.8.	S.21.	Rheed mal.10.t.59,
DEERINGIA, B. P.	DEERINGIA,	Amaranthacea. B.	P. Celosiæ s	pecies	w.	~, <del>-1</del> .	
celosioides. B. P.	Berry-bearing,			1804.		S. 2.	
CELOSIA. B. P.	COCK'S-COMB.	Amaranthaceæ. B					
1 argentea. W.	silvery-spiked.	<del></del>	China,	1714.	6.9.	S.O.	Mart. dec. 1, t. 7.
2 cristata. W.	common.		Asia.	1570.		S.O.	Lam. ill. t. 168. f. 1.
3 comosa. W.	tufted.		E. Ind.	1802.	-	S. 3.	
4 coccinea. W.	scarlet.		China.	1597,	<del></del>	S.⊙.	
5 cernua. B. R.	drooping.		E. Ind.	1809.	7.8.	S.⊙.	Bot. rep.
6 castrensis. W.	branched.	<del></del>		1739.	7.9.	$S_{i}\odot$ .	Bar. ray. t. 1195.
7 Monsoniæ. W.	downy.	***************************************		1778.		S.O.	∫ Pluk. alm. 11. t. 384. f. 4.
	•			1=00		0.0	334. f. 4.
8 nodifiora. W.	knotted.	Amoranthagon P	D. Calorin	1780.	717	8.⊙.	Jac. vind. 1. t. 98.
LESTIBUDESIA, B.P.		Amaranthaceæ. B	.P. Cetostæ s	pecies i	<i>n</i> .	C 4	Clas is 1 4 01 f 1
1 paniculata, B. P.	panicled. oval-leaved.		Sanaral	1777	0.9.	8.0.	Sloa.jam.1.t.91.f.1. Jac. vind. 3. t. 15.
2 trigyna. B. P. 3 virgata. B. P.	wave-leaved.		Sellegar.	1915	0.10.	S.O.	Jac. ic. 2. t. 339.
ALTERNANTHE- }	_						9 ac. 1c. *. t. 303.
	THERA.	Amaranthaceæ. B.	.P. Illecebri	species	Lim	ę.	
1 Achyrantha. B. P.	creeping.		BuenosAvres	.1732.	6.8.	S. 2L.	Dill. elt. 8. t.7. f. 7,
2 polygonoides. B.P.			America.	1731.		G. 11.	Herm. par. 17.
3 sessile. B. P.	sesile-flowered.		E. Ind.	1778.	7.10.	S. d .	Rheed.mal.10.t.11.
ÆRUA. Juss.	ÆRUA.	Amaranthaceæ. B.	. P. Illecebri	specie	s W.		
1 lanata. J.	woolly.		E. Ind.	1691.	4.8.	S. 3.	Mill. ic.1. t. 11.f.1.
2 javanica. J.	spear-leaved.		-1474	1768.		S.h.	Burm.ind.t.65.f.2,
ILLECEBRUM. Juss.		Amaranthaceæ.	Juss.				
verticillatum. W.	whorled.		England.		7.	н.4.	Eng. bot. 895.
PARONYCHIA. G.	PARONYCHIA.	Amaranthaceæ. J				**	
1 nitida. G.	mountain.		S. Europe.	1640.	5.8.	H.4.	Tabalia too f
2 capitata. Juss.	Spanish.						Lobel. ic. 420. f. 1.
3 nivea. P. S.	Chickwood loave			1812.			Soon del ine + 10
4 alsinifolia. J.	Chickweed-leava.	Amaranthaceæ. J.		• • • •		n,⊙.	Scop. del. ins. t. 13.
ANYCHIA. Mich.	Anychia. forked.			1806	5.9	HA	Ort. dec. t. 15. f. 2,
dichotoma. Ph.  Queria canadensis.	W.		A 10 ZELICITOS.	10000	0,00	4±.0 .	010. deci 6. 10. 1. 29
MOLLIA. W.	Mollia,	Amaranthaceæ. J.	Polycarnen	Lam.	Har	ea. P.	S.
1 diffusa. H. K.	forked.		Canaries.				Willd. hort. ber.11.
2 aristata. H. K.	bearded.			1780.			
CHENOLEA. W.	CHENOLEA.	Chenopodeæ. B. P		2,000		-:	
diffusa. W.	silky.	- I I		1758.	8.9.	G.h.	
GLAUX. W.	BLKSALTWORT.					•	
maritima. W.	sea.		Britain,		5,6.	H.4.	Eng. bot. 13.
MENYANTHES. B.P.	BUCK-BEAN.	Gentianeæ? B. P					
trifoliata. W.	common.		Britain.	9900	7.	H,4.	Eng. bot. 495.

VILLARSIA. B. P.	VILLARSIA.	Gentianeæ. B. P.	Menyanthis	species W.		
1 nymphoides. W.	fringed.	,	England.	6.7.	H.4.	Eng. bot. 217.
2 lacunosa. V.	smooth-flowered.		N. America.	1812	G. 24 .	Vent. choix. 9.
3 sarmentosa. B. M.	running.		N. Holland.	1806. ——	G. 24.	Bot. mag. 1323.
4 indica. W.	Indian.		C. B. S.	1792. 5.8.	S. 24.	658.
5 parnassiifolia. B.P.	tall.			1805. 6.10.	G. 21.	658. 1029.
6 ovata. V.	oval-leaved.					Vent. choix. 9.
LOGANIA. B. P.	LOGANIA.	Gentianeæ. B. P.			0.4.	
1 latifolia. B. P.	broad-leaved.				G.h.	Lab.nov.holl.1.t.51
						Bot. rep. 520.
2 floribunda. B. P.	many-flowered.	-	14. 13., 11.	1/3/- 4.0.	G. 12.	Dot. 1cp. 920.
Euosma albiftora.		Gentianeæ. B. P.				
SPIGELIA. W.	WORM-GRASS.	Gentianea. D. 1.	W Ind	1750 7	80	Brown.jam.t.37.f.3 23
1 Anthelmia. W.	annual.		W. Inu.	1709. 7,	5.O.	Drown.jam.t.s7.1.3
2 marilandica. W.	perennial.	C	N. America.	1694. 7.8.	11:4.	Bot. mag. 80.
LISIANTHUS. W.	LISIANTHUS.	Gentianeæ. B. P.			0.7	D
1 longifolius. W.	long-leaved.		Jamaica.	1793. 6.7.	S.h.	Brown.jam.t.9.f.1.
2 glaucifolius. Jac.	glaucous-leaved.				5.4.	Jac. ic. rar. 1. t. 33.
3 exsertus. W.	oval-leaved.		W, Ind.	1793	S.h.	
4 cordifolius. W.	heart-leaved.		Jamaica.	1816	S.h.	
CHIRONIA. B. P.	CHIRONIA.	Gentianeæ. B. P.				
1 jasminoides. L. T.	Jasmine-leaved.		C. B. S.	1812. 4.7.	G.h.	Bot. reg. 197.
2 lychnoides. L. T.	Lychnis-flowerd.			1816	G.h.	
3 linoides. W.	Flax-leaved.			1787. 7.9.	G.h.	Bot. mag. 511.
4 baccifera. W.	berry-bearing.			1759. 6.7.	G.b.	233.
5 angustifolia. H. K.	narrow-leaved.			1800, 6.8.	G.h.	818-
6 frutescens. W.	shrubby.	Continuo R D		1756. 6.9.	G.b.	37.
7 decussata. H. K.	cross-leaved.			1789.	G.h.	707-
SABBATIA. P. L.	SABBATIA.	Gentianeæ. B. P.	Chironia ene	cies IV	0.17.	7074
	slender.	Centranea. B. 1.			H 1	Dar land 90
1 gracilis. Ph. 2 calycosa. Ph.	dichotomous.		IV. Zimerica.	1910 69	H 1	Rot mag 1600
				1012. 0.0,	II. 0.	Dog. mag. 1000.
3 chloroides. Ph.	Chlora-like.	Cantianam P. D.	Chinavia an	noine III	11:0 ;	
ERYTHRÆA. P. S.	ERYTHRÆA.	Gentianeæ. B. P.			TTO	En a bat the
1 Centaurium. P. S.	common.		Britain.	7.8.	H.O.	Eng. bot. 417.
2 pulchella. E. B.	dwarf-branched.		England.	8.9.	H.O.	458.
3 littoralis. E. B.	dwarf-simple.	-	Britain.			
4 maritima. P. S.	procumbent.		S. Europe.	1777. 7.8.	G. 24.	Cav.ic.3. t. 296. f.1.
EUSTOMA, P. L.	Eustoma.	Gentianeæ. B. P.				
silenifolium. P. L.	Silene-leaved.				$H.\odot$	Par. lond.
SCOPOLIA. W.	Scopolia.			S.		
aculeata. W.	prickly.		E. Ind,	1790	S. h.	Lam. ill. t. 139.
BUTTNERIA. W.	BUTTNERIA.	Malvaceæ. J.				
1 scabra. W.	rough-leaved.		W.Ind.	1793. 7.	S.h.	Cav.diss.5.t.148.f.1
2 microphylla. W.	small-leaved.		S. America.	1816	S.h.	t.148. f.2.
AYENIA. W.	AYENIA.	Malvaceæ. J.		,		
1 pusilla. W.	small.		Jamaica.	1756. 7.9.	S. Z.	Mill. ic. 79. t. 118.
2 lævigata. P. S.	smooth.			•	S. b .	
STRYCHNOS. W.	STRYCHNOS.	Apocyneæ, B. P.				
1 Nux-vomica. W.	Poison-nut.	***************************************	E. Ind.	1778	S L	Boxh. cor 1. t. 4.
2 potatorum. W.	Clearing-nut.		Zii Ziikti	1794	Sh	Roxb. cor. 1. t. 4.
GELSEMIUM. J.	GELSEMIUM.	Apocyneæ. B. P.	Rignonia er	necies T.	0.17.	1.0.0
şempervirens. H.K.					HL	Cates. car. 1. t. 53.
RAUWOLFIĄ. W.	RAUWOLFIA.	Apocyneæ. B. P.	14. mineriça.	1040. 0,7.	#1. 15 ·	Cares. car. 1. t. 55.
1 nitida. W.			C Amoriae	1750 60	e t	Dlum : + 4000 f3
2 canescens. W.	shining.		Jamaias	1752. 0.9.		Plum. ic. t.236. f.1.
	hoary.		Jamaica.	1739	s.n.	t.236. f.2.
CARISSA. W.	CARISSA.	Apocyneæ. B. P.	72 7 . 1		0.7	70
1 Carandas. W.	Jasmine-flowerd.	4	E. Ind.	1790. 7.	S.h.	Rox. cor. 1. t. 77.
2 spinarum. W.	spiny.		-	1809. 8.12	. S. h.	Lam. ill.t. 118.f.2.
ARDUINA. W.	ARDUINA.	Apocyneæ. B. P.				•
bispinosa. W.	two-spined.		C. B. S.	1760. 3.8.	G. 7.	Mill. ic. 2. t. 300.
CERBERA. W.	CERBERA.	Apocyneæ, B. P.				
1 Ahouai. W.	oval-leaved.			1739. 6.7.	S.h.	Bot. mag. 737.
2 Manghas. W.	spear-leaved.			1759. 9,	S.h.	Rheed. mal.1.t.39.
3 maculata. W.	waved-leaved.		Bourbon.	1782. 6.7.		
4 ovata. W.	oval-leaved.	<del></del>	N. Spain.			
5 Thevetia. W.	linear-leaved.		S. America.	1735		Jac. amer. 48. t.34.
ALLAMANDA. W.	ALLAMANDA.	Apocyneæ. B. P.	1. 10			
cathartica. W.	Willow-leaved.		Guiana.	1785. 6.7.	S. b .	Bot. mag. 338.
VINCA. W.	PERIWINKLE.	Apocyneæ. B. P.	- 40			,
1 herbacea. W. en.	herbaceous.		Hungary.	1816. 6.7.	H.21.	Pl. rar. hung.1.t.9.
2 minor, W.	lesser.		Britain.			Eng. bot. 917.
	4	H			2	E. 1441 9 4 1 0
		•				

1			2020	2220			
3 major. W.	greater.	Apocyneæ. B. P.	England.		3.9.	н.ь.	Eng. bot. 514.
							Murr. comm.gott,
4 parviflora. W.	small-flowered.						
5 rosea. W.	Madagascar.	sandan resident de la companya del la companya de l		1756.	3.10.	S.h.	Bot. mag. 248.
β alba.	white-flowered.	,				·	Ü
y ocellata.	red-eyed.						
NERIUM. B.	OLEANDER.	Apocyneæ. B. P.					
1 tinctorium. A. R.	dyer's.		E. Ind.	1812.		S.h.	
2 Oleander. W.	common.		S. Europe.	1596.	6.10.	G.h.	Lam. ill. t. 174.
B alba.	white-flowered.						
y splendens.	double-hybrid.			1814.		G. h .	
3 odorum. W.	sweet-scented.		E. Ind.	1683.	6.8.	G.h.	Rheed. mal. 9. t. 2.
β carnea.	firsh-coloured.						Bot. reg. 74.
y plena.	double-flowered.					· S. h .	Bot. reg. 74. 7700
WRIGHTIA. B.	WRIGHTIA.	Apocyneæ. B. P.	Nerii species	s Willd			
1 antidyseuterica. B	. oval-leaved.		E. Ind.	. 1778.		S.h.	Rheed. mal.1. t.47. Burm.zeyl.t.12.f.2.
2 zeylanica. B.	spear-leaved.		<del></del>			S.h.	Burm.zeyl.t.12.f.2.
ECHITES. B.	ECHITES.	Apocyneæ. B. P.					
1 biflora. W.	twin-flowered.		W. Ind.	1793.	7.	S.h.	Jac. amer.30. t. 21. Bot. mag. 1064.
2 suberecta. W.	Savanna-flower.		Jamaica.	1759.	6.8.	S.h.	Bot. mag. 1064.
3 torulosa. W.	climbing.	The state of the s		1778.	_	. S. h.	Jac amer 33 t 97
4 umbellata. W.	umbelled.			1733.	7.	S.h.	30. t.22.
5 difformis. Ph.	deformed.		Carolina.	1806	_	GL	
6 bispinosa. W.	twin-spined.		C. B. S.	1795.	7.11.	. S. h .	
ICHNOCARPUS. B.	ICHNOCARPUS.	Apocyneæ. B. P.	Apocyni spec	cies W'.			
frutescens. H. K.	shrubby.				7.8.	S.b.	Burm.zeyl.t.12.f.1.
PLUMERIA. W.	PLUMERIA.	Apocyneæ. B. P.					
1 rubra. W.	red.		Jamaica.	1690.	7.8.	S.b.	Bot. mag. 279. A. 7
2 acuminata. H. K.	acuminated.		E. Ind.	1790.	6.9.	S.b.	Bot. reg. 114.
3 alba. W.	white.		Jamaica.	1733.	7.8.	S.b.	Jac. amer.t.174.f.2
4 obtusa. W.	blunt-leaved.		W. Ind.				Cat. car. 1. t. 93.
5 pudica. Jac.	wax-flowered.		S. America.				
CAMEDADIA 317	BASTARD						
CAMERARIA. W.	MANGENEEL	Apocyneæ. B. P.					
1 latifolia. W.	broad-leaved.		Havannah.	1733.	8.	S.h.	Bot. rep. 261.
2 lutea. W.	yellow-flowered.		Cayenne.				Aub.guian.1.t.102.
3 dubia. B. M.	doubtful.		E. Ind.				Bot. mag. 1646.
4 angustifolia. W.	narrow-leaved.		S. America.				Plum. ic. t. 72. f. 2.
TABERNÆMON-	TABERNAS.						.,
TANA. W.	MONTANA.	Apocyneæ. B. P.	•				
1 citrifolia. W.	Citron-leaved.		Jamaica.	1734.		S.b.	Plum. ic. t.248.f.2.
4 1	7 1					0.4	( Sloan, jam. 2, t.
2 laurifolia. W.	Laurel-leaved.		W. Ind.	1768.	• • • •	S.h.	Sloan. jam. 2. t. 186. f. 2. 7/6
3 coronaria. H. K.	Rose-bay like.		E. Ind.	1770.	5.9.	S.b.	Bot. mag. 1865.
AMSONIA. Mich.	AMSONIA.	Apocyneæ. B. P.	Tabernæmon	tanæ sp	ecies	L.	
1 latifolia. Ph.	broad-leaved.		N. America.	1759.	5.6.	H. 2.	Bot. reg. 151.
2 salicifolia. Ph.	Willow-leaved.			1812.		Н. и.	Bot. mag. 1873.
3 angustifolia. Ph.	hairy-stalked.		-	1774.		H. 21.	Vent. choix, 29.
- J				1			
		DIGYNI	Α.				
APOCYNUM. B.	Dog's-BANE.	Apocyneæ. B. P.					
1 androsæmifolium.W			N. America.	1688.	7.9.	н.и.	Bot. mag. 280.
2 cannabinum. W.	Hemp-like.			1699.		H. 1.	Mor.hist.3.t.3.f.14.
3 hypericifolium. W.				1758.	6.7.	H. 1.	Jac. vind. 3. t. 66.
4 venetum. W.			Adriatic Isl.	1690.		H. 24.	Lobel. ic. 372.
MELODINUS. W.	MELODINUS.	Apocyneæ. B. P.					2000011010101
scandens. W.	climbing.		N.Caledonia.	1775.		S.h.	Lam. ill. t. 179.
PERIPLOCA. B.	PERIPLOCA.	Asclepiadeæ. B. P.					2-1122 1120 00 2760
1 græca. W.	common.			1597.	7.8.	н.ь.	Lam. ill. t. 177.
2 lævigata. W.	smooth.		Canaries.				Cav. ic. 3. t. 217.
HEMIDESMUS. B.	HEMIDESMUS.	Asclepiadeæ. B. P.				J. 17.	earrier or to 2170
indicus. H. K.	Indian.			1796.		S.L.	Burm.zeyl.t.83.f.1.
SECAMONE. B.	SECAMONE.	Asclepiadeæ. B. P.				~	
		-		_		~ -	(Alp. ægynt. 133.
1 ægyptiaca. H. K.	Egyptian.	^	Egypt.	1752.	7.	G.h.	{ Alp. ægypt. 133. t. 134.
2 emetica. B. P.	narrow-leaved.		India.	1816.		S.b.	Willd.phy.1.t.5.f.2.
MICROLOMA. B.	MICROLOMA.	Asclepiadeæ. B. P.					
sagittatum. H. K.	arrow-leaved.	Ziscrepiadea: D. T.				G. h.	Jac. scheen.1. t.38.
SARCOSTEMMA. B.	_	Asclepiadeæ. B. P.				٠٠،٠٠٠	
	twisting.					S.L.	Alp. ægypt. t. 190.
viminale, H, K.	entisting.		AL 6444	11011		2.16.	Tribi or Photo or That

	_	
DÆMIA. B.	DÆMIA.	Asclepiadew. B. P. Cynanchi species W.
extensa. H. K.	smooth-leaved.	E. Ind. 1777. 7.8. S.h. Jac. ic. 1. t. 34.
CYNANCHUM. B.	CYNANCHUM.	Aselepiadeæ. B. P.
1 acutum. B.	acute-leaved.	Spain. 1596. 7. H.4. Trew ehret.44.t.82
2 monspeliacum. B.	Montpelier.	S. Europe. 8.9. H.4. Jac. ic. 2. t. 340.
3 obtusifolium. B.	obtuse-leaved.	C. B. S. 1816 G. h.
4 pilosum. B.	hairy.	1726. 6.9. G. h. Bot. reg. 111.
5 vincetoxicum. B.	officinal.	Europe. 1596. 5.8. H. 4. Flor. dan. 849.
β lutea.	yellow-flowered.	22.30
6 nigrum. B.	black.	S. Europe. — 6.8. H. 4. A. 2340
7 sibiricum. B.	Siberian.	Siberia. 1775. 7.8. H. 4. Murr. gott. 2. t. 7.
8 davuricum. B.	Davurian.	——————————————————————————————————————
9 undatum. B. R.	wave-leaved.	W. Ind. 1803. — S. h. Bot. rep. c. ic.
10 mucrenatum. B. R.	sharp-pointed.	Trinidad. 1804. — S. ħ. — c. ic. — c. ic. 1814. 10.12. S. ħ. Bot. mag. 1929.
11 viridiflorum. B. M.	green-flowered.	E. Ind. 1814. 10.12. S. h. Bot. mag. 1929.
OXYSTELMA. B	OXYSTELMA.	Asclepiadeæ. B. P. Periplocæ species L.
esculentum. B.	esculent.	E. Ind. 1816, S. 4. Roxb. cor. 1. t. 11.
GYMNEMA. B.	GYMNEMA.	Asclepiadeæ. B. P. Periplocæ species W.
sylvestris. B.	netted-leaved.	Ceylon. 1816 S. h. Willd. phy.1.t.5.f.8
CALOTROPIS. B.	CALOTROPIS.	Asclepiadew. B. P. Asclepiadis species W.
1 procera. H. K.	bell-flowered.	
2 gigantea. H. K.	curled-flowered.	Persia. 1714. 7.9. S. h. Bot. rep. 271.  E. Ind. 1690. — S. h. Bot. reg. 58.
XYSMALOBIUM. B.	XYSMALOBIUM.	Asclepiadeæ. B. P. Asclepiadis species W.
undulatum. H. K.	waved-leaved.	C. B. S. 1783. 7. G. h. Comm. rar. t. 16.
GOMPHOCARPUS.B		Asclepiadex. B. P. Asclepiadis species W.
1 arborescens. H. K.	broad-leaved.	C. B. S. 1714 19. G. b. Jac. schoon 1 t 50.
2 crispus. H. K.	curled-leaved.	C.B.S. 1714. 12. G.ħ. Jac. schæn.1.t.50. 1774. 7. G.ħ. Comm. rar. t. 17. 1714. 6.9. G.ħ. Bot. mag. 1628.
	Willow-leaved.	17/4. 7. G. R. Commistat. C. 17.
3 fruticosus. H. K.		Acalminder R. D.
ASCLEPIAS. B.		Asclepiadew. B. P.
1 syriaca. W.	Virginiau.	N. America. 1629. 7.8. H.4. Blackw. t. 521.
2 phytolaccoides. Ph.		1812. — H. 4. Dill.elt. t.27. f. 30.
3 amœna. W.	oval-leaved.	1732. — H. 4. Diff. ett. 1.27. 1.30.
4 purpurascens. W.	purple.	——————————————————————————————————————
5 variegata. W.	variegated.	1597. — H. 14. Bot. mag. 1182.
6 curassavica. W.	Curassavian.	S. America. 1692. 6.9. H.4. Bot. reg. 81.
7 nivea. W.	Almond-leaved.	N. America. 1730. 7.9. H. 4. Bot. mag. 1181.
8 parviflora. W.	small-flowered.	1774. 7.10. G. 4.
9 incarnata. W.	flesh-coloured.	1710. 7.8. H. 4. Bot. reg. 250.
10 pulchra. W. en.	hairy.	
11 decumbens. W.	decumbent.	1731. — H. 4.
12 verticillata. W.	whorl-leaved.	1759. — H. 4. Pluk.man.t.336.f.3
13 longifolia. Ph.	long-leaved.	——————————————————————————————————————
14 tuberosa. W.	tuberous-rooted.	1690. 7.9. H. 4. Bot. reg. 76.
15 Linaria. W.	Flax-leaved.	1816. — H. 4.  1690. 7.9. H. 4. Bot. reg. 76.  Mexico. 1802 G4. Cav. ic. 1. t. 57.
GONOLOBUS. B.	Gonologus.	Ascleniades, B. P. Cananchi species IV.
1 hirsutus. M.	hairy.	N. America, 1806, 6, H. 21,
2 lævis. M.	smooth.	H.4.
3 subcrosus. H. K.	Cork-barked.	
4 discolor. B. M.	Virginian.	N. America, 1809, 7.8, H.M. Bot, mag 1973.
5 crispiflorus. H. K.	curled-flowered.	S. America. 1741. — S. 5. Plum.ic. t.216. f.1.  Mexico. 1812. 9.10. S. 4. Bot. reg. 252.
6 diadematus.	red-crowned.	Mexico. 1812, 9.10, S.M. Bot reg 959
PERGULARIA. B.	PERGULARIA.	Asclepiadeæ. B. P.
1 odoratissima. H. K.		E. Ind. 1784. 6.7. S. h. Bot. rep. 185.
2 minor. H. K.	small.	1794. 6.7. S. R. Bot. rep. 185
MARSDENIA. B.	MARSDENIA.	Asclepiadeæ. B. P. Cynanchi species IV.
1 erecta. B.	upright.	Syria. 1597. 7.8. S.h. Jac. vind. 1. t. 38.
2 suaveolens. B.		Syna. 1997. 7.6. S. n. Jac. vind. 1. t. 38.
HOYA. B.	sweet-scented.	N. S. W. 1816 G. h. Lin.tran.10.t.21.f.1
		Asclepiadeæ. B. P. Asclepiadis species IV.
carnosa. B.	fleshy-leaved.	Asslandar P. Asia. 1802. 7.8. S.h. Bot. mag. 788.
STAPELIA. B.	STAPELIA.	Asclepiadeæ. B.
1 ciliata. W.	ciliated.	C. B. S. 1795.10.12.D.S. h. Mass. stap. 9. t. 1.
2 revoluta. W.	revolute-flowerd.	1790. 6.9. D.S. h. Bot. mag. 724.
3 glauca. W. en.	glaucous.	1799. 6.11.D.S. h . Jac. stap. c. ic.
4 lepida. W. en.	pretty.	7.8. D.S. h c. ic.
5 hirsuta. W.	hairy.	1710. 6.3. D.S. 1/2. Jac. misc. 1. t. 3.
6 grandiflora. M. S.	great-flowered.	1795. 9.12.D.S. h. Mass. stap.13 t.11.
7 spectabilis. H. S.	showy.	1862. 11.1.D.S. h. Bot. mag. 585.
grandistora. B. M.		
8 ambigua. W.	ambiguous.	1795. 6.11.D.S. h. Mass. stap.13. t.12.
9 pulvinata. W.	cushioned.	D.S. h. Bot. mag. 1240.
10 Asterias. W.	Star-fish.	5.11.D.S. !¿ 536.
		H 2
		,

3.0	1 111	TANDIMA DIGITIA.
11 sororia. W. en.	sister.	Asclepiadew. B. P. C. B. S. 1797. 6.8. D.S. h. Mass. stap. 23. t. 39.
12 patula. W. en.	spreading.	——————————————————————————————————————
13 deflexa. J. S.	deflexed.	1806 - D.S. L. Bot mag 1800
14 gemmiflora. M. S.	gem-flowered.	1795.10.11.D.S. $h$ . Mass. stap.14.t.15.
15 hircosa. W. en.	stinking.	6.8. D.S. h. Jac. stap. c. ic.
16 Juvencula. W. en.	short-flowered.	DS Is c ic
17 divaricata. W.	straddling.	1793. 6.11.D.S. h. Bot. mag. 1007.
18 rufa. W.	rusty brown.	1795. — D.S. L. Mass. stap.16. t. 20.
19 acuminata. W.	acuminated.	7 9 D S L 15 t 17
20 radiata. H. K.	starry.	7.9. D.S. ½. — 15. t. 17. — D.S. ½. Bot. mag. 619.
21 Jacquini.	Jacquin's.	1802. — D.S. h. Jac. stap. c. ic.
radiata. J. S.	1	1002. Bistiff to det stape of to.
22 reclinata. W.	reclining.	1795. — D.S. h. Mass. stap.19.t.28.
23 roriflua. W. en.	dew-bearing.	1802. — D.S. h. Jac. stap. c. ic.
24 elegans. W.	elegant.	1795. — D.S. ½. Bot. mag. 1184. — D.S. ½. Jac. stap. c. ic.
25 birtella. W. erl.	small hairy.	D.S. h. Jac. stap. c. ic.
26 cæspitosa. W.	tufted.	1790. 5.8. D.S. h. Mass.stap. 20.t. 29.
27 arida. W.	dry.	1795. 8. D.S. l <sub>1</sub> . —— 21 t.33.
28 parviflora. W.	small-flowered.	
29 serrulata. W. cri.	sawed.	
30 concinna. W.	spruce.	
31 glanduliflora. W.	gland-flowered.	8.11.D.S. ½ . — 16.t. 19.
32 glandulifera. H. S.		
33 pedunculata. W.	long-peduncledi	1790, 6.11 D S h. Bot mag, 793.
34 aperta. W.	open-flowered.	1795. 7.8. D.S. L. Mass.stap. 23. t. 37.
35 pilifera. W.	hairy-tubercled.	1790. 6.8. D.S. h
36 articulata. W.	jointed.	1774. 7.11.D.S. h. —————————————————————————————————
37 Gordoni. M. S.	Gordon's.	1796 D.S. ½ 24.t.40.
38 mammillaris. W.	prickly.	1774. 6.7. D.S. J2. Burm.afr. 27. t.11.
39 pruinosa. W.	frosted.	——————————————————————————————————————
40 ramosa. W.	branched.	
41 incarnata. Wi	flesh-coloured.	1793. 4.8. D.S. b. —————————————————————————————————
42 punctata. W.	purple-dotted.	1795. 7.11. D.S. h. —————————————————————————————————
43 geminata. W.	twin-flowered.	5.11. D.S. h. Bot. mag. 1326.
44 decora. W.	neat.	
	Spurple }	
45 Vetula. W.	{ smooth-flowd }	1793. — D.S. h. —————————————————————————————————
46 Simsii. H. S.	Sims's.	——————————————————————————————————————
Vetula. B. M.		
47 pulchella. W.	beautiful.	1795. — D.S. h. Mass. stap. 22. t. 36.
48 verrucosa. W.	warty-flowered.	8.10.1).S.h. — 11.t. 6.
49 irrorata. W.	dewy.	8.10.D.S. ½. — 11. t. 8. 7.9. D.S. ½. — 12. t. 9.
50 pulchra. H. S.	beautiful sulphur	1800. 8.10. D.S. h. Bot. mag. 786.
51 picta. H. K.	painted.	
52 marginata. W. en.	margined.	1805. — D.S. ½.
53 obliqua. W. en.	oblique-flowered	
54 paniculata. W. en.	panicled.	
55 clavigera. J. S.	clubbed.	
56 maculosa. J. S.	spotted.	1804. — D.S.h. Bot. mag. 1833.
57 bufonia. W. en.	toad.	1795. — D.S. ½. Jac. stap. c. ic. 1804. — D.S. ½. Bot. mag. 1833. 1806. — D.S. ½. — 1676.
58 variegata. H. S.	variegated	——————————————————————————————————————
59 Curtisii. H. S.	Curtis's:	1690. — D.S. h. Bot. mag. 26.
variegata. B. M.		
60 orbicularis. B. R.	orbicular.	1799. 7.11. D.S. h. Bot. rep. 448.
61 planiflora. W. en.	plain-flowered.	1805. — D.S. h. Jac. stap. c. ic.
62 rugosa. W. en.	wrinkled.	5.8. D.S. b. —— c. ic.
63 conspurcata. W. en		5.8. D.S. ½. —————————————————————————————————
PIARANTHUS. B.	PIARANTHUS.	Asclepiadeæ. B. P. Stapeliæ species W.
pullus. H. S.	many-flowered.	C. B. S. 1774. 8.9. D.S. h. Bot. mag. 1648.
HUERNIA. B.	HUERNIA.	Asclepiadeæ. B. P. Stapeliæ species W.
1 reticulata. H. S.	netted.	C. B. S. 1793. 7.8. D.S. h. Bot. mag. 1662.
2 campanulata. H. S		1795. 7.10.D.S. h 1227.
3 venusta. H. S.	handsome.	6.7. D.S. 1/2. Mass. stap. 10. t. 3.
4 lentiginosa. H. S.	freckled.	7.11. D.S. b. Bot. mag. 506.
£ guttata. H. S.	red-spotted.	1795. 8.11.D.S. h. Mass. stap. 10. t. 4.  D.S. h. 10. t. 5.
6 hamilis. H. S.	humble.	
7 tubata. W. en.	tube-flowered.	1805. — D.S. n. Jac. stap. c. ic.
8 barbata. H. S.	bearded.	1795. — D.S. h. Mass. stap. 11. t. 7. 245
CARALLUMA. B.	CARALLUMA.	Asclepiadeæ. B. P. Stapeliæ species W.
1 adscendens. H. S.	ascending.	E. Ind. 1804. 7. D.S. h. Roxb. cor. 1. t. 30.
	-0.	· ·

		11 1111111111111	DIGI	1222			
2 umbellata. H. S.	umbelled.	Asclepiadeæ. B. P.	E. Ind.	1804.		D.S. h	,
HERNIARIA. W.	RUPTURE-WORT	Amaranthaceæ. J.	,				
1 glabra. W.	smooth.				7.	H.4.	Eng. bot. 206.
2 hirsuta. W.	hairy.	<del></del>			7.8.	H.4.	1379.
3 fruticosa. W.	shrubby.		Spain.	1814.	5.8.	H.h.	Lob. ic. 85.
4 polygonoides. W.	Knot-grass.		S. Europe.	1752.		- G.h.	Cav. ic. 2. t. 131.
CHENOPODIUM, W.		Chenopodeæ. B. P					
1 Bonus-Henricus.W	English Mercury		Britain.		5.8.	H.4.	Eng. bot. 1033.
2 urbicum. W.	upright.						717.
3 Atriplicis. W.	purple.			1780.	8.9.	$H.\odot.$	Jac. vind. 3. t. 80.
4 rubrum. W.	red.		Britain.	• • • •		H.⊙.	Eng. bot. 1721.
5 guineense. W.	Guinea.		Guinea.	1790.		-H.⊙.	Jac. ic. rar. 2. t. 345.
6 murale. W.	nettle-leaved.					· H.⊙.	Eng. bot. 1722.
7 album. W.	white.				7.9.	$H.\odot.$	1723.
8 ficifolium. H. K.	Fig-leaved.		England.	• • • •	8.9.	$H.\odot.$	1724. ————————————————————————————————————
9 hybridum. W.	Maple-leaved.					H.⊙.	1919.
10 rhombifolium.W.en	angular-leaved.		N. America.				
11 Botrys. W.	cut-leaved.		S. Europe.				Zorn. ic. 225.
12 botryoides. E. B.	many-clustered.		Britain.				Eng. bot. 2247.
13 ambrosioides. W.	Mexican.		Mexico.	1640.	6.10.	H.O.	Moris. s. 5.t.35.f.S.
14 multifadum. W.	Buenos Ayres.		Buen. Ayres.	1732.		G.4.	Dill. elt. t. 66. f.77.
15 anthelminticum.W.	American.		America.	-	7.8.	G.h.	t.66. f.76.
16 glaucum. W.	Oak-leaved.		England.			· H.⊙.	Eng. bot. 1454.
17 acutifolium. E. B.	acute-leaved.		Britain.			$H.\odot$ .	1481.
18 Vulvaria. W.	stinking.					H.O.	1034
<ol><li>19 polyspermum. W.</li></ol>	Allseed.					H.⊙.	1480.
20 caudatum. W.	oval-leaved.		Guinea.	1806.		$H.\odot.$	Jac. ic. 2. t. 344.
21 laterale. W.	oblong-leaved.			1781.	8.9.	S.O.	
22 Scoparia. W.	SummerCypress.		Greece.	1629.	6.9.	H	
23 aristatum. W.	bearded.		Virginia.	1771.		H.O.	Gmel.sib.3. t.15.f.1
24 lanceolatum. W.en.	spear-leaved.		Pensylvania.	1809.	7.	H	
25 maritimum. W.	Sea Blite.		Britain.		8.	H.O.	Eng. bot. 633.
26 altissimum. W. en.			Italy.	1775.	7.8.	$H.\odot$ .	Forsk. ic. t. 9.
Salsola altissima. Vi	v.						
27 salsum. B. P.	Saltwort.		Astracan.	1782.	8.9.	$H.\odot.$	Jac. vind. 3. t. 83.
Salsola salsa. IV.							
28 fruticosa. W. en.	shrubby.		England.			H.h.	Eng. bot. 635.
Salsola fruticosa. E	$\cdot B \cdot$						
BETA. W.	BEET.	Chenopodeæ. B. F					
1 vulgaris. W.	common.		S. Europe.				Schkuh.han.1.t.56.
2 patula. W.	spreading.					G.3.	
3 cicla. W.	white.		Portugal.			H. &.	
4 trigyna. H. K.	Hungarian.		Hungary.				Pl.rar.hung.1.t.35.
5 maritima. W.	sea.			• • • •	8.	H.∂.	Eng. bot. 285.
SALSOLA. W.	SALTWORT.	Chenopodeæ. B. P					
1 Kali. W.	prickly.		Britain.				Eng. bot. 634.
2 rosacea. W.	rose-coloured.	-		1759.		·H.⊙.	Schkuh.han.1. t.57.
3 Soda. W.	long fleshy-lead.		S. Europe.	1683.		H.⊙.	Jac. vind. 1. t. 68.
4 sativa. W.	cultivated.		Spain.	1783.		H.4.	Cav. ic 3. t. 291.
5 trigyna. W.	slender-leaved.			1804.		·H.⊙.	3. t. 289.
6 hirsuta. W.	hairy.		Denmark.				Fl. dan. 187.
7 laniflora. W.	woolly.		Siberia.				Pall. it.2. p.736.t.P.
8 prostrata. W.	trailing.		S. Europe.				Jac. aust. 3. t. 294.
9 vermiculata. W.	small-leaved.		Siberia.	1759.	7.8.	$H.\odot$ .	Cav. ic. 3. t. 287.
10 muricata. W.	Egyptian.		Egypt.	1773.		H.⊙.	Al.mis.tau.3.t.4.f.2
KOCHIA. Roth.	Косніа.	Chenopodeœ. B. P					
1 hyssopifolia. R.	Hyssop-leaved.						Pall.it.1.p.491.t.H.
2 dentata. Ph.	tooth-leaved.			1803.		H.⊙.	Will.hor.ber.1.t.28
ANABASIS. W.	ANABASIS.	Chenopodeæ. B. P				_	
tamariscifolia. W.	Tamarisk-leaved			1752.	6.7.	G.h.	Cav. ic. 3. t. 283.
BOSEA. W.	GOLDEN ROD.	Chenopodeæ. B. P					
Yervamora. W.	tree.		Canaries.	1728.	• • • •	G.h.	Walth.hort.24.t.10
ULMUS. W.	ELM-TREE.	Amentaceæ. J.					
1 campestris. W.	common English		Britain.	• • • •	4.5.	H.h.	Eng. bot. 1886.
2 suberosa. W.	cork-barked.			• • • •		H.h.	2161.
3 glabra. E. B.	smooth.					H.h.	2248.
4 effusa. W.	Wych.					H.h.	1887.
montana. E. B.							
5 americana. Ph. 6 pendula. W. en.	white.			1752.		н. р.	Mich. arb. t

7 nemoralis. W.	Hornbeam-lead.	Amentaceæ. J.				,
8 fulva. Ph.	slippery.				H.h.	Mich. arb. t
9 pumila. W.	dwarf.		Siberia.	1771	H.h.	Pall. ross. 1. t. 48.
10 chinensis. P. S.	China.		China.		G. h.	
HEUCHERA. W.	HEUCHERA.	Saxifrageæ. J.				
1 americana. W.	viscid.	-	N. America.	1656. 5.7.	H.4.	Pluk.alm. t.58.f.3.
2 pubescens. Ph.	pubescent.	·		1812	-H.4.	·
3 villosa. Ph.	villous.				-H 2/.	
4 caulescens. Ph.	caulescent.				-H.4.	
VELEZIA. W.	VELEZIA.	Caryophylleæ. J.				
rigida. W.	rigid.		Spain.	1683. 7.	H.O.	Barr. rar. t. 1018.
SWERTIA. W.	FELWORT.	Gentianeæ. B. P.	-		_	
perennis. W.	marsh.		England.	7.8.	H.4.	Eng. bot. 1441.
GENTIANA. W.	GENTIAN.	Gentianeæ. B. P.				
1 lutea. W.	yellow.		Alps of Eur.	1596. 6.7.	H.4.	Rene.spec.64. t.63.
2 purpurea. W.	purple.		2	1768	H.4.	Bot. rep. 117. Jac. aus. 2. t. 136.
3 pannonica. W.	round-petalled.				H. 4.	Jac. aus. 2. t. 136.
4 punctata. W.	spotted-flowered			1775	- H. 2/ .	5.t app. 28.
5 septemfida. W.	crested.		Levant.	1804. —	-H.4.	Bot. mag. 1229.
6 asclepiadea. W.	Swallow-wort-ld.		Austria.	1629. 7.8.	H.4.	<del></del>
7 macrophylla. W.	long-leaved.		Siberia.	1796. —	-H.4.	Pall. ross. 2. t. 96.
8 cruciata. W.	Crosswort.		Austria.	1596. 6.7.	H.4.	Jac. aus. 4. t. 372.
9 ochroleuca. W.	pale-flowered.		N. America.	1803. 8.9.	11.4.	Bot. mag. 1551.
10 incarnata. B. M.	flesh-coloured.			1812. 10.	H.4.	1856.
11 Saponaria. W.	barrel-flowered.			1776. 8.9.	H.4.	1039.
12 Catesbæi. H. K.	Catesby's.			1803. 6.7.	H. 24.	Bot. rep. 418.
13 Pneumonanthe. W.			England.			Eng. bot. 20.
14 caucasea. H. K.	Caucasian.		Caucasus.			Bot. mag. 1038.
15 adscendens. W.	porcelain-flowd.		Siberia.			705.&723
16 triflora. Pall.	three-flowered.					Pali. ross. t. 93. f.1.
17 algida. W.	narrow-leaved.					2. t. 95.
18 acaulis. W.	dwarf.					Eng. bot. 1594.
19 verna. W.	spring.		England.			493.
20 bavarica. W.	Bavarian.					Vill. delph. 2. t. 10.
21 nivalis. W.	small Alpine.		Santland			Eng. bot. 896.
22 Amarella. W.	autumnal.		Britain.			236.
23 campestris. W.	field.					237.
24 ciliata. W.	fringe-flowered.		Germany.			Bot. mag. 639.
25 crinita. Ph.	jagged-flowered.		N. America.	1804. 6.7.	H. Z.	Bot. rep. 509. 2031.
FALKIA. P. S.	FALKIA.	Convolvulaceæ. B		10041 0171		Doct tept out :
repens. W.	creeping.			1774. 5.8.	G.M.	Bot. rep. 257. 2228
DICHONDRA. W.	DICHONDRA.	Convolvulaceæ. B.		1//4. 0.00		Dot. 1cp. 2011 2 2 2 2
1 repens. B. P.	creeping.	Convolvanacca. D.		1909 69	G N	Smith ined. 1. t. 8.
	silky.		Jamaica	1793. —		Shirth med. 1. c. o.
EVOLVULUS. W.	Evolvulus.	Convolvulaceæ. B.		1/90.	5.4.	6
1 emarginatus. W.	kidney-leaved.	Convolvataceae. D.		1616 10	80	Burm.ind. t.30.f.1.
2 nummularius. W.	round-leaved.		Inmaica			Jac.amer.t.260.f.23
3 alsinoides. W.	Chickweed-leaved.		F Ind			Rheed.mal.11.t.64.
4 linifolius. W.	Flax-leaved.	·	Inmaion			
HYDROLEA. W.	Hydrolea.	Convolvulaceæ, J.	vamaica.	1702. 0.9.	5,0.	Brown.jam.t.10.f.2
spinosa. W.	thorny.	Convolvulaceæ.v.	S America	1791	SL	Aub. guian. 1. t.10. 5
CUSCUTA. W.	Dodder.	Convolvulaceæ. B		1/01	5. n.	2200. Smill 1. 0100 3 "
J europæa. H. K.		Convolvulaceae. D		9.0	HO	Eng. bot. 378.
2 Epithymum. H. K.	great.					55.
	Chinese.		China.			33.
3 chinensis. W.			Cimia.	1803. —	- 0.0.	
PHYLLIS. W.	BASTARD HARE'S EAR.	Rubiaceæ. J.				
Nobla. W.			Conomica	1600 67	C. L	Til alt + and f see
CUSSONIA. W.	Canary.	Araliæ. J.	Canaries.	1099. 0.7.	α.η.	Dil.elt.t.299.f.386.
CUSSONIA. W.	Cussonia.	Aiana. o.				(Thunk in nor
1 thyrsiflora. W.	Thyrse-flowered.		C.B.S.	1795	G. h.	Thunb. in nov. act. ups. 3. t. 12.
O suitado XIV	'In Annual					
2 spicata. W.	spike-flowered.	77		1789	G. n.	3. t. 13.
ERYNGIUM. W.	ERYNGO.	Umbellifereæ. J.	XX7 You 3	1014 010	6 31	Home land 4 00%
1 fœtidum. W.	stinking.					Herm. lugd. t. 237.
2 aquaticum. W.	marsh.		N. America.			Jac. ic. 2. t. 347. 372
3 virginianum. Ph.	Virginian.					Delar. eryng. t. 19.
4 virgatum. Ph.				TX 10. 6.7.	11.4.	———— t. 20.
	oval-leaved.					
5 planum. W.	flat-leaved.		Europe.	1596. 7.9.	H.4.	Jac. aust. 4. t. 391.
6 pusillum. W.	flat-leaved. dwarf.		Europe. Spain.	1596. 7.9. 1640. 6.8.	H.4. H.4.	Jac. aust. 4. t. 391. Delar. eryng. t. 16.
	flat-leaved.		Europe. Spain.	1596. 7.9. 1640. 6.8.	H.4. H.4.	Jac. aust. 4. t. 391.

8 corniculatum. B.M.		Umbellifereæ. J.					Bot. mag. 1427.
9 maritimum. W.	Sea-holly.						Eng. bot. 718.
10 campestre. W.	field.						57.
11 galioides. P. S.	Galium-leaved.		Portugal.			H.4.	34 m 4 or 60
12 amethystinum. W.			Styria.				Moris. s.7. t. 35. f.2.
13 cæruleum. P. S. 14 rigidum. P. S.	blue-flowered. stiff.		Caspia.				t.37. f.13
15 alpinum. W.	Alpine.		Switzerland	1507		H.4.	Bot. mag. 922.
16 Bourgati. W.	cut-leaved.		S France				Gouan. ill. 7. t. 3.
HYDROCOTYLE. W.		Umbellifereæ. J.	S. France.	1,01.	0.00	11.4.	Countries / Cor Co
1 vulgaris. W.	marsh.		Britain.		5.6.	н.и.	Eng. bot. 751.
2 americana. Ph.	American.		N. America.	1790.	5.8.	H. 21.	
3 umbellata. Ph.	umbelled.			1795.	7.8.	H. 4.	
4 asiatica. W.	thick-leaved.		C. B. S.	1690.		G. 21 .	Rheed.mal.10.t.36.
5 repanda. Ph.	Pilewort-leaved.		N. America.	1806.	6.7.	G. 4.	
6 villosa. W.	hairy-leaved.		C. B. S.	1795.	8.	G. 4.	
SPANANTHE. Jac.	SPANANTHE.	Umbellifereæ. J.		species	s W.		
paniculata. P. S.	panieled.		Caracas.	1795.	7.8.	S.J.	Jac. ic. 2. t. 350.
SANICULA. W.	SANICLE.	Umbellifereæ. J. '					
1 europæa. W.	wood.		Britain.	• • • •	6.7.	H.4.	Eng. bot. 98.
2 canadensis. W.	Canadian.		Canada.	1800.		H.4.	T . 0 . 0 . 0
3 marilandica. W.	Maryland.	Umbellifereæ. J.	N. America.	1765.		н.4.	Jac. 1c. 2. t. 348.
ASTRANTIA. W.	MASTERWORT.						
1 maxima. B. M.	Hellebore-leave.	<del></del>	Caucasus.	1804.	6.7.	H.4.	Bot. mag. 1553.
2 major. W.	great black.		Alps of Eur.	1096.	5.9.	H.4.	Exot. bot. 2. t. 76.
3 minor, W. 4 carniolica, W.	Carniolian.		Switzeriana.	1080.	5.6.	H.4.	2. t. 77. Jac.aust.6.app.t.10.
BUPLEURUM. W.	HARE'S EAR.	Umbellifereæ. J.	Carmoia.	1012.		11.4.	vaciaustio.app.t.10.
1 rotundifolium. W.		Chibermereæ. 5.	Fugland		67	но	Eng. bot. 99.
2 stellatum. W.	starry.		Switzerland				Hal.hel.n.771.t.18.
3 petræum. W.	rock.		5witzerianu:	1768.		H.1.	Pluk. phyt. t.50.f.5.
4 graminifolium. W.	Grass-leaved.					H. 24.	Jac. ic. 1. t. 56.
5 angulosum. W.	angular-leaved.	Harrison 12-17-17-17-17-17-17-17-17-17-17-17-17-17-		1759.		н.и.	,
6 pyrenaicum. W.	Pyrenian.		Pyrenees.	1814.		H. 4.	Gouan.ill. t.4. f.1.2.
7 longifolium. W.	long-leaved.		Switzerland.	1713.		H. 4.	Camer. hort. t. 38.
8 scorzoneræfo-	Scorzonera- }						
	{ leaved. }		Baicai.	1810.		H.4.	
9 falcatum. W.	twisted-stalked.		Germany.	1739.	5.9.	H.4.	Jac. aust. 2. t. 158.
10 exaltatum. P. S.	tall.		Tauria.	1807.			
11 odontites. W.	narrow-leaved.		Italy.	1749.	6.8.	$H.\odot$ .	Jac. vind. 3. t. 91.
12 semicompositum. W			Spain.				Gouan. ill. t.7. f. 1.
13 ranunculoides. W.	Crowfoot-like.		Pyrenees.				Park. theatr. f. 7.
14 tenuissimum. W.	slender.		England.				Eng. bot. 478.
15 Gerardi. W.	branching.		S. Europe.				Jac. aus. 3. t. 256.
16 junceum. W.	linear-leaved.					н.⊙.	
17 nudum. W.	naked-stalked.		C.B.S.			G. 4.	
18 fruticosum. W.	shrubby.		S. Europe.			H.h.	To - in O 4 051
19 coriaceum. W.	thick-leaved.		Gibraitar.				Jac. ic. 2. t. 351.
20 fruticescens. W. 21 canescens. P. S.			Rarbare				Cav. ic. 2. t. 106.
22 spinosum. W.	hoary.		Spain			G. h.	Gouan.ill.8. t.2.f.8
23 difforme. W.	various-leaved.		C. B. S			G. J.	- Juniii III. O. C. WIL.
ECHINOPHORA. W.		Umbellifereæ. J.	J. D. S.			J. 17.	
1 spinosa. W.			England.		7.	H.2.	Eng. bot. 2413.
2 tenuifolia. W.	fine-leaved.		Apulia.				Moris. s. 9. t. 1. f. 2.
HASSELQUISTIA.W	HASSELOUISTIA.	Umbellifereæ. J.					
1 ægvptiaca. W.	Egyptian.		Egypt.	1768.	7.	H.O.	Jac. vind. 1. t. 37.
2 cordata. W.	heart-leaved.						2. t. 193.
TORDYLIUM. W.	HARTWORT.	Umbellifereæ. J.				_	
1 syriacum. W.	Syrian.		Syria.	1597.	7.	H.⊙.	Jac. vind. 1. t. 54.
2 officinale. W.	officinal.		England.			· H.⊙.	Eng. bot. 2440.
3 peregrinum. W.	oriental.	<del></del>	Levant.	1596.		· H.⊙.	Camer.hort.37.t.11
4 apulum. W.	small.					н.⊙.	Jac. vind. 1. t. 53.
5 maximum. W.	great.						Eng. bot. 1173.
6 siifolium. W.	red-flowered.						Scop. car. 194. t. 8.
7 absinthifolium. P.S.			Persia.		7.8.	н.⊙.	Vent. choix. t. 22.
CAUCALIS. W.	BUR-PARSLEY.	Umbellifereæ. J.	0.10			11.0	Too own 1 4 54
1 grandiflora. W. 2 daucoides. W.	great-flowered.		S. Europe.	1648.			Jac. aus. 1. t. 54,
2 latifolia. W.	small. broad-leaved.						Eng. bot. 197.

	alle shield de					
4 pumilia. W.	dwarf,	Umbellifereæ. J.	S. Europe.	1640.	7.8. H.	. Cav. ic. 2. t. 101.
5 orientalis. W.	oriental.	-				8. Moris. s.9. t.14. f.5.
6 pulcherrima. W. en			· Caucasus.	1816.	— Н.	.O. Buxb. cent.3. t. 33.
7 platycarpos. W.	broad-seeded.		S. Europe.			.O. Moris.s.9. t.14. f.2.
8 leptophylla. W.	fine-leaved.		Europe.			. Schk.handb.1.t.61.
9 humilis. Desf.	long-seeded.			1804	T-I	O. Jac. hort. 2. t. 195.
10 Anthriscus. W.	upright.		Britain	1004.	LI.	Fra hot 007
11 infesta. H. K.			Dittaili.	• • • •		. Eng. bot. 987.
	spreading.		-	• • • •	H.	1314.
arvensis. W.	3 44 3					6 1
12 nodosa. W.	knotted.	** 1 1110 *		• • • •	5.7. H.	199.
ARTEDIA. W.	ARTEDIA.	Umbelliferez. J.				
squamata. W <sub>s</sub>	Fennel-leaved.		Levant.	1740.	7. H.	⊙. Lam. ill. t. 193.
DAUCUS. W.	CARROT.	Umbellifereæ. J.				
1 Carota. W.	wild.	-	Britain.		6.7. H.	J. Eng. bot. 1174.
a lutea.	yellow garden.					
β aurantia.	long Orange.					,
y præcox.	early horn.					
2 maritimus. P. S.	sea-side.	Gives the same and a second se			H.	J. Eng. bot. 2560.
3 mauritanicus. W.	fine-leaved.		Spain.			8 All.ped.2. t.61. f.1.
4 lucidus. W.	shining.		S. Europe.			d. Moris.3.s.9.t.13.f.4
5 crinitus. P. S.	whorl-leaved.		Barbary.			24. Desf. atl. t. 62.
6 Gingidium, W.	shining-leaved.		France.	1722.	H.	. Moris.s.9. t.9. f.10.
7 muricatus. W.	prickly-seeded.		Barbary.	1683.	H.	0t.14.f4
8 hispidus. P. S.	hispid.		Zurourj.	1804	— Н	① t.14. f.4. ð. Desf. atl. t. 63.
9 copticus. P. S.	Egyptian.		Egypt	1772	H	O. Jac, vind. 2. t. 196.
VISNAGA. G.	Тоотныск.				11.	O. vac, ymu. 2. t. 190.
daucoides. G.	Carrot-like.	Umbellifereæ. J.			RO TT	⊙. Gærtn.de fr.1.t.107
			S. Europe.	1990.	0.8. FI.	O. Garmile II.I.I.I.
AMMI. W.	BISHOP'S-WEED		O. F		0 - TT	O Di l
1 majus. W.	great.		S. Europe.			⊙. Blackw. t. 447.
2 glaucifolium. P. S.	glaucous-leaved.		France.		H.	
3 daucifolium. W.	Carrot-leaved.		Pyrenees.	1734.	7.8. H.	4. Scop. carn. t. 10.
BUNIUM. W.	EARTH-NUT.	Umbellifereæ. J.				
1 Bulbocastanum. W.	great.		Britain.		5.6. H.	4. Flor. dan. 220.
2 flexuosum. H. K.	common.		England.	• • • •	———— H.	4. Eng. bot. 988.
CONIUM. W.	HEMLOCK.	Umbellifereæ. J.				
1 maculatum. W.	common.		Britain.		6.7. H.	d. Eng. bot. 1191.
2 rigens. W.	fine-leaved.		C. B. S.	1787.	G.	ъ.
3 africanum. W.	Rue-leaved.			1759.	6.9. G.	O. Jac. vind. 2. t. 194.
4 dichotomum. P. S.	dichotomous.		Barbary.			①. Desf. atl. 1. t. 66.
SELINUM. W.	MILK-PARSLEY.	Umbellifereæ. J.				· ·
1 palustre. W.	marsh.		Britain.		7.8. H.	4. Eng. bot. 229.
? montanum. W. en.		-	Switzerland,	1816.	H.	ν.
3 austriacum. W.	Austrian.		Austria.	1804.	H.	4. Jac. aust. 1. t. 71.
4 Carvifolia. W.	Caraway-leaved.					24. ————————————————————————————————————
5 Chabræi. W.	fine-leaved.			1791	H	4. ————————————————————————————————————
6 Seguieri. W.	Fennel-leaved.		Italy.			4. Jac. vind. 1. t. 61.
7 Monnieri. W.	annual.		S Europa			①. ——1, t. 62.
8 latifolium. M. B.	broad-leaved.		Cancacue.		— H.	
	shrubby.		Madeiro			h. Schr.sert.han.3,t.13
9 decipiens. W.		Umbellifereæ. J.	Mancil a.	1700.	J.7. G.	. C. Denriser Chief. Co. 18.
ATHAMANTA. W.	SPIGNELL.		England		67 13	4. Eng. bot. 138.
1 Libanotis. W.	mountain.	·	England.			
2 Cervaria. W.	broad-leaved.			1597.	7.5. H.	4. Jac. aust. 1. t. 69.
3 sibirica. W.	Siberian.		Siberia.	1771.	— Н.	4. { Gmel. sib. 1. t.40, f. 1. 2.
						1.1.2.
₄ condensata. W.	close-headed.	Pre-		1773.	7.9. H.	4. Gouan.iii. 83. t.26,
5 incana. W.	hoary.		_		7.8. H.	
6 Oreoselinum. W.	divaricated.			1768.	— H.	4. Jac. aust. 1. t. 68.
7 sicula. W.	Flixweed-leaved.		Sicily.	1686.	6.7. H.	4. Zanon.hist.70.t.48
8 Matthioli. W.	fine-leaved.		Carniola.	1802.	— H.	4. Jac. ic. rar. 1. t. 57. 4. Jac. aust. 1. t. 62.
9 cretensis. W.	Candy-carrot.		Austria.	1596.	—— H.	4. Jac. aust. 1. t. 62.
10 annua. W.	annual.		Candia.	1731.	H,	<b>⊙</b> •
PEUCEDANUM. W.	SULPHURWORT.	Umbellifereæ. J.				
1 officinale. W.	officinal.		England.		5.7. H.	4. Eng. bot. 1767.
2 arenarium. P. S.	sand.		Hungary.			4. Pl.rar.hung.1.t.20.
3 italicum. P. S.	Italian.		Italy.		5.7. H.	
4 alpestre. W.	Alpine.		France.		6.7. H.	
5 sibiricum. W.	Siberian.		Siberia.			4. Pl.rar.hung.1.t.60
6 Silaus. W.	meadow.					4. Eng. bot. 2142.
7 alsaticum. W.	small-headed,					4. Jac, aust. 1. t. 70
s aureum. W.	golden.					J. 3 H. 559
1, 9	9	,	on to the pass of the state of	21104		

ODIMINATIA M	C	** 1 1110 **					
CRITHMUM. W.	SAMPHIRE.	Umbellifereæ. J.	Duitoin		7.0	LF 21	Fra hot \$10
1 maritimum. W. 2 latifolium. W.	sea. wedge-leaved.		Caparies	1780		G. 3.	Eng. bot. 819.
CACHRYS. W.	CACHRYS.	Umbellifereæ. J.	Canaries.	1700.	,.	G. 0 .	
1 Libanotis. W.	smooth-seeded.		Sicily.	1570.	7.8.	н.и.	Schku,hand.1.t.65.
2 Morisoni. W.	Morison's.		S. Europe.	1710.		H.24.	Moris.umb, t.3.f.1.
3 sicula. W.	hairy-seeded.		Sicily.	1640.		н.4.	t. 3. f. 2.
4 panacisfolia. W.	Parsnep-leaved.		- 14	1752.		H.4.	Boc. sic. 1. t. 1.
FERULA. W.	GIANT-FENNEL.	Umbellifereæ. J.					
1 communis. W.	common.		S. Europe.				Moris.s.9. t.15. f.3.
2 sibirica. W.	Siberian.		Siberia.	1816.		H.4.	Pall. it. 2. app. t.N.
3 glauca. W.	glaucous.	*	Italy.			H.4.	YT
4 tingitana. W.	Tangier.		Barbary.				Herm. par. t. 165.
5 orientalis. W. 6 nodiflora. W.	eastern. knotted.		Levant.				Tourn. it. 3. t. 239.
7 persica. W.	stinking.		Parcia				Jac. aust.5.t.app.5. Bot. rep. 558.
LASERPITIUM. W.	LASERWORT.	Umbellifereæ. J.	I CISIA.	1/02.	7.0.	11.4.	Бор. тер. обо.
1 latifolium. W.	broad-leaved.	- Cimocinicica: or	Europe.	1640.	6.7.	H.24.	Jac. aust. 2. t. 146.
2 trilobum. W.	three-lobed.		Levant.			H.4.	
3 aquilegifolium. W.			Austria.				Jac. aust. 2. t. 147.
4 gallicum, W.	French.		S. Europe.				Pluk.phyt.t.198.f.6
5 triguetrum. P. S.	winged		Constan-				Vent.hor.cels.t.97.
o triquetrum. F. S.	winged.		tinople.	1010.		11.4.	vent. nor. cers, t.g./.
6 angustifolium. W.	narrow-leaved.		S. Europe.	1738.		H.4.	Moris s. 9. t. 19.f. 9.
7 prutenicum. W.	Prussian.		Germany.				Jac. aust. 2. t. 153.
8 silaifolium. W.	Sulphurwort-ld.		Italy.				Jac.aust.5.t. app.44
9 peucedanoides. W.	fine-leaved.						Jac. ic. 2. t. 350.
10 Siler. W.	mountain.		Austria.	1640.	5.7.	H.4.	Jac. aust. 2. t. 145.
11 lucidum. W.	shining.		Switzerland.				M :4 0 4 202
12 ferulaceum. W. 13 piloşum. W. en.	Fennel-leaved.	. 22.11	Levant.	1752.	0.	FI. 4.	Tourn. it. 2. t. 121.
14 hirsutum. W. en.	sulphur-colour <sup>d</sup> .		Alne	1759.	0.7.	п.б.	
HERACLEUM. W.	Cow-Parsner.	Umbellisereæ. J.	Alps.			11.4.	
1 Sphondylium. W.	common.		Britain.		5.6.	H. 2/.	Eng. bot. 939.
2 flavescens. W.	yellowish.	-					Jac. aust. 2. t. 173.
3 angustifolium. W.	narrow-leaved.		Britain.				2. t. 174.
4 elegans. W.	rough-leaved.		Austria.			н. 4.	
5 sibiricum. W.	Siberian.		Siberia.				Gmel. sib. 1. t. 50.
6 Panaces. W.	Fig-leaved.						Lobel. ic. 701.
7 austriacum. W.	Austrian.		Austria.	1752.	6.7.	H.4.	Jac. aust. 1. t. 61.
8 alpinum. W.	Alpine.		Switzerland.	1739.		H.4.	Barr. ic. 55.
9 pýrenaicum. W. en.			Pyrenees.			H.4.	
10 pumilum. P. S.	dwarf.		Dauphiny.	1800.	5.7.	H.4.	Vill. delp. 2. t. 14.
LIGUSTICUM. W.	LOVAGE.	Umbellifereæ. J.					
1 Levisticum. W.	common.		Italy.				Blackw. t. 275.
2 scoticum. W.	Scotch.		Britain.		` -	H.4.	Eng. bot. 1207.
3 peloponense. W.	Hemlock-leaved.		Switzerland.	1596.	5.7.	H. 4.	Jac.aust.5.t.app.13.
4 austriacum. W.	Austrian.		Austria.		6.8.	H.4.	2. t. 151.
5 cornubiense. W. 6 pyrenaicum. W.	Cornish. Pyrenean.		Pyrances				Eng. bot. 683. Gouan.ill.p.14.t.10
7 candicans. W.	pale.		ryiences.			·H.4.	Gouan.m.p.14.0.10
8 peregrinum. W.	Parsley-leaved.		Portugal.				Jac. vind. 3. t. 18.
9 balearicum. W.	Minorca.					н.4.	oue. vina. o. t. 10.
10 longifolium W.	long-leaved.						Moris.s. 9. t. 15. f. 1.
ANGELICA. W.	ANGELICA.	Umbellifereæ. J.					
1 Archangelica. W.	garden.		England.	,	6.8.	H. 3.	Flor. dan. t. 206.
2 sylvestris. W.	wild.		Britain.				Eng. bot. 1128.
3 Razoulii. P. S.	decurrent-leavd.		Pyrenees.				Gouan. ill. 13. t. 6.
4 verticillaris. W.	whorled-flowerd.						Jac. vind. 2. t. 130.
5 atropurpurea. W.	dark purple.		Canada.	1759.	7.8.	H.4.	Corn. canad. t.199.
6 lucida. W.	shining.	**		1640.		· H. ♂.	Jac. vind. 3. t. 24.
SIUM. W.		Umbellifereæ. J.	23 *, *		_	**	T
1 latifolium. W. 2 angustifolium. W.	broad-leaved.		Britain.	• • • •			Eng. bot. 204.
3 nodiflorum. W.	narrow-leaved.		A				139.
4 repens. W.	procumbent.						639.
5 Sisarum. W.	creeping. Skirret.		China	1540			Schlen hand 1 ± 60
6 rigidius. W.	Virginian.		Virginia,				Schku.hand.1.t.69. Moris. s. 9. t.7.f. 1.
7 Falcaria. W.	decurrent.		Europe.				Jac. aust. 3. t. 257.
8 siculum. W.	Sicilian.						Jac. vind. 2. t. 133.
		1				-	

90	Ť ET	LANDILIA	DIGIN.	LA.			
SISON. W.	Honewort.	Umbellifereæ. J.					
1 Amomum. W.	hedge.		Britain.		7.8.	H.O.	Eng. bot. 954.
2 segetum. W.	corn.		England.				228.
3 inundatum. W.	water.		Britain.				227.
4 verticillatum. W.	whorled-leaved.						395.
	C 1 1		cu ·				
5 salsum. W.	fine-leaved.		Siberia.	1804.		н.4.	Pall.act. pet.1779. t. 8. f. 1. 3.
BUBON. W.	BUBON.	Umbellifereæ.J.					(
1 macedonicum. W.	Macedonian.		Greece.	1596.	6.8.	G. A.	Blackw. t. 382.
2 rigidius. W.	stiff-leaved.		Sicily.				Bocc. mus. 2. t. 76.
3 Galbanum. W.	Lovage-leaved.		C. B. S.				Jac. vind. 3. t. 36.24
4 lævigatum. W.	smooth.			1774.	12.3.	G.h.	
5 gummiferum. W.	gum-bearing.			1731.	7.	G.h.	Comm.hort.2.t.58.
CUMINUM. W.	CUMIN.	Umbellifereæ. J.					
Cyminum. W.	officinal.		Egypt.	1594.	6.7.	H.⊙.	Cav. ic. 4. t. 360.
ŒNANTHE. W.	WATER-	Umbellifereæ. J.					
	{WATER-DROPWORT.}						
1 fistulosa. W.		<del></del>					Eng. bot. 363.
2 crocata. W.	Hemlock.						2313.
3 prolifera. W.	proliferous.		Italy.				Jac. vind. 3. t. 62.
4 globulosa. W.	globe-headed.						Gouan. ill. 18. t. 9.
5 apiifolia. W. en.	Parsley-leaved.			1806.		н. 4.	** *
6 peucedanifolia.	Sulphurwort.		England.	• • • •		H. 4.	Eng. bot. 348.
7 pimpinelloides. W.	Burnet-Saxifrage		C. D. C.				347.
8 inebrians. Th.			C. B. S.	1816.	8.9.	G. 4.	
PHELLANDRIUM.W			D.:'4-1		0 =	** 4	T2 - 1 - 1 - 20.4
aquaticum. W.	Common.	TT11126	Britain.	• • • •	6.7.	H. 6.	Eng. bot. 684.
CICUTA. W. 1 virosa. W.	COWBANE.	Umbellifereæ. J.	D=!4-!			TT 2/	Eng. Lat. 450
	long-leaved.		N America	1750	7.	H. 4.	Eng. bot. 479. Pluk. alm.t. 76. f.1.
2 maculata. W. ÆTHUSA. P. S.	spotted.	.Umbellifereæ. J.	IN. America.	1759.	7.8.	H. 4.	Pluk. alm.t. 75. 1.16
1 Cynapium. W.	common.	. Umbermereae. 3.	Britain		70	иО	Eng. bot. 1192.
2 fatua. W.	fine-leaved.		Diffain.	1701	7.9.	H. 31	Eng. 00t. 1192.
MEUM. G.	BAWD-MONEY.	Umbellifereæ. J.	Fthum on	noine M	,	11.4.	
1 Bunius.	Coriander-leav <sup>d</sup> .	Chidemierea. 5.	Pyroness	1770	• ~	TI 1	Jac. vind. 2. t. 198.
2 Mutellina. P. S.	Alpine.		Austria				Gært.de fruct.1.t.23
3 athamanticum. J.	common.		Britain.				Jac. aust. 4. t. 303.
CORIANDRUM. W.	CORIANDER.	Umbellifereæ. J.	13110001110		4.0.	11.4.	0 ac: au 50. 1. 0. 505.
1 sativum. W.	common.		England.		6.	H.O.	Eng. bot. 67.
2 testiculatum. W.	twin-fruited.		S. Europe.				Pluk.alm.t.169.f.2:
MYRRHIS. P. S.	Myrrh.	Umbellifereæ. J.				22.0	
odorata. P. S.	sweet-scented.					H. 24.	Eng. bot. 697.
SCANDIX. P. S.	CICELY.	Umbellifereæ. J.					3
1 Pecten. W.	Venus's Comb.		Britain.		6.7.	H.O.	Eng. bot. 1397.
2 australis. W.	radiated.		S. Europe.				Col. ecphr. 1. t. 90%
3 pinnatifida. P. S.	cut-leaved.		Persia.	1805.		H.⊙.	Vent. cels. 14.
OLIVERIA. V.	OLIVERIA.	Umbellifereæ. J.					
decumbens. V.	Thyme-scented.					$H.\odot.$	Vent. cels. 21.
ANTHRISCUS. P. S.	Rough-Chervii	"Umbellifereæ. J.	Scandicis sp.				
1 vulgaris. P. S.	common.		Britain.				Eng. bot. 818.
2 nodosa. P. S.	knotted.		Sicily.	1656.		н.4.	Jac. vind. 3. t. 25.
CHÆROPHYL- }	CHERVIL.	Umbellifereæ. J.					
LUM. P. S.			TD 14 1			TT 3	For hot #50
1 sylvestre. W.	smooth.						Eng. bot. 75%.
2 sativum. P. S.	garden.						1268.
3 procumbens. Ph.	procumbent.			1699.	6.7.	H	Moris.s.9.t.11.f.ult
4 bulbosum. W.	bulbous-rooted.			1726.	<b>*</b> 0	11.6.	Jac. aust. 1. t. 63.
5 temulum. W.	rough.		Britain.	****	7.8.	H. 6.	Eng. bot. 1521.
6 hirsutum. W.	hairy-leaved.			1709.	6.7.	H 31	Jac. aust. 2. t. 148.
7 aromaticum. W.	aromatic.		Germany.				
8 canadense. Ph.	three-leaved.		14. America.	1099.	7.8.	11.4.	Riv. pent. t. 53.
Sison canadense. W		-		1006		H 2/	
9 Claytoni. Ph. 10 coloratum. W.	sweet-rooted.			1806.		H.21	Moris.s.9. t.10. f.6.
	yellow.		Illyria. Scotland.			H. 21	Eng. bot. 2103.
11 aurenm. W. IMPERATORIA. W.	golden. Masterwort.	Umbellifereæ. J.	Sconand,			4.	
Ostruthium. W.	common.	Umberniereæ. 5.	Scotland		5.7	H.2/	Eng. bot. 1380.
	(MEADOW- )		Deconante.		0.7.	~~~~	
SESELI. W.	SAXIFRAGE.	Umbellifereæ. J.					
1 pimpinelloides. W.	nodding-flowerd.		S. Europe.	1796.	7.	H.4.	
T. T	Townson of a		- Land				

## PENTANDRIA TRIGYNIA.

2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	77 7 1 7	** 1 10°C - T	TT	1005 5 IT 3	DI was burne oo
2 leucospermum.W.e		Umbellifereæ. J.			Pl. rar. hung. 89.
3 montanum. W.	mountain.		- Italy.	The state of the s	Jac. vind. 2.t. 129.
4 glaucum. W.	glaucous.	<del></del>	· France.		Jac. aust. 2. t. 144.
5 aristatum. W.	bearded.		- Pyrenees.	1739. 6.7. H.4.	
6 ammoides. W.	Milfoil-leaved.		- S. Europe.		Jac. vind. 1. t. 52.
7 tortuosum. W.	crooked.			1597. 10. H.J.	
8 divaricatum. Ph.	shining-leaved.		· N. America.	1812. 6.7. H.4.	Bot. mag. 1742.
9 Hippomara-					Too and 0 t 149
thrum. W.	· various-leaved.		Austria.	1656. 7. H.4.	Jac. aust. 2. t. 143.
10 pyrenæum. W.	Pyrenean.		· Pyrenees.	1731. 6.7. H. 24.	Gonan. ill. 11. t. 5.
11 gracile. W. en.	slender.		Hungary.		Pl.rar.hung.2.t.117
12 elatum. W.	tall.		Austria.		Gouan. ill. 16. t. 8.
13 gummiferum. Ex.B			Crimea		Exot. bot. t. 120.
THAPSIA. W.		Umbellifereæ. J.	· Ormica.	1004. 1.0. 11.0.	13.00.000.0.120.
	villous.		C Emano	1710 67 H N	Moris. s. 9. t. 18. f.3.
1 villosa. W.		-	S. Europe.		
2 fœtida. W.	stinking.		· Spam.		t.18.f.7.
3 Asclepium. W.	oriental.		Levant.		
4 garganica. W.	Garganian.		Barbary.	1683. — F1. 24.	Gouan, ill. 18. t.10.
PASTINACA. W.	PARSNEP.	Umbellifereæ. J.			
1 Iucida. W.	shining-leaved.				Jac. vind. 2. t. 199.
2 sativa. W.	garden.				Flor. dan. t. 1206.
β arvensis. P. S.	field.		England.	— Н. д.	Eng. bot. 556.
3 Opopanax. W.	rough.		S. Europe.	1640. 6.7. H. 4.	Gou. ill.19.t.13.14.
4 dissecta. V.	cut-leaved.		Levant.	1816. — H.J.	
SMYRNIUM. W.	ALEXANDERS.	Umbellifereæ. J.			
1 perfoliatum. W.	perfoliate.		Italy.	1596, 5, H.M.	Pl.rar.hung.1.t.23.
2 Olusatrum. W.	common.		Pritain	5.6. H. d.	
	Smallore Learnel		Condia	1731. 5.7. H.4.	13115. 000. 200.
3 apiifolium. W.			N. America	1701. 0.7. II.4.	
4 cordatum. Ph.	heart-leaved.		N. America.	1759. 6.7. H.4.	
Thapsia trifoliata.				* 000 F 0 TT 31	
5 aureum. W.	golden.			1699. 5.6. H.4. 1759. 6. H.4.	
6 integerrinum. W.	entire-leaved.			1759. 6. H.4.	
ANETHUM. W.	DILL.	Umbellifereæ. J.			
1 graveolens. W.	common.		Spain.	1570. 6.7. H.∂.	
2 segetum. W.	Portugal.		Portugal.	1796. —— H.⊙.	
3 Sowa. Roxb.	Indian.		E. Ind.	1810. —— H.⊙.	
4 Fœniculum. W.	Fennel.		England.	7.8. H.4.	Eng. bot. 1208.
CARUM, W.	CARAWAY.	Umbellifereæ. J.	. 0		
1 Carvi. W.	common.		Britain.	5.6. H.J.	Eng. bot. 1503.
2 simplex. W.	simple-stalked.		Siberia	1816. — H.J.	
2 simplex: 114	c `		Significa	10101	
PIMPINELLA. W.	BURNET	Umbellifereæ. J.			
7 C:C TY7	SAXIFRAGE.		m.24.3.	CO II N	Fra hot 407
1 Saxifraga. W.	common.			6.8. H.4.	Eng. bot. 407.
2 nigra. W.	black-rooted.		Germany.	1683. — H. 4.	E - 1.4 400
3 magna. W.	great.		England.	— Н. 4.	Eng. bot. 408.
4 dissecta. W.	cut-leaved.		France.	— н. 4.	Retz. obs. 3. t. 2.
5 peregrina. W.	nodding.		Italy.	1640. — H. 4.	Retz. obs. 3. t. 2. Jac. vind. 2. t. 131.
6 Anisum. W.	Anise.		Egypt.	1551. —— H.⊙.	
7 bubonoides. P. S.	Bubon-like.		Portugal.	1814. — H.4. 1798. — H.4.	
8 dichotoma. W.	dichotomous.		Spain.	1798. — H. 4.	
9 dioica. W.	dwarf.		England.	5.6. H.4.	Eng. bot. 1209.
10 glauca. W.	glaucous.		Hungary.		Pl. rar. hung. t. 72.
APIUM. W.	PARSLEY.	Umbellifereæ. J.	5J/		0
1 Petroselinum. W.	garden.	C.III.C.III.C.I.C.I.C.I.C.I.C.I.C.I.C.I	Sardinia.	1548. 6.7. H.J.	
2 graveolens. W.	Colory		Britain	6.8. H.J.	Eng. bot. 1210.
ÆGOPODIUM. W.	Celery.			0.0. 11.0.	
		Umbellifereæ. J.		5 77 TJ 31	Fine hot 040
Podagraria. W.	common.		Britain.	5.7. H. 4.	Eng. bot. 940.
7-11, 1		E 2 2 4 17	J' L		
7. 3°		TRIGYNIA			1
RHUS. W.	SUMACH.	Tercbintaceæ. J.			- 1
1 Coriaria. W.	Elm-leaved.			1596. 7. H.h.	
2 typhinum. W.	Virginian.		N. America.	1629. 7.8. Н. Ъ.	Park.par. t.609.f.6.
3 javanicum. W.	Java.		Java.	1799. 7.9. S.h.	
4 glabrum. W.	smooth.		N. America.		Dil.elt.t.243.f.314.
5 elegans. W.	scarlet.			- 7. H.h.	Catesb. car. 3. t. 4.
6 viridiflorum. Ph.	green-flowered.			— Н. ћ.	
12				1806. — H. h.	
	dwarf poisonous.			1712 H T	Dil.elt.t.292.f.377.
8 Vernix. W.	Varnish.			1/10, 11. 7.	22.1.016.6.232.1.01/0
9 succedaneum. W.	red Lac.	the property of the party of th			Kæmpf.amœ.t.795.

60	PEN	TANDRIA	TRIGYN	NIA.
<ul> <li>10 semialatum. W.</li> <li>11 Copallinum. W.</li> <li>12 Toxicodendron. Ph.</li></ul>			N. America.	1780 G, h. Murr.com.got.6.t.8 1688. 8.9. H. h. Jac.schæn.3.t.341. 1640. 6.7. H. h. Bot. mag. 1806.
13 aromaticum. Ph.	sweet.			1759. 5. H.h. { Turp. in Ann. mus. 5. t. 30.
aromaticum & suav	eolens W. is male	and female of the	same species	mus. 5. t. 30.
14 pendulinum. W. en.			C. B. S.	G. b.
15 dentatum. W.	rough-stalked.			1798 G. h.
16 cuneifolium. W.	wedge-leaved. cut-leaved.	-		1816 G. h.
17 incisum. W. 18 tomentosum. W.	woolly-leaved.			1789 G. h. 1691 G. h. Comm.hort.1.t.92.
19 villosum. W.	hairy.			1714. 7. G. b. Pluk.alm.t.219.f.8.
20 pubescens. W.	pubescent.			1800 G. b.
21 viminale. W. 22 angustifolium. W.	Willow-leaved.			1774 G. h. Jac.schæn.3.t.344. 1714 G. h. Pluk.alm.t.219.f.6.
23 rosmarinifolium.W.				1800 G. ħ. Burm. afr. t.91. f.1. 1816 G. ħ. Desf. atl. 1. t. 77. 1758 G. ħ. 1697. 7.8. G. ħ. Burm. afr. t.91. f.2. — G. ħ. Comm. hort. 1. t.93. 1656. 6.7. H. ħ. Jac. aust. 3. t. 210.
24 pentaphyllum. W.	various-leaved.		Barbary.	1816 G. h. Desf. atl. 1. t. 77.
25 lævigatum. W.	polished-leaved.		C. B. S.	1758 G. J <sub>1</sub> .
26 lucidum. W. B minor.	shining-leaved.			- 1697. 7.8. G. h. Burm. air. 1.91. 1.2.
27 Cotinus. W.	Venice.		S. Europe.	1656. 6.7. H. h. Jac. aust. 3. t. 210.
VIBURNUM. W.	VIBURNUM.	Caprifoliæ. J.	•	
1 Tinus. P. S.	{ common }		S. Europe.	1596. 12.3. H. h. Bot. mag. 38.
	\ Laurestine. \ \ \ shining-lea^d \ \		· .	
2 lucidum. P. S:	Laurestine.		Spain.	— H. L. Clus. hist. 49.
3 strictum.	Supright Lau-		S. Europe.	—— H.h:
0 000	restine. { large-leaved }		-	
4 rugosum. P. S.	Laurestine.		Canaries.	1796, G.h. Bug 376, 2082
5 prunifolium. W.	Plum-leaved.		N. America.	1731. 5.6. H.b. Duham. 2. t. 38.
6 pyrifolium. Ph.	Pear-leaved.		-	— H.ħ. 1761. 7. H.ħ.
7 Lentago. W. 8 nudum. W.	tree. oval-leaved.			1761. 7. H. h 1752. 5.6. H. h Mill. ic. 2. t. 274. 228
9 dauricum. W.	Siberian.		Dahuria.	1785. 6.7. H. b. Pall. ross. 1. t. 38.
10 obovatum. Ph.	obovate-leaved.		N. America.	1812. 5.6: H.b.
11 cassinoides. W.	thick-leaved:			1761. 6.7. H. h.
12 lævigatum. W.	$\left\{ \begin{array}{c} \text{Cassioberry-} \\ \text{Bush.} \end{array} \right\}$			1724. 7.8. H.h. { Mill. ic. 1. t. 83.
13 nitidum. W.	shining-leaved.			1758. 5.6. H.h.
14 dentatum. Ph.	tooth-leaved.			1758. 5.6. H.h. 1736. 6.7. H.h. Jac. vind. 1. t. 36.
15 pubescens. Ph.	downy tooth-le".			H. h. b.  5.6. H. h.  H. b. Etig. bot. 331.
16 lantanoides. Ph. 17 Lantana. W.	Lantana-like. Wayfaring-tree.		Britain.	H.b. Eng. bot. 331.
18 molle. Ph.	soft.		N. America.	1812. 6.7. H.h.
19 acerifolium. W.	Maple-leaved.			1736. — H. h. Vent. cels. 72.
20 Opulus. W. β rosea.	Guelder Rose.  Snowball-tree.		Britain.	5.6. H. h. Eng. bot. 332.
21 Oxycoccos. Ph:	Cranberry-like.		N. America.	7. H. h.
22 edule. Ph.	eatable-fruited.			1812. — H. h.
CASSINE. W.	CASSINE.	Rhamni. J.	C D C	1000 TO CI Days of t 05
1 capensis. W. 2 Colpoon. W.	Cape Phillyrea. Colpoon-tree.		C.B.S.	1629. 7.8. G. h. Burm. afr. t. 85.
-	(Hottentot )			1690. — G. h. {Dill. elt. t. 121. f.
3 Maurocenia. W.	Cherry.			
4 lævigata. W.	smooth.		Antilles.	1816 G. h Vent. choix. t. 23.
5 xyle carpa. P. S. SAMBUCUS. W.	bony-seeded. Elder.	Caprifoliæ. J.	2311111105.	O. I. C. ACHIO CHOIN OF NO.
1 Ebulus. W.	dwarf.		Britain.	6.7. H.4. Eng. bot. 475.
2 nigra. W.	common.			5.7. H. h. — 476.
β viridis. y leciniata.	green-fruited. Parsley-leaved.			
3 canadensis. W.	Canadian.		N. America.	1761. 6.8. H. h. Schmidt arb. 142.
4 pubescens. Ph.	pubescent.			1812 H. h.
5 racemosa W.	red-berried.		S. Europe.	1596. 5.6. H. h. Jac. ic. 1. t. 59.
SPATHELIA. W. simplex. W.	Spathelia. Sumach-leaved.	Terebintaceæ. J.	Jamaica.	1778 S.h. Sloan. jam. t. 171.
			.,	

	STAPHYLEA. W.	BLADDER-NUT.	Rhamni. J.					
	1 pinnata. W.	five-leaved.		England.		4.6.	H.h.	Eng. bot. 1560.
	2 trifolia. W.	three-leaved.		N. America.	1640.	5.6.	H.h.	Schmidt arb. t. 80.
	TAMARIX. W.	TAMARISK.	Portulaceæ. J.	77 1 1		- 10	** *	T 1 . 4 1010
	1 gallica W.	French. Indian.	-	England.				Eng. bot. 1318.
	2 articulata. W. 3 germanica. W.	German.		Carmony				Vahl symb. 2. t. 32. Mill, ic. t. 262. f. 2.
	XYLOPHYLLA. W.en		Euphorbiæ. J.	Colliany.	1002.	0.0.	11.17.	111111 100 00 2021 1124
	1 ramiflora. W. en.	oval-leaved.		Siberia.	1785.	7.8.	Н. Ъ.	Pall. it. 3. t.E. f. 2.
	2 obovata, W. en.	obovate-leaved.					H.h.	
	TURNERA. W.	TURNERA.	Portulaceæ. J.					
	1 ulmifolia. W.	Elm-leaved.		Jamaica.	1733.	6.9.	S.h.	Hort. cliff. t. 10.
	2 angustifolia. B. M.					4.9.	S.h.	Bot. mag. 281.
	3 Pumilea. W.	Nettle-leaved.						Slo.jam.1.t.127.f.6.
	4 cistoides. W. 5 racemosa. W.	Betony-leaved.			1774.	5.10.	FI : 0.	Plum.ic. t.150. f.1. Jac. vind. 3. t. 94.
	TELEPHIUM. W.	ORPINE.	Portulaceæ. J.		1700.	7.0.	5.0.	vac. vinu. 5. t. 94.
	Imperati. W.	true.	Torturacea. o.	S. Europe.	1658.	6.8.	H.24.	Lam. ill. t. 213.
	CORRIGIOLA. W.	STRAPWORT.	Portulaceæ. J.	S. Bursper				2102111 1111 41 2201
	littoralis. W.	sand.		England.		7.8.	H.O.	Eng. bot. 668.
	PHARNACEUM. W.	PHARNACEUM.	Caryophylleæ. J.	Ü				
	1 Cerviana. W.	umbelled.		Russia.	1771.	6.	H.⊙.	Gmel.sib.3.t.20.f.2
	2 lineare. W.	linear-leaved.						Bot. rep. 326.
	3 Mollugo. W.	Ladies' Bedstraw		E. Ind.				Burm. ind.t.5.f.4.
	4 incanum. W.	hoary.		C. B. S.				Bot. mag. 1883.
١	5 dichotomum. W.	forked.			1783.	7.	G	
	DRYPIS. W.	DRYPIS.	Caryophylleæ.J.	<b>*</b> 4. 1		0 =	77 4	Y
	spinosa. W <sub>4</sub>	prickly.		Italy.	1775.	6.7.	н.б.	Jac. vind. 1. t. 49.
	BASELLA. W.	MALABAR \	Chananadam P. P.					
	DASELLA, W.	NIGHT-	Chenopodeæ. B. P	•				
	t rubra. W.	red.		E. Ind.	1731	7 0.	S.A.	Rheed.mal.7.t.24
	2 alba. W.	white.		17. 1110.	1688.	7.11.	S. A.	Pluk.alm. t. 63. f.1.
	3 lucida. Wi	shining.		-	1802.		8.0.	110010000000000000000000000000000000000
	4 cordifolia. P. S.	heart-leaved.					s.O.	
	DODUTTI ACADTÀ in	PURSLANE-	T				0	
	PORTULACARIA. W	TREE.	Portulaceæ. J.					
	afra. W.	African.		Africa.	1732.	• • • •	G.h.	Jac. coll. 1. t. 224
			TETRAGY	NIA.				
	PARNASSIA. W.	GRASS OF	Capparides ? J.					
		PARNASSUS. S		÷			**	77 1 4 00
	1 palustris. W.	marsh.		Britain.	1000	7.8.	H.4.	Eng. bot. 82.
	2 caroliniana. Ph.	Carolina.		N. America.	1802.	ə.b.	13.4.	Bot. mag. 1459. Vent. malm. t. 39.
	3 asarifolia. Ph.	Asarum-leaved.			1512,	1.0.	11.4.	vent. mann. t. 32.
			PENTAG	ÚNITÀ.				
			PENIAG	ETATES!				
	ARALIA. W.	ARALIA.	Araliæ. J.					
	1 capitata. W.	cluster-flowered.			1777.			Smith ic. pict. 4.
	2 Sciodaphyllum. W.							Bro.jam.t.19.f.1.2.
	3 spinosa. W.	Angelica-tree.			1688.	9.	H.h.	Comm.hort.1.t.47.
	4 hispida. Ph.	hispid.						Bot. mag. 1085.
	5 racemosa. Ph.	berry-bearing.						Moris, s.1. t.2. f. 9.
	6 nudicaulis. Ph. ARMERIA. W. en.	naked-stalked.					п. 4.	Pluk.alm.t.238.f.5.
	1 vulgaris. W. en.	THRIFT.	Plumbagineæ. B.I	Europe.			H.24.	
	2 maritima. W. en.	sea-side.		Britain.				Eng. bot. 226.
	3 alpina. W. en.	flat-stemmed.		Carinthia.			H.4.	1116. 001. 220.
	4 arenaria. P. S.	sand.		France.			H.4.	
	5 littoralis. W. en.	ciliated.					H.4.	
	6 alliacea. W.	Garlic-leaved.		Spain.				Cav. ic. 2. t. 109.
	7 denticulata. Sch.	toothed.			1816.			1
	8 plantaginea. W. en.			S. Europe.				`
	9 scorzoneræfolia. }						H.4.	
	W. en.	large-headed.						
	10 latifolia. W. en.	broad-leaved.		Algarbia.	1740.	5.7.	H.4.	Jac. vind. 1. t. 42.
	Statice cephalotes.							
	11 fasciculata. W. en.	bundled.		Portugal		4.8.	H.k.	Vent. cels. t. 38.

#### PENTANDRIA PENTAGYNIA.

em a my erg	C 1.	mi i i i	73		
STATICE. W. en.		Plumbagineæ. B.		3000 00 00	
1 graminifolia. W.	Grass-leaved.			1780. 6.7. H.2	
2 Limonium, W.	Gmelin's.		Siberia		. Eng. bot. 102.
3 Gmelini. W. 4 scoparia. W.	Broom.		Siberia.	1796. 6.8. H. 1	. Gmel. sib. 2. t. 90
5 latifolia. W.	broad-leaved.			- 1791. 5.7. H. 2	
6 oleæfolia. W.	Olive-leaved.		- Italy.		. Scop. ins. 1. t. 10.
7 auriculæfolia. W.			· Barbary.	1781. 7.8. F.2	
8 emarginata. W. en.	emarginate.		Gibraltar.	5.7. F.2	
9 cordata. W.	blunt-leaved.		· S. Europe.	1752 F. 2	
10 scabra. W.	rough-branched.		C. B. S.	1788. — G. 2	
11 virgata. W. en.	twiggy.		Spain.	6.8. H.2	! <b>.</b>
12 reticulata. W. en.	matted.		Eugland.		. Eng. bot. 328.
13 caspia. W. en.	Caspian.	***	· Caspian Sea.	— Н. 2	Gmel.sib.2.t.89.f.2.
14 echioides. W.	rough-leaved.	-	S. Europe.	1752. — G. J	. Gouan. ill. t. 2. f.4.
15 spathulata. P. S.	spatula-leaved.		· Baroary.		. Bot. mag. 1617.
16 speciosa. W. 17 conspicua. B. M.	Plantain-leaved. showy.		Russia.		656.
18 tatarica. W.	Tartarian,				. ——— 1629. . Gmel. sib. 2. t. 92.
19 flexuosa. W.	zigzag.			1791. 7.8. H.2	
20 purpurata. W.	purple.	-		1800. 6.7. G.2	
-			Mediter-		
21 minuta. W.	small.	benegative and the state of the	ranean.	1658. —— H. 2	. Pluk.alm. t.200.f.3;
22 pectinata. W.	triangular-stalkd		Canaries.	1780. 9.10. G. h	•
23 suffruticosa. W.	narrow-leaved.		Siberia.		. Gmel.s.2.t.88.f.2.3.
24 monopetala. W.	Sicilian shrubby.		Sicily.		. Boc. sic. t. 16. 17.
25 ferulacea. W.	Fennel-leaved.		Siberia.		. Pluk.alm. t. 28.f.4.
26 sinuata. W.	scollop-leaved.		Levant.	1629. 5.9. G.4	
27 alata. W. en.	winged.		********	1806. 6.8. G. 4	
28 mucronata. W.	curled.	C	Barbary.	1784. — G. 4	. L'Her. stirp. t. 18.
LINUM. W.	FLAX.	Caryophylleæ? J		0 = II C	T 1
1 usitatissimum. W.	common.		England		. Eng. bot. 1357.
2 perenne. W. 3 trigynum. H. K.	perennial. three-styled.		E Ind	1700 101 G b	
4 hirsutum. W.	hairy.		Anstria.		. Bot. mag. 1100. . Jac. aust. 1. t. 31.
5 hypericifolium.H.K	. Mallow-flowered.		Caucasus.		Bot. mag. 1048.
6 ascyrifolium. H.K.			Portugal.		1087.
7 narbonense. W.	Narbonne.		S. France.	1759. 5.7. F. 4	
8 reflexum. W.	reflex-leaved.		S. Europe.	1777. 7. H.4	
9 tenuifolium. W.	slender-leaved.		Funance		Jac. aust. 3. t. 215
10 angustifolium.H.K.	narrow-leaved.		England.	7. H.4	Eng. bot. 381.
11 gallicum. W.	annual yellow.		France.	1777. 7.8. H.⊙	. Ger. prov. t.15. f.1.
12 maritimum. W.	sea.		S. Europe.		Jac. vind. 2. t. 154.
13 alpinum. W.	Alpine.				Jac. aust. 4. t. 321.
14 austriacum. W.	Austrian.	<u> </u>	NY A		. Bot. mag. 1086.
15 virginianum. W.	Virginian.		Missouri	1807. 7. H. J	
16 rigidum. Ph.	stiff-leaved, yellow.			—— H.⊙ 1793. 6.8. H. ¥	
18 tauricum. W. en.	Taurian.		Tanria.	1795. — H. 4	. 200 Mag. 01%
19 campanulatum. W.			Europe.	— H. 4	
20 strictum. W.	upright.		S. Europe.	1759. 5.7. H. &	
21 suffruticosum. W.	Spanish.		Spain.		. Cav. ic. 2. t. 108.
22 arboreum. W.	tree.	*	Candia.	1788. 5.8. G. h	
23 africanum. W.	African.		C. B. S.	1771. 6.7. G.h	. —— 403.
24 nodiflorum. W.	knotted.				. Moris. s. 5. t.6. f. 1 %
25 catharticum. W.	purging.		Britain.		Eng. bot. 382.
26 quadrifolium. W.	four-leaved.		C.B. S.	1787. 5.6. G.h	. Bot. mag. 431.
DROSERA, W.	SUNDEW.	Capparides? J.	m.:/ :		E b.t. oce
1 rotundifolia. W.	round-leaved.				Eng. bot. 867.
2 longifolia. W.	long-leaved.				868.
3 anglica. H. K.	great.			1811. 5.6. H.4	869.
4 filiformis. Ph. GISEKIA. W.	thready-leaved.	Portulaceæ. J.	rich beisey.	1011. 0.0. 11.4	
pharnacioides. W.	trailing.		E. Ind.	1783. 6. S.O.	Roxb. cor. 2. t.183.
LAROCHEA. P. S.	LAROCHEA.	Semperviveæ. J.			
1 falcata. P. S.	sickle-leaved.	Compet Trees of			Dec. pl. grass. 103. 2635
2 coccinea. P. S.	scarlet.			1710. 6.8. G.h.	
3 cymosa. H. S.	cymose.			1800. 8. G.h.	
4 flava. H. S.	yellow.			1802. S.9. G.h.	Pluk.alm. t.314.f.2.
5 odoratissima. H. S.		-		1793. 6.7. G.h.	Bot. rep. 26.

		1 1011 1	TITIDICITY 1	CLIGI	747790		Oca	
	CRASSULA. W.		Semperviveæ. J.					
	1 perfoliata.			C. B. S.	1725. 7.	8. G.h.	Plant. grass. 13.	
	2 ramosa. W.	branching.			1774. —	— G. h.	Dlant mass 10	
	3 tetragona. W. 4 mollis. W.	square-leaved.			1711.	G. h.	Flant. grass. 19.	
	5 acutifolia. P. S.	acute-leaved.	-	Greece ?	1795. 9.	11. G.h.	Plant. grass, t. 2,	
	6 arborescens. W.	tree.		C. B. S.	1739. 5.	6. G.h.	Bot. mag. 384.	
	Cotyledon. B. M.							
	7 obliqua. W.	oblique-leaved.		***************************************	1759. 4	.5. G.h.	Plant. grass. 79.	
	8 lactea. W. 9 ciliata. W.	white.			1774. 9.	8 G h	Plant. grass. 7.	
	10 undulata. H. S.	wave-leaved.			1797. 8.	11. G.b.		
	11 scabra. W.	rough-leaved.			1730 6	7 C L	Dill.elt.t.99.f.117,	
	12 biconvexa. H. S.	double-convex.			1800.	8. G.h.		
	13 columnaris. W.	columnar.			1789	G.h.	Burm. afr. t. 9. f. 2.	
	14 imbricata. W. 15 perfilata. P. S.	imbricated.			1760. 6	.7. G.h.	Scop.del, ins. 3. t.6.	
	16 punctata. W.							
	17 marginalis. W.	marginated.			1774. 7	.8. G.h.	Dill.elt.t.100.f.119	
	18 pellucida. W.	pellucid.			1732. 6	.9. G.h.	Dill.elt.t.100.f.119	
	19 spathulata. W.	notched-leaved.	,		1774. 7	.9. G.h.	Plant. grass. 49.	
	20 cordata. W. 21 cultrata. W.	heart-leaved.			1720 7	.8. G.h.	121. Trew.pl.rar.2.t.12,	,
	22 obvallata. W.	Houseleek-leave			1795. —	.s. G.n.	Plant, grass, 61.	1
	23 canescens.	grey.			1800	- G. 24.	110110 81000 010	
	Globulea canescens.	, H. S.						
	24 nudicaulis. W.	naked-stemmed,			1732. 5	.9. G.4,	Plant, grass. 133.	
	25 tomentosa, W. 26 linguæfolia, H. S.	tongue-leaved			1790. 4	.5. G.h.		
	27 Cotyledon. W.	Cotyledon-leav <sup>d</sup> .			1800.	6. G. 4.		
	28 orbicularis. W.	starry.			1731. 7	.9. G. 4.		
	29 retroflexa. W.	Orange-flowered			1788.	6. G.⊙.		
	30 lineolata. W.	channelled.			1774. 6	.8. G.J.	77 4 4 7 7 7 7	
	31 centauroides. W. 32 dichotoma. W.	forked			- 5	.6. G.J.	Bot. mag, 1765,	
	33 glomerata. W.	rough, cluster'd.			8.	./. G.⊙.	Herm.lugdb.t.553, Plant. grass. 67.	
	34 glabra, H. S.	smooth, cluster'd				10 (+/-)	6	
	35 Alooides. W.	Aloe-like.			6	.s. G.J.		
	36 capitella. W.	square-spiked.		T. 1	1774. 7	.s. G. 3.	TOT 1	
	37 rubens. W. 38 verticillaris. W.	annual red. whorl-flowered.		S Europe	1759. 5	.6. H.⊙.	Plant. grass. 55.	
	39 expansa. W.	awl-leaved.		C. B. S.	1774. 6	7. G.⊙.		
	40 sparsa. W.	alternate-leaved.				G. 3.		
	41 diffusa. W.	diffuse.				G.⊙.		
	42 moschata. W. MAHERNIA. W.	MAHERNIA.	Tiliaceæ? J.	N. S. W.	1794. 5	.11. G. <u>.</u> .		
	1 pinnata. W.	winged-leaved,		C. B. S.	1752.	6.8. G.L.	Bot. mag. 277.	
	2 diffusa. W.	procumbent.			1774 -	G I	Jac schoon 9 t 901	
	3 incisa. W.	cut-leaved.			1792. 7	.9. G.h.	Bot. mag. 353. Cav. diss. t.77. f. 3.	
	4 pulchella, W.	neat.				-G,h.	Cav. diss. t.77. f. 3.	
	5 glabrata. W. 6 grandiflora. B. Reg.	sweet-scented.			1789. 4	.5. G.h.	Bot. reg. 224.	
	COMMERSONIA. W.				1/91. 0	1.8. G.n.	DGt. 1eg. 224.	
	1 platyphylla. B. M.			Moluccas.	1806. 6	.7. S.b.	Bot. mag. 1813.	
	2 dasyphylla. B. R.	hairy-leaved.		N. Holland.	1808.	4.5. G. h.	Bot. rep. 603.	
	SIBBALDIA. W.	SIBBALDIA.	Rosaceæ. J.					
	1 procumbens. P. S. 2 parviflora. P. S.	procumbent. small-flowered.		Britain. Cappadocia.		•	Eng. bot. 897.	
¥	3 erecta. W.	upright.		· Siberia.		— H. 4.	Am. ruth. 112.t.15.	
					7,1		ė	
			POLYGYNIA	.•				
	MYOSURUS. W.	Mouse-Tail.	Ranunculaceæ. J.					
	minimus. W.	small.		Britain.	4	4.5. H.⊙.	Eng. bot. 435.	
	CERATOCEPHA-	{ CERATOCE- }	Ranunculaceæ. J.			J		
	LUS. P. S. falcatus. P. S.	PHALUS. S			1700	F 77.0	To a sunt of the	
	Ranunculus falcati	sickle-seeded.		S. Europe.	1739.	э. н.о.	Jac. aust. t. 49.	
	ZANTHORHIZA. W.		Ranunculaceæ. J.					
	apiifolia. W.	Parsley-leaved.	-	N. America.	1766. 9	3.4. H.h.	Bot. mag. 1736.	

# CLASS VI.

MUSA. W.	PLANTAIN-TREE.	Musaceæ, P. S.				
1 paradisiaca. W.	common.		India.	1690. 10.12.	S.b.	Trew.ehr, 3. t. 18.20
2 sapientum. W.	Banana-tree.		W. Ind.	1729. 10.3.	S.h.	4. t. 21.23
3 rosacea. W.	rose-coloured.		Mauritius.	1805. 2.5.	S.b.	Jac.schen.4.t.445. 76
4 coccinea. W.	scarlet-flowered.		China.	1792. 12.3.	S.h.	Bot. mag. 1559.
URANIA. W.	URANIA.	Musaceæ. P. S.	Ravenatia. Ju	88.	_	4
speciosa. W.	Plantain-leaved.		Madagascar.		S.h.	Jac. scheen.1, t. 93,
BROMELIA. W.	PINE-APPLE.	Bromeliæ. J.				
1 Ananas. W.	common.		S. America.	1690. 1.12.	S.h.	Bot. mag. 1554.
2 semiserrata. W. en.	half-sawed-lead.		-		S.h.	Dil.elt.25.t.21.f.22.
3 lucida. W. en.	shining-leaved.		*** * 1		S.h.	Dil.elt.25.t.21.f.22.
4 Pinguin. W.	broad-leaved.		W. Ind.	1690. 3.4.	S.h.	Jac.am.ed.pict.t.91, Jac.vind.1.t.31.32,
5 Karatas. W.	upright-leaved.		T) . T .	1739	S.h.	Jac.vind.1.t.31.32,
6 nudicaulis. W.	naked-stalked.		Kio Janeiro.	2.3.	S. h.	Bot. reg. 203.
7 lingulata. W. 8 bracteata. W.	tongue-leaved. red-bracted.		Jameiro	1705 0 10	S.n.	Plum. ic. t. 64. f. 1.
9 humilis. W.	dwarf.		oamarca.	1700 9.10.	S. h.	Jac, ic. 1. t. 60.
PITCAIRNIA. W.	PITCAIRNIA.	Bromeliæ, J.	• • • • • • • • • •	1709. 0.	5. n.	oac, ic. 1. t. 60.
1 bromeliæfolia. W.	scarlet.	Trome	Jameica.	1781 6	SL	Bot. mag. 824.
2 angustifolia. W.	narrow-leaved.		Santa Cenz.	1777 193	S. L	1547
3 integrifolia. B. M.	entire-leaved.		W. Ind.	1800. 8.	S.b.	1462
4 latifolia. W.	broad-leaved.			1785 80	S 12	956
5 bracteata. H. K.	large bracted-red.			1799. 4.5.	S.b.	Redouté lilia.73.74 Bot. mag. 1416.
6 sulphurea. B. R.	vellow-flowered.			1797. 6.8.	S.h.	Bot. mag. 1416.
7 furfuracea. W. en.	drooping-leaved.	D 1' T	S. America.	1816	S.b.	X4 Q
TILLANDSIA. W.	TILLANDSIA.	Bromenæ.J.				
1 utriculata. W.	bottle.		S. America.	1793	S.24.	
2 serrata. W.	saw-leaved.	-	Jamaica.	6.	S. 24.	Plum.ic.63.t.75.f.1
3 lingulata. W.	tongue-leaved.			1776. 6.7.	S.h.	Jac. amer. t. 62.
4 flexuosa. W.	flexuose.		W Ind	1790	S. 4.	t. 63.17 7
5 nutans. W.	nodding.		Jamaica.	1793. 8.	S. 24 .	
6 stricta. B. M.	stiff-leaved.		Brazil.	1810. 11.	S.4.	Bot. mag. 1529.
7 recurvata. W.	recurve-leaved.		Jamaica.	1793. 7.	S.4.	Slo.jam.1.t.121.f.1.
8 xiphioides. B. Reg.			Buen. Ayres.		S.4.	Bot. reg. 105.
TRADESCANTIA.W.		Commelineæ. B. I	2.			
1 virginica. W.	common.					Bot. mag. 105.
2 rosea. Ph.	rose-flowered.		Carolina.	1802. —	H.4.	Vent. cels. t. 24,
2 subaspera. B. M.	Lyon's.		N. America.			
4 crassifolia. W.	thick-leaved.					1598.
5 erecta. W.	upright.		E Amorica	1794. 7.8.	H.O.	1340.
6 discolor. W.	purple-leaved.					
7 malabarica. W.	Grass-leaved.		W Ind			Rheed.mal. 9. t.63, Jac, amer. t. 64.
9 cristata. W.	crested.		Carlon			Bot. mag. 1435.
10 Zanonia. W.	Gentian-leaved.		W Ind			Red. lil. 192.
Zanonia bibractea			, , , , , , , , , , , , , , , , , , , ,	-/00. /.12.		A-C-11 21A- 2 J Z-1
PONTEDERIA. W.	Pontederia.	Asphodeleæ?				
1 cordata. Ph.	heart-leaved.	zaprodereto.	N. America.	1759. 6.8.	н. и.	Bot. mag. 1156.
2 angustifolia. Ph.	narrow-leaved.			1806.	H. 11.	
3 dilatata. H. K.	spreading.		E. Ind.			Bot. rep. 490.
HÆMANTHUS. W.		Amaryllideæ. B. I				** **
1 coccineus. W.			C. B. S.	1629. 8.10.	G.24.	Bot. mag. 1075,
2 coarctatus. W.	compressed.			1795. 2.3.	G.4.	Bot. reg. 181. Bot. mag. 1618.
2 rotundifolius. B. M.				1790. 6.10.	G. 24 .	Bot. mag. 1618.
4 puniceus. W.	waved-leaved.			1722. 5.9.	G. 24.	1315.
5 multiflorus. W.	many-flowered.		SierraLeone.	1783	S. 4.	961,
6 tigrinus. W.	tiger-spotted.		C. B. S.	1790. 12.2.	G.4.	1705. · · · · · · · · · · · · · · · · · · ·
7 quadrivalvis. W.	four-valved.			9.10.	G.4.	1523.
& pubescens. W.	pubescent.					Jobb 100 339
B albiflos. W.	white-flowered.	<del></del>				Jac. scheen.1. t. 59.
9 maculatus. J.	spotted-leaved.			1790. ——		7 1 1 1 2 2 2 2 2
10 lanceæfolius. W.	spear-leaved.					Jac. schæn. 1. t. 60.
11 carinatus. W.	keel-leaved.			1759. 8.9.		Too solonn 1 + 61
19 pumilio. W.	dwarf	-		1789.	G. 4.	Jac. schæn. 1. t. 61
× 62 11 131		·				and the first of the

	22212	ALILIA DIVILLA	201000		00
GALANTHUS, W.	SNOWDROP.	Amaryllideæ. B.	p.		
nivalis. W.	common.	Timer jinaca: 251		1.3. Н.2.	Eng. bot. 19.
LEUCOJUM. W.	SNOW-FLAKE.	Amaryllideæ. B.		1.0. 11.4.	Eng. bot. 15.
1 vernum. W.		Amarymaeæ. D.	Commons	1000 10 TT 31	Pot was 40 4 3
	spring.		Germany.		Bot. mag. 46.
2 æstivum. W.	summer.	***************************************	England.	4.5. H.4.	
3 pulchellum. P. L.	neat.				
4 autumnale. W.	autumnal.		· Fortugal.	1629. 9. H.4.	Bot. mag. 960.
5 trichophyllum. P.S.	winter.		Barbary.	1812. 1.2. H.4.	Red. lil. 150. f. 2.
STRUMARIA. Jac.	STRUMARIA.	Amaryllideæ. B.	Ρ.		
1 truncata. W.	truncated.		C. B. S.	1795. 4.5. G.24. 5.6. G.4.	Jac. ic. 2. t. 357.
2 rubella. W.	pale red.			5.6. G. 24.	2.t.358.
3 angustifolia. W.	narrow-leaved.			4.5. G.4.	2.t.359.
4 linguæfolia. W.	tongue-leaved.			G.h.	9 t 356
5 filifolia. H. K.				1774. 11. G.4.	2. 1. 350.
	fine-leaved.			1774. 11. G.4.	2. 1. 361.
6 spiralis. H. K.	spiral.			4.8. G.4.	Bot. mag. 1383.
7 crispa. B. M.	curled-flowered.			1790. — G.4.	1363.
8 stellaris. B. M.	starry.		-	1794.10.11. G. 4.	Jac. schæn.1. t. 71. Bot. mag. 1620.
9 gemmata. B. M.	gynandrous,			1812 8. G. 4.	Bot. mag. 1620.
CRINUM. W.	CRINUM.	Amaryllideæ. B. P			9
1 americanum. W.	American.			1752. 7.8. S.4.	Bot. mag. 1034.
2 erubescens. W.	blush-coloured.		W. Ind	1789. 6.8. S.4.	
3 Commelini. K. R.	Commelin's.				Jac. scheen. 2. t. 202.
			E L.		
4 defixum. K. R.	marsh.				Rheed.mal.11.t.38.
5 amænum. K. R.	delightful.	-	-	S.4.	
6 sumatranum. K.R.	Sumatra.		Sumatra.	S.4.	
7 longifolium. K. R.	long-leaved.		Bengal.	· · · · S.4 ·	
8 cruentum. K. R.	red-flowered.		E. Ind.	6.8. S.4.	Bot. reg. 171.
9 asiaticum. W.	Poison-bulb.		China.	1732 S.4.	
10 amabile. K. R.	beautiful.		E Ind		1605,
11 bracteatum. W.	bracteated.		Mounitius		
			Mauritius.	S.4.	Bot. 1eg. 1/9.
12 canaliculatum.K.R.			**********	S.4.	70 4
13 pedunculatum. B.R.				1790. 6.8. G.4.	Bot. reg. 52.
CYRTANTHUS, H.K.	CYRTANTHUS.	Amaryllideæ. B. P			
1 angustifolius. W.	narrow-leaved.	-	C. B. S.	1774. 5.6. G.4.	Bot. mag. 271,
2 collinus. B. Reg.	hill.			1816, 5.8. G.4.	Bot, reg. 162.
3 spiralis. B. Reg.	spiral-leaved.	***************************************		1790. — G. 4.	167.
4 obliquus. W.	oblique-leaved.			1774 G. 4.	Bot. mag. 1133.
5 uniflorus. B. Reg.	one-flowered.			1816 6 2	Bot. reg. 168. , 2201
BRUNSVIGIA. Ker.		Amountlides R D		1010 0.4.	Dot. 1cg. 100.
BROWSVIGIA. Ref.	BRUNSVIGIA.	Amaryllideæ. B. P	•		(T1 ) D. J
1 Josephinæ. R. L.	Josephine's.		C. B. S.	1814. 6.8. G. 24.	{ Lil. à Redouté, t. 870. 872.
	-				870. 372.
\$ minor. B. Reg.	smaller.	-		G. 4.	Bot.reg. 192 & 193,
2 multiflora. H. K.	many-flowered.			1759 (7.7/.	Bot. mag. 1619.
3 marginata, H. K.	red-margined.			1795. 9.10. G. 24.	Jac. schæn. 1.t. 65,
4 Radula. H. K.	rasp-leaved.			1790: 4.8. G. 24.	1.t. 68.
5 striata. H. K.	striated.			1795. 9.10. G.2/ .	1. t. 70.
6 falcata. B. M.	sickle-leaved.			1774. 5.6. G.4,	Bot. mag. 1449
			-	1//4. 0.0. 0.4,	Dot. mag. 1445.
Amaryllis falcata.				0.10 0.11	D-4
7 toxicaria. B. Reg.	Poison-bulb,	Commission of the last of the		9.10. G. 4.	Bot. mag. 1217.
Hæmanthus toxicari					_
8 ciliaris. B. Reg.	fringed.			1752 G, 4.	Breyn. cent. t. 39.
Hæmanthus ciliaris.	W.				
AMARYLLIS. W.	AMARYLLIS.	Amaryllideæ, B.P.		100	
1 colchiciflora. K. R.	Colchicum-flowd	-		1816. 9.10. H. 24.	Pl.rar.hung.2.t.157
			(Constan-)		
2 Clusiana. K. R.	Clusius's.		tinople.	— Н.4.	Clus. hist. 1. t. 163.
2 lutes W	wallow.				_
3 lutea, W.	yellow.		S. Europe.	1596. — H. 4.	
4 chloroleuca. K. R.	one-leaved.	-			Ker's rev. pl. 8. f. 2.
5 Pumilio. W.	dwarf.		C. B. S.	1774. · 11. G.4.	- L
6 pudica. K. R.	modest.			1795. 5.7. G. 4.	Ker's rev. pl. 8. f. 8.
7 tubispatha. K. R.	tube-sheathed.		S. America.	S.4.	Bot. mag. 1586.
8 Atamasco. W.	Atamasco Lily.		N. America.	1629. 5.6. H. 24.	239,
9 formosissima. W.	Jacobea Lily.			1658. — G. 4.	47.
10 aulica. K. R.	crowned.			5.8. S.4.	1 3/42
			Brazil.	1010	Bot rew 100
11 psittacina. B. Reg.	parrot-like.			1816. — S. 4.	
12 calyptrata. K. R.	green-flowered.			S.4.	
13 equestris, W.	Barbadoes Lily.		W. Ind.	1710. 7.10. S.4.	
β major.	larger.		*****************	S.4.	Bot. reg. 234.
14 reginæ. W.	Mexican Lily.		America.	1725. 5.6. S. 24.	453.
15, advena. B. M.	streaked-flowerd.	the property of the second sec	S. America	1807 S.21.	1125. Obo
		K			the state of

16 reticulata. W.	netted-veined.	Amaryllideæ. B.P.	Brazil.	1777.	4.5.	S.4.	Bot. reg. 657.
β major. K. R.	striped-leaved.			1815.		S.4.	Bot. reg. 38 23.
17 crocata. K. R.	fiery.					5.4.	Bot. reg. 38.
19 fulgida. B. Reg.	striped-tubed.					S. 24.	226.
	charming.	<del></del>	C.B.S.				Bot. mag. 1450.
21 Belladonna. W.							733.
β pallida.	pale-flowered.		C. B. S.			G.4.	Red. lil. 470.
22 vittata. W. 23 purpurea. W.	superb. beautiful.		CBS	1709.	4.5.	G. 4.	Bot. mag. 129.
24 coranica. K. R.	sickle-leaved.						Bot. reg. 139.
25 aurea. W.	golden.		China.				Bot. mag. 409. 70
26 curvifolia. W.	Fothergill's.						725.
27 corusca. B. M.							1089.
28 sarniensis. W. 29 venusta. B. M.	Guernsey.		C. B. S.	1806	9.10.	G. 4.	294.
30 radiata. W.	Snowdrop-leav'd		China.	1758.		G. 21.	Bot. rep. 95.
31 undulata. W.	waved-flowered.		C. B. S.	1767.	4.6.	G. 2L.	Bot. mag. 369.
32 humilis. W.				1795.	6.7.	G. 4.	726.
33 flexuosa. W.	zigzag.	į.		1550	9.10.	G. 4.	Bot. reg. 172. Bot. mag. 661.
34 longifolia. W. 35 revoluta. W.	long-leaved. revolute.			1774.	7.	G. 4.	915 1178
36 zeylanica. W.	Cevlon.		Cevlon.	1771.	7.8.	S. 24.	915. 1178.
37 ornata. W.	Yucca-flowered.		Guinea.	1740.	6.7.	S. 4.	<del></del>
38 gigantea. K. R.	gigantic.		SierraLeone.				
39 latifolia. W.	broad-leaved.		E. Ind.				Rheed.mal.11.t.39.
40 hyacinthina. K. R. NARCISSUS. W.	hyacinthine.	Amaryllideæ. B.P		1815.	6.9.	S. 4.	Bot. reg. 163.
1 poeticus. Sal.		Amarymueæ. D. F	S. Europe.		5.	H.21.	Park. par. 76.
2 recurvus. H. S.	drooping-leaved.					H.4.	2 11211   1111   111
3 patellaris. Sal.	spreading-flowd.		England.				Eng. bot. 275.
poeticus. E. B.			a =			~~ ~.	<b>7</b>
4 angustifolius. H.K.			S. Europe.				Bot. mag. 193.
5 biflorus. W. 6 tenuior. H. K.	two-flowered.		Britain.	1789.	5.	H.2/	Eng. bot. 276.
7 crenulatus. L. T.	Bazelman minor		Spain.		3.4.	Η. υ.	
8 Trewianus. B. M.	Bazelman major.					H.4.	Bot. mag. 940.
Hermione grandiflor	ra. H. S.						
9 floribundus. Sal.	Primo Citronier.		<del></del>	* * * *			
10 fistulosus. H. S.	hollow-stalked. waxen-cupped.				4.	H.4.	
12 Tazzetta. W.	Polyanthus.		Spain.	1759.	3.4.	H. 24.	Bot. mag. 925;
13 orientalis. L.	oriental.		Levant.			-H.4.	948.
14 papyraceus. B. M.	paper.					н.4.	947.
15 italicus. B. M.	Italian.		S. Europe.	• • • •		H.4.	1188.
16 tereticaulis. L. T. 17 compressus. L. T.	round-stalked.		spain.			- H. 4 •	***
18 bifrons. B. M.	Jonguil-scented.		S. Europe.			- H. 21.	Bot. mag. 1186.
19 primulinus. H. S.	Cowslip-cupped.					- Н. и.	1299.
20 Jonquilla. W.	Jonquil.		Spain.	1596.	4.5.	H.4.	15.
B flore pleno.	double.			-		- н. 4.	
21 viridiflorus. B. M. 22 serotinus. P. S.	green-flowered. late-flowered.						Bot. mag. 1687. Clus. hist. t. 252.
23 calathinus. L.	great Jonquil.			1629.	4.5.	H. 4.	Bot. mag. 78.
odorus. B. M. læt							
24 odorus. L.	sweet-scented.		-			H.4.	Bot. mag. 934.
calathinus. B. M.	111					T7 -1	70.4
25 nutans. H. K. trilobus. B. M.	nodding.	<del></del>	***************************************	1789.	3.5.	H.4.	Bot. mag. 945.
26 infundibulus.	funnel-flowered.					T-T 21 .	Park. par. 92.
27 pulchellus. S. P.	neat.		Spain.				Bot. mag. 1262.
28 triandrus. B. M.	Rush-leaved.		Portugal.		4.5.	H.24.	48.
29 capax. Sal.	capacious.	-				H.4.	Red. lil. 177.
30 montanus. B. Reg.	mountain.	-	Portugal.	• • • •			Bot. reg. 123.
31 galanthifolius. H.S. 32 albicans. H.S.	Snowdrop-leav <sup>d</sup> . whiteish.			1789.			Park. par. 73.
33 Bulbocodium. W.	Hoop-petticoat.		Portugal.				Bot. mag. 88.
34 inflatus. L. T.	inflated.					H.4.	
35 lobulatus. M. N.	lobed.				4.5.	H.4.	
36 teauifolius. L. T.	slender-leaved.		••••••			H.4.	. **

		1111111	TIANICITY IN	CONOCII	· · · · · · · · · · · · · · · · · · ·			0.0
37	incomparabilis. W.	peerless.	Amaryllideæ. B.P.	Portugal.	1629.	4.5.	H.4.	Bot. mag. 121.
38	tortuosus. M. N.	twisted-petaled.						924.
	moschatus. L.	musk.						1300.
	serratus. M. N.	serrated.		S. Europe.	• • • • *			
	spurius. H. S.	spurious.		England.	• • • •	4.		** * * * * * * * * * * * * * * * * * * *
	Pseudo-Narcissus.	Daffodil.			• • • •	3.4.		Eng. bot. 17.
	tubiflorus. S. P.						H.4.	B.4 110#
	bicolor. B. M. obvallaris. S. P.	two-coloured.		spain.				Bot. mag. 1187.
	major y. B. M. 130	Sibthorp's.			• • • •	3.4.	п. 4.	1301. f. inf.
	major. B. M.	large.			1620.		H.21.	51.
	propinguus. S. P.	allied.			1020.		H.21.	51. ————————————————————————————————————
	major β. B. M. 130						11.7	1001map.
	nobilis. H. S.	noble.					H.24.	
49	Ajax.	great.						
	Ajax Telamon. H.	S.					·	
	pumilus. S. P.	low.		Spain.			H.4.	Pass. hort. 8.
	minor. W.	small.			1629.	3.5.	H.4.	Bot. mag. 6.
	NCRATIUM. W.	PANCRATIUM.	Amaryllideæ. B. P			4	_	pia
1	zeylanicum. W. verecundum. K. R. maritimum. K. R.	one-flowered.		Ceylon.	1752.	6.7.	S. 24.	Par. lond. 86.
2	verecundum. K. R.	Narcissus-leaved.		E. Ind.	1776.	6.8.	S.4.	Rheed.mal.11.t.46.
3	maritimum. K. K.	sea.		S. Europe.				Bot. reg. 161.
	carolinianum. K. R.	Carolina.		Carolina.				Cat. car. 3. t. 5.
	canariense. K. R.	Canary.		Canaries.				Bot. reg. 174.
	illyricum. K. R.	Illyrian.		S. Europe.	1615.	5.6.	H.4.	Bot. mag. 718.
	amboinense. W. Amancaes. K. R.	heart-leaved. Narcissus-flow <sup>d</sup> .		Amboyna.	1759.	0 7	6.4.	1419.
	calathinum. K. R.	cup-flowered.		Peru.	1604.	0.7.	8.4.	Pat mag 015
	nutans. K. R.	•	,	prazus.	• • • •		8 21	Bot. reg. 215. Bot. mag. 1561.
	undulatum. K. R.	nodding. wave-leaved.		S America			S.4.	Dot. mag. 1501.
	littorale. K. R.	fan-leaved.		S. America.	1758	5.0	\$ 21	Bot. mag. 1879.
	Dryandri. K. R.	tall.			1700.	0.0.	S. 21.	895.
	angustum. K. R.	narrow-leaved.					S.2L.	Bot. reg. 221.
	rotatum. K. R.	large-crowned.		Carolina	1803.	7.9.	S. 21.	Bot.ma.1082&827.
	mexicanum. K. R.	Mexican.		Mexico.				Dill.elt. t.222.f.289
	caribæum. K. R.							Bot. mag. 826.
	amœnum. K. R.	handsome.		Guiana.				1467.
	ovatum. K.R.	oval-leaved.		W. Ind.			S. 24 .	Bot. reg. 43.
	speciosum. K.R.	large.						Bot. mag. 1453.
	CROSIA. B. Reg.	EUCROSIA.	Amaryllideæ. B. P	).				
	bicolor. B. Reg.	two-coloured.		Cape Horn.	1816.	4.5.	S.4.	Bot. reg. 207.
DC	RYANTHES. B.P.	DORYANTHES.	Amaryllideæ. B. P	· -				
	excelsa. B. P.	gigantic.		N. S. W.	1800.	7.8.	G.h.	Bot. mag. 1685.
GE	THYLLIS. H. K.	GETHYLLIS.	Amaryllideæ. B. P	<b>.</b>				
1	spiralis. W.	spiral-leaved.			1780.	6.7.	G. 4.	Bot. mag. 1088.
	ciliaris. W.	fringed.			1788.		G.4.	Jac. scheen. 1.t.79.
	villosa. W.	hairy.			1787.			
	lanceolata. W.				1790.	6.	G.4.	
	ANDFORDIA.B.P.		Hermerocallideæ.					
	nobilis. B. P.	noble.		N. S. W.	1803.	7.8.	G. 4.	Exot. bot. 1. t. 4.
	grandiflora. B. P.	large-flowered.	T7	D D	1812.		G. 4.	Lab.nov.ho.1.t.111
	GAPANTHUS. W. umbellatus. W.	large-flowered.	Hemerocallideæ. I		1600	0.7	GN	Dot men roo
	præcox. W. en.	0			1692.	8.1.	0.4.	Bot. mag. 500.
	EMEROCALLIS. W.		Hemerocallideæ. I		• • • •		G. 4.	on River to the the
-	graminea. H. K.				1750	67	LI N	Bot. mag. 873.
	flava. H. K.	narrow-leaved.		Sideria.				
	disticha. B. M.	fan-like.		China				——————————————————————————————————————
	fulva. W.			Levent				Bot. mag. 64.
5	Liliastrum. W. en.	Savoy-Spiderwort		Switzerland.	1629.	5.6.	H.2/.	318.
	Anthericum Lilias	trum, L.				0.00	4.	0101
6	Japonica. B. M.	white-flowered.		Japan.	1790-	8.9.	H.21.	1433.
	cærulea. H. K.	blue-flowered.						894.
	ETRIS. W.	ALETRIS.	Hemerocallideæ. 1	B. P.			т.	
1	farinosa. W.	Colic-root.			1768.	6.	H.4.	Bot. mag. 1418.
	aurea. Ph.	golden-tipped.						Willd. hort. ber. 8.
	HTOMA. B. M.	TRITOMA.	Hemerocallideæ. 1					
	Uvaria. H.K.	great.			1707.	8.9.	F. 4.	Bot. mag. 758.
	media. H. K.	lesser.						744.
3	pumila. H. K.	least.			1774.	9.11	F.4.	764.
			K 2					

00	1111212	TIADICITE IN	.0110011	11110			
VELTHEIMIA. H.K.	VELTHEIMIA.	Hemerocallideæ. B	. P.				
1 viridifolia. W.	green-leaved.	II Ill. D	C. B. S.	1768.	11.4.	G. 4.	Bot. mag. 501.
2 glauca. W.	glaucous.			1781.	1.4.	G. 24.	1091.
POLIANTHES. L.	TUBEROSE.	Hemerocamaeæ. B	4 P.				
tuberosa. W.		the state of the s	E. Ind.	1629.	8.9.	G.4.	Bot. reg. 63. m . 181
B flore pleno.	double.	77	Ti				
SANSEVIERA. W.		Hemerocallideæ. B			1	C 31	
1 glauca. H. S. 2 polyphylla. H. S.	unright glaucous.			• • • •		8 11	
3 guineensis. W.	Guinea.		Guines	1600	6 11	871	Bot mag. 1180.
4 læte-virens. H. S.	light-green.					~ 71	
5 spicata. H. S.	spiked.		E. Ind.	1790.		S. 1.	Cav. ic. 3. t. 246.
6 zeylanica. W.	Ceylon.		Ceylon.	1731.	6.11.	S. 24 .	Bot. reg. 160.
7 lanuginosa. W.	woolly.		E. Ind.			S. 24 .	Rheed. 11. t. 42.
8 grandicuspis. H. S.	large-pointed.					S. 24 .	
9 pumila. H. S.	dwarf.		C. B. S.	1796.		S.4.	
10 carnea. H. K.	fiesh-coloured.		China.	1792.	3.6.	н. 4.	Bot. rep. 361.
sessiliflora. B. M.	m		_				
TULBAGIA. W.		Hemerocallideæ. B				C =1	Dut
1 alliacea. W.	Narcissus-leav d.		C. B. S.	1774.	5.7.	G. 4.	Bot. mag. 800.
2 cepacea. W.		Asphadalan I		1795.	4.	6.4.	
EUCOMIS. W.		Asphodeleæ. J.	CBS	1774	5	GN	Bot. mag. 1495.
2 purpureocaulis.H.K.	nurnle-stalked		O. D. S.	1794	3.4.	G 21	Bot. ren. 369.
3 bifolia. W.	two-leaved.			1792.	4.5.	G. 21.	Bot. mag. 840.
4 regia. W.	tongue-leaved.			1702.	3.5.	G. 24.	Dill.elt.t.92.f.109.
5 undulata. W.	waved-leaved.			1760.		G. 24.	Bot. mag. 1083.
6 punctata. W.	spotted.			1783.	7.	G. 24.	913.
7 striata. H. K.	streaked.			1790.	6.12.	G. 24 .	1539.
FRITILLARIA. W.	FRITILLARY.	Lilia, J.					
1 Imperialis. W.	Crown Imperial.		Persia.	1596.	3.4.	H.4.	
a rubra.	red-flowered.					-	Bot. mag. 194.
β flava.							
2 persica. W.					4.5.	н.4.	1537.
β minor.	dwarf Persian.		Compone		4	LI N	902.
3 obliqua. B. M. 4 pyrenaica. H. K.	oblique-leaved.		Caucasus.	1605	5.6	H 1	959.
5 nigra. B. M.	Pyrenean		Pyrenees.	1506.	5.0.	H. 21.	664.
6 nervosa. W. en.	nerved-leaved.		Caucasus.	1000.	4.5.	H. 11.	••••
7 lutea. M. B.	yellow-flowered.			1812.		G. 4.	Bot. mag. 1538.
8 latifolia. W.	broad-leaved.			1604.		H.4.	Bot. mag. 1538.
9 Meleagris. W.	chequered.		Britain.		3.5.	H. 4.	Eng. bot. 622.
10 lanceolata. Ph.	spear-leaved.		Camtschatka	1759.	5.	H.4.	Linn.trans.10.t.11.
-Lilium camschatcen							
LILIUM. W.	LILY.	Liliæ. J.	_			**	77.1
1 candidum. W.	white.		Levant.				Bot. mag. 278.
2 japonicum. W.	Japan.		China.	1804.	7.8.	H.4.	1591.
3 bulbiferum. W. β umbellatum.	Orange.		maly.				36. ————————————————————————————————————
4 dauricum. Ker.	Daurian.		Dauria	1754		H. 7/	1210, in note.
pensylvanicum. B.				1,54.	1	zp .	2 2 3 7 11 22 3 7
5 concolor. H. K.	self-coloured.		China.	1806.	7.	H.4.	1165.
6 Catesbæi. W.	Catesby's.		Carolina.	1787.	7.8.	H.4.	259.
7 philadelphicum. W.	Philadelphian.		N. America.	1757.		H. 4.	- 519.
8 canadense. W.	Canadian.			1629.		H.4.	800.
$\beta$ rubra.	red-flowered.						- 853.
9 superbum. W.	superb.						936.
10 Martagon. W.	Turk's Cap.		Germany.	1596.	6.7.	H.4.	893.
11 chalcedonicum. W.						H.4.	30.
12 pyrenaicum. W. en.			Pyrenees.	1.000	5.0	F1.4.	Red. lil. 145.
13 pomponium, W.	ScarletPompone.		Chucoana	1029.	5.0.	H 2	Bot. mag. 971.
14 monadelphum, B.M. 15 tigrinum, H. K.			China	1804	70	H. 21	1237.
16 pumilum. R. L.	tiger-spotted.		China.				Bot. reg. 132.
TULIPA. W.	TULIP.	Liliæ. J.		1010.	٠.	* wp .	
1 sylvestris. W.	wild.	mile. 0.	England.		4.5.	H.4.	Eng. bot. 63.
2 turcica. W. en.	narrow waved-1d.					H.4.	
3 oculus solis. R. L.	Sun's-eye.			1816.	4.	H.4.	Bot. reg. 204.
4 Gesneriana. W.	common.		Levant.				Bot. mag. 1135.
5 suaveolens. W.	V in Toll.		S. Europe.	1603.	3.4.	H.4.	

	X11.12X11.	TOTAL MA	1100111				00
6 Clusiana. B. M.	Clusius's.	Liliæ. J.	Sicily.	1636.	6.	H. 24 .	Bot. mag. 1390.
7 Celsiana. P. S.	Cels's.		Levant.				717.
8 cornuta. R. L.	horned.	<b>L</b>		1816.			Bot. reg. 127.
				.010.	٠.	12.20	(Pall. it. 3. ann.
9 biflora. L.	two-flowered.		Russia.	1806.	4.	H.4.	{ Pall. it. 3. app. 86. t. D. f. 3.
	Oog's-TOOTH						( 000 to De 1000)
ERYTHRONIUM. W.	VIOLET.	Liliæ. J.					
1 Dens canis, W.	,		T	2500		TT N	Dat man K
	common.		Europe.	1596.	3.	H. 4.	Bot. mag. 5.
2 americanum. H. K.		T.111 T. 3.5 . 1.	N. America.	1665.	4.5.	11.4.	1113.
GLORIOSA. W.	GLORIOSA.	Liliæ. J. Methon				0.01	7.
1 superba. W.	superb.		E. Ind.				Bot. reg. 77.
2 simplex. L.	blue-flowered.			1756.		8.4.	
BULBOCODIUM. W.		Melanthaceæ. B. I					
vernum. W.				1629.	2.3.	H.4.	Bot. mag. 153.
UVULARIA. W.	UVULARIA.	Melanthaceæ. B. I					
1 perfoliata. W.	perfoliate.		N. America.	1710.	5.6.	H.4.	Ex. bot. 1. t. 49.
2 flava. Ph	yellow-flowered.		-			H.4.	1. t. 50.
3 lanceolata. W.	spear-leaved.			1710.	6.8.	H.24.	Corn. canad. t. 41.
4 grandiflora. H. K.	large yellow.			1802.	5.6.	H.4.	Ex. bot. 1. t. 51.
5 sessilifolia. W.	sessile-leaved.			1790.	6.	H. 24.	1. t. 52.
6 chinensis. B. M.	brown-flowered.		China.				Bot. mag. 916.
BRODIÆA. L. T.	BRODLÆA.	Hemerocallideæ?				•	e e
1 grandiflora. L. T.	large-flowered.					G. 24.	Par. lond. t. 98.
2 congesta. L. T.	close-headed.						Linn.trans.v.10.t.1.
PELIOSANTHES.	viose neaded.				0.	0.4.	241111111111111111111111111111111111111
B. R.	Peliosanthes.						
1 humilis. B. R.	small.		E Ind	1000	5 C	6 31	Bot. mag. 1532.
			E. Illu.	1809.	0.0.		C)
2 Teta. B. R.	green-flowered.			1807.	4.	5.4.	1302.
APHYLLANTHES }	LILY PINK.	Asphodelea. B. P.	•				
w		•				**	77 4
monspeliensis. W.	Rush-like.			1791.	6.7.	H.4.	Bot. mag. 1132.
SOWERBÆA. L. T.	SOWERBÆA.	Asphodeleæ. B. P					
juncea. B. P.	Rush-leaved.			1792.	5.7.	G. 4.	Bot. mag. 1104.
ALLIUM. W.	GARLIC.	Asphodeleæ. B. P	•				
1 Ampeloprasum. W.	Sgreat round-		England.		7.8	FF 31	Eng. bot. 1657.
1 mpetoprasum: w	\ headed. \			* * * *	7.0.	11.4.	Ling. bot. 1007.
2 Porrum. W.	Leek.		Switzerland.	1562.	4.5.	H. J.	Blackw. t. 421.
2 lincone W	linear-leaved.		Cibouio	1750	e m	LI N	Gmel. sib. 1. t. 13.
3 lineare. W.	mear-reaveg.		Siberia.	1732.	0.7.	п.4.	14. f. 1.
4 suaveolens. W.	sweet-smelling.		Austria.				Jac. ic. 2. t. 364.
5 Victorialis. W.	long-rooted.			1739.	5.	H.4.	Bot. mag. 1222.
6 subhirsutum. W.	hairy.		S. Europe.				774.
7 obliquum. W.	oblique-leaved.						1408.
8 acutangulum, W.en						- Н. 4.	
9 magicum. B. M.	Homer's Moly.		Austria.				Bot. mag. 1148.
10 tataricum. W.	Tartarian.						1142.
11 roseum. W.	Rose-coloured.						978.
12 spirale. W. en.	spiral.					H. 4.	2:2
13 controversum.W.en	unequal-snathed					- H. 4.	4
14 sativum. W.	cultivated.		Sicily				Moris. s. 4. t. 15. f.9.
15 Scorodoprasum. W			Denwark			H. 4.	
16 arenarium. W.	sand.		Britain				Eng. bot. 1358.
17 carinatum. W.	mountain.		Europe				Bot mag 1764
18 sphærocephalon. W			S Eppen				Bot. mag. 1764,
19 parviflorum. W.	small-flowered.		•			H.4.	
20 carneum. W. en.	flesh-coloured.	state and the state of the stat	Switzenland	1815.	_	- II. 4.	70-4 25-
21 descendens. W.	purple-headed.		· Switzerland.	1760.	7.	H. 4.	Bot. mag. 251.
22 flavum. W.		denne Philippine State of the Control of the Contro		1759.	6.7.	H. 4.	1330.
28 pallens. W.	pale-flowered.			1779.		-H.4.	1420.
24 paniculatum. W.	panicled.						1432.
25 caucasicum. B. M.	Caucasian.						973.
26 vineale. W.	crow.		Britain.				Eng. bot. 1974.
27 oleraceum. W.	purple-striped.		- England.	• • • • •			488.
28 nutans. W.	nodding.		- Siberia.				Bot. mag. 1143.
29 ascalonicum. W.	Shallot.		· Palestine.				Mor.his.s.4.t.14.f.3
30 senescens. W.	Narcissus-leavd.		- Germany.	1596.		-H.4.	Bot. mag. 1150.
31 gracile. W.	Carolina.		- Carolina.	1776.	3.4.	.H.4.	1129.
inodorum, W. &	fragrans. Vent.						
32 angulesum. W.			- Germany.	1739.	6.7.	H. 4.	Bot. mag. 1149.
							_

```
33 ochroleucum. W.en. pale yellow.
                                       Asphodeleæ. B. P. Hungary.
                                                                     1816. 6.7. H. 4. Pl.rar.hun.2, t.186.
                      streaked-leaved.
                                                      - America.
34 striatum. W.
                                                                     1800. 5.6. H. 4. Bot.m. 1035 & 1524
                      Narcissus-flowd.
                                                       - France.
35 narcissiflorum. W.
                                                                     .... 7.8. H. 4. Vill. delph. 2. t. 6.
                                                        N. America.
36 canadense. W.
                      Canadian.
                                                                     1739. 6.7. H.4.
                                                                     .... 4.5. H. 4. Eng. bot. 122. 1759. 5.6. H. 4. Bot. mag. 869.
37 ursinum. W.
                      Ramson.
                                                    -- Britain.
                                                                     . . . .
38 triquetrum. W.
                      triangular-stalkd
                                                        Spain.
                      Clusius's.
                                                        S. Europe.
                                                                     1803. 6.8. H. 4. Clus. hist.1. p.192.
39 Clusianum. W.
                      common Onion.
40 Cepa. W.
                                                                     .... 6.7. H.J.
   B bulbifera.
                      tree Onion.
                                                                             -- H. 4. Bot. mag. 1469.
                                                                     . . . . -
                      great-yellow.
                                                  S. Europe.
                                                                     1604. 6. H. 2. Bot. mag. 499.
41 Moly. W.
42 tricoccum. W.
                      three-seeded.
                                                   - N. America.
                                                                     1770.
                                                                             7. H.4.
                      Welsh Onion.
                                                                     1629. 4.5. H.4. Bot. mag. 1230.
43 fistulosum. W.
                                                      - Siberia.
44 Scheenoprasum. W.
                      Chives.
                                                  Britain.
                                                                     .... 5.6. H.4. Eng. bot. 2438.
45 sibiricum. W.
                      Siberian.
                                                      - Siberia.
                                                                     1777. 7.8. H. 4. Bot. mag. 1141.
                                             ---- Hungary.
                                                                     1805. — H.4. Pl. rar. hung. t. 68. 1806. 6. H.4. Bot. mag. 1324.
46 setaceum. P. S.
                      bristly.
47 cernuum. B. M.
                                                  - N. America.
                      drooping.
                                                                    1811. — H.4. — 1576.
48 stellatum. B. M.
                      Missouri.
                                                                     .... 7. H.4.
49 bisulcum. B. M.
                      furrowed.
                                                      - Siberia.
50 baicalense. W. en.
                      Baical.
                                                                     1816. 6.7. H.4.
51 rubens. W. en.
                      red.
                                                      - Germany.
                                                                     1805. -- H. 4.
                      dwarf Moly.
                                            S. Europe.
                                                                     1774. 1.2. F. 4. Bot. mag. 1203.
52 Chamæ-Moly. W.
                                       Asphodeleæ. B. P.
ALBUCA. W.
                      ALBUCA.
 1 altissima. W.
                      tall.
                                                    --- C. B. S.
                                                                     1780. 4.5. G. 4. Jac. ic. 1. t. 63.
                      great.
 2 major. W.
                                                                   - 1759. - G.4. Bot. mag. 804.
                                                                   - 1768. 5.6. G.4. ---- 720.
 3 minor. W.
                      small.
                                                                 - 1791. - G.4. Jac. ic. 2. t. 444.
- 1794. 6.7. G.4. Bot. mag. 1656.
 4 flaccida. Jac.
                      flaccid.
 5 viriditlora. W.
                      green-flowered.
 6 coarctata. W.
                      channel-leaved.
                                                                   - 1774. 5.6. G.4.
                                                                               - G. 4. Bot. rep. 450.
 7 fastigiata. W.
                      level-topped.
                                                                  - 1791. 5.7. G.4. Jac. ic. 2. t. 442.
 8 caudata. W.
                      upright-flowered
                                                                 - 1795. - G. 4. Bot. mag. 1481.
 9 setosa. W.
                      bristly.
                                                                — 1802. 7.8. G.4. —— 1329.
10 vittata. B. M.
                      ribbon.
                      dingy-flowered.
                                                                                              - 1046.
11 physodes. B. M.
                                                                   - 1804. 6.7. G.24. -
                                                      _____ 1795. 5.7. G.4. -
12 exuviata. B.M.
                      Adder-skin.
                                                            1788. 8. G.4.
13 Anthericoides.
                      stripe-flowered.
   Anthericum albucoides. IV.
14 fragrans. W.
                                                                  - 1791. 6.7. G.4. Jac. schen.1. t. 81.
                      sweet-scented.
                                                               1779. 5.6. G. 4. Jac. ic. 2. t. 445.
15 viscosa. W.
                      clammy-leaved.
16 spiralis. W.
                      spiral-leaved.
                                                                   - 1795. 6. G.4. - 2. t. 439.
XANTHOR-
                      XANTHORRHŒA Aspliodeleæ. B. P.
    RHŒA. B.P.
 1 hastile. B. P.
                      yellow-gum.
                                                     - N. S. W.
                                                                     1803. 4.5. G. 21.
 2 minor. B. P.
                      small.
                                                                    - 1804. .... G. 4.
                                                              ____ 1810. ___ G.4.
 3 bracteata. B. P.
                      long-bracted.
                                       Asphodeleæ. B. P. Chlamysporum. P. L.
THYSANOTUS: B.P.
                      THYSANOTUS.
                                                                     1804. 8.9. G. 4. Par. lond. 103 A. 656.
                                           ---- N. S. W.
   junceus. B. P.
                      Rush-like.
ERIOSPERMUM. W.
                      ERIOSPERMUM.
                                       Asphodeleæ. B. P.
 1 latifolium. W.
                      broad-leaved.
                                            _____ C. B. S.
                                                                     1800. 6.8. G. 4. Bot. mag. 1382.
                                                                     1795. - G. 2. Jac. ic. 2. t. 421.
 2 lanceæfolium. W.
                      spear-leaved.
 3 parvifolium, W.
                      small-leaved.
                                                                               - G.4. --- 2. t. 422.
                                                                   - 1806. — G.4. Bot. rep. 521. 🎵
 4 folioliferum. B.R.
                      leaflet-bearing.
                      GAGEA.
                                       Asphodelex. B. P. Ornithogali species. IV.
GAGEA. Sàl.
                                                                     .... 3.4. H. 4. Bot. mag. 1200.
 1 lutea. B. M.
                      bundle-flowered.
                                       ---- Britain.
                                                                     .... H.4. { Pers. in ust. N. An. 5. t. 1. f. 1.
 2 sylvatica. W. en.
                                                  - Europe.
                      wood.
                                                                            5. H.4. { Hayne in ust. an. 15. t. 1.
 3 spathacea. W.
                      sheathed.
                                                Germany.
                                                                     1759.
                                                                              - H. 4. Pers. in ust. ann.
 4 minima. P. S.
                      starry.
                                              ----- Sweden.
   stellaris. Sal.
                                                                     1789. 5.6. H.4. Pall. it. 3. app. t. D. f. 2.
                                                      - Siberia.
 5 circinata. L.
                      netted.
                                            Wales.
                                                                            6. H. 4. Eng. bot. 793,
 6 serotina. B. M.
                      mountain.
   Anthericum serotinum. E B.
                      STAR OF BETHLEHEM
ORNITHOGA-
                                       Asphodeleæ. B. P.
     LUM. W.
                                                                     1781. 5.6. H.4. { Nov. com. pet. 18. t. 6. f. 3.
 4 uniflorum. W.
                      one-flowered.
                                                   - Siberia.
                                                                     1796. — F.4.
1774. — G.4. Bot. reg. 235.
.... 4.6. H.4. Eng. bot. 130.
                                                   California.
 2 ixioides. H. K.
                      Ixia-like.
                                            C. B. S.
 3 niveum. W.
                      snowy.
                                               England.
 4 umbellatum. W.
                      common.
```

	HEAR	MDMIA M	ONOGII	ATT.			11
5 pyrenaicum. W.	spiked.	Aspliodeleæ. B. P.	England.		6.7.	H.4.	Eng. bot. 499.
6 stachyodes. W.			S. Europe.				Renealm.spec.t.90.
7 lacteum. W.	milk-white.						Bot. mag. 1134.
8 revolutum. W.	revolute-flowerd.		E 4				653. A
9 elatum. B. R. 10 latifolium. W.	tall. broad-leaved.						Bot. rep. 528. Bot. mag. 876.
11 scilloides. W.	squill-like.		CBS				Jac. schoen.1.t.888
12 prasinum. B. Reg.	green-flowered.					•	Bot. reg. 158.
13 comosum. W.	short-spiked.		Austria.	1596.	6.8.	H. 4.	Jac. ic. 2. t. 426.
14 pyramidale. W.	pyramidal.		Spain.	1752.	6.7.	H.4.	2. t. 425.
15 odoratum. W.							Bot. rep. 260.
16 barbatum. W.	bearded.			1501	5.7.	G. 24.	Jac. schæn. 1. t. 91.
17 juncifolium. W. 18 rupestre. W.	Rush-leaved.			1794.	7.8.	r.4.	Bot. mag. 972.
19 arabicum. W.	great-flowered.		Egypt.	1629.	3.4.	F. 24.	Bot. mag. 728.
20 thyrsoides. W.	great-flowered. thyrse-flowering.		C. B. S.	1757.	6.7.	G. 4.	1164.
21 aureum. W.	golden.			1790.		G. 4.	Bot. mag. 190. Jac. ic. t. 436.
22 flavissimum. Jac.	great yellow.			1804.		G.4.	Jac. ic. t. 436.
23 coarctatum. W.	close-flowered.					G.4.	t. 435.
24 caudatum. W.			Cibrolton	1774.	2.8.	G. 4.	Bot. mag. 805.
25 unifolium. B. M. 26 Squilla. B. M.	one-leaved. officinal Squill.						953 & 935
Scilla maritima. W			S. Europe.	1025.	7.0.	1.4.	J10.
SCILLA. B. M.	SQUILL.	Asphodeleæ. B. P	•				
1 italica. W.	Italian		Switzerland	1605.	4.7.	н.4.	Bot. mag. 663.
2 peruviana. W.	corymbose.		Spain.				749.
3 lusitanica. W.	Portugal.	<del></del>	Portugal.	1777.		н.4.	Rud. clys. 2. f. 4.
4 Lilio-Hyacinthus W.	Lily-rooted.		S. Europe.	1597.	5.7.	н.4.	Red. lil. 205.
5 amœna. W.	nodding.		Levant.	1596.	3.4.	H.4.	Bot. mag. 341.
6 sibirica. H. K.	Siberian.		Siberia.				Bot. mag. 1325.
7 præcox. W.			********			H.4.	
8 verna. W.	vernal. one-leaved.		Britain.			H. 4.	Eng. bot. 23.
9 monophylla. Link. 10 hyacinthoides. W.	Hyacinth.		Madeira.				Bot. mag. 1140.
11 autumnalis. W.	autumnal.		England.				Eng. bot. 78.
12 bifolia. W.	two-leaved.						24.
13 campanulata. W.	Spanish.		Spain.				Bot.mag.127&1102
14 non scripta. W.	Harebells.						Eng. bot. 377.
β carnea.	9						Bot. mag. 1461.
15 brevifolia. B. M.	short-leaved.						(Bot mag 1478 in
16 corymbosa. B. M.	Cape.			1793.	8.12	н.4.	Bot. mag. 1478 in note.
Massonia corymbo. 17 esculenta. B. M.	Quamash.						Bot. mag. 1574.
18 romana. B. M.	Roman.		Italy.				939.
Bellevalia opercula			,-		•	,	
MASSONIA. W.	Massonia.	Asphodeleæ. B. P	•				
1 latifolia. W.	broad-leaved.		C. B. S.	1775.	3.4.	G. 4.	Bot. mag. 848.
2 muricata. H. K.				1790.	4.5.	G.4.	559.
2 pustulata. B. M. scabra. H. K.	chagreen-leaved.				1.4.	G. 4.	642.
4 echinata. W.	rough-leaved.			-	5.	G. 4.	
5 pauciflora. H. K.	few-flowered.					G. 21.	
6 angustifolia. W.	narrow-leaved.			1775.	3.4.	G. 24.	Bot. mag. 736.
7 undulata. W.	waved-leaved.			1791.	4.	G. 4.	
8 ensifolia. B. M.				1790.	9.2.	G. 4.	Bot. mag. 554.
ASPHODELUS. W.	Asphodel.	Asphodeleæ. B. P.					70
1 Intens. W. 2 tauricus. W. en.	yellow.		Sicily.	1596.	5.6.	н. 4.	Bot. mag. 773.
3 ramosus. W.	Taurian. branched.		S. Europe	1551	5	H.2	Bot. mag. 799
4 albus. W.	upright.		5. Darope.	1001.	<u> </u>	н. ц.	Blackw. t. 238.
5 fistulosus. W.	Onion-leaved.			1596.	6.9.	H.4.	Bot. mag. 984.
6 altaicus. W.	channel-leaved.		Siberia.				Act.petr.1779.t.10
ANTHERICUM. J.	Anthericum.	Asphodeleæ. B. P	. Bulbine. W				
1 frutescens. P. S.	shrubby.		C. B. S.	1702.	3.8.	G.h.	Bot. mag. 816.
2 rostratum. P. S. 3 alooides. P. S.	beaked.			1812.	4.0	G.h.	Jac. ic. 2. t. 403. Bot. mag. 1317.
4 nutans. P. S.	Aloe-leaved. nodding.	,		173%.	4.8.	G.4.	Bot. mag. 1317. Jac. ic. 2. t. 407.
5 latifolium. P. S.	broad-leaved.			1012.		G. 24.	2. t. 408.
×						-, -,	

```
6 pugioniforme. P. S. dagger-leaved.
                                        Asphodeleæ. B. P. C. B. S.
                                                                      1793. 4.6. G. 4. Bot. mag. 1454.
                                                                     - 1759. 6.8. G. J. Jac. vind. t. 181.
  7 asphodeloides. P. S. upright-leaved.
  8 longiscapum. B. M. glaucous-leaved.
                                                                    - 4.8. G. 4. Bot. mag. 1839.
                       annual.
                                                                    - 1731. 5.6. H.O. --- 1451.
 9 annuum. P. S.
                                                                      1774. — G.4. Jac. ic. 2. t. 409.
1795. 4.5. G.4. Jac. schæn. 1. t. 86.
10 hispidum. P. S.
                       hairy-leaved.
                                                                      1774. -
11 fragrans. W.
                       sweet-scented.
                                                       - C. B. S.
12 flexifolium. W.
                       flexuous-leaved.
                                                                          - 5.6. G.4. Jac. ic. 2. t. 412.
                                                                     - 1774.
13 filiforme. W.
                       thread-leaved.
                                                                             4. G. 4.
14 floribundum. W.
                                                                      --- 3.4. G.24.
                       thick-spiked.
15 revolutum. W.
                       curled-flowered.
                                                                     - 1731. 9.12. G. 4. Bot. mag. 1044.
16 vespertinum. W.
                                                       - C. B. S.
                       afternoon-flows.
                                                                      1803. 5.9. G. 4. ---- 1040.
                                                                      1794. 6. G. 24. Jac. ic. 2. t. 411.
17 graminifolium. W.
                       waved-leaved.
18 triflorum. W.
                       three-flowered.
                                                                      1782. 8.10. G. 4. --- 2. t. 410.
19 canaliculatum. W.
                                                       - C.B.S.
                                                                      1774. 4.5. G. 4. Bot. mag. 1124. A
                       channel-leaved.
ARTHROPODIUM. )
                      ARTHROPODIUM. Asphodeleæ. B. P.
     B. P.
   paniculatum. B. P.
                      panicled.
                                                       - N.S. W.
                                                                      1800. 5.9. G. 4. Bot. mag. 1421.
PHALANGIUM. J.
                                       Asphodelew. B. P. Anthericum. IV. en.
                      PHALANGIUM.
                                                                      1570. 5.6. H. 4. ---- 1055.
 1 ramosum. B. M.
                      branching.
                                             S. Europe.
 2 Liliago. P. S.
                       Grass-leaved.
                                                       - S. Europe.
                                                                      1596. 5.6. H.4. ---- 914.
CHLOROPHYTUM.
                     CHLOROPHYTUM. Asphodelew. B. P.
     B. M.
 1 inornatum, B. M.
                                             SierraLeone. . . . 6.8. S. 4. Bot. mag. 1071.
                      green-flowered.
 2 elatum. B. P.
                                                       - C. B. S.
                                                                      1751. 8.9. G. 4. Red. lil. 191.
   Anthoricum elatum. H. K.
CÆSIA. B. P.
                       C.ESIA.
                                       Asphodelex. B. P.
                                            N. S. W.
                                                                      1816. 7.3. G. 4.
   vittata. B. P.
                      nodding-flowerd.
NARTHECIUM. B.M NARTHECIUM.
                                        Asphodelee. B. P. Antherici species H. K.
                      \ Lancashire
 1 ossifragum. E. B.
                                                    --- Britain.
                                                                      .... 7.8. H.4. Eng. bot. 535.
                      Asphodel.
 2 americanum. B. M. American.
                                                       - N. America. 1811. - H. 4. Bot. mag. 1505.
DIANELLA. B. P.
                      DIANELLA.
                                       Asphodeleæ. B. P.
 1 ensifolia. W.
                                          E. Ind.
N. S. W.
                                                                      1731. 8. S.4. Bot. mag. 1404.
                      sword-leaved.
                                                                      1783. 5.8. G.4. --- 505.
 2 cærulea. B. P.
                      blue.
 3 divaricata. B. P.
                      divaricated.
                                                                     1805. 7.8. G.4.
EUSTREPHUS. B. P. EUSTREFHUS.
                                       Asphodeleæ. B. P.
   latifolius. B. P.
                      broad-leaved.
                                                       - N. S. W.
                                                                      1800. 6.7. G. 4. Bot. mag. 1245.
ASPARAGUS. W.
                      ASPARAGUS.
                                       Asphodelcæ. B. P.
                                                                      .... 6.8. H.4. Eng. bot. 389.
 1 officinalis. W.
                                                       - England.
                      common.
                                                                      .... H. 4. Pl.rar.hun.3.t.201.
 2 sylvaticus. W. en.
                      wood.
                                                                      1752. - H. 4. Buxb. cent. 5. t. 37
 3 verticillaris. M. B.
                      whorl-leaved.

    Caucasus.

                                                                      1759. . . . . G. 4.
1792. 5. G. L. Jac. schen. 1. t. 97.
1795. . . . . G. 4.
 4 declinatus. W.
                      long-leaved.
                                                         C. B. S.
 5 decumbens. W.
                      decumbent.
 & scandens. W.
                      climbing.
 7 falcatus, W.
                      sickle-leaved.
                                                       - E. Ind.
                                                                      1792. .... S.h.
                                                                                        Burm.zeyl.t.13.f.2.
                                                                      1808. . . . S. h.
1759. 8.9. G. h. Pluk.ahn.t.375.f.3.
 8 racemosus, W.
                      branching.
 9 retrofractus. W.

    Africa.

                      Larch-leaved.
10 asiaticus. W.
                      Asiatic.
                                                      - Asia.
                                                                         -- .... G.h.
                                                                                         Pluk. alm. t. 15.f. 4.
11 æthiopicus. W.
                                                       - C. B. S.
                                                                      1816. .... G. h.
                      angular-stalked.
                                                                      1540. .... F.h.
                                                                                         Moris. s.1. t. 1. f. 3,
12 albus. W.
                      white.
                                                       - Spain.
                                                                      1640. ... F. h. Park. theat. f. 3.
13 acutifolius, W.
                      needle-leaved.
14 flexuosus. W.
                      flexuous.
                                                       - C. B. S.
                                                                      .... 7.8. G.4.
15 aphyllus. W.
                                                       - S. Europe.
                                                                      1640. .... G. h.
                                                                                        Moris. s. 1. t. f. 2.
                      prickly.
16 subulatus. W.
                      awl-leaved.
                                                       . C. B. S.
                                                                      1811. .... G. h.
                                                                      1691. 4.5. G. h. Jac.schen. 3. t. 266.
17 capensis. W.
                      Cape.
                      linear-leaved.
                                                       - Ceylon.
                                                                      1710. 8. S. h. Rheed.mal.10.t.10.
18 sarmentosus. W.
DRIMIA. Jac.
                                       Asphodeleæ. B. P.
                      DRIMIA.
                                                                      1791. 8.9. G. 4. Bot. mag. 1074.
 1 altissima. B. M.
                      tallest.
                                                       - C. B. S.
 2 elata. B. M.
                      tall.
                                                                      1799. 10.11.G.4. —— 822.
                                                                                                  - 1444.
 3 ciliaris. B. M.
                      ciliated.
                                                                             9. G.4. -
                                                                      . . . .
                                                                      1793. 5.6. G. 4. Jac. ic. 2. t. 374,
 4 pusilla. W.
                      dwarf.
                                                                     1800. 9.10. G. 4. Bot. mag. 643.
 5 lanceæfolia. B. M.
                      Copperas-leaved
                                                                    - 1774. 8. G.4. ---- 1380.
 6 revoluta.
                      reflex-flowered.
   Hyacinthus revolutus. II. K.
UROPETALON. B. )
                      UROPETALON.
                                       Asphodelew. B. P. Zuccagnia. W. en.
    Reg.
 1 viride. B. Reg.
                      green-flowered.
                                               --- C. B. S.
                                                                      1774. 8. G. 24. Red. lil. 203.
 2 glaucum. B. Reg.
                      glaucous-leaved.
                                                                     1816. 7.8. G.4. Bot. reg. 156,
                                                                      --- .... G. 4.
 3 crispum. B. Reg.
                      curled-leaved.
 4 serotinum. B. Reg.
                                                                      1629. 6.8. F.4. Bot. mag. 859.
                      late-flowering.
                                                       - Spain.
```

	11122	ZIIIIZIUIZI IV.	LOMOGI	14111	'		10
5_fulvum.	tile-red.	Asphodeleæ. B. P.	Mogador.	1808.	6.8.	F. 24.	Bot. mag. 1185
Hyacinthus fulvus		*	3				3
HYACINTHUS. B.M.	HYACINTH.	Asphodeleæ. B. P					Marine de
1 amethystinus. W.	Amethyst-colour	·	S. Europe.	1759.	4.5.	н.4.	Red. lil. 14.
2 orientalis. W.	garden.		Levant.	1596.	3.4.	H.4.	Bot. mag. 937
MUSCARI. B. M.	GRAPE HYA-	Asphodeleæ. B. P.	Hugeinthi s	necies I	r,.		
	CINTH.	-	_ = #				
1 moschatum. B. M.	musk.						Bot. mag. 734.
β flavum. B.M.	yellow.					H.4.	1565.
2 comosum. R. L.	purple.		S. Europe.			н.4.	133. Moris.s.4. t,11. f,2.
β monstrosum.	feathered.					H. 4.	Moris.s.4. t.11. 1.2.
3 botryoides. B. M. 4 racemosum. B. M.	blue. starch.						Bot. mag. 157.
LACHENALIA. W.	LACHENALIA.	Asphodeleæ. B. P.		• • • •	4.	п. 4.	122.
1 glaucina. W.	sea-green.	Asphotelea. B. 1	CBS	1795.	9.4	G.21.	Jac. ic. 2. t. 391.
2 orchioides. W.	Orchis-like.		C. D. S.				Bot. mag. 1269,
3 pallida. W.	pale-flowered.			1782.	3.4.	G. 21.	Red. lil. 22.
4 hyacinthoides. W.	Hyacinth-flowerd		-	1812.	-	G. 24.	Jac. ic. 2. t. 382.
5 angustifolia. W.	narrow-leaved.			1793.	4.5.	G. 24.	Bot. mag. 735.
6 contaminata. W.	contaminated.			1774.	2.3.	G. 24.	1401.
7 patula. W.	spreading-flowerd	,		1795.	4.5.	G, 24.	Jac. ic. 2. t. 384.
8 fragrans. W.	sweet-scented.			1798.	3.5.	G. 24.	Jac.schœn. 1. t. 82,
9 unicolor. B. M.	self-coloured.			1806.	5.6.	G. 2/	Bot. mag. 1373.
10 lucida. B. M.	glossy-leaved.			1798.	3.5.		1372.
11 racemosa. B. M.	starch.						1517.
12 pustulata. W.	blistered.			1790.	1.4.	G.4.	817.
13 purpureo-cærulea.	purple-blue.			1798.	4.5.	G. 21.	745.
B, M.							
14 nervosa. B. M.	nerved-leaved.						1497.
15 violacea. W.	violet.			1795.	3.4.	G. 4.	Jac. ic. 2. t. 394.
16 bifolia. B. M.	cowled-leaved.			1813.		G. 4.	Bot. mag. 1611.
17 rosea. B. R.	rose-coloured.	<u> </u>		1800.	4.5.	G. 4.	Bot. rep. t. 296.
18 unifolia. W.	one-leaved.						
19 sessiliflora. B. R. 20 isopetala. W.	sessile-flowered.						Bot. rep. 460.
21 tricolor. W.	equal-flowered.						Jac. ic. 2. t. 401.
22 luteola. Jac.	three-coloured.			1//4.	4.5.	G.4.	Bot. mag. 82. Jac. ic. 2. t. 395.
22 Idleofa. Jac.	yellow.					G, 4.	(Bot mag 500 and
23 quadricolor. B. M.	four-coloured.			1789.	3.5.	G.4.	Bot. mag. 588 and 1097.
24 rubida. W.	dotted-flowered.			1803.	9.10.	G. 21 .	993.
25 pendula. B. M.	pendulous.			1774.	3.4.	G. 21.	590.
DRACÆNA. W.	DRAGON-TREE.	Asphodeleæ. B. P.				-14	0000
1 Draco. W,	common.			1640.		S.h.	Blackw. t. 358.
2 ensifolia, H. S.	sword-leaved.			1800.		S.h.	
3 umbraculifera. W.	umbel-flowered.						Jac. schoen. 1. t. 95;
4 cernua. W.	drooping.				-	S.h.	1. t. 96.
5 ferrea. H. K.	purple.		China.	1771.	3.4.	S. b.	Red. lil. 91. 2002
6 fragrans. H. K.	sweet-scented.		Africa.	1768.	2.5.	S.h.	Bot. mag. 1081.
7 ovata. B. M.	oval-leaved.		Sierra Leone.		8,9.	S.h.	Bot. mag. 1081.
PHYLLOMA. B. M.	PHYLLOMA.	215phoueice: 13.11				_	
aloiflorum. B. M.	Aloe-leaved.		Bourbon.	1766.	4.	S.h.	Bot. mag. 1585.
Dracæna marginat		4 1 1 1 D ==					•
ALSTRŒMERIA. W.			**			~	m .
1 Pelegrina. W.	spotted-flower'd.		Peru.				Bot. mag. 139.
2 Ligtu. W.	striped-flowered.		C 'A	1776.	2.3.	5.4.	125.
3 Salsilla. B. M.	eatable-rooted.	A b. d.l D. D.	S. America.	1806.	6.7.	5.4.	1613.
PHORMIUM. W. tenax. W.	FLAX-LILY.	Asphodeleæ. B. P.	N' Zualand	1500	0	Cal	0.1.4
HYPOXIS. W.	Iris-leaved.	Asphodeleæ. B. P.		1785.	8.	Cr. 4.	Cook. it. v. 2. t.96.
1 erecta. W.	Hypoxis.	1 4		1750	67	Ha	Rot mag 710
2 sobolifera. W.	upright. creeping.						710.
3 villosa. W.	villous.						Jac. ic. 2. t. 307.
4 decumbens. W.	decumbent.			1755		5.21	Mill.ic.1. t.39, f. 2.
5 obliqua. W.	oblique-leaved.		C. B. S.				Bot. rep. 195.
6 aquatica. W.	water.			1787.		G. 21.	_
7 alba. W.	white.	Part		1806.	6.	G. 21 .	Jac. coll. 4.t. 2. f.1.
8 obtusa. B. Reg.	obtuse.		,	1816.		G. 1.	Jac. coll. 4.t. 2. f.1. Bot. reg. 159.
9 ovata. W.	smooth-leaved.	-		1806.	2.5.	G.24.	Bot. mag. 1010.
10 stellata. W.	star-flowered.			1752.	4.6.	G. 21.	662.
elegans. R. S.	white star-flow.'d.					G. 4.	1223.
	•	T.					

11 veratrifolia. W.	plaited-leaved.	Asphodeleæ. B. P.	C.B.S	1788.	6.7.	G. 24.	Jac. ic. 2. t. 367.
12 linearis. B. R.	linear-leaved.			1792.	4.5.	G. 24.	Bot. rep. 171.
13 serrata. W.	saw-leaved.						Bot. mag. 709.
14 juncea. W.	rushy.						Smith spic.15. t.16.
CURCULIGO. H. K.	Curculigo.	Asphodeleæ. B. P.		-,-,-			
1 plicata. H. K.				1788	6.7	G 21	Jac. scheen.1. t. 80.
2 orchioides. W.	narrow-leaved.		E Ind				Roxb. cor. 1. t. 13.
	short-leaved.						
3 brevifolia. H. K.	snort-leaved.		D 4 D	1804.	5.7.	5.4.	Bot. mag. 1076.
4 latifolia. H. K.	broad-leaved.		PooloPinang	1804.	5.8.	5.4.	Rumph.amb.6.t.53
5 recurvata. H. K.			Bengal.	1805.		8.4.	X 770
CYANELLA. W.	CYANELLA.	Asphodeleæ. J.					6
1 capensis. W.			C. B. S.				Bot. mag. 568.
2 lutea. W.	yellow-flowered.			1788.		G. 4.	1252.
YUCCA. W.	ADAM'S NEEDLE	Liliæ. J.					
1 gloriosa. W.	superb.		America.	1596.	7.8.	H.h.	Bot. mag. 1260.
2 aloifolia. W.	Aloe-leaved.		S. America.	1696.	8.9.	G.h.	<del></del>
3 draconis. W.	drooping-leaved.			1732.		G. b .	Dill.elt.t.324.f.417
4 obliqua. H. S.	oblique-leaved.					S.b.	
5 serrulata. H. S.	mounds adouad		Conslina	1808		G.h.	
6 recurvifolia. Ph.	recurve-leaved.		Carreia				Par. lond. 31.
7 filamentosa. W.	throads		Vincipia.	1000	0.10	LJ L	Bot. mag. 900.
	thready.		Virginia.				
8 angustifolia. Ph.	narrow-leaved.		Missouri.	1811.	7.8.	H.h.	5530
BUONAPARTEA.F.P		• • • • • • • • • • • • • • • • • • • •	-			0.7	D1 0 4 040
juncea. Fl. P.	Rush-leaved.		Peru.	1800.		S. 7.	Fl. peruv. 3. t. 242
ALOE. W.	ALOE.	Hemerocallideæ. I	Aloe. Go	steria	& H	worthi	α. H. S.
mion. W.		11cmcrocamaca.1	\ Aloe & .	Apicra	.W.	en. supp	).
1 vulgaris. H. K.	yellow-flowered.		Levant.	1596.	5.8.I	).S. h .	Plant. grass. 27.
2 purpurascens. H.K.	purple.		C. B. S.	1789.	7.10.	G.h.	Bot. mag. 1474.
3 soccotrina. H. K.	soccotrine.			1731.	2.4.	G.h.	<del></del> 472.
4 orbanasans U V	tree.				11.3.	G.h.	1306.
5 fcrox. H. K.	great hedgehog			1759.	4.5.	G.b.	Plant, grass, 32,
& cuprolessie Li V	unright hadrahar			1791	1.0.	G b	Com præl.71.t. 20
6 supralævis. H. K.	upright neagenog		-	1701.	••••	G. L.	Com. prant 1. u. 200
7 flavispina. H. S.	yenow-spinea.			1790.	0.	G. n.	Plant. grass. 32. / Com. præl. 71. t. 20. Bot. mag. 1323.
8 picta. H. K.	great soap.			1727.	8.10.	G.n.	Bot. mag. 1929.
9 latifolia. H. S.	broad-leav soap.			1795.	7.8.	G. h.	1340.
10 saponaria. H. S.	common soap.			1727.		(t. h.	1460.
11 serrulata. H. K.	saw-leaved.			1789.		· G. h .	
12 mitræformis. H. S.	common mitre.			1739.	×.	LT. D.	Bot. mag. 1270.
13 nobilis. H. S.	great mitre.			1800.		G. h.	•
14 distans. H.S.	small mitre.			1732.		G. b .	Bot. mag. 1362.
15 albispina. H. S.	white-spined.			1796.	I	D.S. 4.	
16 brevifolia. H. K.	short-leaved.			1731	68.	G. h.	Plant, grass, 81.
	flat-leaved.			1701.	8	Gh	Bot. mag. 1332.
17 depressa. H. K.	hat-reaved.			1700	9.6	GN	Dett mag. 10021
18 suberecta. H. S.	lesser neagenog.			1709.	0.0.	C 31	Bot mag 757
19 acuminata. H. S.							Бой шаў. 101.
20 tuberculata. H.S.	{ tubercled }			1796.		G. 4.	
	\ hedgehog. \						Dlant mass 00
21 humilis. H. S.	dwarf hedgehog.	3		1731.	3.6.	G. 4.	Plant. grass. 39.
22 incurva. H. S.	incurv'a hedgehos	3		1796.		- G.4.	Bot. mag. 828.
23 striata. H. K.	streaked.			1795.		G.4.	
24 lineata. H. K.	lined red-spined.			1789.	]	D.S.4.	
25 glauca. H. K.	glaucous.			1731.	1.9.	G.h.	Bot. mag. 12782
26 spicata. W.	spike-flowered.			1795.	]	D.S. 12 .	
27 africana. H. K.	African.			1731.	7.	G.h.	
28 virens. H. S.	Apple-green.			1790.	8.9.	G. 21.	Bot. mag. 1355,
29 dichotoma. W.	smooth-stemm'd			1780	1	D.S. b.	ŭ
	for		A fries	1709	6.7	G. h	Bot. mag. 457.
30 plicatilis. W.	ran.		C D C	1720.	9.7	G. L	513.
31 variegata. W.	partriage-breast.		C. D. S.	1/20.	60.3	) S. I.	070
32 obliqua. H. S.	broad-marbled.			1759.	0.8.1	J.S. N.	765
33 maculata. H. K.					7.8.1	v.s. h.	/004
Gasteria pulchra. L	I. S.						000
34 nigricans. H. S.	dark-tongue.			1790.	6.7.	G. 4.	838.
35 glabra. H. S.	smooth-keeled.			1796.		- G. 4 .	
36 carinata. H. S.	rough-keeled.			1731.		· G. 4.	Bot. mag. 1331.
37 lingua. W.	common-tongue.				3.11.	G. 24 .	
Gasteria latifolia.						, .	
	retuse-tongue.			1791.		G. 24.	
38 angulata. H. S.				1781		G. 21.	Bot. mag. 1322-
39 angustifolia. H. S.	narrow-tongue.						
40 longifolia. H. S.	long-la, tongue.			1/20.		4.	

	111111111	TATALOGICAL TATA	OINOGII	LAT.	, ,
41 obtusifolia.		Hemerocallideæ.B.l	P. C. B. S.	1809. 7.8. G.4	٠
Gasteria brevifolia.				1700 811 6 3	
42 intermedia. H. S. 43 verrucosa. W.	middle-tongue.			1790. 3.11. G. 4	. Bot. mag. 837.
44 spiralis. H. S.	great-spiral.			1790. 8.9. G.h	•
45 spirella. H. S.	small-spiral.			1808. 8. G.h	
46 pentagona. H. S.	five-sided.			1731. 6.7. G.h	. Bot. mag. 1338.
47 imbricata. H. S. spiralis. B. M.	rough-flowered.			G. h	1455.
48 foliolosa. H. S.	small-leaved		Contract of the last of the la	1795, 6.8, G.b	. Bot. mag. 1352.
49 tortuosa. H. S.	twisted.			1707 50 G b	1337.
50 rigida. Pl. gr.	rigid.			1795, — G. b	. Plant. grass. 62.
51 aspera. H. S. 52 viscosa. H. S.	rough.			6. D.S. h	•
52 viscosa. H. S. 53 albicans. H. K.	clammy. white-edged.			1727. 6.7. G.h	1452.
	boat-leaved.			1795. 5.8. G.24	802.
55 reticulata. H. S.	netted.			1794 G. 24	.1 1314.
56 recurva. H. S.	recurve-leaved.			1795. 8. S. 24	1353.
57 retusa. W. 58 mirabilis. H.S.				1720. 5.7. G. 4	455.
	rough cushion. transparent.			——————————————————————————————————————	1417.
60 pumila. H. S.	small cobweb.			1752. 5. G. 2L	1361.
61 arachnoides. H. S.	cobweb.			1727. 8. D.S. 2	756.
62 radula. H. S.	raspy-pearl.				. Jac. scheen. t. 35.
63 attenuata. H. S. radula. B. M.	chalky-pearl.			1790. 5.8. G.4	. Bot. mag. 1345.
64 minima. H. S.	least-pearl.			1725, 5.9, G.2	. Bot. mag. 1360.
65 minor. H. S.	lesser-pearl.			5.8. G.24	. ———— 815.
66 margaritifera. H.K.	larger-pearl.			1739. 5.9. G. 24	. Bradl. succ. 3. t. 21.
67 Haworthii.	largest-pearl.			1801. 8. G.2	•
Haworthia maxima AGAVE. H. K.	AGAVE.	Bromeliæ, J.			
1 americana. W.	common Amer.	Diometic. 9.	S. America.	1640, 8.10, G.b	. Bot. rep. 438.
2 Milleri, H. S.	Miller's.			1768 G. b	•
3 flaccida. H.S.	flaccid.		S. America.	1790 D.S. h	•
	Vera Cruz.		Vera Cruz.	1731. 6.7. D.S. h	. Bot. mag. 1522.
5 angustifolia. H. S. 6 Karatto. H. S.	narrow-leaved. Karatto.		S America	1790 G. h	•
7 vivipara. W.	viviparous.		J. Hinerica,	1731. 8.10.D.S. 2	. Comm. præl. t. 15.
8 virginica. W.	Virginian.		N. America.	1765. 9. F.2	. Bot. mag. 1157.
9 geminiflora.	pair-flowered.		America.	1810 G. 4	. Jour.of sc. No.3.t.1.
FURCRŒA. V.	FURCRŒA.	Bromeliæ. J.	C America	1600 01 DSI	Dlant areas 100 7
1 gigantea. Vent. 2 tuberosa. H. K.	gigantic. tuberous.		S. America.	1739. 8.9. D.S. h	. Plant. grass. 126.
3 cubensis. H. S.	Cuba.			D.S. b	. Jac.amer.t.260.f.25
4 rigida. H. S.	rigid.			1768 D.S. h	Jac.amer.t.260.f.25
5 australis. H. S.	entire-leaved.			1811 D.S. 4	•
STREPTOPUS. M.	STREPTOPUS.	Smilaceæ. B. P.			Ped 131 050
1 amplexifolius. R. L. 2 roseus. Ph.	rose-coloured.		N. America.	1806. 6.7. H.M	Bot. mag. 1489.
3 lanuginosus. Ph.	woolly.			1812. — H. 4	1490.
CONVALLARIA. \	[ LILY OF THE ]	Smilaceæ. B. P.			
	VALLEY.		TD 14 1	# 0 TT 01	T 1 / 100
majalis. W. 6 rubra.	common.		Britain.	5.6. H.4	. Eng. bot. 1035,
y flore pleno.	red-flowered. double.				_
SMILACINA. D.	SMILACINA.	Smilaceæ. B. P.	Convallariæ sp	ecies IV.	
1 umbellata. D.	umbel-flowered.				. Bot. mag. 1155.
2 borealis. D.	oval-leaved.		NT 12	——— H. 4	. —————————————————————————————————————
3 bifolia. D. 4 trifolia. D.	least. three-leaved.		N. Europe.	1596. — H.24	Gmel sib 1 + 6
5 stellata. D.	star-flowered.			1633, 5.6, H. 24	. Gmel. sib. 1 t. 6. . Bot. mag. 1043.
6 racemosa. D.	cluster-flowered.	<del>-</del>		1640. — H. 4	. ——— 899.
POLYGONATUM. D.	SOLOMON'S-SEAL	Smilaceæ. B. P.	Convallariæ sp	pecies W.	
1 verticillatum. D.	whorl-leaved.		Scotland.	5.6. H. 4	. Eng. bot. 1035.
2 canaliculatum. Ph. 3 pubescens. Ph.	channelled.			1812. 6. H.4	. Willd. hort. ber. 45.
4 vulgare. D.	angular.		England.		. Eng. bot. 280.
5 multiflorum. D.	common.		Britain.	— Н. 4	
6 latifolium. D.	broad-leaved.		Germany.		. Jac. aust. 3. t. 232.
		L 2			

OPHIOPOGON. B.M.	SNAKE'S BEARD.			. Flu	ggea.	Rich.	
japonicus. B. M.	Japan.				6.	F.4.	Bot. mag. 1063.
LOPHIOLA. B. M.	LOPHIOLA.	Hæmodoraceæ. B	P. Conostyli	s. Ph.			
aurea. B. M.		Truma damana D	N. America.	1811.	5.7.	н.4.	Bot. mag. 1596.
LANARIA. W.	LANARIA.	Hæmodoraceæ. B				C 31	
plumosa. W. ANIGOZANTHOS. )			C. B. S.	1/8/.	• • • •	G.4.	
B. P.	Anigozanthos.	Hæmodoraceæ. B	. P.				
flavida. B. P.	russet-green-flod.		N. Holland.	1803.	5.9.	G. h.	Bot. mag. 1151.
LEONTICE. W.	LEONTICE.	Berberides. J.	211 2201101101	1000.	0.0.	0.7.	Don mag. 11011
1 Chrysogonum. W.	Oak-leaved.		Levant.	1740.	3.6.	н.ч.	Moris. s.3. t.15.f.7.
2 Leontopetalon. W.	Lion's-leaf.			1597.	4.5.	G. 4.	Moris. s.3. t.15.f.7. t.15.f.6.
CAULOPHYLLUM \	CAULODITALLA					·	
Mi.	CAULOPHYLLUM						
thalictroides. Ph.	Columbine-leav <sup>d</sup>		N. America.	1755.	5.	H.4.	Mich. amer. 1.t.21.
DIPHYLLEIA. Mi.	DIPHYLLEIA.						
cymosa. Mi.	blue-berried.		N. America.	1812.	5.6.	H.4.	Bot. mag. 1666.
ACORUS. W.	Acorus.	Aroideæ. B. P.	<b>73.</b> 14. 1			** **	70 1 4 4 4 4
1 Calamus. W.	Sweet-flag.		Britain.				Eng. bot. 356.
2 gramineus. W.	grass-leaved.		China.	1786.	2.	H.4.	Smith spic.15.t.17.
ORONTIUM. W.	ORONTIUM.	Aroideæ. B. P.	N. America	3 00 00 0		TÄ N	Tem :11 + 051
1 aquaticum. W. 2 japonicum. W.	aquatic. Japan.		Innan .	1700	1 /	п.4.	Rot mar 808
TUPISTRA. B. M.	TUPISTRA.	Aroideæ. B. P.	A sals Bradol	1700.	1.4.	11.4.	1100 mag. 0.70
squalida. B. M.	Amboyna.	monta. D. T. &	Amhovna	1810.	4.	S 21.	Bot. mag. 1655.
TACCA. W.	TACCA.	Aroideæ? B. P.	Timboj na.	2010.	**	0.4.	Door in age 10000
1 pinnatifida. W.	Salep.		E. Ind.	1793.		S. 2L.	Lam. ill. t. 232.
2 integrifolia. B. M.	entire-leaved.						Bot. mag. 1488.
CORYPHA. W.	FAN PALM.	Palmæ. B. P.					
umbraculifera. W.	mmon t	-	E fod	1710		C T.	$\begin{cases} \text{Rheed. mal. 3. t.} \\ 1-12. \end{cases}$
umpracumera. w.	great.		E. Inc.	1/42.	• • • •	s.n.	1-12.
LICUALA. W.	LICUALA.	Palmæ. B. P.					
spinosa. W.	spiny.		E. Ind.	1802.	• • • •	S.h.	Rumph.amb.1.t.9.
THRINAX. W.	THRINAX.	Palmæ. B. P.				a =	
parviflora. W.	small.	D.L D. D.	Jamaica.	1778.	6	S.h.	
CALAMUS. W.	CALAMUS.	Palmæ. B. P.	E Ind	1010		S T.	Dumph amh 5 + 50
1 albus. P. S. 2 Zalacca. W.	Java.		E. Ind.				Rumph.amb.5.t.52. Gært.fr.2.t.139.f.2.
JUNCUS. B. P.	Rúsh.	Junceæ. B. P.			• • • •	3. n.	Gæ1(11112.0.103.112)
1 acutus. W.	great sharp sea.		Britain.		7.8.	H.21.	Eng. bot. 1614.
2 maritimus. P. S.	lesser sharp sea.						<del></del>
3 conglomeratus. W.							
4 effusus. W.	soft.						836.
5 glaucus. W.	hard.		England.		7.	H.4.	
6 filiformis. W.	least.		Daitain		8.	H.4.	1175.
7 trifidus. W.	three-leaved.		Scotland.		7.	H.4.	1482.
8 squarrosus. W.	Goose-corn.		Britain.		6.7.	H.4.	<del></del> 933.
9 gracilis. E. B.	slender.	<del></del>	Scotland.		7.8.	H.4.	2174.
10 lampocarpus. L. T.	shining-fruited.		Britain.	• • • •	6.8.	H.4.	2143.
11 acutiflorus. L. T.	sharp-flowered.			• • • •	7.8.	H.4.	238.· 2144.
12 obtusiflorus. L. T.	blunt-flowered.		E. J. J		8.	н.4.	2144.
13 uliginosus. H. K.	little bulbous.			• • • •			801.
14 supinus. W.	supine. bulbous-rooted.			• • • •			Flor. dan. t. 1099. Eng. bot. 934.
15 bulbosus. W.	toad.		Dritain.				
17 triglumis. W.	three-flowered.						899.
18 biglumis. W.	two-flowered.		Scotland.				898.
19 castaneus. H. K.	black-spiked.						900.
LUZULA. B. P.	Luzula.	Junceæ, B. P. Ja	unci species L			7.	
1 pilosa. W.	hairy.		Britain.		3.5.	H.4.	Eng. bot. 736.
2 Forsteri. E. B.	Forster's.						1293.
3 maxima. W.	wood.		Britain.		5.	H.4.	737.
4 lutea. W.	yellow.	<del></del>	Switzerland.			H.4.	
5 albida. W.	white.	<del></del>	<del></del>	• • • •			Leers.herb.t.13.f.6:
6 nivea. W.	snowy.		D 1. 1				Scheu.gram.t.7.f.7.
7 campestris. W.	field.						Eng. bot. 672.
8 congesta. P. S.	close-headed.	2		1805.		H.4.	Fra hot 1176
9 spicata. W.	spiked.		Scotland.	• • • •	7.	11.4.	Eng. bot. 1176.
PRINOS. W.	WINTER BERRY. deciduous.		N Amorica	1406	70	T.Y Y.	Duham arh 1 t 99
1 verticillatus. W.	acciations.		IN . PAHIEFICA.	1/30	1.00	11.12.	Duham.arb.1.t.23.

#### HEXANDRIA DIGYNIA.

1	ILAANDRIA	DIGINI	.A.	64
2 ambiguus. Ph. Carolina.	Rhamni. J.	Carolina.	1812 H.h.	
3 lævigatus. Ph. smooth.		- N. America.	7.8. H.h.	Sec.
4 lanceolatus. Ph. scarlet-berri		- Carolina.	1811. 6.7. H.h.	
5 glaber. W. evergreen.			1759. 7.8. H.h.	
6 lucidus. W. shining.			1778. 6.7. F.h.	. *
BERBERIS. W. BARBERRY.	Berberides. J.			
1 vulgaris. W. common.		- England.	4.5. H.h.	Eng. bot. 49.
β violacea. purple-fruite	d.	9		· ·
2 canadensis. Ph. Canada.		- Canada.	1759 H. h.	
		(Tierra-)		
3 ilicifolia. W. Holly-leaved		- { del- }	· 1791. 7.8. H.h.	
		(Fuego)		· Op
4 cretica. W. Cretan.		- Candia.		Alp. exot. 21. t. 20.
5 sibirica. W. Siberian.		- Siberia.	1790. 6.7. H.h.	Pall. ross. 2. t. 67.
6 emarginata. W. en. { emarginate	- }		4.5. H.h.	
e petanea.	)			
NANDINA. W. NANDINA.			1004 CF CT	D-4 1100
domestica. W. garden. HILLIA. W. HILLIA.	Rubiaceæ. J.	- China.	1804. 6.7. G.h.	Dot. mag. 1109,
		W Ind	1780 02 8 %	Bot mag 701
1 longiflora. W. long-flowere 2 tetrandra. W. mountain.	d	- Jamaica	1789. 2.3. S.h. 1793. 6.7. S.h.	
RICHARDIA. L. RICHARDIA.		- oamarca.	1750. 0.7. 5.7.	
scabra. L. rough.		- Vera Cruz.	S.h.	Lam, ill. t 954.
CANARINA. W. CANARINA.	Campanulaceæ.			23.00.20 121. 0. 20 70
Campanula. W. Canary.			1696. 1.3. G.4.	Bot. mag. 444.
FRANKENIA. W. SEA HEATH			- ',	
1 lævis. W. smooth.		- England.	7.8. H.2/.	
2 Nothria. W. Cape.	-	- CRS	1916 69 GN	Berg. cap. 171. t. 1. f. 2.
2 Nothria. W. Cape.			1010, 0.0. (1.4.	1. f. 2.
3 hirsuta. W. hairy.		<ul> <li>Siberia.</li> </ul>	1789. 6.7. H.4	Mich. gen. t.22. f.2.
4 pulverulenta. W. powdery.		- England.	7. H.4.	Eng. bot. 2222.
PEPLIS. W. \{\begin{align*} \text{WATER} \\ \text{Partial} \\ \tex	Salicariæ. J.			
( PURSLANI	G. )	Datesta	# 0 TT O	En laterage
Partula. W. common.		- Britain.	7.9. H.⊙.	Eng. not. 1211.
BAMBUSA. W. BAMBOO CA	NE. Gramineæ. J.	_ India	1790 S.L	Roxb. cor. 1. t. 79.
2 verticillata. W. whorl-flower		- India.	- 1802 S. h.	1. t. 80.
EHRHARTA. W. EHRHARTA.	Gramineæ. B. P.	, j	10021 1111 21171	1. 6. 60.
panicea. W. Panic-grass.			1790. 5.7. G. 24.	Smith ined. 1. t. 9.
	DIGYNIA	١.		
ORYZA. W. RICE.	Gramineæ. J.			
sativa. W. common.		- Ethiopia.	1596. 7. S.O.	
FALKIA. W. FALKIA.	Convolvulaceæ.		***	
repens. W. creeping.		- C. B. S.	1774. 5.8. G.4.	Bot. rep. 257. 222
ATRAPHAXIS. W. ATRAPHAXI			1 maa a C at	* 1**
1 spinosa. W. prickly.	d.			L'Her.stirp.1.t.14.
2 undulata. W. waved-leave	(1.	- С. В. З.	6.7. G.h.	Dill. elt. t.32. f. 36.
	TRIGYNIA	١.		
RUMEX. W. Dock.	Polygoneæ. J.	10		
1 Patientia. W. Patience.		- Italy.	1573. 6.7. H. 4	)
2 sanguineus. W. bloody-veine	ed	- England.	— н. 4.	
3 crispus. W. curled.		- Britain.	H.2.	1998
4 Britannicus, W. Virginian.		- N. America.	- 1773. — H. ↓	•
5 persicarioides. W. Persicaria li	ke. ———		- 1773. <del> H.</del> ⊙.	
6 ægyptiacus. W. Egyptian.	-	<ul><li>Egypt.</li></ul>	1734. — H.⊙.	Till. pis. t. 37. f. 1.
7 dentatus. W. dentated.				Dil.elt.t.158.f.191.
8 maritimus. W. golden.		- Britain.	— — Н. 4	Eng. bot. 725.
9 palustris. H. K. yellow mars		- England.		1932.
10 aquaticus. H. K. great water.	•	- Britain.	— H. 4	2104.
11 divaricatus. W. spreading. 12 acutus. W. sharp.		— Italy. — Britain.		Till. pis. t. 37. f. 2.
13 obtusifolius. W. broad-leave	d.	Ditain.		Eng. bot. 724.
14 pulcher. W. Fiddle.			6.8. H. 4.	1999. 1576.
15 hucanhalanhama		7. 1		
W. Basil-lcaved		- Italy.	1683. 6. H.⊙.	Cav. ic. 1. t. 41.f.1.
16 Lunaria. W. tree.		- Canaries.	1698. 6.7. G.b.	Pluk.alm.t.252.f.3.
17 vesicarius. W. bladder.				Moris. s. 5. t. 28. f. 7.
18 roseus. W. rose.		- Egypt.	1737. — H.O.	

## HEXANDRIA TRIGYNIA.

19 tingitanus. W.	Tangier.	Polygoneæ. J.		1680. 6.	8. H.4.	Zanon. hist. 9. t. 6.
20 scutatus. W.	French Sorrel.			1596. 6.	7. H. 4.	
21 digynus. W.	mountain.					Eng. bot. 910.
22 alpinus. W.	Alpine.		- France.			Zorn. ic. 261.
23 confertus. W. en. 24 spinosus. W.	heart-leaved. prickly-seeded.		Condia	1796. 7		
25 giganteus. H. K.	tall.		Sandwich Isl	1706 6	7. H.⊙.	
26 tuberosus. W.	tuberous -rooted.		Italy.	1752. —	— H 2/	
27 Acetosa. W.	common Sorrel.		· Britain.			Eng. bot. 127.
28 Acetosella. W.	Sheep's Sorrel.					1674.
29 arifolius. W.	halberd-leaved.		Africa.			Jac. vind. 3. t. 93.
FLAGELLARIA. W.	FLAGELLARIA.	Junceæ? B.P.				
indica. W.	Indian.		· India.	1782. 6.	7. S.h.	Red. lil. 257.
SCHEUCHZERIA.W						
palustris. W.	marsh.	41' D D	- England.	5.	6. H.4.	Eng. bot. 1801.
TRIGLOCHIN. W.	ARROW-GRASS.	Alismaceæ. B. P.	Dultain	-	. TT 3/	E b-+ 000
2 bulbosum. B. M.	bulbous-rooted.		. C R &			Eng. bot. 366. Bot. mag. 1445.
3 maritimum. W.	sea.		Britain			Eng. bot. 255.
TOFIELDIA. H. K.	Tofieldia.	Melanthaceæ. J.			0. 11.4.	1118. 000. 200.
1 palustris. H. K.	Scotch.		Britain.	7.	8. H.2.	Eng. bot. 536.
2 pubens. H. K.	downy.		N. America.	1790. 4.5	5. H.24.	Pluk.man.t.342.f.3.
MYRSIPHYLLUM. \	MYRSIPHYL-	Smilaceæ? B. P.				
W. en.	\ LUM. \		-	11. 11.		
1 asparagoides. W.en.						Herm. lugd. t. 681.
2 angustifolium. W.		26.1		1752. 12.	.3. G. 4.	Till.pis.17.t.12.f.2.
MELANTHIUM. B.M		Melanthaceæ. B. I				D
1 monopetalum. B.M.  Wurmbea campani			C. B. S.	1788. 5.6	i. G.4.	Bot. mag. 1291.
2 spicatum. B. M.	spiked.	<u> </u>		1700	_ G N	Pot mor 604
3 pumilum. B. M.	dwarf.			1800.	— G. 4.	100. mag. 094.
4 longiflorum. B. M.					- G.7L.	•
5 junceum. H. K.	Rush-leaved.			1788, 6.1	1. G.21.	Bot. mag. 558.
6 secundum. W.	side-flowering.			1010	(1.0)	I :11 4 000 fo
7 capense. W.	spotted-flowered.			1768. 5.6	5. G.4.	
8 uniflorum. H. K.	yellow.			1787. 6.7	. G.4.	Bot. mag. 767.
9 eucomoides. W.	awarr.			1794. 3.5	o. G.4.	
10 viride. B. M.	branching.			1788.10.1	11.G.4.	994.
Ornithoglossum vir						
MEDEOLA. W. en.	MEDEOLA.	Smilaceæ. B. P.				
virginica. W.	Cucumber.		Virginia.	1759. 6	. н.4.	Bot. mag. 1316.
TRILLIUM. W.	TRILLIUM.	Smilaceæ. B. P.				
1 sessile. W.	sessile-leaved.		N. America.	1759. 4.5	5. H.4.	Bot. mag. 40.
2 petiolatum. Ph.	Plantain-leaved.			1811	- H.4.	3
3 erythrocarpum. Mi.	painted-flowered.			5.6	6. H.4.	
pictum. Ph. undul	atum. II. Hort.	Ber.				
4 ovatum. Ph.				1812. —	— н. 4.	
5 pumilum. Ph.	dwarf.		Carolina.	1.50	— G. 4.	TD 4
6 cernuum. W.			N. America.	1758. 4.5	н. 4.	Bot. mag. 954.
7 erectum. W. 8 pendulum. Ph.	stinking.			1805 -	— H. 2	
9 grandiflorum. Ph.	large-flowered.			1700. 4.6	H 2/.	Par. lond. 1.
	(MEADOW )			1,000		2 41.7 10.1141 1.
COLCHICUM. W.	SAFFRON.	Melanthaceæ. B. F	<b>'.</b>			
1 autumnale. W.	common.		Britain.	9.1	o. H. 4.	Eng. bot. 133.
2 arenarium. W. en.	sand.		Hungary.			Pl.rar.hung.2.t.179
3 byzantinum. B. M.	broad-leaved.		Levant.			Bot. mag. 1122.
4 variegatum. W.	chequer-flowerd.	111 0 2 2		- S.1	o. H. 4.	1028.
HELONIAS. B. M.	HELONIAS.	Melanthaceæ. B. P		1750 70	T. M	Rot mag 1062
1 lutea. B. M.			N. America.	1759. 7.8	H 2	747
2 bullata. W. 3 læta. B. M.	spear-leaved.			1770. 6.	H. 2/ .	803.
4 glaberrima. B. M.	smooth.			1811. 5.6	. н.ч.	1680.
5 bracteata. B. M.	large-bracted.				- H. 4.	1703.
6 tenax. Ph.	tough-leaved.				. H. 4.	Ph. amer. 1. t. 9.
7 asphodeloides. W.	Grass-leaved.			1765. 5.6	. H.4.	Bot. mag. 748.
8 graminea. B. M.	panicled.			1812. —	- H.4.	1599.
NOLINA. Mi.	NOLINA.	Melanthaceæ. B. P			TY	701 7 4 - 12 5 -
georgiana. Mi.	Georgian.		Georgia.	1812. 7.8	. H.4.	Pluk.man.t.342.f.1.

APONOGETON. W.	APONOGETON.	Naiades. J.					
1 monostachyon. W.	simple-spiked.		E. Ind.	1803.	8.10.	S.4.	Bot. rep. 406.
2 distachyon. W.	broad-leaved.		C. B. S.				Bot. mag. 1293.
3 angustifolium. W.	narrow-leaved.						1268.
SABAL. P. S.	SABAL.	Palmæ. B. P.					
Adansoni. B. M.	Adanson's.		Florida.	1810.	6.8.	S. 24 .	Bot. mag. 1434.
		POLYGYNIA.	,				
WENDLANDIA. W.	WENDLANDIA.	Menispermæ. J.					
populifolia. W.	Poplar-leaved.	***************************************	N. America.	1759.	6.7.	H.h.	Wen.hor.her.3.t.16
DAMASONIUM. W.	Damasonium.	Hydrocharideæ. B	P. Ottelia.	P.S.			
indicum. W.	Indian.		E. Ind.	1800.	7.9.	S.4.	Bot. mag. 1201.
ACTINOCARPUS. B. P.	ACTINOCARPUS.	Alismaceæ. B. P.	Damasonium	. J. A	lismæ	sp. L.	
1 minor, B. P.	small.						
2 Damasonium.	common.						English sone
			England.		6.8.	H.4.	Eng. bot. 1615
ALISMA. W.	WATER PLANTAIN.	Alismaceæ. B. P.					
1 Plantago. W.			Dutterin		0 =	TT 21	The Late com
2 lanceolata. With.	greater. spear-leaved.	-	Britain.				Eng. bot. 837.
3 trivialis. Ph.	blunt-leaved.		AT A :			H.4.	
4 natans. W.			N. America.				English and
	floating.			• • • •			Eng. bot. 775.
5 ranunculoides, W.	lesser.	<del></del>	Britain.		۶.	11.4.	326.

# CLASS VII.

TRIENTALIS. W.	WINTER-GREEN.	Primulaceæ. B. P.					
1 europæa. W.	oval-leaved.		Britain.		5.6.	H.4.	Eng. bot. 15.
2 americana, Ph.	spear-leaved.		N. America.				3
DISANDRA, W.	DISANDRA.	Pediculares. J.	7				
prostrata. W.	trailing.		Madeira.	1771.	5.8.	G. 21.	Bot. mag. 218.
PISONIA. W.	PISONIA.	Nyctagines. B. P.					
1 aculeata. W.	prickly.		Jamaica.	1739.	3.4.	S.h.	Lam. ill. t. 861.
2 nigricans. W.	black.			1806.			2200-00-00-00-00-00-00-00-00-00-00-00-00
3 grandis. B. P.	superb.						
PETIVERIA. W.	PETIVERIA.	Chenopodeæ. B. F		. *		٠.,٢٠	
1 alliacea. W.	Garlic-scented.				6.7.	S. b.	Trew.ehret.33. t.67
2 octandra. W.	dwarf.						Plum.ic.213. t.219.
ÆSCULUS. W.	HorseChesnut		***************************************	1,0,1		~.,,	1141111012101112131
1 Hippocastanum. W.			Asia	1629.	4.5.	H L	Schmidt arb.1.t.38.
9 Pavia. W.	red-flowered.		N America	1711	5.6	HL	- 1.t.39.
3 discolor, Ph.	dwarf.		Georgia	1810	5	H L	4/.1
4 flava. W.	vellow-flowered.		N America	1764	5.6	H L	Sch arh 1 t 40
5 glabra. W. en.	smooth-leaved.		14. Ikinerieu.	1919	0.0.	III L	Sen. arb. 1. c. 40.
6 pallida. W. en.	pale-flowered.				e	III T	
7 parviflora. H. K.	small-flowered.			1706	70	LI T	J. B. 1.
JONESIA. W.	Jonesia.			1700.	7.0.	11.77.	* * * * * * * * * * * * * * * * * * * *
pinnata. W.	winged-leaved.		F Ind	1706		S L	Rheed.mal.5.t.59.
DRACONTIUM, W.	Dragon.	Aroideæ. B. P.	E. IIIu.	1/90.		3. n.	Kneed, mar. 5. t. 59.
1 polyphyllum. W.	purple-stalked.	Aloidea. D. I.	India	1750	0.0	6 31	Herm. parad. 93. A 70
2 spinosum. W.				1759.	3.0.	8.4.	rierm. parad. 93.
3 pertusum. W.	prickly.					- 1	Tour each 0 4 304 5
CALLA. W.	perforated.	Aroideæ. B. P.	W. Ind.	1752.	4.0.	5.4.	Jac. sch.2.t. 184.5.
	CALLA.		a n e	1 = 0 1		C 21	D-4 000
1 æthiopica. W.	Ethiopian.						Bot. mag. 832.
2 palustris. W.	marsh.	•	N. Europe.	1769.	7.8.	H.4.	
		DIOWNIA					
LIMEUM. W.	T	DIGYNIA.	•				
africanum. W.	LIMEUM.	Portulaceæ. J.	0.00		-	C 21	
arricanum. w.	African.	·	C. B. S.	1774.	6.7.	G. 4.	
		(DECDD A CANALLA					
CATIBITETIC W	Tamanala Mi	TETRAGYNIA.					
SAURURUS. W.	LIZARD'S TAIL.		***			77	T 122 / -
cernuus. W.	drooping.	-	Virginia.	1759.	9.	H.4.	Lam. ill. t. 1.

#### - OCTANDRIA MONOGYNIA.

#### HEPTAGYNIA.

SEPTAS. W.	SEPTAS.	Sempervivæ. J.				
1 capensis. W.	Cape.	C. B. S.	1774.	8.9.	G.4.	Bot. rep. 90.
2 globifera. B. M.	globe-flowered.		1809.	3.4.	G. 24.	Bot. mag. 1472.
3 umbella. H. S.	skreen.		1800.	7.	G.4.	Jac. vind. 2. t. 352.

# CLASS VIII. OCTANDRIA MONOGYNIA.

mn on more time the	formation Common	C 3 T			
TROPÆOLUM. W.	Indian Cress.	Geraniæ: J.	n	1500 C10 II O	TI-4 00
1 minus. W. β flore pleno.	double formered		Peru.	1596. 6.10. H.O.	Bot. mag. 98. Bot. mag. 23. Bot. mag. 1351. Bot. rep. 535.
2 majus. W.	great			1696 — H O	Bot mag 09
B flore pleno.	double-flowered			- G L	100. mag. 25.
8 peregrinum. W.	fringe-flowered			1775 — G.Q.	Rot mag 1951
4 pinnatum. B. R.	ninnate-flowered			G.21	Bot rep 525
5 hybridum. W.	hybrid.			6.8. G.Z.	Berg.act.hol.32.t.1.
OSBECKIA. W.	OSBECKIA.	Melastomæ. J.		0.0. 0.0.	Deiginounonoz.u
zeylanica. W.	Ceylon.		Cevlon.	1799, 7.8. S. A.	Pluk.alm. t.173.f.4.
RHEXIA. W.	RHEXIA.	Melastomæ. J.	,		
1 mariana. W.	Maryland.		N. America.	1759. 6.8. H. 4.	Lam. ill. t. 283.f.1.
2 ciliosa. Ph.	ciliated.		Carolina.	1812. — F. 24.	Ph. amer. 1. t. 10.
3 virginica. W.	Virginian.		N. America.	1759. — H. 2L.	Bot. mag. 968.
4 aquatica. W.	marsh.		S. America.	1793 S.h.	Aub.guian.1.t.169.
CENOTHERA. W.	CENOTHERA.	Onagrariæ. J.			
1 biennis. W.	common.		N. America.	1629. 6.9. H.J.	Flor. dan. 446.
2 grandiflora. W.	great-flowered.			1778. 6.8. H A.	
3 parviflora. W.	small-flowered.			1757. — H.J.	Meerb. ic. 1. t. 34.
4 muricata. W.	prickly-stalked.			1789. 7.8. H.J.	Meerb. ic. 1. t. 34. Mur.com.got.6. t.1.
5 longiflora. W.	long-flowered.		Buen. Avres.	1776. 7.9. H. Z.	Bot. mag. 365.
6 mollissima. W.	soft wave-leaved.			1732. 6 10. H A.	Sch handh. 1. t. 105.
7 odorata. P. S.	sweet-scented.		S. America.	1790. 4.S. H. 24.	Bot. reg. 147.
8 nocturna. W.	night-smelling.		C. B. S.	G. J.	Jac. ic. 3. t. 455.
9 villosa. W.	villous.			1791. 7.8. G.J.	
10 sinuata. W.	scollop-leaved.		N. America.		Mur.com.got.5.t.9.
11 tetraptera. W.	white-flowered.		Mexico.	1796. 6.8. H.⊙.	Bot. mag. 468.
12 cæspitosa, B. M.	turfy.		N. America.	1811. 6.7. H. 4.	1593.
13 missourensis. B. M.		-			1592.
14 glauca. Ph.	glaucous. Fraser's.			1812. 5.10. 11. 4.	1000,
15 Fraseri. Ph. 4	obtuse-leaved.	***************************************		1811. — H.4. 6.8. H.4.	10/4.
16 tetragona. Roth. 17 fruticosa. W.	shrubby.			1737. — H. 4.	Rot mag 222
18 pumila. W.	dwarf.			1757. 5.9. H.4.	355
19 rosea. W.	rosy-flowered.			1783. 5.8. F.2.	
20 purpurea. W.	purple-flowered.		N. America.	1794. — H.O.	352
21 albicaulis. Ph.	white-stalked.		111111111111111	1811. — H.J.	
GAURA. W.	GAURA.	Onagrariæ. J.			
1 biennis. W.	biennial.		N. America.	1762. 8.10. H. J.	Bot. mag. 389.
2 coccinea. Ph.	scarlet.	-	Louisiana.	1811. — H.4.	
3 fruticosa. W.	shrubby.	-	S. America.	1816 S.h.	Jac. ic. 3. t. 457.
4 mutabilis. W.	changeable.	-		1795. 7.8. F.J.	Bot. mag. 388.
5 tripetala. Cav.	three-petalled.		Mexico.	1804. 8. H.⊙.	Cav.ic. 4. t.396.f.1.
EPILOBIUM. W.	WILLOW HERB.	Onagrariæ. J.			
1 angustifolium. W.	Rose-bay.		Britain.	7.8. H.24.	Eng. bot. 1947.
2 angustissimum. W.			Alps of Eur.	1775, — H. 4. 1779. — H. 4.	Bot. mag. 76.
3 latifolium. W.	Orache-leaved.		N. Europe.	1779. — H.4.	Par. lond. 58.
4 hirsutum. W.	Codlins & Cream.		Britain.	H.4.	Eng. bot. 838.
5 parviflorum. E. B.	small-flowered.		0 D C	— Н.4.	<del></del>
6 villosum. W.	Cape.	-	C.B.S.		Eng hat 11mm
7 montanum. W.	broad smooth-la.		Britain.	6.7. H.4.	Eng. Dot. 1177.
8 roseum. H. K.	pale smooth-led.		England.	7. H.4. H.4.	093.
9 alsinifolium. H. K.	Chickweed-leava.		Britain.	— H.4. — H.4.	
10 tetragonum. W.			N. America	1805. — H. 4.	1340.
11 coloratum. Ph.	Pink-flowered.		iv. America.	1000,	

## OCTANDRIA MONOGYNIA.

					_		
12 palustre. W.	round-stalked.	Onagrariæ. J.	Britain.	• • • •			Eng. bot. 346.
13 alpinum. W.	Alpine.	0.11 1 7 777	7.0 21 P		6.	H.4.	2001.
GRISLEA. W.	GRISLEA.	Salicariæ, J. Wo		Lond.	- 0	C T	Dot non on St. 13
tomentosa. W.	downy.		E. Ind.	1804.	9.6.	s.n.	Bot. reg. 30.
ROXBURGHIA. W.	Roxburghia. Gloriosa-leaved.		F Ind	1803.	4.	8 21	Bot. mag. 1500.
BORONIA. Sm.	Boronia.		E. Illu.	10000	4.	13.4.	Dot: mag. 1000.
1 pinuata. Sm.	Hawthorn-scent		N. S. W.	1794	9.5.	Gh.	Bot. mag. 1763.
2 serrulata. Sm.	Rose-scented.			1816.	2,0.	G. h.	Smith's tracts, t. 5.
TETRATHECA. W.	TETRATHECA.			2020.		٠٠،،٠	Services of the services of th
juncea. W.	rushy.		N. S. W.	1803.	7.8.	G.b.	Sm. nov.holl.1.t.2.
CORRÆA. W.	CORRÆA.	Diosmaceæ.					
1 alba. H. K.	white-flowered.		N. S. W.	1793.	4.7.	G.h.	Bot. rep. 18.
2 speciosa. B. R.	red-flowered.			1806.		G. b.	Bot, reg. 26.
3 virens. H. K.	green-flowered.			1800.	11.5.	G.h.	3. 130
MIMUSOPS. W.	MIMUSOPS.	Sapoteæ. B. P.					-3
1 Elengi. W.	pointed-leaved.						Roxb. cor. 1. t. 14.
2 Kauki. W.	obtuse-leaved.	The state of the s			• • • •	S.h.	Rumph.amb.3.t.8.
3 dissecta. B. P.	oval-leaved.		India.	1804.		S.h.	
ORNITROPHE. W.	ORNITROPHE.	Sapindi. J.					-
1 serrata. W.	saw-leaved.		E. Ind.				Roxb. cor. 1. t. 61.
2 Cominia. W,	yellow-berried.			1759.		S.h.	Slo.jam.2.t.208.f.1.
DIMOCARPUS, W.	DIMOCARPUS.	Sapindi. J. Eup	horia. J.	1700	- 0	0.1	7 111 4 000
1 Litchi. W.	Lee-Chee.		Clima.				Lam. ill. t. 306.
2 Longan. H. K.	many-petalled.	Sanind: T				3. n.	Buchoz. ic. t. 99.
MELICOCCA. W.	HONEY-BERRY.	Sapindi. J.	Tomoico	1 770		C L	Jac.amer. 108. t. 72.
bijuga. W. BLIGHIA. H. K.	winged-leaved.  Akee-Tree.	Sapindi. J. Akees		1//0.		s.n.	oac.amer. 108. t. / 2.
sapida. H. K.	Ash-leaved.	Sapinul. J. Ances		1703		8 %	Ann. bot.2.t.16,17.
EPHIELIS. W.	EPHIELIS.	Sapindi? J. Mat	aiha Auh.	1/30.	• • • •	5. 12.	111111.000.2.0.10,17.
fraxinea. W.	Ash-leaved.			T803.		S. b .	Aub.guian.1.t.128.
KOELREUTERIA. W		Sapindi. J.	Cumming	20000		2116	22000
paniculata. W.	panicled.		China,	1763.	7.8.	H.b.	Laxm.com.pet.t.18.
GUAREA. W.	GUAREA.	Meliæ. J.	- •		• • • • • • • • • • • • • • • • • • • •		,
trichilioides. W.	Ash-leaved.		S. America.	1752.	5.6.	S.h.	Cav. diss. 7. t. 210.
AMYRIS. W.	AMYRIS.	Terebintaceæ. J.					
1 polygama. W.	simple-leaved.		Chili.	1790.	6.7.	S. h.	Cav. ic. 3. t. 239.
2 sylvatica. W.	wood.		Carthagena,	1709		e L	Jac. amer.ed. pict.
	wood.		Carthagenas	1/90.		υ.η.	t. 188.
XIMENIA. W.	XIMENIA.	Aurantiæ. J.					
americana. W.	American.		W, Ind.	1759.		S.h.	Jac.amer.pict.t.107
FUCHSIA. W.	Fuchsia.	Santalaceæ. B. P.		-		~ ~	
1 coccinea. W.	scarlet.		Chili.				Bot. mag. 97.
2 lycioides. W.	Boxthorn-leaved.		***************************************	1796.	4.10.	G. h.	1024.
JAMBOLIFERA. W.	JAMBOLIFERA.	• • • • • • • • • • • • • • • • • • • •	TP T-1	1000		e i	77-1-1
pedunculata. W.	peduncled.	Mana: I	E. Ina.	1800	• • • •	S.n.	Vahl symb. 3. t. 61.
BÆCKIA. L. T.	BÆCKIA.	Myrti. J.	China	1006	0.10	G L	Och iten t
1 frutescens. Sm. 2 virgata. Sm.	Chinese.						Osb. iter. t. 1.
	twiggy.		14. 5. 17.				Bot. rep. 598.
3 densifolia. Sm. CHLORA. W.	Close-leaved.	Gentianeæ. J.	7,7	• • • •		G.h.	
perfoliata. W.	perfoliate.		Britain.		67	H.O.	Eng. bot. 60.
MEMECYLON. W.	MEMECYLON.	Santalaceæ. B. P.			0.7.		21.5. DOM 000
capitellatum. W.	Ceylon.			1796.	7.	S.b.	Burm.zeyl.76.t.30.
MICHAUXIA. W.	MICHAUXIA.	Campanulaceæ, J			•		
campanuloides. W.					6.8.	G. A.	Bot. mag. 219.
JEFFERSONIA. Ph.	JEFFERSONIA.	Papaveraceæ. J.					
diphylla. Ph.	two-leaved.		N. America.	1792.	5.	H.4.	Bot. mag. 1513.
DODONÆA. W.	Dodonæa.	Terebintaceæ? J.					
1 viscosa. W.	clammy.			1690.	6.7.	S. h.	Cav. ic. pl. 4. t. 327.
2 triquetra. W.	three-sided.						Bot. rep. 230.
3 angustifolia. W.	narrow-leaved.		C. B. S.			G.h.	
LAWSONIA. W.	LAWSONIA.	Salicariæ. J.					
1 inermis. W.	smooth.		Egypt.				Rauw. ic. 60. t. 7.
2 spinosa. W.	prickly.				• • • •	S.h.	Rheed.mal. 1.t.40.
OXYCOCCUS. P. S.	CRANBERRY.	Ericeæ. J. Vace				~ -	
1 palustris. P. S.	common.			• • • •	5.6.	S.h.	Eng. bot. 319.
2 macrocarpus. Ph.	large-fruited.	-	N. America.	1760.		H.h.	Hort. Kew. 2, t. 7.
3 erythrocarpus. P. S.	uprignt.	A		1806.	-	H.h.	
		Ŋ	4				

0~	OCIA	LIVIDICIA	1116	110011	TII.				
CALLUNA. W. en.	CALLUNA.	Ericeæ. J.	Ericæ	sp. H. K.					
vulgaris. W. en.	common.					6.8.	H. h.	Eng. bot.	1013.
β alba.	white-flowered.						·	Ü	
y flore pleno.	double-flowered.								
ERICA. W.	НЕАТИ.	Ericeæ. J.							
1 Plukenetiana. H.K.				C. B. S.	1774.	4.7.	G. Iz.	Andr. heat	hs, vol.1.
2 penicillata. A. H.	pencilled.						G.h.		- vol. 2.
3 Banksii, H. K.	Banks's.				1787.	2.7.	Ci.h.	D.4	- vol. 1.
4 monadelpha. B. M.	monadelphous.				1789.	5.6.	G.h.	Bot. mag.	1370.
5 Petiveriana, H. K. 6 follicularis, H. K.	Petiver's. yellow-pencilled.				1704	0.7	G.h.	And hest	200, 1.0. he vol 1
7 melastoma. A. H.	black-anthered.				1795	4.7.	G. b.	mu, near	- vol. 1.
8 Sebana. H. K.	Seba's.				1774.	3.6.	G. I.		vol. 1.
9 socciflora. H. K.	green-pencilled. columnar-thread				1799.	4.5.	G.h.		- vol. 1.
10 furfurosa. H. K.	columnar-threadd				1789.	8.12.	G.h.		- vol. 1.
11 maniaillidana H V	white manualled				1500	- 0	C T	{ Wendl.e.	ric.4. p.5.
11 penicilliflora. H. K.	winte-pencified.				1792.	5.8.	G. n.	c. ic.	
12 leucanthera. H. K.	white-tipped.				1803.	1.5.	G.h.		
13 melanthera. W.	dark-anthered.					6.	G.h.		
14 cristæflora. L. T.	crested.					9.5	G. b.	y.	
15 flexuosa. H. K.	zigzag.				1792.	4.7.	G.h.	And, heat	ns, vol. 1.
16 villosa. H. K.	villous.				1800.	2.6.	G.h.		vol. 3.
17 spumosa. H. K.	spumous.			·	1786.	5.8.	G. h.	A 1.1	
18 sexfaria. H. K. 19 imbricata. H. K.	six-angled.				1774.		G. h.	And, neat	ns, voi. 2.
20 tiaræflora. H. K.	imbricated. turban-flowered.				1780.		G. L.	And best	he rol 2
21 velleriflora. H. K.	woolly-flowered.				1774	9.6	G. h.	And. neat	vol 1.
					1//4.	2.0.	G. 17.	(Wend, e	ric. 16. p.
22 Bruniades. H. K.	Brunia-like.				1790.	4.6.	G.h.	353. c. ic	),
23 umbellata. H. K.	umbelled.			Portugal.	1782.	5.7.	G. b.	And, heat	hs. vol. 2.
24 staminea. H. K.	reflex'd-stamen'd.	,		C. B. S.	1799.	6.9.	G.h.		- vol. 3.
25 latifolia. H. K.	broad-leaved.				1800.	5.8.	G.h.		- vol. 2.
26 nudiflora. H. K.	small-bracted.				1783	7 8.	Gh.	Smith med	d. 3. t. 57.
27 carnea. H. K.	early-flog, dwarf.			Germany.	1763.	1.4.	H.h.	Bot. mag.	11.
28 mediterranea. W.	Mediterranean.			Portugal.	1648.	3.5.	H.h.		471.
29 vagans. W.	early-flo <sup>g</sup> . dwarf. Mediterranean. Cornish.			Cornwall.		7.8.	H.h.	Eng. bot.	3.
β alba.	white-flowering.								
30 multiflora. W.	many-flowered.			France. C. B. S.	1731.	6.11.	G.h.	And, heat	ns, vol. 2.
31 grandiflora. H. K.	great-flowered.			С. В. S.	1775.	5.9.	G. h.	And heat	he rol a
32 Ewerana. H. K. 33 cruenta. H. K.	Ewer's. bloody-flowered.				1793.	0.5	G.h.	Anu. neat	vol. z.
34 speciosa. H. K.	specious.				1800	6.0	G.h.		vol. 2.
35 discolor. H. K.	different-colourd.				1788.	11.3.	G. h.		- vol. 1.
36 mutabilis. H. K.	mutable.				1798.	2.10.	G. h.		- vol. 3.
37 mammosa. A. H.	nipple.				1762.	7.10.	G.b.		- vol. 1.
38 verticillata. A. H.	verticillate.				1774.		G.h.		- vol. 1.
39 densifolia. W.	dense-leaved.				1811.	3.8.	G.h.		
40 gelida. H. K.	green-verticillate club-flowered.				1790.	4.7.	G.h.	And. heatl	ns, vol. 2.
41 clavæflora. H. K.					1799.	8.10	G. h.		vol. 2.
42 spicata. H. K.	spiked.				1789.	1.12.	G.h.		- vol. 1.
43 Patersoni. H. K.	Paterson's.				1791.	3.8.	G.h.		vol. 1.
44 fascicularis. H. K.	cluster-flowered. clear-flowered.		-		1787.	2.6.	G.h.	Was and	vol. I.
45 perspicua. H. K.	various-colour'd.				1790.	3.6.	G. h.	And heat	he vol 1
46 versicolor. H. K. 47 costata. H. K.	ribbed-flowered.				1705	0.6	G. To	And near	- vol. 1.
48 Aitoniana. H. K.	Aiton's.								
49 Niveni. H. K.	Niven's.								
50 tubiflora. H. K.	tube-flowered.				1775.	4.7.	G.h.		vol. 1.
51 lanata. W.	woolly.					2.5.	G.h.	Wen.eric.	5.p.5.c.ic.
52 cylindrica. A. H.	cylindric.				1798.	5.6.	G.h.	And, heat	hs, c. ic.
53 ignescens. H. K.	fiery.				1792.	3.6.	G.h.		vol. 2.
54 splendens. P. S.	splendid.					4.9.	G.h.	Wen.eric.	8.p.5 c.ic.
55 simpliciflora. H. K.	single-flowered.				1774.	3.7.	G.h.		17. p. 69.
56 spuria. H. K.	spurious.				1796.	4.8.	G.h.	And. heat	ns, vol. 1.
57 procera. W.	lofty.			<del></del>	1791.	4.6.	G.h.	And boots	ns well a
58 conspicua. H. K. 59 sordida. H. K.	conspicuous.				1774.	0.8.	G.h.	And neath	- vol. 2.
60 flammea. H. K.	flame-flowered.				1790.	10.5	G.L.		vol. 1.
61 concinna. H. K.	blush.				1773.	9.10	G. h		vol. 2.
62 curviflora. H. K.					1774.	7.10.	G. h.	-	vol. 1.

	00.	IMDICIA	MONOG	1 1/11/1	Lo		00
63 serratifolia. H. K	saw-leaved.	Ericeæ. J.	C. B. S.	1790.	8.12.	G.b.	And. heaths, vol. 1.
64 transparens. W.	transparent.						
65 pellucida. H. K.	pellucid.			1800	116.	G.h.	And heaths, vol. 3.
66 glandulosa. W.				1801	5.6.	G. h.	120001100000000000000000000000000000000
67 Sparrmanni, H.K				1794.	9.3.	G.h.	And. heaths, vol. 3.
68 Linnæana, H. K.	Linnæus's.			1790.	1.5.	G.h.	vol. 2.
69 erubescens. H.K.				1800.	3.7.	G.h.	vol. 3.
70 Leeana. H. K.	Lee's.			1788.	8.1.	G. h.	vol. 1.
71 onosmæflora.H.K				1780	0.1.	G b	
72 viridis. H. K.	green-flowered.			1900	5.0	G. h	vol. 2.
73 longifolia. H. K.	long-leaved.			1787	9.7	G h	Icon. hort. kew. 4.
74 pinea. H. K.	Pine-tree-leaved			1707.	8 19	G L	Toom, north Reff. 4.
75 aurea. H. K.	gold-coloured.			1700	7.0	G L	And. heaths, vol. 2.
76 purpurea. H. K.	nurnle-flowered			1780	1 19	G L	
77 coccinea. H. K.	scarlet-flowered			1703.	1.12.	G L	vol. 1.
78 Archeriana. H. K	Lady Archer's			1706	2 1 1	G L	
79 Hibbertiana. H.K.	Hibbert's			1900	6.0	G. L	
80 Massoni. H. K.	Masson's.			1707 7	7 10	G. L	Bot mag 296
81 elata. H. K.				1707.	7.10.	G. L.	And. heaths, vol. 2.
82 exsurgens. H. K.	quiver-formed.			1790.	1.10	G. L.	vol. 1.
83 vestita. H. K.	tremulous.			1792.	1.12.	G. L.	V01. 1.
a alba.				1/89.		G. L.	And. heaths, vol. 1.
β incarnata.	flesh-coloured.		Marie 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			G. n.	rand. neaths, vol. 1.
y purpurea.	purple.			-		G.n.	
δ rosea.	rose-coloured.					G. h.	vol. 1.
ε fulgida.	bright-red.					G. h.	vol. 2.
Z'coccinea.	scarlet.			-		G. n.	
n lutea.	seurce.			-		G. h.	vol. 1.
84 radiata. H. K.	yellow.					G. h.	vol. 3.
85 rosea. H. K.	radiated.			1798.	8.11.	G. h.	vol. 1.
55 103ca. 11. IX.	rose-coloured.						vol. 2.
86 inflata. H. K.	inflated.			1800.	5.9.	G. b	Thunb. eric. 67.
87 ventricosa, H. K.	Daniel to					C I	( t. 2. 1. 2.
88 prægnans. A. H.	Porcelain.			1787.	4.9.	G. n.	Bot. mag. 350.
89 blanda. H. K.	swelled.			1796.	5.7.	G. n.	And. heaths, c. ic.
90 Monsoniæ. H. K.	charming.			1800. 4	4.9.	G. n.	V01, 3,
91 Halicacaba, H. K.	bladden de men	,		1787.		G. n.	Bot. mag: 1915.
92 lanuginosa. H. K.	lorgo brown Acd			1/80.	0.8.	G. n.	And, heaths, vol. 2.
93 tetragona. H. K.	sainere flammed			1803.	9.1.	G. n.	vol. 3.
94 jasminiflora. H.K.	Jamina dama d			1789.	7.9.	G. n.	V01. 3.
95 ampullacea. H. K.	Analy			1794. 6	0.11.	G. h.	P-4 VOI. I.
96 retorta. H. K.	roonewed leaved			1790.	5.8.	C. T.	Bot. mag. 303.
97 ferruginea. H. K.	rusty.			1700	5.5.	G. T.	And. heaths, vol. 3.
98 princeps. H. K.	fine red.			1798. 3	5./.	G.n.	vol. 2.
99 metulæflora. H.K.	nine-nin			1700 -	00 (	G. T.	Pot man 610
100 cerinthoides. H.K.	Honeywort flowd			1770.	: 11 (	G.T.	Dot. mag. 012.
101 tumida. B. Reg.	tumid.			1010	5.0 (	G. T.	Bot rue 65
102 tenuiflora. A. H.	vellow clander Ad			1000	16 1	C.T.	And. heaths, vol. 3.
103 fistulæflora. L. T.	white slender-fil			1000.	0 (	G. T.	vol. 3.
104 Lawsoni. B. M.	red slender dod			1800	16	G I-	Bot mag 1500
105 Hyacinthoides.							
H. K.	Hyacinth-flow'd.			1798. 6	6.8.	G.h.	And. heaths, vol. 3.
106 aristata. H. K.	awned.			1801	2 9 (	3 L	vol. 3.
107 tricolor.	three-coloured.			1907	7 (	3. 1/2.	vol. 3.
aristata minor. A.				.000.	,. ·	rz •	- VOI. 3.
108 obbata. H. K.	bottle			1706	17 (	G L	And. heaths, vol. 2.
109 acuminata. H. K.	pointed-leaved.			1000 7	10 (	G. T.	
110 Irbyana. A. H.	Irby's.			1000. 7	10. (	3 L	
111 corifolia. H. K.				1774 8	10.	G. L	Bot mag 493
112 glauca. H. K.	glaucous.			1700 5	57 (	G. L	——————————————————————————————————————
113 andromedæflora	(Andromeda-)						
H.K.	flowered.			1803. 3	3.6.	G.h.	1250.
114 pyrolæflora. L. T.	Pyrola-flowered.	- ^		1790	5.7. (	G. L	
115 elegans. H. K.	elegant.			1790. 1	1.3	G L	Bot. mag. 966.
116 triflora. H. K.	three-flowered.			1774 9	3.6	G. L	Wendl.eric.12.p.13
117 laxa. H. K.							And. heaths, vol. 3.
118 lucida. H. K.	lucid.				1.6.	G. h.	vol. 2.
119 squamosa. H. K.	scaly-cupped.			1794.		G. h	vol. 3.
120 togata. B. M.							
121 lachneæfolia. H.K.	Lachnea-leaved.						And, heaths, vol. 3.
		M					

0·#	001.	ANDRIA M	ONUGI	NIA.	
122 nigrita. H. K.	black-tipped.	Ericeæ. J.	C. B. S.	1790. 3.6. G.b.	And, heaths, vol. 1.
193 baccans, H. K.	Arbutus-flowerd.			1774. 46. G.b.	Bot. mag. 358/
124 oppositifolia. A.H.	opposite-leaved.	-		1804. 3.5. G.b.	And, heaths.
125 tenuifolia. H. K.	slender-leaved.			1794. 4.5, G.h.	Seb.mus.1.t.73.f.6.
126 canaliculata. H.K.				1799. 8.2. G.h.	And. heaths, vol. 3.
127 patens. A. H.	spreading.	-		1800. 3.6. G.h.	vol. 3.
128 Thunbergii. H. K.				1794. 5.8. G.h.	Bot. mag. 1214.
129 taxifolia. H. K.	Yew-leaved.			1788. 7.11. G.h.	And. heaths, vol. 1.
130 petiolata. H. K.	Rosemary-leava.			1774. 3.7. G.h.	vol. 3.
131 capitata. H. K. 132 horizontalis. H. K.	horizontal-leave			1800 70 G h	vol. 2.
133 globosa. H. K.	globular-flowerd.			1789. — G.h.	
134 nitida. H. K.	nitid.			1800, 7.10, G.b.	And, heaths, vol. 3,
135 ardens. H. K.	ardent.			4.6. G.h.	Bot, reg. 115.
136 physodes. H. K.	sticky.			1788. 3.7. G.b.	Bot. mag. 443.
137 obliqua. H. K.	oblique-leaved.			1780 8 10 G L	And heaths, vol. 1.
138 resinosa. H. K.	varnished.			1803. 5.8. G.h.	Bot. mag. 1139. And. heaths, vol. 2.
139 Lambertiana.H.K.	Lambert's.			1800 G.h.	And. heaths, vol. 2.
140 odorata. H. K.	perfumed.			1804. 4.7. G.h.	vol. 3.
141 flava. H. K.	three-lea. yellow			1795. 9.4. G.h.	vol. 2. /78/
142 Blandfordiana.	Lord Blandford's.			1803. 3.6. G.h.	vol.3.4/
H. K.				•	
143 decora. H. K.	graceful.		T) 14-1-		vol. 3.
144 cinerea. H. K.	fine-leaved.	***************************************	Britain.	6.9. H.h	Eng. bot. 1015.
β alba. 145 stricta. H. K.	white-flowered.		& Firming	1765 0 11 H L	And heaths, vol. 2.
146 Tetralix. H. K.	cross-leaved.		S. Europe.	•	Eng. bot. 1014.
β alba.	white-flowered.		Diltain.	0.0. 11/7	Mig. 600. 1014.
147 lutea. H. K.	yellow.		C. B. S.	1774. 2.5. G.b.	And. heaths, vol. 1.
148 urceolaris. H. K.	pitcher-flowered.			1778, 5.7, G.b.	Icon, hort, kew.16.
149 glutinos a. H. K.	glutinous.			1787. 7.10. G. h	17.
150 ciliaris. H. K.	ciliated.		Portugal.	1759. 7.9. H.h	Bot. mag. 484.
151 albens. H. K.	pallid.		C. B. S.	1759. 7.9. H.h 1789. 3.8. G.h	440.
152 flexicaulis. H. K.	crook-stalked.			1800. 5.1. G.b.	. And, heaths, vol. 2.
153 fastigiata. W.	Walker's.			1792, 2.7, G.h	vol. 1. 408
154 primuloides. A. H.	Cowslip-flowera.			1802. 4.7. G. h	. Bot. mag. 1548.
155 daphnæflora. L. T.				· 1791. 4.5. G. h	
156 comosa. H. K.	tufted.				Icon. hort. kew. 18.
a rubra	red-flowered.				{ Wendl. eric. 12. p. 7. c. ic.
β alba.	white-flowered.				And heaths vol 2.
157 Muscari. H. K.	musk.			1790 '3.7. G.h	vol. 1.
158 australis. H. K.	Spanish.		Spain.	1769. — H. h	, vol. 3.
159 depressa. H. K.	depressed.		C. B. S.	1789. 6.8. G.b	vol. 3.
160 nana. L. T.	dwarf.			- 1792. 5.8. G.h	
161 propendens. H.K.	. pendent.			- 1800. 7.8. G.h	. And. heaths, vol. 2. 2/4
162 palustris. H. K.	marsh.			- 1799. 5.10. G. h	. ——— vol. 2.
163 pyramidalis. H.K	<ul> <li>pyramidal.</li> </ul>			- 1787. 2.5. G. h	. Bot. mag. 866.
164 cubica. H. K.	cube-flowered.			- 1790. 4.7. G.h	. And heaths, vol. 1.
165 echiiflora. H. K.	Echium-flowerd.			- 1798. 2.6. G.h	· vol. 3.
166 viscaria. H. K.	clammy-flowerd.			- 1774. 3.7. G.h	. Icon. hort. kew. 1.
167 filamentosa. H. K 168 pulchella. H. K.				- 1800. 1.12. G. h	. Bot. reg. 6. . Thun.eric.n.24.t.4.
169 formosa. H. K.	neat. beautiful.			- 1792. 6.9. G.n	n.82.t.3.
a alba.	white-flowered	reflexa alba. Hor	./	- 1/95 O. n	12.0 2. 0.0
β rubra.	red-flowered. r	eflexa rubra. Hort.			
					( Montin. act. ups.
170 cernua. H. K.	drooping-nower		· C. B. S.	1791. 8.12. G. h	Montin. act. ups. 2. t. 9. f. 3.
171 Solandri. H. K.	Solander's.			- 1800. 3.9. G.h	. And. heaths, vol. 2.
172 acuta. H. K.	pointed-cupped.			- 1799. 5.7. G.h	vol. 2.
173 empetroides. H.K	close-flowered.			- 1788. 5.8. G. h	vol. 2.
174 pendula. H. K.	pendulous.			1791, 7.8. G.h	Wend. eric. 10. p. 13. c. ic.
•				1101. 1.0. G. n	13. c. ic.
175 turrigera. L. T.	Cypress.	-		- 1796. 6.9. G.h	And headle 1 0
176 Bergiana. H. K.	Bergius's.	CH		- 1787. 4.8. G.h	. And. heaths, vol. 2.
177 barbata. H. K.	bearded. Crowberry-lead.			- 1799. 5.8. G.h - 1774. 4.6. G.h	vol. 2.
178 empetrifolia. H.K	. Crowderry-lea".			- 1//4. 4.D. U. h	. DUL. HRE. 44/.
				1775 50 G L	And heathe vol 1.
180 lateralis. H. K.	. pearl-flowered.			- 1775. 5.9. G.h	. And. heaths, vol. 1.

#### OCTANDRIA MONOGYNIA.

							CW Il'. o
181 retroflexa. H. K.	jointed.	Ericeæ. J.	C. B. S.	1787.	7.9.	3. ħ.	Wendl. cric. 8. p. 7. c. ic.
182 planifolia. H. K.	flat-leaved.						
183 thymifolia. H. K.	Thyme-leaved.			1789.	5.8. (	3. h	And. heaths, vol. 2.
184 marifolia. H. K.	Marumleaved.			1773.	5.6.	G.h.	vol. 1.
185 bicolor. H. K.	two-coloured.			1790.	10.3.	G.b.	
186 tenuis. W. en.	slender-flowered.						
187 arborea. W.	tree.		S. Europe.	1658.	2.6.	G.h.	-
β stylosa. P. S.	long-styled.		C D C			ОТ	
188 paniculata. H. K.	panicled.		С. В. S.	1774.	2.4.	Մ. ը. С <b>ե</b>	
189 pubescens. H. K. 190 hirta. H. K.	pale downy. hairy-leaved.			1795.	4.6.	G. h.	Thun.eric.n.56.t.2.
				.,,,,,		C T	( Wendl, eric. 17. p.
191 amœna. H. K.	feathery.				3.7.	G. h.	{ Wendl. eric. 17. p. 73. c. ic.
192 strigosa. H. K.	dwarf downy.			1775.	3.4.	G.ħ.	
193 racemifera. H. K.	compact-flowerd.			1803.	4.6.	G. h.	And. heaths, vol. 2.
194 imbecilla.	feeble.			1793.	6.7.	G. h.	
gracilis. L. T. 195 gracilis. H. K.	gracile.			1704	96	G. L.	Wen.eric.8.p.9.c.ic.
196 persoluta. H. K.	garland.			1774.	2.5.	G.b.	Bot. mag. 342.
197 ramentacea. H. K.				1786	7 19.	$G$ $\mathbf{h}$ .	And, heaths, vol. 3.
198 mucosa. H. K.	mucous.			1787.	2.8.	G.b.	
199 pilulifera. H. K.	ball-bearing.			1789.	4.5.	G.b.	
200 hirtiflora. B. M.	hairy-flowered.			1790.	4.6.	G. h .	Bot. mag. 481.
201 catervæfolia. L. T.						G. h.	Pot mag 400
202 tardiflora. L. T. 203 parviflora. L. T.	pubescent.				3.9.	G. h.	Bot. mag. 480.
204 exigua. L. T.	small downy.	C				G.h.	
205 florida. H. K.	florid.			1803.	5.8.	G.b.	Thun.eric. n.64.t.6
206 mollearis. L. T.	soft-leaved.				4.10.	G.h.	Schneerogt.ic.u.17.
207 cordata. H. K.	heart-leaved.			1799.	4.6.	G.b.	And, heaths, vol. 3.
208 hispidula. H. K.				1791.	6.8.	G. h	•
209 Passerina. H. K.	Sparrow-wort.			1800.	11.5.	G.h.	Petiv. gaz. t. 3. f. 7. And. heaths, vol. 2.
210 canescens. H. K. eriocephala. A. H.	hoary.			1790.	5.8.	G. h.	And, neaths, vol.2.
211 setacea. H. K.	bristly-leaved.	,		1796.	2.4.	G. h	And. heaths, vol.1.
212 absinthoides, H.K.	Wormwood-like	,	-	1792.	3.6.	G. b	,
213 fragrans. H. K.	fragrant.			1803.		G. h.	And. heaths, vol. 2. 218
214 tenuissima. P. S.	slender.				2.8.	G. h.	Wen.eric.6.p.9.c.ic. And. heaths, vol. 1.
215 campanulata.H.K.				1791.	4.8.	G. h.	And. heaths, vol. 1.
216 scoparia. H. K.	small green-flod	,		1770.	4.5.	F.b.	Linn. eric. n. 14.
•	Ü					•	C. ng. n.
217 racemosa. H. K.	racemed.			1795.		G.h.	Wendl. eric. 10. p. 3. c. ic.
218 tenella. H. K.	delicate.			1791.	8.5.	G.b.	And, heaths, vol. 2.
219 conferta. H. K.	crowded-flowerd			- 1800.	10.2.	G. h	vol. 2.
220 viridipurpurea. W	green and purule	,	Portugal		5.9	GL	f Linn. eric. n. 9. c.
	. green and purple	•	Tortugia.	• • • •	0,00	0.17	fig. ff.
221 regerminans. W.	Cluster-flowered		- C. B. S.	1791.	4.0	G. h	•
222 phylicoides. W.	Phylica-like.			- 1800.	4.5.	G. h	( Pluk ment 68 t
223 gnaphalodes. Th.	Gnaphalium-like			- 1812.	2.8.	G.h	Pluk. mant. 68. t. 346. f. 11.
224 scariosa. Th.	many-flowered.			- 1800.	6.7.	(t. h	
225 bracteolaris. P. S.			<del></del>		3.7.	G. h	•
226 rubens. W.	red-flowered.			<b>- 1798.</b>	6.9.	G. h	•
227 incarnata. Th.	flesh-coloured.			- 1791.	5.8.	G. h	. And. heaths, c. ic.
228 lanceolata. P. S.	spear-leaved.			- 1791.	6.12.	G. h	. { Wendl. eric. 8. p. 13. c. ic.
229 bracteata. Th.	red-bracted.	<del></del>					
230 calyculata. P. S.	rusty-flowered.			1000.	5.8.	G. h	. Wen.eric.4.p.5.c.ic.
231 cephalotes. W.	purple-headed.			- 1812.	3.7.	G. b	
232 pectinifolia. L. T.	* *.			- 1800.	11.6	G. b	. Pr
233 incurva. W.	incurved.		-	- 1802.	3.5.	G. b	. And, heaths, c. ic.
234 pallens. A. H.	pale-flowered.			- 1801.	2.5.	G. h	c. ic.
235 Broadleyana. A.H				- 1806.	7.9.	G. h	c. ic.
236 Caffra. A. H. 237 Savilii. A. H.	sweet-scented. Savile's.			- 1974	6.2.	G. h	c. ic.
238 axillaris. W.	axil-flowered.			- 1798	5.7	G. L	C. 10.
239 fimbriata. A. H.	fringed.		-	- 1800.	3.6.	G. h	. And, heaths, c. ic.
240 emarginata. A. H		-	-	-	6.10	G. h	c. ic.

	202.		-01.001				
241 moschata. A. H.	musk-scentcd.	Ericeæ. J.	C. B. S.	1805.	5.7.	G.h.	And. heaths, c. ic.
242 hispida. A. H.	hispid.			1791	7.0	Gh	c ic
243 magnifica. A. H.	magnificent.			1800.	6.	G.h.	c. ic.
244 Sainsburyana.A.H			-	1804.	7.9.	G. h.	C. ic.
245 Shannoni. A. H.	Shannon's.			1800.	6.	G.h.	c. ic.
246 rugosa. A. H.	wrinkled.				7.11.	G. b.	c. ic.
247 Swainsoniana.							
A. H.	Swainson's.				6.7.	G.h.	c. ic.
248 densa. A. H.	dense.			1804		Gh	c. ic.
249 cinerascens. W.en.				1001	5.0	G 1.	
250 coarctata. W. en.	crowded.			1001	0.3.	G. L.	
251 divaricata. W. en.	divaricate.			1001.	9.5	C.I	
252 fugax. W. en.	fugacious.			1800.	0.4	G.n.	
253 oxycoccifolia. L.T.				1001	0 =	G. n.	
	dagger-leaved.		,	1/91.	2.5.		
254 sicæfolia. L. T. 255 fausta. L. T.				1705	2.7.	G.h.	
	bristly-leaved.			1795.	4.6.		
256 tomentosa. L. T.				• • • •	2.4.	G.h.	
257 auricularis. L. T.	eared.	***************************************		• • • •	3.7,	G.h.	
258 helianthemi-	plain-leaved.			1796.	6.9.	G. h .	· ·
felia. L. T.	•					_	
259 glomiflora. L. T.	round-flowered.				4.9.	G. h.	
260 carduifolia. L. T.				1806.	5.9.	G.h.	
261 tubercularis. L. T.	tubercled.			1790.	2.4.	G. h.	
262 lavandulæfolia.	Lavender-leaved			1795	5.8.	G. b.	
L.T.							
263 humifusa. L. T.	low.			• • • •	6.7.	G.h.	
264 corydalis. L. T.	winged-anthered.				2.5.	G.h.	
265 azaleæfolia. L. T.	Azalea-leaved.				5.8.	G.h.	
266 vesicularis. L. T.	bladdered.			1796.	2.8.	G.h.	
267 verniciflua. L. T.	viscous-leaved.			1804.	3.9.	G.h.	
268 lyrigera. L. T.	lyre-bearing.			1790.	2.5.	G.h.	
269 salax. L. T.	broad-stigmaed.			1796.	5.9.	G.h.	
270 cumuliflora. L. T.	heap-flowered.			1801.	5.9.	G.h.	
271 genistæfolia. L. T.	Genista-leaved.				10,5.	G.h.	
272 periplocæfolia. L.T	Periploca-leaved.				8,12.	G.h.	
273 munda. L. T.	neat-flowered.				5.7.	G.h.	•
274 fabrilis. L. T.	tiled-leaved.	1		1791.	4.8.	G.h.	
275 dianthifolia. L. T.	Pink-leaved.			1796.	3.8.	G.h.	
276 brevifolia. L. T.	short-leaved.				8.1.	G.h.	
277 chlamydiflora. L.T	cloaked-flowered.			1801.	5.9.	G.b.	
278 selaginifolia. L. T.	Selago-leaved.				2.6.	G.h.	
279 pannosa. L. T.	cloth-flowered.					G. b.	· ·
280 diotæflora. L. T.	Diotis-flowered.			1795.	3.8.	G.h.	
281 nutans. W.	nodding-flowerd.			1790	96	Gb	Wen.eric.3.p.5.c.ic.
282 filiformis. L. T.	filiform.				2.5.	Gh.	
283 turgida. L. T.	turgid.			1800.	3.6.	G.h.	
284 vestiflua. L. T.	clothed.					GL	
285 squamæflora, L. T.					5.11	GL	
286 cæsia. L. T.	grey.			1795.	9.5.	G. h.	
287 lasciva. L. T.	imbricate-calyxd.			1800.	1.4.	G.b.	
288 stylosa. L. T.	long-styled.			1789.		G. h.	
289 diosmæfolia. L. T.	Diosma-leaved.			1792.	3.6.	G. h.	
290 palliiflora. L. T.	pale-flowered.				2.8.	G.h.	
291 tegulæfolia. L. T.		1			1.5.	G.b.	
292 modesta. L. T.	modest.						
	velvetty.					G.h.	
294 sacciflora. L. T.	sack-flowered.					G.h.	
295 cyrillæflora. L. T.							
296 velitaris. L. T.	javelin-flowered.			1790.	1.6.	G.h.	
297 cuspidigera. L. T.	cuspidate.					G.h.	
298 stagnalis. L. T.	stagnant.					G. h.	
299 cerviciflora. L. T.	stag's-horn-flod.					G. h.	
300 pulviniformis.L.T.						G. h.	
301 scentriformis I.T							,
301 sceptriformis. L.T.				1/92.	J.O.		
302 brachialis. L. T.	armed.						
302 brachialis. L. T. 303 doliiformis. L. T.	armed. tun-bellied.			1798.	5.9.	G.h.	
302 brachialis. L. T. 303 doliiformis. L. T. 304 nolæflora. L. T.	armed. tun-bellied. bell-shaped.			1798.	5.9. 2.5.		
302 brachialis. L. T. 303 doliiformis. L. T. 304 nolæflora. L. T. 305 festa. L. T.	armed. tun-bellied. bell-shaped. angular-stalked.			1798.	5.9. 2.5. 3.5.	G.h.	
302 brachialis. L. T. 303 doliiformis. L. T. 304 nolæflora. L. T.	armed. tun-bellied. bell-shaped. angular-stalked.			1798.	5.9. 2.5. 3.5. 11.3.	G.h. G.h. G.h.	

## OCTANDRIA DIGYNIA.

308 pubigera. L. T.	pubescent-flowd.	Ericeæ. J.	C. B. S.	1792.	1.5.	G.b.	
309 pusilla. L. T.	low.	Ericeæ.J.			6.7.	G.h.	
310 tragulifera. L. T.	broad-anthered.				5.8.	G.h.	
311 curvirostris. L. T.	declined.			1790.	7.9.	G.h.	
312 intervallaris. L. T.					5.11.	G.h.	
313 turbiniflora. L. T.	top-flowered.			1703	10.9	Gh.	
314 squarrosa. L. T.	squarrose.			1700.	9 0	Gh	
315 embothriifolia.L.T	Embothrium lad			• • • •	0.5	G h	
				1006	5.0	Gh	
316 capax. L. T.	Capacious.			1500.	3.0.	G. L	
317 pavettæflora. L. T.				• • • •	115	G. L.	
318 nidiflora. L. T.	nest-flowered.				11.0.	G.L.	
319 berbeniæflora. L.T				1000	5.9.	G.n.	
320 hyssopifolia. L. T.				1800.		G. n.	
MENZIESIA. Sm.	MENZIESIA.	Rhodoraceæ. J.			- 0	** *	6 1 1 1 1 7 0
1 ferruginea. Ph.	ferrugineous.		N. America.	1811.	5.6.	H.h.	Sm. ic. ined. 1. t. 56.
2 globularis. Ph.	globular-flowera.			1806.		H. h.	Par. lond. 44.
3 polifolia. H. K.	Irish.		Ireland.	• • • •	6.9.	H. h.	Eng. bot. 35.
β nana.	dwarf.			• • • •		H. h.	
4 cærulea. L. T.	Yew-leaved.		Scotland.		6.7.	H.h.	Eng. bot. 2169.
LAGETTA. J.	LAGETTA.	Thymelææ. B. P.	Daphneæ sp.	W.			
lintearia. P. S.	lace-bark.		Jamaica.	1793.	12.1.	S. h.	Lam. ill. t. 289.
DAPHNE. W.	DAPHNB.	Thymelææ. B. P.					
1 Mezereum.	Mezereon.		England.		2.4.	H. h.	Eng. bot. 1381.
a rubrum.	red-flowered.		, and the second				
β album.	white-flowered.						
2 Thymelæa. W.	smooth-leaved.		Spain.	1815.		H. h.	Pluk.alm. t.229.f.2.
3 Tarton-raira. W.	silvery-leaved.		France.				t.318.f.6.
4 alpina. W.	Alpine.		Italy.				Schmidt arb.1.t.19.
5 Laureola. W.	Spurge Laurel.		Britain.				Eng. bot. 119.
6 pontica. W.	Pontic.		Pontus.				Bot. mag. 1282.
7 tinifelia. W.	Bonace-bark.		Jamaica			S.h.	
8 Guidium. W.	Flax-leaved.		Spain			H. h.	
9 odora. W.	sweet-scented.		China			-	Bot. mag. 1587.
10 Cneorum. W.			Ametric	1771.	4.0	H L	212
11 altaica. W.	trailing.		Austria.	1706	4.9.	H I.	313. ———————————————————————————————————
	Altaic.		Siberia.				
12 oleoides. B. M.	Olive-leaved.		Crete.				1917.
13 collina. W.	hairy.		Italy.	1752.	1.0.	Η.η.	428.
DIRCA. W.	LEATHER-WOOD.					77 7	v 111 / 202 W
palustris. W.	marsh.	m 1 n n	Virginia.	1750.	3.4.	H. h.	Lam. ill. t. 293.
GNIDIA. W.	GNIDIA.	Thymelææ. B. P.				G Y	
1 pinifolia. W.	Pine-leaved.		С. В. S.	1768.	5.6.	Gr. h.	Bot. reg. 19.
2 imberbis. H. K.	smooth-scaled.			1792.	8.4.	G.h.	Bot. mag. 1463.
3 simplex. H. K.	Flax-leaved.			1786.	5.6.	G. h.	812.
4 capitata. W.	purple-twigged.			1788.	6.7.	G.h.	
5 oppositifolia. H. K.	opposite-leaved.			1783.	5.7.	G.h.	Bot. reg. 2.
6 sericea. H. K.	silky.			1786.		G.h.	Bot. rep. 225.
STELLERA. W.	STELLERA.	Thymelææ. B. P.					
Passerina. W.	Flax-leaved.		S. Europe.	1759.	7.8.	H. h.	Jac. ic. 1. t. 68.
PASSERINA. W.	SPARROW-WORT.	Thymelææ. B. P.	_			·	
1 filiformis. W.	filiform.	-	C. B. S.	1752.	6.8.	G.h.	Wendl.obs.t.2.f.15.
2 hirsuta. W.	shaggy.		S. Europe.				t.2.f.16.
3 tenuiflora. W. en.	slender-flowered.		C. B. S.			G.h.	
4 capitata. W.	headed.			1789.	6.10.	G.h.	Wendl.obs.t.2.f.17.
5 uniflora. W.	one-flowered.			1759.	4.5.	G.h.	t.2.f.18.
6 grandiflora. W.	great-flowered.			1780	5.6.	G.h.	Bot. mag. 202.
7 spicata W.	spiked.						Wendl.obs.t.2.f.19.
8 laxa. W.	loose.						
LACHNÆA. W.	LACHNÆA.	Thymelææ. B. P.		1004.	0.7.	0.7.	1.2.1.20
1 conglomerata. W.	clustered.	Thyliciau. II. I.	CRS:	1770	6 7	G L	
	woolly-boaded		O. D. S.	1709	0.7.	G. L	Rot mag 1005
2 eriocephala. W.	numla formand			1/90.		G.T.	
3 purpurea. H. K.	purpie-nowered.			1800.		C. T.	1594.
4 glauca. H. K.	glaucous.				5.7.	G.h.	1658.
5 buxifolia. Lam.	green Box-leavd.				-	G.h.	1657.
		Diomi					
CALENIA	0	DIGYNIA					
GALENIA. W.	GALENIA.	Chenopodeæ. B. P					w 111 /
africana. W.	African.		C.B.S.	1752.	6.8.	G.h.	Lam. ill. t. 314.
MŒHRINGIA. W.	MœHRINGIA.	Caryophylleæ. J.	~ ~				0.11
muscosa. W,	mossy.		S. Europe.	1775.	6.7.	H.4.	Schku.han.1.t.108
			-				

		TRIGYNIA			1
POLYGONUM. W.	PERSICARIA.	Polygoneæ. B. P.	•		
1 frutescens. W.	shrubby.		Siberia.	1770. 7.8. H.h.	Bot. reg. 255.
2 crispulum. B. M.	upright.			1800. — H. h.	Bot. mag. 1065.
3 Bistorta. W.	Snake's-weed.			5.9. H.4.	Eng. bot. 509.
4 viviparum. W. 5 lapathifolium. W.	Alpine Bistort.			— Н.4.	669.
6 amphibium. W.	amphibious.		Britain.	6.9. H.⊙. 6.8. H.¥.	436.
7 ocreatum. W.	spear-leaved.		Siberia.	1780. 6.9. H. 4.	
8 Hydropiper. W.	Water Pepper.		Britain.		Eng. bot. 989.
9 tinctorium. W.	dyer's.		China.	1776. 7.8. G.J.	
10 virginianum. W.	Virginian.		N. America.		Park.theat.857.f.6.
11 minus. W. 12 Persicaria. W.	small. spotted.		England.	H.O.	
13 incanum. W.	hoary.		Germany	7.8. H.O.	Pet. H. Brit. t.3.f.8.
14 orientale. W.	common.		E. Ind.	1707. 7.10. H.⊙.	
β album.	white-flowered.			1781. — H.O.	2000
15 aviculare. W.	Knot-grass.		Britain.	4.10. H.O.	Eng. bot. 1252.
16 arenarium. P. S.	sand.	<del></del>	Hungary.	1807. 5.8. H.⊙.	Pl. rar. hung. t. 67.
17 elegans. H. K.	elegant.		E. Ind.	1796. 4.8. S.4.	
18 erectum. W. 19 divaricatum. W.	upright. divaricated.		N. America.	1792. 7.8. H.4.	Constable 11 ft
20 undulatum. W.	wave-leaved.		,	1759. — H. 4. 1789. 6.7. H. 4.	Gmel.sib.3.t.11.f.1.
21 acidulum. W. en.	narrow-leaved.			1816. — H. 4.	0. 0. 10.
22 salignum. W. en.	Willow-like.			5.8. H. 4.	
23 chinense. W.	Chinese.		China.	1795, 7.8, H.⊙.	Burm.ind. t.30. f.3.
24 sagittatum. W.	arrow-leaved.		N. America.	1759. — H.O.	Linn.hort.cliff.t.12.
25 arifolium. W.	Arum-leaved.		Siberia.	1816. 5.10. H.⊙.	Pluk.amal.t.398.f.3
26 tataricum. W. 27 emarginatum. W.	Tartarian.		China		Gmel.sib.3.t.13.f.1.
28 Fagopyrum. W.	Buck-Wheat.		England.	1796. 7.8. H.⊙. — H.⊙.	Eng. bot. 1044.
	(common )				
29 Convolvulus. W.	{ climbing. }			5.9. H.⊙.	941.
30 dumetorum. W.	bush.		S. Europe.	1803. ——H.⊙.	Flor. dan. t. 759.
31 scandens. W.	{American }		N. America.	1749. 7.9. H.4.	Pluk.alm.t.177.f.7.
	climbing.				
COCCOLOBA. W. 1 uvifera. W.	SEASIDE GRAPE.	Polygoneæ. a.	W Ind	1690 S. h.	Jac amer. t. 73
2 latifolia. Lam.	broad-leaved.		S' America	1812 S. h.	Lam. ill. t.316.f.4.
3 pubescens. W.	downy.		W. Ind.	1690 S.h.	Pluk.phyt. 222.f.8.
4 excoriata. W.	oval-leaved.			1733 S.h.	Plum.ic. t. 146.f.1.
5 punctata. W.	spear-leaved.				Jac. amer. 114. t.77.
6 barbadensis. W.	Barbadoes.		Barbadoes.	1790 S.h.	Jac. obs. 1. t. 8.
PAULLINIA. W. 1 pinnata. W.	PAULLINIA. winged-leaved.	Sapindi. J.	W Ind	1250 S.L	Jac.obs,3.t.62.f.12.
2 curassavica. W.	shining-leaved.		S. America.	1739 S. h.	t. 61. f. 8.
3 barbadensis. W.	Barbadoes.		W. Ind.	1786 S. L.	t. 62, f. 9.
4 polyphylla. W.	Supple-Jack.			1739 S. h.	t.61.f.10.
5 caribæa. Jac.	Caribæan.			S.h.	t. 62. f. 7.
SERIANA. W.	SERIANA.	Sapindi. J.	o • ·		T
1 sinuata. W.	sinuate-leaved.			S.h.	
2 caracasana. W. CARDIOSPER-	tooth-leaved.		Caracas.	1010	Jac. schæn.1. t. 99.
MUM. W.	HEART-SEED.	Sapindi. J.			
1 Halicacabum. W.	smooth-leaved.		India.	1594. 7. S.O.	Bot. mag. 1049.
2 Corindum. W.	Parsley-leaved.		Brasil.	1750. 7.8. S.O.	
SAPINDUS. W.	SOAP-BERRY.	Sapindi. J.	W Ind	1607 8 1	Comm hert + 04
1 Saponaria. W. 2 marginatus. W. en.	common. marginated.		Carolina.	1697 S.h.	Comm. nort. t. 94.
3 rigidus. W.	Ash-leaved.		America.	1759. 7.9. G.h.	Pluk.alm.t.217.f.7.
- 1.0					. 4
		TETRAGYNIA.			
CALANCHOE. P. S.	CALANCHOE.		Verea. B. R.	Cotyledonis sp. L.	Diant mai 100
1 laciniata. P. S.	cut-leaved.		E. Ind.	1791. 7.8. D.S. h.	
2 Verea. P. S.	Vere's.		SierraLeone.	1793. 7.9. D.S. h.	Dot. mag. 1430.
Verca crenata. B. 3 acutiflora. H. S.	white-flowered.		E. Ind.?	1806 D.S. h.	Bot. rep. 560.
BRYOPHYLLUM.				_	
P. L.	BRYOPHYLLUM.	Sempervivæ. J.	oiyieaonis sp.		
calycinum. P. L.	large-cupped.		E. Ind.	1800. 4.7. D.S. h.	Par. lond. S.

## ENNEANDRIA MONOGYNIA, &c.

PARIS. W.	PARIS.	Smilaceæ. B. P.				
quadrifolia. W.	herb.	Britain.	• • • •	5.6.	H.4.	Eng. bot. 7.
ADOXA. W.	Moschatel.	Saxifrageæ. J.				
Moschatellina. W.	tuberous.	Britain.		3.5.	H.4.	Eng. bot. 453.
ELATINE. W.	WATER-WORT.	Caryophylleæ. J.				
Hydropiper. W.	small.	England.		8.	H.O.	Eng. bot. 955.
HALORAGIS. W.	HALORAGIS.	Onagrariæ. J. Cercodia. J.				
Cercodia. W.	whorl-flowered.	N.Zealand.	1772.	4.9.	G.h.	Jac. ic. 1. t. 69.
FORSKOHLEA. W.	Forskohlea.	Urticeæ. J.				
1 tenacissima. W.	clanimy.	Egypt.	1767.	7.8.	H.⊙.	Jac. vind. 1. t. 48.
2 candida. W.	rough.	C. B. S.			G. 24.	
8 angustifolia. W.	narrow-leaved.	Teneriffe.	1779.	7.8.	H.O.	Murr.c.got.p.24.t.2

# CLASS IX.

#### ENNEANDRIA MONOGYNIA.

LAURUS. W.	LAUREL.	Laurinæ. B. P.	Cont.	*=00	0.0	C T	D.4 500 A
1 Cinnamomum. W.	_		Ceylon.	1763.	6.9.	s.n.	Bot. rep. 596. 2
2 Cassia. W.	{ Bastard Cin- }		E. Ind.	1768.	5.9.	S.h.	Bot. mag. 1636,
3 Malabatrum. P. S.	tall.			1805.		S.h.	Rheed. mal. 5.t. 53,
4 Camphora. W.	Camphire-tree.	<del></del>	Japan.				Jac. coll. 4.t. 3.f. 2.
5 Chloroxylon. W.	Cogwood tree.		Jamaica.	1778.		S.h.	Brown.jam.t.7.f.1.
6 glauca. W.	glaucous.	1	Japan.	1806.		G.h.	
7 nobilis. W.	Sweet Bay.			1561.	4.5.	H.h.	Zorn. ic. 52.
B undulata.	wave-leaved.		-				
y salicifolia.	Willow-leaved.						
8 indica. W.	Royal Bay.			1665.	10.3.	G.h.	Pluk.alm.t.304.f.1.
9 fœtens, W.	Madeira, or Til.			1760.		G.h.	
10 canariensis. W. en.	Canary.			1815.			
11 Persea. W.	Alligator Pear.		W. Ind.	1739.		S.h.	Pluk.alm.t.267.f.1.
- 1 · · · · · · · · · · · · · · · · · ·	(broad-leaved)		DT 4			•	•
12 Borbonia. W.	Carolina.		N. America.		4.5.	G.h.	Cat. car. 1. t. 63.
13 carolinensis. P. S.	long-ld.Carolina.		-	1806.		G.h.	'e
14 geniculata. Ph.	flexuose.			1759.		H. h.	Bot. mag. 1471.
15 Diespyrus. Ph.	twiggy.			1810.		н.Б.	1470.
16 Benzoin, W.	Benjamin-tree.						Com. hort. 1. t. 97.
17 Sassafras. W.	Sassafras-tree.						Cat. car. 1. t. 55.
ANAĆARDIUM. W.	CASHEW-NUT.	Terebintaceæ. J.					
occidentale. W.	common.		India.	1699.		S.h.	Cat. car. 3. t. 9.
ERIOGONUM. Mi.	ERIOGONUM.	Polygoneæ. J.					, ,
1 tomentosum. Ph.	woolly.	10	Carolina.	1811.	5.6.	H.4.	Mich. amer. t. 24.,
2 sericeum. Ph.	silky,	-	Missouri.	-		H.4.	
,	•						
		TRIGYNIA	k.				
RHEUM. W.	RHUBARB.	Polygoneæ. J.					1
1 Rhaponticum. W.	common.		Asia.	1573.	5.6.	H.24.	Sabb. hort. 1. t. 34.
2 undulatum. W.	waved-leaved.		China.	1734.		H.4.	Amoen, acad. 3.t. 4.
3 palmatum. W.	officinal.		Bucharia.	1763.	4.5.	H.24.	Lin. fasc. 7. t. 4.
4 compactum. W.	thick-leaved.		Tartary.				Mill. ic. 2. t. 218.
5 tataricum. W.	Tartarian.			1793.		H. 4.	
6 Ribes. W.	warted-leaved.		Levant.	1724.		H.4.	Ann. mus. 1. t. 49.
7 hybridum. W.	bastard.	-	Asia.	1778.		H. 4.	Murr. com. gott.t.1.
•		4					
		HEXAGYNIA	١.				
BUTOMUS. W.	[FLOWERING ]	Hydrocharideæ. I	3. P.				
	Rush.	-				44	
umbellatus. W.	umbelled	-	Britain.		6.7.	H.4.	Eng. bot. 651.

# CLASS X.

#### DECANDRIA MONOGYNIA.

EDWARDSIA. L. T.	EDWARDSIA.	Leguminosæ. J.	Sophoræ sp. V	V.			
1 grandiflora. L. T.	large-flowered.		N. Zealand.	1772.	5.6.	F.h.	Bot. mag. 167.
2 chrysophylla. L. T.	golden-leaved.					F. h	100 730
3 microphylla. L. T.	small-leaved.			1772.		F.h.	1442.
SOPHORA. H. K.	Sophora.	Leguminosa, J					
1 tomentosa. W.	downy.		India.	1690	• • • •	S.h.	Trew. chret. t. 59.
2 japonica. W.	Japanese.		Japan.				Bot. rep. 585.
3 alopecuroides. W.	Fox-tail.		Levant.				Pall. astr. t. 87.
4 flavescens. W.	Siberian.		Siberia.	1785.	5.7.	H.4.	
ORMOSIA. L. T.	Ormosia.	Leguminosæ. J.	Sophoræ sp. 11				
dasycarpa. L. T.	smooth-leaved.		· W. Ind.	1793.	6.7.	S. h.	Linn.trans.10.t.26.
ANAGYRIS. W.	BEAN-TREFOIL.	Leguminosæ. J.					
1 fœtida. W.	stinking.		- Spain.	1570.	4.5.	F. h.	Lam. ill. t. 328.
2 latifolia. W. en.	broad-leaved.		· Teneriffe.	1815.		G. h.	
THERMOPSIS. H. K.		Leguminosæ. J.					
lanceolata. H. K.	sharp-leaved.		· Siberia.	1776.	6.7.	H.4.	Bot. mag. 1389.
Podalyria lupinoid							
VIRGILIA. H. K.	VIRGILIA.	Leguminosæ. J.	Podalyriæ sp.	Hr.			
1 lutea. Ph.	yellow-flowered.	•	- N. America.	1812.	6.7.	H.h.	Mich. arb. c. ic.
2 aurea. H. K.	great-flowered.		- Abyssinia.	1777.	7.	G.h.	L'Her.st.nov.1.t.75
3 intrusa. H. K.	small-flowered.		- C. B. S.	1790.	5.8.	G.h.	4 2017
4 capensis. H. K.	Vetch-leaved.			1767.	7.8.	G. h.	Mich. arb. c. ic. L'Her.st.nov.1.t.75 Bot. mag. 1590.
CYCLOPIA. H. K.	CYCLOPIA.	Leguminosæ. J.	Ibbetsonia. B.	. M.			
genistoides. H. K.	Genista-leaved.				7.8.	G.h.	Bot. mag. 1259.
BAPTISIA. H. K.	BAPTISIA.	Leguminosæ. J.	Podalyriæ sp.	W.			
1 perfoliata. H. K.	perfoliate.		- Carolina.	1732.	8.	G. 4.	Dill.elt.t.102.f.122
2 villosa. Ph.	villous.		- N. America.	1811.	6.7.	H.4.	
3 australis. H. K.	blue-flowered.			1758.		-H.4.	Bot. mag. 509.
4 alba. H. K.	white-flowered.			1724.		- H.4.	1177.
5 tinctoria. H. K.	dyer's.			1759.	7.8.	H.4.	Bot. mag. 509.  1177.  1099.
PODALYRIA. H. K.	PODALYRIA.	Leguminosæ. J.				,	
1 myrtillifolia. W.	Myrtle-leaved.		- C. B. S.	1795.	4.7.	G.h.	Bot. mag. 1923. Vent. cels. t. 99. Bot. mag. 753. Bot. mag. 1580. Lam. ill. t. 317. f. 4.
2 sericea. H. K.	silky.			1778.	10.1	. G. ኢ.	Bot. mag. 1923.
3 cuneifolia. V.	wedge-leaved.			1804.	5.8.	G.h.	Vent. cels. t. 99.
4 biflora. W.	two-flowered.			1789.	2.6.	G. h.	Bot. mag. 753.
5 calyptrata. H. K.	one-flowered.			1792.	4.7.	G. h.	
6 styracifolia. B. M.	Storax-leaved.		-		5.7.	G. ኢ.	Bot. mag. 1580.
7 buxifolia. W.	Box-leaved.			1790.		- G. ኢ.	Lam. ill. t. 317.f. 4.
8 oleæfolia. P. L.	Olive-leaved.			- 1804.	5.	G. h.	Par. lond. 114.
9 hirsuta. H. K.	hairy.			1774.	7.8.	G.h.	
10 cordata. H. K.	heart-leaved.			1794.	5.7.	G. h.	
CHORIZEMA, H. K	. CHORIZEMA.						
1 ilicifolia. H. K.	Holly-leaved.		- N. Holland.	1803.	3.10	. G. ኢ .	Lab. voy. 1. t. 21.
2 nana. H. K.	dwarf.				-	- G. h.	Bot. mag. 1032.
3 rhombea. H. K.	few-flowered.				4.6.	G. h.	Lab. voy. 1. t. 21. Bot. mag. 1032.
PODOLOBIUM. H.K	. Podolobium.	Leguminosæ. J.	Chorizemæ sp	o. Smith	h.		
trilobatum. H. K.	common.		- N. S. W.	1791.	4.7	G. h.	Bot. mag. 1477.
OXYLOBIUM. H. K	. Oxylobium.	Leguminosæ. J.					
1 arborescens. H. K.	. tall.		- Van Diem.	1805.	4.6.	G. h.	B. 110 332 1 2 134/2
2 ellipticum. H. K.	oval-leaved.			-	5.9.	G. h.	Lab.n. holl.1.t.135.
3 cordifolium. H. K.	heart-leaved.		- N. S. W.	1807.	4.9.	G.h.	Lab.n. holl.1.t.135. Bot. rep. 492.
CALLISTACHYS. V		Leguminosæ. J.					
1 lanceolata, V.	spear-leaved.		- N. Holland.	1815.	6.8.	G. h.	Bot. reg. 216.
2 ovata. B. M.	oval-leaved.					- G. h .	Bot. reg. 216. Bot. mag. 1925.
BRACHYSEMA.H.F	BRACHYSEMA.	Leguminosæ. J.					
latifolium, H. K.	broad-leaved.		- N. Holland.	1803.	4.7.	G. h.	Bot. reg. 118. 2008
GOMPHOLOBIUM.	Commercia	Laguminaan 1					
H. K.	GOMPHOLOBIUM	. Leguminosæ. J.					
1 latifolium, H. K.	broad-leaved.		- N. S. W.	1803.	3.9.	G. h .	Par. lond. 6.
2 grandifforum. L. T	'. large-flowered.					- G.h.	, 7. 40 1 18h.
3 marginatum. H. K	. small-flowered.		- N. Holland.			- G.h.	Par. lond. 6.  Bot, mag. 1583.
4 polymorphum.H.K				1803.	3.8.	G.h.	Bot, mag. 1533.

# DECANDRIA MONOGYNIA.

5 minus. L. T.	hairy-stalked.	Leguminosæ. J.	N. S. W.	1812.	3.8.	G.h.	
6 tomentosum. H. K.	tomentose.		N. Holland.	1803.	4.7.	G.h.	Lab.n.holl.1.t.134.
7 venustum. H. K.	purple-flowered.				-	G.h.	Lab.n.holl.1.t.134.
BURTONIA. H. K.	BURTONIA.	Leguminosæ. J.					
scabra. H. K.	rough-leaved.		N. Holland.	1803.	5.7.	G.b.	
JACKSONIA. H. K.	JACKSONIA.	Leguminosæ. J.	211 220111111	2000.	••••		
1 scoparia. H. K.	Broom-like.		NSW	1803.	6.8.	G. b.	
.*			N. Halland	1005.	4.0	G.L	Lab.n.holl.1.t.136.
2 spinosa. H. K.	spinous.		N. Holland.		4.5.	u. n.	Lab.m.non. 1.t. 130.
VIMINARIA. H. K.		Leguminosæ. J.	NT TT.113		0.0	0.7	7 4
denudata. H. K.	leafless.		N. Holland.	1789.	6.9.	G. n.	Bot. mag. 1190.
SPHÆROLOBIUM. }	SPHÆROLOBIUM.	Leguminosæ, J.					
J	01111111111111111111111111111111111111	21-5					
1 vimineum. H. K.	yellow-flowered.		N. Holland.	1802.	5.8.	G.h.	Bot. mag. 969.
2 medium. H. K.	red-flowcred.			1803.	6.8.	G. h.	
AOTUS. H. K.	Aorus.	Leguminosæ. J.					
villosa. H. K.	villous.		N. Holland.	1790.	4.6.	G.h.	Bot. mag. 949.
DILLWYNIA. H. K.	DILLWYNIA.	Leguminosæ. J.	-,				8
1 floribunda. H. K.	close-flowered.		N. S. W.	1794.	4.7.	G.h.	Exot, bot, t. 26.
2 ericifolia. H. K.	Heath-leaved.				3.7.	G.h.	t. 25.
3 glaberrima. H. K.	smooth.			1000	2.7	G L	Bot mer 044
	small-leaved.			1000.	0.7.	G.T.	1507
4 parvifolia. B. M.		T				α.η.	1327.
EUTAXIA. H. K.	EUTAXIA.	Leguminosæ. J.	AY 75 11 1		0.0	0.1	77
myrtifolia. H. K.	Myrtle-leaved.		N. Holland.	1803.	3.6.	G.h.	Bot. mag. 1274.
SCLEROTHAM- \	SCLEROTHAMNUS	Leguminosm J.					
NUS. H. K.		0					
microphyllus. H. K.	small-leaved.		N. Holland.	1803.	5.6.	G.h.	
GASTROLOBIUM. ?	C						
H. K.	GASTROLOBIUM.						
bilobum. H. K.	two-lobed.		N. Holland.	1803.	3.5.	G. h .	Arias 411 22
EUCHILUS. H. K.	Euchilus.	Leguminosæ. J.	211 22011112		0.00		201
obcordatus. H. K.	heart-leaved.	Zicguininosa: ev	N Holland	1002	26	G L	Botres . to 3
PULTENÆA. H. K.	_	Leguminosæ. J.	A. Honand.	1000.	0.0.	0.17.	Der 1 5 4 - 10 5
	PULTENÆA.		NI C W	1500	C F	C L	D-4 1004
1 daphnoides. H. K.	Daphne-leaved.		N. S. W.	1792.	6.7.	G.n.	Bot. mag. 1394.
2 obcordata. H. K.	heart-leaved.		Van Diem.	1808.	5.7.	G.h.	Bot. rep. 574.
3 scabra. H. K.	rough-leaved.		N. S. W.	1803.		· G. h .	50 - 2 10 , 20
4 retusa. H. K.	blunt-leaved.			1789.	4.5.	G.h.	30 . 20 . 20
5 stricta. B. M.	upright.			1803.	4.6.	G.b.	Bot. mag. 1588.
6 linophylla. H. K.	Flax-leaved.			1789.	5.7.	G.h.	Schrad.s.han.3.t.13
7 paleacea. L. T.	chaffy.			-	4.7.	G.b.	
8 stipularis. H. K.	scaly.		N. S. W.	1792.	4.7.	G.b.	Bot. mag. 435.
9 vestita. H. K.	awned.		N. Holland.	1803.		G.h.	- 2066,41
10 villosa. H. K.	villous.		N.S.W.	1790.	4.5.	Gh	Bot mar 067
11 flexilis. H. K.		-	14. 5. 44.	. 1901	1.0.	G L	Doc. mag. 907.
	shining-leaved.			1901.	4.0.	σ.η.	
DAVIESIA. T. L.	DAVIESIA.	Leguminosæ. J.		3004	o ==	C I	1. 11.
1 acicularis. L. T.	needle-leaved.		N. S. W.	1804.	6.7.	G.h.	14-26
2 ulicina. L. T.	Furze-leaved.			1792.	4.8.	G.h.	Bot. rep. 304.
3 corymbosa. L. T.	glaucous-leaved.			1804.	5.8.	G. h.	
4 mimosoides. H. K.	green-leaved.			- 1809.	6.8.	(i.h.	Bot, rep. 526.
5 latifolia. H. K.	broad-leaved.			- 1805.	5.8.	G.h.	Bot. mag. 1757.
MIRBELIA. L. T.	MIRBELIA.	Leguminosæ. J.					
1 reticulata. L. T.	reticulated.		N. S. W.	1792.	5.8.	G.b.	Bot. mag. 1211.
2 dilatata. H. K.	lobed-leaved.		N. Holland.	1803.		· G. h.	8
CERCIS. W.	JUDAS-TREE.	Leguminosæ. J.					
1 Siliquastrum. W.	European.	20501111101010101	S. Europe.	1596.	5.6.	HL.	Bot. mag. 1138.
2 canadensis. W.	American.		N America	1720	0.0.	LI. I	Dot. mag. 1136.
	(Mountain-)		. 14. 11merica.	1100.		- 11. n.	
BAUHINIA. W.		Leguminosæ. J.					
3 J 337	EBONY.		77 T 1				
1 scandens. W.	small-la.climbing		E. Ind.				Rheed, mal. 8. t. 29.
2 racemosa. W.	great-leaved.			1790.			Vahl.symb.3.t.62.
3 aculeata. W.	prickly-stalked.	***************************************	· W. Ind.	1737.	6.8.	S. 4.	Plum. ic. t. 44. f. 1.
4 divaricata. W.	dwarf.	-		1742.	6.9.		L. Hort, clif. t. 15.
5 aurita. W.	long-eared.		Jamaica.	1756.	9.		Mill. ic. 1. t. 61.
6 porrecta. W.	smooth-leaved.		W. Ind.	1737.			Bot. mag. 1708.
7 parviflora. W.	small-flowered.			1808.			
8 variegata. W.	variegated.			- 1690.			Rheed.mal. 1. t. 32,
9 candida. W.	white-leaved.			- 1777			
10 purpurea. W.	purple.						
11 tomentosa, W.	* *					S.N.	Rheed. mal.1. t. 33.
12 acuminata. W.	tomentose.		-				1. t. 35.
is acuminiate, the	acute-leaved.	7.T			* * * *	. J. h.	1. 1. 32.
		N :	2				

22	טבע	ANDINA I	TONOGI.	TATTIA			
HYMENÆA. W.	LOCUST-TREE.	Leguminosæ. J.					
1 Courbaril. W.	leathery-leaved.		W. Ind.	1688.		S.L.	Lam. ill t. 330, f. t.
2 verrucosa. W.	warted-podded.		Madagascar.	1808.		S. L.	Lam. ill. t. 330. f. 1.  t. 330. f. 2.
CYNOMETRA. W.	CYNOMETRA.	Leguminosæ. J.	2.2444494424	1000.	• • • •	~ 1/2 *	0,000,10
cauliflora. W.	stem-flowering.		E. Ind.	1804.		S.L.	Lam. ill. t. 331.
CASSIA. W.	CASSIA.	Leguminosæ. J.	23. 2	100.70		5.12.	13000 111 0 001 1
1 diphylla. W.	two-leaved.	aregummosar or	W. Ind.	1781	5.7	\$ 1	Cav.ic. 5.t. 600.f. 1.
2 Absus. W.	four-leaved.		India.				Burm. zeyl. t. 97.
3 viminea. W.	twiggy.		W. Ind.	1786.			Sl.jam.2.t.189.f.67.
4 Tagera. W.	long-podded.			1803.			Di-jami. 2.0.10 J.1.0 / 8
5 Tora. W.	oval-leaved.		E Ind	1693.			Dill. elt. t.63.f.73.
6 bicapsularis. W.	six-leaved.		W Ind				Plum. ic. t. 76.f. 1.
7 mollissima. W. en.	soft-leaved.	Creaming the state of the state	& America	1816.			
8 emarginata. W.	notch-leaved.		Jamaica.				Sl.hist.2.t.180.f.1.4
9 obtusifolia. H. K.	blunt-leaved.		o amarca.				
10 sennoides. W.	Senna-leaved.		F Ind				Dill. elt. t. 62. f. 72.
11 corymbosa. W.	corymbose.		Puopos Armos	1000.	~	O.L	Jac. ic. 1. t. 70.
			DuenosAyres	1796.	7.	Gin.	Dot. mag. 633.
12 sericea. W.	silky-leaved.		Jamaica.				Jac. ic. 3. t. 459.
13 occidentalis. W.	occidental.			1759.		3.h.	Bot. reg. 83.
14 lævigata. W. en.	smooth.						
15 patula. W.	shining.	-	W. Ind.	1778.			
16 arborescens. W.	tree.	d	E. Ind.	1800.	6.7.	S.h.	Rheed.mal.6.t.9.10
17 Senna. H. K.	Senna.		Egypt.	1640.	7.8.	S.⊙.	
18 orientalis. P. S.	oriental.		Levant.				Tabern. ic. 507.
19 ruscifolia. W.	Ruscus-leaved.	-	Madeira.	1816.	5.7.	G.h.	Jac. ic. 1. t. 71.
20 biflora. W.	two-flowered.		W. Ind.				Bot. mag. 810.
21 chinensis. W.	Chinese.		China.	1807.		G.h.	Jac. ic. 1. t. 73.
22 multiglandulosa. W.	glandulous.		Teneriffe.				1.t.72.
23 hirsuta. H. K.	woolly.		America.	1778.	7.	8. 2.	
24 ligustrina. W.	Privet-leaved.		Bahama Isl.				Bot. reg. 109. /*
25 stipulacea. W.	large-stipuled.		Chili.				Feuill. per. 3: t. 42.
26 alata. W.	broad-leaved.		W. Ind.				Jac. obs. 2.t. 45.f.2.
27 marilandica. W.	Maryland.		N. America.				Dill.elt.t.260.f.339.
28 frondosa. W.	smooth-shrubby.		W. Ind.				Jac. ic. 1. t. 74.
29 Sophera. W.	round-podded.						Rheed.mal. 2. t. 52.
30 auriculata. W.	eared.						Pluk.alm. t.314.f.4.
31 Chamæcrista. W.	dwarf.		America				
32 mimosoides. W.	Mimosa-leaved.		Carlon				Bot. mag. 15.7.
			C P S	1806.			
33 capensis. Th.	Cape.		N. Amorica	1816.		G.n.	Dlak olm 4 21 4 f 5
34 nictitans. W.	Virginian.		N. America.	1000.	1.	G. 6.	Pluk.alm. t.314.f.5.
35 procumbens. W.	procumbent.			1806.	6.7.	H.O.	Comm. pet. t. 11.
CATHARTOCAR-	{CATHARTO-}	Leguminosæ. J.	Bactyrilobium	ı. IV. er	2.		
	CARPUS.		•				701 1 1 1 1 1 1 1
1 Fistula. P. S.	purging.						Rheed. mal. 1.t. 22.
2 javanicus. P. S.	Java.			1779.	• • • •	S.h.	Com. hort. 1.t. 111.
PARKINSONIA. W.	PARKINSONIA.	Leguminosæ. J.				•	
aculeata. W.	prickly.					S.h.	Jac. amer. t. 80.
POINCIANA. H. K.	Poinciana.	Leguminosæ. J.					3
1 pulcherrima. H. K.	Flower-fence.	-	E. Ind.	1691.	6.9.	S.h.	Bot. mag. 995.
2 elata. H. K.	smooth.			1778.		S.h.	
CÆSALPINIA. H. K.	BRASILETTO.	Leguminosæ. J.					
1 bijuga. W.	broad-leaved.		Jamaica.	1770.	,	S.h.	Sl.hist.2.t.181.f.2.3
2 brasiliensis. W.	smooth.			1739.		S.h.	
3 Sappan. W.	narrow-leaved.						Roxb. cor. 1. t. 16.
4 Crista. Sw.	oval-leaved.		Janiaica.			S.h.	Plum. gen. t. 68.
5 mimosoides. W.	Mimosa-leaved.		E. Ind.	1806.		S.h.	Rheed. mal. 6. t. 8.
6 Nuga. H. K.	acute-leaved.			1801.		S.h.	Rumph.amb.5.t.50
GUILANDINA. H.K.		Leguminosæ. J.		.,	11.7		
Bonduc. H. K.	oval-leaved.		- India.	1640.		S.L.	Lam. ill. t. 336.
HYPERANTHE-	(Horse-RA- )					_	,,
RA. W.	DISH-TREE.	Leguminosæ. J.	Moringa. P.	S:		. 1	
	smooth.		E. Ind.	1750		S.L	Jac. ic. 3. t. 461.
Moringa. W. HOFFMANSEG-	(HOFFMAN- )		All Elitte	17004		2.17.	
· · · · · · · · · · · · · · · · · · ·	SEGGIA.	Leguminosæ. J.					
GIA. Cav.			Chili	1000	70	C T	Car ic + 200
falcaria. Cav.	sickle-leaved.		· Chili.	1000.	7.0.	B. n.	Cav. ic. t. 392.
ADENANTHERA.W.		Leguminosæ. J.	E Ind	1550	E 0	C T.	Inc coll 4 4 02
1 Pavonina. W.	yellow-flowered.		E. Ind.				Jac. coll. 4. t. 23.
2 falcata. W.	woolly-leaved.	7		1812.	• • • •	S.h.	Rumph.amb.3.t.11
CADIA. W.	CADIA.	Leguminosæ. J.	4 11			ć T	Die hentman O oie
purpurea. W.	purple.		Arabia.	1755.	7.1.	S.h.	Pic.hort.pan. 9. c.ic.

PROSOPIS. Rox.	PROSOPIS.	Leguminosæ. J.		4	•
spicigera. L.	eatable-podded.		E. Ind.	1812 S. F	. Roxb. cor. 1. t. 63.
HÆMATOXY-					
LON. W.	Logwood.	Leguminosæ. J.			•
campechianum. W.	common.		S. America.	1724: S. I	. Cat. car. 2. t. 66.
-	(BALSAM OF )			.,	
COPAIFERA. W.	CAPEVI.	Leguminosæ. J.			
officinalis. W.	officinal.		C America	1774 S.T	Too om on 4 oc
			S. America.	1//4 0.1	2 . Jac. amer. t. 86.
SCHOTIA. W.	SCHOTIA.	Leguminosæ. J.	0 70 0		70.4
1 speciosa. H. K.	small-leaved.	-	C. B. S.	1759. 7.12. 5. 1	. Bot. rep. 348.
2 tamarindifolia.H.K.				1795. 5.9. S. F	Bot. mag. 1153.
3 stipulata. H. K.	large-stipuled.			1794. — S. I	2 •
GUAIACUM. W.	SLIGNUM-	Rutaceæ. J.			
GUATACOM. W.	VITÆ-TREE.				1 mr
officinale. W.	officinal.		W. Ind.	1694. 7.9. S.1	2. Lam. ill. t. 342.
ZYGOPHYLLUM.W.	BEAN-CAPER.	Rutaceæ. J.			B G
1 cordifolium. W.	heart-leaved.		C. B. S.	1774. 10. G.I	2.
2 Fabago. W.	common.		Syria.		Lam. ill. t. 345.f. 1.
3 fœtidum. W.	fætid.		C.B.S		2. Bot. mag. 372.
			O. D. S.		
4 maculatum. W.	4		Comparing	1782. 10.11.G.J	
5 album. W.	white.		Canaries.		2. Linn. dec. 1. t. 6.
6 Morgsana. W.	four-leaved.		C. B. S.		2. Dill.elt.t.116.f.141
7 sessilifolium. W.	sessile-leaved.			1713. 7.8. G.I	2 t.116.f.142.
FAGQNIA. W.	FAGONIA.	Rutaceæ. J.			4
1 cretica. W.	Cretan.		Candia	1739. 6.8. G.(	). Bot. mag. 241.
2 arabica. W.	Arabian.		Arabia.	1759 G.	·
TRIBULUS. W.	CALTROPS.	Rutaceæ. J.			
1 maximus. W.	great.		Jamaica.	1728, 6.7, S.C	). Jac. ic. 3. t. 462.
2 terrestris. W.	small.		S Europe	1506 H	Lam. ill. t. 346.f. 1.
3 cistoides. W.	Cistus-like.		& America	1750 7 63	Jac.schæn.1.t.103.
		Date and T	S. America.	1/02. 7. 5.2	4. Jac.schen.I.t.103.
DICTAMNUS, W.	FRAXINELLA.	Rutaceæ. J.	C	1700 F # TT 2	Page 1
Fraxinella. P. S.	common.		Germany.	1596. 5.7. H. 2	4. Jac. aust. 5. t. 428.
a alba.	white-flowered.				
β rubra.	red-flowered.				
RUTA. W.	RUE.	Rutaceæ. J.			
1 graveolens. W.	common.		S. Europe.	1562. 6.9. H.	. Lam. ill. 345. t. 1.
2 montana. W.	mountain.			1596. 8.9. H.2	4. Jac. ic. 1. t. 76.
3 chalepensis. P. S.	broad-ld. African.		Africa.	1722. 6.9. G.1	2 . Mor.hist.2.t.35.f.8.
4 angustifolia. P. S.	narrow-leaved.				Mor.hist. 2 t. 25 f 8
5 pinnata. W.	winged-leaved.		Canaries.	1780. 38. G.	2 • 1 •
6 pubescens. W. en.	pubescent.		Spain	1816. 5.8. H.	
	*		Spara.	1010. 0.0. II.I	2. Bot. rep. 565.
7 linifolia. W.	Flax-leaved.			1/52. 0.9. 11.1	2. Dot. rep. 565
CROWEA. L. T.	CROWEA.	• • • • • • • • • • • • • • • • • • • •			
saligna. L. T.			N. S. W.	1790. 7.12. G.	2. Bot. mag. 989.
CODON. W.	Codon:				2 1 7
Royeni. W.	prickly.	<del></del>	C. B. S.	1801. 9. G.	6. Bot. rep. 325.
GOMPHIA. W.	BUTTON-FLOWER	.Guttiferæ. J.			11.
1 nitida. W.	glossy-leaved.		Jamaica.	1803 S.1	7 •
2 lævigata. P. S.	obtuse-leaved.			S.I	
QUASSIA. W.	QUASSIA.	Magnoliæ? J.			4
1 amara. W.	bitter.		Guiana.	1790, 6.7, S.I	Bot. mag. 497.
2 Simaruba. W.	winged-leaved.		W. Ind.	1787	2. Aub.gui.2.t.331,2.
LIMONIA. W.	LIMONIA.	Aurantiæ. J.	.ve miae.	2,071 0.7	( · 21 u g u . 2 · t. 3 3 1 , 2 ·
		Autantia. 0.	E Ind	1 mmm - C 1	D
1 monophylla. W.	simple-leaved.				2. Rox. cor. 1. t. 83,
2 citrifolia. W. en.	various-leaved.			6.8. S.1	
3 trifoliata. W.	three-leaved.		-	1787. 7.8. S.I	2. Bot. rep. 143.
4 crenulata. H. K.	crenulate.		E. Ind.	1308 S.J	. Rox. cor. 1. t. 86.
5 pentaphylla. W.	five-leaved.			1790. 6.7. S. I	1. t. 84.
6 arborea. W.	tree.		-	1796. 5.8. S.1	2 1. t. 85.
MURRAYA. W.	MURRAYA.	Aurantiæ. J.			
exotica. W.	Ash-leaved.		India.	1771. 8.9. G. I	. Lam. ill. t. 352.
COOKIA. W.	WAMPEE-TREE.	Aurantiæ. J.		21	,
punctata. W.	Chinese.		China.	1795	2. Jac.scheen.1.t.101.
GÆRTNERA. W.	GÆRTNERA.	Malpighiaceæ. J.	- ARAMANO .	2.00 8.1	¿. Jacischiqui.i. t. 191.
racemosa. W.			F Ind .	1706 94 67	Dot was don
	clustered.		E. Ind.	1/90. 3.4. 5.	Pot. rep. 600.
TRICHILIA, W.	TRICHILIA.	Meliæ. J.	NIT T 1		
1 glabra. W.	smooth.		W. Ind.		2. Jac.amer.t.175.f.38
2 odorata. B. R.	sweet-scented.		-	1801. —— S. I	2. Bot. rep. 637.
EKEBERGIA. W.	EKEBERGIA.	Meliæ. J.			
capensis. W.	Cape	-	C. B. S.	1789. 7.8. G.I	. Lam. ill. t. 358.
				,	,

## DECANDRIA MONOGYNIA.

0 -	2020						
HEYNEA. Rox.	HEYNEA.	Meliæ. J.					1 . 84
trijuga. B. M.	Walnut-like.		Napaul.	1812.	9.	Sh.	Bot. mag. 1738.
MELIA. W.	BEAD-TREE.	Meliæ. J.	Furth	10121		5.77	Dot. mag. 1700.
1 Azedarach. W.	common.		Syria	1656	60	C. L	Pat 1000
			Ismaiss	1000.	0.0.	G. n.	Bot. mag. 1066.
2 sempervirens. W.	evergreen.		Jamaica.		-	5. h.	Com. hort. t. 176.
3 Azadirachta. W.	Ash-leaved.		E. Ind.	1759.		. S. h.	Cav. dis. 7. t. 208.
SWIETENIA. W.	MAHOGANY-	Meliæ. J.					
	TREE.						
1 Mahagoni. W.	common.		W. Ind.	1734.		S.h.	Cav. dis. 7. t. 209.
2 febrifuga. W.	Febrifuge.		E. Ind.	1796.		S.h.	Rox. cor. 1. t. 17.
MONOTRODA W	(YELLOW )					•	
MONOTROPA. W.	BIRD'S-NEST	• • • • • • • • • • • • • • • • • • • •					
Hypopithys. W.	common.		Britain.		6.7.	H.21.	Eng. bot.
DIONÆA. W.	DIONÆA.				0.,.		25. 551
Muscipula. W.	Venus's Flytrap.		Carolina	1760	7 0	GN	Bot. mag. 785.
GARUGA. Rox.	GARUGA.		Curonna	1,000	7.0.	0.4.	Dot. mag. 700.
			T Ind	1000		e t	D 0 / 000
pinnata. H. K.	winged-leaved.	O	E. Hu.	1808.	• • • •	3. n.	Rox. cor. 3. t. 208.
JUSSIEUA. W.	Jussieua.	Onagreæ. J.	a 1:				3.m. 2122.
1 grandiflora. W.	great-flowered.						
2 suffruticosa. W.	tall.		India.	1808.	8.9.	S.4.	Bot. rep. 621.
3 octovalvis. P. S.	spear-leaved.						
4 erecta. W.	upright.			1739.		· S. 3.	Plum.ic.t.175.f. 2.
5 scabra. W. en.	rough.			1816.		S.4.	Plum.ic, t. 175. f. 2.
GETONIA. Rox.	GETONIA.	Combretaceæ. B.P.					
floribunda. P. S.	many-flowered.			1815.		S. h.	Roxb. cor. t. 87.
QUISQUALIS. W.	QUISQUALIS.	Combretaceæ. B.P.				~,,,	2000
1 indica. W.	Indian.			1815	5.8	Sh	Rumph.amb.5. t.38 40.
2 pubescens.			12. Iliu.	1010.	0.0.	S.h.	rumpmamo.o.c.oa219.
and the same of th	pubescent.	"Chum alman			• • • •	3. n.	
DAIS. W.	DAIS.	Thymelææ.	0.70.0			~ 1	<b>5</b>
cotinifolia. W.	Cotinus-leaved.		C. B. S.	1776.	6.7.	G.h.	Bot. mag. 147.
MELASTOMA. W.	MELASTOMA.	Melastomeæ. J.					
1 aspera. W.	rough.		E. Ind.	1815.	8.11.	S.h.	Burm. zeyl. t. 72.
2 velutina. W.	velvetty-leaved.		W. Ind.	-	7.10.	S.h.	
3 trinervia. W.	three-nerved.		Jamaica.	1793.	7.	S.h.	
4 octandra. W.	octandrous.		Ceylon.			S.h.	
5 tetrandra. W.	tetrandrous.		Jamaica.			S.h.	
6 hirta. W.	hairy.						Pluk.alm.t.264.f.1.
7 Acinodendron. W.	oval-leaved.						Plum. ic. 142. f. 2.
	cyme-flowered.		S America	1700	4.0	S. L.	Sert. han. t. 8.
8 cymosa. W.			C. America.	1792.	4.0.	ο. η . ο τ	Sert. Hall. t. 6.
9 rubra. W.	red.						Aub. gui. 1. t. 161.
10 purpurea. W.	purple.						1. t. 154.
11 grossa. W.	large-leaved.		S. America.	• • • •	• • • •	S.h.	# 1
12 malabathrica. W.	bristly.		E. Ind.	1793.	6.8.	S.h.	Bot. mag. 529. 4 67
13 corymbosa. H. K.	corymb-flower'd.		Sierra Leone.	1792.	3.10.	S. h.	904.
14 ecostata. H. K.	ribless.		Jamaica.	1793.		S.h.	
15 Fothergilla.	Fothergill's.						Aub. gui. 1. t. 175.
16 albicans. P. S.	white-leaved.		Jamaica.			S.h.	
17 lævigata. W.	smooth.		S. America.			Sh	1/2 . 2
18 discolor. W.	two-coloured.		W Ind	1709		S.h.	Mary 3 = 3.
ACISANTHERA. J.			** • TITG*	1730.		5. n.	
	ACISANTHERA.	Salicariæ. J.	Tomoics	1004		C T	Provinciam + 00 ft
quadrata. P. S.	four-sided.		Jamaica.	1004.		5. n.	Brown.jam.t.22.f.1
KALMIA. W.	KALMIA.	Rhodoraceæ. P. S.				** *	n
1 latifolia. W.	broad-leaved.						Bot. mag. 175.
2 angustifolia. W.	narrow-leaved.	-		1736.		H.h.	331.
β rubra.	red-flowered.						
3 glauca. W.	glaucous.			1767.	4.5.	H.h.	<del></del>
4 rosmarinifolia. Ph.	Rosemary-leav'd			1812.			
5 hirsuta. W.	hairy.						Bot. mag. 138.
LEDUM. W.	LEDUM.	Rhodoraceæ. P. S.		-, -, -, -, -, -, -, -, -, -, -, -, -, -	3.00		
1 palustre. W.			Europe.	1760	15	HL	Fl. dan. 1031.
	marsh.						11. 4411. 1001.
B decumbens.	dwarf.		Hudson's Bay				Too in 2 + 4C4
2 latifolium. W.	broad-leaved.		N. America.	1763.		n.h.	Jac. ic. 3. t. 464. Lam. ill. t. 363. f. 2.
3 buxifolia. W.	Box-leaved.			1736.			
Ammyrsine buxifol						1	3.d. 531.
RHODORA. W.	RHODORA.	Rhodoraceæ. J.					
canadensis. W.	· Canadian.		N. America.	1767.	4.5.	H.h.	Bot. mag. 474.
							-
RHODODEN-	(RHODODEN-)	Dhadamasan T					
DRON. W.	RHODODEN- }	Rhodoraceæ. J.					
DRON. W.	{RHODODEN- }		Switzerland.	1752.	5.7.	Н.ь.	Jac. aust. 3. t. 255.
	RHODODEN- }						Jac. aust. 3. t. 255. Bot. mag. 1853.

### DECANDRIA MONOGYNIA.

	DECA	NDRIA MO	JNUGYN	IA.			95
3 dauricum. W.	Daurian.	Rhodoraceæ. J.	Siberia.	1780.	12.3.	G. h.	Bot. mag. 636.
β atrovirens.	dark-leaved.				2.4.	H.h.	Bot. reg. 194. Pall. ross. 1. t. 33.
	Kamtschatka.		Kamtschatka.	1802.		H.h.	Pall. ross. 1. t. 33.
5 chamæcistus. W.	Thyme-leaved.		Siberia.	1786.	5.6.	F.h.	Bot. mag. 488.
6 caucasicum. W.	Caucasian.		Caucasus.	1706	6.7	H.L.	Par lond 80
7 chrysanthum. W. 8 punctatum. W.	yellow. dotted-leaved.		N. America.	1786.	6.8.	H. b.	Bot. rep. 36. 20
β major.	large dotted-lea.					H.h.	Bot. reg. 37.
9 maximum. W.	large.			1736.		H.h.	Bot. mag. 951.
10 album. Ph.	white.			1811.		H.b.	
11 purpureum. Ph.	tree.					H.h.	70.1
12 catawbiense. Ph.	Catawba.	<u> </u>	0:1 14	1809.		H.h.	Bot. mag. 1671.
13 ponticum. W.	(Thompson's					-	
14 Subdecidiuum.	hybrid.			• • • •	6.8.	H.h.	Bot. rep. 379.
15 hybridum. B. reg.	Herbert's hybrid				-	H.h.	Bot. reg. 195.
EPIGÆA. W.	EPIGÆA.	Rhodoraccæ. J.	Ann. mus.				3
repens. W.	creeping.	<del></del>	N. America.	1736.	7.8.	H.h.	Bot. reg. 201.
VACCINIUM. P. S.	{WHORTLE- }	Ericeæ. J.					-
	BERRY.		TD 14 1-		4.0	** *	T 1-4 450
1 Myrtillus. W.	Bleaberry.		Britain.	1550	4.6.	H.h.	Eng. bot. 456.
2 paliidum. W. 3 stamineum. Ph.	pale. long-stamened.		N. America.	1772.	3.0.	H L	Pluk.alm. t.339.f.3.
4 album. Ph.	white-flowered.					H.b.	Bot. rep. 263.
5 uliginosum. W.	great Bilberry.		Britain.		4.5,	H.h.	Eng. bot. 581.
6 diffusum. W.	shining-leaved.		Carolina.	1765.	5.7.	H.b.	
7 angustifolium. W.	narrow-leaved.		N. America.	1776.	4.5.	H.b.	
8 dumosum. W.	bushy.			1774.	5.6.	H.h.	Bot. mag. 1106.
9 fuscatum. W.	clustered-flowd.			1770.	5.6.	H.h.	Bot. rep. 97.
10 frondosum. W.	blunt-leaved.			1761.		H.h.	140.
11 venustum. W. 12 ramulosum. W. en.	red-twigged. branching.			1770.		H.h.	
13 ligustrinum. W.	Privet-leaved.					H.b.	
14 resinosum. W.	clammy.			1770	56	LI L	Wang.am.t.30.f.69.
β rubescens.	red-flowered.					H. h.	Bot. mag. 1288.
15 parviflorum. P. S.	small-flowered.			1804.		·Н. h.	Bot. rep. 125.
16 hirtellum. H. K.	large-bracted.						
17 corymbosum. Ph.	corymbose.			1806.	5.	H.h.	Bot. rep. 138
18 amœnum. W. 19 virgatum. W.	broad-leaved. twiggy.			1765,	4.5	H.h.	Bot. rep. 138.
20 galezans. Ph.	Gale-leaved.			1806.	5.6.	H.h.	101.
21 tenellum. W.	Pensylvanian.			1772.		· H.b.	
22 Arctostaphylos. W.			Madeira.	1777.	6.8.	H.h.	Bot. mag. 974.
23 meridionale. W.	Jamaica.		Jamaica.	1778.	3.6.	G.h.	•
24 humile. W. en.	dwarf.		N. America.		0./.	ri.n.	
25 myrtifolium. Ph.	Myrtle-leaved.		Carolina.	1812.	0.5	F.h.	D.4
26 crassifolium. Ph. 27 Vitis Idæa. W.	thick-leaved. Cow-berry.		Pritain	1787.	0.7.	H.h.	Bot. mag. 1152.
28 nitidum. Ph.	glossy.		Carolina.	1794	5.6.	G b	Bot reg 480
β decumbens.	decumbent.					- G. b.	Bot. mag. 1550.
29 myrsinites. Ph.	Myrsine-leaved.					- G. h .	
30 buxifolium. Ph.	Box-leaved.		N. America.	1794.		H.h.	Bot. mag. 1550. Bot. mag. 928.
ANDROMEDA. W.	ANDROMEDA.	Ericeæ. J.					
1 hypnoides. W.	Moss-like.		Lapland.	1798.	6.7.	H.h.	Fl. dan. 10.
2 mariana. W.	Maryland.		N. America.				Pluk.man.t. 448.f.6
α ovalis. β oblonga.	oval-leaved. oblong-leaved.				-	- H. n.	Bot. mag. 1579.
3 ferruginea. Ph.	rusty-leaved.			1784.		н.ь.	Vent. malm. 80.
4 rigida. Ph.	rigid.			1774	4.5.	H.b.	v Circ. Manual Qua
5 jamaicensis. W.	Jamaica.		Jamaica.			S.h.	
6 speciosa. Ph.	large-flowered.			1800	6.9.	H.h.	
a nitida.	smooth-leaved.	<del></del>					Bot. mag. 970.
β pulverulenta.	mealy-leaved.			<del></del>			667.
7 polifolia. W.	marsh.		N. Amouios			H.h.	
α latifolia. β media.	broad-leaved.  Wild Rosemary.		N. America.			· H. h.	Fra hot 710
y angustifolia.	narrow-leaved.			• • • •	-		Eng. bot. 713. Pall.ross.2.t.70.f.B.
8 subulata.	awl-leaved.		······			- H. b .	Latticosometry Gilips
8 japonica. W.	Japan.		Japan.	1806.		G.h.	Th. jap. t. 22.
9 paniculata. Ph.	panicled.	-	N. America.	1748	5.6.	H.h.	Pluk.alm.t.236.f.3.

# DECANDRIA MONOGYNIA.

	45 4.3 0					
10 frondosa. Ph.	bristly-flowered.	Ericeæ. J.	N. America.	1806. 5.6	. н. ь.	
11 arborea. W.	Sorrel-tree.	Ericeæ. J.	-	1752. 7.9	. H.h.	Bot. mag. 905.
12 racemosa. W.	branching.	-		1736. 7.	H.h.	
13 Catesbæi. W.	Catesby's.			1793. 6.7	H.h.	Cat. car. 2. t. 43.
14 axillaris. W.	axil-flowering.			1765. 5.8	. H.h.	0000
β longifolia.	long-leaved.				77 T	2333
15 coriacea. W.	thick-leaved.			6.8	· H·h·	Bot. mag. 1095.
16 acuminata. W.	acute-leaved.			8.	H. h.	Bot. mag. 1566.
17 floribunda. Ph.	many-flowered.			1812. 5.0	LI L	Dot. mag. 1566.
18 hirta. W. en.	hairy.					Pall.ross.2. t.72.f.1.
19 calyculata. Ph. a ventricosa.	Box-leaved. globe-flowered.		Ruccio	1/40. 2.4	- H. h	Bot. mag. 1986.
β latifolia.	broad-leaved.		Newfoundld		- H. h.	Doc. 1145. 1200.
20 angustifolia. Ph.	narrow-leaved.		N America		- H. h.	
ENKIANTHUS. B.M.		Ericeæ. J.	211 22111011010		22112	
quinqueflora. B. M.			China.	1812. 10.9	2. G.h.	Bot. mag. 1649.
GAULTHERIA. W.	GAULTHERIA.	Ericese J.		~		, 43
1 procumbens. W.	trailing.		N. America.	1762. 7.9	. H.h.	Bot. rep. 116. /965
2 serpyllifolia. Ph.	Thyme-leaved.			1776. 5.7	H.h.	Mich. am. 1. t. 23.
Vaccinium hispidu		us thymifolia Ait.				
ARBUTUS. W.	STRAWBER- ?	Ericeæ. J.				
MIDULUS, W.	RY-THEE.	Elicea. o.				
1 Unedo. W.	common.		Ireland.			Eng. bot. 2377.
β rubra.	red-flowered.			1.4	1200	23/9
y ptena.	double-flowered.					The state of the s
2 canariensis. B. M.	long-leaved.			1796. 5.6	. G.h.	Bot. mag. 1577.
3 Andrachne. W.	oriental.					Bot. reg. 113. 2094
4 alpina. W.	black-berried.					Eng. bot. 2030.
5 Uva-ursi. W.	Bear-berry.					714.
6 phillyreæfolia. P. S.			Peru.	1812	. u.n.	
CLETHRA. W.		Ericeæ. J.	M America	1791 8 10	HL	Lam. ill. t. 369.
2 tomentosa. Ph.	Alder-leaved.			1701.0.10		234121111111111111111111111111111111111
3 scabra. Ph.	woolly-leaved.		Georgia	1806. —	- H. h.	
4 paniculata. W.	panicled.		N. America.	1770	- H. b.	
5 acuminata. Ph.	acute-leaved.		Carolina.	1806	- H. h.	
6 arborea. W.	tree.					Bot. mag. 1057.
β minor.	dwarf.				·	-
MYLOCARYUM.		T . T				
W. en.	TREE.	Ericeæ. J.				
ligustrinum. Ph.	Privet-like.		Georgia.	5.6	H.h.	Bot. mag. 1625.
PYROLA. W.	WINTER-GREEN.	Ericeæ. J.				
1 rotundifolia. W.	round-leaved.		Britain.			Eng. bot. 213.
2 media. E. B.	intermediate.	<del></del>	England.			945.
3 minor. W.	lesser.				- н. 4.	158.
4 secunda. W.	serrated.				- H. 4.	517.
5 rosea. E. B.			England.			2543.
6 uniflora. W.		Enima I Paral		6.7	11.4.	146.
CHIMAPHILA. Ph.	CHIMAPHILA.	Ericeæ. J. Pyrold	N America	1750 B	FI 3/	Bot. mag. 897.
1 maculata. Ph.			N. America.	1702. 0.	- H. 74.	778.
2 corymbosa. Ph.  Pyrola umbellata.	corymb-flowered B. M.					,,,,,
	(OLIVE-BARK)					
BUCIDA. W.	TREE.	Santalaceæ. B. P.				
Buceras. W.	Jamaica.		Jamaica.	1793, 8.9	S.b.	Lam. ill. t. 356. 407
SAMYDA, W.	SAMYDA.		o umurous	-,040		w/ /
1 nitida. W.	glossy.		W. Ind.	1793	. S.h.	Br. jam. t. 23. f. 3.
2 pubescens. W.	pubescent.			5.8	. S.h.	
3 serrulata. W.	Elm-leaved.			1723. 7.	S.h.	Jac. col. 2. t.17. f.1.
4 rosea. H. K.	rose-coloured.			1793. 6.7		Bot. mag. 550.
	SOTAHEITE- }	Canatam? T				
INOCARPUS. W.	CHESTNUT.	Sapoteæ? J.				
edulis. W.	eatable.		SouthSea Isl.	1793	. S.h.	Lam. ill. t. 362.
STYRAX. W.	STORAX.	Ebenaceæ. B. P.				
1 officinale. W.	officinal.					Bot. rep. 631.
2 grandifolium. W.	great-leaved.		N. America.			
3 pulverulentum. Ph.			4	1794. 6.7	H.h.	Con dia C + 100 ft
4 lævigatum. W.	smooth.			1765. 7.8	H.h.	Cav.dis.6.t.188.f.1.

DIGVNIA.

		DIGYNIA			
ROYENA. W.	ROYENA.	Ebenaceæ. B. P.			
1 lucida. W.	shining-leaved.	<del></del>	C. B. S.	1690. 5.6. G.h.	Lam.ill. t. 370. f.1.
2 villosa. W.	heart-leaved.	<del></del>		1774. 6.7. G.h.	
3 pallens. W.	pale.			1789. — G. h.	
4 glabra. W.	Myrtle-leaved.			1731. 9. G.h.	Com. hort. 1. t. 65.
5 pubescens. W. en.	pubescent.			1752. 7.8. G.h.	Jac. coll. s. t.13. f.1.
6 hirsuta. W. en.	hairy-leaved.			G.h.	Lam.ill. t. 370. f. 2.
7 angustifolia. W.	Willow-leaved.			1789. 6.7. G.h.	Lam.ill. t. 370. f. 2.
8 ambigua. V.	obovate-leaved.	<del></del>		1815. — G.h.	Vent. malm. t. 17.
9 polyandra. W.	oval-leaved.			1774 G. h.	
TRIANTHEMA. W.	TRIANTHEMA.	Portulaceæ. J.			
1 monogyna. W.	Purslane-leaved.		Jamaica.	1710. 7.8. S.O.	Plant. grass. 109.
2 decandra. W.	trailing.		India.		Burm. ind. t.31.f.3.
SCLERANTHUS. W.		Portulaceæ. J.			
1 annuus. W.	annual.		Britain.	7.8. H.O.	Eng. bot. 351.
2 perennis. W.	perennial.			8.9. Н. 4.	
CUNONIA. W.	CUNONIA.	Cunoniaceæ. Br.			
capensis. W.	Cape.		C.B.S.	1816 G.h.	Burm. afr. t. 96. 02
HYDRANGEA. W.	HYDRANGEA.	Saxifrageæ? J.		·	
1 arborescens. W.	shrubby.		Virginia.	1736. 7.8. H.h.	Bot. mag. 437.
2 cordata. Ph.	heart-leaved.		Carolina.	1806. — H. h.	5
3 radiata. W.	white-leaved.			1786 H.h.	Lam. ill. t. 370, f. 2
nivea. Ph.					
4 quercifolia. W.	Oak-leaved.		Florida.	1803. 6.9. F.h.	Bot. mag. 975.
5 hortensis. W.	changeable.		China.	1788. 4.9. F.h.	
_				-, -, -, -, -, -, -, -, -, -, -, -, -, -	1000
NIUM. W.	SAXIFRAGE.	Saxifrageæ. J.			
1 alternifolium. W.	alternate-leaved		Britain.	4.5. Н. 4.	Eng. hot 54.
2 oppositifolium. W.				— Н.4.	
SAXIFRAGA. W.	SAXIFRAGE.	Saxifrageæ. J.		11.4.	450.
1 crassifolia. W.	thick-leaved.		Siberia	1765. 3.5. H.4.	Rot mag 196
2 cordifolia. M. n.	heart-leaved.		Olderiu.	1779. — H. 4.	1000 mag. 150.
3 Cotyledon. W.	pyramidal.		Alne of Tun	1500 57 LI 3/	El dan 941
4 ligulata. M. n.	strap-leaved.	, '	rips of Eur.	— Н. 4.	F1. dan. 241.
5 recta. P. S.	straight-leaved.			H 2	Pluk phyt t 001 f 1
6 Aizoon. P. S.	large-margined.			1791 — H 1	Pluk.phyt.t.221.f.1 Jac. aust. 5. t. 438. Hort. ber. 2. t. 75.
7 intacta. W. en.	small-margined.		Turol	— H 1	Hort han a t 75
8 mutata. W.	Saffron coloured		Switzerland	1779. 6.7. F. 4.	Rot mag 251
			N America	1773. U.7. 1.4.	Dil.elt.t.253. f.328.
9 pensylvanica. W.	Pensylvanian.		N. America.	1/32. 3.0. 11.4.	Dil.eit.t.253. 1.328.
10 semipubescens.H.S.	Hambrand led		Linnagan	— H.4. 1789. — H.4.	Dl b 1 4 10
11 hieracifolia. W.			N America	1812. — H. 4.	Pl.rar.hung.1.t.18.
12 erosa. Ph.	jagged-leaved.		N. America.		
13 punctata. W.		*	Siberia.		Mor. his. 3. t.9.f.17.
14 serrata. H. S.	sawed-leaved.		freiand.	5. H.4.	
15 polita. H. S.	polished.		Scotiana.	— Н. 4.	
16 umbrosa. W.	Loudon Pride.		Britain.	4.6. H.4.	
17 hirsuta. W.	hirsute.		reland.	5.6. H. 4.	2322.
18 sphæroidea. H. S.	sphæroid.		********	1800. — H.4.	
19 crenata. H. S.	crenated.		0.41	1796. — H. 4. H. 4.	
20 dentata. H. S.	toothed.		Scotland.	H.4.	English area
21 Geum. W.	kidney-leaved.		Ireland.	6.7. Н. 4.	Eng. bot. 1561.
22 cuneifolia. W.	wedge-leaved.		Switzerland.	1768. 5.6. H. 4.	Pl.rar.hung.1.t.44.
23 leucanthemifolia.Ph			N. America.		
24 sarmentosa. W.	Chinese.		China.	1771. 6.7. F.4.	Bot. mag. 92.
25 virginiensis. Ph.	Virginian.			1790. 5.7. F.4.	1664.
26 congesta.	close-flowered.			1812. — F. 4.	
nivalis. Ph. excl. sy	m,	<del></del>			
27 nivalis. W.			Britain.	6.7. F.4.	
28 stellaris. W.	starry.	-		$\cdots$ F.4.	167.
29 bryoides. W.			Switzerland.		Jac. mis. 2. t.5. f.1.
30 cæsia. W.	gray.	***************************************			Jac. aust. 4. t. 374.
31 androsacea. W.	Androsace-leava.		Austria.		4. t. 389.
32 oppositifolia. W.		-	Britain.	3.4. F.4.	Eng. bot. 9.
33 aspera. W.	rough.		· Switzerland.		Jac. aust. 5. t. 31.
34 Hirculus, W.	yellow marsh.		0	F.4	
35 Aizoides. M. n.	[ smaller ]		Britain .	7.8. F.4	
	1 mountain.		Diluiii &		
36 autumnalis. M. n.	larger mountain.				Eng. bot. 39.
37 rotundifolia. W.	round-leaved.		- Austria.	1596. 5.6. H.4	Bot. mag. 424.
		0			

00	Į,	OMINDICIAL	,DIGITA	111.			
38 granulata. W. \$ plena.	grain-rooted. double-flowered.	Saxifrageæ. J.	Britain.	••••	5.	н.4.	Eng. bot. 500,
39 cernua. W.	drooping.	Y	Scotland.		7.	F.4.	661.
40 rivularis. W.	Alpine brook.	<del></del>					
41 hederacea. W.	Ivy-leaved.		Levant.			F.⊙.	
42 pentadactyla. W.en. 43 geranioides. W.	five-fingered.		Pyrenees.	1770	4.5	H 1	Lapey. Fl. t. 40.
44 pedatifida. L. T.	pedatifid.		Scotland.				Eng. bot. 2278.
45 ceratophylla. H. K.	*		Spain.				Bot. mag. 1651.
46 lanceolata. H. S.	spear-leaved.		Scotland.			- H. 4.	
47 quinquedens. H. S.		-				H.4.	
48 ajugifolia. W.	Bugle-leaved.		Pyrenees.				Lapey. Fl. t. 31.
49 platypetala. L. T.	broad-petalled. Siberian.						Eng. bot. 2276.
50 sibirica. W. 51 tridactylites. W.	Rue-leaved.		Britain			H.4.	Eng. bot. 501.
52 petræa. W.	rock.		Norway.				Fl. dan. 68.
53 adscendens. W.	ascending.		Pyrenees.				Jac. ic. 1. t. 81.
54 Sternbergii. W. en.			Germany.			- Н. 4.	
55 hirta. E. B.	hairy.		Scotland.				Eng. bot. 2291.
56 Haworthii.	Haworth's hairy.		Britain.	• • • •	5.6.	H.4.	
hirta. M. n. 57 hybrida. M. n.	hybrid.	- I- 3-12				- Н. 4.	
53 palmata. E. B.	palmate.						Eng. ot. 455.
59 viscosa. M. n.	clammy.		Siberia.			H. 24.	
60 trifida. M. n.	trifid.		Britain			н.4.	
61 tridens. H. S.	three-toothed.		Scotland.			н.4.	
62 septifida. H. S.	septifid.		Wales.			H.4.	Ti 1 4 0000
63 elongella. L. T.	long-stalked. fleshy-leaved.		Scotland.	• • • •	4.5.	н. 4.	Eng. bot. 2277.
64 carnosa.  spatulata. M. n. not			-			- 11.4.	
65 lævis. M. n.	smooth.		Britain.			н.4.	
66 hypnoides. W.	mossy.				4.6.	H.4.	Eng. bot. 454.
67 angustifolia. M. n.	narrow-leaved.		Wales.		5.6.	H.4.	
68 densa. M. n.	close.	***************************************	Britain.	• • • •		н.4.	
69 canescens. H. S.	canescent.		Demonaco	• • • •		H.4.	Tanon El 4 47 90
70 moschata. W.	musky. sweet-scented.		Scotland.			H.4.	Lapey. Fl. t. 37, 38
elongella. M. n.	Sweet-seemeed.		ocotiana.	••••		14.4.	
72 pygmæa. M. n.	pigmy.	-				H.4.	Eng. bot. 2214,
moschata, E. B.							4.
73 cæspitosa. W.	tufted.		Wales.			H.4.	794.
74 grænlandica. H. K.		0.2c. Y	Pyrenees.	1732.	7.	H.4.	Lapey. Fl. t. 19.
75 muscoides. W. TIARELLA. W.	Moss-like. Tiarella.	Saxifrageæ. J.	-		5.6.	н. 4.	1. 34.
1 cordifolia. Ph.	heart-leaved.	Saxiiiagea. v.	N. America.	1731.	4.5.	H. 21.	Bot. mag. 1589.
2 Menziesii. Ph.	leafy-stemmed.			1812.		н.4.	
3 biternata. Ph.	biternate.		Carolina.		5.6.	F. 4.	
MITELLA. W.	MITELLA.	Saxifrageæ. J.					
1 diphylla. W. 2 cordifolia. Ph.	two-leaved.		N. America.	1731.	4.5.	H.4.	Bot. reg. 166. Lam. ill. t. 373. f. 8.
3 nuda. W.	kidney-leaved.			1758	6.8.	H.21.	t. 373. f. 2.
GYPSOPHILA. W.	GYPSOPHILA.	Caryophylleæ. J.		. 1700.	0.0.	****	0.010.1.2
1 repens. W.	creeping.		Siberia.	1774.	7.9.	H.4.	Bot. mag. 1448.
2 prostrata. W.	trailing.			1759.		H.4.	1281.
3 paniculata. W.	panicled.	<del></del>	-		6.7.	H.4.	Jac. aust. 5. t. ap. I.
4 viscosa. W.	clanimy.						Mur. com. g. t. 3.
5 serotina. W. en. 6 altissima. W.	late-flowering. upright.					H. 11.	Gmel. sib. 4. t. 60.
7 arenaria. W.	sand.						Pl. rar. hung. t. 41.
8 Struthium. W.	fleshy-leaved.						Bar. ic. t. 119.
9 dubia. W. en.	doubtful.			1815.	5.9.	H.4.	
10 fastigiata. W.	one-rowed.						Gmel.sib.4.t.61.f.1.
11 perfoliata. W.	perfoliate.						Dill. elt. t. 276.
ß tomentosa. 12 muralis. W.	wall.		Germany.				Bar. ic. t. 1002. Lam. ill. t. 375. f.1.
13 rigida. W.	rigid.	Company that were the company of the	France.			H.4.	administrative Of Or 2120,
14 saxifraga. W.	small.		Germany.				Ex. bot. 2. t. 90.
SAPONARIA. W.	SOAPWORT.	Caryophylleæ. J.		-			
1 officinalis. W.	common.		England.		7.10.	H.4.	Eng. bot. 1060.
B ptena.	double-flowering.		1 0				

# DECANDRIA TRIGYNIA.

	ינונו	CHINDICIA	THIGHT	TAX.	00
8 vaecaria. W.	perfoliate.	Caryophylleæ. J.	Germany.	1596. 7.8. H	B. m. 2220
8 porrigens. W.	hairy.		Levant.	1680. — H.O.	Jac. vind. 2. t. 109.
4 ocymoides, W.	Basil-leaved.		France.	1768. 5.7. H.4.	Bot. mag. 154,
5 orientalis. W.	emall annual.		Levant.	1732. 6.8. H.4. 1804. — H.4.	Dill.elt.t.167.f.204
6 lutes. W.	yellow.	6. 1.11 7	Switzerland.	1804. —— H.4.	Smith. spic. t. 5.
DIANTHUS. W. 1 barbatus. W.	PINK.	Caryophylleæ. J.	C	SEED CH II N	10 at man 00#
2 carthusianorum. W.	Sweet-William,		Germany.	1573. 6.7. H.4.	
3 collinus. H. K.	hill.		Hungary	7.8. H.4.	
4 atrorubens. W.	dark-red.		Italy.	1802. — H. 4.	
5 latifolins. W. en.	broad-leaved.			II 1/	
6 asper. W. en.	rough-stalked.	<del></del>	Switzerland.	— — Н. 4.	
7 ferrugineus. W.	rusty.		Italy.	1756. — H. J.	Mill.ic. 1. t. 81. f. 1.
8 Armeria. W.	Deptford.		England.	— H.⊙.	Eng. bot. 317.
9 japonicus. W.	Japanese.		China.	1804. 6.10. F.4.	
10 prolifer. W.	proliferous.		England.	7.8. H.⊙.	Eng. bot. 956.
11 suffruticosus. W.en. 12 sylvaticus. W. en.	wood.		Siberia.	1804. 6.7. H.h.	5.
13 diminutus. W.	small-flowered.		S Europe	1815. 6.9. H. 4. 1771. 7. H.⊙.	
14 Caryophyllus. W.	Clove.		England.	6.8. Н. 4.	Eng. hot. 214.
B flore pleno.	Carnation.			— н. 4.	Bot. mag. 39.
y fruticosus.	tree Carnation,	-	_	— H.b.	
imbricatus.	wheat-ear.			H.21.	Bot. mag. 1622.
15 carolinianus. Ph.	Carolina.		N. America.	1811. 6.9. F.4.	
16 fruticosus, W.	fleshy-leaved.		Greece.	1815. — G. h.	
17 pomeridianus. W.	afternoon.		Levant.	1804. 6.7. H.4.	
18 leptopetalus. W. en. 19 campestris. M. B.			Caucasus.	1814. 7. H.4.	
20 procumbens. P. S.	field. procumbent,		Lauria,	1815. 7.8. H, 4.	
21 virgineus. W.	virgin.		& Furone	6.7. H.4. 1732. — H.4.	
22 deltoides. W.	maiden.		Britain.	6.10. H. 4.	
23 glaucus. P. S.	glaucous-leaved.				Dill.elt.t.298.f.348.
24 albens, W.	Cape.		C. B. S.	1787. 8. G.4.	
25 crenatus.	long-cupped.			1817. 8. G.4.	Bot. reg. 256.
26 chinensis. W.	China.		China.	1713. 7.9. H.J.	
27 guttatus. W. en.	rough-leaved.	5	Caucasus.	1816. — H.4.	
28 rigidus. M. B,	rigid.		Caspian Sea.	1802. 6.10. H, h,	
29 monspeliacus. W. 30 caucasicus. H. K.	Montpelier.		Montpelier.	1764. 7.8. H.4.	T.4
31 discolor. H. K,	Caucasian. two-coloured.			1803. 6.9. H. 4.	Bot. mag. 795.
32 petræus. H. K.	rock.		Hungary.		
33 hortensis. W. en.	garden.			1805. — H. 4.	120%
34 fragrans. P. L.	fragrant.		Austria.		Par. lond. 112. 2063
35 plumarius. W.	feathered.		Europe.	1629. 6.8. H.4.	1
36 serotinus. W. en.	late-flowering.		Hungary.		Pl.rar.hung.2.t.172
37 fimbriatus. W. en,	fringed.		Iberia.	1815. 6.8. H.h.	
38 superbus. W.	superb.		Europe.	1596. 7.9. H.4.	Bot. mag. 297.
39 pungens. W. 40 orientalis. H. K.	pungent.		Spain.	1781. 8.10. H. 4.	Ti-t 1000
41 cæsius. W.	Georgian.		Britain	1802. 6.7. H.h.	
42 alpinus. W,	Alpine.			1759. — H. 4.	Bot. mag. 1905
				111241	2001 2105. 1200.
		TRIGYNIA.			
CUCUBALUS. H. K.		Caryophylleæ. J.			
baccifer. H. K.	berry-bearing.		England,	6,7. Н, 4.	Eng. bot. 1577.
SILENE. H. K.	CATCHELY.			t Cucubali sp. W.	** 1
1 inflata. H. K. 2 fabaria. H. K.	bladder. thick-leaved.		Britain.	5.9. H.4.	
3 pilosa. W. en.	pilose.		Hungama		Boc. mus. 133. t.92.
4 viscosa. H. K.	clammy.			1816. — H. J.	Tourn. it. 2. p. 361.
5 stellata. H. K.	four-leaved,				
6 ægyptiaca. H. K.	Egyptian.			1800. 7.8. H.O.	2001 12071
7 italica. H. K.	Italian.			1759. 5.6. H.J.	Jac. obs. 4. t. 79.
8 multiflora. H. K.	many-flowered.		Hungary.		Pl.rar.hung.1.t.56.
9 tatarica. H. K.	Hyssop-leaved.		Russia.	1769. — H. 4.	
10 sibirica. H. K.	Siberian.		Siberia.	1773. — H.4.	{ Hall. goett. 1. p. 150. ic.
12 eatholica. H. K.	panicled.	•	Italy.	1711. 7.9. H.4.	Jac. vind. 1. t. 59.
13 mollissima. H. K.	velvet.		Englas 1	1739. — H. 4.	F 1
15 Unico, M. A.	Spanish.		England.	7.8. Н.4.	Eng. bot. 85.
		0	*		

200						
15 parviflora. H. K.	small-flowered,	Caryophylleæ. J.	Hungary.	1796. 7	7.8. H.4.	· ·
16 reflexa. H. K.	reflexed.		S. Europe.			Magn.mons.171.ic.
17 anglica. W.	English.		Britain.			Eng. bot. 1178.
18 lusitanica. W.	Portugal.		Portugal.	1732	— H.⊙.	Dill.elt.t.311.f.401
19 geministora. W. en.		-			— H.⊙.	
20 quinquevulnera. W.			England.			Eng. bot. 86.
21 nyctantha. W. en,	various-leaved.		0.77	1815	— н.⊙.	D'II
22 nocturna. W.	spiked,		S. Europe.	1083	— H.O.	Dill.elt.t.310.f.400
23 ciliata. W.	ciliated, French.		Crete.		H.⊙,	Dill alt 4 210 6 200
24 gallica. W. 25 cerastoides. W.	Cerastium-leav <sup>d</sup> .		France.			Dill.elt.t.310.f.399
26 linifolia. W. en.	Flax-leaved.		S. Europe.		H.⊙.	
27 jeniseensis. W. en.		P	Siheria		6.7. H.4.	•
28 mutabilis. W.	changeable.		S Europe		H.⊙.	
29 chlorantha. W.	pale-flowered.					Dill.elt.t.316.f.408
30 supina. M. B.	trailing.		Caucasus.			. Fr. 4 1 1 1 1 10 1
31 maritima. W.	sea.	-	Britain.			Eng. bot. 957.
32 nutans. W.	Nottingham.					465.
33 amœna. W.	Tartarian.		Tartary.		7. H.4.	
34 paradoxa. W.	Dover.	<del></del>	England.		H.4.	Jac. vind. 3. t. 84.
35 tenuis. W. en.	slender.		Baical.	1816	Н.4.	
36 fruticosa. W.	shrubby.			1629.	6.7. F.h.	Com. hort. t. 33.
37 bupleuroides. W.	spear-leaved.		Persia			Tourn. it. t. 154.
38 longiflora. W.	long-flowered.	<del></del>	Hungary.			Pl. rar. hung. 1. t. 8.
39 saxatilis. H. K.	stone.		Siberia,			Bot. mag. 689.
40 livida. W. en.	livid.	***************************************	Carniola.		—— H, 4.	
41 infracta. W, en.	smooth.		Hungary.			Pl.rar.hung.3.t.213
42 gigantea. W.	gigantic.		Africa.			Walt. hort 32. t. 11.
43 crassifolia. W. 44 viridiflora. W.	thick-leaved.		C. B. S.		7,8, G.J.	
45 reticulata. P. S.	green-flowered, netted,		Spain.			Herm. par. 199.
46 conoidea. W.	conoid.		S Furance			Desf. atl. 1. t. 99.
47 conica. W.	corn.		England			Mor. s. 5. t. 36. f. 6. Eng. bot. 922.
48 bellidifolia. W.	Daisy-leaved.	-	England.			Jac. vind. 3. t. 81.
49 dichotoma. W.	dichotomous.		Hungary.			Pl. rar. hung. t. 29.
50 disticha. W. en.	two-ranked.				—— H.O.	
51 vespertina. W.	evening.		Barbary.			Bot. mag. 677.
52 Behen. W.	bladder.		Crete.			Dill.elt.t.397.f.409
53 stricta. W.	upright.		Spain.		H.O,	
54 pendula. W.	pendulous.		Sicily.	1731.	5.7. H.O.	Bot. mag. 114.
55 noctiflora, W.	night-flowering.		England,		7. H.O.	Eng. bot. 291.
56 ornata. W.	dark-coloured.		C. B. S.	1775.	5.9. G. ð.	Bot. mag. 382.
57 undulata. W.	wave-leaved.		-		8. G. J.	
58 pensylvanica. Ph.	Pensylvanian.		N. America.	1806.	6.7. H.4.	Bot. reg. 247.
59 virginica. Ph.	Virginian.			1783.	5.8. H. 2.	Pluk.alm. t.203.f.1.
60 regia. B. M.	splendid.			1811	Н. 4.	Bot. mag. 1724. Dil.elt.t.313.f.403.
61 antirrhina. W.	Snap-dragon.		-	1732.	6.7. H.⊙.	Dil.elt.t.313.f.403.
62 rubella. W.	small red.		Portugal.		5.6. H.⊙.	t.314.f.406.
63 sedoides. W.	Sedum-like.	***************************************	Crete.	1804.	7. H,	Jac. col. s. t.14. f.1.
64 apetala. W.	petalless.		C P C	1801.	0.7. H.O.	In and a to fo
65 clandestina. W.	nnugen-nowered.		Modeins	1720	— н.⊙.	Jac. col. s. t. 3. f. 3. Dil.elt.t.315.f.407.
66 inaperta. W. 67 portensis. W.	Oporto.				7.8. H.⊙.	
68 fimbriata. H. K.	fringed flowered		Cancague	1803.	5.8. H. 7.	Bot. mag. 908.
	miged-nowered		Caucasus.	1000.	0.0. 11.4.	(Dil. elt. t. 314. f.
69 cretica. W.	Cretan.		Candia.	1732.	H.⊙.	Dil. elt. t. 314. f. 404, 5.
70 Muscipula. W,	Spanish.				7.8. H.⊙.	
71 polyphylla. W.	many-leaved.		Germany.			Clus. hist. 1. t. 290.
72 Armeria. W.	Lobel's.		England.			Eng. bot. 1398.
73 orchidea. W.	Orchis-flowered.		Levant.			Jac. vind. 3. t. 32.
74 ægyptiaca. W.	Egyptian.		Egypt.		7.8. G. 3.	
75 chloræfolia. W.	Armenian.		Armenia.	1796.	8.9. H. 4	Bot. mag. 807.
76 flavescens. W. en.	yellowish.		Hungary.			Pl.rar.hung.2.t.175
77 pusilla. W. en.	dwarf.					3.t.212
78 alpestris, W.	Austrian.		· Austria.	1774.	5.7. H.4.	Jac. aus. 1. t. 96.
79 rupestris. W.	rock.		Switzerland.			
80 Saxifraga, W.	Saxifrage.					Pl.rar.hung.2.t.163
81 sericea. W.	silky.		S. Europe.	1801.	—— H.①.	All. ped. t. 79. f. 3.
82 vallesia. W.	woolly-leaved.					Boc. mus. t. 54.
83 acaulis. W.	stemless.		britain.		F1.4.	Eng. bot. 1081.

# DECANDRIA TRIGYNIA.

CULTY ADIA 117	Continues and and	0 1 11 1					
STELLARIA. W. 1 nemorum. W.	STITCH-WORT.	Caryophylleæ. J.	Dultain		16	LY N	Eng. bot. 92.
2 latifolia. P. S.	broad-leaved.		Garmany	1916		H.4.	1.11g. 60t. 32.
3 dichotoma. W.	forked.		Siberia.				Sm. ined. t. 14.
4 Holostea. W.	greater.		Britain.				Eng. bot. 511.
5 graminea. W.	lesser.						803.
6 glauca. H. K.	glaucous marsh.						825.
7 media. E. B.	Chickweed.						537.
Alsine media. W.							
8 uliginosa. H. K.	bog.			• • • •			<del></del>
9 cerastoides. W.	Alpine.						911.
10 multicaulis. W.	many-stalked.		Carinthia.				Jac. col. 1. t. 19.
11 Arenaria. W.	sand.		Spain.			H.⊙.	Fra het 1000
12 scapigera. W. ARENARIA. W.	naked-stalked. SANDWORT.		Scotland.	• • • •	0.7.	п. 4.	Eng. bot. 1269.
1 peploides. W.	Sea Chickweed.	Caryophylleæ. J.	Reitain		5.7	H 2/	Eng. bot. 189.
2 tetraquetra. W.	square.		Pyrenees.	1731.			All. ped. 2. t.89. f.1.
3 trinervis. W.	Plantain-leaved.						Eng. bot. 1483.
4 ciliata. W.	fringed.		Ireland.				<del></del>
5 balearica. W.	Majorca.		Maiorca.				L. H. stirp. 1. t.15.
6 multicaulis. W.	many-stalked.		Europe.				Jac. col. 1. t.17. f.1.
7 serpyllifolia. W.	Thyme-leaved.		Britain.		6.7.	H.⊙.	Eng. bot. 923.
8 procumbens. W.	procumbent.		Egypt.	1801.	7.8.	G. 4.	Vahl. sym. 2. t. 33.
9 montana. W.	mountain.		France.				Bot. mag. 1118.
10 triflora. W.	three-flowered.		S. Europe.				Cav. ic.3. t.249. f.2.
11 saxatilis. W.	rock.		Germany.				Gmel.sib.4.t.63.f.2.
12 verna. W. 13 stricta. Ph.	vernal.						Eng. bot. 512.
14 austriaca. W.	upright.					H.4.	To and 0 4 000
15 grandiflora. W.	Austrian. great-flowered.						Jac. aus. 3. t. 270. All. ped. 10. f. 1.
16 cherlerioides. P. S.	Cherleria-leaved					H.4.	Mi. peu. 10. 1. 1.
17 juniperina. W.	Juniper-leaved.						Sm. ined. 1. t. 35.
18 laricifolia. W.	Larch-leaved.						Jac. aust. 3. t. 272.
19 striata. W.	striated.		Switzerland.				All. ped. 2. t.26. f.4.
20 fastigiata. H. K.	level-topped.		Scotland.				Eng. bot. 1744.
21 tenuifolia. W.	fine-leaved.		England.				219.
22 rostrata. W. en.	beaked.		Hungary,	1816.		H.4.	
23 filifolia. W.	thread-leaved.		Arabia.	• • • •		H.4.	Vahl. sym. 1. t. 12.
24 graminifolia. W. en.			Siberia.	1815.		H.4.	
25 fasciculata. W.	dense-flowered.		Austria.				Jac. ans. 2. t. 182.
26 pendula. W. en.	pendulous.	<del></del>	Hungary.				Pl. rar.hung.2.t.87.
27 segetalis. Vai.	corn.	-	France.	1805.	6.10.	н	Vail. par. t. 3. f. 3.
Alsine segetalis. II			C Furana	1777	c	LT #	Wall biet 1 + 17
Alsine mucronata.	bristly.	<del></del>	s. Europe.	1777.	0.	11.0.	Hall. hist. 1. t. 17.
29 media. W.	downy.		France.	1795.	7.	н.⊙.	
30 pubescens. H. S.	pubescent.					н.⊙.	
31 marina. E. B.	marine.		Britain.				Eng. bot. 958.
32 canadensis. Ph.	Canada.		N. America.	1812.		H.⊙.	
33 rubra. E. B.	purple.	b	Britain.				Eng. bot. 852.
CHERLERIA. W.	CHERLERIA.	Caryophylleæ. J.					
sedoides. W.	dwarf.		Scotland.	• • • •	7.8.	H.4.	Eng. bot. 1212.
BRUNNICHIA. W.	BRUNNICHIA.	Polygoneæ. P. S.	0 11			O T	
cirrhosa. W. GARIDELLA. W.	Carolina.	Ranunculaceæ. J.	Carolina.	1787.		G.n.	Gært. s. 1. t. 45. f.2
Nigellastrum. W.	GARIDELLA. Nigella-leaved.	Kanuncuiaceæ. 5.	France.	1736	6.7	но	Bot. mag. 1266.
	BARBADOES 1		France.	1750.	0.7.	11.0.	Dot. mag. 1200.
MALPIGHIA. W.	CHERRY.	Malpighiaceæ. J.					
1 glabra. W.	smooth-leaved.		W. Ind.	1757.	3.7.	S.b.	Bot. mag. 813.
2 punicifolia. W.	Pomegranate-1d.			1690.			Plum.ic.t. 166. f. 2.
3 polystachia. H. K.	many-spiked.			1806.	3.5.	S.b.	Bot. rep. 604.
4 media. H. K.	intermediate.			1790.		S.h.	
5 glandulifera. H. K.				1806.	-	S. L .	Jac. ic. 3. t. 469.
6 glandulosa. W.	biglandular.			1804.	• • • •	S.h.	Cav.dis.8. t.239.f.2. t.239.f.1.
7 nitida. W.	glossy-leaved.			1733.	3.8.	S.h.	t.239.f.1.
8 fucata. B. reg.	painted.		C A	1814.	m 10	S.h.	Bot. reg. 189.
9 urens. W. 10 angustifolia. W.	stinging.	,	W. Ind	1737.	7.10.	S.h.	
11 canescens. W.	narrow-leaved. downy-leaved.			1749	7.8.	S.L	Cav.dis.8. t.236.f.1.
12 crassifolia. W.	thick-leaved.		S. America.				Aub. gui. 1. t. 182.
				-,000	0.	20,160	

# DECANDRIA PENTAGYNIA.

102	DECA	INDRIA PI	ENTAGY	NIA.	
13 lucida, W.	wedge-leaved.	Malpighiacew. J.	W Ind	1759. 5.8. S.h.	0469
14 coriacea. W.	leathery-leaved.	Thirpigmacea. o.			
15 volubilis. H. K.	twining.		W Ind		Slo.his. 2, 6.163.f.1.
16 aquifolium. W.	Holly-leaved.		S America	1793. 8.9. S.h.	Can die 0 4 33C f.
17 coccifera. W.	Kermes' Oak-ld.		W Ind	1709. — S. n.	Cav.dis.8.t.236.f.2.
BANISTERIA. W.	BANISTERIA.	Malpighiaceæ. J.	W. Inu.	1700 S.n.	Jac. ic. 3. t. 470.
1 ciliata. W.	ciliated.	maipiginacca. o.	Reagil	170C CT	C 1: 0 + 054
2 purpurea. W.	purple.		W Ind		Cav. dis. 9. t. 254.
3 chrysophylla. W.	Star-apple-leavd.		Dungil		t.246.f.1.
4 laurifolia. W.	Bay-leaved.		Inninice	1790 D. n.	Jac.schæn.1.t.105.
5 nitida. W.	glossy.		S America	1733. 7.8. S.h. 1809 S.h.	Con dian to acc
6 sericea. P. S.	silky.		Brazil	1009 S. n.	O. + 050
7 fulgens. W.	shining-fruited.		W Ind		9. t. 258.
8 heterophylla. W.	various-leaved.		S America	1759 S.h.	
9 brachiata. W.	cross-branched.		W Ind		Cav. giss. t. 253.
o brachiada III	cross-oranched.	7	44 ' TIIG'	1759, S.h.	
	1	ENTAGYNIA.			
AVERRHOA. W.	Averrhoa.	Terebintaceae? J.			
1 Bilimbi. W.	Bilimbi-tree.	retenintaceae: 3.	YT Y. Z		C 3'- m 4 010
2 Carambola. W.	Carambola-tree.		E. Ina,	1791. 5.7. 5. h.	Cav. dis. 7. t. 219.
SPONDIAS. W.	Hog PLUM.	Tumbinta and Y		1793 S.n.	7. 6. 220
and the second s	Act stommed	Terebintaceæ. J.	787 83	1018 C Y	61 11- 0 4 010
1 Mombin. W.	flat-stemmed.		W. 180.	1817 S.h.	Sioan. his. 2. t.219.
2 Myrobalanus. W.	yellow.	3	Carlata Islan	1739 S, h.	Sloan. his. 2. t.219. Merian. surin. t. 13. Lam, ill. t. 384.
3 dulcis. W.	Otaheite Apple.	S	Society Isles.	1793, S. h.	Lani, ul. t. 384.
COTYLEDON, W.	NAVEL-WORT.	Sempervivæ. J.	C D C	1000 00 CT	
1 orbiculata. H. S.	round-leaved.		C. B. 8,	1789. 7.8. G. h.	D 4
2 ovata. H. S.	ovate-leaved.			7.10. G. h.	Bot, mag. 321.
3 oblonga. H. S.	oblong-leaved.			1690. 7.9. G.h.	
4 ramosissima. H. S.				1789. 7.8. G. h.  7.10. G. h. 1690. 7.9. G. h. 1768 G. h. 1759. 7.9, G. h. 1731. 6.7. G. h.	D
5 fascicularis. W.	cluster-leaved.			1759. 7.9, G.h.	Burn, air. t. 18.
6 hemisphærica. W.	thick-leaved.			1731. 6.7. G.h.	Plant. grass. 87.
7 spuria. W.	narrow-leaved.			7.8. li.h.	Com. rar. t. 23.
8 cæspitosa. H. S.	tongue-leaved.		California.	1796. 6.8. G.4.	
linguaformis. H. I			611		7011 14 4 an face
9 serrata. W.	notch-leaved.	•	Siberia.		Dill. elt. t.95. f.112.
10 hispanica. W.	Spanish.		Spain.	1796. — H. J.	
11 Malocophyllum, W.			Davuria.		Pall.it.3. ap. t.G.f.1.
12 Umbilicus. W.	Pennywort.	<b>————————</b>	Britain,	— Н.4.	
13 lutea. W.	yellow.		England.	— н. 4.	- 1522.
SEDUM. W.	STONE-CROP.	Sempervivæ. J.			
1 verticillatum. W.	whorl-leaved.		S. Europe.		Amœn.ac.2.t.4.f.14
2 maximum. H. S.	great purple.		Spain.	1794. — H.4.	
3 albicans. H. S.	great white.		Europe.	1794. — H. 4.	
4 triphyllum. H. S.	three-lea purple.		Portugal.	— — Н.4.	
5 Telephium. E. B.	common Orpine.		Britain.	— Н. 4.	Eng. bot. 1319.
6 Telephioides. Ph.			N. America.	1810. — H. 4.	
7 Anacampseros. W.	evergreen.		France.	1596. 7.8. H.4.	Bot. mag. 118.
8 divaricatum. W.	spreading.		Madeira.	1777. 6.7. G.h.	
9 Aizoon. W.	yellow.		Siberia.	1757. 7.9. H.4.	
10 spurium. W. en.	fringed.		Caucasus.	1816. — H.4.	Bux.cent.5. t.61.f.2
Anacampseros cilia	ris. H. S.				2570
11 oppositifolium. B.M 12 hybridum. W.	opposite-leaved.			— н. 4.	Bot. mag. 1807.
12 hybridum. W.	Germander-lead.		Siberia.	1766. 5.7. H.4.	Mur. c. got. 6. t. 5.
13 populifolium. W.	Poplar-leaved.			1780. 7.8. H.h.	Bot. mag. 211.
14 ternatum. Ph.	Purslane-leaved.		N. America.	1789. — H. 4.	Bot. reg. 142. /97
15 stellatum. W.	starry.	-	S. Europe.	1640. 6.7. H.⊙.	Cam. hort. 7. ic. 2.
16 spathulatum. W. en.	spathulate.		Hungary.		Pl.rar.hung.2.t.104
17 Cepæa. W.	panicled.		France.	1640. 7.8. H.⊙.	
18 spinosum. W. en.	spiny.		Siberia.	1790. 8. F.4.	Gmel. sib. t.67. f.2.
Crassula spinosa. I		n cuspidatum. H.	S.		- 11
19 dasyphyllum. W.	thick-leaved.		England.		Eng. bot. 656.
20 reflexum. E. B.	reflex-leaved.				695.
21 glaucum. E. B.	glaucous.		England.		2477.
22 collinum. W. en.	hill.			1815. 6.8. H.4.	Plant. grass. 115.
23 virescens. W. en.	greenish-flowerd.		• • • • • • • • •	— — Н.4.	D
24 septangulare. H. S.	seven-rowed.			1795. 6.7. H.4.	
25 virens. W.	green.		Portugal.	1774. — H. 4.	_
26 rupestre. W.	rock.		England.	7.8. H.4.	
27 Forsterianum. H.K.	Forster's.	<del></del>	Wales.	— н.4.	1802.

## DECANDRIA PENTAGYNIA.

28 altiskinum. P. S.   28 carbofecom. L. T. * 1.0 c. Semperview. Milling.   N. Asia.   1800. T. H. H. Pallit. S. a.t. P. f. 1   29 quadrifidum. W.   21 album. W.   23 acre. W.   24 anglicum. W.   25 acre. W.   25 acre. W.   26 acre. W.   27 acre. W.			שונע	MINDINA I	LINIAU	1 1417	Lo		100
				Sempervivæ, J.	S. Europe.	1769.	7.8. H	. 24 .	Jac. vind. 1. t. 81.
99 quadrifidum, W. 30 hispaniem, W. 31 album, W. 31 album, W. 32 acre, W. 33 seangulare, W. 34 angleum, W. 35 annum, W. 36 milloum, W. 36 milloum, W. 36 milloum, W. 37 morrogdenes, P. S. 38 seangulare, P. S. 39 milloum, W. 30 milloum, W. 30 milloum, W. 30 milloum, W. 30 milloum, W. 31 milloum, W. 32 milloum, W. 34 milloum, W. 35 milloum, W. 36 milloum, W. 36 milloum, W. 37 morrogdenes, P. S. 38 milloum, W. 39 milloum, W. 39 milloum, W. 30 milloum, W. 31 milloum, W. 32 milloum, W. 33 milloum, W. 34 milloum, W. 35 milloum, W. 36 milloum, W. 36 milloum, W. 36 milloum, W. 36 milloum, W. 37 milloum, W. 38 milloum, W. 38 milloum, W. 38 milloum, W. 39 milloum, W. 39 milloum, W. 39 milloum, W. 30 milloum, W. 31 milloum, W. 31 milloum, W. 32 milloum, W. 33 milloum, W. 34 milloum, W. 35 milloum, W. 36 milloum, W. 36 milloum, W. 36 milloum, W. 37 milloum, W. 38 milloum, W. 39 milloum, W. 30 milloum, W. 31 milloum, W. 31 milloum, W. 32 milloum, W. 33 milloum, W. 34 milloum, W. 34 milloum, W. 35 milloum, W. 36 milloum, W. 36 milloum, W. 37 milloum, W. 38 milloum, W. 39 milloum, W. 39 milloum, W. 30 milloum, W. 30 milloum, W. 30 milloum, W. 30 milloum, W. 31 milloum, W. 32 milloum, W. 33 milloum, W. 34 milloum, W. 34 milloum, W. 35 milloum, W. 36 milloum, W. 36 milloum, W. 37 milloum, W. 38 milloum, W. 39 milloum, W. 30 milloum, W. 31 milloum, W. 31 milloum, W. 32 milloum, W. 32 milloum, W. 33 milloum, W. 34 milloum, W. 35 milloum, W. 36 milloum, W. 36 milloum, W. 37 milloum, W. 38 milloum, W. 38 milloum, W. 39 milloum, W. 39 milloum, W. 30 milloum, W. 31 milloum, W. 31 milloum, W. 31 milloum, W. 31 milloum, W. 32 milloum, W. 32 milloum, W. 3	ochroleucun	1. L. T.	v. 10. et Semperv	ivum sediforme. W				•	
31 album.W.   white,   Fangland,   H. 1/2,   Eng. bot. 1578.	29 quadrifidum	. W.	four-cleft.		N. Asia.	1800.	7. H	. 24 .	Pall. it. 3. a. t.P.f.1.
1942   1944   1945   1946		w.	*		Spain,				
33 scangulare, W. 34 anglienan, W. 35 annuum, W. 36 villosum, W. 36 villosum, W. 37 morregalense, P. S. clammy, 38 atratum, W. 39 nudum, W. 39 nudum, W. 39 nudum, W. seloides, W. 66TELLM, W. 67RIELLM,					England.				
173   34 anglicum. W.   36 villosum. W.   37 monregalense, P. S.   67. H.   179.   1816.   H.   4.   Balbis, Mfs. t.   6.   1795.   1816.   H.   4.   Balbis, Mfs. t.   6.   1816.   H.   4.   4.   1816.   H.   4.   4.   1816.   H.   4.   4.   4.   4.   4.   4.   4		337	,		Britain.				
35 annum. W.   annum. W.   annum.   S. Europe.   1739. 8. H.Q.		_		<del></del>	England.				
18   18   18   18   18   18   18   18	U								1/1.
37 morregalense, P. S. clammy, 38 atratum. W. 49 nudum. W. 49 nudum. W. seloides. W. 66 morregalened. PENTHORUM. W. seloides. W. 66 morregalened. M. 42 morregalened. M. 42 morregalened. M. 43 nudum. W. 44 morregalened. M. 45		_			Reitain				Fng hot 394
1795.   1.1.0   1.1.				,	S. Europe.				
289 nudum, W.   BeNTHORUM, W.   Sedoides, W.   American.   Sempervivae? J.   Sempervivae? J.   T777. 7.8. G. \(\frac{1}{2}\).   ENSTHORUM, W.   Sedoides, W.   Selective deficience of the control of t					Italy.				
PENTHORUM W. sedoides W.   GRIELUM   GROUP   Graning? J.   1799. 4.5. G.2. Lam. ill. t. 390.   1790. 4.5. G.2. Lam. ill. t. 395.   1774. 10.11. G. 2. Jac. ox. t. 79. f. 5.   1795. G. 12.   1795. G. 12.   1. 22.   1. 24.   1795. 111. G. 2. Jac. ox. t. 79. f. 5.   1795. G. 12.   1. 24.   1795. 111. G. 2. Jac. ox. t. 79. f. 5.   1795. G. 12.   1. 25.   1795. G. 12.   1. 25.   1795. G. 12.   1. 25.   1. 2	39 nudum. W.		naked-branched.						
GRIELUM. W. tenuifolium. W.   GRIELUM.   C. B. S.   1790. 4.5. G. \( \frac{1}{2} \) Lam, ill. t. 388.   Mono-Sorrel.   Geraniw? J.	PENTHORUM	1. W.	PENTHORUM.	Sempervivæ? J.				•	
Securifolium W.   Seleuder-leaved.   Granias? J.					Virginia,	1768.	7.8. H	.4.	Lam. ill. t. 390.
DALLIS. W.   MODD-SORREL.   Gerania?   J.									
1 monophylla. W. simple-leared. C. B. S.   1774.10.11.6.2   Jac. ox. t. 79. f. 3; 2 rostrata. W. sa as s-seared.   1792.11.12.6.2   t. 24.   3 asinina. W. spear-leared.   1792.11.12.6.2   t. 24.   3 asinina. W. spear-leared.   1793.10.11.6.2   t. 26.   5 leporina. W. hare's-cared.   1793.10.11.6.2   t. 25.   6 crispa. W. curled.   1793. G. 2   t. 22.   7 fabsefolia. W. Bean-leared.   1793. G. 2   t. 22.   8 laburnifolia. W. Laburnum-lea*.   1793. 9.10. G. 2   t. 28.   9 sanguinea. W. loody-leaved.   1795. 10.12.6.2   t. 29.   10 ambigua. W. ambiguous.   1790. 9.12. G. 2   t. 43.   11 undulata. W. wave-leaved.   1795. 10.11. G. 2   t. 44.   12 foscata. W. brown-spotted.   5.6. G. 2   t. 45.   13 tricolor. W. tree-coloured.   1794. 10.12. G. 2   t. 47.   14 variabilis. W. variable.   1795. G. 2   t. 54.   15 grandiflora. W. great-flowered.   1790. G. 2   t. 54.   15 grandiflora. W. great-flowered.   1790. G. 2   t. 54.   16 selphurea. W. sulphur-colour.   1799. G. 2   t. 54.   17 flaceida. W. flaccid.   1812. G. 2   t. 51.   18 purpurea. W. specious.   1812. G. 2   t. 51.   19 speciosa. W. specious.   1812. G. 2   t. 51.   19 speciosa. W. specious.   1812. G. 2   t. 51.   19 speciosa. W. specious.   1812. G. 2   t. 56.   20 Acetosella. W. great-flowered.   1799. G. 11. G. 2   t. 56.   21 marginata. W. great-flowered.   1799. G. 11. G. 2   t. 56.   22 pulchella. W. blunt-leaved.   1812. G. 2   t. 56.   23 oltusa. W. blunt-leaved.   1812. G. 2   t. 56.   24 lanata. W. specious.   1812. G. 2   t. 56.   25 tenella. W. slonder.   1799. G. 11. G. 2   t. 79. f. 1.   26 compressa. W. compressed.   1799. G. 12.   t. 79. f. 1.   27 sericea. W. silv.   1799. G. 12.   t. 79. f. 1.   28 violacea. W. violet-coloured.   N. America.   1799. G. 2   t. 77. f. 2.   29 caprina. W. doctored.   1799. G. 2   t. 77. f. 2.   30 decrea. W. silv.   1799. G. 2   t. 77. f. 2   31 dentata. W. doctored.   1799. G. 2   t. 77. f. 2   32 linearis. W. doctored.   1799. G. 2   t. 79. f. 1.   34 count-leaved.   1799. G. 2   t. 79. f. 1.   35 lineari					C. B. S.	1790.	4.5. G	.4.	Lam. ill. t. 388.
2 rostrata. W. beaked. 1795. G. 2 t. 22. 3 asinina W. ass'-seared. 1792.11.12, G. 2 t. 24. 4 lanceæfolia. W. bare's-eared. 1795.10.11. G. 2 t. 24. 5 leporina. W. bare's-eared. 1795.10.11. G. 2 t. 25. 6 crispa. W. curled. 1795. 10.11. G. 2 t. 25. 6 crispa. W. Bean-leaved. 1795. 10.11. G. 2 t. 25. 7 fabæfolia. W. Bean-leaved. 1794. G. 2 t. 27. 8 laburnifolia. W. baubruum-lea* 1793. 910. G. 2 t. 2 v. 29. 9 sanguinea. W. bloody-leaved. 1795. 10.12. G. 2 t. 29. 10 ambiguous. 1799. 912. G. 2 t. 42. 11 undulata. W. vave-leaved. 1795. 10.12. G. 2 t. 44. 12 fuscata. W. brown-spotted. 1795. 10.11. G. 2 t. 44. 13 tricolor. W. three-coloured. 1795. 10.11. G. 2 t. 45. 13 tricolor. W. three-coloured. 1795. G. 2 t. 52. 15 grandiflora. W. green-thowered. 1799. G. 2 t. 52. 16 selphurea. W. sulphur-colour* 1799. 10.11. G. 2 t. 63. 1794. 10.12. G. 2 t. 54. 18 purpurea. W. purple. 1795. G. 2 t. 55. 18 parpurea. W. purple. 1795. 10.11. G. 2 t. 63. 18 parpurea. W. purple. 1795. 10.11. G. 2 t. 63. 18 purpurea. W. purple. 1812. G. 2 t. 56. 19 pulchella. W. perceimargined. C. B. S. 1812. 912. G. 2 Jac. ox. t. 68. 22 pulchella. W. green-margined. C. B. S. 1812. 912. G. 2 Jac. ox. t. 68. 23 obtusa. W. blunt-leaved. 1799. 10.11. G. 2 t. 69. 24 lanata. W. selender. 1799. 4.5. G. 2 t. 179. f. 1. 25 tenella. W. selender. 1799. 4.5. G. 2 t. 179. f. 1. 26 compressa. W. silky. 1800. 1799. 171. G. 2 t. 77. f. f. 2. 27 scricea. W. silky. 1800. 1799. 17					0.70.0				
8 asinina W. 4 lancesfolia W. 5 leporina W. 6 crispa. W. 6 crispa. W. 7 faberfolia W. 8 laburnifolia W. 9 sanguinea. W. 10 loody-leaved. 1793. 10.11.6. Q. 1. t. 25. 6 crispa. W. 1793. 10.11.6. Q. 1. t. 27. 8 laburnifolia W. 18 laburnifolia W. 19 sanguinea. W. 19 sanguinea. W. 19 sanguinea. W. 10 ambigua. W. 10 ambigua. W. 11 undulata W. 12 faceata. W. 12 faceata. W. 13 tricolor. W. 14 rariabilis. W. 15 grandiflora. W. 16 salphurea. W. 16 salphurea. W. 1795. 10.11.6. Q. 1. t. 44. 1795. 10.11.6. Q. 1. t. 44. 18 faceata. W. 19 grandiflora. W. 16 salphurea. W. 1795. 10.11.6. Q. 1. t. 45. 18 purpurea. W. 18 purpurea. W. 19 purple. 10 anomania. W. 18 purpurea. W. 19 purple. 10 anomania. W. 21 marginata. W. 22 pulchella. W. 23 poltousa. W. 24 pulchella. W. 25 tenella. W. 26 compressed. 1799. 19.12. G. Q. 1. t. 56. 1799. 10.11. G. Q. 1. t. 56. 1799. 10.11. G. Q. 1. t. 56. 1799. 10.11. G. Q. 1. t. 56. 1812. G. Q. 1. t. 56. 1813. G. Q. 1. t. 56. 1814. G. Q. 1. t. 56. 1815. G. Q. 1. t. 56. 1816. G. Q. 1. t. 56. 1817. G. Q. 1. t. 56. 1818. 9.12. G. Q. 1. t. 56. 1819. 9.11. G. Q. 1. t. 60. 1810. G. Q. 1. t. 60. 1811. G. Q. 1. t. 60. 1812. G. Q. 1. t. 60. 1812. G. Q. 1. t. 60. 1813. G. Q. 1. t. 60. 1814. G. Q. 1. t. 60. 1815. G. Q. 1. t. 60. 1816. G. Q. 1. t. 60. 1816. G. Q. 1. t. 60. 1817. G. Q. 1. t. 60. 1818. G. Q. 1. t. 77. f. 1. 18 purpurea. W. 18 purpurea. W. 18 purpurea. W. 29 compressed. 1819. 9.12. G. Q. 1. t. 60. 1810. G. Q. 1. t. 60. 1811. G. Q. 1. t. 60. 1812. G. Q. 1. t. 60. 1812. G. Q. 1. t. 60. 1813. G. Q. 1. t. 60. 1814. G. Q. 1. t. 60. 1815. G. Q. 1. t. 60. 1816. G. Q. 1. t. 60. 1817. G. Q. 1. t. 60. 1818. G. Q. 1. t. 60. 1819. G. Q. 1. t. 60. 1819. G. Q. 1. t. 60. 1810. G. Q. 1. t. 60. 1810. G. Q. 1. t. 60. 1810. G. Q. 1. t. 60. 1811. G. Q. 1. t. 60. 1812. G. Q. 1. t. 60. 1813. G. Q. 1. t. 60. 1814. G. Q. 1. t. 60. 1815. G. Q. 1. t. 60. 1816. G. Q. 1. t. 60. 1817. G. Q. 1. t. 60. 1818. G. Q. 1. t. 6					C. B. S.	1774.10	0.11. G	• 4 •	Jac. ox. t. 79. 1. 3.
4 lanceefolia. W. 5 leporina. W. 6 crispa. W. curled. 1795. 10.11. G. ½. t. 26. 6 crispa. W. curled. 1793. 10.11. G. ½. t. 25. 6 crispa. W. curled. 1793. 10.11. G. ½. t. 28. 7 fabefolia. W. 8 laburnifolia. W. Laburnum-lea. 1793. 1793. 10.12. G. ½. t. 29. 1793. 9 anguinea. W. bloody-leaved. 1794. G. ½. t. 29. 1795. 10.11. G. ½. t. 44. 1795. 10.12. G. ½. t. 43. 11 undulata. W. wave-leaved. 1795. 10.11. G. ½. t. 44. 12 fascata. W. brown-spotted. 5.6. G. ½. t. 45. 13 tricolor. W. three-coloured. 1794. 10.12. G. ½. t. 45. 13 tricolor. W. three-coloured. 1795. G. ½. t. 52. 15. 16. 63 estphurea. W. great-flowered. 1795. G. ½. t. 52. 15. 15. 16. 16. 1795. G. ½. t. 52. 15. 16. 16. 1795. G. ½. t. 52. 1795. G. ½. t. 54. 18. purpurea. W. purple. 1795. G. ½. t. 54. 18. purpurea. W. purple. 1795. G. ½. t. 54. 18. purpurea. W. purple. 1795. G. ½. t. 56. 18. 18. 12. G. ½. t. 56. 18. 18. 18. 18. 18. 18. 18. 18. 18. 18						1795	1 10 G	.4.	t. 22.
5 leporina. W. bare's-cared.						1792.1	0 11 G	.71	t 96
6 crispa, W. curled. 1793. G. 7. t. 23. 7 fabsefolia w. 8 laburnifolia W. bloody-leaved. 1794. G. 7. t. 27. t. 28. 9 sanguinea. W. bloody-leaved. 1793. 9.10. G. 7. t. 28. 1795. 10.12. G. 7. t. 28. 1795. 10.12. G. 7. t. 29. 10 ambigua, W. ambiguous. 1790. 9.12. G. 7. t. 43. 11 undulata. W. wave-leaved. 1795. 10.11. G. 7. t. 44. 12 fascata. W. brown-spotted. 5.6. G. 7. t. 45. 13 tricolor. W. three-coloured. 1794. 10.12. G. 7. t. 45. 13 tricolor. W. three-coloured. 1795. G. 7. t. 45. 14 variabilis. W. stricolor. W. sulphur-colour. 1794. 10.12. G. 7. t. 52. 15 grandiflora. W. great-flowered. 1795. G. 7. t. 52. 1795. G. 7. t. 52. 1795. G. 7. t. 52. 1795. G. 7. t. 54. 18 purpurea. W. sulphur-colour. 1790. G. 7. t. 56. 189 purpurea. W. purple. 189 peciosa. W. specious. 1690. 9.11. G. 7. t. 56. 189 peciosa. W. specious. 1690. 9.11. G. 7. t. 56. 189 peciosa. W. specious. 1690. 9.11. G. 7. t. 56. 189 peciosa. W. specious. 1690. 9.11. G. 7. t. 56. 189 peciosa. W. specious. 1690. 9.11. G. 7. t. 56. 189 peciosa. W. specious. 187 per 1890. 9.11. G. 7. t. 56. 189 peciosa. W. sulphur-eaved. 1812. G. 7. t. 56. 189 peciosa. W. slunt-leaved. 1812. G. 7. t. 56. 189 peciosa. W. slunt-leaved. 1812. G. 7. t. 56. 190 peantiful. 189 peantiful. 1890. 9.11. G. 7. t. 57. f. 1. 190 peantiful. 1890. 9.11. G. 7. t. 57. f. 1. 190 peantiful. 1890. 9.11. G. 7. t. 57. f. 1. 190 peantiful. 1890. 9.11. G. 7. t. 57. f. 1. 190 peantiful. 1890. 9.11. G. 7. t. 57. f. 1. 190 peantiful. 1890. 9.11. G. 7. t. 57. f. 1. 190 peantiful. 1890. 9.11. G. 7. t. 57. f. 1. 190 peantiful. 1890. 9.11. G. 7. t. 57. f. 1. 190 peantiful. 1890. 9.11. G. 7. t. 57. f. 1. 190 peantiful. 1890. 9.11. G. 7. t. 57. f. 1. 190 peantiful. 1890. 9.11. G. 7. t. 57. f. 1. 190 peantiful. 1890. 9.11. G. 7. t. 57. f. 1. 190 peantiful. 1890. 9.11. G. 7. t. 57. f. 1. 190 peantiful. 1890. 9.11. G. 7. t. 57. f. 1. 190 peantiful. 1890. 9.11. G. 7. t. 57. f. 1. 190 peantiful. 1890. 9.11. G. 7. t. 57. f. 1. 190 peantiful. 1890. 9.11. G. 7. t. 57. f. 1. 190 peantiful. 1890. 9.11. G. 7. t. 57.						1795.1	0.11.G	. 21 .	t. 25.
7 faberfolia. W. Bean-leaved. 1794. G. ½. t. 28. laburnifolia. W. 9 sanguinea. W. bloody-leaved. 1795. 10.12. G. ½. t. 28. lboody-leaved. 1795. 10.12. G. ½. t. 29. lboody-leaved. 1795. 10.12. G. ½. t. 44. lig. fascata. W. bloody-leaved. 1795. 10.11. G. ½. t. 44. lig. fascata. W. brown spotted. 1795. 10.11. G. ½. t. 44. lig. fascata. W. brown spotted. 1794. 10.12. Q. ½. t. 47. lig. gradifora. W. largaribilis. W. variable. 1795. 6. ½. t. 52. gradifora. W. faccid. 1790. G. ½. t. 54. fascid. 1790. G. ½. t. 54. fascid. 1790. G. ½. t. 54. fascid. 1795. 10.11. G. ½. t. 63. lig. purpurea. W. sulphur-colour. Britain. 1812. G. ½. t. 56. g. ½. j.						1793	G	. 24 .	t. 23.
9 sanguinea, W. bloody-leaved, 1795, 10.12, G. ½. t. 43, 10 ambiguous. 1799, 9.12, G. ½. t. 43, 11 undulata. W. brown-spotted. 1795, 10.11, G. ½. t. 44, 12 fuscata. W. brown-spotted. 1794, 10.12, C. ½. t. 47, 14 variabilis. W. variable. 1795, 10.11, G. ½. t. 47, 14 variabilis. W. variable. 1795, 10.11, G. ½. t. 52, 1794, 10.12, C. ½. t. 54, 16 srlphurea. W. great-flowered. 1790, G. ½. t. 54, 1796, 10.13, G. ½. t. 63, 1796, 10.13, G. ½. t. 63, 1796, 10.13, G. ½. t. 54, 1796, 10.13, G. ½. t. 54, 1796, 10.13, G. ½. t. 54, 189, 190, 190, 190, 190, 190, 190, 190, 19				<del></del>		1794	G	.4.	t. 27.
9 sanguinea, W. bloody-leaved, 1795, 10.12, G. ½. t. 43, 10 ambiguous. 1799, 9.12, G. ½. t. 43, 11 undulata. W. brown-spotted. 1795, 10.11, G. ½. t. 44, 12 fuscata. W. brown-spotted. 1794, 10.12, C. ½. t. 47, 14 variabilis. W. variable. 1795, 10.11, G. ½. t. 47, 14 variabilis. W. variable. 1795, 10.11, G. ½. t. 52, 1794, 10.12, C. ½. t. 54, 16 srlphurea. W. great-flowered. 1790, G. ½. t. 54, 1796, 10.13, G. ½. t. 63, 1796, 10.13, G. ½. t. 63, 1796, 10.13, G. ½. t. 54, 1796, 10.13, G. ½. t. 54, 1796, 10.13, G. ½. t. 54, 189, 190, 190, 190, 190, 190, 190, 190, 19	8 laburnifolia.	. W.	Laburnum-lead.			1793. 9	9.10. G	.4.	t. 28.
10 ambigua. W. 11 undulata. W. 12 fascata. W. 12 fascata. W. 12 fascata. W. 12 fascata. W. 13 tricolor. W. 14 variabilis. W. 15 grandiflora. W. 15 grandiflora. W. 16 sulphure. W. 17 flaccida. W. 17 flaccida. W. 19 speciosa. W. 20 Acetosella. W. 21 marginata. W. 22 pulchella. W. 23 obtusa. W. 24 lanata. W. 25 tenella. W. 26 compressa. W. 27 sericea. W. 28 violacea. W. 29 violacea. W. 21 silky. 22 recrea. W. 23 violacea. W. 24 lanata. W. 25 tenella. W. 26 compressed. 27 sericea. W. 28 violacea. W. 29 adara. W. 20 flaccida. W. 21 langinata. W. 22 pulchella. W. 24 lanata. W. 25 tenella. W. 26 compressed. 27 sericea. W. 28 violacea. W. 29 pulchella. W. 20 flaccida. W. 21 langinata. W. 22 pulchella. W. 23 obtusa. W. 24 lanata. W. 25 tenella. W. 26 compressed. 27 sericea. W. 28 violacea. W. 29 pulchella. W. 20 flaccida. W. 21 langinata. W. 22 pulchella. W. 23 obtusa. W. 24 lanata. W. 25 tenella. W. 26 compressed. 27 sericea. W. 28 violacea. W. 29 recrea. W. 29 violacea. W. 20 caprina. W. 20 flaccida. W. 20 caprina. W. 21 dentata. W. 22 pulchella. W. 23 obtusa. W. 24 arcuata. W. 25 tenella. W. 26 condition. W. 27 sericea. W. 28 lindar. W. 29 toolacea. W. 29 caprina. W. 20 condition. W. 21 dentata. W. 22 pulchella. W. 23 ciliaris. W. 24 arcuata. W. 25 tenella. W. 26 condition. W. 27 sericea. W. 28 pulchella. W. 29 pulchella. W. 20 condition. W. 20 condition. W. 20 condition. W. 20 condition. W. 21 tenella. W. 22 pulchella. W. 23 ciliaris. W. 24 condition. W. 25 tenella. W. 26 condition. W. 27 sericea. W. 28 pulchella. W. 29 pulchella. W. 20 condition. W. 20 tenella. W. 20 tenella. W. 21 tenella. W. 22 pulchella. W. 23 ciliaris. W. 24 tenella. W. 25 tenella. W. 26 condition. W. 27 sericea. W. 28 pulchella. W. 29 pulchella. W. 20 tenella. W. 20 tenella. W. 21 tenella. W. 22 pulchella. W. 23 ciliaris. W. 24 tenella. W. 25 tenella. W. 26 tenella. W. 27 sericea. W. 28 tenella. W. 29 pulchella. W. 20 tenella. W. 20 tenella. W. 21 tenella. W. 22 tenella. W. 23	9 sanguinea. V	V.	bloody-leaved.			1795. 1	0.12.G	. 4.	t. 29.
12 fascata W.				<del></del>		1790. 9	).12. G	. 24 .	t. 43.
13 tricolor   1794, 10,12, Q, 1/2   1, 47.     14 variabilis, W.   variable.   1795, 10,11, G, 1/2   1, 52.     15 grandiflora, W.   1795, 10,11, G, 1/2   1, 54.     16 sulphurea, W.   1795, 10,11, G, 1/2   1, 54.     18 purpurea, W.   18 purpurea, W.   18 purpurea, W.   19 speciosa, W.   20 Acetosella, W.   21 marginata, W.   22 pulchella, W.   23 obtusa, W.   24 pulchella, W.   24 pulchella, W.   24 lanata, W.   25 tenella, W.   26 compressa, W.   26 compressa, W.   27 sericea, W.   28 violacea, W.   29 violacea, W.   20 vio						1795. 1	0.11.G	.4.	t. 44.
14 yariabilis, W.   variable.   1795.   G. ½.   t. 52.     15 grandiflora. W.   great-flowered.   1795.   G. ½.   t. 54.     16 sølphurea. W.   sulphur-colourd.   1795.   10.11 G. ½.   t. 54.     17 flaccida. W.   flaccid.   1812.   G. ½.   t. 56.     18 purpurea. W.   specious.   1690. 9.11 G. ½.   t. 56.     19 speciosa. W.   specious.   1690. 9.11 G. ½.   t. 60.     20 Acetosella. W.   green-margined.   C. B. S.   1812.   1912. G. ½.   Jac. ox. t. 68.     22 pulchella. W.   beautiful.   1795.   10.11 G. ½.   t. 79. f. 1.     23 obtusa. W.   blunt-leaved.   1812.   G. ½.   t. 79. f. 1.     24 lanata. W.   woolly-leaved.   1795.   10.11 G. ½.   t. 79. f. 1.     25 tenella. W.   slender.   1793.   4.5.   G. ½.   t. 79. f. 1.     26 compressa. W.   silky.   1794.   12.1.   G. ½.   t. 77. f. 2.     27 sericea. W.   silky.   1794.   12.1.   G. ½.   t. 77. f. 1.     28 violacea. W.   violet-coloured.   N. America.   1772.   5.6.   H. ½.   t. 80. f. 2.     29 caprina. W.   drooping.   2.5.   G. ½.   t. 76. f. 1.     30 ceruna. W.   drooping.   2.5.   G. ½.   t. 6.     31 dentata. W.   solidaris. W.   drooping.   2.5.   G. ½.   t. 6.     32 livida. W.   silvid.   1793.   11.12.   G. ½.   t. 7.     35 linearis. W.   silmaris. W.   silma						;	5.6. G	.4.	t. 45.
15 grandiflora W.						1794.10	0.12.	.4.	t. 47.
16 salphurea. W.   salphur-coloura.   1795. 10.11. G. ½.   1. 63.     18 purpurea. W.   purple.   1690. 911. G. ½.   1. 56.     19 speciosa. W.   specious.   1690. 911. G. ½.   1. 60.     20 Acetosella. W.   green-margined.   C. B. S.   1690. 911. G. ½.   1. 60.     21 marginata. W.   green-margined.   C. B. S.   1812. 9.12. G. ½.   Jac. ox. t. 68.     22 pulchella. W.   beautiful.   1795. 10.11. G. ½.   1. 6. 9.     23 obtusa. W.   beautiful.   1795. 10.11. G. ½.   1. 6. 9.     24 lanata. W.   woolly-leaved.   1812.   G. ½.   1. 77. f. 2.     25 tenella. W.   slender.   1793.   4.5. G. ½.   1. 77. f. 2.     26 compressa. W.   slender.   1793.   4.5. G. ½.   1. 77. f. 2.     27 sericea. W.   silky.   4.5. G. ½.   1. 77. f. 1.     28 violacea. W.   violet-coloured.   N. America.   1772. 5.6. H. ½.   1. 80. f. 2.     29 caprina. W.   Goat's-foot.   C. B. S.   1757. 3.6. G. ½.   1. 76. f. 1.     30 cernua. W.   drooping.   2.5. G. ½.   1. 6.     41 dentata. W.   livid.   1793. 11.12. G. ½.   1. 7.     42 livida. W.   livid.   1793. 11.12. G. ½.   1. 7.     43 linearis. W.   linear-leaved.   1795.   1. 1. 1.     54 linearis. W.   linear-leaved.   1795.   G. ½.   1. 30.     64 cuncifolia. W.   wedge-shaped.   1795.   G. ½.   1. 30.     86 cuncifolia. W.   shida. W.   1795. 5.6. G. ½.   1. 76. f. 3.     87 spida. W.   shida. W.   linear-leaved.   1791. 9.10. G. ½.   1. 79. f. 4.     98 flicaulis. W.   doubled-leaved.   1791. 9.10. G. ½.   1. 79. f. 4.     42 versicolor. W.   shida. W.   cloven-leaved.   1795. 9.12. G. ½.   Jac. cox. t. 76. f. 2.     43 elongata. W.   cloven-leaved.   1795. 9.11. G. ½.   1. 55.     44 reclinata. W.   shida. W.   clowex-leaved.   1799. 9.11. G. ½.   1. 55.     45 elongata. W.   clowex-leaved.   1799. 9.11. G. ½.   1. 55.     45 elongata. W.   clowex-leaved.   1799. 9.11. G. ½.   1. 55.     45 elongata. W.   clowex-leaved.   1799. 9.11. G. ½.   1. 1. 39.     46 tenuifolia. W.   shida. W.   clowered.   1799. 9.11. G. ½.   1. 1. 39.     47 macrostylis. W.   chapter defended.   1799. 9.1						1795	G	. 4.	t. 52.
17 flaccida. W.   flaccid.   1812.   G. ½   t. 56     19 speciosa. W.   specious.   1690. 9.11. G. ½   t. 60     20 Acetosella. W.   green-margined.   C. R. S.   1812. 9.12. G. ½   t. 60     22 pulchella. W.   specious.   Britain.   1791. 10. 11. G. ½   t. 79. f. 1     23 obtusa. W.   blunt-leaved.   1812.   G. ½   t. 79. f. 1     24 lanata. W.   slender.   1793. 4.5. G. ½   t. 77. f. 2     25 tenella. W.   slender.   1793. 4.5. G. ½   t. 77. f. 2     26 compressa. W.   violet-coloured.   N. America.   1772. 5.6. H. ½   t. 80. f. 2     29 caprina. W.   Goat's-foot.   C. B. S.   1757. 3.6. G. ½   t. 76. f. 1     30 cernaa. W.   drooping.   5.5. G. ½   t. 6.     31 dentata. W.   drooping.   5.5. G. ½   t. 6.     32 livida. W.   livid.   10.11. G. ½   t. 8.     33 ciliaris. W.   drooping.   5.6. G. ½   t. 70. f. 1     43 flinearis. W.   smooth.   1793. 11.12. G. ½   t. 30.     44 arcuata. W.   gland-covered.   1793. 1.12. G. ½   t. 30.     45 glabra. W.   smooth.   1795. 5.6. G. ½   t. 41.     47 glabra. W.   smooth.   1795. 5.6. G. ½   t. 41.     48 glicaulis. W.   smooth.   1795. 5.6. G. ½   t. 41.     49 flicaulis. W.   floating.   1795. 9.12. G. ½   t. 76. f. 2.     40 natans. W.   floating.   1795. 9.12. G. ½   t. 55.     41 convexula. W.   droeping.   1795. 9.12. G. ½   t. 55.     42 versicolor. W.   droeping.   1795. 9.12. G. ½   t. 55.     43 elongata. W.   elongated.   1791. 9.10. G. ½   Jac. ox. t. 76. f. 2.     44 reclinata. W.   tiblode-leaved.   1791. 9.10. G. ½   Jac. ox. t. 76. f. 2.     45 polyphylla. W.   elongated.   1795. 9.12. G. ½   t. 155.     46 tenuifolia. W.   floating.   1795. 9.11. G. ½   t. 39.     47 macrostylis. W.   floating.   1799. 10.11. G. ½   t. 39.     48 hirta. W.   shibded-leaved.   1799. 10.11. G. ½   t. 39.     49 tubiflora. W.   tubiflora. W.   tube-flowered.   1790. G. ½   t. 10.     40 tubiflora. W.   tubiflora. W.   tube-flowered.   1799. G. ½   t. 10.     41 tubiflora. W.   tubiflored.   1799. G. ½   t. 15.     42 tubiflora. W.   tubiflored.   1799. G. ½   t. 15.						1790	0.11 G	. 4 .	
18 purpurea. W.			flaccid.			1810 -	G	. 4 .	t. 03.
19 speciosa W.   20 Acetosella W.   21 marginata W.   22 pulchella W.   23 obtusa W.   24 lanata W.   24 lanata W.   25 tenella W.   26 compressa W.   27 sericea W.   28 violacea W.   29 caprina W.   29 caprina W.   29 caprina W.   20 cerua W.   20 cerua W.   20 cerua W.   21 linda W.   21 linda W.   22 linda W.   25 tenella W.   26 compressa W.   27 sericea W.   28 violacea W.   29 caprina W.   27 control W.   28 violacea W.   29 caprina W.   27 control W.   27 control W.   28 violacea W.   29 caprina W.   27 control W.   27 control W.   27 control W.   27 control W.   28 livida W.   28 linearis W.   28 lin		_	purple.			1012.	— G	.71.	t. 56.
20 Acetosella. W. 21 marginata, W. green-margined. C. B. S. 1812. 9.12. G. ½. Jac. ox. t. 68, beautiful. 1795. 10.11. G. ½. t. 69. beautiful. 1795. 10.11. G. ½. t. 69. beautiful. 1795. 10.11. G. ½. t. 79. f. 1. 1812. G. ½. t. 79. f. 1. 1791. G. ½			specious.			1690. 9	).11. G	. 1.	t. 60.
21 marginata. W. 22 pulchella, W. 23 pulchella, W. 24 beautiful, 25 tenella. W. 25 tenella. W. 26 compressa. W. 27 sericea. W. 28 violacea. W. 29 caprina. W. 29 caprina. W. 30 ceraua. W. 30 ceraua. W. 31 dentata. W. 32 livida. W. 33 ciliaris. W. 34 arcuata. W. 35 linearis. W. 36 cuneifolia. W. 36 lineary. W. 37 glabra. W. 38 lineary. W. 39 flicaulis. W. 39 flicaulis. W. 30 floating. 31 cloven-leaved. 32 flicaulis. W. 34 livid. 35 flicaulis. W. 36 floating. 37 glabra. W. 38 plificaulis. W. 39 flicaulis. W. 40 nataus. W. 41 convexula. W. 42 reclinata. W. 43 elongata. W. 44 reclinata. W. 45 longated. 46 tenuifolia. W. 46 tenuifolia. W. 47 macrostylis. W. 48 hirta. W. 48 hirta. W. 49 thirfora. W. 48 hirta. W. 49 thirfora. W. 49 thirfora. W. 40 hairy-stalked. 41 1790. G. ¼. 41 1791. G. ¼. 41 1795. G. ¼. 42 t. 39. 43 record. 44 reclinata. W. 45 polyphylla. W. 46 tenuifolia. W. 47 reclining. 47 macrostylis. W. 48 hirta. W. 49 thirfora. W. 50 secunda. W. 51 multiflora. W. 52 convered. 53 ciliate deved. 54 convexed. 56 cuncinglia. W. 57 c. ¼. 58 ployphylla. W. 59 floating. 50 secunda. W. 50 secunda. W. 50 secunda. W. 51 multiflora. W. 52 convexed. 51 multiflora. W. 53 ciliate deved. 51 multiflora. W. 54 third. W. 55 multiflora. W. 56 converd. 57 c. ¼. 58 ciliate. C. R. S. 58 ciliate. C. R. S. 58 ciliate. C. R. S. 59 ciliate. C. R. S. 50 ciliate. C. R. S. 51 c. ¼. 51 c. C. ¼. 52 d. J. Jac. ox. t. 76 f. 2. 52 d. Jac. ox. t. 76 f. 2. 53 ciliate. C. R. 58 ciliate. C. R. 59 ciliate. C. R. 50 ciliate. C. R. 50 ciliate. C. R. 50 ciliate. C. R. 51 c. R. 51 c. R. 51 c. R. 52 d. L. 72 d. 52	20 Acetosella.		common.		Britain.				
23 obtusa. W.   blunt-leaved.   1812.   G. \( \frac{1}{4} \)         t. 79. f. 1.			green-margined.		C. B. S.	1812. 9	).12. G	.4.	Jac. ox. t. 68,
23 obtusa. W.   blunt-leaved.   1812.   G. \( \frac{1}{4} \)         t. 79. f. 1.		,	beautiful.	-		1795.10	0.11. G	.h.	t. 69.
1791.   1.79.   1.77.   1.2			blunt-leaved.			1812	G	. 21 .	t. 79. f. 1.
26 compressa, W. silky.			woonly-leaved.	<del></del>		1791	G	. 24 .	t. 77. f. 2.
27 sericea. W.   28 violacea. W.   violet-coloured.   N. America.   1772. 5.6. H. \( \frac{1}{2} \)   = 1.8 (o. f. \( \frac{2}{2} \)   = 2 pcaprina. W.   Goat's-foot.   C. B. S.   1757. 3.6. G. \( \frac{1}{2} \)   = 1.6 (o. f. \( \frac{1}{2} \)   = 1.70 (o. f. \( \frac{1}{2}						1793. 4	1.5. G	. 4 .	t. 19.
Goat's-foot,   C. B. S.   1757. 3.6. G. 4.   t. 76. f. 1.						1794. 1	2.1. G	.4.	t. 78. f. 3.
Goat's-foot,   C. B. S.   1757. 3.6. G. 4.   t. 76. f. 1.			•		NT Amorina	1270	1.5. G	.4.	t. 77. f. l.
30 cernua, W. drooping,   2.5. G. \( \frac{1}{2} \).					C R S	1772. 3	3.6 G	71	t. 80. 1. 2. 2
31 dentata. W.   1793.11.12.G. \( \frac{1}{2} \)									
32   livida. W.   livid.			A 0			1793, 11	1.12. G	.71.	t. 7.
Collate-leaved			livid.			10	0.11.G	·ú.	t. 8.
34 arcuata W.         gland-covered.         1795. G. ¼.         t. 31.           35 linearis. W.         linear-leaved.         9.11. G. ¼.         t. 32.           86 cuncifolia. W.         wedge-shaped,         1793. 4.5. G. ¼.         t. 41.           87 glabra. W.         smooth.         1795. 5.6. G. ¼.         t. 76. f. 3.           38 bifida. W.         cloven-leaved.         1791. 9.10. G. ¼.         t. 79. f. 4.           39 fliicaulis. W.         bilobed-leaved.         1815. G. ¼.         Jac. ox. t. 76. f. 2.           40 nataus. W.         floating.         1795. 9.12. G. ¼.         Jac. ox. t. 76. f. 2.           41 convexula. W.         convex-leaved.         1789. 111. G. ¾.         t. 55.           42 versicolor. W.         striped-flowered.         1774. 1.3. G. ¼.         Bot. mag. 155.           42 versicolor. W.         striped-flowered.         1774. 1.3. G. ¼.         Jac. ox. t. 37.           42 reclinata. W.         elongated.         1791. 9.10, G. ¼.         Jac. ox. t. 37.           44 reclinata. W.         reclining.         1795. 9.11. G. ¼.         t. 34.           45 polyphylla. W.         many-leaved.         1790. 10. 11. G. ¼.         t. 38.           47 macrostylis. W.         long-styled.         1793. G. ¼.         t. 19.							G	. 4.	t. 30.
86 cuneifolia. W.       wedge-shaped,       1793. 4.5. G. ¼.       t. 71.       t. 76. f. 3.       3.       t. 71.       t. 75. 5.6. G. ¼.       t. 76. f. 3.       t. 71.       t. 75. 5.6. G. ¼.       t. 75. f. 6. s.       t. 79. f. 4.       t. 55.       t. 79. f. 4.       t. 79. f. 4.       t. 79. f. 11. G. ¼.       t. 34.			gland-covered.			1795	G	. 21 .	t. 31.
87 glabra. W. smooth. 1795. 5.6. G. 2 t. 76. f. 3. 38 bifida. W. cloven-leaved. 1791. 9.10. G. 2 t. 79. f. 4. 39 filicaulis. W. bilobed-leaved. 1815. G. 2. Jac. cox. t. 76. f. 2. 40 nataus. W. floating. 1795. 9.12. G. 2. Jac. cox. t. 76. f. 2. 41 convexula. W. convex-leaved. 1789. 11.1. G. 2 t. 55. 42 versicolor. W. striped-flowered. 1774. 1.3. G. 2. Bot. mag. 155. 43 elongata. W. elongated. 1791. 9.10. G. 2. Jac. ox. t. 37. reclining. 1795. 9.11. G. 2. Jac. ox. t. 37. reclining. 1795. 9.11. G. 2 t. 34. 45 polyphylla. W. many-leaved. 1791. 9.10. G. 2 t. 39. 46 tenuifolia. W. fine-leaved. 1790. 10.11. G. 2 t. 39. 48 birta. W. long-styled. 1793. G. 2 t. 9. 48 birta. W. hairy-stalked. 1790. G. 2 t. 13. 49 tubiflora. W. side-flowered. 1790. G. 2 t. 10. 50 secunda. W. side-flowered. 1789. 2.3. G. 2 t. 15.		-	linear-leaved.			9	.11. G	4.	t. 32.
38 bifida. W.       cloven-leaved.       1791. 9.10. G. ¼.       t. 79. f. 4.         39 filicaulis. W.       bilobed-leaved.       1815. G. ¼. Jac. schœn. 2. t. 205.         40 nataus. W.       floating.       1795. 9.12. G. ¼. Jac. ox. t. 76. f. 2.         41 convexula. W.       convex-leaved.       1789. 11.1. G. ¼.       t. 55.         42 versicolor. W.       striped-flowered.       1774. 1.3. G. ¼. Bot. mag. 155.         43 elongata. W.       elongated.       1791. 9.10, G. ¼. Jac. ox. t. 37.         44 reclinata. W.       reclining.       1795. 9.11. G. ¼.       t. 34.         45 polyphylla. W.       many-leaved.       1799. 10.11. G. ¼.       t. 39.         46 tenuifolia. W.       fine-leaved.       1790. 10.11. G. ¼.       t. 38.         47 macrostylis. W.       long-styled.       1793. G. ¼.       t. 9.         48 hirta. W.       hairy-stalked.       1787. G. ¼.       t. 13.         49 tubiflora. W.       hairy-stalked.       1790. G. ¼.       t. 10.         50 secunda. W.       side-flowering.       G. ¾.       t. 10.         51 multiflora. W.       many-flowered.       1789. 2.3. G. ¾.       t. 15.						1793. 4	1.5. G	.4.	t. 41.
39 filicaulis. W. bilobed-leaved.									
40 natais. W.   floating.   1795. 9.12. G. ¼. Jac. ox. t. 76. f. 2.     41 convexula. W.   convex-leaved.   1789. 11.1. G. ½.   t. 55.     42 versicolor. W.   striped-flowered.   1774. 1.3. G. ½. Bot. mag. 155.     43 elongata. W.   elongated.   1791. 9.10. G. ½. Jac. ox. t. 37.     44 reclinata. W.   reclining.   1795. 9.11. G. ½.   t. 34.     45 polyphylla. W.   many-leaved.   1791. 9.1. G. ½.   t. 39.     46 tenuifolia. W.   fine-leaved.   1790. 10.11. G. ½.   t. 38.     47 macrostylis. W.   long-styled.   1793.   G. ½.   t. 9.     48 hirta. W.   hairy-stalked.   1787.   G. ½.   t. 13.     49 tubiflora. W.   side-flowering.   G. ½.   t. 10.     50 secunda. W.   side-flowered.   1790.   G. ½.   t. 10.     51 multiflora. W.   many-flowered.   1789. 2.3. G. ½.   t. 15.     52 multiflora. W.   many-flowered.   1789. 2.3. G. ½.   t. 15.     53 multiflora. W.   many-flowered.   1789. 2.3. G. ½.   t. 15.     54 multiflora. W.   many-flowered.   1789. 2.3. G. ½.   t. 15.     55 multiflora. W.   many-flowered.   1789. 2.3. G. ½.   t. 15.     58 multiflora. W.   many-flowered.   1789. 2.3. G. ½.   t. 15.     58 multiflora. W.   many-flowered.   1789. 2.3. G. ½.   t. 15.     58 multiflora. W.   many-flowered.   1789. 2.3. G. ½.   t. 15.			bilohad lagrad	_	-	1791. 9	.10. G	4.	In sah 2 4 205
41 convexula. W. convex-leaved. 1789. 11.1. G. \( \frac{1}{2} \). t. 55. 42 versicolor. W. 43 elongata. W. elongated. 1791. 9.10. G. \( \frac{1}{2} \). Jac. ox. t. 37. 44 reclinata. W. reclining. 1795. 9.11. G. \( \frac{1}{2} \). d. c. ox. t. 37. 45 polyphylla. W. many-leaved. 1791. 9.1. G. \( \frac{1}{2} \). t. 39. 46 tennifolia. W. fine-leaved. 1790. 10.11. G. \( \frac{1}{2} \). t. 38, 47 macrostylis. W. long-styled. 1793. G. \( \frac{1}{2} \). t. 9. 48 hirta. W. hairy-stalked. 1787. G. \( \frac{1}{2} \). t. 13. 49 tubiflora. W. side-flowered. 1790. G. \( \frac{1}{2} \). t. 10. 50 secunda, W. side-flowered. 1789. 2.3. G. \( \frac{1}{2} \). t. 15.			Anating			1705 0	10 C	4.	Jac. ov t 76 f o
42 versicolor. W.       striped-flowered.       1774. 1.3. G. \( \frac{1}{2} \). Bot. mag. 155.         43 elongata. W.       elongated.       1791. 9.10. G. \( \frac{1}{2} \). Jac. ox. t. 37.         44 reclinata. W.       reclining.       1795. 9.11. G. \( \frac{1}{2} \).       t. 34.         45 polyphylla. W.       many-leaved.       1791. 9.1. G. \( \frac{1}{2} \).       t. 39.         46 tenuifolia. W.       fine-leaved.       1790. 10.11. G. \( \frac{1} \).       t. 38.         47 macrostylis. W.       long-styled.       1793. G. \( \frac{1} \).       t. 9.         48 hirta. W.       hairy-stalked.       1787. G. \( \frac{1} \).       t. 13.         49 tubiflora. W.       tube-flowered.       1790. G. \( \frac{1} \).       t. 10.         50 secunda, W.       side-flowering.       G. \( \frac{1} \).       t. 12.         51 multiflora. W.       many-flowered.       1789. 2.3. G. \( \frac{1} \).       t. 15.			convex-leaved.			1780 1	112. G	71	t 55
43 elongata. W. elongated. 1791. 9.10. G. ¼. Jac. ox. t. 37. 44 reclinata. W. reclining. 1795. 9.11. G. ¼. t. 34. 45 polyphylla. W. many-leaved. 1791. 9.10. G. ¼. t. 39. 46 tenuifolia. W. fine-leaved. 1790. 10.11. G. ¼. t. 38. 47 macrostylis. W. long-styled. 1793. G. ¼. t. 9. 48 hirta. W. hairy-stalked. 1787. G. ¼. t. 13. 49 tubiflora. W. tube-flowered. 1790. G. ¼. t. 10. 50 secunda. W. side-flowered. 1789. G. ¼. t. 10. 51 multiflora. W. many-flowered. 1789. 2.3. G. ¼. t. 15.			striped-flowered.			1774. 1	.3. G	. 21 .	Bot. mag. 155.
44 reclinata. W.       reclining.       1795. 9.11. G. μ.       t. 34.         45 polyphylla. W.       many-leaved.       1791. 9.1. G. μ.       t. 39.         46 tenuifolia. W.       fine-leaved.       1790. 10.11. G. μ.       t. 38.         47 macrostylis. W.       long-styled.       1793. G. μ.       t. 9.         48 hirta. W.       hairy-stalked.       1787. G. μ.       t. 13.         49 tubiflora. W.       tube-flowered.       1790. G. μ.       t. 10.         50 secunda. W.       side-flowering.       G. μ.       t. 12.         51 multiflora. W.       many-flowered.       1789. 2.3. G. μ.       t. 15.	43 elongata. W.		elongated.			1791. 9	.10. G.	24.	Jac. ox. t. 37.
45 polyphylla. W. many-leaved. 1791. 9.1. G. \( \frac{1}{2} \). \( \text{t. 39.} \) 46 tenuifolia. W. fine-leaved. 1790. 10.11. G. \( \frac{1}{2} \). \( \text{t. 38.} \) 47 macrostylis. W. long-styled. 1793. G. \( \frac{1}{2} \). \( \text{t. 9.} \) 48 hirta. W. hairy-stalked. 1787. G. \( \frac{1}{2} \). \( \text{t. 13.} \) 49 tubiflora. W. tube-flowered. 1790. G. \( \frac{1}{2} \). \( \text{t. 10.} \) 50 secunda. W. side-flowering. G. \( \frac{1}{2} \). \( \text{t. 10.} \) 51 multiflora. W. many-flowered. 1789. 2.3. G. \( \frac{1}{2} \). \( \text{t. 15.} \)		. 1	reclining.			1795. 9	.11. G.	24.	t. 34.
46 tenuntona. W.       fine-leaved.       1790. 10.11. G. \(\pexact{\perp}\).       t. 38,         47 macrostylis. W.       long-styled.       1793. G. \(\pexact{\perp}\).       t. 9.         48 hirta. W.       hairy-stalked.       1787. G. \(\pexact{\perp}\).       t. 13.         49 tubiflora. W.       tube-flowered.       1790. G. \(\pexact{\perp}\).       t. 10.         50 secunda, W.       side-flowering.       G. \(\pexact{\perp}\).       t. 12.         51 multiflora. W.       many-flowered.       1789. 2.3. G. \(\pexact{\perp}\).       t. 15.		V. 1				1791. 9	.1. G.	24.	t. 39.
47 macrostylts, W. long-styled. 1793. G. 4. t. 9. 48 hirta. W. hairy-stalked. 1787. G. 4. t. 13. 49 tubiflora. W. tube-flowered. 1790. G. 4. t. 10. 50 secunda, W. side-flowering. G. 4. t. 12. 51 multiflora. W. many-flowered. 1789. 2.3. G. 4. t. 15.						1790.10	).11.G,	24 .	t. 38,
49 tubiflora. W. tube-flowered.		_				1793	G.	24.	t. 9.
50 secunda, W. side-flowering						1787	— G	.4.	t. 13.
51 multiflora. W. many-flowered 1789. 2.3. G. 24 t. 15.						1790	— G	. 4.	t. 10.
52 rubella. W. branching-red. 1791. 9.11. G. 4. t. 16.		_	many-flowering.			1500	G	. 4 .	t. 12
1/71. 7.11. 4.4.			ranching-red.			1701 0	11 G	71	1.10.
						1751. 9	1111 0	- 49.0	V. 1.

					•	
53 rosacea. W.	rose-coloured.	Geraniæ? J.	C. B. S.	1793.	9.11. G. M.	Jac. ox. t. 17.
54 repens. W.	creeping-stalk'd.				3.4. G. 21.	t. 78. f. l.
55 reptatrix. W.	creeping-rooted.			1795.	11.12.G.M.	t. 20.
56 incarnata, W.	flesh-coloured.			1739.	4.6. G. 21.	t. 71.
57 stricta. W.	upright.		N. America.	1658.	6.10. H.M.	t. 4.
58 Dillenii. W.	annual.		America.	1798.	5.8. H.⊙.	Dill. elt. t. 221.
59 corniculata. W.	procumbent.		Britain.		5.10. H. 2/	Eng. hot. 1726.
60 perennans. M. n.	perennial.		N. S. W.		5.9. (†.7/ .	23115. 0001 27 201
61 rubens. M. n.	red-flowered.				G.Q.	1
62 pentaphylla. B. M.	five-leaved.		C. B. S.	1800.	11.9. G 21.	Bot. mag. 1549.
63 tomentosa. W.	downy-leaved.			1791.	4.5. G.M.	Jac. ov. t. 81
64 lupinifolia. W.	Lupine-leaved.			1	10 11 G 3/.	t. 79.
65 pectinata. W.	pectinated.			1700	0 11 6 2/	t 75
66 flabellifolia. W.	fan-leaved.			1780	G 2	t. 74.
67 flava. W.	narrow-leaved.			1775	34 G 7	Bot reg 117
AGROSTEMMA. W.		Caryophylleæ. J.		1110.	0.4. 0.4.	Dot. 10g. 117.
1 Githago. W.	Corn-cockle.		Britain.		67 H O	Eng. bot. 741.
2 nicæensis. W.	Italian.		Italy		— H.O.	Ing. 600. 741.
3 coronaria. W.	common.					Bot. mag. 24.
B alba.	white-flowered.			1000.	0.3. 11.4.	Doc. 11102. 24.
y plena.	double-flowered.					
4 Flos-jovis.	umbelled.		Germany.	1796	7 H 2	Bot. mag. 398.
5 Cœli-rosa.	smooth-leaved.		Levant.			
LYCHNIS. W.	Lychnis.	Caryophylleæ. J.	IJC T WILLS	1,10.	7.0. 11.4.	295.
I chalcedonica. W.	scarlet.	Caryophynea. s.	Russia	1506	67 11 21	Bot. mag. 257.
β alba.	white-flowered.		Itussia.	1090.	0.7. 11.4.	100 mag. 207.
y plena.						
2 Floscuculi. W.	double-flowered.		Dritain		CO II 3	Eng hot 570
3 coronata. W.	Ragged Robin.					Eng. bot. 573.
	Chinese,					Bot. mag. 223.
4 quadridentata. W.	four-toothed.		Duitain			Jac. aust. 2. t. 120.
5 viscaria. W.	viscid.		Dritain.			Eng. bot. 788.
6 alpina. W.	Alpine.		Scotiana.			2254.
7 læta. W.	small.		Portugai.		7. H.⊙.	T 1 4 15 TO
8 diurna. With.	red-flowered.		Britain.		6.7. H.4.	Eng. bot. 1579.
sylvestris. W. en.		3.			TT at	1500
sylvestris. W. en. 9 vespertina. With.	white-flowered.			• • • •	— н. 4.	1580.
sylvestris. W. en.	white-flowered.			* * * *	— Н.4.	1580.
sylvestris. W. en. 9 vespertina. With.	white-flowered. ica alba. E. B. MOUSE-EAR			* * * *	— н. 4.	1580.
sylvestris. W. en. 9 vespertina. With. dioica. W. en. dioi	white-flowered. ica alba. E. B.  MOUSE-EAR CHICKWEED	Caryophylleæ. J.				
sylvestris. IV. en. 9 vespertina. With. dioica. IV. en. dioi CERASTIUM. W. 1 perfoliatum. W.	white-flowered. ica alba. E. B.  MOUSE-EAR CHICKWEED perfoliate.	Caryophylleæ. J.	Greece.	1725.	6.7. H.⊙.	Dill.elt.t.217.f.284
sylvestris. IV. en. 9 vespertina. With. diotca. IV. en. diot CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W.	white-flowered. ica alba. E. B.  MOUSE-EAR CHICKWEED perfoliate. common.	Caryophylleæ. J.	Britain.	1725.	6.7. H.⊙. 4.6. H.⊙.	Dill.elt.t.217.f.284 Eng. bot. 789.
sylvestris. IV. en. 9 vespertina. With. dioica. IV. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W.	white-flowered. ica alba, E. B.  { MOUSE-EAR }  { CHICKWEED }  perfoliate.  common.  narrow-leaved.	Caryophylleæ. J.	Britain.	1725.	6.7. H.⊙. 4.6. H.⊙. 4.9. H.↓.	Dill.elt.t.217.f.284
sylvestris. IV. en. 9 vespertina. With. dioica. IV. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S.	white-flowered. ica alba. E. B. MOUSE-EAR CHICKWEED perfoliate. common. narrow-leaved. spreading.	Caryophylleæ. J.	Britain.	1725.	6.7. H.⊙. 4.6. H.⊙. 4.9. H.↓. — H.↓.	Dill.elt.t.217.f.284 Eng. bot. 789.
sylvestris. IV. en. 9 vespertina. With. dioica. IV. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S.	white-flowered. ica alba. E. B.  MOUSE-EAR CHICKWEED perfoliate. common. narrow-leaved. spreading. small-flowered.	Caryophylleæ. J.	Britain.	1725.  1816.	6.7. H. ⊙. 4.6. H. ⊙. 4.9. H. ¥. H. ¥. 4.5. H. ¥.	Dill.elt.t.217.f.284 Eng. bot. 789. ————————————————————————————————————
sylvestris. IV. en. 9 vespertina. With. dioica. IV. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W.	white-flowered. ica atla. E. B.  { MOUSE-EAR } CHICKWEED perfoliate. common. narrow-leaved. spreading. small-flowered. least.	Caryophylleæ. J.	Britain. Britain.	1725.	6.7. H. ⊙. 4.6. H. ⊙. 4.9. H. ¥. H. ¥. 4.5. H. ¥. 3.4. H. ⊙.	Dill.elt.t.217.f.284 Eng. bot. 789.  790. Eng. bot. 1630.
sylvestris. IV. en. 9 vespertina. With. dioica. IV. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K.	white-flowered. ica alba. E. B.  { MOUSE-EAR }  { CHICKWEED }  perfoliate.  common.  narrow-leaved.  spreading.  small-flowered.  least.  tetrandrous.	Caryophylleæ. J.	Britain. Britain. Scotland.	1725.  1816.	6.7. H.⊙. 4.6. H.⊙. 4.9. H. \( \frac{1}{2}\). 4.5. H. \( \frac{1}{2}\). 3.4. H.⊙. 5.6. H.⊙.	Dill.elt.t.217.f.284 Eng. bot. 789. ————————————————————————————————————
sylvestris. IV. en. 9 vespertina, With. dioica, IV. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P.S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W.	white-flowered. ica alba. E. B.  MOUSE-EAR  CHICKWEED  perfoliate. common. narrow-leaved. spreading. small-flowered. least. tetrandrous. linear-leaved.	Caryophylleæ. J.	Britain. Britain. Scotland. Hungary.	1725.  1816. 	6.7. H.⊙. 4.6. H.⊙. 4.9. H.↓. 4.5. H.↓. 3.4. H.⊙. 5.6. H.⊙. 7. H.⊙.	Dill.elt.t.217.f.284 Eng. bot. 789.\
sylvestris. IV. en. 9 vespertina, With. dioica, IV. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 9 arvense. W.	white-flowered. ica alba. E. B.  MOUSE-EAR  CHICKWEED  perfoliate. common. narrow-leaved. spreading. small-flowered. least. tetrandrous. linear-leaved. field.	Caryophylleæ. J.	Britain. Britain. Scotland. Hungary. Britain.	1725.  1816.  1804.	6.7. H. ⊙. 4.6. H. ⊙. 4.9. H. ¼. 4.5. H. ¼. 3.4. H. ⊙. 5.6. H. ⊙. 7. H. ⊙. 5.8. H. ¼.	Dill.elt.t.217.f.284 Eng. bot. 789.  790. Eng. bot. 1630.
sylvestris. IV. en. 9 vespertina. With. dioica. IV. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 9 arvense. W. 10 dichotomum. W.	white-flowered. ica atha. E. B.  { MOUSE-EAR } CHICKWEED perfoliate. common. narrow-leaved. spreading. small-flowered. least. tetrandrous. linear-leaved. field. forked.	Caryophylleæ. J.	Britain.  Britain. Scotland. Hungary. Britain. Spain.	1725.  1816.  1804. 	6.7. H.⊙. 4.6. H.⊙. 4.9. H.↓. 4.5. H.↓. 3.4. H.⊙. 5.6. H.⊙. 7. H.⊙. 5.8. H.↓. 6.7. H.⊙.	Dill.elt.t.217.f.284 Eng. bot. 789.  ———————————————————————————————————
sylvestris. IV. en. 9 vespertina. With. dioica. IV. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 9 arvense. W. 10 dichotomum. W.	white-flowered. ica atla. E. B.  { MOUSE-EAR } CHICKWEED perfoliate. common. narrow-leaved. spreading. small-flowered. least. tetrandrous. linear-leaved. field. forked. Alpine.	Caryophylleæ. J.	Britain. Britain. Scotland. Hungary. Britain. Spain. Britain,	1725.  1816.  1804. 	6.7. H. ⊙. 4.6. H. ⊙. 4.9. H. ↓ ↓ 4.5. H. ↓ ↓ 3.4. H. ⊙. 5.6. H. ⊙. 5.8. H. ↓ ↓ 6.7. H. ⊙.	Dill.elt.t.217.f.284 Eng. bot. 789.  ———————————————————————————————————
sylvestris. IV. en. 9 vespertina. With. dioica. IV. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 9 arvense. W. 10 dichotomum. W. 11 alpinum. W. 12 ovatum. W. en.	white-flowered. ica alba. E. B.  { MOUSE-EAR } { CHICKWEED } perfoliate. common. narrow-leaved. spreading. small-flowered. least. tetrandrous. linear-leaved. field. forked. Alpine. oval-leaved.	Caryophylleæ. J.	Britain.  Britain. Scotland. Hungary. Britain. Spain. Britain, Carinthia.	1725.  1816.  1804.  1725.	6.7. H. ⊙. 4.6. H. ⊋. 4.9. H. Ţ. 4.5. H. Ţ. 5.6. H. ⊙. 7. H. ⊙. 5.8. H. Ţ. 6.7. H. ⊙.	Dill.elt.t.217.f.284 Eng. bot. 789.  ———————————————————————————————————
sylvestris. IV. en. 9 vespertina. With. diotca. IV. en. diot CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P.S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 9 arvense. W. 10 dichotomum. W. 11 alpinum. W. 12 ovatum. W. en. 13 repens. W.	white-flowered. ica atla. E. B.  { MOUSE-EAR } CHICKWEED perfoliate. common. narrow-leaved. spreading. small-flowered. least. tetrandrous. linear-leaved. field. forked. Alpine.	Caryophylleæ. J.	Britain. Britain. Scotland. Hungary. Britain. Spain. Britain, Carinthia. S. Europe.	1725.  1816.  1804.  1725. 	6.7. H. ⊙. 4.6. H. ⊙. 4.9. H. ¼. 4.5. H. ¼. 3.4. H. ⊙. 7. H. ⊙. 5.8. H. ¼. 6.7. H. ⊙. H. ¼. 5.7. H. ¼.	Dill.elt.t.217.f.284 Eng. bot. 789.  ———————————————————————————————————
sylvestris. IV. en. 9 vespertina. With. dioica. IV. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 9 arvense. W. 10 dichotomum. W. 11 alpinum. W. 12 ovatum. W. en. 13 repens. W. 14 strictum. W.	white-flowered. ica alba. E. B.  { MOUSE-EAR } { CHICKWEED } perfoliate. common. narrow-leaved. spreading. small-flowered. least. tetrandrous. linear-leaved. field. forked. Alpine. oval-leaved.	Caryophylleæ. J.	Britain.  Britain. Scotland. Hungary. Britain. Spain. Britain, Carinthia. S. Europe. Austria.	1725.  1816.  1804.  1725.  1816. 1759.	6.7. H. ⊙. 4.6. H. ⊙. 4.9. H. ¼. 4.5. H. ¼. 3.4. H. ⊙. 7. H. ⊙. 5.8. H. ¼. 6.7. H. ⊙. H. ¼. 5.7. H. ¼.	Dill.elt.t.217.f.284 Eng. bot. 789.  ———————————————————————————————————
sylvestris. IV. en. 9 vespertina. With. diotca. IV. en. diot CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P.S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 9 arvense. W. 10 dichotomum. W. 11 alpinum. W. 12 ovatum. W. en. 13 repens. W.	white-flowered. ica alba. E. B.  { MOUSE-EAR }	Caryophylleæ. J.	Britain. Scotland. Hungary. Britain. Spain. Britain, Cariothia. S. Europe. Austria. S. Europe.	1725.  1816.  1804.  1725.  1816. 1759.	6.7. H. ⊙. 4.6. H. ⊙. 4.9. H. ¼. 4.5. H. ¼. 3.4. H. ⊙. 7. H. ⊙. 5.8. H. ¼. 6.7. H. ⊙. H. ¼. 5.7. H. ¼.	Dill.elt.t.217.f.284 Eng. bot. 789.  ———————————————————————————————————
sylvestris. IV. en. 9 vespertina. With. dioica. IV. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 9 arvense. W. 10 dichotomum. W. 11 alpinum. W. 12 ovatum. W. en. 13 repens. W. 14 strictum. W.	white-flowered. ica alba. E. B.  { MOUSE-EAR }	Caryophylleæ. J.	Britain. Scotland. Hungary. Britain. Spain. Britain, Cariothia. S. Europe. Austria. S. Europe.	1725.  1816.  1804.  1725.  1816. 1759. 1793. 1796.	6.7. H.⊙. 4.6. H.Ф. 4.9. H.Ψ. 4.5. H.Ψ. 5.6. H.⊙. 7. H.⊙. 6.7. H.⊙. 6.7. H.Ф. 5.7. H.Ψ. H.Ψ. 4.1. H.Ψ. 6.7. H.Ψ.	Dill.elt.t.217.f.284 Eng. bot. 789. ————————————————————————————————————
sylvestris. IV. en. 9 vespertina. With. dioica. IV. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 10 dichotomum. W. 11 alpinum. W. 12 ovatum. W. en. 13 repens. W. 14 strictum. W. 15 suffruticosum. W.	white-flowered. ica alba. E. B.  { MOUSE-EAR }     CHICKWEED }     perfoliate.     common.     narrow-leaved.     spreading.     small-flowered.     least.     tetrandrous.     linear-leaved.     field.     forked.     Alpine.     oval-leaved.     creeping.     upright.     suffruticose.     greatest.	Caryophylleæ. J.	Britain. Scotland. Hungary. Britain. Spain. Britain, Cariothia. S. Europe. Austria. S. Europe.	1725 1816 1804 1725 1816. 1759. 1798. 1796.	6.7. H.⊙. 4.6. H.Ф. 4.9. H.Ψ. 4.5. H.Ψ. 5.6. H.⊙. 7. H.⊙. 6.7. H.⊙. 6.7. H.Ф. 5.7. H.Ψ. H.Ψ. 4.1. H.Ψ. 6.7. H.Ψ.	Dill.elt.t.217.f.284 Eng. bot. 789. ————————————————————————————————————
sylvestris. IV. en. 9 vespertina. With. dioica. IV. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 9 arvense. W. 10 dichotomum. W. 11 alpinum. W. 12 ovatum. W. en. 13 repens. W. 14 strictum. W. 15 suffruticosum. W. 16 maximum. W.	white-flowered. ica alba. E. B.  { MOUSE-EAR }     CHICKWEED }     perfoliate.     common.     narrow-leaved.     spreading.     small-flowered.     least.     tetrandrous.     linear-leaved.     field.     forked.     Alpine.     oval-leaved.     creeping.     upright.     suffruticose.     greatest.	Caryophylleæ. J.	Britain. Scotland. Hungary. Britain. Spain. Britain, Cariothia. S. Europe. Austria. S. Europe.	1725 1816 1804 1725 1816. 1759. 1798. 1796.	6.7. H. ⊙. 4.6. H. ⊋. 4.9. H. ¾. 4.5. H. ⊉. 5.6. H. ⊙. 7. H. ⊙. 5.8. H. ¾. 6.7. H. ⊋. H. ¾. H. ¾. H. ¾. 5.7. H. ¾.	Dill.elt.t.217.f.284 Eng. bot. 789. ————————————————————————————————————
sylvestris. IV. en. 9 vespertina. With. dioica. IV. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 9 arvense. W. 10 dichotomum. W. 11 alpinum. W. 12 ovatum. W. en. 13 repens. W. 14 strictum. W. 15 suffruticosum. W. 16 maximum. W. 17 amplexicaule. B. M	white-flowered. ica alba. E. B.  MOUSE-EAR CHICKWEED perfoliate. common. narrow-leaved. spreading. small-flowered. least. tetrandrous. linear-leaved. field. forked. Alpine. oval-leaved. creeping. upright. suffruticose. greatest. glaucous. water.	Caryophylleæ. J.	Britain.  Britain. Scotland. Hungary. Britain. Spain. Britain, Carinthia. S. Europe. Austria. S. Europe. Siberia.	1725.  1816.  1804.  1725.  1816. 1759. 1798. 1798. 1792.	6.7. H. ⊙. 4.6. H. ⊋. 4.9. H. ¾. 4.5. H. ⊉. 5.6. H. ⊙. 7. H. ⊙. 5.8. H. ¾. 6.7. H. ⊋. H. ¾. H. ¾. H. ¾. 5.7. H. ¾.	Dill.elt.t.217.f.284 Eng. bot. 789. ————————————————————————————————————
sylvestris. IV. en. 9 vespertina, With. dioica. IV. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 10 dichotomum. W. 11 alpinum. W. 12 ovatum. W. en. 13 repens. W. 14 strictum. W. 15 suffruticosum. W. 16 maximum. W. 17 amplexicaule. B. M. 18 aquaticum. W.	white-flowered. ica alba. E. B.  MOUSE-EAR CHICKWEED perfoliate. common. narrow-leaved. spreading. small-flowered. least. tetrandrous. linear-leaved. field. forked. Alpine. oval-leaved. creeping. upright. suffruticose. greatest. glaucous. water.	Caryophylleæ. J.	Britain.  Britain. Scotland. Hungary. Britain. Spain. Britain, Carinthia. S. Europe. Austria. S. Europe. Siberia. Britain.	1725 1816 1804 1725 1816. 1759. 1798. 1798. 1798.	6.7. H. ⊙. 4.6. H. ⊋. 4.9. H. ¥. 4.5. H. ⊉. 5.6. H. ⊙. 7. H. ⊙. 5.8. H. ¥. 6.7. H. ⊋. H. ¥. 4.7. H. ¥. 6.7. H. \$\dagger 7. H. \$\dagger	Dill.elt.t.217.f.284 Eng. bot. 789.  ———————————————————————————————————
sylvestris. IV. en. 9 vespertina. With. dioica. IV. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 10 dichotomum. W. 11 alpinum. W. 12 ovatum. W. en. 13 repens. W. 14 strictum. W. 15 suffruticosum. W. 16 maximum. W. 17 amplexicaule. B. M. 18 aquaticum. W. Stellaria aquatica.	white-flowered. ica atla. E. B.  { MOUSE-EAR } Perfoliate. common. narrow-leaved. spreading. small-flowered. least. tetrandrous. linear-leaved. field. Alpine. oval-leaved. creeping. upright. suffruticose. greatest. glaucous. water. P. S.	Caryophylleæ. J.	Britain.  Britain. Scotland. Hungary. Britain. Spain. Britain, Carinthia. S. Europe. Austria. S. Europe. Siberia. Britain.	1725 1816 1804 1725 1816. 1759. 1798. 1798. 1798.	6.7. H. ⊙. 4.6. H. ⊋. 4.9. H. ¥. 4.5. H. ⊉. 5.6. H. ⊙. 7. H. ⊙. 5.8. H. ¥. 6.7. H. ⊋. H. ¥. 4.7. H. ¥. 6.7. H. \$\dagger 7. H. \$\dagger	Dill.elt.t.217.f.284 Eng. bot. 789.  ———————————————————————————————————
sylvestris. IV. en. 9 vespertina. With. dioica. IV. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 10 dichotomum. W. 11 alpinum. W. 12 ovatum. W. en. 13 repens. W. 14 strictum. W. 15 suffruticosum. W. 16 maximum. W. 17 amplexicaule. B. M. 18 aquaticum. W. Stellaria aquatica. 19 dioicum. W.	white-flowered. ica atla. E. B.  { MOUSE-EAR } CHICKWEED perfoliate. common. narrow-leaved. spreading. small-flowered. least. tetrandrous. linear-leaved. field. forked. Alpine. oval-leaved. creeping. upright. suffruticose. greatest. glaucous. water. P. S. Spanish.	Caryophylleæ. J.	Britain.  Britain. Scotland. Hungary. Britain. Spain. Britain, Carinthia. S. Europe. Austria. S. Europe. Siberia.  Britain. Spain. Britain.	1725 1816 1804 1725 1816. 1759. 1798. 1798. 1792. 1815	6.7. H. ⊙. 4.6. H. ⊋. 4.9. H. ¥. 4.5. H. ⊉. 5.6. H. ⊙. 7. H. ⊙. 5.8. H. ¥. 6.7. H. ⊋. H. ¥. 4.7. H. ¥. 6.7. H. \$\dagger 7. H. \$\dagger	Dill.elt.t.217.f.284 Eng. bot. 789. ————————————————————————————————————
sylvestris. IV. en. 9 vespertina. With. dioica. IV. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 9 arvense. W. 10 dichotomum. W. 11 alpinum. W. 12 ovatum. W. 13 repens. W. 14 strictum. W. 15 suffruticosum. W. 16 maximum. W. 17 amplexicaule. B. M. 18 aquaticum. W. Stellaria aquatica. 19 dioicum. W.	white-flowered. ica alba. E. B.  MOUSE-EAR CHICKWEED perfoliate. common. narrow-leaved. spreading. small-flowered. least. tetrandrous. linear-leaved. field. forked. Alpine. oval-leaved. creeping. upright. suffruticose. greatest. glaucous. water. P. S. Spanish. broad-leaved. white.	Caryophylleæ. J.	Britain.  Britain. Scotland. Hungary. Britain. Spain. Britain, Carinthia. S. Europe. Austria. S. Europe. Siberia.  Britain. Spain. Britain. Spain. Britain. S. Europe.	1725.  1816.  1804.  1725.  1816. 1759. 1798. 1798. 1792. 1815. 	6.7. H. ①. 4.6. H. ②. 4.9. H. ¾. 4.5. H. ④. 5.6. H. ②. 5.8. H. ¾. 6.7. H. ②. 5.7. H. ¾. 4.9. H. ¾. 6.7. H. ¾. 6.7. H. ¾. 6.7. H. ¾. 6.7. H. ¾. 7. H. ¾. 4.1. ¾. 6.7. H. ¾.	Dill.elt.t.217.f.284 Eng. bot. 789.
sylvestris. IV. en. 9 vespertina, With. dioica. IV. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 9 arvense. W. 10 dichotomum. W. 11 alpinum. W. 12 ovatum. W. en. 13 repens. W. 14 strictum. W. 15 suffruticosum. W. 16 maximum. W. 17 amplexicaule. B. M. 18 aquaticum. W. 20 latifolium. W. 20 latifolium. W. 21 tomeutosum. W. 22 manticum. W.	white-flowered. ica alba. E. B.  MOUSE-EAR CHICKWEED perfoliate. common. narrow-leaved. spreading. small-flowered. least. tetrandrous. linear-leaved. field. forked. Alpine. oval-leaved. creeping. upright. suffruticose. greatest. glaucous. water. P. S. Spanish. broad-leaved.	Caryophylleæ. J.	Britain.  Britain. Scotland. Hungary. Britain. Spain. Britain, Carinthia. S. Europe. Austria. S. Europe. Siberia.  Britain. Spain. Britain. Spain. Britain. S. Europe.	1725.  1816.  1804.  1725.  1816. 1759. 1798. 1798. 1792. 1815. 	6.7. H. ①. 4.6. H. ②. 4.9. H. ¾. 4.5. H. ④. 5.6. H. ②. 5.8. H. ¾. 6.7. H. ②. 5.7. H. ¾. 4.9. H. ¾. 6.7. H. ¾. 6.7. H. ¾. 6.7. H. ¾. 6.7. H. ¾. 7. H. ¾. 4.1. ¾. 6.7. H. ¾.	Dill.elt.t.217.f.284 Eng. bot. 789.  ———————————————————————————————————
sylvestris. IV. en. 9 vespertina. With. dioica. IV. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 10 dichotomum. W. 11 alpinum. W. 12 ovatum. W. en. 13 repens. W. 14 strictum. W. 15 suffruticosum. W. 16 maximum. W. 17 amplexicaule. B. M. 18 aquaticum. W. Stellaria aquatica. 19 dioicum. W. 20 latifolium. W. 21 tomentosum. W. 22 manticum. W. SPERGULA. W.	white-flowered. ica atla. E. B.  { MOUSE-EAR }     Perfoliate.     common.     narrow-leaved.     spreading.     small-flowered.     least.     tetrandrous.     linear-leaved.     field.     Alpine.     oval-leaved.     creeping.     upright.     suffruticose.     greatest.     glaucous.     water.     P. S.     Spanish.     broad-leaved.     white.     long-peduncled.     Spurrey.	Caryophylleæ. J.	Britain.  Britain. Scotland. Hungary. Britain. Spain. Britain, Cariothia. S. Europe. Austria. S. Europe. Siberia.  Britain. Spain. Britain. Spain. Britain. S. Europe. Hungary.	1725.  1816.  1804.  1725.  1816. 1759. 1798. 1798. 1792. 1815. 	6.7. H. ①. 4.6. H. ②. 4.9. H. ¼. 4.5. H. ¾. 3.4. H. ②. 5.6. H. ②. 5.8. H. ¾. 6.7. H. ②. H. ¼. H. ¼. H. ¼. 6.7. H. ②. 7. H. ¾. H. ¼. H. ¼. H. ¼. H. ¼.	Dill.elt.t.217.f.284 Eng. bot. 789.
sylvestris. IV. en. 9 vespertina. With. dioica. IV. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 10 dichotonum. W. 11 alpinum. W. 12 ovatum. W. en. 13 repens. W. 14 strictum. W. 15 suffruticosum. W. 16 maximum. W. 17 amplexicaule. B. M 18 aquaticum. W. Stellaria aquatica. 19 dioicum. W. 20 latifolium. W. 21 tomentosum. W. 22 manticum. W. 25 perfolla. W. 1 arvensis. W.	white-flowered. ica alba. E. B.  { MOUSE-EAR }     CHICKWEED }     perfoliate.     common.     narrow-leaved.     spreading.     small-flowered.     least.     tetrandrous.     linear-leaved.     field.     forked.     Alpine.     oval-leaved.     creeping.     upright.     suffruticose.     greatest.     glaucous.     water.     P. S.     Spanish.     broad-leaved.     white.     long-peduncled.     Spurrey.     rough-seeded.	Caryophylleæ. J.	Britain.  Britain. Scotland. Hungary. Britain. Spain. Britain, Carinthia. S. Europe. Austria. S. Europe. Siberia.  Britain. Spain, Britain. Spain, Britain. S. Europe. Hungary. Britain.	1725.  1816.  1804.  1725.  1798. 1796. 1792. 1815.  1766.  1648. 1801.	6.7. H. ①. 4.6. H. ②. 4.9. H. ¼. 4.5. H. ¾. 5.6. H. ②. 7. H. ②. 5.8. H. ¾. 6.7. H. ②. 5.7. H. ¾. 4.1. M. ¾. 4.2. H. ¾. 6.7. H. ¾. 6.7. H. ¾. 6.7. H. ¾. 7. H. ¾. 6.7. H. ¾. 6.7. H. ¾. 7. H. ¾. 6.7. H. ¾.	Dill.elt.t.217.f.284 Eng. bot. 789. ————————————————————————————————————
sylvestris. IV. en. 9 vespertina. With. dioica. IV. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 9 arvense. W. 10 dichotomum. W. 11 alpinum. W. 12 ovatum. W. en. 13 repens. W. 14 strictum. W. 15 suffruticosum. W. 16 maximum. W. 17 amplexicaule. B. M. 18 aquaticum. W. 20 latifolium. W. 20 latifolium. W. 21 tomentosum. W. 22 manticum. W. 3PERGULA. W. 1 arvensis. W. 2 pentandra. W.	white-flowered. ica alba. E. B.  { MOUSE-EAR } { CHICKWEED } perfoliate. common. narrow-leaved. spreading. small-flowered. least. tetrandrous. linear-leaved. field. forked. Alpine. oval-leaved. creeping. upright. suffruticose. greatest. glaucous. water. P. S. Spanish. broad-leaved. white. long-peduncled. Spurrey. rough-seeded. smooth-seeded.	Caryophylleæ. J.  Caryophylleæ. J.	Britain.  Britain. Scotland. Hungary. Britain. Spain. Britain, Carinthia. S. Europe. Austria. S. Europe. Siberia.  Britain. Spain, Britain. Spain, Britain. S. Europe. Hungary. Britain.	1725 1816 1804 1725 1816. 1759. 1798. 1798. 1792. 1815 1648. 1801.	6.7. H. ①. 4.6. H. ②. 4.9. H. ¾. 4.5. H. ④. 5.6. H. ②. 7. H. ②. 5.8. H. ¾. 6.7. H. ¾. 4.9. H. ¾. 6.7. H. ¾. 6.7. H. ¾. 7. H. ¾. 6.7. H. ¾. 6.7. H. ¾. 6.7. H. ¾. 6.7. H. ¾.	Dill.elt.t.217.f.284 Eng. bot. 789.
sylvestris. IV. en. 9 vespertina. With. dioica. IV. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 9 arvense. W. 10 dichotomum. W. 11 alpinum. W. 12 ovatum. W. en. 13 repens. W. 14 strictum. W. 15 suffruticosum. W. 16 maximum. W. 17 amplexicaule. B. M. 18 aquaticum. W. 20 latifolium. W. 21 tomentosum. W. 22 manticum. W. 25 perfault. W. 21 tomentosum. W. 22 manticum. W. 25 perfault. W. 2 pentandra. W. 3 nodosa. W.	white-flowered. ica alba. E. B.  { MOUSE-EAR } { CHICKWEED } perfoliate. common. narrow-leaved. spreading. small-flowered. least. tetrandrous. linear-leaved. field. forked. Alpine. oval-leaved. creeping. upright. suffruticose. greatest. glaucous. water. P. S. Spanish. broad-leaved. white. long-peduncled. SPURREY. rough-seeded. smooth-seeded. knotted.	Caryophylleæ. J.  Caryophylleæ. J.	Britain.  Britain. Scotland. Hungary. Britain. Spain. Britain, Carinthia. S. Europe. Austria. S. Europe. Siberia.  Britain. Spain, Britain. Spain, Britain. S. Europe. Hungary. Britain. England. Britain.	1725 1816 1804 1725 1798. 1798. 1796. 1792. 1815 1648. 1801.	6.7. H. ①. 4.6. H. ②. 4.9. H. ¼. 4.5. H. ¾. 5.6. H. ②. 7. H. ③. 5.8. H. ¾. 6.7. H. ¾. 6.7. H. ¾. 6.7. H. ¾. 6.7. H. ¾. 7. H. ¼. 6.7. H. ¾. 7. H. ¼. 6.7. H. ¾. 6.7. H. ¾. 7. H. ¼. 6.7. H. ¾. 6.7. H. ¾. 7. H. ¾. 6.7. H. ¾.	Dill.elt.t.217.f.284 Eng. bot. 789.  ———————————————————————————————————
sylvestris. IV. en. 9 vespertina. With. dioica. IV. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 9 arvense. W. 10 dichotomum. W. 11 alpinum. W. 12 ovatum. W. en. 13 repens. W. 14 strictum. W. 15 suffruticosum. W. 16 maximum. W. 17 amplexicaule. B. M. 18 aquaticum. W. 20 latifolium. W. 20 latifolium. W. 21 tomentosum. W. 22 manticum. W. 3PERGULA. W. 1 arvensis. W. 2 pentandra. W.	white-flowered. ica atla. E. B.  { MOUSE-EAR }     Perfoliate.     common.     narrow-leaved.     spreading.     small-flowered.     least.     tetrandrous.     linear-leaved.     field.     Alpine.     oval-leaved.     creeping.     upright.     suffruticose.     greatest.     glaucous.     water.     P. S.     Spanish.     broad-leaved.     white.     long-peduncled.     Spurrey.     rough-seeded.     knotted.     { smooth awl-}	Caryophylleæ. J.	Britain.  Britain. Scotland. Hungary. Britain. Spain. Britain, Carinthia. S. Europe. Austria. S. Europe. Siberia.  Britain. Spain, Britain. Spain, Britain. S. Europe. Hungary. Britain. England. Britain.	1725 1816 1804 1725 1816. 1759. 1798. 1798. 1792. 1815 1648. 1801.	6.7. H. ①. 4.6. H. ②. 4.9. H. ¼. 4.5. H. ¾. 5.6. H. ②. 7. H. ③. 5.8. H. ¾. 6.7. H. ¾. 6.7. H. ¾. 6.7. H. ¾. 6.7. H. ¾. 7. H. ¼. 6.7. H. ¾. 7. H. ¼. 6.7. H. ¾. 6.7. H. ¾. 7. H. ¼. 6.7. H. ¾. 6.7. H. ¾. 7. H. ¾. 6.7. H. ¾.	Dill.elt.t.217.f.284 Eng. bot. 789.
sylvestris. IV. en. 9 vespertina, With. dioica. IV. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 3 viscosum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 10 dichotomum. W. 11 alpinum. W. 12 ovatum. W. en. 13 repens. W. 14 strictum. W. 15 suffruticosum. W. 16 maximum. W. 17 amplexicaule. B. M. 18 aquaticum. W. 20 latifolium. W. 20 latifolium. W. 21 tomeutosum. W. 22 manticum. W. 23 manticum. W. 24 manticum. W. 25 pentandra. W. 2 pentandra. W. 3 nodosa. W. 4 saginoides. W.	white-flowered. ica atla. E. B.  { MOUSE-EAR }     Perfoliate.     common.     narrow-leaved.     spreading.     small-flowered.     least.     tetrandrous.     linear-leaved.     field.     Alpine.     oval-leaved.     creeping.     upright.     suffruticose.     greatest.     glaucous.     water.     P. S.     Spanish.     broad-leaved.     white.     long-peduncled.     Spurry.     rough-seeded.     smooth-seeded.     knotted.     { smooth awl-}     shaped. }	Caryophylleæ. J.  Caryophylleæ. J.  Caryophylleæ. J.	Britain.  Britain. Scotland. Hungary. Britain. Spain. Britain. S. Europe. Austria. S. Europe. Siberia.  Britain. Spain. Britain. Spain. Britain. Spain. Britain. S. Europe. Hungary. Britain. Britain. Scotland.	1725 1816 1804 1725 1798. 1798. 1796. 1792. 1815 1648. 1801.	6.7. H. ①. 4.6. H. ②. 4.9. H. ¼. 4.5. H. ④. 5.6. H. ②. 5.8. H. ¾. 6.7. H. ②. 5.7. H. ¾. 6.7. H. ¾. 6.7. H. ¾. 6.7. H. ¾. 7. H. ¼. 6.7. H. ¾. 6.8. H. ¾.	Dill.elt.t.217.f.284 Eng. bot. 789.
sylvestris. IV. en. 9 vespertina. With. dioica. IV. en. dioi CERASTIUM. W. 1 perfoliatum. W. 2 vulgatum. W. 4 diffusum. P. S. 5 brachypetalum. P.S. 6 semidecandrum. W. 7 tetrandrum. H. K. 8 anomalum. W. 9 arvense. W. 10 dichotomum. W. 11 alpinum. W. 12 ovatum. W. en. 13 repens. W. 14 strictum. W. 15 suffruticosum. W. 16 maximum. W. 17 amplexicaule. B. M. 18 aquaticum. W. 20 latifolium. W. 21 tomentosum. W. 22 manticum. W. 25 perfault. W. 21 tomentosum. W. 22 manticum. W. 25 perfault. W. 2 pentandra. W. 3 nodosa. W.	white-flowered. ica atla. E. B.  { MOUSE-EAR }     Perfoliate.     common.     narrow-leaved.     spreading.     small-flowered.     least.     tetrandrous.     linear-leaved.     field.     Alpine.     oval-leaved.     creeping.     upright.     suffruticose.     greatest.     glaucous.     water.     P. S.     Spanish.     broad-leaved.     white.     long-peduncled.     Spurrey.     rough-seeded.     knotted.     { smooth awl-}	Caryophylleæ. J.  Caryophylleæ. J.	Britain.  Britain. Scotland. Hungary. Britain. Spain. Britain. S. Europe. Austria. S. Europe. Siberia.  Britain. Spain. Britain. Spain. Britain. Spain. Britain. S. Europe. Hungary. Britain. Britain. Scotland.	1725 1816 1804 1725 1798. 1798. 1796. 1792. 1815 1648. 1801.	6.7. H. ①. 4.6. H. ②. 4.9. H. ¼. 4.5. H. ④. 5.6. H. ②. 5.8. H. ¾. 6.7. H. ②. 5.7. H. ¾. 6.7. H. ¾. 6.7. H. ¾. 6.7. H. ¾. 7. H. ¼. 6.7. H. ¾. 6.8. H. ¾.	Dill.elt.t.217.f.284 Eng. bot. 789.  ———————————————————————————————————

### DODECANDRIA MONOGYNIA.

#### DECAGYNIA.

PHY	TOLACC	A.W.	PHYTOLACCA.	Chenopodeæ. B. I	),					
1 0	ctandra. W	7.	white-flowered.		Mexico.	1732.	7.11.	S. 24 .	Dill.elt.t.239.f.308	
2 al	byssinica. \	W.	African.		Africa.	1775.	5.6.	S.b.	Hoff. c. goet. t. 2.	
3 d	odecandra.	W. en.	recurved-leaved.				5.6.	S. 4.		
	ecandra. V		Virginian Poke.		Virginia.	1615.	8.9.	H.4.	Bot. mag. 931.	
5 ic	cosandra. V	V.	red.		E. Ind.	1758.	7.11.	S.4.	Mill. ic. t. 207.	
6 di	ioica. W.		tree.		S. America.	1768.		S.h.	L'Her.st.nov.t.70.	

# CLASS XI.

### DODECANDRIA MONOGYNIA.

ASARUM. W.	ASARABACCA.	Aristolochiæ. J.				
1 curopæum. W.	common.		England.	5. I	T. 21:	Eng. bot. 1083.
2 canadense. W.	Canadian.		Canada			Lam. ill. t.394.f.2.
3 virginicum. W.	sweet-scented.		Virginia.			Pluk.alm.t.78.f.2.
	Bocconia.	Papaveraceæ. J.	viiginia.	1703. 4.0. 1	1.4.	1 luk.alm. t. / 8.1. 2.
BOCCONIA. W.	Tree Celandine.		M7 Ind	1700 14	C T	T 111 4 004
1 frutescens. W.			W. Ind.			Lam. ill. t. 394.
2 cordata. W.	heart-leaved.		Cnina.	1795. 5.8. 1	1.4.	Bot. mag. 1905.
BASSIA. W.	BASSIA.	Sapoteæ. J.	72 T 1			T
1 longifolia. W.	long-leaved.		E. Ind.			Lam. ill. t. 398.
2 latifolia. W.	broad-leaved.			1799	S.h.	Rox. cor. 1. t. 19.
BLAKEA. W.	BLAKEA.	Melastomeæ. J.				
trinervia. W.	three-ribbed.		Jamaica.	1789. 6.7.	S.h.	Bot. mag. 451.
BEJARIA. Ph.	BEJARIA.	Rhodoraceæ. J.				
racemosa. Ph.	sweet-scented.		Florida.	1810. 6.7.	G.h.	Vent. cels. t. 51.
GARCINIA. W.	MANGOSTEEN.	Guttiferæ. J.				
Mangostana. W.	common.		Java.	1789	S.h.	Lam. ill. t. 405.
HALESIA. W.	SNOWDROP-TREE	.Ebenaceæ. B. P.				
1 tetraptera. W.	four-winged.		Carolina.	1756, 4.5, H	I.b.	Bot. mag. 910. Cav. dis. 6. t. 187,
2 diptera. W.	two-winged.		N. America.	1758. —— I	I. b.	Cay, dis. 6, t. 187.
DECUMARIA. W.	DECUMARIA.			.,	/ / •	24.1 4.51 61 61 1077
1 barbara. Ph.	smaller.	Myrd. J.	Carolina.	1785. 7.8. I	-I. L	
2 sarmentosa. Ph.	larger.					Act. par. 1. t. 13.
ARISTOTELIA, W.	ARISTOTELIA.			1700 1		21ct. par. 1. t. 15.
Macqui. W.	shining-leaved.		Chili	1770 45 7	T T.	Lam. ill. t. 399.
		Meliæ. J.	Chin.	1//3. 4.5. 1	1. n.	Lam. m. t. 399.
CANELLA. W.	CANELLA.		TIT Tool	1505	e r	Tinn toons 1 4 0
alba. W.	Laurel-leaved.		W. Ind.	1733	5. n.	Linn. trans. 1. t. 8.
CRATÆVA. W.	GARLICK-PEAR.	Capparides. J.			0.7	71.1.1.4.4.6.0
1 gynandra. W.	thin-leaved.					Pluk.alm. t.147.f.6.
2 Tapia. W.	smooth.		India.	1752	S.h.	Com. hort. 1. t. 67.
3 fragrans. H. K.	sweet-scented.		SierraLeone.	1795. 6.7.	S.h.	Bot. mag. 596.
TRIUMFETTA. W.	TRIUMFETTA.	Tiliaceæ. J.				
1 Lappula. W.	prickly-seeded.		Jamaica.			Plum. ic. t. 255.
2 Bartramia. W.	Currant-leaved.			6.7.	S. L.	Rump.am.6.t.25.f.2
3 semitriloba. W.	Mallow-leaved.		W. Ind.	1773. 7.	S.h.	Jac. vind. 3. t. 76.
4 grandiflora. W.	large-flowered.			1810	S. h.	
5 annua. W.	annual.		E. Ind.			Mill. ic. 2. t. 298.
PEGANUM. W.	PEGANUM.	Rutaceæ. J.				
1 Harmala. W.	Syrian-Rue.		Spain.	1570. 7.8. I	H. 24 .	Lam. ill. 401.
2 dauricum. P. S.			Siberia.			Gmel. sib. 4. t. 68.
HUDSONIA. W.	HUDSONIA.	Ericeæ? J.				
ericoides. W.	Heath-leaved.		N. America.	1805, 5.7,	F. b.	Hort. ber. 15.
NITRARIA. W.	NITRARIA.	Ficoideæ. J.	211 22111011001	10001 0171	, ζ .	22010. 001. 10,
Schoberi. W.	thick-leaved.		Siberia.	1778 5 8 T	T L	Bot. rep. 529.
PORTULACA. W.	Purslane.	Portulaceæ. J.		170. J.S. I	15 -	Lou ich. 072.
1 sativa. H. S.		Fortulaceae. J.	C Amorico	1650 00 T	- L	
	garden.		S. America.	1652. 8.9. I	1.0.	
β aurea.	golden.		17	1500 0= 1	TO	Dient mass 105
2 oleracea. H.S.	small.	-	Europe.			Plant. grass. 123.
3 parvifolia. H. S.	small-leaved.		Jamaica.	1799. 8.	S.⊙.	77
4 pilosa. W.	hairy.		W. Ind.	1690. 6.	5.6.	Herm. par. t. 215.
5 quadrifida. W.	creeping.					Jac. col. 2. t. 17.f.4.
6 meridiana. W.	moonday.			1791. 5,6.	S.⊙,	
		qr				

100	2022					
TALINUM. H. S.	TALINUM.	Portulaceæ. J.				
1 triangulare, W.	triangular.		W. Ind.	1739, 8.9.	S.b.	Jac. obs. 1. t. 23.
2 crassifolium. W.	thick-leaved.			1800	S. h	Jac vind. 3. t. 59.
3 patens. W.	spreading-flowd.		S. America.	1776. 8.10.	8. 2.	Jac. vind. 1. t. 151. Bot. mag. 1543.
4 reflexum. H. S.	yeilow-flowered.			1800.	S. 2.	Bot. mag. 1543.
ANACAMPSEROS.L.	ANACAMPSEROS	Portulaces J R	uliuwia H S	Talini on	W	Dott Imag. 10 10.
1 rotundifolia.	round-leaved.					Plant grace 9
			C. D. S.	1/32. /.9.	G. n.	Plant. grass. 3.
Talinum Anacamps	eros. // .			1700	0.1	D-4 10/10
2 arachnoides. B. M.	cobweb.			1790.	G. h.	Bot. mag. 1368.
3 rubens. H. S.	red-leaved.	<del></del>		1796.	G. 7.	
4 filamentosa. B. M.	thready.			1795. 8.9.	G. h.	Bot. mag. 1367.
5 lanceolata. H. S.	spear-leaved.			1796. ——	G.4.	
LYTHRUM. W.	LYTHRUM.	Salicariæ. J.				
1 Salicaria. W.	common.		Britain.	7.8.	H.4.	Eng. bot. 1061.
2 verticillatum. W.	whorl-flowered.		N. America.	1759. 7.9.	H.4.	
3 virgatum. W.	fine-branched.		Anstria.	1776. 6.9.	H.4.	Bot. mag. 1003.
4 triflorum. W.	three-flowered.			1802. 8.		
5 alatum. Ph.	winged-stalked.		N America	1910 511	G 21	Bot. mag. 1812.
6 lineare. W.	white-flowered.			7.8	H. 21	2000
7 hyssopifolium. W.	Hyssop-leaved.	C. V	England	9	HO	Eng. bot. 292.
		Salinaria I	England.	• • • • • • • • • • • • • • • • • • • •	11.0.	Ling. 30t. 23 2.
CUPHEA. Jac.	CUPHEA.	Salicariæ. J.	A	1 mm C m O	C 1	Inc. wind 0 t 177
1 viscosissima. W.	clammy.		America.	1776. 7.8.	G. 6.	Jac. vind. 2. t. 177.
2 procumbens. Cav.	procumbent.		Mexico.			Bot. reg. 182. m. 192
З lanceolata. Н. К.	smooth-styled.			1796		~
4 decandra: H. K.	decandrous.		Jamaica.	1789. 6.10.	S.h.	
KLEINHOFIA. W.	KLEINHOFIA.	Malvaceæ. J.				
Hospita. W.	heart-leaved.		E. Ind.	1800	S.h.	Cav. dis. 5. t. 146.
		,				*
		DIGYNIA				
CALLICOMA. B. R.	CALLICOMA.	Cunoniaceæ. Br.	•			
serratifolia. B. R.	saw-leaved.		NSW	1709 50	G L	Bot. rep. 566. 191
			14. 3. 11.	1/33. 3.3.	σ. η.	Бот. тер. обо.
HELIOCARPUS. W.		Tiliaceæ. J.	** **		0.1	Y :11 4 100
americanus. W.	American.		Vera Cruz.	1733	5. h.	Lam. ill. t. 409.
AGRIMONIA. W.	AGRIMONY.	Rosaceæ. J.				
1 Eupatoria. W.	common.		Britain.			Eng. bot. 1335.
2 odorata. W.	sweet-scented.		Italy.	1640. 7.	H.4.	
8 repens. W.	creeping.		Levant.	1737. 7.9.	H.4.	
4 parviflora. W.	small-flowered.		N. America.	1766. 7.	H.24.	
5 striata. Ph.	white-flowered.			1812, 6.8,	H. 1.	
6 Agrimonoides. W.	three-leaved.		Italy.			Col. ecphr. 1.t.144.
o rigitationates with	uni co rom rom		2000.	1,00.	221.4	
		TRIGYNL	1			8
DESEDA W	Dagnas		1.			
RESEDA. W.	RESEDA.	Capparides? J.	7) 1/ 1		***	E bot 200
1 Luteola. W.	Dyer's-weed.		Britain.	6.7.	H	Eng. bot. 320.
2 canescens. W.	hoary.		Spain.	1597. 5.7.	H.4.	Clus. hist. 1. t. 295.
S glauca. W.	glancous.		S. Europe.	1700. —	G.4.	Pluk.alm.t.107.f.2.
4 dipetala. W.	Flax-leaved.		C. B. S.	1774. 8.	G. 3.	
5 scoparia. W. en.	Broom-like.	•	Teneriffe.	1815. 8.9.	G.h.	
6 sesamoides. W.	spear-leaved.		France.	1787. 7.8.	H.O.	All.ped.2.t.88.f.3.
7 fruticulosa, W.	shrubby.		Spain.	1794. 9.	G.b.	Jac. ic. 3. t. 474.
8 alba. W.	upright white.		S. Europe.	1596, 5,10	H. 2	Lob. ic. 222.
9 undata. W.	wave-leaved.		Spain.	1739. 6.8	H. 21	Bar. rar. t. 587.
10 bipinnata. W. en.			- Pann	1816. —		
	rock.			1010.	U.n.	
11 stricta. P. S.	IUCK.				11.4.	*
savatilis. W. en.						
12 ramosissima. W. en			-			T 1 /
13 lutea. W.	Base-rocket.					Eng. bot. 321m
14 Phyteuma. W.	trifid.		S. Europe.	1752. 6.9.	H.⊙.	Jac. aust. 2. t. 132.
15 mediterranea. W.	Mediterranean.		Palestine.	1791. —	H.O.	Jac. ic. 3. t. 475.
16 odorata. W.	Mignonette.		Egypt.			Bot. mag. 29.
B frutescens.	tree Mignonette.					Bot. reg. 227.
EUPHORBIA. W.	Spurge.	Euphorbiæ. J.				
1 uncinata. H. K.	twin-spined.		C. B. S	1795 6 9 T	).S. L	Plant. grass. 151.
	unright triangult		E Ind			2 - 33-11-11-11-11-11-11-11-11-11-11-11-11-1
2 trigona. H. S.	envendation mili		A. Aliu.	1768. 7.8. I	) C T.	Pheed mal a + 40
3 antiquorum. H. S.			The second secon			Rheed.mal. 2. t. 42.
4 lactea. H. S.	marbled.			1804. —— I		ml
5 canariensis. W.	Canary.	_	Canaries.	1697. 3.4. I		Plant. grass. 140.
6 heptagona. W.	seven-angled.			1731.7.11.I		Brad. suc. 2. t. 13,
7 enneagona. W.	nine-angled.			1790.7.10.I		
& mammillaris. W.	warty-angled.	-		1759. 7.8. I	).S. h.	Com. præl. t. 9r
	_	1				•

## DODECANDRIA TRIGYNIA.

•	9 cereiformis. W.	naked.	Euphorbiæ. J.	C. B. S.	1731. 6.7. D.S. h.	Burm. afr. t. 9. f. 3.
	10 officinarum. W.	officinal.		Africa.	1597 D.S. h.	Plant. grass. 7".
	11 polygona. H. S.	many-angled.	-		1790. 7.9. D.S. h.	-
	12 neriifolia. W.				1690. 6.7. D.S. h.	
	13 Hystrix. W.	Porcupine.		C. B. S.		Jac.schæn.2.t.207.
	14 varians. H. S.			E. Ind.	1800 D.S. h.	
	15 grandifolia, H. S.	great-leaved.			1798 D.S. h .	Weil it t f
	16 cucumerina. W.	Cucumber-like.			DS.h.	
	17 meloformis. W.	Melon-like. ∫ GreatMedu- \			1774. 5.9. D.S. h.	Бос. гер. 617.
	18 Caput-medusæ. W.	sa's Head.	<del></del>	Africa.	1731. 8. G.h.	Com. præl. t. 7.
	19 tessellata. H. S.				1788 G.h.	
	20 fructuspina. H. S.	Small M. Head.		C. B. S.	1731 G.h.	Plant. grass. 150.
	21 procumbens. H. S.	Least M. Head.		<del></del>	1731. — G.h. 1768. — G.h.	Burm. afr. t.10. f. 1.
	22 patula. H. S.	spreading.			G. h.	
	23 anacantha. W.	scaly.	<del></del>		1727. 9.10. G.h.	Plant. grass. 144.2520
	24 clava. W.	club.		,	1774. 3.8. G. h.	Jac. ic. 1. t. 85.
	25 bupleurifolia. W.	cone-shaped.			1791. 6.7. D.S. h.	
	26 mauritanica. W.	Barbary.			1732. 6.8. G.h.	Dill. elt.t.289.1.373
	27 Lamarckii.	Lamarck's.			1808 G.h.	
	mauritanica. Lam.			OPC	1505 G.T.	Burm of t C f 3
	28 hamata. H. S.	hooked.				Burm. afr. t. 6. f. 3.
	29 Ornithopus. W. en.	leafless.		Teneriffe	1816. 6.8. G.h. 1815. — G.h.	vac. mag. c. 120.
	31 balsamifera. W.	Balsam.		Canaries.	1779 G.h.	
	32 Tirucalli. W.	Indian Tree.		India		Rheed.mal. 2. t.44,
	33 atropurpurea.W.en.			Teneriffe.	1815 G.h.	200000000000000000000000000000000000000
	34 piscatoria. W.	smooth spear-ld.		Canaries.	1777 G.h.	
	35 bracteata. H. S.	bracteated.	<del></del>			Jac-schæn.2.t.276.
	36 pendula. H. S.	pendulous.			1808 D.S. h.	
	37 Tithymaloides. W.	Myrtle-leaved.		S. America.	1699. 6.7. D.S. h.	Herm. par. 234.
	38 padifolia. H. S.	Laurel-leaved.			—— —— D.S. h.	Dil.elt.t.298.f.372.
	39 cordellata. H. S.		<del></del>		1795 D.S. h.	
	40 heterophylla. W.	various-leaved.		W. Ind.		Plum. ic. t.251. f.3
	41 dendroides, W.	tree-like.		Italy.	1768 H.h.	1 . a
	42 cyathophora. W.	coloured.		S. America.		Jac. ic. 3. t. 480. 876
	43 repanda. H. S. 44 biglandulosa. H. S.	waved.		E. Ind.	1808. 8. S.J. 9. S.h.	
	45 nudiflora. Jac.	naked-flowered.		is. Dourbon.		Jac. ic. 3. t. 470.
	46 cotinifolia. W.	Cotinus-leaved.	1. 2	S America	1600. 7. S. M.	Com. hort. 1. t. 15.
	47 petiolaris. H. K.	long-stalked.		W. Ind.	1800. 5.6.D.S. h.	
	48 mellifera. W.	honey-bearing.	<del></del>	Madeira.	1784. 4.5. G.h.	
	49 linarifolia. W.	Toad-flax-leaved			1794 S.h.	Jac. ic. 1. t. 86.
	50 variegata. B. M.	pye-balled.		Louisiana.	1811. 9. H.⊙.	Bot. mag. 1747.
	51 prunifolia. H. K.	Plum-leaved.			1799. 6.7. G. J.	Jac.scheen.3. t.277.
	52 ocymoidea. W.	Basil-leaved.		S. America.	1733. 6.8. S.O.	
	53 dentata. Ph.	toothed.		N. America.	1806. 6.7. H.⊙.	
	54 hypericifolia. W.	Hypericum-lead.		America.	1727. 6.9. H.⊙.	Com. præl. t. 10,
	55 Humboldtii. W. en.			S. America.	1809. 7.10. S.4.	
	56 prostrata. W.	trailing red.			1758. — S.O.	
	57 rosea. W.	rosy.			1808. 8. S.O.	Ton wind a 4 toe
	58 maculata. W. 59 picta. W.	spotted.		5. America.	1789. 5.7. S.4.	Jac. vind. 2. t. 186.
	60 pilulifera. W.	globular.		E. Ind.	1800. 6.8. S.4.	
	61 hyssopifolia. W.	Hyssop-leaved.		W. Ind.	1787. 8.9. S.O.	3.1.4/8.
	62 thymifolia. W.	Thyme-leaved.		India.	1699. 7.8. S.O.	Pluk.alm.t.113.f.2.
	63 Chamæsyce. W.	scollop-leaved.		S. Europe.	1752. — H.O.	Moris.s.10.t.2.f.19.
	64 Peplis. W.	purple.			— H.⊙.	Eng. bot. 2002.
	65 polygonifolia. W.	Knot-grass-lead.	<del></del>	N. America.		Jac. col. s. t.13. f.3.
	66 Ipecacuanhæ. Ph.	Ipecacuanha.			1812. — H.4.	Bot. mag. 1494.
	67 Peplus. W.	petty.	<del></del>		7.8. H.⊙.	
	68 falcata. W.	sickle-leaved.				Jac. aust. 2. t. 121.
	69 exigua. W.	dwarf.				Eng. bot. 1336.
	70 minima. H. S.	least.	-		1800. 7.9. H.⊙.	
	71 micrantha. W.	small-flowered.			1803. —— H.⊙.	Down of a t
	72 tuberosa. W.	tuberous.		Ethiopia.	1800. 10.12. G. J <sub>2</sub> .	
	73 Lathyris. W. 74 valenting. P. S.	Caper. Spanish.	•	England.	5.10. H. J.	Eng. 00t. 2255.
	75 diffusa. W.	diffuse.			1804. 7.8. H.⊙. 1798. — H.⊙.	Jac in 1 t on
	76 Apios. W.	Pear-rooted,			1596. 6.7. H.4.	0 100 100 10 10 000
			P 2		201701 01/1 22.240	

# DODECANDRIA DODECAGYNIA.

4							
77 læta. W.	Mezereon-leaved.	Euphorbiæ. J.		1758.	6.7.	G.b.	Jac. ic. 1. t. 87.
78 genistoides. W.	Genista-like.		C. B. S.	1808.			
79 spinosa. W.	prickly		Levant.				Herm. lugd. t. 601.
80 nummulariæfolia	3.5						3
W. en.	Moneywort-ld.			1800.	7.	G.h.	
81 epithymoides. W.	broad-leaved.		Austria.	1805.	5.6.	H.21.	Bot. rep. 616. 225
82 dulcis. W.	sweet.		S. Europe.				Jac. aus. 3. t. 213.
83 carnielica. W.	Carniolian.		Carniola.				Scop. carn. t. 21.
84 Pithyusa. W.							Bocc. sic. t. 5.
85 portlandica.	Portland.		Britain	1/41.	5.0	H 21	Eng. bot. 441.
86 Paralias. W.	sea.		England				
β suffruticosa.			England.				195.
				1705	= 0	· F.h.	
87 rigida. H. S.	rigid.		3/-1.1	1/95.	7.8.	n.n.	7
88 juncea. W.	rushy.	· · · · · · · · · · · · · · · · · · ·	Madeira.				Jac.schœn.1.t.107.
89 aleppica. W.				1739.		F.4.	Alp. exot. t. 64. Jac. aus. 5. t. 450.
90 segetalis. W.	corn.		S. Europe.				
91 biumbellata. P. S.	double-umbelled		Barbary.	1780.			Poir.it.ed.germ.t.1.
92 angustifolia. H. S.	narrow-leaved.		• • • • • • • • • •		7.	H.4.	
93 multicorymbosa.	many-flowered.			1805.	7.	H.4.	
H. S.	•			1000.		11.4.	
94 provincialis. W.	linear-leaved.		S. Europe.	1800.	8.11.	H.⊙.	
95 juncoides. H. S.	Rush-like.				7.	S.⊙.	
96 helioscopia. W.	Wartwort.		Britain.		7.8.	H.⊙.	Eng. bot. 883.
97 serrata. W.	narrow notch-ld.		S. Europe.	1710.	7.	G. 4.	Jac. ic. 3. t. 483.
98 cretica. H. S.	Cretan hoary.		Levant.	1768.		H.4.	
99 punicea. W.	scarlet-flowered.		Jamaica.	1778.	1.9.	S.b.	Bot. reg. 190.
100 verrucosa. W.	warted.		France.				Moris.s.10. t.3. f.3.
101 corollata. W.	great-flowered.		N. America.				Pluk.man. t.446.f.3
102 spathulæfolia.H.S.	snatula-leaved.					G.b.	
103 corallioides. W.	Coral-stalked.		S Europe			H. 4.	
104 androsæmifolia.	Corar-staracu.			1702.	0.5.	11.4.	
H.S.	Tutsan-leaved.		Hungary.	1804.	7.9.	H.4.	
105 pilosa. W.	Loime		Sibaria	1750	E 0	LI N	Complain a + an
106 orientalis. W.	hairy.						Gmel. sib. 2. t. 93.
	oriental.		Levant.			H.4.	T
107 platyphyllos. W.			England.				Jac. aust. t. 376.
108 stricta. E.B.	upright warty.						Eng. bot. 333.
109 literata. W.							Jac. ic. 3. t. 482.
110 Esula. W.	leafy-branched.		Britain.				Eng. bot. 1399.
111 sylvatica. W.	wood.		S. Europe.			F.h.	
112 Gerardiana. W.	Gerard's.		Germany.				Jac. aust. t. 436.
113 Cyparissias. W.	Cypress.	1	England.	• • • •	5.9.	H.4.	Eng. bot. 840.
114 virgata. W. en.	twiggy.		Hungary.	1807.	7.	H.4.	Pl. rar. hung. t.162.
115 myrsinites. W.	glaucous.		S. Europe.	1570.	4.6.	H.4.	
116 imbricata. P. S.	imbricated.		Portugal.	1804.	8.9.	F.h.	
117 nicæensis. W.	sharp-leaved.		Spain.	1809.		F. 24.	Jac. ic. 3. t. 485.
118 palustris. W.	marsh.	····	Sweden.	1570.	5.8.	H. 4.	Fl. dan. 866.
119 emarginata. W.	freckled.		Italy.			H. 4.	
120 hiberna. W.	Irish.	-	Britain.				Eng. bot. 1337.
121 salicifolla. W.	Willow-leaved.						Pl. rar. hung. t. 55.
122 amygdaloides. W.			England.				Eng. bot. 256.
123 Characias. W.	upright red.						442.
VISNEA. W.	VISNEA.	Ebenaceæ. J. M	Tocanera, J.			, .	,
Mocanera. W.	Canary.			1815.		G. h.	
nzocanera: **:	Canary.		Cumanes	1010.			
		TETRAGYNIA					
CATTICONIN W	CALLICOVING	Polygoneæ. J.					
CALLIGONUM. W.	CALLIGONUM.			1=00		TYT	Dell was 0 + 77 70
Pallasia. W.	Caspian.		- Caspian Sea	. 1/80.	8.	Π.η.	Pall. ros, 2. t. 77. 78.
		PENTAGYNIA					
	C		L. "				
GLINUS. W.	GLINUS.	Ficoideæ. J.	0.70				70 ' 01 / 10
lotoides. W.	hairy.	-	- S. Europe.	1788.	7.	G.O.	. Boc. sic. 21. t. 11.
		DODEG LOWS					
		DODECAGYNIA	١.				
SEMPERVIVUM. W.		Sempervivæ. J.					
1 arboreum. W.	tree.		- Levant.	1640	12.3	. G.h.	Bot. reg. 99.
β variegata.	striped-leaved.						
2 canariense. W.	Canary.		- Canaries.				Plant. grass. 141.
3 glutinosum. W.	clammy.		- Madeira.				Bot. reg. 2
4 glandulosum. W.	glandulous-leavd				3.5.	G.h.	`
5 ciliatum. W. en.	white-flowered.		- Teneriffe.				1078
							* *

## ICOSANDRIA MONOGYNIA.

6	tortuosum. W.	gouty.	Sempervivæ. J.	Canaries.	1779. 7.8. G.h.	
7	villosum. W.	villous.		Madeira.	1777. 6.7. H.⊙.	1809.
8	stellatum. L. T.	starry.		M. Baldo.	1790. 7.8. G.⊙.	
9	tectorum. W.	common.	<del></del>	Britain.	6.9. H.4.	Eng. bot. 1320.
10	africanum. H. S.	African.		C. B. S.	1768 G.4.	*
11	dodrantale. W. en.	smooth-leaved annual.	<u> </u>	Teneriffe.	1815. 7.8. G.⊙.	
12	hirtum. P. S.	hairy.		Italy.	1804. 6.7. H.4.	Schmidt. ic. t. 17.
13	soboliferum. B. M.	Hen & Chicken.		Germany.	— Н. 4.	
14	globiferum. W.	globiferous.				507. 2/12
15	montanum. W.	mountain.		Switzerland.	1752. — H.4.	
16	arachnoideum. W.	cobweb.		Italy.	1699. — H. 4.	
17	monanthos. W.	one-flowered.		Canaries.	1777. 7.9. G.4.	<del></del> 93.

# CLASS XII.

## ICOSANDRIA MONOGYNIA.

	1008.	ANDRIA M	ONOGIA	<b>V121</b> ,	
CACTUS. W.	CACTUS.	Cacti. J.			
1 Melocactus. H. S.	Turk's Cap.			1688. 7.8.D.S. h.	Plant. grass. 112.
2 depressus. H. S.	depressed.			1789 D.S. h.	
3 gibbosus. H. S.	gibbous.			1808. 7.8.D.S. h.	
4 nobilis. W.	crook-spined.			1796 D.S. h.	
5 intortus. H. S.	twisted.		Antigua.	1768 D.S.h.	
6 mammillaris. W.	small red-spined.			1688. 7.8. D.S.h.	Plant. grass. 111.
7 proliferus. H. S.	white-spined.			—— —— D.S. h.	
8 discolor. H. S.	two-coloured.			1800 D.S. h.	
9 stellatus. W. en.	starry.		S. America.	1815 D.S. h.	
10 viviparus. Ph.	viviparous.		Louisiana.	1811 D.S. h.	
11 cylindricus. W.	cylindric.			1799 D.S. h.	
12 serpentinus. W. en.				D.S. h.	
13 heptagonus. W.	seven-angled.		W. Ind.	1728. 7. D.S.h.	
14 hexagonus. W.	six-angled.		Surinam.	1690. 7.8. D.S. h.	
15 tetragonus. W.	four-angled.		S. America.	1710. 7. D.S.h.	
16 speciosus. W. en.	purple-flowered.			1816. — D.S. h.	-2 · '.72 *
17 speciosissimus.	beautiful.			D.S. h.	. 50% 13 L.
18 pentagonus. W.	five-angled.			1769.—D.S. h.	
19 prismaticus. W. en.				1816 D.S. h.	
20 repandus. W.	wavy-angled.				Trew.ehret.3. t.14.
21 fulvispinosus. H. S.			S. America.	1795 D.S.h.	
22 grisens. H. S.	grey-spined.			1809.9.10.D.S. h.	
23 lanuginosus. W.	woolly.		w.ind.		Herm. par. t. 115.
24 peruvianus. W.	Peruvian.		Peru.	1728. 8. D.S.h.	Flant. grass. 58.
25 multangularis. W. en.	many-angled.		S. America.	1816 D.S. h.	
26 Royeni. W.	nine engled	_		1700 D.S.I.	
27 grandiflorus. W.	nine-angled. night-flowering.			1728 D.S. h .	
28 flagelliformis. W.	creeping.			1700. 6.8. D.S. h. 1690. 3.6. G.h.	Pot mag 17
29 triangularis. W.	great triangular.			1690. 7.8. D.S. h.	
30 quadrangularis. H.S			S America	1800 DS L	Plum.am.t.199.f.1.
31 trigonus. H. S.	small triangular.		G. Ithurica.	DS L	t.200.f.2.
32 triqueter. H. S.	least triangular.			1794 D.S. h	t.200.1.2.
33 brasiliensis. W. en.			Brazil	1816. 7.8. D.S. h.	
34 monacanthos.W.en				D.S. h	
35 Opuntia. W.	Indian Fig.		S. Europe.	1596. 7.8 G.h	Knor. thes. 1. t.F. a. 2393
36 stricta. M. n.	oval upright.		131 Danoper	1796. — D.S. h.	Plant. grass. c. ic.
stricta, IV. en. is a				17000	a mile grade de les
37 maxima. H. S.	great oblong.		S. America.	1768 D.S. h	
38 Ficus-indica. W.	white-spined.		- Zamericay	1731. 7.8. D.S. h	
	(great black-)			_	
39 elatior. H. S.	spined.	,			Dill.elt.t.294.f.379
40 Tuna. H. S.	yellow-spined.			D.S. h	. Plant. grass. 138.
41 Dillenii. B. reg.	Dillenius's.			D.S. h	Bot. reg. 255.
	[lesser black-]				
42 nigricans. H. S.	spined.			1795. 8. D.S. h	Bot. mag. 1557.
43 humilis. H. S.	humble.			D.S.h.	•
44 polyanthos. H. S.	many-flowered.				Plant. grass. c. ic.

710	1005	ANDRIA P	MONOGY	NIA.	
45 cochinillifer. W.	Cochineal Fig.	Cacti. J.	S. America.	1688. 7.9. D.S. h.	Bot. rep. 535.
46 triacanthos. W. en.	three-spined.			D.S. b.	Don't op' Too'
47 lanceolatus. M. n.	spear-shaped.	<del></del>		1796. 7. D.S. h.	
48 ferox. W. en.	ferocious.			1817 D.S. h.	
49 spinosissimus. W.	cluster-spined.		Jamaica.	1732. 7. D.S. h.	
50 pusillus. M. n.	Small Indian Fig.		S. America.	1805. 6. D.S. h.	_ ,
51 curassavicus. W.			Curassao.	1690. 6.7. D.S. h.	Knor.thes. 2. t.O.2.
52 foliosus. W. en.	glaucous.		S. America.	1817 D.S. h.	2 7659
53 alatus. W. en.	winged.		Jamaica.	D.S.h.	364.20
54 Phyllanthus. W.	Spleenwort.			1710. 6. D.S. h.	Plant. grass. 145. 26
55 Pereskia. W.	{ Barbadoes } Gooseberry. }		W. Ind.	1696. 10.11. S. h.	SDill. elt. t. 227.
56 longispinus. H. S.	long-spined.		S America	1808 S.ħ.	( 1. 234.
57 portulacifolius. W.	Purslane-leaved.		S. America.	1806 S. h.	Plum. ic. 6, f. 1.
RHIPSALIS. Gært.	RHIPSALIS.	Cacti. J. Cacti s	n. H.	1000 5.7.	2 141111 107 01 11 11
1 Cassutha G.	naked.			1758. 9. D.S. b.	Gært.sem.1.t.28.£1
Cactus pendulus. In					
2 parasiticus. H. S.	parasitic.		S. America.	1800 D.S. h.	Plant. grass. 59.
3 fasciculatus. W. en.	bundled.	***************************************		1817 D.S. h.	
BARTONIA. Ph.	BARTONIA.	Loasea. J. in Ann	. mus.	·	
1 ornata. Ph.	naked-seeded.			1811. 7.9. G.J.	Bot. mag. 1487.
2 nuda. Ph.	winged-seeded.			G. J.	
PHILADELPHUS.W.		Myrti. J.			
1 coronarius. W.	common.		S. Europe.	1596. 5.6. H.h.	Bot. mag. 391.
β nanus.	dwarf.		C !!	1 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	77-4 1450
2 inodorus. W.	scentless.	-		1738. 6.7. H.h.	Bot. mag. 14/5.
3 grandiflorus. Ph.	large-flowered.	Munt: T		1811. — H.h.	· all slà
LEPTOSPERMUM.W 1 scoparium.W. 2 flavescens. H. K. 3 attenuatum. W.	New Zealand Tea	Myru. o.	N Zealand	1770 67 G L	Bot ren 629.
1 Scoparium. W.	vollowish		N. Zealanu.	17/2. 6.7. G. n.	Sch s hann 94 t. 14.
3 attenuatum. W.	fine-branched.		11.0.11.	1795. — G. h.	Pelinimum 11011 21
4 lanigerum. H. K.	hoary.				
5 pubescens. W.	pubescent.			- G.h.	•
6 grandifolium. L. T.	large-leaved.			1774. 6.7. G.h., 	Bot. mag. 1810.
7 parvifolium. W.	small-leaved.			1789. — G. h. 1790. — G. h.	ŭ
8 stellatum. P. S.	short-leaved.	***************************************		1790 G.h.	Cav. ic. 4. t. 330.
9 arachnoideum. W.	cobweb.			1795. 5.7. G. h.	Gært. sem. 1. t. 55.
10 juniperinum. W.	Juniper-leaved.			1790. 6.7. G.h.	Vent. malm. 89.
11 baccatum. W.	berry-fruited.			G.h.	Cav.ic.4. t. 331.f.2.
12 imbricatum. L. T.	imbricated.		-	1800. — G.h.	******
13 triloculare. V.	trilocular.			1816. — G.h.	Vent. maim. 88.
14 ambiguum. W.	hook-leaved.			1791. — G.h.	Exot. bot. 1. t. 59.
FABRICIA. W.	FABRICIA.	Myrti. J.			(Gært. sem. 1. 6.
1 myrtifolia. W.	epposite-leaved.	<del></del>	N. Holland.	G.h.	355. f. 4.
2 lævigata. W.	smooth-leaved.		NEW	1788. 5.6. G.h.	Bot. mag. 1304.
METROSIDEROS.W.			74.0, 11.	1700. o.g. C.n.	Tron Hillie in a
1 hispida. W.	rough.		N. S. W.	1789, 5.8. G.h.	Exot. bot. 1. t. 42.
2 floribunda. W.	many-flowered.			1788, 7.8. G.h.	Exot. bot. 1. t. 42.
3 costata. W.	ribbed.			1816 G. b.	Gær.sem.1.t.34.f.2.
4 glomulifera. W.	cluster-flowered.			1805, 5.6, G.b.	
5 angustifolia. W.	narrow-leaved.		C. B. S.	1787 G.h. 1816 G.h.	
6 marginata. P. S.	margined.		N. S. W.	1816 G. h.	Cav. ic. 4. t. 332.
7 linearis. W.	linear-leaved.			1788. 6.7. G.h.	Sert. han. 19. t. 11.
8 pinifolia. W. en.	Pine-leaved.			$\dots$ G. h.	Wend. col. 1. t. 16.
9 viminalis. W.	long-leaved.			1800. 3.6. G.h.	Gær. sem.1.t.34.f.4
10 saligna. W.	Willow-leaved.	***************************************		1788. 5.6. G.h.	
11 lanceolata. W.	spear-leaved.		-	11.6. G.h.	260.
12 speciosa. B. M.	splendid.	Munti I		1803. 3.6. G.h.	1/01,
PSIDIUM. W.	GUAVA.	Myrti. J.	W Ind	1656 67 C I	Rumph amh 1 + 47
1 pyriferum. W.	white.		W. Ind.	1692 - S. L.	Rumph.amb.1.t.47. Rheed.mal.3.t.35.
2 pomiferum. W.	red.			1770 Sh.	Auh, gui, 1, t, 191,
3 aromaticum. W. 4 cordatum. B. M.	spice.			1811. 5.7. S.h.	Bot. mag. 1779.
5 montanum. W.	mountain.			1779 S.h.	
EUGENIA. W.	EUGENIA.	Myrti. J.			
	[MalayApple-]		TC 1-3	1800 50 0 7	Eat wan Asa
1 malaccensis. W.	tree.			1768. 5.8. S.h.	•
2 Jambos. W.	narrow-leaved.			2.7. S.h.	Bot. mag. 1696.
3 baruensis. W.	many-flowered.			S.h.	

4 axillaris, W. sweet-scentch. 6 finginos. W. sweet-scentch. 6 Mini, W. 7 olliptica. W. 7 olliptica. W. 8 ligusthina, W. 7 olliptica. W. 8 ligusthina, W. 9 uniflora. W. 1970. 6.95, G. l., Bolt. mag, 1942. 19 uniflora. W. 10 explanica. W. en. blastanic. W. en. bla		ICOS.	ANDRIA W	LONGGY	NIA.		111
S fragrans, W.   Small-fruited.   Guiaua.   1790. 4.5	4 axillaris, W.	axillary.	Myrti, J.	Jamaica.	1793. 9.	S. b .	
6 Mini, W. 7 elliptica, W. 8 ligustrina, W. 9 midlora, W. 9 midlora, W. 9 midlora, W. 10 zeylanica, W. 11 zeylanica, W. 12 zeylanica, W. 13 zeylanica, W. 14 zeylanica, W. 15 zeylanica, W. 15 zeylanica, W. 16 zeylanica, W. 16 zeylanica, W. 17 zeylanica, W. 18 ze			•				Bot. mag. 1242.
7 elliptica. W. pround-froited. Signstrina. W. pround-froited. Provided. Signstrina. W. pointfora. W. pointfora. W. pointfora. W. pointfora. W. continuation. Cylon. Cylon				Guiana.			
Sigustrian W.   Omition W.   Omition Word.   Hispaniola   1798. S. S. I.   Bot. mag. 473.		round-fruited.		N. S. W.			
10 zeylanica. W. en   12 latfolia. W. en   13 latfolia. W. en   14 latfolia. W. en   15 la	8 ligustrina. W.	Privet-leaved.		Hispaniola.			3
10 zeylanica. W. en   12 latfolia. W. en   13 latfolia. W. en   14 latfolia. W. en   15 la	9 uniflora. W.	one-flowered.		Brazil.	1759. 1.3.	S.h.	Bot. mag. 473.
11 balsamica, W. en.   1816.   S. f. Jac. frag. t. 45. f. 2.	10 zeylanica. W.	Ceylon.		Ceylon.	1798. 6.7.	S.h.	Bot. rep. 619.
CANVPILLUS.   P. S.   aromatic.   Myrti. J.   Aromatic.   Myrti. S.   Europe.   1597.   S.   f.   Rumph.amb.9.t.1.2   Myrti.   common.   S. Europe.   1597.   7.3   G.   f.   Duh.arb.e.n.t. 4.3   Mill.ic. t.   184.   f.   1.   Mill.ic. t.   184.   f.	11 balsamica. W. en.	balsamie.			1816	S.h.	Jac. frag. t. 45. f. 2.
P. S.   Aroundities, P. S.   MYRTLE, W.   Myrti.   Moluccas.   1797.   S. h.   Rumph.amb.2.t.1.2		broad-leaved.		Guiana.	1793	S.h.	Aub. gui. 1. t. 199.
Amountous P. S.   Amountous P. S.   Amountous P. S.   Amountous P. S.   Amountous Productions Produc		CLOVE-TREE.	Myrti, J.				
NYRTUS, W.   a common, broad-leaved, broa				M. 1.		C I	D 1 . 1
1 communis, W. a romana. b attention.   S. Europe.   1597, 7.8, G, \( \frac{1}{2} \) Dub. arb. e. n. t. 43, Mill. ic. t. 184, f. 1.				Moluccas.	1797	5. h.	Rumph.amb.2.t.1.2
## State			Myrti.	C F	1500 00	O I	Data to the
β Attentina.   Haz-leaved.   Haliana. or   Ingright.     γ italica.   Mailiana. or   Ingright.     δ batica.   Orange-leaved.   Clus. hist. 1. t. 1.     ζ belgica.   Portugal.   Clus. hist. 1. t. 1.     ζ belgica.   Variable   V			<del></del>	S. Europe.	1597. 7.8.	G. n.	Mill in 4 204 6 1
Validica.   Springlist.   Orange-leaved.   Clus. hist. 1.1.1.							Will. IC. t. 184, I. 1.
\$\frac{\text{batten}}{\text{c}}\$   \$\frac{\text{c}}{\text{c}}\$   \$\f							
Selection   Orange-leaved   Clus. hist. 1.14.	y italica.					-	P
The statement   Portugal   Por	à bætica.				-		Blackwell, t. 114.
Tomotherace   China   China   1766   C.7.   C.   C.   C.   C.   C.   C.							
Datch.   Somemary-leaved.   China.   1776. 6.7. G. h.   Bot. mag. 250.	_						
n mucronata.   Nowmary-leaved.   China.   1776. 6.7. G. h.   Bot. mag. 250.	s beigica.					***************************************	
2 tomentosa, W. 3 bilotan, W. 4 lucida, W. 5 dimosa, W. 6 disticha, W. 6 disticha, W. 6 disticha, W. 7 Gregii, W. 8 virgultosa, W. 9 acris, W. 10 coriacea, W. 11 Pimenta, W. 12 Luzygium, W. 2 Jambolana, W. 2 China, L. T. 3 rostrata Cav. 3 pillularis, L. T. 5 rostrata Cav. 3 pillularis, L. T. 5 resinifera, L. T. 6 carpitellata, L. T. 5 resinifera, L. T. 6 marginata, L. T. 7 capitellata, L. T. 8 saligna, L. T. 9 globulus, Lab. 10 botryoides, L. T. 10 piperita, L. T. 12 piperita, L. T. 13 piperita, L. T. 14 piperita, L. T. 15 paniculata, L. T. 15 paniculata, L. T. 16 cornuta, H. K. PUNICA, W. 17 Punnila, W. 18 Power and Myrti, J. 18 paniculata, L. T. 19 piperita, L. T. 10 panicalata, L. 11 piperita, L. T. 12 piperita, L. T. 13 piperita, L. T. 14 piperita, L. T. 15 paniculata, L. T. 16 cornuta, H. K. 17 punila, W. 18 paniculata, W. 19 paniculata, W. 20 piperita, L. T. 20 piperita, L. T. 20 piperita, L. T. 21 piperita, L. T. 22 piperita, L. T. 23 pilotan, W. 24 piperita, L. T. 24 piperita, L. T. 25 piperita, L. T. 26 piperita, L. T. 26 piperita, L. T. 27 piperita, L. T. 28 piperita, L. T. 29 piperita, L. T. 20 piperita, L. T. 20 piperita, W. 21 piperita, L. T. 22 piperita, W. 23 piperita, P. 24 piperita, W. 25 piperita, W. 26 piperita, W. 27 piperita, W. 28 piperi	n mucronata.					-	
4   Iucida W.   5   damosa. W.   6   disticha. W.   7   Gregii. W.   6   disticha. W.   7   Gregii. W.   6   disticha. W.   7   Gregii. W.	2 tomentosa. W.			China.	1776. 6.7.	G.h.	Bot. mag. 250.
5 disticla. W.   globe-berried.   Jamaica.   776.				Jamaica.			Brown.jam.t.25.f.8
6 disticha. W. 7 Gregin. W. 8 virgultosa. W. 9 acris. W. 19 acris. W. 19 caris. W. 19 caris. W. 10 coriacea. W. 11 Pinienta. W. CALYPIFRAN- THES. W. 1 Zuzygium. W. 2 Jambolana. W. 3 Claytracatia. W. 1 robusta. L. T. 1 robusta. L. T. 2 rostrata. Cav. 3 pilnlaris. L. T. 4 tereticornis. L. T. 5 resinifera. L. T. 5 resinifera. L. T. 5 resinifera. L. T. 8 saligna. L. T. 9 globulus. Lab. 10 botryoides. L. T. 11 hæmastoma. L. T. 12 piperita. L. T. 12 piperita. L. T. 12 piperita. L. T. 12 piperita. L. T. 13 obliqua. W. 15 paniculata. L. T. 14 corymbosa. W. 15 paniculata. L. T. 16 cornuta. H. K. PUNICA. W. 1 nana. W. 2 Granatum. W. 2 Displema. AMYGDALUS. W. 1 Persica. W. 2 Granatum. W. 3 a mara. 4 communis. W. 3 Chyclarina. W. 4 corymbos. W. 15 piperita. L. T. 16 cornuta. H. K. 2 Granatum. W. 2 Granatum. W. 2 Granatum. W. 3 Baba. 2 Granatum. W. 3 Chyclarina. W. 4 corymbos. W. 15 paniculata. L. T. 8 common. S. Europe. 1548. 6.9. H. h. 1788. G. h. 1804. G. h. 2 Cav. ic. 4. t. 340. 1788. G. h. 1804. G. h. 2 Cav. ic. 4. t. 340. 1788. G. h. 1804. G. h. 2 Cav. ic. 4. t. 340. 1803. G. h. 1804. G. h. 2 Cav. ic. 4. t. 340. 1803. G. h. 1804. G. h. 2 Cav. ic. 4. t. 340. 1803. G. h. 1804. G. h. 2 Cav. ic. 4. t. 340. 1803. G. h. 1804. G. h. 2 Cav. ic. 4. t. 340. 1803. G. h. 1804. G. h. 2 Cav. ic. 4. t. 340. 1803. G. h. 1804. G. h. 2 Cav. ic. 4. t. 340. 1803. G. h. 1804. G. h. 2 Cav. ic. 4. t. 340. 1803. G. h. 1804. G. h. 2 Cav. ic. 4. t. 340. 1803. G. h. 1804. G. h. 2 Cav. ic. 4. t. 340. 1803. G. h. 1804. G. h. 2 Cav. ic. 4. t. 340. 1803. G. h. 1804. G. h. 2 Cav. ic. 4. t. 340. 1804. G. h. 2 Cav. ic. 4. t. 340. 1803. G. h. 1804. G. h. 2 Cav. ic. 4. t. 340. 1803. G. h. 1804. G. h. 2 Cav. ic. 4. t. 340. 1803. G. h. 1804. G. h. 2 Cav. ic. 4. t. 340. 1804. G. h. 2 Cav. ic. 4. t. 340. 1803. G. h. 1804. G. h. 2 Cav. ic. 4. t. 340. 1804. G. h. 2 Cav. ic. 4. t. 340. 1804. G. h. 2 Cav. ic. 4. t. 340. 1804. G. h. 2 Cav. ic. 4. t. 340. 1804. G. h. 2 Cav. ic. 4. t. 340.				Surinam.			
7 Gregii. W. 8 virgultosa. W. 9 acris. W. 10 coriacea. W. 11 Pinenta. W. CALYPTRAN- THES. W. 1 Zuzyzium. W. 2 Jambolana. W. 2 Jambolana. W. 3 Chyptrediia. W. 1 robusta. L. T. 9 rostrata. Cav. 3 pillularis. L. T. 1 tereticornis. L. T. 1 tereticornis. L. T. 5 resinifera. L. T. 6 marginata. L. T. 7 capitellata. L. T. 9 globulus. Lab. 10 betryoides. L. T. 19 globulus. Lab. 10 biqua. W. 10 biqua. W. 10 corimona. W. 2 Jambolana. W. 3 pillularis. L. T. 10 piperita. L. T. 11 piperita. L. T. 12 piperita. L. T. 13 obliqua. W. 14 corymbosa. W. 15 paniculata. L. T. 16 cornuta. H. K. PUNICA. W. 1 nana. W. 2 Granatum. W. 3 ambol. W. 1 pessa.  AMYGDALUS. W. 1 Pessa. W. 3 pillularis. L. T. 1 common. 4 pelea.  AMYGDALUS. W. 1 Pessa. W. 3 pillularis. L. T. 4 common Peach.  AMYGDALUS. W. 1 Pessa. W. 3 pillularis. L. T. 4 common Peach.  AMYGDALUS. W. 1 Pessa. W. 3 pillularis. W. 4 corymbosa. W. 1 Pepse. M. 4 Common Peach.  AMYGDALUS. W. 1 Pepse. M. 4 Corymbosa. W. 1 Pepse. M. 5 Red Gum-tree.  Barbary. 1 Selex. W. 1 Pepse. M. 4 Lab. Nov. hol. 1. t. 1. 2. 3. 6. 5. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6.				W. Ind.	6.7.	S.h.	
8 virgultosa, W. 9 acris, W. 10 coriacea, W. 11 Pinenta, W. 2 Mild Clove-tree. Sumach-leaved. Hispaniola. — S. ½. Pluk, alm.t.155.f.3. 1759. 5.7. S. ½. Plum, ic.t.208.f.2. 1759. 5.7. S. ½. Pluk, alm.t.155.f.3. 1759. 5.7. S. ½. Pluk, alm.t.155.f.2. 1759.	*			Jamaica.			
9 acris, W. 10 coriacea, W. 11 Pinenta, W. CALYPTRAN- THES, W. 2 Jambolana, W. 2 Jambolana, W. 2 Jambolana, W. 3 Chytraculia, W. 2 Jambolana, W. 3 Chytraculia, W. EUCALYPTUS, W. 1 robusta, L. T. 9 rostrata, Cay. 3 pilnaris, L. T. 6 marginata, L. T. 7 capitellata, L. T. 8 saligna, L. T. 9 globulus, Lab. 10 botryoides, L. T. 11 pinenta, W. 12 pinenta, W. 13 obliqua, W. 14 corymbosa, W. 15 paniculata, L. T. 16 cornuta, H. K. 17 corymbosa, W. 15 paniculata, L. T. 16 cornuta, H. K. 17 corymbosa, W. 18 pinenta, W. 19 pinenta, W. 10 pinenta, W. 10 pinenta, W. 11 nana, W. 2 Granatum, W. 2 Jambolana, W. 2 Jambolana, W. 3 pilnaris, L. T. 19 piperita, L. T. 10 piperita, L. T. 10 piperita, L. T. 10 piperita, L. T. 11 piperita, L. T. 12 piperita, L. T. 13 obliqua, W. 14 corymbosa, W. 15 paniculata, L. T. 16 cornuta, H. K. 17 punilia, W. 18 pinena, W. 19 pinena, 18 pinena, W. 19 pinena, 18 pinena, W. 2 Granatum, W. 2 Granatum, W. 3 amba. 3 pilna, W. 4 corymbosa, W. 1 paniced, 18 pinena, W. 2 Granatum, W. 3 pinena, 3 pilna, W. 4 pinena, 3 pilna, W. 4 pomena, 4 pomena, 4 pomena, 5 pinena, 4 pinena, 4 pinena, 5 pinena, W. 6 pinena, 4 pinena, 5 pinena, W. 6 pinena, 6 pinena, 7 pinena, 8 pilna, t. 155, f.3. 8 pinum, t. 1295, f.5. 8 p. Pulux, alm,t. 155, f.3. 8 pinum, t. 152, f.5. 8 pinum, t. 175, f.2. 8 pinum, t. 175, f.2. 8 pinum, t. 1778, 5.7. 8 p. Pulux, alm,t. 155, f.3. 8 pinum, t. 175, f.2. 8 pinum, t. 1778, 5.7. 8 p. pinum, t. 1, 20, f. pinum, t. 1794. 8 pinum, t. 1778, 5.7. 8 p. pinum, t. 1, 206. 8 pinum, t. 1778, 5.7. 8 p. pinum, t. 1, 208. 8 pinum, t. 1778, 5.7. 8 p. pinum, t. 176, f.2. 8 pinum, t. 1778, 5.7. 8 p. pinum, t. 1, 208. 8 pinum, t. 1778, 5.7. 8 p. pinum, t. 1, 208. 8 pinum, t. 1778, 5.7. 8 p. pinum, t. 172, f.2. 8 pinum, t. 1778, 5.7. 8 p. pinum, t.		0		Dominica,			
10 coriacea. W.   Sumach-leaved.   Hispaniola.     S. f.   Plum. ic. t. 208. f. 2     11 Pinenta. W.   CALYPTRAN- THES. W.   Allspice-Tree.   W. Ind.   1723. 5.7.   S. f.   Bot. mag. 1236.     12 Jambolana. W.   2 Jambolana. W.   3 Chytraculia. W.   EUCALYPTUS. W.   1 robusta. L. T.   5 rostrata. Cav.   2 pinlaris. L. T.   4 tereticornis. L. T.   5 resinifera. L. T.   6 marginata. L. T.   7 capitellata. L. T.   8 saligna. L. T.   9 globulus. Lab.   10 botryoides. L. T.   11 hæmastoma. L. T.   12 piperita. L. T.   13 obilqua. W.   14 corymbosa. W.   15 paniculata. L. T.   16 cornuta. H. K.   PUNICA. W.   1 nana. W.   2 Granatum. W.   6 abba.   AMYODALUS. W.   1 Persica. W.   β abba.   4 pelea.   AMYODALUS. W.   1 Persica. W.   6 Nectarina.   7 pena.   4 mana. W.   5 incana. W.   6 orientalis. W.   5 orientalis. W.   6 orientalis. W.   5 orientalis. W		twiggy.					
1 Pimenta. W.   Allspice-Tree.   W. Ind.   1723. 5.7. S. lp. Bot. mag. 1236.				TT:	1759. 5.7.		
THES. W.   1 Zuzygium. W.   2 Jambolana. W.   3 Jambolana. W.   3 Jambolana. W.   3 Jambolana. W.   4 Control of the forked.   5 Control of the forked.				Hispaniola.	1000 5	S.h.	Plum. 1c. t. 208. f.2,
THES. W.				W. IIIQ.	1/23. 5.7.	3. h.	Bot. mag. 1236.
Zuzygium. W.   Jambolana. W.   Jambolana. W.   Jambolana. W.   Jambolana. W.   Jambolana. W.   Schytzculia. W.   EuCalyptus.   Eichd.   1796 S.   Rumphamb.1.t.42   1796 S.   Rumphamb.1.			Myrti. J.				
2 Jambolana. W. 3 Chytraculia. W. EUCALYPTUS. Myrti. J. 1 robusta. L. T. 2 rostrata. Cav. 3 pillafis. L. T. 4 tereticornis. L. T. 5 resinifera. L. T. 6 marginata. L. T. 9 globulus. Lab. 1 globulus. Lab. 10 botryoides. L. T. 11 hæmastoma. L. T. 12 piperita. L. T. 13 obliqua. W. 14 corymbosa. W. 15 paniculata. L. T. 15 paniculata. L. T. 16 cornuta. H. K. PUNICA. W. 17 yena. 2 Granatum. W. 2 Gromunis. W. 3 Amara. 4 MYGDALUS. W. 1 Parks. A. 2 Common Peach.  A MYGDALUS. W. 1 Parks. G. k. 2 Cav. ic. 4. t. 342. 3 Jamaica. 1778. 3.5. S. k. 3 Brown. Jamaica. 1778. 3.5. S. k. 3 Brown. Jamaica. 1778. 3.5. S. k. 3 Brown. Jamaica. 1794. 8.9. G. k. 3 Cav. ic. 4. t. 342. 3 Jamaica. 1804. G. k. 4 Cav. ic. 4. t. 342. 3 Jamaica. 1804. G. k. 4 Cav. ic. 4. t. 342. 3 Jamaica. 1804. G. k. 4 Cav. ic. 4. t. 342. 3 Jamaica. 1804. G. k. 4 Cav. ic. 4. t. 342. 3 Jamaica. 1804. G. k. 4 Cav. ic. 4. t. 342. 3 Jamaica. 1804. G. k. 4 Cav. ic. 4. t. 341. 3 Jamaica. 3 Jamaica. 1804. G. k. 4 Cav. ic. 4. t. 342. 3 Jamaica. 1804. G. k. 4 Cav. ic. 4. t. 342. 3 Jamaica. 1804. G. k. 4 Cav. ic. 4. t. 342. 3 Jamaica. 1804. G. k. 4 Cav. ic. 4. t. 341. 3 Jamaica. 4 Jamaica. 3 Jamaic				W. Ind.	1778. 5.7.	S.L.	Brown iam t 7 fo
EUCALYPTUS. W. 1 robusta. L. T. 2 rostrata. Cav. 3 pilnlaris. L. T. 4 tereticornis. L. T. 5 resinifera. L. T. 6 marginata. L. T. 9 globulus. Lab. 10 botryoides. L. T. 11 piperita. L. T. 12 piperita. L. T. 13 obliqua. W. 14 corymbosa. W. 15 paniculata. L. T. 16 cornuta. H. K. PUNICA. W. 1 nana, W. 2 Granatum. W. 3 alba. 4 MYGDALUS. W. 1 Persica. W. 4 Common Peach.  A MYGDALUS. W. 1 Persica. W. 5 orientalis. W. 6				É. Ind.			
EUCALYPTUS. W. 1 robusta. L. T. 2 rostrata. Cav. 3 pilnlaris. L. T. 4 tereticornis. L. T. 5 resinifera. L. T. 6 marginata. L. T. 9 globulus. Lab. 10 botryoides. L. T. 11 piperita. L. T. 12 piperita. L. T. 13 obliqua. W. 14 corymbosa. W. 15 paniculata. L. T. 16 cornuta. H. K. PUNICA. W. 1 nana, W. 2 Granatum. W. 3 alba. 4 MYGDALUS. W. 1 Persica. W. 4 Common Peach.  A MYGDALUS. W. 1 Persica. W. 5 orientalis. W. 6				Jamaica.			
1 robusta, L. T.   2 rostrata, Cav.   5 rostrata, Cav.   5 rostrata, Cav.   6 aked.   1804   G. h.   Cav. ic. 4. t. 342, and in the followered.   1804   G. h.   Cav. ic. 4. t. 342, and in the followered.   1804   G. h.   Cav. ic. 4. t. 342, and in the followered.   1804   G. h.   Cav. ic. 4. t. 342, and in the followered.   1804   G. h.   Cav. ic. 4. t. 342, and in the followered.   1804   G. h.   Cav. ic. 4. t. 342, and in the followered.   1804   G. h.   Cav. ic. 4. t. 342, and in the followered.   1804   G. h.   Cav. ic. 4. t. 341, and in the followered.   1804   G. h.   Cav. ic. 4. t. 341, and in the followered.   1804   G. h.   Cav. ic. 4. t. 341, and in the followered.   1804   G. h.   Cav. ic. 4. t. 341, and in the followered.   1804   G. h.   Cav. ic. 4. t. 341, and in the followered.   1804   G. h.   Cav. ic. 4. t. 341, and in the followered.   1804   G. h.   Cav. ic. 4. t. 341, and in the followered.   1804   G. h.   Cav. ic. 4. t. 340, and in the followered.   1804   G. h.   Cav. ic. 4. t. 340, and in the followered.   1804   G. h.   Cav. ic. 4. t. 340, and in the followered.   1804   G. h.   Cav. ic. 4. t. 340, and in the followered.   1804   G. h.   Cav. ic. 4. t. 340, and in the followered.   1804   G. h.   Cav. ic. 4. t. 340, and in the followered.   1804   G. h.   Cav. ic. 4. t. 340, and in the followered.   1804   G. h.   Cav. ic. 4. t. 340, and in the followered.   1804   G. h.   Cav. ic. 4. t. 340, and in the followered.   1804   G. h.   Cav. ic. 4. t. 340, and in the followered.   1804   G. h.   Cav. ic. 4. t. 340, and in the followered.   1804   G. h.   Cav. ic. 4. t. 340, and in the followered.   1804   G. h.   Cav. ic. 4. t. 340, and in the followered.   1804   G. h.   Cav. ic. 4. t. 340, and in the followered.   1804   G. h.   Cav. ic. 4. t. 340, and in the followered.   1804   G. h.   Cav. ic. 4. t. 340, and in the followered.   1804   G. h.   Cav. ic. 4. t. 340					.,,		
9 rostrata. Cav.         3 pilnlaris. L. T.         narrow-leaved.         ————————————————————————————————————		Brown Gum-tree.		N. S. W.	1794. 8.9.	G.h.	Sm. nov. hol. t. 13,
3 pilnlaris, L. T. 4 tereticornis, L. T. 5 resinifera, L. T. 6 marginata, L. T. 7 capitellata, L. T. 9 globulus, Lab. 10 botryoides, L. T. 11 hæmastoma, L. T. 12 piperita, L. T. 13 obliqua, W. 14 corymbosa, W. 15 paniculata, L. T. 16 cornuta, H. K. PUNICA, W. 1 nana, W. 2 Granatum, W. 3 amara.  AMYGDALUS, W. 1 Persica, W. 1 Persica, W. 2 Commonis, W. 3 amara.  AMYGDALUS, W. 1 Persica, W. 4 nana, W. 5 incana, W. 6 orientalis, W. 5 incana, W. 6 orientalis, W. 5 incana, W. 6 orientalis, W. 5 ilvery-leaved. 6 marginata, L. T. 1788, 4.7, G, ½, Bot, rep, 400. 1804, G, ½, Bot, rep, 400. 1804, G, ½, Lab,nov,hol.1.t.12, G, ½, Cav. ic, 4, t, 341. 1804, G, ½, Lab,nov,hol.1.t.13, G, ½, Lab,nov,hol.1,t.13, G, ½, Lab,nov,hol.1,t.13, G, ½, Lab,nov,hol.1,t.	2 rostrata. Cav.				1804	G.h.	Cav. ic. 4. t. 342.
Thick-edged.   N. Flohand.   1794.   C. 1, 1794.   C. 1, 1804.   C. 1	3 pilnlaris. L. T.	narrow-leaved.	·			G.h.	
Thick-edged.   N. Flohand.   1794.   C. 1, 1794.   C. 1, 1804.   C. 1	4 tereticornis. L. T.	long-horned.				G.h.	
Thick-edged.   N. Flohand.   1794.   C. 1, 1794.   C. 1, 1804.   C. 1					1788. 4.7.	G.h.	Bot. rep. 400.
Saligna L. T.   Sullow-like.   S. S. W.   S. W.   G. ½.   Lab.nov.hol.1.t.13.				N. Flonanu.	1/94.	· G.h.	
10 botryoides, L. T.   glaucous-leaved.   N. Holland.   1803. 4.7, G. h. Cav. ic. 4. t. 341.     11 hamastoma, L. T.   acute-leaved.   N. S. W.   1788   G. h.     13 obliqua, W.   oblique-leaved.   Van Diem.   1774. 7.8. G. h.   Par. lond. 15.     14 corymbosa, W.   corymbus-flow <sup>d</sup> .   N. S. W.   1788   G. h.   Cav. ic. 4. t. 340,     15 paniculata, L. T.   panicled.   1804   G. h.     16 cornuta, H. K.   horned.   N. Holland.   1803   G. h.   Cav. ic. 4. t. 340,     17 ana, W.   POMEGRANATE.   Myrti, J.     1 nana, W.   dwarf.   W. Ind.   1723. 7.9. G. h.   Bot. mag. 634.     2 Granatum, W.   common.   S. Europe.   1548. 6.9.   H. h.   1832.     3 alba.   white-flowered.     H. h.   Bot. rep. 96.     4 plena.   double-flowered.   ALMOND.   Rosaceæ, J.     1 Persica, W.   Common Peach.   Persia.   1562. 4.5.   H. h.     3 amara.   double-flowered.   2 communis, W.   Sweet Almond.   Barbary.   1548. 3.4.   H. h.     3 amara.   Bitter Almond.   Russia.   1683.   H. h.   Bot. mag. 161.     5 incana, W.   common dwarf.   Russia.   1683.   H. h.   Pall. ross. 1. t. 7.     6 orientalis, W.   silvery-leaved.   Levant.   1756.   G. h.     7 pumila, W.   double-dwarf.   Africa   1756.   G. h.     17 pumila, W.   Africa   1756.   G. h.     18 par.   19 par.   19 par.   19 par.     19 par.   19 par.   19 par.					1804	G.h.	
10 botryoides, L. T.   glaucous-leaved.   N. Holland.   1803. 4.7, G. h. Cav. ic. 4. t. 341.     11 hamastoma, L. T.   acute-leaved.   N. S. W.   1788   G. h.     13 obliqua, W.   oblique-leaved.   Van Diem.   1774. 7.8. G. h.   Par. lond. 15.     14 corymbosa, W.   corymbus-flow <sup>d</sup> .   N. S. W.   1788   G. h.   Cav. ic. 4. t. 340,     15 paniculata, L. T.   panicled.   1804   G. h.     16 cornuta, H. K.   horned.   N. Holland.   1803   G. h.   Cav. ic. 4. t. 340,     17 ana, W.   POMEGRANATE.   Myrti, J.     1 nana, W.   dwarf.   W. Ind.   1723. 7.9. G. h.   Bot. mag. 634.     2 Granatum, W.   common.   S. Europe.   1548. 6.9.   H. h.   1832.     3 alba.   white-flowered.     H. h.   Bot. rep. 96.     4 plena.   double-flowered.   ALMOND.   Rosaceæ, J.     1 Persica, W.   Common Peach.   Persia.   1562. 4.5.   H. h.     3 amara.   double-flowered.   2 communis, W.   Sweet Almond.   Barbary.   1548. 3.4.   H. h.     3 amara.   Bitter Almond.   Russia.   1683.   H. h.   Bot. mag. 161.     5 incana, W.   common dwarf.   Russia.   1683.   H. h.   Pall. ross. 1. t. 7.     6 orientalis, W.   silvery-leaved.   Levant.   1756.   G. h.     7 pumila, W.   double-dwarf.   Africa   1756.   G. h.     17 pumila, W.   Africa   1756.   G. h.     18 par.   19 par.   19 par.   19 par.     19 par.   19 par.   19 par.				N. S. W.		G.h.	* 1 1 1 1 1 1 1 1
11 hæmastoma. L. T. 12 piperita. L. T. 13 obliqua. W. 14 corymbosa. W. 15 paniculata. L. T. 16 cornuta. H. K. 17 Pomegranate.  PUNICA. W. 1 nana. W. 2 Granatum. W. 3 alba. 4 nana. W. 5 incana. W. 5 incana. W. 6 orientalis. W. 7 pumila. W. 7 pumi		globose.		N. Halland	1000 47	G.h.	Lab.nov.hol.1.t.13.
12 piperita. L. T. 13 obliqua. W. 14 corymbosa. W. 15 paniculata. L. T. 16 cornuta. H. K. PUNICA. W. 1 nana. W. 2 Granatum. W. 3 abba.				4. Holland.	1803. 4.7.	G.h.	Cav. 1c. 4. t. 341.
13 obliqua. W.   Oblique-leaved.   Corymbus-flowd.   1774. 7.8. G. ħ. Par. lond. 15.     14 corymbus-a. W.   Evaluation   Par. lond. 15.     15 paniculata. L. T.   Danicled.   Danicled.   N. S. W.   1788 G. ħ. Cav. ic. 4. t. 340,     16 cornuta. H. K.   Horned.   N. Holland.   1804 G. ħ. Lab. voy. 1. t. 20,     PUNICA. W.   POMEGRANATE.   W. Ind.   1723. 7.9. G. ħ. Lab. voy. 1. t. 20,     Punica. W.   Granatum. W.   Common.   S. Europe.   1548. 6.9. H. ħ.   1832.     Alba.   White-flowered.   W. Ind.   1723. 7.9. G. ħ. Bot. mag. 634.     S. Europe.   1548. 6.9. H. ħ.   Bot. rep. 96.     H. ħ.   Bot. rep. 96.   H. ħ.   Trew.chret. t. 71 f. 2		Pennermint-tree		N. S. W.	1788	G. L	
14 corymbosa. W. 15 paniculata. L. T. 16 cornuta. H. K. PUNICA. W. 1 nana. W. 2 Granatum. W. β alba. γ plena. AMYGDALUS. W. 1 Persica. W. β Nectarina. γ plena. 2 communis. W. 8 amara. 2 communis. W. 8 amara. 8 litter Almond. 9 common dwarf. 1 common dwarf. 2 common dwarf. 3 amara. 4 nana. W. 5 incana. W. 5 incana. W. 6 orientalis. W. 7 pumila. W. 1788 G. ħ. Cav. ic. 4. t. 340, 1804 G. ħ. 1803 G. ħ. Lab. voy. 1. t. 20, W. Ind. 1723. 7.9. G. ħ. Bot. mag. 634. 1724. Bot. mag. 1832.  Persia. 1824. 3.4. H. ħ. 1825. 4.5. H. ħ. 1826. 4.5. H. ħ.				Van Diem.	1774. 7.8	G. h	Par, lond, 15
18 paniculata, L. T.   panicled.				N. S. W.	1788	G. h	Cav. ic. 4, t. 340.
PUNICA. W.   POMEGRANATE.   Myrti. J.     1 nana. W.   dwarf.   W. Ind.   1723. 7.9. G. l <sub>2</sub>   Bot. mag. 634.     2 Granatum. W.   common.   S. Europe.   1548. 6.9. H. l <sub>3</sub>   1832.     3 alba.   white-flowered.   W. Ind.   1723. 7.9. G. l <sub>4</sub>   Bot. mag. 634.     4 nana. W.   Common Peach.   Persia.   1562. 4.5. H. l <sub>5</sub>     5 incana. W.   Sweet Almond.   Barbary.   1548. 3.4. H. l <sub>5</sub>     6 orientalis. W.   Silvery-leaved.   Russia.   1683.   H. l <sub>5</sub>   Bot. mag. 161.     6 orientalis. W.   Silvery-leaved.   Levant.   1756.   G. l <sub>5</sub>     7 pumila. W.   double-dwarf.   Garca.   G. l <sub>5</sub>     6 orientalis. W.   Silvery-leaved.   Carcas.   Carcas.     7 pumila. W.   Ouble-dwarf.   Carcas.   Carcas.     7 pumila. W.   Ouble-dwarf.   Carcas.   Carcas.     7 punila. W.   Ouble-dwarf.   Carcas.     7 punila. W.   Ouble-dwarf.   Carcas.     7 punila. W.   Ouble-dwarf.   Carcas.     6 orientalis. V.   Ouble-dwarf.   Carcas.     7 punila. W.   Ouble-dwarf.   Ouble-dwarf.     8 Nyrti. J.   W. Ind.   1723. 7.9. G. l <sub>5</sub>   Bot. mag. 634.     7 punila. W.   Ouble-flowered.   S. Europe.     8 Det. mag. 634.   Ouble-flowered.   Ouble-flowered.     9 Det. mag. 634.   Ouble-flowered.   Ouble-flowered.     9 Det. mag. 634.   Ouble-flowered.   Ouble-flowered.     9 Det. mag. 634.   Ouble-flowered.   Ouble-flowered.   Ouble-flowered.     9 Det. mag. 634.   Ouble-flowered.   Ouble-flowered.   Ouble-flowered.     1548. 6.9. H. l <sub>2</sub>   Bot. mag. 634.     1548. 6.9. H. l <sub>2</sub>   Ouble-flowered.   Ouble-flowered.     1548. 6.9. H. l <sub>2</sub>   Ouble-flowered.   Ouble-flowered.   Ouble-flowered.     1548. 6.9. H. l <sub>2</sub>   Ouble-flowered.   Ouble-					1804	G. h.	
PUNICA. W.         POMEGRANATE.         Myrti. J.           1 nana. W.         dwarf.         W. Ind.         1723. 7.9. G. h. Bot. mag. 634.           2 Granatum. W.         common.         S. Europe.         1548. 6.9. H. h.         ————————————————————————————————————				N. Holland.	1803	G.b.	Lab. voy. 1. t. 20,
1 nana. W. dwarf.		_	Myrti. J.				•
β alba.       white-flowered.       — H.ħ.       Bot. rep. 96.         γ plena.       — H.ħ.       Trew.ehret.t.71 f.2         AMYGDALUS. W.       ALMOND.       Rosaceæ. J.         1 Persica. W.       Common Peach.       Persia.         β Nectarina.       Nectarine.       γ plena.         γ plena.       double-flowered.         2 communis. W.       Sweet Almond.       Barbary.         3 amara.       Bitter Almond.       — H.ħ.         4 nana. W.       common dwarf.       Russia.         5 incana. W.       woolly.       Caucasus.         6 orientalis. W.       silvery-leaved.       — H.ħ.       Pall. ross. 1. t. 7.         6 orientalis. W.       double-dwarf.       Africa?       '1693.       5.6. H.ħ.       Pluk. phyt.t.11.f.4.	1 nana. W.	dwarf.		W. Ind.	1723. 7.9.	G.h.	Bot. mag. 634.
β alba.       white-flowered.       —	2 Granatum. W.			S. Europe.	1548. 6.9.	H.h.	1832.
AMYGDALUS. W. 1 Persica. W. β Nectarina. γ plena. 2 communis. W. 8 incana. W. 1 incana. W. 2 incana. W. 3 incana. W. 5 incana. W. 6 orientalis. W. 7 pumila. W. 8 islivery-leaved. 7 pumila. W. 8 incana. W. 9 incana. W. 1 incana. W. 2 incana. W. 3 incana. W. 4 incana. W. 4 incana. W. 5 incana. W. 6 olientalis. W. 1 incana. W. 1 incana. W. 1 incana. W. 2 incana. W. 3 incana. W. 4 incana. W. 4 incana. W. 5 incana. W. 6 olientalis. W. 6 olientalis. W. 6 incana. W. 7 incana. W. 8 ilvery-leaved. 9 incana. W. 1 incana. W. 2 incana. W. 3 ilvery-leaved. 4 incana. W. 4 incana. W. 5 incana. W. 6 incana. W. 6 olientalis. W. 7 incana. W. 8 ilvery-leaved. 9 incana. W. 9 inc							
1 Persica. W. β Nectarina. Necturine. γ plena. 2 communis. W. Sweet Almond. 3 amara. Bitter Almond. 4 nana. W. common dwarf. 5 incana. W. woolly. 6 orientalis. W. silvery-leaved. 7 pumila. W. double-dwarf. 7 pumila. W. double-dwarf. 8 Nectarine. 9 Persia. 1562. 4.5. H. ½. 1548. 3.4. H. ½. 1548. 3.4. H. ½. 1683. — H. ½. Blackw. t. 195. 1683. — H. ½. Bot. mag. 161. 1756. — G. ½. 1756. — G. ½. 1756. — G. ½. 1756. — G. ½. 1683. 5.6. H. ½. Pluk. phyt.t.11. f. 4.						·H.h.	Trew.ehret.t.71.f.g
β Nectarina.       Nectarine.         γ plena.       double-flowered.         2 communis. W.       Sweet Almond.       Barbary.       1548. 3.4. H. ½.         3 amara.       Bitter Almond.       — H. ½. Blackw. t. 195.         4 nana. W.       common dwarf.       Russia.       1683. — H. ½. Bot. mag. 161.         5 incana. W.       woolly.       — Caucasus.       — H. ½. Pall. ross. 1. t. 7.         6 orientalis. W.       silvery-leaved.       Levant.       1756. — G. ½.         7 pumila. W.       double-dwarf.       Africa?       '1693. 5.6. H. ½. Pluk. phyt.t.11. f.4.				D 1.	1500		
y plena.         double-flowered.           2 communis. W.         Sweet Almond.         Barbary.         1548. 3.4. H. ½.           3 amara.         Bitter Almond.         H. ½.         Blackw. t. 195.           4 nana. W.         common dwarf.         Russia.         1683. H. ½.         Bot. mag. 161.           5 incana. W.         woolly.         Caucasus.         H. ½.         Pall. ross. 1. t. 7.           6 orientalis. W.         silvery-leaved.         Levant.         1756. G. ½.         G. ½.           7 pumila. W.         double-dwarf.         Africa?         '1683. 5.6. H. ½.         Pluk. phyt.t.11. f. 4.				Persia.	1562. 4.5.	H.h.	
2 communis, W.   Sweet Almond.   Barbary.   1548. 3.4. H. ½.     3 amara.   Bitter Almond.							-
3 amara. Bitter Almond. — — — — — — — — — — — — — — — — — — —				Danhamir	3540 54	TAT T	
4 nana. W. common dwarf.  5 incana. W. woolly.  6 orientalis. W. silvery-leaved.  7 pumila. W. double-dwarf.  Common dwarf.  Russia.  Caucasus.  Caucasus.  Levant.  1756.  G. L.  1756.  G. L.  1756.  G. L.  1683.  H. L.  1756.  G. L.  1756.  G. L.  1756.  G. L.  1756.				Darbary.			Blackw t 105
5 incana. W. woolly. Caucasus — H. ½. Pall. ross. 1. t. 7. 6 orientalis. W. silvery-leaved. Levant. 1756. — G. ½. 7 pumila. W. double-dwarf. — Africa? '1683. 5.6. H. ½. Pluk. phyt.t.11. f. 4.				Russia			
6 orientalis. W. silvery-leaved. — Levant. 1756. — G. h 7 pumila. W. double-dwarf. — Africa? '1683. 5.6. H. h. Pluk. phyt.t.11. f.4.							
7 pumila. W. double-dwarf. Africa? '1683. 5.6. H. h. Pluk. phyt.t.11. f.4.							O A . 64 / 0.
Prunus sinensis. P.S.					1683. 5.6.	H.h.	Plak.phyt.t.11.f.4.
							• •

# ICOSANDRIA DI-PENTAGYNIA.

PRUNUS. W.	PLUM & CHERRY.						
1 Padus. W.	Bird Cherry.				4.5.	H.h.	Eng. bot. 1383.
2 rubra. W.	Cornish Bird.						Willd. arb. t. 4, f. 2.
3 virginiana. Ph.	Virginian.	·	Virginia.				t. 5. f. 1.
4 serotina. W.							t. 5. f. 2.
5 occidentalis. W.	West Indian.			1784.			
6 lusitanica. W.	Portugal Laurel		Doutroal				Mill :- 4 100 f 1
	Fortugai Laurei.		Portugai.				Mill. ic. t. 196. f. 1.
7 caroliniana. W.	Evergreen Bird. common Laurel.		Caronna.			H.h.	D 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
8 Laurocerasus. W.	common Laurel.		Levant.				Duham.arb.1.t.133
9 Mahaleb. W.			· Austria.	1714.		H.h.	Jac. aust. 3. t. 227.
10 pumila. W.	dwarf.		N. America.	1756.	5.	H.h.	Mill. ic. t. 89. f. 2.
11 hyemalis. P. S.	mountain.			1805.		·H.h.	
12 Chamæcerasus. W.			Austria.				Jac. ic. 1. t. 90.
13 Cerasus. W.	common Cherry.	·	England.				Eng. bot. 706.
14 avium. W.	pubescent-leav'd.		-			H.b.	Blackw. t. 425.
15 pensylvanica. W.	Pensylvanian.	h-1	N. America.	1773.	5.	H.b.	Willd. arb. t.3. f. 3.
16 nigra. W.	black.						Bot. mag. 1117.
17 japonica. P. S.	Japan,		Japan.				Bot. reg. 27.
18 domestica. W.	common Plum.		England.				Eng. bot. 1783.
19 insititia. W.			Britain.	• • • •		H.h.	841.
20 cerasifera. W.	Myrobalan.		N. America.	1629.	4.5.	H.h.	
21 depressa. Ph.	depressed.	<del></del>		1805.	5.	H.h.	
22 Chicasa. Ph.	Chicasaw.			1806.	4.5.	H.h.	
23 maritima. Ph.	sea.			1800.	5.	Н. в.	
24 Susquehanna. Ph.	glaucous-leaved.			1800.		H.b.	
25 spinosa. W.	Sloe-tree.		Britain		3.4	HL	Eng. bot. 842,
26 prostrata. W.	Birch-leaved.		Croto				
*				1002.	4.0.	r.n.	Bot. reg. 136.
ARMENIACA. P. S.		Rosaceæ. J. Pra				** *	T
1 vulgaris. P. S.		<del></del>	Levant.				Lam. ill. t. 431.
2 sibirica. P. S.	Siberian.		Siberia.	1788.	4.	H.h.	Pall. ross. 1. t. 8.
CHRYSOBALA- }	Cocoa-Plum.	Rosaceæ. J.					
NUS. W.	COCOM-I LUM.						
1 Icaco. W.	West Indian.		W. Ind.	1752.		S.h.	Jac. amer. t. 94.
2 oblongifolius. Ph.	American.	B	Georgia.	1812.		G.h.	Bartr. iter. c. ic.
3			Ö			•	
		DI-PENTA	GYNIA.				
WALDSTEINIA. W	WALDSTEINIA						
WALDSTEINIA. W.		Rosaceæ. J.		1004	c 7	T.J. N	Directions 1 4 77
geoides. W.	Avens-like.	Rosaceæ. J.	Hungary.	1804.	6.7.	H.4.	Pl.rar.hung.1.t.77.
geoides. W. MESPILUS. Sm.	Avens-like. MESPILUS.	Rosaceæ. J.	Hungary.	1804. ili sp. L	6.7.	н.4.	Pl.rar.hung.1.t.77.
geoides. W. MESPILUS. Sm.	Avens-like. MESPILUS. Scarlet-fruited	Rosaceæ.J. Cra	Hungary. tægi et Mespi	li sp. L	•	·	111,2595
geoides. W. MESPILUS. Sm. 1 coccinea. W. en.	Avens-like. MESPILUS.	Rosaceæ.J. Cra	Hungary. tægi et Mespi N. America.	lli sp. L. 1683.	4.5.	н. р.	M. 2595 Pluk.alm. t. 46. f.4.
geoides. W. MESPILUS. Sm.	Avens-like. MESPILUS. Scarlet-fruited Hawthorn. Maple-leaved.	Rosaceæ. J. Cra	Hungary. tægi et Mespi N. America.	li sp. L. 1683. 1738.	4.5. 5.	H.h.	An. 2595 Pluk.alm. t. 46. f.4. Mill. ic. t. 179.
geoides. W. MESPILUS. Sm. 1 coccinea. W. en.	Avens-like.  MESPILUS.  Scarlet-fruited  Hawthorn.  Maple-leaved.  Pear-leaved.	Rosaceæ. J. Cra	Hungary.  tægi et Mespi  N. America.	1683. 1738. 1765.	4.5. 5. 6.	H.h. H.h. H.h.	111,2595
geoides. W. MESPILUS. Sm. 1 coccinea. W. en. 2 cordata. W. en. 3 pyrifolia. W. en.	Avens-like. MESPILUS. Scarlet-fruited Hawthorn. Maple-leaved. Pear-leaved. oval-leaved.	Rosaceæ. J. Cra	Hungary.  tægi et Mespi  N. America.	1683. 1738. 1765.	4.5. 5. 6.	H.h. H.h. H.h.	Pluk.alm. t. 46. f.4. Mill. ic. t. 179. Mœnch.h.weis. t. 2.
geoides. W. MESPILUS. Sm. 1 coccinea. W. en. 2 cordata. W. en. 3 pyrifolia. W. en. 4 elliptica. W. en. 5 glandulosa. W. en.	Avens-like. MESPILUS. Scarlet-fruited Hawthorn. Maple-leaved. Pear-leaved. oval-leaved. hollow-leaved.	Rosaceæ. J. Cra	Hungary.  tægi et Mespi  N. America.	1683. 1738. 1765.	4.5. 5. 6.	H.h. H.h. H.h.	Pluk.alm. t. 46. f.4. Mill. ic. t. 179. Mœnch.h.weis. t. 2.
geoides. W. MESPILUS. Sm. 1 coccinea. W. en. 2 cordata. W. en. 3 pyrifolia. W. en. 4 elliptica. W. en. 5 glandulosa. W. en.	Avens-like. MESPILUS. Scarlet-fruited Hawthorn. Maple-leaved. Pear-leaved. oval-leaved. hollow-leaved.	Rosaceæ.J. Cra	Hungary. tægi et Mespi N. America.	1683. 1738. 1765. 1750.	4.5. 5. 6. 5. 5.	H.h. H.h. H.h. H.h.	Mill. ic. t. 179. Mœnch.h.weis. t. 2. Pall. ross. 1. t. 11.
geoides. W. MESPILUS. Sm. 1 coccinea. W. en. 2 cordata. W. en. 3 pyrifolia. W. en. 4 elliptica. W. en. 5 glandulosa. W. en.	Avens-like. MESPILUS. Scarlet-fruited Hawthorn. Maple-leaved. Pear-leaved. oval-leaved. hollow-leaved.	Rosaceæ.J. Cra	Hungary. tægi et Mespi N. America.	1683. 1738. 1765. 1750.	4.5. 5. 6. 5. 5.	H.h. H.h. H.h. H.h.	Pluk.alm. t. 46. f.4. Mill. ic. t. 179. Mœnch.h.weis. t. 2.
geoides. W. MESPILUS. Sm. 1 coccinea. W. en. 2 cordata. W. en. 3 pyrifolia. W. en. 4 elliptica. W. en. 5 glandulosa. W. en. 6 flava. W. en.	Avens-like. MESPILUS. Scarlet-fruited Hawthorn. Maple-leaved. Pear-leaved. oval-leaved. hollow-leaved. yellow Pear- berried.	Rosacew. J. Cra	Hungary. tægi et Mespi N. America.	1683. 1738. 1765. 1750.	4.5. 5. 6. 5. 5. 5. 6.	H.h. H.h. H.h. H.h. H.h.	Mill. ic. t. 179. Mœnch.h.weis. t. 2. Pall. ross. 1. t. 11.
geoides. W. MESPILUS. Sm.  1 coccinea. W. en. 2 cordata. W. en. 3 pyrifolia. W. en. 4 elliptica. W. en. 5 glandulosa. W. en. 6 flava. W. en. 7 parvifolia. W. en.	Avens-like. MESPILUS. Scarlet-fruited Hawthorn. Maple-leaved. Pear-leaved. oval-leaved. hollow-leaved. yellow Pear- berried. Gooseberry-leaved.	Rosaceæ.J. Cra	Hungary. tægi et Mespi N. America.	1683. 1738. 1765. 1750. 1724.	4.5. 5. 6. 5. 5.6.	H.h. H.h. H.h. H.h. H.h.	Pluk.alm, t. 46. f.4. Mill. ic. t. 179. Mœnch.h.weis. t. 2. Pall. ross. 1. t. 11. Mœnch. weis, t. 4.
geoides. W. MESPILUS. Sm. 1 coccinea. W. en. 2 cordata. W. en. 3 pyrifolia. W. en. 4 elliptica. W. en. 5 glandulosa. W. en. 6 flava. W. en. 7 parvifolia. W. en. 8 lævis. Th.	Avens-like. MESPILUS. Scarlet-fruited Hawthorn. Maple-leaved. Pear-leaved. oval-leaved. hollow-leaved. yellow Pear- berried. Gooseberry-leaved.	Rosaceæ.J. Cra	Hungary. tægi et Mespi N. America.	1683. 1738. 1765. 1750. 1724.	4.5. 5. 6. 5. 5.6.	H.h. H.h. H.h. H.h. H.h.	Pluk.alm, t. 46. f.4. Mill. ic. t. 179. Mœnch.h.weis. t. 2. Pall. ross. 1. t. 11. Mœnch. weis, t. 4.
geoides. W. MESPILUS. Sm.  1 coccinea. W. en. 2 cordata. W. en. 3 pyrifolia. W. en. 4 elliptica. W. en. 5 glandulosa. W. en. 6 flava. W. en. 7 parvifolia. W. en. 8 lævis. Th. 9 glabra. H. K.	Avens-like. MESPILUS. Scarlet-fruited Hawthorn. Maple-leaved. Pear-leaved. oval-leaved. hollow-leaved. yellow Pear- berried. Gooseberry-leaved.	Rosaceæ.J. Cra	Hungary. tægi et Mespi N. America.	1683. 1738. 1765. 1750. 1724.	4.5. 5. 6. 5. 5.6.	H.h. H.h. H.h. H.h. H.h.	Pluk.alm, t. 46. f.4. Mill. ic. t. 179. Mœnch.h.weis. t. 2. Pall. ross. 1. t. 11. Mœnch. weis, t. 4.
geoides. W. MESPILUS. Sm.  1 coccinea. W. en. 2 cordata. W. en. 3 pyrifolia. W. en. 4 elliptica. W. en. 5 glandulosa. W. en. 6 flava. W. en. 7 parvifolia. W. en. 8 lævis. Th. 9 glabra. H. K. 10 arbutifolia. H. K.	Aveus-like. MESPILUS. Scarlet-fruited Hawthorn. Maple-leaved. Pear-leaved. oval-leaved. yellow Pear- berried. Gooseberry-leavd. shining-leaved. smooth-leaved. Arbutus-leaved.	Rosacew. J. Cra	Hungary.  tægi et Mespi  N. America.  China.  California.	1683. 1788. 1765. 1750. 1724. 1704. 1812. 1804. 1796.	4.5. 5. 6. 5. 5. 6. 5. 6. 4.7. 7.8.	H.h. H.h. H.h. H.h. H.h. G.h. G.h.	Pluk.alm. t. 46. f.4.  Mill. ic. t. 179.  Mœnch.h.weis. t. 2.  Pall. ross. 1. t. 11.  Mœnch. weis. t. 4.
geoides. W. MESPILUS. Sm.  1 coccinea. W. en. 2 cordata. W. en. 3 pyrifolia. W. en. 4 elliptica. W. en. 5 glandulosa. W. en. 6 flava. W. en. 7 parvifolia. W. en. 8 lævis. Th. 9 glabra. H. K.	Avens-like. MESPILUS. Scarlet-fruited Hawthorn. Maple-leaved. Pear-leaved. oval-leaved. hollow-leaved. yellow Pear- berried. Gooseberry-leaved. smooth-leaved. Arbutus-leaved. spotted-fruited.	Rosacew. J. Cra	Hungary.  tægi et Mespi  N. America.  China.  California.  N. America.	1683. 1738. 1765. 1750. 1724. 1704. 1812. 1804. 1796. 1746.	4.5. 5. 6. 5. 5.6. 5.6. 4.7. 7.8.	H.h. H.h. H.h. H.h. H.h. G.h. G.h.	Pluk.alm. t. 46. f.4.  Mill. ic. t. 179.  Mœnch.h.weis. t. 2.  Pall. ross. 1. t. 11.  Mœnch. weis. t. 4.
geoides. W. MESPILUS. Sm.  1 coccinea. W. en. 2 cordata. W. en. 3 pyrifolia. W. en. 4 elliptica. W. en. 5 glandulosa. W. en. 6 flava. W. en. 7 parvifolia. W. en. 8 lævis. Th. 9 glabra. H. K. 10 arbutifolia. H. K.	Avens-like. MESPILUS. Scarlet-fruited Hawthorn. Maple-leaved. Pear-leaved. oval-leaved. hollow-leaved. yellow Pear- berried. Gooseberry-leaved. smooth-leaved. Arbutus-leaved. spotted-fruited.	Rosacew. J. Cra	Hungary.  tægi et Mespi  N. America.  China.  California.  N. America.	1683. 1738. 1765. 1750. 1724. 1704. 1812. 1804. 1796. 1746.	4.5. 5. 6. 5. 5.6. 5.6. 4.7. 7.8.	H.h. H.h. H.h. H.h. H.h. G.h. G.h.	Pluk.alm. t. 46. f.4.  Mill. ic. t. 179.  Mœnch.h.weis. t. 2.  Pall. ross. 1. t. 11.  Mœnch. weis. t. 4.
geoides. W. MESPILUS. Sm.  1 coccinea. W. en. 2 cordata. W. en. 3 pyrifolia. W. en. 4 elliptica. W. en. 5 glandulosa. W. en. 6 flava. W. en. 7 parvifolia. W. en. 8 lævis. Th. 9 glabra. H. K. 10 arbutifolia. H. K.	Avens-like. MESPILUS. Scarlet-fruited Hawthorn. Maple-leaved. Pear-leaved. oval-leaved. hollow-leaved. yellow Pear- berried. Gooseberry-leaved. smooth-leaved. Arbutus-leaved. spotted-fruited.	Rosacew. J. Cra	Hungary.  tægi et Mespi  N. America.  China.  California.  N. America.	1683. 1738. 1765. 1750. 1724. 1704. 1812. 1804. 1796. 1746.	4.5. 5. 6. 5. 5.6. 5.6. 4.7. 7.8.	H.h. H.h. H.h. H.h. H.h. G.h. G.h.	Pluk.alm. t. 46. f.4.  Mill. ic. t. 179.  Mœnch.h.weis. t. 2.  Pall. ross. 1. t. 11.  Mœnch. weis. t. 4.
geoides. W. MESPILUS. Sm.  1 coccinea. W. en.  2 cordata. W. en.  3 pyrifolia. W. en.  4 elliptica. W. en.  5 glandulosa. W. en.  6 flava. W. en.  7 parvifolia. W. en.  8 lævis. Th.  9 glabra. H. K.  10 arbutifolia. H. K.  11 punctata. W.  β pyracanthifolia.	Avens-like. MESPILUS. Scarlet-fruited Hawthorn. Maple-leaved. Pear-leaved. oval-leaved. bollow-leaved. yellow Pear- berried. Gooseberry-leaved. smooth-leaved. Arbutus-leaved. Arbutus-leaved. Cockspur-thorn. Pyracanthus-ld.	Rosacew. J. Cra	Hungary.  tægi et Mespi  N. America.  China.  California.  N. America.	1683. 1738. 1765. 1750. 1724. 1704. 1812. 1804. 1796. 1746.	4.5. 5. 6. 5. 5. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6	H.h. H.h. H.h. H.h. H.h. G.h. G.h. H.h.	Pluk.alm. t. 46. f.4.  Mill. ic. t. 179.  Mœnch.h.weis. t. 2.  Pall. ross. 1. t. 11.  Mœnch. weis. t. 4.  Jac. vind. 1. t. 28.  Trew pl. rar. 2. t. 17.
geoides. W. MESPILUS. Sm.  1 coccinea. W. en. 2 cordata. W. en. 3 pyrifolia. W. en. 4 elliptica. W. en. 5 glandulosa. W. en. 6 flava. W. en. 7 parvifolia. W. en. 8 lævis. Th. 9 glabra. H. K. 10 arbutifolia. H. K. 11 punctata. W. 12 Crus-galli. W. β pyracanthifolia. γ salicifolia.	Avens-like. MESPILUS. Scarlet-fruited Hawthorn. Maple-leaved. Pear-leaved. oval-leaved. bollow-leaved. yellow Pear- berried. Gooseberry-leaved. smooth-leaved. Arbutus-leaved. spotted-fruited. Cockspur-thorn. Pyracanthus-ld. Willow-leaved.	Rosacew. J. Cra	Hungary.  tægi et Mespi  N. America.  China.  California.  N. America.	1683. 1738. 1765. 1750. 1724. 1704. 1812. 1804. 1796. 1746.	4.5. 5. 6. 5. 5. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6	H.h. H.h. H.h. H.h. H.h. G.h. G.h. H.h.	Pluk.alm. t. 46. f.4.  Mill. ic. t. 179.  Mœnch.h.weis. t. 2.  Pall. ross. 1. t. 11.  Mœnch. weis. t. 4.  Jac. vind. 1. t. 28.  Trew pl. rar. 2. t. 17.
geoides. W. MESPILUS. Sm.  1 coccinea. W. en. 2 cordata. W. en. 3 pyrifolia. W. en. 4 elliptica. W. en. 5 glandulosa. W. en. 6 flava. W. en. 7 parvifolia. W. en. 8 lævis. Th. 9 glabra. H. K. 10 arbutifolia. H. K. 11 punctata. W. 12 Crus-galli. W.  \$ pyracanthifolia. \$\gamma\$ salicifolia. \$\gamma\$ salicifolia. \$\gamma\$ salicifolia. \$\gamma\$ salicifolia. \$\gamma\$ salicifolia.	Aveus-like. MESPILUS. Scarlet-fruited Hawthorn. Maple-leaved. Pear-leaved. oval-leaved. yellow Pear- berried. Gooseberry-leaved. shining-leaved. Arbutus-leaved. spotted-fruited. Cockspur-thorn. Pyracanthus-le. Willow-leaved. Indian.	Rosacew. J. Cra	Hungary.  tægi et Mespi  N. America.  China.  California.  N. America.	1683. 1738. 1765. 1750. 1724. 1704. 1812. 1804. 1796. 1746.	4.5. 5. 6. 5. 5. 5. 6. 5. 5. 6. 5. 6. 5. 6. 5. 6.	H.h. H.h. H.h. H.h. H.h. G.h. G.h.	Pluk.alm. t. 46. f.4.  Mill. ic. t. 179.  Mœnch.h.weis. t. 2.  Pall. ross. 1. t. 11.  Mœnch. weis. t. 4.  Jac. vind. 1. t. 28.  Trew pl. rar. 2. t. 17.  Bot. mag. 1726.
geoides. W. MESPILUS. Sm.  1 coccinea. W. en.  2 cordata. W. en.  3 pyrifolia. W. en.  4 elliptica. W. en.  5 glandulosa. W. en.  6 flava. W. en.  7 parvifolia. W. en.  8 lavis. Th.  9 glabra. H. K.  10 arbutifolia. H. K.  11 punctata. W.  12 Crus-galli. W.  \$\textit{\t	Aveus-like. MESPILUS. Scarlet-fruited Hawthorn. Maple-leaved. Pear-leaved. oval-leaved. yellow Pear- berried. Gooseberry-leaved. smooth-leaved. Arbutus-leaved. spotted-fruited. Cockspur-thorn. Pyracanthus-ld. Willow-leaved. Indian. Evergreen-thorn.	Rosacew. J. Cra	Hungary.  tægi et Mespi N. America.  China.  California. N. America.  China. S. Europe.	1683. 1788. 1765. 1750. 1724. 1704. 1812. 1804. 1796. 1691.	4.5. 5. 6. 5. 5. 5. 6. 5. 5. 6. 5. 6. 5. 6. 6. 6. 6. 6. 6. 6. 6.	H.h.h. H.h.h. H.h.h. H.h.h. G.h. G.h.h.	Pluk.alm. t. 46. f.4.  Mill. ic. t. 179.  Mœnch.h.weis. t. 2.  Pall. ross. 1. t. 11.  Mœnch. weis. t. 4.  Jac. vind. 1. t. 28.  Trew pl. rar. 2. t. 17.
geoides. W. MESPILUS. Sm.  1 coccinea. W. en.  2 cordata. W. en.  3 pyrifolia. W. en.  4 elliptica. W. en.  5 glandulosa. W. en.  6 flava. W. en.  7 parvifolia. W. en.  8 lævis. Th.  9 glabra. H. K.  10 arbutifolia. H. K.  11 punctata. W.  12 Crus-galli. W.  \$ pyracanthifolia.  9 salicifolia.  13 indica. W.  14 Pyracantha. W.  15 spathulata. Ph.	Avens-like. MESPILUS. Scarlet-fruited Hawthorn. Maple-leaved. Pear-leaved. oval-leaved. bollow-leaved. yellow Pear- berried. Gooseberry-leaved. smooth-leaved. Arbutus-leaved. spotted-fruited. Cockspur-thorn. Pyracanthus-ld. Willow-leaved. Indian. Evergreen-thorn. spatula-leaved.	Rosacew. J. Cra	Hungary.  tægi et Mespi N. America.  China.  California. N. America.  China. S. Europe. N. America.	1683. 1788. 1765. 1750. 1750. 1724. 1704. 1812. 1804. 1796. 1691.	4.5. 5. 6. 5. 5. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 6. 5. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6	H.h.h. H.h.h. H.h.h. H.h.h. G.h. G.h. G.	Pluk.alm. t. 46. f.4.  Mill. ic. t. 179.  Mœnch.h.weis. t. 2.  Pall. ross. 1. t. 11.  Mœnch. weis. t. 4.  Jac. vind. 1. t. 28.  Trew pl. rar. 2. t. 17.  Bot. mag. 1726.
geoides. W. MESPILUS. Sm.  1 coccinea. W. en. 2 cordata. W. en. 3 pyrifolia. W. en. 6 flava. W. en. 7 parvifolia. W. en. 8 lævis. Th. 9 glabra. H. K. 10 arbutifolia. H. K. 11 punctata. W. 12 Crus-galli. W. \$\beta\$ pyracanthifolia. \$\gamma\$ sindica. W. 14 Pyracantha. W. 15 spathulata. Ph. 16 apiifolia. Pb.	Avens-like. MESPILUS. Scarlet-fruited Hawthorn. Maple-leaved. Pear-leaved. oval-leaved. bollow-leaved. yellow Pear- berried. Gooseberry-leavd. shining-leaved. Arbutus-leaved. Arbutus-leaved. Cockspur-thorn. Pyracanthus-ld. Willow-leaved. Indian. Evergreen-thorn. spatula-leaved. Parsley-leaved.	Rosacew. J. Cra	Hungary.  tægi et Mespi N. America.  China.  California. N. America.  China. S. Europe. N. America.	1683. 1738. 1765. 1750. 1724. 1704. 1812. 1804. 1796. 1746. 1691.	4.5. 5. 6. 5. 5. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 6. 5. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6	H.	Pluk.alm. t. 46. f.4.  Mill. ic. t. 179.  Mœnch.h.weis. t. 2.  Pall. ross. 1. t. 11.  Mœnch. weis. t. 4.  Jac. vind. 1. t. 28.  Trew pl. rar. 2. t. 17.  Bot. mag. 1726.  Schmidt. arb. t. 90.
geoides. W. MESPILUS. Sm.  1 coccinea. W. en.  2 cordata. W. en.  3 pyrifolia. W. en.  4 elliptica. W. en.  5 glandulosa. W. en.  6 flava. W. en.  7 parvifolia. W. en.  8 lævis. Th.  9 glabra. H. K.  10 arbutifolia. H. K.  11 punctata. W.  12 Crus-galli. W.  \$ pyracanthifolia.  7 salicifolia.  13 indica. W.  14 Pyracantha. W.  15 spathulata. Ph.  16 apiifolia. Ph.  17 Oxyacantha. E. B.	Avens-like. MESPILUS. Scarlet-fruited Hawthorn. Maple-leaved. Pear-leaved. oval-leaved. bellow-leaved. yellow Pear- berried. Gooseberry-leaved. shining-leaved. Arbutus-leaved. Arbutus-leaved. Arbutus-leaved. Indian. Evergreen-thorn. spatula-leaved. Parsley-leaved. Comm.Hawthorn.	Rosacew. J. Cra	Hungary.  tægi et Mespi N. America.  China.  California. N. America.  China. S. Europe. N. America.	1683. 1738. 1765. 1750. 1724. 1704. 1812. 1804. 1796. 1746. 1691.	4.5. 5. 6. 5. 5. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 6. 5. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6	H.	Pluk.alm. t. 46. f.4.  Mill. ic. t. 179.  Mœnch.h.weis. t. 2.  Pall. ross. 1. t. 11.  Mœnch. weis. t. 4.  Jac. vind. 1. t. 28.  Trew pl. rar. 2. t. 17.  Bot. mag. 1726.
geoides. W. MESPILUS. Sm.  1 coccinea. W. en. 2 cordata. W. en. 3 pyrifolia. W. en. 6 flava. W. en. 7 parvifolia. W. en. 8 lævis. Th. 9 glabra. H. K. 10 arbutifolia. H. K. 11 punctata. W. 12 Crus-galli. W. \$\beta\$ pyracanthifolia. \$\gamma\$ sindica. W. 14 Pyracantha. W. 15 spathulata. Ph. 16 apiifolia. Pb.	Avens-like. MESPILUS. Scarlet-fruited Hawthorn. Maple-leaved. Pear-leaved. oval-leaved. bollow-leaved. yellow Pear- berried. Gooseberry-leavd. shining-leaved. Arbutus-leaved. Arbutus-leaved. Cockspur-thorn. Pyracanthus-ld. Willow-leaved. Indian. Evergreen-thorn. spatula-leaved. Parsley-leaved.	Rosacew. J. Cra	Hungary.  tægi et Mespi N. America.  China.  California. N. America.  China. S. Europe. N. America.	1683. 1738. 1765. 1750. 1724. 1704. 1812. 1804. 1796. 1746. 1691.	4.5. 5. 6. 5. 5. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 6. 5. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6	H.	Pluk.alm. t. 46. f.4.  Mill. ic. t. 179.  Mœnch.h.weis. t. 2.  Pall. ross. 1. t. 11.  Mœnch. weis. t. 4.  Jac. vind. 1. t. 28.  Trew pl. rar. 2. t. 17.  Bot. mag. 1726.  Schmidt. arb. t. 90.
geoides. W. MESPILUS. Sm.  1 coccinea. W. en.  2 cordata. W. en.  3 pyrifolia. W. en.  4 elliptica. W. en.  5 glandulosa. W. en.  6 flava. W. en.  7 parvifolia. W. en.  8 lævis. Th.  9 glabra. H. K.  10 arbutifolia. H. K.  11 punctata. W.  12 Crus-galli. W.  \$ pyracanthifolia.  7 salicifolia.  13 indica. W.  14 Pyracantha. W.  15 spathulata. Ph.  16 apiifolia. Ph.  17 Oxyacantha. E. B.	Avens-like. MESPILUS. Scarlet-fruited Hawthorn. Maple-leaved. Pear-leaved. oval-leaved. bellow-leaved. yellow Pear- berried. Gooseberry-leaved. shining-leaved. Arbutus-leaved. Arbutus-leaved. Arbutus-leaved. Indian. Evergreen-thorn. spatula-leaved. Parsley-leaved. Comm.Hawthorn.	Rosacew. J. Cra	Hungary.  tægi et Mespi N. America.  China.  California. N. America.  China. S. Europe. N. America.	1683. 1738. 1765. 1750. 1724. 1704. 1812. 1804. 1796. 1746. 1691.	4.5. 5. 6. 5. 5. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 6. 5. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6	H.	Pluk.alm. t. 46. f.4.  Mill. ic. t. 179.  Mœnch.h.weis. t. 2.  Pall. ross. 1. t. 11.  Mœnch. weis. t. 4.  Jac. vind. 1. t. 28.  Trew pl. rar. 2. t. 17.  Bot. mag. 1726.  Schmidt. arb. t. 90.
geoides. W.  MESPILUS. Sm.  1 coccinea. W. en.  2 cordata. W. en.  3 pyrifolia. W. en.  4 elliptica. W. en.  5 glandulosa. W. en.  6 flava. W. en.  7 parvifolia. W. en.  8 lævis. Th.  9 glabra. H. K.  10 arbutifolia. H. K.  11 punctata. W.  12 Crus-galli. W.  β pyracanthifolia.  γ salicifolia.  13 indica. W.  14 Pyracantha. W.  15 spathulata. Ph.  16 apiifolia. Ph.  17 Oxyacantha. E. B.  β rosea.	Avens-like. MESPILUS. Scarlet-fruited Hawthorn. Maple-leaved. Pear-leaved. oval-leaved. yellow Pear- berried. Gooseberry-leaved. shining-leaved. Arbutus-leaved. spotted-fruited. Cockspur-thorn. Pyracanthus-le. Willow-leaved. Indian. Evergreen-thorn. spatula-leaved. Parsley-leaved. Parsley-leaved. red-flowered.	Rosacew. J. Cra	Hungary.  tægi et Mespi N. America.  China.  California. N. America.  China. S. Europe. N. America.	1683. 1738. 1765. 1750. 1724. 1704. 1812. 1804. 1796. 1746. 1691.	4.5. 5. 6. 5. 5. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 6. 5. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6	H.	Pluk.alm. t. 46. f.4.  Mill. ic. t. 179.  Mœnch.h.weis. t. 2.  Pall. ross. 1. t. 11.  Mœnch. weis. t. 4.  Jac. vind. 1. t. 28.  Trew pl. rar. 2. t. 17.  Bot. mag. 1726.  Schmidt. arb. t. 90.
geoides. W.  MESPILUS. Sm.  1 coccinea. W. en.  2 cordata. W. en.  3 pyrifolia. W. en.  4 elliptica. W. en.  5 glandulosa. W. en.  6 flava. W. en.  8 lavis. Th.  9 glabra. H. K.  10 arbutifolia. H. K.  11 punctata. W.  12 Crus-galli. W.  \$ pyracanthifolia.  7 salicifolia.  13 indica. W.  14 Pyracantha. W.  15 spathulata. Ph.  16 apiifolia. Ph.  17 Oxyacantha. E. B.  \$ rosea.  7 major.  \$ præcox.	Avens-like. MESPILUS. Scarlet-fruited Hawthorn. Maple-leaved. Pear-leaved. oval-leaved. bollow-leaved. berried. Gooseberry-leav <sup>4</sup> . shining-leaved. smooth-leaved. Arbutus-leaved. cockspur-thorn. Pyracanthus-ld. Willow-leaved. Indian. Evergreen-thorn. spatula-leaved. Parsley-leaved. comm.Hawthorn. red-flowered. great-fruited. Glastonbury.	Rosacew. J. Cra	Hungary.  tægi et Mespi N. America.  China.  California. N. America.  China. S. Europe. N. America.	1683. 1738. 1765. 1750. 1724. 1704. 1812. 1804. 1796. 1746. 1691.	4.5. 5. 6. 5. 5. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 6. 5. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6	H.	Pluk.alm. t. 46. f.4.  Mill. ic. t. 179.  Mœnch.h.weis. t. 2.  Pall. ross. 1. t. 11.  Mœnch. weis. t. 4.  Jac. vind. 1. t. 28.  Trew pl. rar. 2. t. 17.  Bot. mag. 1726.  Schmidt. arb. t. 90.
geoides. W. MESPILUS. Sm.  1 coccinea. W. en.  2 cordata. W. en.  3 pyrifolia. W. en.  4 elliptica. W. en.  5 glandulosa. W. en.  6 flava. W. en.  7 parvifolia. W. en.  8 lævis. Th.  9 glabra. H. K.  10 arbutifolia. H. K.  11 punctata. W.  12 Crus-galli. W.  \$ pyracanthifolia.  7 salicifolia.  13 indica. W.  14 Pyracantha. W.  15 spathulata. Ph.  16 apiifolia. Pb.  17 Oxyacantha. E. B.  \$ rosea.  7 major.  5 præcax.  e plena.	Avens-like. MESPILUS. Scarlet-fruited Hawthorn. Maple-leaved. Pear-leaved. oval-leaved. bollow-leaved. yellow Pear- berried. Gooseberry-leaved. shining-leaved. Arbutus-leaved. Arbutus-leaved. Arbutus-leaved. Indian. Evergreen-thorn. spatula-leaved. Parsley-leaved. comm.Hawthorn. red-flowered. great-fruited. Glastoubury. double-flowered.	Rosacew. J. Cra	Hungary.  tægi et Mespi N. America.  China.  California. N. America.  China. S. Europe. N. America.	1683. 1738. 1765. 1750. 1724. 1704. 1812. 1804. 1796. 1746. 1691.	4.5. 5. 6. 5. 5. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 6. 5. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6	H.	Pluk.alm. t. 46. f.4.  Mill. ic. t. 179.  Mœnch.h.weis. t. 2.  Pall. ross. 1. t. 11.  Mœnch. weis. t. 4.  Jac. vind. 1. t. 28.  Trew pl. rar. 2. t. 17.  Bot. mag. 1726.  Schmidt. arb. t. 90.
geoides. W. MESPILUS. Sm.  1 coccinea. W. en.  2 cordata. W. en.  3 pyrifolia. W. en.  4 elliptica. W. en.  5 glandulosa. W. en.  6 flava. W. en.  7 parvifolia. W. en.  8 lævis. Th.  9 glabra. H. K.  10 arbutifolia. H. K.  11 punctata. W.  12 Crus-galli. W.  β pyracanthifolia.  γ salicifolia.  13 indica. W.  14 Pyracantha. W.  15 spathulata. Ph.  16 apiifolia. Ph.  17 Oxyacantha. E. B.  β rosea.  γ major.  δ præcox.  ε plena.  ζ aurea.	Avens-like. MESPILUS. Scarlet-fruited Hawthorn. Maple-leaved. Pear-leaved. oval-leaved. bellow-leaved. yellow Pear- berried. Gooseberry-leaved. shining-leaved. Arbutus-leaved. Arbutus-leaved. spotted-fruited. Cockspur-thorn. Pyracanthus-ld. W'illow-leaved. Indian. Evergreen-thorn. spatula-leaved. Parsley-leaved. comm.Hawthorn. red-flowered. great-fruited. Glastonbury. double-flowered. yellow-berried.	Rosacew. J. Cra	Hungary.  tægi et Mespi  N. America.  China.  California.  N. America.  China.  S. Europe.  N. America.  Britain.	1683. 1788. 1765. 1750. 1724. 1704. 1812. 1804. 1796. 1796. 1691.	4.5. 5. 6. 5. 5. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6	H.	Pluk.alm. t. 46. f.4.  Mill. ic. t. 179.  Mœnch.h.weis. t. 2.  Pall. ross. 1. t. 11.  Mœnch. weis. t. 4.  Jac. vind. 1. t. 29.  Trew pl. rar. 2. t. 17.  Bot. mag. 1726.  Schmidt. arb. t. 90.  Eng. bot. c. ic.
geoides. W. MESPILUS. Sm.  1 coccinea. W. en.  2 cordata. W. en.  3 pyrifolia. W. en.  4 elliptica. W. en.  5 glandulosa. W. en.  6 flava. W. en.  7 parvifolia. W. en.  8 lavis. Th.  9 glabra. H. K.  10 arbutifolia. H. K.  11 punctata. W.  12 Crus-galli. W.  3 pyracanthifolia.  13 indica. W.  14 Pyracantha. W.  15 spathulata. Ph.  16 apiifolia. Pb.  17 Oxyacantha. E. B.  3 rosea.  7 major.  5 præcox.  5 plena.  7 aurea.  18 monogyna. W.	Avens-like. MESPILUS. Scarlet-fruited Hawthorn. Maple-leaved. Pear-leaved. oval-leaved. bellow-leaved. yellow Pear- berried. Gooseberry-leaved. smooth-leaved. Arbutus-leaved. spotted-fruited. Cockspur-thorn. Pyracanthus-ld. W'illow-leaved. Indian. Evergreen-thorn. spatula-leaved. Parsley-leaved. comm.Hawthorn. red-flowered. great-fruited. Glastonbury. double-flowered. yellow-berried. one-styled.	Rosacew. J. Cra	Hungary.  tægi et Mespi N. America.  China.  California. N. America.  China. S. Europe. N. America.	1683. 1788. 1765. 1750. 1724. 1704. 1812. 1806. 1691.	4.5. 5. 6. 5. 5. 6. 5. 6. 4.7. 7.8. 5. 6. 5. 6.	H.	Pluk.alm. t. 46. f.4.  Mill. ic. t. 179.  Mœnch.h.weis. t. 2.  Pall. ross. 1. t. 11.  Mœnch. weis. t. 4.  Jac. vind. 1. t. 29.  Trew pl. rar. 2. t. 17.  Bot. mag. 1726.  Schmidt. arb. t. 90.  Eng. bot. c. ic.  Jac.aust. 3. t. 202. f.1
geoides. W.  MESPILUS. Sm.  1 coccinea. W. en.  2 cordata. W. en.  3 pyrifolia. W. en.  4 elliptica. W. en.  5 glandulosa. W. en.  6 flava. W. en.  7 parvifolia. W. en.  8 lavis. Th.  9 glabra. H. K.  10 arbutifolia. H. K.  11 punctata. W.  12 Crus-galli. W.  β pyracanthifolia.  γ salicifolia.  13 indica. W.  14 Pyracantha. W.  15 spathulata. Ph.  16 apiifolia. Ph.  17 Oxyacantha. E. B.  β rosea.  γ major.  δ præcox.  ε plena.  ζ aurea.  18 monogyna. W.  19 Azarolus. W.	Avens-like. MESPILUS. Scarlet-fruited Hawthorn. Maple-leaved. Pear-leaved. Pear-leaved. bollow-leaved. bollow-leaved. berried. Gooseberry-leaved. smooth-leaved. Arbutus-leaved. spotted-fruited. Cockspur-thorn. Pyracanthus-ld. Willow-leaved. Indian. Evergreen-thorn. spatula-leaved. Parsley-leaved. comm.Hawthorn. red-flowered. great-fruited. Glastoubury. double-flowered. yellow-berried. one-styled. Azarole.	Rosacew. J. Cra	Hungary.  tægi et Mespi N. America.  China.  California. N. America.  China. S. Europe. N. America.  Britain.	1683. 1788. 1765. 1750. 1724. 1704. 1812. 1804. 1796. 1691. 1806. 1629. 1806. 1812	4.5. 5. 6. 5. 5. 5. 6. 5. 6. 5. 6. 5. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6.	H.	Pluk.alm. t. 46. f.4.  Mill. ic. t. 179.  Mœnch.h.weis. t. 2.  Pall. ross. 1. t. 11.  Mœnch. weis. t. 4.  Jac. vind. 1. t. 28.  Trew pl. rar. 2. t. 17.  Bot. mag. 1726.  Schmidt. arb. t. 90.  Eng. bot. c. ic.  Jac.aust. 3. t. 202. f. 1  Bot. rep. 579.
geoides. W. MESPILUS. Sm.  1 coccinea. W. en.  2 cordata. W. en.  3 pyrifolia. W. en.  4 elliptica. W. en.  5 glandulosa. W. en.  6 flava. W. en.  7 parvifolia. W. en.  8 lævis. Th.  9 glabra. H. K.  10 arbutifolia. H. K.  11 punctata. W.  12 Crus-galli. W.  \$ pyracanthifolia.  7 salicifolia.  13 indica. W.  14 Pyracantha. W.  15 spathulata. Ph.  16 apiifolia. Pb.  17 Oxyacantha. E. B.  \$ rosea.  7 major.  8 monogyna. W.  19 Azarolus. W.  20 tanacetifolia. B. R.	Avens-like. MESPILUS. Scarlet-fruited Hawthorn. Maple-leaved. Pear-leaved. oval-leaved. bollow-leaved. yellow Pear- berried. Gooseberry-leaved. shining-leaved. Arbutus-leaved. Arbutus-leaved. Arbutus-leaved. Indian. Evergreen-thorn. Spatula-leaved. Parsley-leaved. comm. Hawthorn. red-flowered. great-fruited. Glastoubury. double-flowered. yellow-berried. one-styled. Azarole. Tansy-leaved.	Rosacew. J. Cra	Hungary.  tægi et Mespi N. America.  China.  California. N. America.  S. Europe. Britain.  S. Europe.  Greece.	1683. 1788. 1765. 1750. 1724. 1704. 1812. 1804. 1796. 1746. 1629. 1806. 1812	4.5. 5. 6. 5. 5. 5. 6. 5. 6. 5. 6. 5. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6.	H.	Pluk.alm. t. 46. f.4.  Mill. ic. t. 179.  Mœnch.h.weis. t. 2.  Pall. ross. 1. t. 11.  Mœnch. weis. t. 4.  Jac. vind. 1. t. 28.  Trew pl. rar. 2. t. 17.  Bot. mag. 1726.  Schmidt. arb. t. 90.  Eng. bot. c. ic.  Jac.aust. 3. t. 202. f. 1  Bot. rep. 579.  Ex. bot. 2. t. 85.
geoides. W. MESPILUS. Sm.  1 coccinea. W. en.  2 cordata. W. en.  3 pyrifolia. W. en.  4 elliptica. W. en.  5 glandulosa. W. en.  6 flava. W. en.  7 parvifolia. W. en.  8 lævis. Th.  9 glabra. H. K.  10 arbutifolia. H. K.  11 punctata. W.  12 Crus-galli. W.  \$ pyracanthifolia.  7 salicifolia.  13 indica. W.  14 Pyracantha. W.  15 spathulata. Ph.  16 apiifolia. Ph.  17 Oxyacantha. E. B.  \$ rosea.  9 major.  \$ præcox.  \$ plena.  \$ aurea.  18 monogyna. W.  19 Azarolus. W.  20 tanacetifolia. B. R.  21 odoratissima. B. R.	Avens-like. MESPILUS. Scarlet-fruited Hawthorn. Maple-leaved. Pear-leaved. oval-leaved. bellow-leaved. yellow Pear- berried. Gooseberry-leaved. shining-leaved. Arbutus-leaved. Arbutus-leaved. Arbutus-leaved. Arbutus-leaved. Indian. Evergreen-thorn. spatula-leaved. Parsley-leaved. comm.Hawthorn. red-flowered. great-fruited. Glastoubury. double-flowered. yellow-berried. one-styled. Azarole. Tansy-leaved. sweet-scented.	Rosacew. J. Cra	Hungary.  tægi et Mespi  N. America.  China.  California. N. America.  S. Europe. N. America.  Britain.	1683. 1788. 1765. 1750. 1724. 1704. 1812. 1804. 1796. 1796. 1629. 1806. 1812. 1806.	4.5. 5. 6. 5. 5. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6.	H. H. H. H. H. G. G. G. H.	Pluk.alm. t. 46. f.4.  Mill. ic. t. 179.  Mœnch.h.weis. t. 2.  Pall. ross. 1. t. 11.  Mœnch. weis. t. 4.  Jac. vind. 1. t. 29.  Trew pl. rar. 2. t. 17.  Bot. mag. 1726.  Schmidt. arb. t. 90.  Eng. bot. c. ic.  Jac.aust. 3. t. 202. f.1  Bot. rep. 579.  Ex. bot. 2. t. 85.  Bot. rep. 590.
geoides. W. MESPILUS. Sm.  1 coccinea. W. en.  2 cordata. W. en.  3 pyrifolia. W. en.  4 elliptica. W. en.  5 glandulosa. W. en.  6 flava. W. en.  7 parvifolia. W. en.  8 lævis. Th.  9 glabra. H. K.  10 arbutifolia. H. K.  11 punctata. W.  12 Crus-galli. W.  \$ pyracanthifolia.  7 salicifolia.  13 indica. W.  14 Pyracantha. W.  15 spathulata. Ph.  16 apiifolia. Pb.  17 Oxyacantha. E. B.  \$ rosea.  7 major.  8 monogyna. W.  19 Azarolus. W.  20 tanacetifolia. B. R.	Avens-like. MESPILUS. Scarlet-fruited Hawthorn. Maple-leaved. Pear-leaved. oval-leaved. bollow-leaved. yellow Pear- berried. Gooseberry-leaved. shining-leaved. Arbutus-leaved. Arbutus-leaved. Arbutus-leaved. Indian. Evergreen-thorn. Spatula-leaved. Parsley-leaved. comm. Hawthorn. red-flowered. great-fruited. Glastoubury. double-flowered. yellow-berried. one-styled. Azarole. Tansy-leaved.	Rosacew. J. Cra	Hungary.  tægi et Mespi  N. America.  China.  California. N. America.  S. Europe. N. America.  Britain.	1683. 1788. 1765. 1750. 1724. 1704. 1812. 1804. 1796. 1796. 1629. 1806. 1812. 1806.	4.5. 5. 6. 5. 5. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6.	H. H. H. H. H. G. G. G. H.	Pluk.alm. t. 46. f.4.  Mill. ic. t. 179.  Mœnch.h.weis. t. 2.  Pall. ross. 1. t. 11.  Mœnch. weis. t. 4.  Jac. vind. 1. t. 28.  Trew pl. rar. 2. t. 17.  Bot. mag. 1726.  Schmidt. arb. t. 90.  Eng. bot. c. ic.  Jac.aust. 3. t. 202. f. 1  Bot. rep. 579.  Ex. bot. 2. t. 85.

# ICOSANDRIA DI-PENTAGYNIA.

23 graudiflora. H. K. 24 Chamæ-Mespilus.V 25 Cotoneaster. W. 26 tonneutosa. W.	large-flowered.	Rosaceæ. J.		1800.	5.6.	H. h.	Ex. bot. 1. t. 18.
24 Chamæ-Mespilus.V	V. Bastard Quince.	·	Pyrenees.	1683.		-H.h.	Schmidt. arb. t. 87.
25 Cotoneaster. W.	dwarf.		Europe.	1656.	4.5.	H.h.	t. 89.
26 tomentosa. W.	Quince-leaved.		• • • • • • • • •	1759.	-	H.h.	
27 Japonica. W.	Loquat.		Japan.	1787.	10.	r.n.	Vent. malm. 19.
PYRUS. Sm.	Pyrus.	Rosaceæ. J. Pyr					1
1 arbutifolia. Ph.	red-berried.		N. America.	1700.	5.6.	H.h.	Mill. ic. 100.
2 melanocarpa. Ph.	black-fruited.					H.h	Schmidt. arb. t. 86.
3 Botryapium. W.	snowy.			1746.	4.5.	H.h.	t. 84.
Mespilus canadens							
4 ovalis. W.	oval-leaved.		0. 77				0.1.1.
5 Amelanchier. W.	Alpine.		S. Europe.				Schmidt. arb. t. 85. 24
6 edulis. W. en.	eatable.		France.	1816. 1812.		H.h.	
7 sanguinea. Ph.	red-branched.	***************************************	N. America.				
8 communis, W.	common Pear.		England.				Eng. bot. 1784.
9 Pollveria. W.	woolly-leaved.		Germany.	1786.			D. II
10 salicifolia. W.	Willow-leaved.						Pall. ross. 1. t. 9.
11 nivalis. W.	white-leaved.	<del></del>					Jac. aust. 2. t. 107.
12 Malus. W.	Apple-tree.		Britain.				Eug. bot. 179.
13 spectabilis. W.	Chinese Apple.						Bot. mag. 267.
14 prunifolia. W.	Siberian Crab.		Siberia.				Mill. ic. 2. t. 269.
15 baccata. W.	small-fruited.					-	Pall. ros. 1. t. 10.
16 coronaria. W.	Sweet-scented		Virginia.	1724.	5.	н.ь.	\$ 1. 200 1 CE 6
	Crab.		9				
17 angustifolia. W.	narrow-leaved.		N. America.				Wang.am.t.21.f.47.
18 Aria. W.		,	Britain.				Eng. bot. 1858.
19 intermedia. W.	Swedish.		Sweden.				Fl. dan. 301.
20 torminalis. W.	Wild Service.		England.	• • • •			298.
21 hybrida. W. en.	hybrid.						E 1.4 east
22 pinnatifida. E. B.			England.	• • • •	5.6.	H. 12.	Eng. bot. 2831.
Sorbus hybrida. W						77 T	050
23 domestica. E. B.	True Service.						<del></del>
24 aucuparia. E. B.	Mountain Ash.					11.12.	337.
25 americana. Ph.	purple berried.			1782.		H.h.	2 11
26 microcarpa. Ph.	small-fruited.			• • • •		H. n.	
CYDONIA. J.	QUINCE.	Rosaceæ. J. Pyr	i sp. Linn.				
				1550	F C	TT T	Tan amet 4 4 040
1 vulgaris. W. en.	common.		Austria.				Jac. aust. 4. t. 342.
1 vulgaris. W. en. 2 japonica. P. S.	solitary-flowered		Austria.	1815.		F.h.	
<ol> <li>vulgaris. W. en.</li> <li>japonica. P. S.</li> <li>speciosa.</li> </ol>	solitary-flowered cluster-flowered.		Austria.	1815.		F.h.	Jac. aust. 4. t. 342. Bot. mag. 622.
<ol> <li>vulgaris. W. en.</li> <li>japonica. P. S.</li> <li>speciosa.</li> <li>Pyrus japonica, B.</li> </ol>	solitary-flowered cluster-flowered. ot. mag. not of Th	umberg.	Austria.	1815.		F.h.	
1 vulgaris. W. en. 2 japonica. P. S. 3 speciosa.  Pyrus japonica, B. SPIRÆA. W.	solitary-flowered cluster-flowered. ot. mag. not of The Spirea.	unberg. Rosaceæ. J.	Austria. Japan.	1815. 1796.	1.12.	F.h. F.h.	Bot. mag. 622.
1 vulgaris. W. en. 2 japonica. P. S. 3 speciosa. Pyrus japonica, B SPIRÆA. W. 1 lævigata. W.	solitary-flowered cluster-flowered. ot. mag. not of The Spire. smooth-leaved.	umberg. Rosaceæ. J.	Austria. Japan. Siberia.	1815. 1796.	1.12.	F.h. F.h.	Bot. mag. 622. Schmidt.arb.1.t.49.
1 vulgaris. W. en. 2 japonica, P. S. 3 speciosa. Pyrus japonica, B SPIRÆA. W. 1 lavigata. W. 2 salicifolia. W. en.	solitary-flowered cluster-flowered. Pot. mag. not of The Spire. Smooth-leaved. Willow-leaved.	umberg. Rosaceæ. J.	Austria. Japan. Siberia. Britain.	1815. 1796.	1.12. 4.6. 6.8.	F.h. F.h. H.h.	Bot. mag. 622. Schmidt.arb.1.t.49. Eng. bot. 1468.
1 vulgaris. W. en. 2 japonica, P. S. 3 speciosa. Pyrus japonica, B SPIRÆA. W. 1 lævigata. W. 2 salicifolia. W. en. β alba.	solitary-flowered cluster-flowered. ot. mag. not of Th. Spir. EA. smooth-leaved. Willow-leaved. white-flowered.	umberg. Rosacew. J.	Austria. Japan. Siberia. Britain. N. America.	1815. 1796.	1.12. 4.6. 6.8.	F.h. F.h. H.h. H.h.	Bot. mag. 622. Schmidt.arb.1.t.49.
1 vulgaris. W. en. 2 japonica, P. S. 3 speciosa. Pyrus japonica, B SPIRÆA. W. 1 lævigata. W. 2 salicifolia. W. en. β alba. 3 carpinifolia. W. en.	solitary-flowered cluster-flowered. ot. mag. not of Th. Spira. As. smooth-leaved. Willow-leaved. white-flowered. Hornbeam-leav <sup>d</sup> .	umberg. Rosacex. J.	Austria. Japan. Siberia. Britain. N. America.	1815. 1796.	4.6.	F.h. F.h. H.h. H.h.	Bot. mag. 622.  Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t.257. f. 2.
1 vulgaris. W. en. 2 japonica, P. S. 3 speciosa. Pyrus japonica, B SPIR.EA. W. 1 lævigata. W. 2 salicifolia. W. en. β alba. 3 carpinifolia. W. en. 4 tomentosa. W.	solitary-flowered cluster-flowered, ot. mag. not of Th. SPIR.ÆA. smooth-leaved. Willow-leaved. white-flowered. Hornbeam-leaved. tomentose.	umberg. Rosacex. J.	Austria. Japan. Siberia. Britain. N. America.	1815. 1796. 1774.  1736.	4.6. 6.8.	F.h. F.h. H.h. H.h. H.h.	Bot. mag. 622.  Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2.  Schmidt.arb.1.t.51.
1 vulgaris. W. en. 2 japonica, P. S. 3 speciosa. Pyrus japonica, B SPIRÆA. W. 1 lævigata. W. 2 salicifolia. W. en. β alba. 3 carpinifolia. W. en. 4 tomentosa. W. 5 alpina. W.	solitary-flowered cluster-flowered, for. mag. not of Th. SPIRÆA.  SMIRÆA.  Willow-leaved.  Willow-leaved.  Hornbeam-leaved.  Alpine.	unberg. Rosacew. J.	Austria. Japan. Siberia. Britain. N. America. Siberia.	1815. 1796. 1774.  1736. 1806.	4.6. 6.8. 8.9.	F.h. H.h. H.h. H.h. H.h.	Bot. mag. 622.  Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2.  Schmidt.arb.1.t.51. Pall. ros. 1. t. 20.
1 vulgaris. W. en. 2 japonica, P. S. 3 speciosa. Pyrus japonica, B SPIRÆA. W. 1 lavigata. W. 2 salicifolia. W. en. β alba. 3 carpinifolia. W. en. 4 tomentosa. W. 5 alpina. W. 6 hypericifolia. W.	solitary-flowered cluster-flowered, for. mag. not of Th. SPIRÆA.  SPIRÆA.  smooth-leaved.  Willow-leaved.  White-flowered.  Hornbeam-leaved, tomentose, Alpine.  Hypericum-leaved.	nunberg. Rosacew. J.	Austria. Japan. Siberia. Britain. N. America. Siberia. N. America.	1315. 1796. 1774.  1736. 1806. 1640.	4.6. 6.8. 8.9. 7. 4.5.	F.h. H.h. H.h. H.h. H.h. H.h.	Bot. mag. 622.  Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2.  Schmidt.arb.1.t.51. Pall. ros. 1. t. 20. Schmidt.arb.1.t.26.
1 vulgaris. W. en. 2 japonica, P. S. 3 speciosa. Pyrus japonica, B. SPIRÆA. W. 1 lavigata. W. en. β alba. 3 carpinifolia. W. en. 4 tomentosa. W. 5 alpina. W. 6 hypericifolia. W. 7 chamædrifolia. W.	solitary-flowered cluster-flowered, ot. mag. not of Th SPIRÆA. SMOOth-leaved. Willow-leaved. Willow-leaved. Hornbeam-leav <sup>d</sup> . tomentose. Alpine. Hypericum-leav <sup>d</sup> . Germander-leav <sup>d</sup> .	umberg. Rosaceæ. J.	Austria. Japan. Siberia. Britain. N. America. Siberia. N. America. Siberia.	1815. 1796. 1774.  1736. 1806. 1640. 1789.	8.9. 7. 4.5. 6.7.	F.h. F.h. H.h. H.h. H.h. H.h. H.h.	Bot. mag. 622.  Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2.  Schmidt.arb.1.t.51. Pall. ros. 1. t. 20. Schmidt.arb.1.t.26. Pall. ros. 1. t. 15.
1 vulgaris. W. en. 2 japonica, P. S. 3 speciosa. Pyrus japonica, B SPIRÆA. W. 1 lavigata. W. 2 salicifolia. W. en. β alba. 3 carpinifolia. W. en. 4 tomentosa. W. 5 alpina. W. 6 hypericifolia. W.	solitary-flowered cluster-flowered, ot. mag. not of Th. SPIRÆA. SPIRÆA. Willow-leaved. Willow-leaved. Hornbeam-leaved. tomentose. Alpine. Hypericum-leaved. Germander-leaved.	umberg. Rosacex. J.	Austria. Japan. Siberia. Britain. N. America. Siberia. N. America. Siberia. Carniola.	1815. 1796. 1774.  1736. 1806. 1640. 1789.	4.6. 6.8. 8.9. 7. 4.5. 6.7.	F.h. H.h. H.h. H.h. H.h. H.h. H.h. H.h.	Bot. mag. 622.  Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t.257. f. 2.  Schmidt.arb.1.t.51. Pall. ros. 1.t. 20. Schmidt.arb.1.t.26. Pall. ros. 1.t. 15. Jac. vind. 2.t. 140.
1 vulgaris. W. en. 2 japonica. P. S. 3 speciosa. Pyrus japonica, B SPIRÆA. W. 1 lævigata. W. 2 salicifolia. W. en. β alba. 3 carpinifolia. W. en. 4 tomentosa. W. 5 alpina. W. 6 hypericifolia. W. 7 chamædrifolia. W. 8 ulmifolia. W. 9 betulifolia. Ph.	solitary-flowered cluster-flowered, tot. mag. not of Th. SFIRÆA.  SMIRÆA.  SMIOW-leaved.  Willow-leaved.  Hornbeam-leaved.  tomentose.  Alpine.  Hypericum-leaved.  Elm-leaved.  Birch-leaved.  Hawthorn-leaved.	unberg. Rosaceæ. J.	Austria. Japan. Siberia. Britain. N. America. Siberia. N. America. Siberia. Carniola. N. America. Siberia.	1315. 1796. 1774.  1736. 1806. 1640. 1789. 1790.	4.6. 6.8. 8.9. 7. 4.5. 6.7.	F.h. F.h. H.h. H.h. H.h. H.h. H.h. H.h.	Bot. mag. 622.  Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t.257. f. 2.  Schmidt.arb.1.t.51. Pall. ros. 1.t. 20. Schmidt.arb.1.t.26. Pall. ros. 1.t. 15. Jac. vind. 2.t. 140. Pall. ros. 1.t. 16.
1 vulgaris. W. en. 2 japonica. P. S. 3 speciosa. Pyrus japonica, B SPIRÆA. W. 1 lævigata. W. 2 salicifolia. W. en. β alba. 3 carpinifolia. W. en. 4 tomentosa. W. 5 alpina. W. 6 hypericifolia. W. 7 chamædrifolia. W. 8 ulmifolia. W. 9 betulifolia. Ph. 10 crenata. W.	solitary-flowered cluster-flowered, cl. mag. not of Th. SPIRÆA.  SMOOTH-leaved. Willow-leaved. Willow-leaved. Hornbeam-leav <sup>d</sup> . tomentose. Alpine. Hypericum-leav <sup>d</sup> . Germander-leav <sup>d</sup> . Elm-leaved. Birch-leaved. Hawthorn-leav <sup>d</sup> .	umberg. Rosacca. J.	Austria. Japan. Siberia. Britain. N. America. Siberia. N. America. Siberia. Carniola. N. America. Siberia.	1815. 1796. 1774.  1736. 1806. 1640. 1789. 1790. 1812. 1739.	4.6. 6.8. 8.9. 7. 4.5. 6.7. 4.5.	F.h. H.h.h. H.h.h. H.h.h. H.h.h. H.h.h.	Bot. mag. 622.  Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t.257. f. 2.  Schmidt.arb.1.t.51. Pall. ros. 1. t. 20. Schmidt.arb.1.t.26. Pall. ros. 1. t. 15. Jac. vind. 2. t. 140. Pall. ros. 1. t. 16. Schmid. arb.1.t.55.
1 vulgaris. W. en. 2 japonica, P. S. 3 speciosa. Pyrus japonica, B. SPIRÆA. W. 1 lævigata. W. 2 salicifolia. W. en. β alba. 3 carpinifolia. W. en. 4 tomentosa. W. 5 alpina. W. 6 hypericifolia. W. 7 chamædrifolia. W. 8 ulmifolia. W. 9 betulifolia. Ph. 10 crenata. W. 11 oblongifolia. W. en.	solitary-flowered cluster-flowered, cl. mag. not of Th. SPIRÆA.  SMOOTH-leaved. Willow-leaved. Willow-leaved. Hornbeam-leav <sup>d</sup> . tomentose. Alpine. Hypericum-leav <sup>d</sup> . Germander-leav <sup>d</sup> . Elm-leaved. Birch-leaved. Hawthorn-leav <sup>d</sup> .	umberg. Rosacca. J.	Austria. Japan. Siberia. Britain. N. America. Siberia. N. America. Siberia. Carniola. N. America. Siberia.	1315. 1796. 1774.  1736. 1806. 1640. 1799. 1812. 1739. 1816.	4.6. 6.8. 8.9. 7. 4.5. 6.7. 4.5. 5.6.	F.h. H.h.h. H.h.h. H.h.h. H.h.h. H.h.h.	Bot. mag. 622.  Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t.257. f. 2.  Schmidt.arb.1.t.51. Pall. ros. 1. t. 20. Schmidt.arb.1.t.26. Pall. ros. 1. t. 15. Jac. vind. 2. t. 140. Pall. ros. 1. t. 16. Schmid. arb.1.t.55. Pl.rar.hung.3.t.235
1 vulgaris. W. en. 2 japonica, P. S. 3 speciosa. Pyrus japonica, B SPIRÆA. W. 1 lavigata. W. 2 salicifolia. W. en. β alba. 3 carpinifolia. W. en. 4 tomentosa. W. 5 alpina. W. 6 hypericifolia. W. 7 chamædrifolia. W. 8 ulmifolia. W. 9 betulifolia. Ph. 10 crenata. W. 11 oblongifolia. W. en. 12 triloba. W.	solitary-flowered cluster-flowered, cl. mag. not of Th. SPIRÆA.  SMOOTH-leaved. Willow-leaved. Willow-leaved. Hornbeam-leav <sup>d</sup> . tomentose. Alpine. Hypericum-leav <sup>d</sup> . Germander-leav <sup>d</sup> . Elm-leaved. Birch-leaved. Hawthorn-leav <sup>d</sup> .	umberg. Rosacca. J.	Austria. Japan. Siberia. Britain. N. America. Siberia. N. America. Siberia. Carniola. N. America. Siberia.	1315. 1796. 1774.  1736. 1806. 1640. 1789. 1812. 1739. 1816.	4.6. 6.8. 8.9. 7. 4.5. 6.7. 4.5. 5.6. 5.	F.h. H.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.	Bot. mag. 622.  Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2.  Schmidt.arb.1.t.51. Pall. ros. 1. t. 20. Schmidt.arb.1.t.26. Pall. ros. 1. t. 15. Jac. vind. 2. t. 140. Pall. ros. 1. t. 16. Schmid. arb.1.t.55. Pl.rar.hung.3.t.235 Pall. ros. 1. t. 17.
1 vulgaris. W. en. 2 japonica, P. S. 3 speciosa. Pyrus japonica, B SPIR.EA. W. 1 lævigata. W. 2 salicifolia. W. en. β alba. 3 carpinifolia. W. en. 4 tomentosa. W. 5 alpina. W. 6 hypericifolia. W. 7 chamædrifolia. W. 8 ulmifolia. W. 9 betulifolia. Ph. 10 crenata. W. 11 oblongifolia. W. en. 12 triloba. W. 13 thalictroídes. W.	solitary-flowered cluster-flowered, ot. mag. not of Th. SpirkA.  smooth-leaved. Willow-leaved. white-flowered. Hornbeam-leavd. tomentose. Alpine. Hypericum-leavd. Elm-leaved. Birch-leaved. Hawthorn-leavd. oblong-leaved. three-lobed. Meadow-Rue-la.	umberg. Rosacew. J.	Austria. Japan.  Siberia. Britain. N. America. Siberia. N. America. Siberia. Carniola. N. America. Siberia. Hungary. Siberia.	1774.  1736. 1736. 1806. 1640. 1789. 1790. 1812. 1739. 1816. 1790.	8.9. 7. 4.5. 6.7. 4.5. 5.6. 5.	F.h.  H.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h	Bot. mag. 622.  Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t.257. f. 2.  Schmidt.arb.1.t.51. Pall. ros. 1. t. 20. Schmidt.arb.1.t.26. Pall. ros. 1. t. 15. Jac. vind. 2. t. 140. Pall. ros. 1. t. 16. Schmid. arb.1.t.55. Pl.rar.hung.3.t.235
1 vulgaris. W. en. 2 japonica, P. S. 3 speciosa. Pyrus japonica, B SPIRÆA. W. 1 lavigata. W. 2 salicifolia. W. en. β alba. 3 carpinifolia. W. en. 4 tomentosa. W. 5 alpina. W. 6 hypericifolia. W. 7 chamædrifolia. W. 8 ulmifolia. W. 9 betulifolia. Ph. 10 crenata. W. 11 oblongifolia. W. en. 12 triloba. W.	solitary-flowered cluster-flowered, ot. mag. not of Th. SPIRÆA.  SMOOTH-leaved. Willow-leaved. Willow-leaved. Hornbeam-leavd. tomentose. Alpine. Hypericum-leavd. Germander-leavd. Elm-leaved. Birch-leaved. Hawthorn-leavd. oblong-leaved. three-lobed. Meadow-Rue-ld. obovate-leaved.	nunberg. Rosaccæ. J.	Austria. Japan.  Siberia. Britain. N. America. Siberia. N. America. Siberia. Carniola. N. America. Siberia. Hungary. Hungary.	1815. 1796. 1774.  1736. 1806. 1640. 1789. 1812. 1739. 1816. 1801.	4.6. 6.8. 8.9. 7. 4.5. 6.7. 6.7. 5.6. 5.6.	F. h.	Bot. mag. 622.  Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t.257. f. 2.  Schmidt.arb.1.t.51. Pall. ros. 1. t. 20. Schmidt.arb.1.t.26. Pall. ros. 1. t. 15. Jac. vind. 2. t. 140. Pall. ros. 1. t. 16. Schmid. arb.1.t.55. Pl.rar.hung.3.t.235 Pall. ros. 1. t. 17.  1. t. 18.
1 vulgaris. W. en. 2 japonica. P. S. 3 speciosa. Pyrus japonica, B SPIR.A. W. 1 lævigata. W. 2 salicifolia. W. en. β alba. 3 carpinifolia. W. en. 4 tomentosa. W. 5 alpina. W. 6 hypericifolia. W. 7 chamædrifolia. W. 9 betulifolia. Ph. 10 crenata. W. 11 oblongifolia. W. en. 12 triloba. W. 13 thalictroides. W. 14 obovata. W. en.	solitary-flowered cluster-flowered, lot. mag. not of Th. SPIRÆA. SMOOTH-leaved. Willow-leaved. Willow-leaved. Horubeam-leaved. Horubeam-leaved. Germander-leaved. Elm-leaved. Birch-leaved. Hawthorn-leaved. three-lobed. Meadow-Rue-leaved. Guelder-Rose-leaved.	nunberg. Rosaccæ. J.	Austria. Japan.  Siberia. Britain. N. America. Siberia. N. America. Siberia. Carniola. N. America. Siberia. Hungary. Hungary.	1815. 1796. 1774.  1736. 1806. 1640. 1789. 1739. 1816. 1801. 1790. 1816. 1690.	1.12. 4.6. 6.8. 7. 4.5. 6.7. 4.5. 5.6. 5.6. 6.7.	F. h.	Bot. mag. 622.  Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2.  Schmidt.arb.1.t.51. Pall. ros. 1. t. 20. Schmidt.arb.1.t.26. Pall. ros. 1. t. 15. Jac. vind. 2. t. 140. Pall. ros. 1. t. 16. Schmid. arb.1.t.55. Pl.rar.lung.3.t.235 Pall. ros. 1. t. 17.  1. t. 18.  Schmidt.arb.1.t.52.
1 vulgaris. W. en. 2 japonica. P. S. 3 speciosa. Pyrus japonica, B SPIRÆA. W. 1 lævigata. W. 2 salicifolia. W. en. β alba. 3 carpinifolia. W. en. 4 tomentosa. W. 5 alpina. W. 6 hypericifolia. W. 7 chamædrifolia. W. 8 ulmifolia. W. 9 betulifolia. Ph. 10 crenata. W. 11 oblongifolia. W. en. 12 triloba. W. 13 thalictroides. W. 14 obovata. W. en. 15 opulifolia. W. en.	solitary-flowered cluster-flowered, ot. mag. not of Th. SPIRÆA.  SPIRÆA.  SMOOTH-leaved.  Willow-leaved.  Hornbeam-leaved.  Hopericum-leaved.  Germander-leaved.  Birch-leaved.  Hawthorn-leaved.  three-lobed.  Meadow-Rue-leaved.  Guelder-Rose-leaved.  Guelder-Rose-leaved.  Service-tree-leaved.	nunberg. Rosaccæ. J.	Austria. Japan.  Siberia. Britain. N. America. Siberia. N. America. Siberia. Carniola. N. America. Siberia. Hungary. Hungary. N. America.	1815. 1796. 1774.  1736. 1806. 1640. 1789. 1812. 18316. 1801. 1790. 1816. 1816. 1690. 1759.	1.12. 4.6. 6.8. 7. 4.5. 6.7. 4.5. 6.7. 5.6. 6.7. 8.8.	F. h.	Bot. mag. 622.  Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2.  Schmidt.arb.1.t.51. Pall. ros. 1. t. 20. Schmidt.arb.1.t.26. Pall. ros. 1. t. 15. Jac. vind. 2. t. 140. Pall. ros. 1. t. 16. Schmid. arb.1.t.55. Pl.rar.hung.3.t.235 Pall. ros. 1. t. 17.  1. t. 18.  Schmidt.arb.1.t.52.  1. t. 58.
1 vulgaris. W. en. 2 japonica, P. S. 3 speciosa. Pyrus japonica, B SPIRÆA. W. 1 lavigata. W. 2 salicifolia. W. en. β alba. 3 carpinifolia. W. en. 4 tomentosa. W. 5 alpina. W. 6 hypericifolia. W. 7 chamædrifolia. W. 8 ulmifolia. W. 9 betulifolia. Ph. 10 crenata. W. 11 oblongifolia. W. en. 12 triloba. W. 13 thalictroides. W. 14 obovata. W. en. 15 opulifolia. W. 16 sorbifolia. W.	solitary-flowered cluster-flowered, lot. mag. not of Th. SPIRÆA. SMOOTH-leaved. Willow-leaved. Willow-leaved. Horubeam-leaved. Horubeam-leaved. Germander-leaved. Elm-leaved. Birch-leaved. Hawthorn-leaved. three-lobed. Meadow-Rue-leaved. Guelder-Rose-leaved.	nunberg. Rosaccæ. J.	Austria. Japan.  Siberia. Britain. N. America. Siberia. N. America. Siberia. Carniola. N. America. Siberia. Hungary. Hungary. N. America.	1815. 1796. 1774.  1736. 1806. 1640. 1789. 1812. 1739. 1816. 1801. 1790. 1816. 1690. 1759. 1817.	1.12. 4.6. 6.8. 7. 4.5. 6.7. 4.5. 5.6. 5.6. 6.7. 8.8.	FF. HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH	Bot. mag. 622.  Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2.  Schmidt.arb.1.t.51. Pall. ros. 1. t. 20. Schmidt.arb.1.t.26. Pall. ros. 1. t. 15. Jac. vind. 2. t. 140. Pall. ros. 1. t. 16. Schmid. arb.1.t.55. Pl.rar.hung.3.t.235 Pall. ros. 1. t. 17.  1. t. 18.  Schmidt.arb.1.t.52.  1. t. 58. Pall. ros. 1. t. 25.
1 vulgaris. W. en. 2 japonica, P. S. 3 speciosa. Pyrus japonica, B SPIR.EA. W. 1 lævigata. W. 2 salicifolia. W. en. β alba. 3 carpinifolia. W. en. 4 tomentosa. W. 5 alpina. W. 6 hypericifolia. W. 7 chamædrifolia. W. 8 ulmifolia. W. 9 betulifolia. Ph. 10 crenata. W. 11 oblongifolia. W. en. 12 triloba. W. 13 thalictroides. W. 14 obovata. W. en. 15 opulifolia. W. 6 nana.	solitary-flowered cluster-flowered, lot. mag. not of Th. SPIRÆA.  smooth-leaved. Willow-leaved. Willow-leaved. Willow-leaved. Hornbeam-leavd. tomentose. Alpine. Hypericum-leavd. Elm-leaved. Birch-leaved. Hawthorn-leavd. oblong-leaved. three-lobed. Meadow-Rue-ld. obovate-leaved. Guelder-Rose-ld. Service-tree-ld. dwarf.	umberg. Rosaceæ. J.	Austria. Japan.  Siberia. Britain. N. America. Siberia. N. America. Siberia. Carniola. N. America. Siberia. Hungary. Hungary. N. America.	1815. 1796. 1774.  1736. 1806. 1640. 1789. 1790. 1816. 1801. 1816. 1690. 1759. 1816. 1693.	1.12. 4.6. 6.8. 7. 4.5. 6.7. 6.7. 4.5. 5.6. 5.01 8.9. 7. 6.7. 8.9. 8.9. 8.9. 8.9. 8.9. 8.9. 8.9. 8	F. F. H.	Bot. mag. 622.  Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2.  Schmidt.arb.1.t.51. Pall. ros. 1. t. 20. Schmidt.arb.1.t.26. Pall. ros. 1. t. 15. Jac. vind. 2. t. 140. Pall. ros. 1. t. 16. Schmid. arb.1.t.55. Pl.rar.hung.3.t.235 Pall. ros. 1. t. 17.  1. t. 18.  Schmidt.arb.1.t.52.  1. t. 58.
1 vulgaris. W. en. 2 japonica. P. S. 3 speciosa. Pyrus japonica, B SPIRÆA. W. 1 lævigata. W. 2 salicifolia. W. en. β alba. 3 carpinifolia. W. en. 4 tomentosa. W. 5 alpina. W. 6 hypericifolia. W. 7 chamædrifolia. W. 9 betulifolia. Ph. 10 crenata. W. 11 oblongifolia. W. en. 12 triloba. W. 13 thalictroides. W. 14 obovata. W. en. 15 opulifolia. W. 16 sorbifolia. W. 17 Aruncus. W.	solitary-flowered cluster-flowered, cl. mag. not of Th. SPIRÆA.  SMIRÆA.  SMOOTH-leaved. Willow-leaved. Hornbeam-leavd. Hornbeam-leavd. Germander-leavd. Germander-leavd. Birch-leaved. Hawthorn-leavd. oblong-leaved. three-lobed. Meadow-Rue-ld. Obovate-leaved. Guelder-Rose-ld. Service-tree-ld. dwarf. Goat's-beard.	umberg. Rosaceæ. J.	Austria. Japan.  Siberia. Britain. N. America. Siberia. N. America. Siberia. Carniola. N. America. Siberia. Hungary. Siberia. Hungary. N. America. Siberia.	1815. 1796. 1774.  1736. 1806. 1640. 1789. 1790. 1816. 1801. 1816. 1690. 1759. 1816. 1693.	1.12. 4.6. 6.8. 7. 4.5. 6.7. 6.7. 4.5. 5.6. 5.01 8.9. 7. 6.7. 8.9. 8.9. 8.9. 8.9. 8.9. 8.9. 8.9. 8	F. F. H.	Bot. mag. 622.  Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2.  Schmidt.arb.1.t.51. Pall. ros. 1.t. 20. Schmidt.arb.1.t.26. Pall. ros. 1.t. 15. Jac. vind. 2.t. 140. Pall. ros. 1.t. 16. Schmid. arb.1.t.55. Pl.rar.hung.3.t.235 Pall. ros. 1.t. 17.  1.t. 18.  Schmidt.arb.1.t.52.  1.t. 58. Pall. ros. 1.t. 25.
1 vulgaris. W. en. 2 japonica. P. S. 3 speciosa. Pyrus japonica, B SPIR.EA. W. 1 lævigata. W. 2 salicifolia. W. en. β alba. 3 carpinifolia. W. en. 4 tomentosa. W. 5 alpina. W. 6 hypericifolia. W. 7 chamædrifolia. W. 9 betulifolia. Ph. 10 crenata. W. 11 oblongifolia. W. en. 12 triloba. W. 13 thalictroides. W. 14 obovata. W. en. 15 opulifolia. W. 6 nana. 17 Aruncus. W. 18 Filipendula. W.	solitary-flowered cluster-flowered, cl. mag. not of Th. SPIRÆA.  smooth-leaved. Willow-leaved. Willow-leaved. Hornbeam-leavd. tomentose. Alpine. Hypericum-leavd. Germander-leavd. Birch-leaved. Birch-leaved. Hawthorn-leavd. oblong-leaved. three-lobed. Meadow-Rue-ld. obovate-leaved. Guelder-Rose-ld. Service-tree-ld. dwarf. Goat's-beard. Dropwort.	umberg. Rosaceæ. J.	Austria. Japan.  Siberia. Britain. N. America. Siberia. N. America. Siberia. Carniola. N. America. Siberia. Hungary. Siberia. Hungary. N. America. Siberia.	1815. 1796. 1774.  1736. 1806. 1640. 1789. 1816. 1801. 1790. 1816. 1690. 1759. 1817. 1633.	1.12. 4.6. 6.8. 7. 4.5. 6.7. 4.5. 5.6. 6.7. 8.9. 6.7. 8.9. 6.7. 8.9. 6.7. 8.9. 6.7. 8.9. 6.7. 8.9. 6.7. 8.9. 6.7. 8.9. 6.7. 8.9. 8	F. h.	Bot. mag. 622.  Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2.  Schmidt.arb.1.t.51. Pall. ros. 1.t. 20. Schmidt.arb.1.t.26. Pall. ros. 1.t. 15. Jac. vind. 2.t. 140. Pall. ros. 1.t. 16. Schmid. arb.1.t.55. Pl.rar.hung.3.t.235 Pall. ros. 1.t. 17.  1.t. 18.  Schmidt.arb.1.t.52.  1.t. 58. Pall. ros. 1.t. 25.
1 vulgaris. W. en. 2 japonica, P. S. 3 speciosa. Pyrus japonica, B SPIRÆA. W. 1 lavigata. W. 2 salicifolia. W. en. β alba. 3 carpinifolia. W. en. 4 tomentosa. W. 5 alpina. W. 6 hypericifolia. W. 7 chamædrifolia. W. 8 ulmifolia. W. 10 crenata. W. 11 oblongifolia. W. en. 12 triloba. W. 13 thalictroides. W. 14 obovata. W. en. 15 opulifolia. W. 6 nana. 17 Aruncus. W. 18 Filipendula. W. β plena.	solitary-flowered cluster-flowered, lot. mag. not of Th. SPIRÆA.  SMOOTH-leaved. Willow-leaved. Willow-leaved. Horubeam-leavd. Horubeam-leavd. Germander-leavd. Elm-leaved. Birch-leaved. Hawthorn-leavd. oblong-leaved. three-lobed. Meadow-Rue-ld. Guelder-Rose-ld. Service-tree-ld. dwarf. Goat's-beard. Dropwort. double-flowered.	umberg. Rosaceæ. J.	Austria. Japan.  Siberia. Britain. N. America. Siberia. N. America. Siberia. Carniola. N. America. Siberia. Hungary. Siberia. Hungary. N. America. Siberia.	1815. 1796. 1774.  1736. 1806. 1640. 1789. 1816. 1801. 1790. 1816. 1690. 1759. 1817. 1633.	1.12. 4.6. 6.8. 7. 4.5. 6.7. 4.5. 5.6. 6.7. 8.9. 6.7. 8.9. 6.7. 8.9. 6.7. 8.9. 6.7. 8.9. 6.7. 8.9. 6.7. 8.9. 6.7. 8.9. 6.7. 8.9. 8	F. h.	Bot. mag. 622.  Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2.  Schmidt.arb.1.t.51. Pall. ros. 1. t. 20. Schmidt.arb.1.t.26. Pall. ros. 1. t. 15. Jac. vind. 2. t. 140. Pall. ros. 1. t. 16. Schmid. arb.1.t.55. Pl.rar.lung.3.t.235 Pall. ros. 1. t. 17.  1. t. 18.  Schmidt.arb.1.t.52.  1. t. 58. Pall. ros. 1. t. 26. Eng. bot. 284.
1 vulgaris. W. en. 2 japonica. P. S. 3 speciosa. Pyrus japonica, B SPIR.EA. W. 1 lævigata. W. 2 salicifolia. W. en. β alba. 3 carpinifolia. W. en. 4 tomentosa. W. 5 alpina. W. 6 hypericifolia. W. 7 chamædrifolia. W. 9 betulifolia. Ph. 10 crenata. W. 11 oblongifolia. W. en. 12 triloba. W. 13 thalictroides. W. 14 obovata. W. en. 15 opulifolia. W. 6 nana. 17 Aruncus. W. 18 Filipendula. W. β plena. 19 Ulmaria. W. β plena. 20 lobata. W.	solitary-flowered cluster-flowered, lot. mag. not of Th. SPIRÆA.  smooth-leaved. Willow-leaved. Willow-leaved. Willow-leaved. Hornbeam-leavd. tomentose. Alpine. Hypericum-leavd. Elm-leaved. Birch-leaved. Hawthorn-leavd. oblong-leaved. three-lobed. Meadow-Rue-ld. obovate-leaved. Guelder-Rose-ld. Service-tree-ld. dwarf. Goat's-beard. Dropwort. Meadow-sweet.	umberg. Rosaceæ. J.	Austria. Japan.  Siberia. Britain. N. America. Siberia. N. America. Siberia. Carniola. N. America. Siberia. Hungary. Siberia. Hungary. N. America. Siberia.	1815. 1796. 1774.  1736. 1806. 1640. 1789. 1891. 1891. 1890. 1816. 1690. 1759. 1816.	1.12. 4.6. 6.8. 7. 4.5. 6.7. 4.5. 6.7. 5.6. 6.7. 8. 6.7. 6.7. 6.7. 6.7.	F. h.	Bot. mag. 622.  Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2.  Schmidt.arb.1.t.51. Pall. ros. 1. t. 20. Schmidt.arb.1.t.26. Pall. ros. 1. t. 15. Jac. vind. 2. t. 140. Pall. ros. 1. t. 16. Schmid. arb.1.t.55. Pl.rar.lung.3.t.235 Pall. ros. 1. t. 17.  1. t. 18.  Schmidt.arb.1.t.52.  1. t. 58. Pall. ros. 1. t. 26. Eng. bot. 284.
1 vulgaris. W. en. 2 japonica, P. S. 3 speciosa. Pyrus japonica, B SPIRÆA. W. 1 lavigata. W. 2 salicifolia. W. en. β alba. 3 carpinifolia. W. en. 4 tomentosa. W. 5 alpina. W. 6 hypericifolia. W. 7 chamædrifolia. W. 8 ulmifolia. W. 10 betulifolia. Ph. 10 crenata. W. 11 oblongifolia. W. en. 12 triloba. W. 13 thalictroides. W. 14 obovata. W. en. 15 opulifolia. W. 6 nana. 17 Aruncus. W. 18 Filipendula. W. β plena. 19 Ulmaria. W. β plena. 20 lobata. W. 21 trifoliata. W.	solitary-flowered cluster-flowered, lot. mag. not of Th. SPIRÆA.  smooth-leaved. Willow-leaved. Willow-leaved. Willow-leaved. Hornbeam-leavd. tomentose. Alpine. Hypericum-leavd. Germander-leavd. Birch-leaved. Hawthorn-leavd. oblong-leaved. three-lobed. Meadow-Rue-ld. obovate-leaved. Guelder-Rose-ld. Guelder-Rose-ld. Gropwort. double-flowered. Meadow-sweet. double-flowered.	umberg. Rosaceæ. J.	Austria. Japan.  Siberia. Britain. N. America. Siberia. N. America. Siberia. Carniola. N. America. Siberia. Hungary. Siberia. Hungary. Siberia. Britain.  Siberia.	1815. 1796. 1774.  1736. 1806. 1640. 1789. 1812. 1739. 1816. 1801. 1759. 1816. 1690. 1759. 1817. 1633.	8.9. 7. 4.5. 6.7. 4.5. 6.7. 5.6. 6.7. 8. 6.7. 8.	F. h.	Bot. mag. 622.  Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2.  Schmidt.arb.1.t.51. Pall. ros. 1. t. 20. Schmidt.arb.1.t.26. Pall. ros. 1. t. 15. Jac. vind. 2. t. 140. Pall. ros. 1. t. 16. Schmid. arb.1.t.55. Pl.rar.hung.3.t.235 Pall. ros. 1. t. 17.  1. t. 18.  Schmidt.arb.1.t.52.  1. t. 58. Pall. ros. 1. t. 25.
1 vulgaris. W. en. 2 japonica. P. S. 3 speciosa. Pyrus japonica, B SPIR.EA. W. 1 lævigata. W. 2 salicifolia. W. en. β alba. 3 carpinifolia. W. en. 4 tomentosa. W. 5 alpina. W. 6 hypericifolia. W. 7 chamædrifolia. W. 9 betulifolia. Ph. 10 crenata. W. 11 oblongifolia. W. en. 12 triloba. W. 13 thalictroides. W. 14 obovata. W. en. 15 opulifolia. W. 6 nana. 17 Aruncus. W. 18 Filipendula. W. β plena. 19 Ulmaria. W. β plena. 20 lobata. W.	solitary-flowered cluster-flowered, lot. mag. not of Th. SPIRÆA.  SMOOTH-leaved. Willow-leaved. Willow-leaved. Hornbeam-leavd. Hornbeam-leavd. Germander-leavd. Birch-leaved. Hawthorn-leavd. blong-leaved. three-lobed. Meadow-Ruc-ld. Service-tree-ld. Guelder-Rose-ld. Service-tree-ld. dwarf. Goat's-beard. Dropwort. double-flowered. Meadow-sweet. double-flowered. palmated.	umberg. Rosaceæ. J.	Austria. Japan.  Siberia. Britain. N. America. Siberia. Carniola. N. America. Siberia. Hungary. Siberia. Hungary. Siberia.  Siberia. Siberia. Siberia. Siberia. N. America. Siberia.	1815. 1796. 1774.  1736. 1806. 1640. 1789. 1812. 1739. 1816. 1801. 1759. 1816. 1690. 1759. 1817. 1633.	1.12. 4.6. 6.8. 7. 4.5. 6.7. 4.5. 5.6. 6.7. 8.7 6.7. 8.7 6.7. 8.7 6.7. 8.7 6.7. 8.7 6.7. 8.7 6.7. 8.7 6.7. 8.7 6.7. 8.7 6.7 8.7 8.7 8.7 8.7 8.7 8.7 8.7 8	F. h.	Bot. mag. 622.  Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2.  Schmidt.arb.1.t.51. Pall. ros. 1.t. 20. Schmidt.arb.1.t.26. Pall. ros. 1.t. 15. Jac. vind. 2.t. 140. Pall. ros. 1.t. 16. Schmid. arb.1.t.55. Pl.rar.hung.3.t.235 Pall. ros. 1.t. 17.  1.t. 18.  Schmidt.arb.1.t.52. Pall. ros. 1.t. 26. Eng. bot. 284.  960.  Jac. vind. 1.t. 88.
1 vulgaris. W. en. 2 japonica, P. S. 3 speciosa. Pyrus japonica, B. SPIRÆA. W. 1 lævigata. W. 2 salicifolia. W. en. β alba. 3 carpinifolia. W. en. 4 tomentosa. W. 5 alpina. W. 6 hypericifolia. W. 7 chamædrifolia. W. 9 betulifolia. Ph. 10 crenata. W. 11 oblongifolia. W. en. 12 triloba. W. 13 thalictroides. W. 14 obovata. W. en. 15 opulifolia. W. 16 sorbifolia. W. 17 Aruncus. W. 18 Filipendula. W. β plena. 19 Ulmaria. W. β plena. 20 lobata. W. 21 trifoliata. W. 22 stipulacea. Ph. SESUVIUM. W.	solitary-flowered cluster-flowered, ot. mag. not of Th. SPIRÆA.  SMIRÆA.  SMOOTH-leaved. Willow-leaved. Willow-leaved. Hornbeam-leavd. Hornbeam-leavd. Germander-leavd. Germander-leavd. Birch-leaved. Hawthorn-leavd. oblong-leaved. Hawthorn-leavd. oblong-leaved. Guelder-Rose-ld. Service-tree-ld. Guelder-Rose-ld. Service-tree-ld. dwarf. Goat's-beard. Dropwort. double-flowered. Meadow-sweet. double-flowered. palmated. three-leaved. large-stipuled. SSSUYIUM.	nunberg. Rosaceæ. J.  Ficoideæ. J.	Austria. Japan.  Siberia. Britain. N. America. Siberia. Carniola. N. America. Siberia. Hungary. Siberia. Hungary. Siberia.  Siberia. Siberia. Siberia. Siberia. N. America. Siberia.	1815. 1796. 1774.  1736. 1806. 1640. 1789. 1790. 1816. 1801. 1790. 1816. 1690. 1759. 1817. 1633. 	1.12. 4.6. 6.8. 7. 4.5. 6.7. 4.5. 5.6. 6.7. 8.7 6.7. 8.7 6.7. 8.7 6.7. 8.7 6.7. 8.7 6.7. 8.7 6.7. 8.7 6.7. 8.7 6.7. 8.7 6.7 8.7 8.7 8.7 8.7 8.7 8.7 8.7 8	F. h.	Bot. mag. 622.  Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2.  Schmidt.arb.1.t.51. Pall. ros. 1.t. 20. Schmidt.arb.1.t.26. Pall. ros. 1.t. 15. Jac. vind. 2.t. 140. Pall. ros. 1.t. 16. Schmid. arb.1.t.55. Pl.rar.hung.3.t.235 Pall. ros. 1.t. 17.  1.t. 18.  Schmidt.arb.1.t.52. Pall. ros. 1.t. 26. Eng. bot. 284.  960.  Jac. vind. 1.t. 88.
1 vulgaris. W. en. 2 japonica, P. S. 3 speciosa. Pyrus japonica, B. SPIRÆA. W. 1 lævigata. W. 2 salicifolia. W. en. β alba. 3 carpinifolia. W. en. 4 tomentosa. W. 5 alpina. W. 6 hypericifolia. W. 7 chamædrifolia. W. 9 betulifolia. Ph. 10 crenata. W. 11 oblongifolia. W. en. 12 triloba. W. 13 thalictroides. W. 14 obovata. W. en. 15 opulifolia. W. 16 sorbifolia. W. 17 Aruncus. W. 18 Filipendula. W. β plena. 19 Ulmaria. W. β plena. 20 lobata. W. 21 trifoliata. W. 22 stipulacea. Ph. SESUVIUM. W.	solitary-flowered cluster-flowered, ot. mag. not of Th. SPIRÆA.  SMIRÆA.  SMOOTH-leaved. Willow-leaved. Willow-leaved. Hornbeam-leavd. Hornbeam-leavd. Germander-leavd. Germander-leavd. Birch-leaved. Hawthorn-leavd. oblong-leaved. Hawthorn-leavd. oblong-leaved. Guelder-Rose-ld. Service-tree-ld. Guelder-Rose-ld. Service-tree-ld. dwarf. Goat's-beard. Dropwort. double-flowered. Meadow-sweet. double-flowered. palmated. three-leaved. large-stipuled. SSSUYIUM.	nunberg. Rosaceæ. J.  Ficoideæ. J.	Austria. Japan.  Siberia. Britain. N. America. Siberia. Carniola. N. America. Siberia. Hungary. Siberia. Hungary. Siberia.  Siberia. Siberia. Siberia. Siberia. N. America. Siberia.	1815. 1796. 1774.  1736. 1806. 1640. 1789. 1790. 1812. 1790. 1816. 1690. 1759. 1633. 	1.12. 4.6. 6.8. 8.9. 7. 4.5. 6.7. 6.7. 5.6. 5.6. 6.7. 8. 6.7. 8. 6.7. 8.	F. h.	Bot. mag. 622.  Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2.  Schmidt.arb.1.t.51. Pall. ros. 1.t. 20. Schmidt.arb.1.t.26. Pall. ros. 1.t. 15. Jac. vind. 2.t. 140. Pall. ros. 1.t. 16. Schmid. arb.1.t.55. Pl.rar.hung.3.t.235 Pall. ros. 1.t. 17.  1.t. 18.  Schmidt.arb.1.t.52. Pall. ros. 1.t. 26. Eng. bot. 284.  960.  Jac. vind. 1.t. 88.
1 vulgaris. W. en. 2 japonica, P. S. 3 speciosa. Pyrus japonica, B SPIRÆA. W. 1 lavigata. W. 2 salicifolia. W. en. β alba. 3 carpinifolia. W. en. 4 tomentosa. W. 5 alpina. W. 6 hypericifolia. W. 7 chamædrifolia. W. 8 ulmifolia. W. 9 betulifolia. W. 11 oblongifolia. W. en. 12 triloba. W. 13 thalictroides. W. 14 obovata. W. en. 15 opulifolia. W. β nana. 17 Aruneus. W. 18 Filipendula. W. β plena. 19 Ulmaria. W. β plena. 20 lobata. W. 21 trifoliata. W. 22 stipulacea. Ph.	solitary-flowered cluster-flowered, ot. mag. not of Th. SPIRÆA.  SMIRÆA.  SMOOTH-leaved. Willow-leaved. Willow-leaved. Hornbeam-leavd. Hornbeam-leavd. Germander-leavd. Germander-leavd. Birch-leaved. Hawthorn-leavd. oblong-leaved. Hawthorn-leavd. oblong-leaved. Guelder-Rose-ld. Service-tree-ld. Guelder-Rose-ld. Service-tree-ld. dwarf. Goat's-beard. Dropwort. double-flowered. Meadow-sweet. double-flowered. palmated. three-leaved. large-stipuled. SSSUYIUM.	nunberg. Rosaceæ. J.  Ficoideæ. J.	Austria. Japan.  Siberia. Britain. N. America. Siberia. Carniola. N. America. Siberia. Hungary. Siberia. Hungary. Siberia. Britain.  Siberia.  K. America. Siberia.  Hungary. N. America. Siberia.	1815. 1796. 1774.  1736. 1806. 1640. 1789. 1789. 1816. 1801. 1816. 1690. 1759. 1816. 1693.  1765. 1713. 1805.	4.6. 6.8. 8.9. 7. 4.5. 6.7. 6.7. 5.6. 5.6. 6.7. 8. 6.7. 8. 6.7. 8. 6.7.	F. h.	Bot. mag. 622.  Schmidt.arb.1.t.49. Eng. bot. 1468. Mill. ic. t. 257. f. 2.  Schmidt.arb.1.t.51. Pall. ros. 1. t. 20. Schmidt.arb.1.t.26. Pall. ros. 1. t. 15. Jac. vind. 2. t. 140. Pall. ros. 1. t. 16. Schmid. arb.1.t.55. Pl.rar.hung.3.t.235 Pall. ros. 1. t. 17.  1. t. 18.  Schmidt.arb.1.t.52.  1. t. 58. Pall. ros. 1. t. 25.  ———————————————————————————————————

# ICOSANDRIA DI-PENTAGYNIA.

3 revolutifolium.W.en		Ficoideæ. J.		7.8. S.4.	Bot. mag. 1701.
4 longifolium. W. en.				1816. —— S.O.	
5 repens. W. en.	creeping.		E. Ind.	<u> </u>	Rum.am.5. t.72.f.1.
TETRAGONIA. W.	TETRAGONIA.	Ficoideæ. J.	N Zaaland	1550 00 C 1	nu da nah
1 expansa. W.	horned.		Peru.		Plant. grass. 113.236
2 crystallina. W.	Diamond.		C D C	1788. 6. G.O.	Mill.ic. 2. t. 263. f. 2.
3 fruticosa. W.	shrubby. trailing.		о. в. з.	1712. 7.9. G.h.	Dlant man 22
	winged-seeded.			1795. — G.h.	Flant. grass. 23.
5 Tetrapteris. H. S.	spiked.			7. G.h.	
6 spicata. W.	herbaceous.				Com. hort. 2. t. 102.
8 echinata. W.	Hedge-hog.			1774. 5.8. G. 3.	Dlant grace 112
MESEMBRYAN- 7				1//4. 0.0. 0.0.	Talle grass. I to.
THEMUM.	FIG-MARYGOLD.	Ficoidea. J.			
1 minutum. H. S.	minute.		C. B. S.	1795. 9.11. G. 4.	Bot. mag. 1376.
2 minimum. H. S.	small.			1776. 9.19. G. M.	
3 obcordellum. H. S.				- 10.2. G. 21.	Bot. mag. 1647.
4 obconellum. H. S.	conical.			1794. — G. 4	
5 truncatellum. H. S.	truncated.			1795 G. 4.	
6 fibuliforme. H, S.	cloth-button.			11. G.2L.	
7 nuciforme. H. S.	Nut-shaped.			1790 G. 4	
8 testiculare. H. S.	short white-lead.			1774. 11. G. 21.	Bot. mag. 1573.
9 fissum. H. S.	cleft-leaved.			- 1776 G. 24.	
10 obtusum. H. S.	obtuse cloven.		·	- 1792. 3.4. G. 4	
11 pisiforme. H. S.	Pea-shaped.			- 1796 G. 2	
12 moniliforme. H. S.	bracelet.	<del></del>	<del></del>	- 1791. 3.4. G.4	
13 acutum. H, S.	great awl-leaved.	***************************************		- 1793. 11.4. G. 4	
14 bellidiflorum. H. S.	Daisy-flowered.			- 1717. 6.8. G.4	Dill. elt. 224. 1.223.
15 subulatum. H. S.	pale Daisy-flowd.		-	· 1768 G. 4	Plant. grass. 41.
16 calamiforme, H. S.	quill-shaped.			- 1717. 7.9. G.4.	5.
17 obsubulatum. H. S.				- 1796 G. b	
18 teretiusculum. H.S.		<del></del>		· 1794 G.4	•
19 cylindricum. H. S.	cylindrical.			- 1792. 9.2. G.4	• *
20 teretifolium. H. S.	round-quilled.			- 1794. — G. 4	•
21 digitatum. H. S.	finger-leaved.		-	- 1775 G. 4	•
22 robustum. H. S.	robust.			- 1795 G.4	
23 compactum. H. S.	compact.			- 1780. 11. G.h	•
24 quadrifidum. H. S.				- 1795 G. h	•
25 bifidum. H. S.	bifid.			- G. 4	
26 bibracteatum. H. S.				- 1803. 4.11. G.h	
27 rostratum. H. S.	heron-beaked.	<del></del>		- 1732. 4. G.4	. Dill.elt.t.186.f.229
28 ramulosum. H. S.	{ small heron- }			- 1791. 3.11. G.h	•
29 denticulatum. H. S.	beaked.		-	- 1793. 4. G.¥	
				- 1790. 9.11. G. 4	Bot row 960
30 tigrinum. H. S. 31 felinum. H. S.	tiger-chap.			- 1730. 9.11. G.4	. Plant. grass. 152.
32 murinum. H. S.	mouse-chap.			- 1790. 9. G.4	
33 caninum. H. S.	dog-chap.			- 1717. 8.10. G. h	
34 vulpinum. H. S.	fox-chap.			- 1795. — G. h	. 11
35 hybridum. H. S.	bastard.			G. 4	
36 albidum. H. S.	white.	-		- 1714. 7.8. G. 24	
37 canum. H. S.	hoary.			- 1795 G. 4	
38 dolabriforme. H. S.				- 1705. 5.11. G. h	
39 scalpratum. H. S.			-	- 1714. 8.10. G. 1	. Dill.elt.t.183.f.224
40 latum. H. S.	blunt tongue.				t.184.f.225
41 adscendens. H. S.	ascendingtongue	e. ————		- 1805 G. 2L	
42 depressum. H. S.	depressed tongue	. <del> </del>		- 1795. 9.11. G. 4	, Bot. mag. 1866.
43 rufescens. H. S.	rufescenttongue			- 1804 G. 14	•
44 linguæforme. H. S.	common tongue			- 1732. 11.3. G. 4	
45 longum, H. S.	long tongue.			- 1725. 8.10. G.4	. Plant. grass. 71.
46 angustum. H. S.	slender tongue.			- 1790. 3.10. G. 4	•
47 præpingue. H. S.	soft tongue.			- 1792. 8.10. G. 4	
48 taurinum. H. S.	Bull's horn.			- 1795. 9.11. G.h	
49 cruciatum. H. S.	cross-leaved.			- 1792. 5.11. G. h	
50 difforme. H. S.	deformed.			- 1732. 8. G.h	. Dill.elt.t.194.f.242
51 semicylindricum.	semi-cylindric.			3.11. G.h	t.194.f.241
H. S.	•				쀻
52 heterophyllum. H.S				- 1795 G. 4	
53 gibbosum. H. S.	gibbous.			- 1780. 1.4. G.4	
54 luteo-viride. H. S.	yellow-green.	************		- 1795. 1. G.h	<b>c</b>

	ICOSAI	ADILIA DI-	LENINO	I TATTE		~~~
55 perviride. H. S.	dark green.	Ficoideæ, J.	C. B. S.	1792. 1.5.	G.4.	
56 pubescens. H. S.	downy.				G. 4.	
57 elongatum. H. S.	dwarf tuberous.			1793. 5.	G.h.	
58 capitatum. H. S.	short dagger-led.		***	1717. 7.9.	G.h.	Brad. suc. 2. t. 14.
59 pugioniforme. H. S.	long dagger-led.			1714	G.h.	Plant. grass. 72.
60 loreum. H. S.	leathery-stalked.			1732. 9.	G.h.	Dill.elt.t.200.f.255
61 diversifolium. H. S.	short horned-led.			1726. 3.10.	G.4.	t.198.f.252
62 diminutum. H. S.	diminished.				G.4.	
63 dubium. H. S.	round-stalked.			1800. 11.5.	G. 4.	Brad. suc. 4. t. 40.
64 corniculatum. H. S.			<del></del>	1732. 3.5.	G.4.	Plant. grass. 108.
65 tricolorum. H. S.	three-coloured.			1794. 10.	G.4.	120 12 50 × 15 1 24 24
66 acinaciforme. H. S.				1714. 8.9.	G.h.	Bot. rep. 508.
67 lævigatum. H. S.	polished.			1802. 6.	G.h.	
68 rubro-cinctum.H.S.				1811	G.h.	D'II . 14 4 010 COE0
69 edule. H. S.	Hottentot's Fig.			1690. 7.8.	G.h.	Dill.elt. t.212.f.272
70 subalatum. H. S.	wing-stalked.			1802	G. h.	
71 dimidiatum. H. S.	{ Lesser Hot-}			1811	G.h.	
#2 <b>XI</b> S	tentot's Fig.		N Halland	1004 5	G L	
72 glaucescens. H. S.	glaucescent.		N. Holland.	1804. 7.	G. L	
73 virescens. H. S.	virescent.			1501	G. h	
74 æquilaterale. H. S.	equal-sided.			1/91.	G. L	
75 sarmentosum. H. S.			CPS			Dill.elt.t.212.f.278
76 filamentosum. H. S. 77 serrulatum. H. S.	saw-leaved.		C. D. S.	1705 11 10	G L	Dill.Cit. 6.212.1.2/0
78 rubricaule. H. S.	red-stalked.			1/93.11.12.	G L	
79 spectabile. H. S.	showy.			1707 50	G L	Rot mag 306
30 conspicuum. H. S.	dark showy.			1006 0 10	G.h.	10t. mag. 590.
81 australe. H. S.	New Zealand.		N. Zoolond	1779 7 0	G. L	
82 crassifolium. H. S.			CRS	1707 5 9	GL	Dill.elt. t.201.f.257
83 clavellatum. H. S.	club-leaved.		N. Holland	1903 67	G h	Dill.Cit. (.201.1.20)
84 reptans. H. S.	creeping.		C. R. S.	1774 7 8	G L	
85 crystallinum. H. S.			Greece	1774. 7.8.	G.O.	Plant grace 198
86 pinnatifidum. H. S.			C. B. S.	1774. 5.10.	G.O.	Bot. mag. 67
87 glabrum. H. S.	smooth-leaved.		C. B. S.	1787. 78.	G.O.	Plant. grass. 123. Bot. mag. 67. Bot. rep. 57.
88 Helianthoides. H.S.				1774 8 10	1 - (-)	Plant grace 195
89 pomeridianum.H.S.				7.8.	G.O.	Bot. mag. 540.
90 pilosum. H. S.	hairy yellow.			1800. 6.8.	G.O.	2000 1100
91 limpidum. H. S.	transparent.			1774. 7.	G.O.	Jac. ic. 3, t. 488.
92 lanceolatum. H. S.				1795, 5.8,	G.O.	
93 sessiliflorum. H. S.		-		1774. 7.	G.O.	
94 Aitonis. H. S.	Aiton's.			6 10	G A	Jac. vind. 3. t. 7.
95 Tripolium. H. S.	Aster-leaved.			1700	G.đ.	Dill.elt. t.179.f.220
96 humifusum. H. S.	parrow-lead icy.			1774. 78.	( t. h .	
97 cordifolium. H. S.	heart-leaved.			5.9.	G.h.	Plant. grass. 102.
98 expansum. H. S.	Houseleek-lead.			1705. 7.8.	G.h.	94.
99 anatomicum. H. S.	skeleton-leaved.			1803	G. h.	
100 varians. H. S.	varying.			1706, 7.10,	G.h.	Pet. gaz. t.78. f.10.
101 tortuosum. H. S.	twisted-leaved.			1705, 6.10,	G. b.	Dill.elt.t.181.f.222
102 pallens. H. S.	pale-flowered.			1774. 7.8.	G.h.	Plant. grass. 47.
103 nodiflorum. H. S.	knot-flowered.	1	Egypt.	1739. 8.10.	$G.\odot$ .	88.
104 apetalum. H. S.	dwarf spreading.		C. B. S.	1774. 7.8.	$G.\odot$ .	Jac. vind. 3. t. 6.
105 caducum. H. S.	decidnous.				U.(.).	
106 tuberosum. H. S.	tuberous-rooted.		-	1714. 6.10.	G.b.	Plant. grass. 78.
107 spinuliferum. H.S	. spinulescent.			1794. —	G.h.	
108 grossum. H. S.	gouty.					
109 viridiflorum. H. S						Bot. mag. 326.
110 nitidum. H. S.	nitid.			1790. 7.10.	G.h.	
111 canaliculatum.	channel-leaved.			1794. 7.10	G. h.	
H. S.						
112 villosum. H. S.	villous.			1759. 7.		
113 brachiatum. H. S.	three-forked.			1774. 6.8.	G.h.	
114 geniculiflorum.	joint-flowering,			1727. 7.9.	G.b.	Plant. grass. 17.
H. S.	•	,				
115 junceum. H. S.	Rush-leaved.			1800. 8.10		
116 ciliatum. H. S.	ciliated.	,		1774		
117 fastigiatum. H. S.	3.7			1794. 7.9.		
118 reflexum. H. K. 119 micranthon. H. S	reflexed.		,	1792. 8.9. 1804		
120 flexuosum. H. S.				1795. 7.8.		
121 splendens. H. S.	zigzag. shining.	1				Plant. grass. 35.
- w a homiens II. 2.	emining.	0	0	.,10. 0.5.	U. 17 .	= -wren Pr 422 . 25.

-			, 2000111	TOTAL DE			***		
		veruculatum. H.S.		Ficoidew. J.	C. B. S.	1731.	5.6.	G.h.	Plant. grass. 36.
1	23	purpureo-cro-							
1	0.4	noctiflorum. H. S.	saffron.				4.	0.77	-
1	05	stramineum. H. S.	straw-coloured		and the state of t	1714.	6.8.	G.h.	Plant. grass. 10.
1	26	horizontale. H. S.	horizontal-leavd.			1705	-	G.h.	
1	27	molle. H. S.	soft-leaved.	-		1774.	10.	G. h.	
1	28	strictum. H. S.	erect.		-	1795.		G.h.	
		cymbiforme. H.S.	boat-leaved.		-	1703		GL	
		graniforme. H. S.	grain-leaved.	-	-	1797.	9.10.	Gh.	Brad. suc. 2. t. 20.
		aureum. H. S.	golden-nowered.	-		1750.	3 10	Gh	Bot mag 969
		glaucum. H. S. aurantium. H. S.	Oranga-flowered			1696.	6.7.	G.h.	Plant. grass. 146.
		coccineum. H. S.	scarlet-flowered.			1793.	5.0	G.h.	Pot mor 50
		bicolorum. H. S.	two-coloured.			1732.		G. h.	Dill elt. t. 202 f. 258
1	36	inæquale. H. S.	unequal-cupped.	-		1716.		G.b.	Brad. suc. 1. f. 7.
		variabile. H. S.	variable.			1796.	6.8.	G. b.	
		tenuifolium. H. S.	slender-leaved.		-	1700.	6.9.	G. b.	Plant. grass. 82.
		scabrum. H. S.	scabrous.		-	1731.	7.	G. h.	Dill.elt.t.197.f.251
		versicolor. H. S. emarginatum.H.S.	changeable-flod.			1795.	5.8.	G.h.	T)'ll -14 4 10# f of 0
		retroflexum. H. S.	white-harked.			1732.	5.10	G.h.	Dill.elt. t. 197.f. 250
1	43	deflexum. H. S.	deflexed.	-		1774.	7.10.	G. h.	
1	44	polyanthon. H. S.	copious-flowered.			1803.	8.	G. h.	
1	45	speciosum. H. S.	specious.		-	1793.	5.10.	G. b.	
		micans. H. S.	glittering.			1704.	5.8.	G.h.	Bot. mag. 448.
		maculatum. H. S.	spotted-stalked.		-	1792.	• • • •	G.h.	
1	48	pulverulentum. \\ H. S.	dusty-leaved.		-		5.	G.h.	
1	49	brevifolium. H. S.	short-leaved					•	
		subglobosum.H.S.	globular.			1777.	7.10,	G.h.	
		hispidum. H. S.	hispid.			1704.	5.10.	G.h.	Plant, grass, 66.
		floribundum H.S.	pale bristly.					G.b.	Plant. grass. 66. Dill.elt.t.214.f.280
		hirtellum. H. S.	dwarf bristly.			1799.	5.11.	G. h.	
		striatum. H. S.	strined bristly.		1	1727	5 10	CL	Dill.elt. t.215.f.231
		echinatum. H. S.	hedgehog.			1774.	7.10.	G. 7.	Plant. grass. 24.
		barbatum. H. S. stelligerum. H. S.	trailing bearded.			1705.	6.8.	G.h.	28.
		hirsutum. H. S.	small bearded.			1793.	5.10.	G.L	Plant grass 20
		densum. H. S.	dwarf bearded.			1739.	5.8.	G.h.	Bot. mag. 1990.
		geminatum. H. S.	twin-shooted.			1792.		G. h.	
1	61	forficatum. H. S.	scissar-leaved.			1758	0.10	C L	Jac. vind. 1. t. 26.
1	62	perfoliatum. H. S.	great perfoliate.			1714.	6.8.	G.h.	Dill.elt.t.192.f.240
		uncinatum. H. S.	lesser perfoliate.	<del></del>		1725.	8.		Plant. grass. 54.
		viride. H. S. tenellum. H. S.	green perfoliate.			1792.	7.	G.h.	
		rigidum. H.S.	least perfoliate.			1702	8.	G.h.	
		parviflorum. H. S.	small-flowered.			1800.	R	G h	
		vaginatum. H. S.	sheathed.			1302.	7.8.	G.b.	
		curtum. H. S.	short-sheathed.					G.h.	
		imbricatum. H.S.	imbricated.			1792.	7.	G. h.	
		multiflorum. H. S.	many-flowered.				7.9.		Pluk phyt.t.117.f.1
		foliosum. H. S. tumidulum. H. S.	leafy.			1802.	9.	G.h.	
		umbellatum. H. S.	umbel-flowered			1707	3.	G.h.	Dill.elt.t.203.f.266
		bracteatum. H. S.				1774.	7.10.	G.h.	Diff.Cit.t.203.1.200
		radiatum. H. S.				1732.	8.11.	G. b.	Dill.elt.t.197.f.249
1	77	patulum. H.S.	spreading.			1811.		G.b.	
		compressum. H.S.	compressed.			1792.	7.9.	G.h.	
		anceps. H. S.	two-edged.			1811.	9 10	G L	
		stellatum, H. S.	starry.		- description	1794.	8.11.	G.h.	
		virgatum. H. S. curvifolium. H. S.	twiggy.			1793.	2.4.	G.h.	
_		spiniforme. H. S.	Thorn-leaved.			1799	0.10	G.h.	
		aduncum. H. S.	hook-leaved.			1795.	2.3.	G. h.	
		filicaule. H. S.	thread-stalked.			1800.	9.	G.h.	
		maximum. H. S.	moon-leaved.		-	1787.	3.8.	G.h.	29
	-	lacerum. H. S.	purple serrate.			1792.	6.	G.b.	
		serratum: H. S.	saw-keeled.			1707.	6.7.	G.h.	Dill.elt.t.192.f.228
3	89	heteropetalum.H.S.	various-petaled.	The second of th	-	1794.	5.8.	G.h.	

	ICOS	SANDRIA I	POLYGY	NIA.			117
190 mutabile. H. S.	changanhla	Ficoideæ, J.	C. B. S.	1500	7.0	Gh	Plant. grass. 60.
191 marginatum. H.S.	changeable,	Ficoidea. a.	U. D. S.	1792.	1.9.	G h	Plante Stasse out
192 inclaudens. H. S.	open-flowered.			1805.	6.9.	G.h.	Bot. rep. 388.
	open noncrear			10001		0.7	( Dill. elt. t. 195. f.
193 caulescens. H. S.	smooth delta-la.		<del></del>	1731.	5.7.	G. h.	f Dill. elt. t. 195. f. 243, 4. Plant, grass. 58.
194 deltoides. H. S.	great delta-leavd.				5.	G.h.	Plant, grass. 53.
195 muricatum. H. S.	small delta-leavd.					U.n.	Dill.elt.t.195.f.246
196 microphyllum.H.S				1795.		G.h.	
197 mucronatum. H.S	mucronated.			1794.		G.h.	
198 pulchellum. H. S.	neat.						
199 falcatum. H. S.	sickle-leaved.			1727.	6.8.	G.b.	∫ Dill. elt. t. 213. f.
						C T	275, 6.
200 glomeratum. H. S		<del></del>		1732		G.h.	
201 falciforme. H. S.	sickle-shaped.			1805.	7.8.	G. h.	
202 decumbens. H. S. 203 incuryum. H. S.	decumbent.			1759.	5.IU.	G. n.	
204 confertum. H. S.				1002.	0.	G.L.	
	crowded-leaved.			1000.	9.10.	α.η.	(Dill. elt. t. 209, f.
205 stipulaceum. H. S	upright-shrubby.			1723.	5.6.	G.h.	267, 8.
206 Haworthii. H. S.	Haworth's.			1793.	6.1.	G.h.	
207 læve. H. S.	white-wooded.			1774.	7.9.	G.h.	
208 spinosum. H. S.	thorny.			1714.	6.9.	G.h.	Dill.elt.t.208.f.265
209 dilatatum. H. S.	dilated.			1795.	7.		
Alzoon, W.	AIZOON.	Ficoideæ. J.					
1 canariense. W.	Purslane-leaved.		Canaries.	1731.	7.8.	$G.\odot.$	Bot. rep. 201.
2 glinoides. W.	hairy.		C. B. S.	1774.	6.8.	G.h.	
3 hispanicum. W.	Spanish.		Spain.	1728.	7.8.	$G.\odot$ .	Plant. grass. 30.
4 lanceolatum. W.	spear-leaved.		C. B. S.	1752.	8.	G. 3.	
DOSA W	D	POLYGY	(NIA.				
ROSA. W. 1 berberifolia. W.	Rose.	Rosaceæ. J.	Donato	1500	c =	E T.	Par. lond. 101.
2 lutea, W.							
3 bicolor. B. M.	single yellow.						Bot. mag. 363.
4 sulphurea. W.	double yellow.						Bot. reg. 46.
5 Banksiæ. H. K.	Lady Banks's.						Bot. mag. 1954.
6 blanda. W.	Hudson's Bay.			1773.	5.8	H.h.	MissLawr.ros. t.27.
7 cinnamomea. W.	Cinnamon.		England.		5.	Н. Б.	Eng. bot. 2388.
β plena.	double.						MissLawr.ros. t.34.
8 Kamchatica. H. S.			Kamtschatka.	. 1802.	7.8.	H.b.	Vent. cels. 68.
9 arvensis. W.	white dog.		Britain.		6.7.	H.h.	Eng. bot. 188.
10 spinosissima. W.	Scotch.					H. h .	187.
B - striped-flow	ered Scotch.					H.h.	MissLawr.ros.t.15,
γ — red Scotch. δ — double Scot						H.h.	t. 62.
						H.h.	t. 63.
tall Scotch.		•	<del></del>	• • • •		H.h.	t. 19.
ζ marbled Se				• • • •		H.h.	t. 78.
11 pimpinellifolia. W.	{Burnet-Saxi-}		S. Europe.		5.6.	н. h.	
12 altaica. W. en.	frage-leaved. S					-	Pall. ross. 2. t. 75.
13 hispida. B. M.	hispid-stemmed.						
14 involuta. E. B.	Dr. Walker's.		Hebrides.				Eng. bot. 2068.
15 lutescens. Ph.	window.		Carolina.	1810.	5.6.	H.b.	25. 200. 2000.
16 nitida. Ph.	glossy.		N. America.	1807.	6.8.	H.h.	
17 parviflora. Ph.	small-flowered.			1724.		н. ь.	
18 lucida. Ph.	shining-leaved.						Dill.elt.t.245.f.316
19 gemella. Ph.	twin-flowering.						
20 Lyonii. Ph.	Lyon's.		Tennassee.				
21 setigera. Ph.	marsh.		N. America.	1800.	6.7.	H.h.	
22 carolina. W.	Carolina.			1726.		H.h.	Dill.elt.t.245.f.316
a - single Bur						H.b.	MissLawr. ros.t. 24.
β - double Bur						H.h.	τ. 3.
y - single Pens						H.h.	t. 68,
δ — double Pens			-			H.h.	t. 66.
spreading (						H. h.	T. 54.
ζ — upright Ca				1000		H.h.	t. 36.
23 rubifolia. H. K.	Bramble-leaved.		Duitair	1800.		H.h.	Eng hat Eng
24 villosa, W.	Apple-bearing.						
β plena.	double Apple- bearing.	-		****		H.h.	MissLawr.ros.t.29.

25	hibernica. E. B.	Irish.	Rosaceæ. J.	Ireland.	• • • •	6.11.	H.h.	Eng. bot. 2196.
26	S sinica. H. K.	three-ld China.		China.	1759.	5.7.	F.h.	
27	provincialis. H. K.	Provins.		S. Europe.	1596.	6.8.	H.h.	
	a - common Pr	ovins.					H.b.	Miss Lawr. ros. t. 8.
	β - scarlet Pro						H.b.	t. 22.
	y - blush Provi						H.h.	t. l.
	S - white Provi	ins					HL	+ A
	E - Rose de Me					,	LI L	4 91
		aux.					11.7.	1.51.
	ζ Pompone.				-		H. 17.	t. 50.
	n Rose de Rh		***************************************				H.h.	t. 71.
	9 Childing's						H.h.	t. 43.
	· - Blandford,						H.h.	t. 21.
	Rose St. Fr	ancis.					H.h.	t. 88.
	A - Shailer's P.	rovins.					H.h.	t. 76.
	µmuscosa. single	Moss.			1724.		H.h.	Bot. reg. 53.
	y - common Me						Н. Б.	Bot. mag. 69.
	\$ white Moss						Н. Ь.	Bot. reg. 101.
00	ferox. H. K.	hedgehog.		Concess	1706	6 9	HL	MissLawr. ros.t.42.
				England	1,90.	(1.0.	II. T.	Eng hot 0570
	dumetorum. E. B.	bushy.		England.	• • • •	0.7.	n.n.	Eng. bot. 2579.
	scabriuscula. E. B.	roughish.					H.h.	1896.
	rubella. E. B.	reddish.			• • • •		H. h.	2521.
39	2 micrantha. E. B.	small.		Britain.		5.7.	H.h.	2499.
38	3 mollis. E. B.	soft.				6.7.	H.h.	2459.
	reversa. W. en.	reversed.		Hungary.			H. b .	
	pulchella. W. en.	neat.					H.h.	
	s adenophylla. W. en.				1818		H.I.	
					1010.		LI T	
37	7 centifolia. W.	hundred-leaved.			1596.		П. 17.	NC 7 4 3 4
	a Dutch hung						H. h.	MissLawr.ros.t.11.
	β blush hund			• • • • • • • • •			H. h.	t. 40.
	y - Singleton's	hundred-leaved.					H. h.	t. 85.
	3 - Burgundy.						H.h.	t. 44.
	single velve	t.					H.h.	t. 51.
	ζ - double velve						Н. Ь.	t. 2.
	n Sultan.	•••					HL	t 35
							11.77.	+ AG
	3 Stepney.		******************	• • • • • • • • • • • • • • • • • • • •			Π.η.	1.40.
	- Lisbon.						H. h.	E. 67.
	* Bishop.		<del></del>	• • • • • • • • •			H.h.	t. 20.
	λ —— Cardinal.		·				H.h.	t. 59,
	µ blush royal						H.h.	t. 47.
	y petit hundre							
	E Pluto.						H. h.	t. 39.
	o monstrous h	hundred-leaved					HL	t. 73.
		inital ca-scarca.						
	π —— fringe.			• • • • • • • • • •			n.n.	4.02.
	P plicate.			••••••			H. h.	1.87.
	- two-coloure	d hundred-leaved.					H.h.	t. 79.
	τ — shell.					- 1	H.h.	t. 89.
38	8 gallica. W.	officinal,		S. Europe.	1596.		H.h.	
	a red officina	l.					H.h.	Miss Lawr.ros. t. 16.
	β - Mundi.						H.b.	t. 13.
	y marbled.						H.h	t. 57.
	δ royal virgi	n.					HL	t. 7.
	s Giant.						II I	t 40
							11.7.	. 43.
	9 lævigata. Ph.	smooth-leaved.		Georgia.			Π.η.	Mint and the
40	o damascena. W.	red damask.		S. Europe.	1573.	6.7.	H. h.	MissLawr. ros. t.38;
	β blush dame	rsk.					H.h.	t. 52.
	y York and	Lancaster.					-H.h.	——— t. 10.
	δ - red monthly							t. 5.
	s white mont						H. h.	t. 17.
	ζ blush Belg						п. д.	t. 70.
	n - great royal		***************************************					t. 58.
	3 blush mont	<u> </u>	,					t. 18.
	- red Belgic	•					-H.h.	t. 83.
	x Goliath.						H.h.	t. 80.
	A imperial bl	ush.					HL	t. 00.
А	1 sempervirens. W.	evergreen.	<del></del>	Germany.	1629.	6.8.	H.h.	t. 45. 405
	2 repens. W. en.	creeping.		· Hungary.	1917		HL	
							H.h.	
	3 polyphylla. W. en.			A				Too aust a + 100
	4 pumila. W.	dwarf.		- Austria.				Jac. aust. 2. t. 198.
	5 turgida. P. S.	turgid.		• • • • • • • • • • •		6.8.	H.h.	
4	6 turbinata. W.	Frankfort.			1629.	-	H.h.	MissLawr. ros. t.69.
			•					

	TOUSE	INDIA F	OLIGIN	IA.			119
47 suavis. W. en.	sweet.	Rosaceæ. J.		1817.	6.7.	H.b.	.77
48 rubiginosa. W.	Sweet-briar.	Terrometer 5:					Eng. bot. 992.
β — Semidouble			Director		-	H.h.	MissLawr.ros. t.65.
y Double mos						H.h.	t. 72.
δ - Manning's-					-	H.h.	t. 41.
E - Double-red		-					t. 61.
Z Royal Swee							t. 74.
	(American )					_	
49 suaveolens. Ph.	Sweet-briar.					-	Andr. ros. c. ic.
50 moschata. W.	musk.		Barbary.	1596.	7.10.	Н. Ь.	MissLawr. ros.t.64.
β plena.	double musk.				,	H. h.	t. 53.
51 alpina. W.	Alpine.		Switzerland.	1683.	6.7.	H. h.	t. 30. B Rear
β red Alpine						н. Б.	t. 75.
•	[smooth pen-]						
52 pendulina. W.	dulous.		N. America.	1726.	5.6.	11. h.	t. 9.
53 multiflora. W.	Bramble-flowerd	-	China.	1804.	6.7.	н. ь.	Bot. mag. 1059.
54 cæsia. E. B.	gray-leaved.		Scotland.				Eng. bot. 2367.
55 canina. E. B.	dog, or Hip.		Britain.				<del> 992.</del>
β plena.	double dog.						MissLawr.ros. t.60.
56 tomentosa. E. B.	downy-led. dog.		- England.			H.h.	Eng. bot. 990.
57 collina. W.	hill.		· Britain.				<del></del>
58 caucasica. M. B.	Caucasian.		· Caucasus.	1798.		H.h.	
59 parvifolia. W.	small-leaved.		- Europe.				201.7-60 257
60 fraxinea. W. en.	Ash-leaved.						1.
61 semperflorens. W.	ever-blowing.		- China.	1789.	1.12.	F.h.	Exot. bot. 2. t. 91.
β plena.	dark Chinese.					F.h.	Bot. mag. 284.
62 Lawranceana.	Miss Lawrance's.		- Mauritius.	1810.		G.h.	Bot. mag. 1762. 6.5
semperflorens y mi							
63 indica. W.	blush Chinese.		- China.	1789.		H. h.	MissLawr.ros.t.26.
β minor.	small Chinese.					H.h.	
y centifolia.	large Chinese.					H.h.	
δ albiflora.	white Chinese.					H.h.	
64 odorata.	sweet Chinese.			1810.	2.8,	G.h.	Andr. ros. c. ic.
indica odorata. Ar	id. ros.						
65 bracteata. W.	Macartney.			1795.	8.10.	H.h.	Bot. mag. 1377.
66 alba. W.	single white.		- Europe	1597	6.7.	H.h.	MissLawr.ros. t.37.
β — double whi	te.			-	-	H. b.	t. 25.
y Cluster M	aiden's-blush.					H.h.	t. 23.
δ —— Great Mai	den's-blush.			-		H.h.	t. 23. t. 32.
RUBUS. W.	BRAMBLE.	Rosaceæ. J.					
1 rosæfolius. Sm.	Rose-leaved.		- Mauritius.	1811.	10.4	G. h.	Smith ic. 3. t. 60.
β coronarius.	double-flowered.					G. h.	Bot. mag. 1783.
2 pinnatus. W.	pinnate.		- C. B. S.	1789	6.7.	G.h.	83
3 Idæus. W.	Raspberry.		- Britain.		5.6.	H.h.	Eng. bot. 2442.
4 occidentalis. W.	Virginian.		<ul> <li>N. America.</li> </ul>	1696	. ——	· H. h.	Dill.elt.t.247.f.319
5 coneifolius. Ph.	plaited-leaved.			- 1811	. 6.7.	H.h.	- 18
6 canadensis. W.	purple-stalked.				-	- H. h.	Į.
7 hispidus. W.	bristly.		- Canada.	1768	. 8.	H.h.	\$
8 cæsius. W.	Dewberry.		- Britain.	• • • •	6.7.	Н. р.	Eng. bot. 826.
9 corylifolius. E. B.	Hazel-leaved.				- 7.	H.h.	827.
10 fruticosus. W.	common.		r r		6.9.	H.h.	715.
β albus.	white-fruited.					- H. h.	
y plenus.	double-flowered					-H.h.	- 1
δ inermis.	smooth.	4-1	~			- H. h.	
11 tomentosus. W. er			- Germany.			- H. h.	
12 glandulosus. W. er				- 1816		- H. h.	
13 hirtus. W. en.	hairy.						Pl.rar.hung.2.t.141
14 laciniatus. W. en.	jag-leaved.	g					W. hort. ber.2. t.82.
15 trivialis. Ph.	procumbent.		- N. America				
16 villosus. W.	shaggy.						
17 strigosus. Ph.	strigose.						
18 flagellaris. Ph.	shining-leaved.					- H. h.	
19 inermis. W. en.	smooth.					- H. h.	
20 odoratus. W.	flowering.						Bot. mag. 323.
21 suberectus. E. B.	upright.	p. 22-2-2	- Britain.		6.9.	n.h.	Eng. bot. 2572.
22 moluccanus. W.	Molucca.	,	- E. Ind.	1810	. 7.8.	S. h.	Rumph. amb. 5. t.
23 saxatilis. W.	stone.		- Britain.				47. f. 2.
24 pistillatus. Ph.	close-styled.		- Labrador.	1809			Eng. bot. 2233.
A. Browninger of Tri	orest-styletts		Daviagor	1002	. 0./.	11.4	Exot. bot. 2. t. 86.

Sarcticas E.B.   Schammers W.   Charles of the Perist   Peristin   Sch. H.   L.   Fag. bot. 1585.	-						
Rosacee. J. Robin species IV.   Rosacee. J. Robin species IV.	25 arcticus. E. B.	dwarf crimson.	Rosacew. J.	Scotland.		5.8. H.24.	Eng. bot. 1585.
DALIBARDA Mi		Cloud-berry.		Britain.			
Violet-leaved.		•	Rosacea, J. Rul	i species IV.		-	
regarioides Mis   FRAGANIA W.   1 vesca W.					1760	5 C 11 31	Mich amor I t'07
2 fragarioides Mis Frawberry-leave wood.		V loice-icuveu.		14. Zimerica.	1/00.	5.0. 11.4.	Mich. amer. 1. t. 27.
Tracar   Program   Progr		04 . 1 . 1 . 1				77	
1 veca. W.   wood.   Britain.	2 fragarioides. Mi.				1803.	—— H.4'.	1. t. 28.
2 monophylla W.   Alpine.   Germany.   1773. 5.6. H.   1/2. Bot. mag. 63.	FRAGARIA. W.	STRAWBERRY.					
2 monophylla W. 3 collina W. 4 clatior. W. 5 canadensis. Ph. 5 canadensis. Ph. 6 triginiana. Ph. 7 grandiflora. W. 8 chiloensis. W. 9 lindica. H. K. 1 planter. W. 2 fragarioides. W. 2 fragarioides. W. 2 fragarioides. W. 2 fragarioides. W. 2 frogen sterilis. 2 fragarioides. W. 3 Amerina. W. 4 lindica. H. 5 sericea. W. 5 sericea. W. 5 sericea. W. 5 sericea. W. 6 triginiana. W. 7 triginiana. W. 7 triginiana. W. 8 triginiana. W. 8 triginiana.	1 vesca. W.	wood.		Britain.		4.5. H.4.	Eng. bot. 1524.
3 collina.W.   Alpine.   Germany.   1768. 4.11. H. ½. Eng. bot. 2197.		one-leaved.					
4 elator. W. 5 canadensis. Ph. 6 cirginiana. Ph. 7 canadis. N. America				Germany.			
5 canadensis Ph. 6 cirginiana Ph. 7 grandifora. W. Pine. Surinam. 1759. — H. 24. Dulham. arb. 1. 1. 5. 7 grandifora. W. 9 indica. H. K. COMARUM. W. COMARUM. W. 1 palustre. W. 1 palustre. W. 2 fragarioides. W. en. Fragaria sterillis. E. B. FOTENTILLA. W. 1 fruitosa. W. 2 floribunda. Ph. 3 Anserina. W. 4 hispida. W. en. 5 sericea. W. 5 sericea. W. 5 sericea. W. 5 surineia. W. 8 ruthenia. W. 8 ruthenia. W. 9 rupestris. W. 9 rupestris. W. 10 pilura. W. 11 piluraira. W. 12 pensylvania. W. 13 piluraira. W. 14 piluraira. W. 15 piluraira. W. 16 intermedia. W. 17 prajara. W. 16 intermedia. W. 17 prajara. W. 18 piluraira. W. 18 piluraira. W. 19 prayetris. W. 19 opaca. W. 10 piluraira. W. 11 piluraira. W. 12 pensylvania. W. 13 piluraira. W. 14 recta. W. 15 pensylvania. W. 15 piluraira. W. 16 intermedia. W. 17 fargenia. W. 18 piluraira. W. 19 piluraira. W. 19 opaca. W. 18 piluraira. W. 19 piluraira. W. 19 piluraira. W. 10 piluraira. W. 10 piluraira. W. 11 piluraira. W. 12 pensylvania. W. 13 piluraira. W. 14 recta. W. 15 piluraira. W. 15 piluraira. W. 16 intermedia. W. 17 piluraira. W. 18 piluraira. W. 19 stipularis. W. 20 opaca. W. 21 verna. W. 22 auren. W. 23 satracanica. W. 24 allaa. W. 25 calusecens. W. 26 Clusiana. W. 27 prajara. W. 28 prajara. W. 29 opaca. W. 21 verna. W. 21 verna. W. 22 auren. W. 23 grandinia. W. 24 allaa. W. 25 calusecens. W. 26 Clusiana. W. 27 prajara. W. 28 prajara. W. 29 opaca. W. 21 verna. W. 20 opaca. W. 21 verna. W. 22 auren. W. 23 grandinia. W. 24 prajara. W. 25 calusecens. W. 26 Clusiana. W. 27 prajara. W. 28 prajara. W. 29 prajara. W. 20 opaca. W. 30 para. Ph. 31 piluraira. W. 32 prajara. W. 33 pilura. W. 34 pilura. Siberia. 35 pilura. Siberia. 36 pilura. Siberia. 36 pilura. Siberia. 37 pilura. Siberia. 38 pilura. Siberia. 39 pilura. Siberia. 30 pilura. Siberia. 31 pilura. Siberia. 32 pilura. Siberia. 33 pilura. Siberia. 34 pilura. Siberia. 35 pilura. Siberia. 36 pilura. Siberia. 36 pilura. Siberia. 37 pilura. S				Britain			
6 virginiana, Ph. 7 grandifora, W. 8 chiloensis, W. 9 chiloensis, W. 1 indica, H. K. COMARUM, W. 1 palustre, W. 2 fargarioides, W. en. 1 fruticosa, W. 2 forbunda, Ph. 3 Anserina, W. 4 hispida, W. en. 5 sericea, W. 6 surina, W. 4 inigida, W. en. 5 sericea, W. 6 multifida, W. 7 fragarioides, W. 8 unitifida, W. 9 torbunda, Ph. 1 multifida, W. 2 multifida, W. 3 multifida, W. 4 multifida, W. 5 multifida, W. 5 multifida, W. 6 multif				Distain.	• • • •	11.4.	Eng. 50t. 2197.
7 grandiflora. W., 2 fine. Surinam. 1759. — H. 2. Mill. ic. 2. t. 288. 28 chilosus. W. 28 chilosus. W. 28 chilosus. W. 29 chilosus. W. 20 chil				N. America.		н. 4.	
S. America   1727   5.6   1.1   1.	6 virginiana. Ph.	scarlet.					
8 chiloensis. W. Sindiensis. W. Sindiensis. W. Sindiensis. W. Sindiensis. W. Strawberry-like. Stawberry-like. Strawberry-like. Strawberry-like	7 grandiflora. W.	Pine.		Surinam.	1759.	H.4.	Mill. ic. 2. t. 288.
9 indica. H. K. COMARUM. W. COMARUM. W. 1 palustre. W. 2 fragarioides. W. en. Fragarie sterilis. E. B. POTENTILLA. W. 3 furboy. 4 finginides. W. en. 5 foriuma. Ph. 3 Anseriua. W. 4 hispida. W. en. 4 hispida. W. en. 5 sericea. W. 6 multifida. W. 8 ruthenica. W. 9 rupestris. W. 10 foriuma. W. 10 finitrea. W. 10 finitrea. W. 10 finitrea. W. 11 pinipinelloides. W. 12 pinipinelloides. W. 13 supina. W. 14 recta. W. 15 ragenica. W. 16 intermedia. W. 16 intermedia. W. 17 discenders. W. 18 intita. W. 19 stipularis. W. 16 intermedia. W. 18 stipular. 18 hista. W. 19 stipularis. W. 16 intermedia. W. 18 finita. W. 19 stipularis. W. 10 finitermedia. W. 19 stipularis. W. 10 finitermedia. W. 10 stipularis. W. 11 stipularis. W. 12 stipularis. W. 13 ninda. W. 14 noregia. W.		Chili.		S. America.	1727.	5.6. H. 21.	Duham, arb, 1, t, 3,
				India			
1 palustre, W. 2 fragarioticis, W. en. Fragaric sterilis, E. B.   Congress of the Common.   Fragaric sterilis, E. B.   Common.   Fragaric sterili	**			2114101	1000.	0.10. 11.4.	Both reg. of
2 fragarioides. W. en. Fragarioides. W. co. Fragarioides. W. co. Stawberry-like. E. B.  POTENTILLA.W. CINQUEVOL. Shrubby. England 6.8. H. ½. Eng. bot. 88. cluster-flowered. N. America. 1811. 6.10. H. ½. Amm.ruth.118.f.1. M. America. 1812. 6.10. H. ½. Amm.ruth.118.f.1. M. Moris. s. 2.1.20. f.2. M. ½. Siberia. 1753. 6.7. H. ½. Gmel.sib.3.t.34.f.2. M. Moris. s. 2.1.20. f.2. M. ½. Gmel.sib.3.t.34.f.2. M. Moris. s. 2.1.20. f.2. M. ½. Gmel.sib.3.t.3.f.2. M. ½. Gmel.sib.4.f.2. M. ½. Gmel.sib.3.t.3.f.2. M. ½. Gmel				T '4 '		0 T TT 2/	T 1.4 100
Fringaries sterilis.   E. B.							
FOTENTHALA.W.   Chapteroll.   Roseces. J.	2 fragarioides. W.en.	Strawberry-like.		-		3.5. H.4.	<del></del>
1 fruticosa, W. 2 floribunda, Ph. 3 Anserina, W. 4 hispida, W. en. 5 sericea, W. 6 multifida, W. en. 5 sericea, W. 6 multifida, W. en. 5 sericea, W. 6 multifida, W. en. 6 multifida, W.	Fragaria sterilis.	E.B.					
1 fruticosa, W. 2 floribunda, Ph. 3 Anserina, W. 4 hispida, W. en. 5 sericea, W. 6 multifida, W. en. 5 sericea, W. 6 multifida, W. en. 5 sericea, W. 6 multifida, W. en. 6 sericea, W. 6 multifida, W. en. 6		CINQUEFOIL.					
3 Anserina, W. 4 hispida, W. en. 5 sericea, W. 6 multifida, W. 7 fragarioides, W. 8 trawberry-lea <sup>d</sup> . 8 ruthenica, W. 8 ruthenica, W. 9 rupestris, W. 10 bifurca, W. 11 pimpinelloides, W. 12 pensylvanica, W. 12 pensylvanica, W. 13 supina, W. 14 recta, W. 15 argentea, W. 15 argentea, W. 16 intermedia, W. 17 adscendens, W. en. 18 hirta, W. 19 stipularis, W. 19 opaca, W. 20 opaca, W. 21 verna, W. 21 verna, W. 22 quera, W. 23 astracanica, W. 24 alba, W. 25 caulescens, W. 26 Clusiana, W. 27 lupinoides, W. 28 alla, W. 29 alla, W. 20 opaca, W. 20 opaca, W. 21 strictum, Ph. 23 grimonoides, Ph. 23 firedunta, W. 24 firedua, W. 25 firedunta, W. 26 Clusiana, W. 27 lupinoides, W. 28 nitida, W. 29 reptans, W. 20 sarmentosa, W. 21 trick, W. 22 quera, W. 23 lupinoides, W. 24 alba, W. 25 caulescens, W. 26 Clusiana, W. 27 lupinoides, W. 28 nitida, W. 29 reptans, W. 20 reptans, W. 20 reptans, W. 21 trick, W. 22 quera, W. 23 grimonoides, W. 24 alba, W. 25 caulescens, W. 26 Clusiana, W. 27 lupinoides, W. 28 nitida, W. 29 reptans, W. 20 grandiflora, W. 21 trick, W. 22 quera, W. 23 grimonoides, W. 24 alba, W. 25 caulescens, W. 26 Clusiana, W. 27 lupinoides, W. 28 nitida, W. 29 reptans, W. 20 sarmentosa, W. en. 21 diffusa, W. en. 23 arrick, W. 24 grandiflora, W. 25 grandiflora, W. 26 Clusiana, W. 27 lupinoides, W. 28 nitida, W. 29 reptans, W. 20 sarmentosa, W. en. 20 grandiflora, W. 21 trick, W. 22 quera, W. 23 grandiflora, W. 24 grandiflora, W. 25 grandiflora, W. 26 clusiana, W. 27 lupinoides, W. 28 nitida, W. en. 29 reptans, W. 20 grandiflora, W. 20 grandiflora, W. 21 trick, M. 22 quera, W. 23 grandiflora, W. 24 grandiflora, W. 25 grandiflora, W. 26 clusiana, W. 27 lupinoides, W. 28 lupinoides, W. 29 reptans, W. 29 reptans, W. 20 grandiflora, W. 20 grandiflora, W. 21 trick, M. 22 quera, W. 23 grandiflora, W. 24 lupinoides, W. 25 grandiflora, W. 26 clusiana, W. 27 lupinoides, W. 28 lupinoides, W. 29 reptans, W. 29 reptans, W. 20 grandiflora, W. 20 grandiflora, W. 21 trick, M. 22 quera, W. 23 lupinoides, W. 24 lupinoides, W. 25 lupinoi				England.		6.8. H.h.	Eng. bot. 88.
3 Anserina, W. 4 hispida, W. en. 5 sericea, W. 6 multifida, W. 7 fragarioides, W. 8 trawberry-lea <sup>d</sup> . 8 ruthenica, W. 8 trawberry-lea <sup>d</sup> . 9 tripestris, W. 10 bifurca, W. 11 pimpinelloides, W. 12 pensylvanica, W. 12 pensylvanica, W. 13 supina, W. 14 recta, W. 15 argentea, W. 16 intermedia, W. 17 adscendens, W. en. 18 hirta, W. 19 stipularis, W. 19 opaca, W. 20 opaca, W. 21 verna, W. 21 verna, W. 21 verna, W. 21 verna, W. 22 quera, W. 23 astracanica, W. 24 alba, W. 25 caulescens, W. 26 Clusiana, W. 27 lupinoides, W. 28 and N. 29 reptans, W. 29 fetans, W. 20 fetans, W. 21 diffusa, W. 21 lightos, W. 22 gradiflora, W. 23 more, Service, Service, Service, Siberia, Sib			-	N America	1811	6 10. H. L	Amm.ruth t.18.f.1
4 hispida W. en. bispid. 5 sericea. W. silky. 6 multifida. W. 7 fragarioides. W. 8 ruthenica. W. 9 rupestris. W. 10 bifurca. W. 11 pimpinelloides. W. 12 peusylvanica. W. 13 supina. W. 14 recta. W. 15 argentea. W. 16 intermedia. W. 16 intermedia. W. 16 silvery. 16 intermedia. W. 19 stipularis. W. 10 opaca. W. 10 opaca. W. 11 shirta. W. 12 peusylvanica. W. 15 argentea. W. 16 intermedia. W. 16 intermedia. W. 17 adscendens. W. en. 18 hirta. W. 19 stipularis. W. 10 opaca. W. 11 strictum. W. 11 diffusa. W. 12 aurea. W. 13 diffusa. W. 14 recta. W. 15 caulescens. W. 16 intermedia. W. 17 to opaca. W. 18 hirta. W. 19 stipularis. W. 19 stipularis. W. 20 opaca. W. 21 urena. W. 21 december of the white. 22 aurea. W. 23 december of the white. 24 alba. W. 24 alba. W. 25 caulescens. W. 26 Clusiana. W. 26 Clusiana. W. 27 topinoides. W. 28 mitida. W. 29 reptans. W. 20 mobspeliensis. W. 21 reptans. W. 22 mobspeliensis. W. 23 morregica. W. 24 norregica. W. 25 read-flowered. 26 products. W. 27 reptans. W. 28 mitida. W. 29 reptans. W. 20 mobspeliensis. W. 21 reptans. W. 25 read-flowered. 26 read-flowered. 27 mobspeliensis. W. 28 mitide. W. 29 reptans. W. 20 mobspeliensis. W. 20 mobspeliensis. W. 21 reptans. W. 22 morregica. W. 23 friedentata. W. 24 norregica. W. 25 read-flowered. 26 read-flowered. 27 mobspeliensis. W. 28 motion. Selection. 28 pring. Rosaceæ. J. 29 reptans. W. 20 pring. Rosaceæ. J. 20 pring. Rosaceæ. J. 20 pring. Rosaceæ. J. 20 pring. Rosaceæ. J. 21 reptans. W. 22 morregica. W. 23 preptans. W. 24 norregica. W. 25 preptans. W. 26 prantifica. W. 27 preptans. W. 28 preptans. W. 29 reptans. W. 20 mobspeliensis. W. 20 mobspeliensis. W. 20 mobspeliensis. W. 21 reptans. W. 22 mobspeliensis. W. 23 norregica. W. 24 norregica. W. 25 preptans. W. 26 prantifica. W. 27 preptans. W. 28 preptans. W. 29 mobspeliensis. W. 20 preptans. W. 20 preptans. W. 20 preptans. W. 20 preptans. W. 21 preptans. W. 22 preptans. W. 23 preptans. W. 24 preptans. W. 25 preptans. W.				Britair	.011.	50 LI 7	Fug hot 961
Sericea W.   Silky.   Siberia.   1780. 5.6. H. ½.				Britain.			2
6 multifida. W. 7 fragarioides. W. 8 ruthenica. W. 9 rupestris. W. 10 bifurca. W. 11 pimpinelloides. W. 12 pensylvanica. W. 13 supina. W. 14 reta. W. 15 argentea. W. 16 intermedia. W. 17 stipularis. W. 19 stipularis. W. 21 verna. W. 22 aurea. W. 23 motispilensis. W. 25 caulescens. W. 26 Clusiana. W. 27 lupinoides. W. 28 nitida. W. 29 reptans. W. 20 clusians. W. 20 pace. W. 21 verna. W. 25 caulescens. W. 26 Clusians. W. 27 lupinoides. W. 28 nitida. W. 29 reptans. W. 20 reptans. W. 20 reptans. W. 20 reptans. W. 21 verna. W. 22 surea. W. 25 caulescens. W. 26 Clusians. W. 27 lupinoides. W. 28 nitida. W. 29 reptans. W. 20 reptans. W. 20 reptans. W. 20 reptans. W. 21 verna. W. 22 mobspeliensis. W. 23 mobspeliensis. W. 24 norregica. W. 25 mobspeliensis. W. 25 mobspeliensis. W. 25 mobspeliensis. W. 25 mobspeliensis. W. 25 reptans. W. 26 grandifora. W. 27 mobspeliensis. W. 28 motispeliensis. W. 29 reptans. W. 20 mobspeliensis. W. 20 mobspeliensis. W. 20 mobspeliensis. W. 21 reptans. W. 22 mobspeliensis. W. 23 mobspeliensis. W. 24 norregica. W. 25 mobspeliensis. W. 26 grandifora. W. 27 mobspeliensis. W. 28 motispeliensis. W. 29 mobspeliensis. W. 20 mobspeliensis. W. 20 mobspeliensis. W. 20 mobspeliensis. W. 21 myglot. 22 mobspeliensis. W. 23 mobspeliensis. W. 24 myglot. 25 mobspeliensis. W. 25 mobspeliensis. W. 26 myglot. 27 myglot. 28 myglot. 29 myglot. 20 myglot. 20 myglot. 20 myglot. 20 myglot. 20 myglot. 20 my				Dauria.			
7 fragarioides, W. 8 trawberry-lea <sup>d</sup> . — 1773. — H. ½. Gmel.sib.3.t.34.f.2, 8 ruthenica, W. 8 trawberry-lea <sup>d</sup> . — 1799. — H. ½. Moris, s. 2, t. 20, f. 2, 199 per H. ½. Moris, s. 2, t. 20, f. 2, 199 per H. ½. Moris, s. 2, t. 20, f. 2, 199 per H. ½. Moris, s. 2, t. 20, f. 2, 199 per H. ½. Moris, s. 2, t. 20, f. 2, 20	5 sericea. W.	silky.					
7 fragarioides, W. 8 trawberry-lea <sup>d</sup> . — 1773. — H. ½. Gmel.sib.3.t.34.f.2, 8 ruthenica, W. 8 trawberry-lea <sup>d</sup> . — 1799. — H. ½. Moris, s. 2, t. 20, f. 2, 199 per H. ½. Moris, s. 2, t. 20, f. 2, 199 per H. ½. Moris, s. 2, t. 20, f. 2, 199 per H. ½. Moris, s. 2, t. 20, f. 2, 199 per H. ½. Moris, s. 2, t. 20, f. 2, 20	6 multifida. W.	cut-leaved.			1759.	H.4.	
8 ruthenica, W. 9 rupestris, W. 9 rupestris, W. 10 bifurca, W. 11 pimpinelloides, W. 12 pensylvanica, W. 2 p					1773.	H. 24.	Gmel.sib.3.t.34.f.2.
9 rupestris. W. bifulca. W. bifid-leaved. Siberia. 1773. 6.7. H. ½. Gmel. it.l. t.27.f.l. 1. 2. gmel. it.l. t.27.f.l. 1. 1. 2. gmel. it.l. t.27.f. 1. 1. 2. gmel. it.l. t.27.f. 1. 3. gmel. it.l. t.27.f.					1799	H. 2/	Moris, s. 2, t. 20, f. 2.
10 bifurca, W.   bifd-leaved.   Siberia.   1773. 6.7. H. ½. Gmel.it.1.t.27.f.1.1     11 pimpinelloides, W.   Burnet-leaved.   Levant.   1758. 6.8. H. ½. Buxb. cent.1.t.43.1     12 pensylvanica, W.   Pensylvanian.   N. America.   1725 H. ½. Jac. vind. 2.t. 189.     13 supina. W.   Upright.   Siberia.   1696. 7.8. H. ½. Jac. vind. 2.t. 189.     15 argentea, W.   Siberia.   1696. 7.8. H. ½. Jac. aust. 5.t. 406.     16 intermedia. W.   Various-leaved.   Siberia.   1696. 7.8. H. ½. Jac. aust. 5.t. 406.     17 adscendens, W. en.   ascending.   Hungary.   1806. 6.7. H. ½.     19 stipularis. W.   Sipularis.   Siberia.   1797. 5.8. H. ½.     19 stipularis. W.   Sipularis.   Siberia.   1797. 5.8. H. ½.     10 opaca. W.   Spring.   Britain.   Siberia.   1797. 5.8. H. ½.     20 aurea. W.   Solden.   Scotland.         21 verna. W.   Solden.   Scotland.         22 aurea. W.   Solden.   Scotland.           25 caulescens. W.   Alpine.   Austria.         26 Clusiana. W.   Clusius's.   Alpine.   Austria.         27 lupinoides. W.   Siming.   Austria.         28 reptans. W.   close-flowered.           29 reptans. W.   Simony.           20 mospelicnsis. W.   Sanowy.           31 morvegica. W.   Norvegian.           32 motospelicnsis. W.           34 norvegica. W.               35 tridentat. W.               36 grandiflora. W.                 37 reptans. W.                     38 reptans. W.				England	1/33.	CO 11 21	Eng hot 0050
1 pimpinelloides, W.   2 pensylvaniea, W.   2 pen			***************************************	England.			
14 recta. W.   upright.   S. Europe.   1648. 6.7. H. \( \frac{1}{2} \)   Eng. bot. 89.     15 argentea. W.   silvery.   Switzerland.   1786. 5.9. H. \( \frac{1}{2} \)     17 adscendens. W. en.   sacending.   Hungary.   1806. 6.7. H. \( \frac{1}{2} \)     18 hirta. W.   hairy.   S. Europe.   1725. 5.9. H. \( \frac{1}{2} \)     19 stipularis. W.   stipular.   Siberia.   1797. 7.8. H. \( \frac{1}{2} \)     10 opaca. W.   small rough.   S. Europe.   1680. 5.6. H. \( \frac{1}{2} \)     10 verna. W.   golden.   Sotland.     5.7. H. \( \frac{1}{2} \)     12 aurea. W.   golden.   Sotland.     5.7. H. \( \frac{1}{2} \)     23 astracanica. W.   Astracan.   Siberia.   1787. 6.8. H. \( \frac{1}{2} \)     24 alba. W.   white.   Wales.     2.8. H. \( \frac{1}{2} \)     25 caulescens. W.   Alpine.   Austria.   1759. 5.6. H. \( \frac{1}{2} \)     26 Clusiana. W.   Clusius's.   Holden.   Holden.   Holden.   Holden.   Holden.     27 lupinoides. W.   shining.   Austria.   1798. 6.7. H. \( \frac{1}{2} \)     29 reptans. W.   common.   Britain.     6.9. H. \( \frac{1}{2} \)     20 argentea. W.   en.   Sarmentose.   N. America.   1817. 6.8. H. \( \frac{1}{2} \)     31 nivea. W.   en.   various-leaved.   N. America.   1817. 6.8. H. \( \frac{1}{2} \)     32 nivea. W.   Norvegian.   Wideleaved.   Siberia.   1816. 6.8. H. \( \frac{1}{2} \)     34 norvegica. W.   Norvegian.   Wideleaved.   Sotland.     1817. 6.8. H. \( \frac{1}{2} \)     35 tridentata. W.   show.   Siberia.   1816. 6.8. H. \( \frac{1}{2} \)   Genelsib.3t.36.6.1.     36 grandiflora. W.   Siperia.   1816. 6.8. H. \( \frac{1}{2} \)   Genelsib.3t.36.6.1.     37 Tormonoides. Ph.   Agrimony-leaved.   Siberia.   1640.   H. \( \frac{1}{2} \)   Jac. ic. 1. t. 93.     38 Serroth.   Avens.   Rosaccæ. J.   Inge-flowered.   Siberia.   1640.   H. \( \frac{1}{2} \)   Jac. ic. 1. t. 95.     38 Jerian.   Siberia.   1778. 5.6. H. \( \frac{1}{2} \)   Jac. ic. 1. t. 95.     38 Jerian.   Siberia.   Siberia.   1778. 5.6. H. \( \frac{1} \)   Jac. ic. 1. t. 95.     39 Jeri				Siberia.	1773.		
14 recta. W.   upright.   S. Europe.   1648. 6.7. H. \( \frac{1}{2} \)   Eng. bot. 89.     15 argentea. W.   silvery.   Switzerland.   1786. 5.9. H. \( \frac{1}{2} \)     17 adscendens. W. en.   sacending.   Hungary.   1806. 6.7. H. \( \frac{1}{2} \)     18 hirta. W.   hairy.   S. Europe.   1725. 5.9. H. \( \frac{1}{2} \)     19 stipularis. W.   stipular.   Siberia.   1797. 7.8. H. \( \frac{1}{2} \)     10 opaca. W.   small rough.   S. Europe.   1680. 5.6. H. \( \frac{1}{2} \)     10 verna. W.   golden.   Sotland.     5.7. H. \( \frac{1}{2} \)     12 aurea. W.   golden.   Sotland.     5.7. H. \( \frac{1}{2} \)     23 astracanica. W.   Astracan.   Siberia.   1787. 6.8. H. \( \frac{1}{2} \)     24 alba. W.   white.   Wales.     2.8. H. \( \frac{1}{2} \)     25 caulescens. W.   Alpine.   Austria.   1759. 5.6. H. \( \frac{1}{2} \)     26 Clusiana. W.   Clusius's.   Holden.   Holden.   Holden.   Holden.   Holden.     27 lupinoides. W.   shining.   Austria.   1798. 6.7. H. \( \frac{1}{2} \)     29 reptans. W.   common.   Britain.     6.9. H. \( \frac{1}{2} \)     20 argentea. W.   en.   Sarmentose.   N. America.   1817. 6.8. H. \( \frac{1}{2} \)     31 nivea. W.   en.   various-leaved.   N. America.   1817. 6.8. H. \( \frac{1}{2} \)     32 nivea. W.   Norvegian.   Wideleaved.   Siberia.   1816. 6.8. H. \( \frac{1}{2} \)     34 norvegica. W.   Norvegian.   Wideleaved.   Sotland.     1817. 6.8. H. \( \frac{1}{2} \)     35 tridentata. W.   show.   Siberia.   1816. 6.8. H. \( \frac{1}{2} \)   Genelsib.3t.36.6.1.     36 grandiflora. W.   Siperia.   1816. 6.8. H. \( \frac{1}{2} \)   Genelsib.3t.36.6.1.     37 Tormonoides. Ph.   Agrimony-leaved.   Siberia.   1640.   H. \( \frac{1}{2} \)   Jac. ic. 1. t. 93.     38 Serroth.   Avens.   Rosaccæ. J.   Inge-flowered.   Siberia.   1640.   H. \( \frac{1}{2} \)   Jac. ic. 1. t. 95.     38 Jerian.   Siberia.   1778. 5.6. H. \( \frac{1}{2} \)   Jac. ic. 1. t. 95.     38 Jerian.   Siberia.   Siberia.   1778. 5.6. H. \( \frac{1} \)   Jac. ic. 1. t. 95.     39 Jeri	11 pimpinelloides. W.	Burnet-leaved.		Levant.	1758.	6.8. H.4.	Buxb. cent. 1. t. 48.
14 recta. W.   upright.   S. Europe.   1648. 6.7. H. \( \frac{1}{2} \)   Eng. bot. 89.     15 argentea. W.   silvery.   Switzerland.   1786. 5.9. H. \( \frac{1}{2} \)     17 adscendens. W. en.   sacending.   Hungary.   1806. 6.7. H. \( \frac{1}{2} \)     18 hirta. W.   hairy.   S. Europe.   1725. 5.9. H. \( \frac{1}{2} \)     19 stipularis. W.   stipular.   Siberia.   1797. 7.8. H. \( \frac{1}{2} \)     10 opaca. W.   small rough.   S. Europe.   1680. 5.6. H. \( \frac{1}{2} \)     10 verna. W.   golden.   Sotland.     5.7. H. \( \frac{1}{2} \)     12 aurea. W.   golden.   Sotland.     5.7. H. \( \frac{1}{2} \)     23 astracanica. W.   Astracan.   Siberia.   1787. 6.8. H. \( \frac{1}{2} \)     24 alba. W.   white.   Wales.     2.8. H. \( \frac{1}{2} \)     25 caulescens. W.   Alpine.   Austria.   1759. 5.6. H. \( \frac{1}{2} \)     26 Clusiana. W.   Clusius's.   Holden.   Holden.   Holden.   Holden.   Holden.     27 lupinoides. W.   shining.   Austria.   1798. 6.7. H. \( \frac{1}{2} \)     29 reptans. W.   common.   Britain.     6.9. H. \( \frac{1}{2} \)     20 argentea. W.   en.   Sarmentose.   N. America.   1817. 6.8. H. \( \frac{1}{2} \)     31 nivea. W.   en.   various-leaved.   N. America.   1817. 6.8. H. \( \frac{1}{2} \)     32 nivea. W.   Norvegian.   Wideleaved.   Siberia.   1816. 6.8. H. \( \frac{1}{2} \)     34 norvegica. W.   Norvegian.   Wideleaved.   Sotland.     1817. 6.8. H. \( \frac{1}{2} \)     35 tridentata. W.   show.   Siberia.   1816. 6.8. H. \( \frac{1}{2} \)   Genelsib.3t.36.6.1.     36 grandiflora. W.   Siperia.   1816. 6.8. H. \( \frac{1}{2} \)   Genelsib.3t.36.6.1.     37 Tormonoides. Ph.   Agrimony-leaved.   Siberia.   1640.   H. \( \frac{1}{2} \)   Jac. ic. 1. t. 93.     38 Serroth.   Avens.   Rosaccæ. J.   Inge-flowered.   Siberia.   1640.   H. \( \frac{1}{2} \)   Jac. ic. 1. t. 95.     38 Jerian.   Siberia.   1778. 5.6. H. \( \frac{1}{2} \)   Jac. ic. 1. t. 95.     38 Jerian.   Siberia.   Siberia.   1778. 5.6. H. \( \frac{1} \)   Jac. ic. 1. t. 95.     39 Jeri	12 pensylvanica, W.	Pensylvanian.		N. America.	1725.	H.4.	Jac. vind. 2. t. 189.
14 recta. W.   upright.   S. Europe.   1648. 6.7. H. \( \frac{1}{2} \)   Eng. bot. 89.     15 argentea. W.   silvery.   Switzerland.   1786. 5.9. H. \( \frac{1}{2} \)     17 adscendens. W. en.   sacending.   Hungary.   1806. 6.7. H. \( \frac{1}{2} \)     18 hirta. W.   hairy.   S. Europe.   1725. 5.9. H. \( \frac{1}{2} \)     19 stipularis. W.   stipular.   Siberia.   1797. 7.8. H. \( \frac{1}{2} \)     10 opaca. W.   small rough.   S. Europe.   1680. 5.6. H. \( \frac{1}{2} \)     10 verna. W.   golden.   Sotland.     5.7. H. \( \frac{1}{2} \)     12 aurea. W.   golden.   Sotland.     5.7. H. \( \frac{1}{2} \)     23 astracanica. W.   Astracan.   Siberia.   1787. 6.8. H. \( \frac{1}{2} \)     24 alba. W.   white.   Wales.     2.8. H. \( \frac{1}{2} \)     25 caulescens. W.   Alpine.   Austria.   1759. 5.6. H. \( \frac{1}{2} \)     26 Clusiana. W.   Clusius's.   Holden.   Holden.   Holden.   Holden.   Holden.     27 lupinoides. W.   shining.   Austria.   1798. 6.7. H. \( \frac{1}{2} \)     29 reptans. W.   common.   Britain.     6.9. H. \( \frac{1}{2} \)     20 argentea. W.   en.   Sarmentose.   N. America.   1817. 6.8. H. \( \frac{1}{2} \)     31 nivea. W.   en.   various-leaved.   N. America.   1817. 6.8. H. \( \frac{1}{2} \)     32 nivea. W.   Norvegian.   Wideleaved.   Siberia.   1816. 6.8. H. \( \frac{1}{2} \)     34 norvegica. W.   Norvegian.   Wideleaved.   Sotland.     1817. 6.8. H. \( \frac{1}{2} \)     35 tridentata. W.   show.   Siberia.   1816. 6.8. H. \( \frac{1}{2} \)   Genelsib.3t.36.6.1.     36 grandiflora. W.   Siperia.   1816. 6.8. H. \( \frac{1}{2} \)   Genelsib.3t.36.6.1.     37 Tormonoides. Ph.   Agrimony-leaved.   Siberia.   1640.   H. \( \frac{1}{2} \)   Jac. ic. 1. t. 93.     38 Serroth.   Avens.   Rosaccæ. J.   Inge-flowered.   Siberia.   1640.   H. \( \frac{1}{2} \)   Jac. ic. 1. t. 95.     38 Jerian.   Siberia.   1778. 5.6. H. \( \frac{1}{2} \)   Jac. ic. 1. t. 95.     38 Jerian.   Siberia.   Siberia.   1778. 5.6. H. \( \frac{1} \)   Jac. ic. 1. t. 95.     39 Jeri		trailing.		Siberia.	1696.	7.8. H. 4.	Jac. aust. 5. t. 406.
17 adscendens, W. en.   18 hirta. W.   18 hirta. W.   18 hirta. W.   18 stipularis. W.   18 stipularis. W.   1795   18 hirta. W.   1797   7.8   1.4   1.4				S Europe	1648	67 H 2/	4, t, 383,
17 adscendens, W. en.   18 hirta. W.   18 hirta. W.   18 hirta. W.   18 stipularis. W.   18 stipularis. W.   1795   18 hirta. W.   1797   7.8   1.4   1.4				Dritain	1040	CO H N	Eng hot 80
17 adscendens, W. en.   18 hirta. W.   18 hirta. W.   18 hirta. W.   18 stipularis. W.   18 stipularis. W.   1795   18 hirta. W.   1797   7.8   1.4   1.4				Britain.		6.8. II. 4.	Eng. bot. eg.
17 adscendens, W. en.   18 hirta. W.   18 hirta. W.   18 hirta. W.   18 stipularis. W.   18 stipularis. W.   1795   18 hirta. W.   1797   7.8   1.4   1.4				Switzerland.	1786.	5.9. H. 4.	
19 stipularis. W.   Stipular.   Siberia.   1797. 7.8. H. ½.     20 opaca. W.   small rough.   S. Europe.   1680. 5.6. H. ½. Jac. ic. 1. t. 91.     21 verna. W.   spring.   Britain.   3.5. H. ½. Eng. bot. 37.     22 aurea. W.   golden.   Scotland.     5.7. H. ½.     23 astracanica. W.   Astracan.   Siberia.   1787. 6.8. H. ½. Jac. ic. 1. t. 92.     4 alba. W.   white.   Wales.     2.8. H. ½. Eng. bot. 1384.     25 caulescens. W.   Alpine.   Austria.   1759. 5.6. H. ½. Jac. aust. 3. t. 220.     26 Clusiana. W.   Closius's.   1806. 7.8. H. ½. Bot. mag. 1327.     27 lupinoides. W.   close-flowered.   Alps of Eur. 1739. 6.7. H. ½. Bot. mag. 1327.     28 nitida. W.   shining.   Austria.   1798. 6.7. H. ½. Bot. mag. 1327.     29 reptans. W.   common.   Britain.   6.9. H. ½. Eng. bot. 862.     30 sarmentosa. W. en.   sarmentose.   N. America.   1804. 7. H. ½.     31 diffusa. W. en.   various-leaved.     1817. 6.8. H. ½.   Eng. bot. 862.     32 mohspeliensis. W.   Montpelier.   France.   1680. 7.8. H. ½.   Moris. h.s. 2.t. 20.f. 2     33 nivea. W.   snowy.   Siberia.   1816. 6.8. H. ½.   Gmel. sib. 3.t. 36.f. 1.     34 norvegica. W.   Norwegian.   N. Europe.   1764. 6.7. H. ½.   Eng. bot. 2389.     35 grandiflora. W.   Siperia.   1640. — H. ½.   Eng. bot. 2389.     36 grandiflora. W.   Septent.   Rosaceæ. J.   Britain.   6.7. H. ½.   Eng. bot. 864.     3 abum. Ph.   large-flowered.   Siberia.   1778. 5.6. H. ½.   Jac. ic. 1. t. 93.     3 ac. ic. 1. t. 91.   Siberia.   1806. 7.8. H. ½.   Jac. ic. 1. t. 93.     4 luginanum. Ph.   Salbum. Ph.   Agrimony-leav <sup>d</sup> .   Siberia.   1778. 5.6. H. ½.   Jac. ic. 1. t. 93.     4 virginianum. Ph.   Salbum. Ph.   Agrimony-leav <sup>d</sup> .   Siberia.   1778. 5.6. H. ½.   Jac. ic. 1. t. 93.     5 urbanum. W.   Engeleaved.   Siberia.   1778. 5.6. H. ½.   Jac. ic. 1. t. 93.     5 urbanum. W.   Siberia.   Siberia.   Siberia.   1778. 5.6. H. ½.   Jac. ic. 1. t. 95.     5 urbanum. W.   Siberia.   Siberia.   Siberia.   Siberia.   Siberia.   Siberia.   Siberia.   Siberia.   Siberia.   Sib	17 adscendens. W. en.	ascending.		Hungary.	1806.	6.7. H.4.	
19 stipularis. W.   Stipular.   Siberia.   1797. 7.8. H. ½.     20 opaca. W.   small rough.   S. Europe.   1680. 5.6. H. ½. Jac. ic. 1. t. 91.     21 verna. W.   spring.   Britain.   3.5. H. ½. Eng. bot. 37.     22 aurea. W.   golden.   Scotland.     5.7. H. ½.     23 astracanica. W.   Astracan.   Siberia.   1787. 6.8. H. ½. Jac. ic. 1. t. 92.     4 alba. W.   white.   Wales.     2.8. H. ½. Eng. bot. 1384.     25 caulescens. W.   Alpine.   Austria.   1759. 5.6. H. ½. Jac. aust. 3. t. 220.     26 Clusiana. W.   Closius's.   1806. 7.8. H. ½. Bot. mag. 1327.     27 lupinoides. W.   close-flowered.   Alps of Eur. 1739. 6.7. H. ½. Bot. mag. 1327.     28 nitida. W.   shining.   Austria.   1798. 6.7. H. ½. Bot. mag. 1327.     29 reptans. W.   common.   Britain.   6.9. H. ½. Eng. bot. 862.     30 sarmentosa. W. en.   sarmentose.   N. America.   1804. 7. H. ½.     31 diffusa. W. en.   various-leaved.     1817. 6.8. H. ½.   Eng. bot. 862.     32 mohspeliensis. W.   Montpelier.   France.   1680. 7.8. H. ½.   Moris. h.s. 2.t. 20.f. 2     33 nivea. W.   snowy.   Siberia.   1816. 6.8. H. ½.   Gmel. sib. 3.t. 36.f. 1.     34 norvegica. W.   Norwegian.   N. Europe.   1764. 6.7. H. ½.   Eng. bot. 2389.     35 grandiflora. W.   Siperia.   1640. — H. ½.   Eng. bot. 2389.     36 grandiflora. W.   Septent.   Rosaceæ. J.   Britain.   6.7. H. ½.   Eng. bot. 864.     3 abum. Ph.   large-flowered.   Siberia.   1778. 5.6. H. ½.   Jac. ic. 1. t. 93.     3 ac. ic. 1. t. 91.   Siberia.   1806. 7.8. H. ½.   Jac. ic. 1. t. 93.     4 luginanum. Ph.   Salbum. Ph.   Agrimony-leav <sup>d</sup> .   Siberia.   1778. 5.6. H. ½.   Jac. ic. 1. t. 93.     4 virginianum. Ph.   Salbum. Ph.   Agrimony-leav <sup>d</sup> .   Siberia.   1778. 5.6. H. ½.   Jac. ic. 1. t. 93.     5 urbanum. W.   Engeleaved.   Siberia.   1778. 5.6. H. ½.   Jac. ic. 1. t. 93.     5 urbanum. W.   Siberia.   Siberia.   Siberia.   1778. 5.6. H. ½.   Jac. ic. 1. t. 95.     5 urbanum. W.   Siberia.   Siberia.   Siberia.   Siberia.   Siberia.   Siberia.   Siberia.   Siberia.   Siberia.   Sib	18 hirta. W.	hairy.		S. Europe.	1725.	5.9. H. 4.	
21 verna. W.   spring.   Britain.     3.5.   H. ½   Eng. bot. 37.		stipular.		Siberia.	1797.	7.8. H. 4.	
21 verna. W.   spring.   Britain.     3.5.   H. ½   Eng. bot. 37.			1	S Europe.			
22 aurea. W.   23 astracanica. W.   Astracan.   Siberia.   1787. 6.8   H. ½.   Jac. ic. 1. t. 92.				Britain			
23 astracanica. W.   Astracan.   Siberia.   1787. 6.8, H. \( \frac{1}{2}\) L.   L. 1. 1. 1. 1. 1. 1. 2.     24 alba. W.   white.   Wales.     2.8, H. \( \frac{1}{2}\) L.   Eng. bot. 1384.     25 caulescens. W.   Alpine.   Austria.   1759. 5.6, H. \( \frac{1}{2}\) L.   Jac. aust. 3. t. 220.     26 Clusiana. W.   Clusius's.   1806. 7.8, H. \( \frac{1}{2}\) L.   Bot. mag. 1327.     27 lupinoides. W.   close-flowered.   Alps of Eur. 1739. 6.7, H. \( \frac{1}{2}\) L.   Bot. mag. 1327.     28 nitida. W.   shining.   Austria.   1798. 6.7, H. \( \frac{1}{2}\) L.   Jac. aust. 5. t. ap. 25.     29 reptans. W.   common.   Britain.     6.9, H. \( \frac{1}{2}\) L.   Eng. bot. 862.     30 armentosa. W. en.   sarmentose.   N. America.   1804.   7. H. \( \frac{1}{2}\) L.   Eng. bot. 862.     31 diffusa. W. en.   various-leaved.   1817.   6.8, H. \( \frac{1}{2}\) L.   Eng. bot. 862.     32 monspeliensis. W.   Montpelier.   Snowy.   Siberia.   1816.   6.8, H. \( \frac{1}{2}\) L.   Moris. h.s. 2.t. 20.f. 2     33 nivea. W.   snowy.   Siberia.   1816.   6.8, H. \( \frac{1}{2}\) L.   Moris. h.s. 2.t. 20.f. 2     34 norvegica. W.   Norwegian.   N. Europe.   1680.   7.8, H. \( \frac{1}{2}\) L.   Eng. bot. 336.f. 1.     35 tridentata. W.   trifid-leaved.   Siberia.   1640.   H. \( \frac{1}{2}\) L.   Eng. bot. 2389.     36 grandiflora. W.   great-flowered.   Siberia.   1640.   H. \( \frac{1}{2}\) L.   Eng. bot. 864.     37 crecta. W.   officinalis. E. B.   Britain.     6.7, H. \( \frac{1}{2}\) L.   Eng. bot. 864.     38 dbum. Ph.   Agrimonoides. Ph.   Agrimony-leav <sup>d</sup> .   Small white-flowered.   1730.   7.8, H. \( \frac{1}{2}\) L.   Jac. ic. 1. t. 93.     4 virginianum. Ph.   Small white-flowered.   Large-leaved.   Large-lea				Cartlan J			
Wales.   W		Ÿ.		Scotland.			
25 caulescens. W.   Alpine.   Austria.   1759. 5.6. H. \( \frac{1}{2} \) Jac. aust. 3. t. 220.     26 Clusiana. W.   Clusius's.   1806. 7.8. H. \( \frac{1}{2} \) Bot. mag. 1327.     27 lupinoides. W.   shining.   Austria.   1798. 6.7. H. \( \frac{1}{2} \) Jac. aust. 3. t. 220.     28 nitida. W.   shining.   Austria.   1798. 6.7. H. \( \frac{1}{2} \) Jac. aust. 5. t. ap. 25.     29 reptans. W.   common.   Britain.   6.9. H. \( \frac{1}{2} \) Jac. aust. 5. t. ap. 25.     29 reptans. W.   common.   Britain.   6.9. H. \( \frac{1}{2} \) Jac. aust. 5. t. ap. 25.     20 monspeliensis. W.   sarmentose.   N. America.   1804.   7. H. \( \frac{1}{2} \) Jac. aust. 5. t. ap. 25.     20 monspeliensis. W.   various-leaved.   Sibria.   1804.   7. H. \( \frac{1}{2} \) Moris. h.s. 2.t. 20.f. 2.     21 monspeliensis. W.   Snowy.   Sibria.   1816.   6.8. H. \( \frac{1}{2} \) Moris. h.s. 2.t. 20.f. 2.     22 monspeliensis. W.   Snowy.   Sibria.   1816.   6.8. H. \( \frac{1}{2} \) Moris. h.s. 2.t. 20.f. 2.     23 nivea. W.   Snowy.   Sibria.   1816.   6.8. H. \( \frac{1}{2} \) Moris. h.s. 2.t. 20.f. 2.     24 monspeliensis. W.   Snowy.   Sibria.   1816.   6.8. H. \( \frac{1}{2} \) Moris. h.s. 2.t. 20.f. 2.     25 monspeliensis. W.   Snowy.   Sibria.   1816.   6.8. H. \( \frac{1}{2} \) Moris. h.s. 2.t. 20.f. 2.     25 monspeliensis. W.   Snowy.   Sibria.   1816.   6.8. H. \( \frac{1}{2} \) Moris. h.s. 2.t. 20.f. 2.     26 grandiflora. W.   Sreptoll.   Rosaceæ. J.   Rosaceæ. J.   Rosaceæ. J.   Ireptans. W.   Jac. h.g. 2.   Jac. h.g. 2.     26 grandiflora. W.   Spertoll.   Rosaceæ. J.   Jac. h.g. 2.   Jac. h.g. 2.     27 monspeliensis. W.   Jac. h.g. 2.   Jac. h.g. 2.   Jac. h.g. 2.   Jac. h.g. 2.     28 monspeliensis. W.   Jac. h.g. 2.   Jac. h.g. 2.   Jac. h.g. 2.   Jac. h.g. 2.     29 monspeliensis. W.   Jac. h.g. 2.   Jac. h.g. 2.   Jac. h.g. 2.     20 monspeliensis. W.   Jac. h.g. 2.   Jac. h.g. 2.   Jac. h.g. 2.   Jac. h.g. 2.     20 monspeliensis. W.   Jac. h.g. 2.	23 astracanica. W.	Astracan.		Siberia.	1787.	6.8. H.4.	Jac. 1c. 1. t. 92.
1806. 7.8. H. 4. Bot. mag. 1327.	24 alba. W.	white.				2.8. H.4.	Eng. bot. 1384.
1806. 7.8. H. 4. Bot. mag. 1327.	25 caulescens. W.	Alpine.			1759.	5.6. H.4.	Jac. aust. 3. t. 220.
27 lupinoides. W.   close-flowered.   Alps of Eur. 1739. 6.7. H. ½.					1806.	7.8. H. 4.	Bot. mag. 1327.
28 nitida. W.   Shining.   Austria.   1798. 6.7. H. ¼. Jac. aus. 5. t. ap. 25.				Alns of Eng	1730	6.7. H. 2	
29 reptans. W. 30 sarmentosa. W. en. sarmentose. 31 diffusa. W. en. various-leaved. 32 monspeliensis. W. 33 nivea. W. 34 norvegica. W. 35 tridentata. W. 36 grandiflora. W. 37 TORMENTILLA. W. 38 reptans. W. 39 great-flowered. 30 sarmentosa. W. 31 nivea. W. 32 monspeliensis. W. 34 norvegica. W. 35 tridentata. W. 36 grandiflora. W. 37 TORMENTILLA. W. 38 perfolu. 39 great-flowered. 30 sarmentosa. W. en. 30 sarmentosa. W. en. 31 sifusa. W. en. 32 monspeliensis. W. 33 nivea. W. 34 norvegica. W. 35 tridentata. W. 36 grandiflora. W. 37 Septroll. 38 perfolwered. 39 Septroll. 30 sarmentosa. 31 sifusa. W. 31 sifusa. W. 32 monspeliensis. W. 33 nivea. W. 34 norvegica. W. 35 tridentata. W. 36 grandiflora. W. 37 Septroll. 38 Septroll. 39 Rosaceæ. J. 30 sarmentosa. 31 sifusa. W. 31 sifusa. W. 32 monspeliensis. W. 33 nivea. W. 34 norvegica. W. 35 tridentata. W. 36 grandiflora. W. 37 Septroll. 38 Septroll. 39 Septroll. 30 socceæ. J. 31 sifusa. W. 31 sifusa. W. 32 monspeliensis. W. 33 sifusa. W. 34 norvegica. W. 35 siberia. 31 sif. 6.8. H. ½. 36 sib. H. ½. 36 siberia. 31 sif. 6.8. H. ½. 36 sib. H. ½. 36 siberia. 31 sif. 6.8. H. ½. 36 sib. H. ½. 36 siberia. 31 sif. 6.8. H. ½. 36 sib. H. ½. 36 siberia. 31 sif. 6.8. H. ½. 36 sib. H. ½. 36 siberia. 31 sif. 6.8. H. ½. 36 sib. H.				Anctoin	1700	67 H 2	Jac aus, 5 t an 95
N. America   1804.   7.   H. ¼.				Duitain	1/90.	CO 11 3	Eng hot ego
Strictum. Ph.   Septentials. E. B.   Septentials. Ph.				Dritain.		U.J. F1. 4.	
S2 monspeliensis. W.   Montpelier.   Sin monspelier.   Sin monsp				N. America.	1804.	7. H.4.	
Siberia   Sibe	31 diffusa. W. en.	various-leaved.			1817.	6.8. H.4.	
Siberia   Sibe	32 monspeliensis. W.	Montpelier.		France.	1680.	7.8. H.4.	Moris.h.s.2.t.20.f.2
Now triple   Now		•		Siberia.	1816.	6.8. H.4	Gmel.sib.3.t.36.f.1.
Stridentata W.   Stri				N. Europe	1764	6.7. H. A.	Fl. dan. 171.
Siberia   Sibe	or tridentate W			Scotland	1,07.	II 2/	Eng. bot. 2389.
TORMENTILLA. W. SEPTFOIL.  1 reptans. W. large-flowered. 2 erecta. W. common.  officinalis. E. B.  GEUM. W. Avens. 1 strictum. Ph. 2 agrimonoides. Ph. 3 album. Ph. 4 virginianum. Ph. 5 macrophyllum. W. en.  Mosacæ. J.  N. America. 1778. 5.6. H. 4. Jac. ic. 1. t. 98.  1811. 6.7. H. 4.  1811. 6.7. H. 4.  1730. 7.8. H. 4. Jac. vind. 2. t. 175.  Kamtschatka 1804. 6.7. H. 4.  Eng. bot. 864.  6.7. H. 4. Eng. bot. 864.  1780. 5.6. H. 4. Jac. ic. 1. t. 98.  1811. 6.7. H. 4.  1812. ————————————————————————————————————					1640	11.4	Bot mag 75
1 reptans. W.       large-flowered.       Britain.       6.7. H.4. Eng. bot. 864.         2 erecta. W.       common.       5.10. H.4.       863.         6 GEUM. W.       Avens.       Rosaceæ. J.         1 strictum. Ph.       upright.       N. America.       1778. 5.6. H.4. Jac. ic. 1. t. 95.         2 agrimonoides. Ph.       Agrimony-leav <sup>d</sup> .       1811. 6.7. H.4.       Jac. vind. 2. t. 175.         3 album. Ph.       white-flowered.       1730. 7.8. H.4. Jac. vind. 2. t. 175.         4 virginianum. Ph.       small white-flod.       ————————————————————————————————————				Siberia.	1040.	n. 4	Doc. mag. 70.
2 erecta. W. officinalis. E. B.  GEUM. W. Avens. Rosaceæ. J.  1 strictum. Ph. upright. Agrimony-leavd. 1811. 6.7. H.4.  3 album. Ph. white-flowered. 1730. 7.8. H.4. Jac. vind. 2.t. 175.  4 virginianum. Ph. 5 macrophyllum. W. en. Large-leaved. Kamtschatka 1804. 6.7. H.4.  6 urbanum. W. ecommon. Britain. 5.8. H.4. Eng. bot. 1400.							E- 1-4 004
officinalis. E. B.  GEUM. W. Avens. Rosaceæ. J.  1 strictum. Ph. upright. N. America. 1778. 5.6. H. 4. Jac. ic. 1. t. 95.  2 agrimonoides. Ph. Agrimony-leav <sup>d</sup> . 1811. 6.7. H. 4.  3 album. Ph. white-flowered. 1730. 7.8. H. 4. Jac. vind. 2. t. 175.  4 virginianum. Ph. 5 macrophyllum. N. en. Large-leaved. Kamtschatka 1804. 6.7. H. 4.  6 urbanum. W. en. Britain. 5.8. H. 4. Eng. bot. 1400.	1 reptans. W.	large-flowered.		Britain.	• • • •	6.7. H.4.	Eng. bot. 864.
officinalis. E. B.  GEUM. W. Avens. Rosaceæ. J.  1 strictum. Ph. upright. N. America. 1778. 5.6. H. 4. Jac. ic. 1. t. 95.  2 agrimonoides. Ph. Agrimony-leav <sup>d</sup> . 1811. 6.7. H. 4.  3 album. Ph. white-flowered. 1730. 7.8. H. 4. Jac. vind. 2. t. 175.  4 virginianum. Ph. 5 macrophyllum. N. en. Large-leaved. Kamtschatka 1804. 6.7. H. 4.  6 urbanum. W. en. Britain. 5.8. H. 4. Eng. bot. 1400.	2 erecta. W.	common.				5.10. H.4	863.
GEUM. W.  1 strictum. Ph. 2 agrimonoides. Ph. 3 album. Ph. 4 virginianum. Ph. 5 macrophyllum. W. en.    Avens.   Rosaccæ. J.							
1 strictum. Ph. upright. N. America. 1778. 5.6. H.4. Jac. ic. 1. t. 93.  2 agrimonoides. Ph. Agrimony-leav <sup>d</sup> . — 1811. 6.7. H.4.  3 album. Ph. white-flowered. — 1730. 7.8. H.4. Jac. vind. 2. t. 175.  4 virginianum. Ph. 5 macrophyllum. W. en.		AVENS.	Rosacem J				
2 agrimonoides. Ph. Agrimony-leav <sup>d</sup> . — 1811. 6.7. H.4. 3 album. Ph. 4 virginianum. Ph. 5 macrophyllum. W. en. 4 virginianum. W. en. 5 white-flowered. — 1730. 7.8. H.4. Jac. vind. 2. t. 175. 5.8. H.4. 5 macrophyllum. W. en. 5 white-flowered. — Kamtschatka 1804. 6.7. H.4. 6.7.				N America	1770	5 6. H 2	Jac. ic. 1, t. 98.
3 album. Ph. white-flowered				A. America.	1//5.	C 7 11 1	
4 virginianum. Ph. small white-flo <sup>4</sup> . — — H.4.  5 macrophyllum. W. en. — Kamtschatka 1804. 6.7. H.4.  6 urbanum. W. e. — Britain 5.8. H.4. Eng. bot. 1400.					1811.	0.7. H.4.	Too wind he desire
5 macrophyllum.  W. en.  Britain.  Kamtschatka 1804. 6.7. H. 4.  Eng. bot. 1400.	3 album. Ph.				1730.	7.8. H.4.	Jac. vina. 2. t. 1/5.
5 macrophyllum. W. en. Surperleaved. Kamtschatka 1804. 6.7. H. 4. Common. Britain 5.8. H. 4. Eng. bot. 1400.	4 virginianum. Ph.	small white-flod.				—— H. 4	- 1
W. en.   Rameschatka 1804. 6.7. 11.4.   Rameschatka 1804. 6.7. 11.4.   Reg. bot. 1400.   Re		1 1		W411	10-4	67 H 3	4
6 urbanum, W. common. Britain 5.8. H. 4. Eng. bot. 1400.		large-leaved.		- Kamtschatka	1804.		
7 intermedium.W. en. wood. Europe. 1794. — H.4. W. hort.ber.1.t.69.		common		- Britain		5.8. H.M.	Eng. bot. 1400.
/ intermediation v. cit. wood.					1794	H.2	W. hort. ber.1. t.69.
	/ intermedium. w. en	, HOUG.		Maroher	*102.	22127	

### POLYANDRIA MONOGYNIA.

0./. 11.4.	Eng. bot. 106.
H.4.	Jac. ic. 1. t. 94.
H.4.	Lam. ill. t. 44.
6. H.4.	Jac. vind. 3. t. 68.
5.9. H.4.	Jac. aust. 4. t. 373,
	Bar. rar. t. 399.
6.8. H.4.	Jac. aus. 5. t. ap. 22.
6.8. H.4.	Eng. bot. 451.
5.8. H.h.	Bot. mag. 503.
—— H.h.	Bot. rep. 539.
5.7. H.h.	, Fed 1 6 2 mm -
	Bot. mag. 466.
H. h.	1 2 - may 10 " 1

# CLASS XIII.

## POLYANDRIA MONOGYNIA,

CAPPARIS. W.	CAPER-TREE.	Capparides. J.					
1 spinosa. W.	common.						Bot. mag. 291.
2 ovata. W.	acute-leaved.						Boc. sic. t. 42. f. 3.
3 frondosa. W.	large-leaved.			1800.		S.h.	Jac. amer. t. 153.
4 ferruginea. W.	ferrugineous.						Brown. j. t. 28. f.1.
5 jamaicensis. W.	Jamaica.	-		1793.		S.h.	Jac.amer. e.p.t.101.
6 odoratissima. W.	sweet-scented,	<del></del>	Caracas.	1814.		S.h.	Jac.scheen.1. t.110.
7 cynophallophora. W	Bay-leaved.		W. Ind.	1752.		S.h.	Jac. amer. t. 98.
8 saligna. P. S.	Willow-leaved.		Santa Cruz.	1807.		S.h.	
9 linearis. W.	linear-leaved.	-	W. Ind.	1793.		S.h.	Jac. amer. t. 102.
10 Breynia. W.	Oleaster-leaved.						t. 103.
MARCGRAVIA. W.	MARCGRAYIA.	Capparides ? J.				,	
umbellata. W.	umbelled.			1792.		S.h.	Jac. amer. t. 96.
ACTÆA. Ph.	ACTÆA.	Ranunculaceæ. J.					
1 spicata. W. en.	Bane-berry.				4.6.	H. 24.	Eng. bot. 918.
2 americana. Ph.	American.						Corn. canad. t. 77,
a alba.	white-berried.		* ;				
B rubra.	red-berried.						
SANGUINARIA. W.		Papaveraceæ. J.					
canadensis. W.	Bloodwort.	1 apareraceur or	N. America.	1680.	3.4.	H 2/	Rot mar 160
PODOPHYLLUM. W.		Papaveraceæ. P. S		10000	0.3.	11.4.	102. mag. 102.
peltatum. W.	May-Apple.	Tapaveracciciiio		1664.	5	T-T 21	Rot mag 1916
CHELIDONIUM. W.		Papaveraceæ. J.	14. Ikilici ibw	1004	0.	11.4.	1300. mag. 1019.
1 majus. W.	common.	1 apaveracca. o.	Britain		4 10	II N	Eng. bot. 1581.
2 laciniatum. W. en.							Mill. ic.1. t. 92. f.2.
GLAUCIUM. J.	HORN-POPPY,	Panaveraceæ. J.	S. Ediope.	,		11.4.	Maiii. ic.1. t. 92. 1.2.
1 luteum. H. K.		Fapaveracea. 0.	Dritain		E 10	ио	Eng hat 0
2 fulvum. H. K.	yellow.						Eng. bot. 8.
3 phœniceum. H. K.	orange,		England				Ex. bot. 1. t. 7.
4 violaceum. H. K.			England.				Eng. bot. 1433.
PAPAVER. W.	violet.			9 * * *	5.7.	п.б.	201.
	POPPY.	Papaveraceæ. J.	England		0 =	TT	P 1
1 hybridum. W.	mongrel.	Commence					Eng. bot. 43.
2 Argemone. W.	rough.			3.05.0		II. ().	643.
3 alpinum. W.	Alpine.	-		1759.	0.0	11.4.	Jac. aus. 1. t. 83.
4 nudicaule. W.	naked-stalked.	Company of the Compan		1730.	6.8.	н. г.	Fl. dan. t. 41.
B lutea.	yellow-flowered.			-			Bot. mag. 1633.
5 Rhœas. W.	common Corn.			• • • •	6.7.	H.O.	Eng. bot. 645.
6 dubium. W.	smooth.						- 644.
7 caucasicum. M. B.	Caucasean.						Bot. mag. 1675,
8 floribundum.B.Reg.							Bot. reg. 134.
9 somniferum. W.	garden.	-					Eng. bot. 2145.
10 cambricum. W.	Welsh.						
11 orientale. W.	oriental.	-	Levant.	1714.	5.6.	H.4.	Bot. mag. 57.
ARGEMONE. W.	ARGEMONE,	Papaveraceæ. J.					
1 mexicana. W.	Mexican.	-					Bot. mag. 243, 1
2 armeniaca. P. S.	Armenian.	THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.	· Armenia.	1815.	6.9.	H.O.	

SARRACENIA. W.	Side-saddle-	}					
	FLOWER.	•					
1 flava. W.	yellow.	Committee of the Spinster of the Committee of the Committ	N. America.	1752.	6.7.	F. 4.	Bot. mag. 780.
2 variolaris. Ph.	hook-leaved.	Print of the Control		1803.		- F.4.	1710.
adunca. Ex. bot. a	red.			1700		. TC 21	Dluk olm + 150 f 3
psittacina. Ph.	1cu.			1/50		- r.4	Pluk.alm.t.152.f.3
4 purpurea. W.	purple.	hands and because we are a con-	N. America.	1640	(16.0em	- TF. 2/ .	Bot. mag. 849.
NYMPHÆA. W.	WATER-LILY.	Hydrocharideæ. J		10101		1.4.	mag. o.p.
1 alba. W.	white.				6.7.	H.4.	Eng. bot. 160.
2 odorata. W.	sweet-scented.	·	N. America.	1786.	7.	H.4.	Bot. mag. 819.
B minor.	Smaller sweet \						
* *	\ scented. \	,		1012.		→ 11.4.	1652.
3 nitida. B. M.	cup-flowered.						1359.
4 pygmæa. H. K.	pigmy.		China.				1525.
5 Lotus. W.	Egyptian Lotus.		Egypt.				797.
6 pubescens. W.	Indian Lotus.						Bot. rep. 391.
7 rubra. B. M. 8 rosea. B. M.	red-flowered.						Bot. mag. 1280.
9 versicoler. H. K.	rose-coloured. changeable.						1364.
10 cærulea. H. K.	blue.						1189. 552.
11 stellata. W.	star-flowered.			1903	0.9.	S.4.	Bot. rep. 330. 2050
NUPHAR. H. K.	Nuphar.	Hydrocharideæ. J		2000.		5.4.	Dott. 1cp. 000.12
1 lutea. H. K.	common yellow.				6.7.	H. 24.	Eng. bot. 159.
2 Kalmiana. H. K.	Canadian.						Bot. mag. 1243.
3 minima. E. B.	least yellow.		Scotland.			-H. 2.	Eng. bot. 2292.
4 advena. H. K.	three-coloured.		N. America.	1772.		H. 4.	Bot. mag. 684.
EURYALE. H. K.	EURYALE.	Hydrocharideæ. J.					,
ferox. H. K.	prickly.		India.	1809.	7.9.	S. 4.	Bot. mag. 1447.
BIXA. W.	ANOTTA.	Tiliaceæ? J.					
Orellana. W.	heart-leaved.		W. Ind.	1690.	5.8.	S.h.	Bot. mag. 1456.
SLOANEA. W.	SLOANEA.	Tiliaceæ. J.				~ ~	m1 1
dentata. W.		entry of 2 of		1752.		S.h.	Plum. ic. 244.
AUBLETIA. W.	AUBLETIA.	Tiliaceæ. J. Apei		1550		C I	Al
1 Tibourbou. W. 2 Petoumo. W.	hairy.		S. America.	1756.	• • • •	5. h.	Aub. gui. 1. t. 213.
	hoary.		Cavanna	1700	• • • •	5. 17 ·	1. t. 216.
3 aspera. W. 4 lævis. W.	smooth-leaved.		Cayenne.	192.	• • • •	S. L.	1. t. 214.
SPARRMANNIA. W.		Tiliaceæ. J.		1017.	• • • •	ы. п.	1. 0. 214,
africana. W.	African.	Z maccaro :	C. B. S.	1790.	3.7.	G. h.	Bot. mag. 516.
MUNTINGIA. W.	MUNTINGIA.	Tiliaceæ. J.	0.2.0	2,000	0.,.		2,000 1111,000 0 1 0 1
Calabura. W.	Jamaica.		Jamaica.	1690.	6.7.	S.h.	Jac. amer. t. 107.
GREWIA. W.	GREWIA.	Tiliaceæ. J.				٠	
1 hirsuta. W.	soft-leaved.		E. Ind.	1816.		S. h.	
2 Mallococca. W.	rough-fruited.		-	1792.	8.9.	S.h.	
3 Microcos. H. K.	panicled.			1779.		S.h.	Rheed. mal.1.t. 56.
4 occidentalis. W.	Elm-leaved.		C.B.S.	1690.	7.9.	G.h.	Bot. mag. 422.
5 orientalis. W.	oriental.						Rheed. mal. 5. t.46.
6 pilosa. P. S.	pilose.			1804.		S.h.	'Cam it 0 1 200
7 asiatica. W.	Asiatic.	-		1792.	7.8.	S.h.	Sonn. it. 2. t. 138.
8 tiliæfolia. W. TILIA. W.	Lime-tree-leav <sup>d</sup> . Lime-tree.	Tiliaceæ. J.		1012.	• • • •	s.n.	
1 europæa. W.	common.	Tillaceæ. J.	Britain.		6.8	HL	Eng. bot. 610.
2 parvifolia. E. B.	small-leaved.						1705.
3 americana. W.	broad-leaved.						Vent.sc.phys. 4. t.2.
4 pubescens. W.	pubescent.						4. t.3.
5 alba. W.	white.		Hungary.				4. t.4.
CORCHORUS. W.	Corchorus.	Tiliaceæ. J.	3. 7.				
1 olitorius. W.	bristly-leaved.		India.	1640.	6.8.	S.O.	Camer. hort. t. 12.
2 trilocularis. W.	three-celled.		Arabia.				Jac. vind. 2. t. 173.
3 æstuans. W.	Hornbeam-lead.		S. America.				1. t. 85 <sub>2</sub>
4 acutangulus. W.	acute-angled.			1816.		S.h.	Pluk.phyt. t.44. f.1.
5 capsularis. W.	heart-leaved.						Rum.am.5.t.78.f.1.
6 hirsutus. W.							Jac. vind. 3. t. 57.
7 japonicus. W.	Japan.						Bot. mag. 1296.
8 siliquosus, W.		Cuttifaum I	w. Ind.	1732.	0.8.	s.h.	Jac. vind. 3. t. 59.
GRIAS. W.	Ancuovy Pear. stem-flowering.	Guttiferæ. J.	Jamaica	1760		SL	Sloan. his. 2. t.
CALOPHYLLUM. W.		Guttiferæ. J.	o amanda.	1/08.	• • • •	5. n.	Sloan. his. 2. t. 217. f. 1. 2.
1 Inophyllum. W.		Gaunera.v.	E. Ind.	1793.		S.L.	Rheed.mal.4.t.38.
2 Calaba. W.		Province and an article from the province to which the					Jac. amer. t. 165.
						to	

	IOLI	ANDRIA	MONOG I	INLA	3.14.9
MAMMEA. W.	MAMMEE-TREE.	Guttiferæ. J.			
americana. W.	American.		S. America.	1737 S.h.	Jac. am. t.182. f.82.
OCHNA. W.	OCHNA.	Guttiferæ. J.			
1 squarrosa. W.	yellow-flowered.	-			Roxb. cor. 1. t. 89.
2 africana.	purple-flowered.		C. B. S.	1816 G.h.	Pluk.alm.263.f.1.2.
ELÆOCARPUS. W.	ELÆOCARPUS.	Guttiferæ? J.			n 1
1 serratus. W.			E. Ind.	1774 S.h.	
2 cyaneus. B. M.	blue-fruited.	3.5	N. Holland.	1803. 6.8. G.h.	Bot. mag. 1737.
ALANGIUM. J. decapetalum. W.	ALANGIUM. Sage-leaved.	Myrti. J.	F Ind	1770 \$ %	Rheed.mal. 4. t.17.
MENTZELIA. W.		Loaseæ. J. in Ann		1773 5.7.	renceg.mar. 4. t.17.
1 aspera. W.				1733. 7.8. S.O.	Plum. ic. 174. f. 1.
2 oligosperma. B. M.	few-seeded.		Louisiana.	1812. 5.6. G.4.	
LAGERSTRŒMIA \	LAGERSTRŒMIA.			·	
w. <i>S</i>					
1 indica. W.				1759. 8.10. S.h.	
2 Reginæ. W.	oblong-leaved.			1792 S.h.	Roxb. cor. 1. t. 65.
ÆGLE. H. K.		Aurantiæ. J. Cra		1850 S.T.	Dor our 0 4 140
Marmelos. H. K. CISTUS. J.		Cisti. J.	E. Ina.	1759 S.n.	Rox. cor. 2. t. 143.
1 villosus. W.	villous.	Cisti. 0.	S. Europe.	1640. 6.7. F. b.	Duham.arb.1.t.64
2 populifolius. W.	Poplar-leaved.		Spain.	1656. 5.6. H.h.	
3 Corboriensis. P. S.	small Poplar-Id.			— — Н. й.	
4 vaginatus. W.	oblong-leaved.		Teneriffe.	1779. 4.6. F.h.	Bot. reg. 225.
5 laurifolius. W.	Laurel-leaved.		Spain.	1731. 6.7. H.h.	
	Many-flod Gum.		France.		Duham. arb.1.t.66
7 ladaniferus. W.			Spain.	1629. 6.7. F.h.	Bot. mag. 112.
β planifolius.	Flat-leaved Gum.		C Europa	1000 E I	
8 monspeliensis. W. 9 laxus. W. en.	Montpelier. waved-leaved.		S. Europe.	1656. — F. h.	
10 hirsutus. W. en.	hairy.		Portugal.	F.h.	
11 salvifolius. W.	Sage-leaved.	-	S. Europe.	1548. 6.7. F.h.	Jac. col. 2. t. 8.
12 heterophyllus. P. S.			Algiers.		Desf. atl. 1. t. 104.
13 incanus. W.	hoary-leaved.		S. Europe.	1596. 6.8. F.h.	Bot. mag. 43.
14 creticus. W.	Cretan.		Levant.	1731 F.h.	Jac. ic. 1. t. 95.
15 purpureus. P. S.	purple.			5.7. F.h.	- # J
16 albidus. W.	white-leaved.		Spain.	1640. 6.7. F.h.	
17 crispus. W.	curled-leaved.	O' 1' Y C! 1'	Portugal.	1656. — F. h.	Cav. ic. 2. t. 174.
HELIANTHEMUM.J 1 formosum.		Cisti. J. Cisti sp.		1700 57 EL	Rot mar aca
2 atriplicifolium. P.S.				1780. 5.7: F.h. 1656. 6.7. F.h.	
3 halimifolium. P. S.					Cav. ic. 2. t. 138.
4 elongatum. P. S.	long-peduncled.			1800. 7. F.h.	
5 algarvense. H. K.	Algarvian.		Portugal.	7.8. F.h.	Bot. mag. 627.
6 Libanotis. W.	Rosemary-leavd.		Spain.	1752. 6. F.h.	
7 umbellatum. P. S.	umbel-flowered.		S. Europe.	1731. 6.8. F.h.	
8 lævipes. P. S.	cluster-leaved.		France.	1690. — F.h.	
9 Fumana. P. S. 10 canum. W. en.	Heath-leaved.		S Furana		Jac. aust. 3. t. 252. All. ped. 2.t. 45.f.3.
11 scabrosum. P. S.	rough.		Italy.	1775. — F. h.	Mi. peu. 2. t. 40.1.5.
12 sampsucifolium.	bristly-stalked.		France.	— H. h.	Bot. mag. 1803.
13 italicum. P. S.	Italian.		Italy.	1779. 7.9. F.h.	
14 marifolium. P. S.	Marum-leaved.		Britain.	5.6. H.h.	
15 origanifolium. P. S.	Marjoram-leava.		Spain.	1795. 6.7. F.h.	Cav. ic. 3. t. 262.
16 celandicum. P. S.	smooth-leaved.		Germany.	1816. — H.h.	
17 Tuberaria. P. S.	Plantain-leaved.		S. Europe.	1752. — F. 4.	
18 serratum. P. S. 19 guttatum. P. S.					2.t.175.f.1.
20 canadense. P. S.	Canadian.		N America	— H.⊙. 1799. — H. 4.	1211g. NOt. 544.
21 punctatum. P. S.	punctated.		1. I A A A A A A A A A A A A A A A A A A	1816. — H.O.	
22 ledifolium. P. S.	Ledum-leaved.		England.	— H.O.	Eng. bot. 2414.
23 salicifolium. P. S.	Willow-leaved.		S. Europe.	1759. 6.8. H.⊙.	
24 ægyptiacum. P. S.	Egyptian.		Egypt.	1764. 6.7. H.⊙.	Jac. obs. 3. t. 68.
25 squamatum. P. S.	scaly.		Spain.	1815. — H. h.	
26 surrejanum. P. S.	dotted-leaved.		Eugland.	7.10. H. h.	Eng. bot. 2207.
27 glaucum. P. S. 28 nummularium. P.S.	glaucous-leaved.		spain.	1815. 6.8. H.h.	
29 canariense. P. S.	Canary.			1752. — H.h. 1790. 6.7. G.h.	
30 serpyllifolium. P. S.			Austria.	1731. 5.9. H.h.	0 40 10 10 10 10 10
31 glutinosum. P. S.	clammy.		S. Europe.		Cav.ic.2.t.145.f.2.
	•				

## POLYANDRIA DIGYNIA.

32 thymifolium. P. S.	Thyme-leaved.	Cisti. J.	Spain.	1658. 6.7. F.h.	Barrel. ic. 444.
33 pilosum. P. S.	hairy.		S. Europe.		All.ped.2.t.45.f.1.2
34 aureum. P. S.	golden.	P-71	Montpelier.	— H. h	
35 lavandulæfolium.	Lavender-leaved.		Levant.	1739. 6.7. F.h	. Jac. ic. 1. t. 96.
P. S. 3					
36 angustifolium. P. S.			Dutain		Jac. hort. 3. t. 53.
37 vulgare: P. S.	common dwarf.		Britain.	5.9. H.h	. Eng. bot. 1321.
β flore pleno. 38 grandiflorum. P. S.	double-flowered.		Italy	1900 67 H L	. Scop. carn. t. 25.
39 tomentosum. E. B.			Scotland		Eng. bot. 2208.
40 mutabile. P. S.	changeable.		France.		Jac. ic. 1. t. 99.
41 sulphureum. W.en.			- Spain.	1815. — H. h	
42 croceum. P. S.				— Н. h	. Desf. alt. 1. t. 110.
43 hirtum. P. S.	bristly-calyxed.			1759. — F. b	. Barrel, rar. t. 488.
44 pulverulentum. P.S.		-	France.	— H. h	•
45 apenninum. P. S.	Apennine.		- Italy.		. Tabern. ic. 1062.
46 roseum. P. S.	Rose-coloured.		- S. Europe.	H. h	. Jac. hort. 3. t. 65.
47 polifolium. P. S.	white-mountain.	-	· England.	5.7. H.h	. Eng. bot. 1322.
				*	
			_	,	
milerina er -	A	DIGYNI	A.		
BAUERA. H. K.	BAUERA.		37 C 317	,	That show were
1 rubiæfolia. H. K.	Madder-leaved.	Comment of Association of the Comment of the Commen			. Bot. mag. 715.
2 humilis.	dwarf.	Amentaceæ. J.	•	- 1804. — G. h	•
FOTHERGILLA. W.			N America	1765 AG H L	Rot mag 1341.
1 alnifolia. W.	obtuse-leaved.		- N. America.	5.6. H. h	. Bot. mag. 1341.
2 major. B. M. 3 Gardeni. Jaca	acute-leaved.			5.0. II. n	. Jac. ic. 1. t. 100.
4 serotina. B. M.	green-leaved.			8. H.h	
CURATELLA. W.	CURATELLA.	Magnoliæ? J.		0. 11.12	•
americana. W.	American.		S. America.	S.b	. Aub. gui. 1. t. 232.
PÆONIA. W.	PÆONY.	Ranunculaceæ. J			9
1 Moutan. H. K.	Chinese-tree.			1789. 4.6. H. h	· 3x1 ver 370
a papaveraced.	Poppy-flowered.			-	· Bot. rep. c. ic.
\$ Banksii.	common.	*****		·	· Bot. mag. 1154.
y rosea.	Rose-coloured.				
2 edulis. P. L.	eatable-rooted.		- Siberia.	1784. 5.6. H.4	
a albistora.	white-flowered.				Bot. mag. 1756.
β tatarica.	Tartarian.				
y sibirica.	Siberian.	2 - 6: 1	100		Pot mon 40
8 rubescens.	blush-coloured,			- Indiana Managai Canama	Bot. reg. 42.
z uniflora.	single-flowered.	4900	China		Bot. rep. 612. 4 63
ζ Whitleji. η Humii.	double-white. double-crimson.				Bot. mag. 1768.
3 fragrans.	Rose-scented.				· Hort. trans. c. ic.
3 daurica. H. K.	Daurian.			1790. 5.6. H. 2	
4 corallina. W.	entire-leaved.				. Eng. bot. 1513.
5 officinalis. W.	common.		- Switzerland.	1548 H. 2	. Bot. mag. 1784.
β rosea.	Rose-coloured.				1
y blanda.	blush.				
d rubra.	double-red.				
z carnescens.	flesh-coloured.				
Z albicans.	whitish.				T) /
6 peregrina. H. K.	Turkish.		- Levant.	1629. 5.6. H.4	. Bot. mag. 1050.
β compacta.	compact.				
y Grevillii.	Greville's.			77.0/	
7 paradoxa.	paradoxical.		-	— Н. 4	•
β fimbriata.	double-fringed.			U	· 12 200 1574
8 mollis. 9 arietina.	Anderson's.			— H. 4	
β oxoniensis.	Oxford.	100			5
10 decora.	comely.			Н. 4	
A Pallasii.	Pallas's.				
B elatior.	tall.				
11 humilis. W.	dwarf.		- Spain.	1633. 5. H.4	. Bot. mag. 1422.
12 anomala. W.	jagged-leaved.		- Siberia.		1754.
laciniata. Pall. ro.					
13 hybrida. W.	mule				. Pall. ross. 2. t. 86.
14 tenuifolia. W.	fine-leaved.			- 1765 H.4	. Bot. mag. 926.

		(EDICINI)	1		
HIBBERTIA. H. K.	HIBBERTIA.	TRIGYNI. Magnoliæ? J. I		7	
1 volubilis. H. K.	twining.	Magnona: 5. 1		1790. 5.10. G.h.	Bot. ren. 196.
2 grossulariæfolia.	9			<del>-</del>	_
Н. К.	Gooseberry-lead.		N. Holland.	1803. 3.8. G.h.	Bot. mag. 1218.
crenata. B. R.					
DELPHINIUM. W.	LARKSPUR.	Ranunculaceæ. J.			
1 Consolida. W.	field.		England.	6.7. H.⊙.	Eng. bot. c. ic.
2 Ajacis, W.	Rocket.		Switzerland.	1573. — H.O.	Vahl. symb. 1. t. 13.
3 aconiti. W.	Aconite-like.		Levant.	1801. — H. J.	Vahl. symb. 1. t. 13.
4 ambiguum. W.	doubtful.		Barbary.	1759. 7.8. H.O.	•
5 peregrinum. W.	broad-ld. annual.		Levant.		All. ped. 2. t.25.f.3.
6 grandiflorum. W.	great-flowered.		Siberia.	1741. 6.9. H.4.	Bot. mag. 1686. 472
B flore pleno.	double-flowered.				
7 intermedium. W.	Palmated Bee.			1710. 7. H.4.	
8 elatum. W.	Common Bee.	***************************************		1597. 6.9. H.4.	Schk.hand.2.t.145.
9 hybridum. W.	hairy.			1794. — H. 4.	
hirsutum. P. S.					
10 exaltatum. W.	American.		N. America.		Mill. ic. t. 250. f. 2.
11 azureum. Ph.	azure.	<del></del>	Carolina.	1805. —— H.4.	
12 tricorne. Ph.	three-horned.		N. America.	1806. — H.4.	
13 urceolatum. W.	hollow-leaved.				Bot. mag. 1791.
14 puniceum. W.	scarlet-flowered.		Siberia.	1785. 7. H.4.	
15 staphisagria. W. en	. Stavesacre.		S. Europe.	1596. 4.8. H.⊙.	-
16 pictum. W. en.	painted.			1816. — H. &. — 6.8. H. 4.	
17 fissum. P. S.	cloven.		Hungary.	6.8. H.4.	Pl. rar. hung. t. 81.
ACONITUM. W.	WOLF'S-BANE.	Ranunculaceæ. J.			
I lycoctonum. W.	great yellow.		Alps of Eur.	1596. 7.8. H.4.	Jac. aust. 4. t. 380.
2 japonicum. W.	Japan.		Japan.	1790. 6.9. H.4.	
3 pyrenaicum. W.	Pyrenean.		Pyrenees.	1739. 6.7. H. 4.	to the
4 ochroleucum. W.	pale-white.		Caucasus.	1794. 6.9. H.4.	5 2
5 Anthora. W.	wholesome.		Pyrenees.		Jac. aust. 4. t. 382.
6 album. W.	white.	-	Levant.	1752. 7.8. H.4.	
7 barbatum. P. S.	hairy.		Siberia.	1807. 6.7. H.4.	
8 variegatum.	variegated.		S. Europe.	1597. 6.8. H.4.	
9 septentrionale, W.	northern.		N. Europe.		Flor. dan. t. 123.
10 Napellus, W.	Monk's-hood.	<del></del>	Europe.	1596. 5.7. H.4.	
11 pyramidale. Mil.	long-spiked.			6.7. H.4.	,
12 neomontanum. W.			rr	1799. 7.8. H.24.	
13 tauricum. W.	Taurian.		Tauria.	1752. 6.7. H. 4.	
14 volubile. W.	twining.		Siberia.	1799. 7.8. H.4.	
15 tortucsum. W. en.	twisting.			1812. — H.4.	*
16 Cammarum. W.	purple.		Germany.	1752. 7. H.4.	Jac. aust. 5. t. 424.
17 uncinatum. W.	American.		N. America.	1768. 7.8. H.4.	Bot. mag. 1119.
		PENTAGYNIA.			
CIMICIFUGA. Ph.	Bugwort.	Ranunculaceæ. J.			
1 Serpentaria. Ph.			N America	1720 67 H 1	Dill. elt. t. 67. f. 78.
	W.		IV. America.	1/32. 0./. H.4.	Dill. etc. t. 67. 1. 78.
2 fœtida. W.	stinking.		Siberia.	1777. — H.4.	Lam ill 407
3 cordifolia. Ph.	heart-leaved.	-	N. America	1812. — H. 4.	Dam. III. 407.
4 palmata. Ph.	palmated.		14. Timerieu.	7.8. H. 4.	Bot mag 1620
AQUILEGIA. W.	COLUMBINE.	Ranunculaceæ. J.		1.0. 11.4.	Dot. mag. 1030.
1 viscosa. W.	clammy.			1759, 5.6. H N	Gouan. ill. t.19.f.1.
2 vulgaris. E. B.	common.		Britain.	5.7. H.4.	
A flore pleno.	double-flowered.		2571000111	**** 0.7. 11.24.	246. 000. 297.
3 bicolor. P. S.	two-coloured.		Siberia.	н. и.	Bot. mag. 1221.
hybrida. B. M.	***************************************			22.20	1300 mag. 1221.
4 alpina. W.	Alpine.	-	Switzerland.	1731. 5.6. H.4.	All. ned. 9 + 66
5 canadensis. W.	Canadian.		N. America.	1640. 4.5. H.4.	Bot. mag. 246.
6 atropurpurea.W.en.			Siberia.	5.6. Н. 4.	23000 22200
7 viridiflora. W.	1 T	-		1780. — H.4.	
	green-flowered.				
	green-flowered.	D			
NIGELLA. W.	FLOWER.	Ranunculaceæ. J.			
	FENNEL-		S. Europe.	1570. 6.9. H.⊙.	Bot. mag. 22.
NIGELLA. W.	{FENNEL- FLOWER. }		S. Europe.	1570. 6.9. H.⊙. 1793. — H.⊙.	Bot. mag. 22.
NIGELLA. W. 1 damascena. W.	FLOWER. }		S. Europe. Egypt.	1793. — H.⊙.	· ·
NIGELLA. W. 1 damascena. W. 2 coarctata.	FLOWER. } common. dwarf.			1793. — H.⊙. 1548. — H.⊙.	Zorn. ic. 119.
NIGELLA. W. 1 damascena. W. 2 coarctata. 3 sativa. W.	FLOWER. } common. dwarf. small.		Egypt.	1793. — H.⊙. 1548. — H.⊙. 1683. — H.⊙.	Zorn. ic. 119. Schk.hand.2.t.146.
NIGELLA. W.  1 damascena. W. 2 coarctata. 3 sativa. W. 4 arvensis. W.	FENNEL- FLOWER.  common. dwarf. small. field.		Egypt. Germany. Spain.	1793. — H.⊙. 1548. — H.⊙.	Zorn. ic. 119. Schk.hand.2.t.146. Bot. mag. 1265.

# POLYANDRIA POLYGYNIA.

W. V. A W. A W. A W. V. W.		*** *** -			
REAUMURIA. W.	REAUMURIA.	Ficoideæ. J.	C'a	1000 # 10 13	Dev land to 9 1847
hypericoides. W.	Hypericum-like.	-	Syria.	1800. 7.10. F.h.	Par. lond. 18. 2057
linifolia. P. L.		POLYGYNIA			045
NELUMBIUM. J.	SACRED BEAN.	Hydrocharideæ. J		ith.	
1 speciosum. W.	Indian.	-	India.	1787. 6.8. S.4.	Bot. mag. 903.
2 luteum. W.	yellow-flowered.		Carolina.	1810 S. 24.	
DILLENIA. W.	DILLENIA.	Magnoliæ? J.		·	
1 speciosa. W.	large-flowered.		E. Ind.	1800 S. h.	Exot. bot. 1. t. 2. 3. Roxb. cor. 1. t. 20.
2 pentagyna. W.	five-styled.		-	1803 S.h.	Roxb. cor. 1. t. 20.
ILLICIUM. W.	ANISEED-TREE.	Magnolia, J.			
1 floridanum. W.	red-flowered.	-	Florida.	1766. 4.6. F.h	. Bot. mag. 439.
2 parviflorum. W.	yellow-flowered. Tulip-Tree.	Manualin I		1790. 5.6. F.h.	vent. ceis. 22.
LIRIODENDRON.W. tulipifera. W.	common.	Magnoliæ. J.	M America	1663. 6.7. H.h.	Bot mag 275
β obtusiloba.	obtuse-lobed.		Pensylvania.	1003. 0.7. 11. η	. Dot. mag. 270.
MAGNOLIA. W.	MAGNOLIA.	Magnoliæ. J.	1 chajivania.		
1 grandiflora. W.	Laurel-leaved.		Carolina.	1734. 6.10. H. h	
« elliptica.	ferrugineous.			TTT	Dat non fin
B obovata.	broad-leaved.			H.h.	Mich. arb. t. 1. 10 53
y lanceolata.	long-leaved.			——— H.h.	Mich. arb. t. 1.49 >-
2 glauca. Ph.	{ deciduous }	-	N. America.	1688, 6.9, H.b.	t. 2.2162
•	swamp.			— H.h. 1789. 2.4. F.h.	7,700
3 longifolia. Ph.	evergreen swamp Youlan.		China	1700 04 F.L	Dat mar 1601
4 conspicua. H. K. 5 obovata. W.	purple.		Ciiiia.	1700. 46 F h	. Bot. mag. 1021.
6 tomentosa. W.	slender.			1804. 3.4. F. h	Par. lond. 87.
7 pumila. W.	dwarf.	-		1790. 4.6. F. h 1804. 3.4. F. h 1786. 1.12. G. h	Bot. mag. 977.
8 fuscata. H. K.	brown-stalked.	-		1789. 4.5. G. h. 1804. — G. h.	1008.
9 annonæfolia. P. L.	small-flowered.		·	1804 G. h.	Par. lond. 5.
10 cordata. Ph.	heart-leaved.		N. America.	1801. 6.7. H.h.	. Mich. arb. t. 4.
11 acuminata. W.	bluish-flowered.			1736. 5.7. H.h.	t. 3. 242
12 tripetala. W.	umbrella.			1752. 5.6. H.h.	t. 5. 2/8
13 macrophylla. Ph.	long-leaved.		Camalina	1800. 6.7. H.h.	Pot mon 1000
14 auriculata. W. 15 pyramidata. Ph.	ear-leaved. pyramidal.		Caronna.	1786. 4.5. H.h. 1811. — H.h.	13 ac 11 200.
MICHELIA. W.	MICHELIA.	Magnoliæ. J.		1011. — 11. η	and the state of
Champaca. W.	sweet-scented.		E. Ind.	1779 S.b.	Rheed. mal.1.t.19.
UVARIA. W.	UVARIA.	Annonæ. J.		•	
1 zeylanica. W.	Ceylon.		E. Ind.	1794 S. h	. Rheed.mal. 2. t. 10.
2 lanceolata. W.	Lance Wood.		Jamaica.	1793 S.h.	•
3 odorata. W.	sweet-scented.		Java.	1804. 5.7. S.h.	Rumph.amb.2.t.65
ANNONA. P. S.	CUSTARD APPLE.		TT T. 3	10r0 C T	T . 1 4 .
1 muricata. W.	Sour Sop.			1656 S.h.	. Jac. obs. 1. t. 5 Trew. ehret. t. 49.
2 tripetala. W. 3 squamosa. W.	broad-leaved. Sweet Sop.		S. America.	1731 S. L.	Rheed. mal. 3.t. 29.
4 paludosa: W.	marsh.				
5 reticulata. W.	netted.	<del></del>	S. America.	1690 S. h	Rheed.m.3. t.30,31
6 hexapetala. W.	long-leaved.	Frank 1 L. L. L. K.	China.	1758. 6.7. S.h	Aub. gui. 1. t. 246. Rheed.m.3. t.30,31
7 palustris. W.	shining-leaved.		W. Ind.	1731 S. h.	. Pluk.alm.t.240.f.6.
8 glabra. W.	smooth-fruited.	-	Carolina.	1774. 7.8. S. h.	. Cat. car. 2. f. 64.
PORCELIA P. S.	PORCELIA.			lich. Annonæ sp. I.	
1 triloba. Ph.	trifid-fruited.		N. America.	1736. 8. H.h	. Cat. car. 2. t. 83.
2 parviflora. Ph.	small-flowered. dwarf.			1806. 4.5. H. h	Barte trav t 1
3 pygmæa. Ph. XYLOPIA. W.	XYLOPIA.	Annonæ. J.		1812 H. h	. Baitte trave to 1.
1 muricata. W.	rough-fruited.		W. Ind.	1793 S. b.	Brown.jam. t.5.f.2.
2 glabra. W.	smooth-fruited.		Jamaica.		Pluk.alm. t.233.f.4.
HEPATICA. W. en.	Нератісл.	Ranunculaceæ. J.	. Anemonis sy		
triloba. W. en.	common.		Europe.	1573. 2.4. H.4	
a cærulea.	blue.				
3 cæruleo-plena.	double blue.				T) -4
y rubra.	red.	Water Committee of	-	Controlle deficients business	Bot. mag. 10.
8 rubro-plena.	( red- cuthered)			•	
e alba.	{ red-anthered } white}				
Z nivea.	snowy white.				
ANEMONE. W. en.	ANEMONE.	Ranunculacea. J.			
1 coronaria. W.	Poppy.		Levant.	1596. 4.5. H. 4.	Bot. mag. 841.
& plena.	double-flowered.				*
			`		

#### POLYANDRIA POLYGYNIA.

	POLYANDRIA POLYGYNIA.								
	0	hortensis. W.	star.	Ranunculaceæ. J.	Italy	1507	15	T-T 21	Bot. mag. 123.
		palmata. W.	palmated.						Bot. reg. 200.
		sibirica. W.	Siberian.		Siberia.			H.4.	100.100.
		baldensis. W.	Strawberry-like.						Jac. ic. 1. t. 103.
		sylvestris. W.	Snowdrop.	-					Bot. mag. 54.
		virginiana, W.	Virginian.		N. America.	1722.	5.6.	H. 24.	Herm, par, t, 18;
		pensylvanica. Ph.	Pensylvanian.		THITTHETICAL	1766.	0.0.	H.21.	Tiermi part to Tot
		dichotoma. Ph.	forked.	-		1768.		H.21.	Lin. fil. d. 2. t. 15.
		trifolia. W.	three-leaved.		France.				Moris. s. 4. t.25. f.1.
		nemorosa. W.	wood.		Britain.				Eng. bot. 355.
		apenuina. W.	blue mountain.		England.				1062.
		ranunculoides. W.	vellow wood.					H. 24.	1484.
		narcissiflora. W.	Narcissus-flowd.		Siberia.	1773.	5.	H. 24.	Bot. mag. 1120.
	15	thalictroides. W.	Meadow-Rue-ld.		N. America.	1768.	4.5.	H.4.	866.
- 2	PU	LSATILLA. W. en.	PASQUE FLOWER.	Ranunculaceæ. J.	Anemonis sp.	, IV.			
	1	alpina. W. en.	Alpine.		Austria.				Jac. aust. 1. t. 85. W 2001
	2	pratensis. W. en.	meadow.						Fl. dan. t. 611. 7 1868
		obsoleta.	pale-flowered,						Bot. mag. 1863.
		vulgaris. W. en.	common.		England.	• • • •	4.5.	H.4.	Eng. bot. 51.
		Halleri. W. en.	Haller's.		Switzerland.	1816.		H.4.	All. ped. t. 80. f. 2.
		vernalis. W. en.	spring.						Fl. dan. t. 29.
		cernua. W.	drooping.			1806.	5.6.	H.4.	_ 8890
		patens. W. en.	spreading.			1752.	6.7.	H.4.	Breyn. cent. t. 61.
		TRAGENE. W.	ATRAGENE.	Ranunculaceæ. J.					
		austriaca. H. K.	Austrian.		Austria.				Bot. rep. 180.
		sibirica. H. K.	Siberiau.		Siberia.	1753.	6.7.	H. h.	Pall. ros. 2. t. 76. /05%.
		americana. H. K.	American.		N. America.	1797.	5.6.	H.h.	Bot. mag. 887.
		capensis. W.	Cape.		С. В. S.				716.
	Đ	zeylanica. W.	Ceylon.		Ceylon.	1796.	• • • •	s.n.	Rox. cor. 2. t. 188,
	CI	EMATIS. W.	{Virgin's }	Ranunculaceæ. J.					
	,	cirrhosa. W.	Bower.		Spain	1506	9.4	T.T. T.	Dot mag 1000
		florida. W.	evergreen. large-flowered.						Bot. mag. 1070.
	2	β flore pleno.	double-flowered.	,	o apan.	1770.	2.3.	11.77.	354.
	3		purple.		Spain.	1560	69.	H. L.	565.
	·	β plena.	double purple.		Dpans.	1003.	0.5.	11.1/	0000
	4	Viorna. W.	leathery-flowerd.		N. America.	1730.		- Н.Ь.	Dill.elt.t.118.f.144
		reticulata; Ph.	netted.			1812.		- H. h .	
		cylindrica. H. K.	long-flowered.			1802.	7.9.	H.b.	Bot. mag. 1160.
		crispa. B. M.	curled-flowered.			1726.		- Н. Б.	1892.
		calycina. W.	Minorca.		Minorca.	1783.	2.3.	G.h.	<del> 959.</del>
		orientalis. W.	oriental.		Levant.	1731.	7.10	. H.h.	Dill.elt.t.119.f.145
		virginiana. W.	Virginian.		N. America.	1767.	6.8.	H.h.	Pluk.man. t.379.f.4
	11	dioica. W.	Jamaica.		W. Ind.	1733.	5.6.	S.b.	Slo.jam.1.t.128.f.1.
	12	aristata. B. Reg.	awned-anthered.		N. Holland.	1812.	5.8.	G.h.	Bot. reg. 238.
	13	brachiata. B. Reg.	armed.		C. B. S.		10.12	. G. h.	Bot. reg. 97.
	14	Massoni.	Masson's.					G.h.	
		Vitalba. W.	Traveller's Joy.	-	England.		7.9,	H.h.	Eng. bot. 612.
	16	Flammula. W.	sweet-scented.		France.	1596.	7.10	H.h.	Knor. thes. 2. t.C.9
		B latifolia.	broad-leaved.		~ ~				
		maritima. W.	sea.		S. Europe.			H.4.	
		erecta. W.	upright.	-	Austria.	1597.	6.8.	11.24.	Jac, aust. 3. t. 291.
		angustifolia. W.	narrow-leaved.		N. Amaria	1787.	5.9.	H.4.	Jac. 1c. 1. t. 104.
		ochroleuca. W.	silky.		Linguage	1707.	6.7.	H.4.	Pluk.man. t.379.f.5
	21	integrifolia. W.	entire-leaved.		Hungary.	1596.	6.8.	н. 4.	Bot. mag. 65.
	TT	β angustifolia. HALICTRUM. W.	narrow entire-le. Meadow-Rue.	Ranunculaceæ. J.			-		
		alpinum. W.	Alpine.		Britain.		5 77	LI M	Eng hot oca 200
		fœtidum. W.	fœtid.			1640			Eng. bot. 262. + 2237
		tuberosum. W.	tuberous-rooted.						Pl.rar.hun.2.t.174. Mill.ic.2.t.265.f.2.
		Cornuti. W.	Canadian.						Corn. can. t. 187.
		dioicum. W.	diœcious.					H.4.	
		elatum. W.	tall.		Hungary.				Jac. vind. 3. t. 95.
		majus. W.	greater.			• • • • •			Eng. bot. 611.
		medium. W.	middle.		Hungary.				Jac. vind. 3. t. 96,
		minus. W.	lesser.		Britain.				Eng. bot. 11.
		concinnum. W. en.	neat.					- H. 24.	
		rugosum. W.	rough.	P	N. America.				
	12	sibiricum. W.	Siberian.					H.4.	t *
	13	squarrosum. W.	squarrose.					н.4.	

# POLYANDRIA POLYGYNIA.

140	1011	TELVIDICITE I	OLIGI	TATEX	•		
14 pubescens. Ph.	pubescent.	Ranunculaceæ. J.	N. America.	1806.	6.7.	H.4.	
15 purpurascens. W.	purple.	<del></del>		1699.			
16 angustifolium. W.	narrow-leaved.		Germany.	1739.		H.4.	Jac. vind. 3. t. 43.
17 lucidum. W.	shining.		Spain.				Pluk. alm. t. 65.f.5.
18 flavum. W.	common.						Eng. bot. 367.
19 nigricans. W.	black.	-					Jac. aus. 5. t. 421.
20 speciosum. W. en. 21 ranunculinum.	(Ranunculus-)	CONTRACTOR DOLLARS	•			H.4.	
· · · · · · · · · · · · · · · · · · ·	leaved.	Application of the state of the	N. America.	1806.	-	H.4.	
22 simplex. W.	simple-stalked.		Sweden.	1778	5.6	H 21	Fl. dan. 244.
23 aquilegifolium. W.		Roman vinde de descripção de consequences que de	Austria.				Jac. aust. t. 318.
β atro-purpureum.	dark purple.		-				
24 galioides. W. en.	sweet-scented.		Alsatia.	1816.		H. 4.	Bot. mag. 1818.
25 contortum. W.	crook-seeded.		Siberia.			H.4.	
26 petaloideum. W.	Daurian.		Dauria.	1799.		H.4.	
ADONIS. H. K.	Adonis.	Ranunculaceæ. J.	~ ~				
1 æstivalis. W.	tall.	Instrumental Blight spreamphony speciments on the	S. Europe.				Knor.thes.2.t.A.12
2 autumnalis. W.	Pheasant's-eye.	1					Eng. bot. 308.
3 flammea. W. 4 vernalis. W.	flame-coloured.						Jac. aust. 4. t. 355.
KNOWLTONIA. H.K		Ranunculaceæ. J.			3.4.	п. 4.	Bot. mag. 134.
1 rigida. H. K.	thick-leaved.	Tuniancumeca: 9.			3.5	G 21	Vent. malm. 22.
2 vesicatoria. H. K.	blistering.			1691.	2.4.	G. 21.	Bot. mag. 775. 2.936
FICARIA. P. S.	PILEWORT.	Ranunculaceæ. J.					
verna. P. S.	vernal.				3.5.	H.24.	Eng. bot. 584.
β plena.	double-flowered.						
RANUNCULUS. W.	CROW-FOOT.	Ranunculaceæ. J.					
1 Flammula. W.							Eng. bot. 387.
2 reptans. W.	Least Spearwort.		-				
3 Lingua. W.			0. 1		6.8.	H.4.	Eng. bot. 100.
4 nodiflorus. W.	knot-flowered.		Sicily.				Pl.rar.hung.2.t.176 2
5 gramineus. W.	grassy.		Waies.				Eng. bot. 2306.
6 parnassifolius. W. 7 amplexicaulis. W.	Plantain-leaved		Pyrenees				Bot, mag. 386.
8 bullatus. W.	Portugal.		S. Europe.			H.4.	2000
9 Thora. W.	kidney-leaved.	-	Austria.				Jac. aust. 5. t. 442.
10 creticus. W.	Cretan.		Candia.			H.24.	
11 cassubicus. W.	Cassubian.		Siberia.				Lœs. prus. t. 72.
12 auricomus. W.	wood.		Britain.		4.5.	H.4.	Eng. bot. 624.
13 abortivus. W.	three-flowered.	-	N. America.	1713.	5.8.	H.4.	
14 sceleratus. W.	Celery-leaved.		Britain.	• • • •	5.6.	H.⊙.	Eng. bot. 681.
15 aconitifolius. W.	Aconite-leaved.		Alps of Eur.	1596.		н.4.	7) / 00/
β flore pleno.	double-flowered.	space regulations are a second physician area				TT 2/	0
16 platanifolius. W.			Germany.				Fl. dan. 111. Pl.rar.hung.2.t.108.
17 pedatus. W. en. 18 illyricus. W.	pedate. Illyrian.		S Europe	1506	4.0.	H 2/	Jac. aust. 3. t. 222.
19 asiaticus. W.	common garden.		Levant.				Mill. ic. 2. t. 216.
20 gregarius. P. S.	villous.	-	Portugal.			H.4.	2
21 rutæfolius. W.	Rue-leaved.		Austria.				Jac. col. 1. t. 6, 7.
22 glacialis. W.	two-flowered.		Lapland.	1775.	6.8.	H.4.	Fl. dan. 19.
23 nivalis. W.	snewy.					H.4.	Fl. lap. t. 3. f. 2.
24 montanus. W.	mountain,					H.4.	Jac. aust. t. 325. 6.
25 alpestris. W.	Alpine.		Scotland.			H.4.	Eng. bot. 2390.
26 pensylvanicus. W.	Pensylvanian.		N. America.	1785.	6.7.	H. J.	Jac. ic. 1. t. 105,
27 bulbosus. W. 28 hirsutus. H. K.	bulbous.		Britain.				Eng. bot. 515.
29 marylandicus. Ph.	pale hairy. Maryland.		N America	1811.			1504.
30 repens. W.	creaping.		Britain.	1011.			Eng. bot. 516.
β flore pleno.	double-flowered.		211111111	••••	0.0.	*	28
31 polyanthemos. W.	many-flowered.		N. Europe.	1596.	5.6.	H.24.	Lob. ic. 666.
32 acris. W.	upright.		Britain.				Eng. bot. 652,
β flore pleno.	double-flowered.	>					Bet. mag. 215.
33 lanuginosus. W.	woolly-leaved.		S. Europe.				Fl. dan. 397.
34 sericeus. W. en.	silky-leaved.	- N.	Caucasus.			H.4.	01. 1/ 010.53
35 parvulus. W.	little upright.		England.	• • • •			Col.ecphr.t,316.f.1,
36 hederaceus, W.	Ivy-leaved.		Britain.	• • • •			Eng. bot. 2003.
37 aquatilis. W. 38 rigidus. P. S.	various-leaved.					H.4.	101.
39 fluviatilis. W.							Fl. dan. 376.
40 arvensis. W.	corn.	-					Eng. bot. 135.
,	-,					4	

## DIDYNAMIA GYMNOSPERMIA.

41 muricatus. W.	prickly-seeded.	Ranunculaceæ. J.	S. Europe.	1683.	7.8.	H.O.	Alp. exot. t. 262.
42 parviflorus. W.	small-flowered.						Eng. bot. 120.
TROLLIUS, W.		Ranunculaceæ, J.					
1 laxus. Ph.	American.	Tumuneuracea. 6.		1805.	5.7.	H.21.	3 4 61 1915
2 europæus, W.	European.	(*************************************		10000	5.6	H 2/	Eng. bot. 28.
3 asiaticus, W.	Asiatic.						Bot. mag. 235.
β intermedius.	intermediate.		Siocia.	1703.		11.4.	Dot. 11116. 200.
y hybridus.	hybrid.						
ISOPYRUM. W.	ISOPYRUM.	Ranunculaceæ, J.					
1 fumarioides. W.		Transmitted actives of		2741	e	HO	Am. ruth. 74. t. 12.
2 thalictroides. W.							Jac. aust. 2. t. 105.
2 manetiones. W.	(WINTER-)		Itary.	1709.	3.4.	11.4.	oge. aust. 2. t. 100.
ERANTHIS. L. T.	ACONITE.	Ranunculaceæ. J.	Hellebori sp.	W.			
hyemalis. L. T.	common.		Italy	1500	1.0	LI M	Dot mag 9
HELLEBORUS. W.	Hellebore.	Ranunculaceæ, J.	italy.	1396.	1.5.	п. 4.	Dot. mag. 3.
1 niger. W.		2.00.000.000.00	A 4 .*-	1500		TT 3	D.4
	Christmas-Rose.						Bot. mag. 8.
2 viridis. W,	green.						Eng. bot. 200.
3 purpurascens. P. S.	A 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	<del></del>					Pl.rar.hung.2.t.101
4 odorus. W. en.		·					
5 dumetorum. W. en.							
6 fœtidus. W,	Bear's-foot.		England.		2.4.	H.4.	Eng. bot. 613,
	three-leaved.			1710.	1.5.	F.4.	Bot. mag. 72.
COPTIS. L. T.	COPTIS.	Ranunculaceæ. J.	Hellebori sp.	II".			
trifolia. Ph.	three-leaved.		N. America.	1782.	6.7.	H. 24.	Fl. dan. 566.
CALTHA. W.	(MARSH	n 1 r					
CALITIĄ. W.	MARYGOLD.	Ranunculaceæ. J.					
I radicans, L. T.	creeping.		Scotland,		4.5.	H. 4.	Linn. trans. 8.t. 17.
2 palustris. W.	common.		Britain.			H.24.	Eng. bot. 506.
B flore pleno.	double-flowered.						3.
HYDROPELTIS. H.K.		Ranunculaceæ. J.	Brasenia, Ph	2.			
purpurea. H. K.	purple.				7.8.	F.24.	Bot. mag. 1147.
HYDRASTIS. W.		Ranunculaceæ. J.	-;	-,00		7.	5
canadensis. W.		Tundical access of	Canada.	1759.	5.6	H.21.	Mill. ic. 2, t. 285.
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			- CHILLIAN CHI	.,050	0.00		

# CLASS XIV.

## DIDYNAMIA GYMNOSPERMIA.

AJUGA. B. P.	BUGLE.	Labiatæ. J.					
1 orientalis. W.	oriental.		Levant.	1732.	5.6.	H. 4.	Dill. elt. t. 53. f. 61.
2 pyramidalis. W.	pyramidal.		Britain.			H. 24.	Eng. bot. 1270.
3 alpina. W.	Alpine.		England.		5.7.	H. 4.	<del></del>
4 genevensis. W.	Geneva.		Switzerland.				Bull. herb. t. 361.
5 reptans. W.	common.		Britain.				Eng. bot. 489.
B alba.	white-flowered.						3
y rubra.	red-flowered.						
6 Chamæpitys. W.	Ground Pine.		England.		4.7.	H.O.	Eng. bot. 77.
7 Iva. W.	musky.		S. Europe.				Cav. ic. 2. t. 120.
ANISOMELES. B. P.	ANISOMELES.	Labiatæ. J.	•				
ovata. H. K.	broad-leaved.		E. Ind.	1783.	7.8.	S.O.	Burm.zeyl.t.71.f.1.
TEUCRIUM. W.	GERMANDER.	Labiatæ. J.				_	
1 campanulatum, W.	small-flowered,		Levant.	1728.	7.8.	H. 4.	
2 orientale. W.	great-flowered.	<del></del>				•	Bot. mag. 1279.
3 Botrys. W.	cut-leaved.		S. Europe.				Ger. emac. 525.f.2.
4 nissolianum, W.	Nissole's.						Mor.s.11.t.22.f.19.
5 trifidum. W.	trifid-leaved.		C. B. S.	1791.			
6 fruticans. W.	narrow-ld. tree.		Spain.	1640.	6.9.	G.h.	Dill.elt.t.284.f.366
7 latifolium. B. M.	broad-leavd.trce.						Bot. mag. 245.
8 Marum. W.	Cat-thyme.		Spain.	1640.	7.9.	F.h.	Park. theat. 17. f. 2.
9 multiflorum, W.	many-flowered.			1731.		H.4.	Bocc. mus. t. 117.
10 regium. W.	royal.			1699.	5.10.	F.h.	Pluk.alm.t.65.f.1.
11 Laxmanni. W.	Laxmann's.		Siberia.				Pl.rar.hung.1.t.69.
12 sibiricum. W.	Siberian.		-	1804.			, 8
13 asiaticum. W.	Asiatic.						Jac. vind. 3. t. 41.

## DIDYNAMIA GYMNOSPERMIA.

14 cubense. W.	Cuba.	Labiatæ. J.	Cuba.	1733. 5.	S. J.	Jac. obs. 2. t. 30.
15 canadense. W.	Nettle-leaved.		N. America.	1768. 8.9.	H.4.	
16 virginicum. W.	Virginian.			5.6.	H.4.	
17 inflatum. W.	thick-spiked.			1778. 3.10.	S.4.	
18 hyrcanicum. W.	Betony-leaved.			1763	H.4.	Arduin.spec.13.t.4,20
19 Abutiloides. W.	Mulberry-leav'd.		Madeira.			Jac.schen.3.t.358.
20 Scorodonia. W.	Wood Sage.		Britain.			Eng. bot. 1543.
21 betonicum. W.	hoary.		Madeira.			Bot. mag. 1114.
22 resupinatum. W.	resupinate.		Barbary.			Desf. atl. 2. t. 117.
23 massiliense. W.	sweet-scented.		France.			Jac. vind. 1. t. 94.
24 Scordium. W.	water.		England.			Eng. bot. 828.
25 Chamædrys. W.	wall.					680.
26 heterophyllum. W.	various-leaved.		Madeira	1759. 6.7.		000.
27 lucidum. W.	shining.		S Europe		•	Magn. hort. 52.
28 flavum. W.	yellow-flowered.		S. Europe.	1640 7.0	E L	Park.theat. 109.f.1.
29 montanum. W.				1710. 7.10	Tr. L.	Tara.theat. 103.1.1.
30 supinum. W.	procumbent.		Austria			Too and 5 4 417
	2		Ziustiia.			Jac. aust. 5. t. 417.
31 thymifolium, P. S.	Thyme-leaved.		Spain.	1816. —		
32 pyrenaicum. W.	Pyrenean.		Pyrenees.	1781. 6.8.		G : 0 4 117
33 aureum. W.	Golden Poley.		S. Europe.	6.7.	F.h.	Cav. ic. 2. t. 117.
34 Polium. W.	Poley.	***************************************		1562. 7.9.	r.h.	Barr. rar. t. 1074.
35 flavescens. P. S.	Yellow Poley.				- F. h.	t. 1073.
36 gnaphalodes. P. S.	woolly-calyxed.	-	Spain.	1816	- F.h.	t. 1073.
37 Pseudohyssopus. W.			Italy	1804. 6.7.	H.h.	Col. ecphr. 1. t. 67.
38 capitatum. W.	round-headed.		Spain.			Cav. ic. 2. t. 119.
39 pycuophyllum. P.S.		<del></del>		1816. —	H.4.	Barr. rar. 1096.
40 pumilum. W.	small.			-	- F.h.	t. 1092.
41 spinosum. W.	thorny.			1640. 5.6.	H.⊙.	Cav. ic. 1. t. 31.
42 subspinosum. W. en.	Minorca.		Minorea.	1816	G.h.	
WESTRINGIA. B. P.	WESTRINGIA.	Labiatæ. J.				
1 resmariniformis.	Rosemary-leavd.		N. S. W.	1791. 5.8.	G.h.	Bot. rep. 214.
2 Dampieri. B. P.	Dampier's.		N. Holland.	1803. 5.7.	G.h.	-
SATUREJA. W.	SAVORY.	Labiatæ. J.			•	
1 juliana. W.	linear-leaved.		Italy.	1596. 5.9.	F. 24.	Lam. ill. t. 504. f. 1.
2 Thymbra. W.	whorl-flowered.	-	Candia.	1640. 5.7.	G.h.	Barr. ic. t. 898.
3 græca. W.	Grecian.		Greece.			Alp. exot. t. 264.
4 montana. W.	winter.		S. Europe.	1562		•
5 rupestris. W.	rock.	-	Carniola.	1798:	- H. 4.	Jac. ic. 3. t. 494.
6 hortensis. W.	summer.		Italy.	1652, 6.8.	H.O.	Lam.ill.it.504.f.1.
7 capitata. W.	ciliated.	-	Levant.			Barr. ic. t. 897.
8 viminea. W.	Pennyroval-tree.		Jamaica.	1783		
THYMBRA. W.	THYMBRA.	Labiatæ. J.	o tomatou.	.,	~.,,,	
1 spicata. W.	spike-flowered.		Levant.	1699, 6.7,	G. b.	Pluk.alm.t.116.f.5.
2 verticillata. W.	whorl-flowered.		Spain	1702. —		
HYSSOPUS. W.	HYSSOP.	Labiatæ. J.	Spann		0.17.	
1 officinalis. W.	common.		S Furone	1548. 6.9.	н.ь.	Jac. aust. 3. t. 254.
2 orientalis. W. en.	oriental.	-	Cancague			15-9-19200
3 Lophanthus. W.	Mint-leaved.	-				Jac. vind. 2. t. 182.
4 nepetoides. W.	square-stalked.		N America	1602 9 10	H 2	
5 scrophularifolius.	Figwort-leaved.		A TAINCING	1800 7 9	H. 21	Herm. parad. t.106.
PYCNANTHE- }	0					
MUM. Ph.	PYCNANTHEMUM	. Labiatax. J. Pyc	manthemum &	Brachyster	num. M	ich.
	hoary.		N America	1729 7 10	Ha	Dill elt t 74 f 95
1 incanum. Ph. 2 aristatum. Ph.	awned.					Dill.elt. t. 74.f. 85. Mich. amer. 2.t. 33.
	Flax-leaved.					
3 linifolium. Ph.		***************************************	-	1739. 7.8.	п. 4.	Herm.parad.t.218.
Thymus virginicus.				1010	TT N	
4 lanceolatum. Ph.	spear-leaved.	Labiatæ, J.		1812.	-n.4.	
NEPETA. W.	CATMINT.		D '' '		** **	F 1
1 Cataria. W.	common.					Eng. bot. 137.
2 angustifolia. W.	narrow-leaved.			1798. 6.7.		
3 crispa. W.	curl-leaved.		Levant.	1800. 7.8.		To a such 2 4 100
4 pannonica. W.	Hungarian.		Hungary.			Jac. aust. 2. t. 129.
5 cærulea. W.	blue.			1777. 5.6.		D
6 violacea. W.	violet-coloured.	<del></del>	Spain.			Boc. mus. t. 36.
7 longiflora. H. K.	long-flowered.		Persia.	1802. 6.8.		D (
8 Mussini. H. K.			Siberia.			Bot. mag. 925
9 incana. W.	hoary.	<del></del>	Levant.	1723. 8.		
10 ucranica. W.	Ukranian.	,	Ukraine.	1789. 7.8.		
11 Nepetella. W.	small.	,		1758		*
12 graveolens. W.	strong-smelling.			1804	н.4.	All. ped. t. 2. f. liv

# DIDYNAMIA GYMNOSPERMIA.

13 nuda. W.	naked.	Labiatæ. J.	S. Europe.	1710 7	7.8.	H.4.	Jac. aus. 1. t. 24.
14 colorata. W. en.	Nettle-leaved.			1806			
15 melissæfolia. W. en.				1752			
16 italica. W.	Italian.		Italy	1640. 6			Jac. vind. 2. t. 112,
17 marrubioides.W.en.	Marchand lad		Italy.				
			M				Desf. atl. 2. t. 124.
16 reticulata. W.	netted.		Morocco.	1801. /	.00.	11.4.	Desi. att. 2. c. 124.
19 lamiifolia. W. en.	Lamium-leaved.			1806			
20 teucriifolia. W. en.	Teucrium-leava.			1816			D : 4 000
21 tuberosa. W.	tuberous-rooted.						Barr. ic. t. 602.
22 lanata. W.	woolly.	<del></del>					Jac. obs. 3. t. 75.
23 multifida. W.	multifid.	<del></del>	Siberia.	1796. 7	.8.	H. 4.	Gmel. sib. 3. t. 55.
24 botryoides. W.	annual.			1779. 6	5.7.	H.⊙.	Cav. ic. 1. t. 49.
ELSHÓLTZIA. W.	ELSHOLTZIA.	Labiatæ. J.					
cristata. W,	crested.		Siberia.	1789.	5.7.	H.O.	Lam. ill. t. 502. f.1.
LAVANDULA. W.	LAVENDER.	Labiatæ. J.				•	
1 Spica. W.	common.	Tatolata: 01	S Europe.	1568.	7.9.	H.b.	Schk.hand.2.t, 157.
		,	D. Harope.	10001			504444444444
β alba.	white-flowered.					U L	
2 latifolia. W, en.	broad-leaved.						
3 Stechas. W.	French.						Barrel. ic. t. 301.
4 viridis. W.	Madeira.	<del></del>					Hoff. et L. lus. 1.t.4.
5 dentata. W,	tooth-leaved.		Spain.				Bot. mag. 401.
6 pinnata. W.	pinnated.	,	Madeira.	1777. 4	1.8.	G. h.	<del></del>
7 multifida. W.	cut-leayed.			1597. 7	7.9.	G. 3.	Lob. ic. 432.
0 1 / 13 777	[Southern- ]						
8 abrotanoides. W.	wood-leavd.			1699, 6	5.9.	G.n.	Comm. rar. t. 27.
9 carnesa, W.	thick-leaved,		E. Ind.	1788.	6.7.	S. Z.	Lin.amæ. ac.10.4
SIDERITIS. W.	IRONWORT.	Labiata. J.	23. 1.1.4.	.,		-,0 5	
			Conorios	1607	5 0	GL	Jac. vind. 3. t. 30.
1 canariensis. W.	Canary.		Canaries.				
2 candicans. W.	Mullein-leaved.		Madeira.				Comm.hort.2.t.99.
3 montana. W.	mountain.	7					Jac. aust. 5. t. 434
4 elegans. W.	dark-flowered.						Mur.com.gct.1.t.4
5 romana. W.	Roman,			1740.	5.8.	н.⊙.	Cav. ic. 2. t. 187.
6 syriaca. W.	Syrian.	<del>2</del>	Levant.	1597.	6.9.	G.h.	Sabb. hort. 3, t. 40.
7 perfoliata. W,	perfoliate.			1731. 8	3.11.	H. 4.	
8 incana. W.	Lavender-leaved		Spain.	1752.	7.8.	F.b.	Cav. ic. 2. t. 186.
9 ilicifolia. W. en.	Holly-leaved.						
10 spinosa. W. en.	spiny.		Spain.				
11 hyssopifolia, W.	Hyssop-leaved.		Deranees				Schk. hand. 2. t. 158.
			France.				
12 scordioides. W.	scollop-leaved.						Barr. ic. t. 343.
13 hirsuta. W.	hairy.	<del></del>					Cav. ic. 4. t. 302.
14 crispata. W. en.	curled-leaved.		Gibraltar.	1816.	5.9.	F. 4.	
BYSTROPOGON. W.	Bystropogon.	Labiatæ. J.					
1 plumosum, W.	woolly-flowered.	<del></del>	Canaries.	1779.	6.7.	G. h.	
2 origanifolium. W.	entire-leaved.			1815.	7.8.	G.h.	
3 canariense, W.	Canary.			1714.	6.8.	G.h.	Comm.hort.2.t. 65
4 punctatum. W.	cluster-flowered.		Madeira.	1775.			
MENTHA. W.	MINT.	Labiatæ. J.	,	* 1			
1 Auricularia. W.	Indian.	Zatolitect of	E Ind	1706	7 9	8 21	Rumph.amb.6.t.16
	horse.		Duitain			H.4.	reumphiamio.o.t.10
2 villosa. W.		<del></del>	Diltain.	• • • •			Eng hat Cac
3 sylvestris. W.	wild.						Eng. bot. 686.
4 nemorosa. W. en.	wood.						Fl. dan. t. 484.
5 rotundifolia. W.	round-leaved.	-	England.		8.9.	H.4.	Eng. bot. 446.
β variegata.	variegated.						
- 6 gratissima. W.	oblong-leaved.	<del></del>	Germany,	1799.	7.8.	H. 4.	
7 balsamea. W. en.	Balsam-scented.		Italy.	1804		H. 4.	
8 niliaca. W.	Egyptian.			1796		H.4.	Jac. hort. 3. t. 87.
9 capensis. W.	Cape.	-		1816			
10 viridis. W.	spear.		Britain.				Eng. bot. 2424.
11 palustris. S. M.	marsh.		Direction				13118. 5000 21210
			Forland			H.4.	Fra hat con
12 piperita. W.	pepper.						Eng. bot. 687.
13 crispa. W.	curled.			1640.			
14 crispata. W. en.	crumpled.			1807			
15 glabrata. W.	smooth.			1802			
16 incana. W. en.	hoary.			1790		H.4.	
17 undulata. W. en.	wave-leaved.			1816		H.4.	
18 odorata. H. K.	Bergamot.		England.				Eng. bot. 1025.
19 hirsuta. H. K.	hairy water.						447.
20 acutifolia. H. K.	sharp-leaved.		England.		9.	H. 71	2415.
21 sativa. W.	tall red.						448.
22 rubra. H. K.	common red.		Britain				
	- CHARLET LAND	Sa			01	41040	1413,

132	DIDYN	AMIA GY	MNOSPE	KM1	A.	
23 gracilis. H. K.	narrow-leaved.	Labiatæ, J.	Britain.		o II.	4. Eng. bot. 445.
24 gentilis. H. K.	bushy red.					4. Eng. 601, 449.
25 arvensis. H. K.	corn.					4 2119.
26 agrestis. S. M.	field.		***************************************			4. ———— 2120.
27 præcox. S. M.	early-flowering.					4. Sole's Mints, c. ic.
28 pratensis. S. M.	meadow.					4 t. 17.
29 rivalis. S. M.	river.				H.	
30 paludosa. S. M.	brook.	£	-		9. H.	
31 dentata. W. en.	toothed.		Germany.	1816.	7.8. H.	21.
32 canadensis. W.	Canadian.		N. America.	1801	7. H.	21.
33 Pulegium. W.	Pennyroyal.		Britain.			2. Eng. bot. 1026.
34 cervina. W.	Hyssop-leaved.		France.	1648.		24. Mor. hist. 3. t.7. f.7.
PERILLA. W.	PERILLA.	Labiatæ. J.				
ocymoides. W.	Basil-leaved.		India:	1770.	7.8. H.	O. Arduin.spec.2.t.13.
HYPTIS. Poit.	HYPTIS.	Labiatæ. J.				2395
1 capitata. H. K.	Jamaica.		W Ind	1714	0 7 6	Poit. An. mus. 7. t.
r capitata. 11. IX.	oamaica.			1714.	6.7. 3.	7 · { Poit. An. mus. 7. t. 27. f. 1.
2 radiata. H. K.	Carolina.		Carolina.	1690.	G.	$\frac{24}{2} \cdot \frac{7.t.27.f.2}{7.t.29.f.2}$
3 ebracteata. H. K.	small-headed.		W. Ind.	1778.	10.1. S.	⊙. — 7.t.29.f.2.
4 pectinata. H. K.	Balm-leaved.			1776.	12.1. S.	4. — 7. t. 30.
5 persica. P. S.	Persian.			1800.	7. G.	h. Linn. trans. 6. t. 12.
LEPECHINIA. W.	LEPECHINIA.	Labiatæ. J. Hori			,	
spicata. W.	spiked.	<del></del>	Mexico.	1800.	7.8. H.	4.
Horminum caulesce						
GLECHOMA. W.	GROUND IVY.	Labiatæ. J.				
1 hederacea. W.	common.	<u> </u>	Britain.			24. Eng. bot. 853.
2 hirsuta. P. S.	hairy.	· · · · · ·	Hungary.	• • • •	—— H.	4. Pl. rar. hung. t. 119.
LAMIUM. W.	ARCHANGEL.	Labiatæ. J.	•		x 0 ==	
1 Orvala. W.	Balm-leaved.		Italy.	1596.	5.7. H.	24. Bot. mag. 172. 24. Pluk.alm. t. 198.f.1.
2 lævigatum. W.	smooth.			1711.	3.10. H.	24. Pluk.alm. t. 198.f.1.
3 rugosum. W.	rough.			1766.	7.8. H.	4. Bocc. mus. 5. t. 23. 4. Exot. bot. 1. t. 48.
4 garganicum. W.	woolly.			1729.	H.	4. Col.ecphr. 1. t. 185.
5 maculatum. W.	spotted. white.		TD -14 - 1 - 1	1683.	6.7. H.	4. Collectur. 1. 1. 185.
6 album. W.			Britain.	1	4.9. 11.	4. Eng. bot. 768.
7 moschatum. H. K.	Dallitory loaved		Levanti	1739.	4 E LI	· ·
8 molle. W. 9 purpureum. W.			Dultain	1683.	4.5. H.	4 · Fra bot 760
10 incisum. H. K.	purple. 'cut-leaved.		Dritain.	• • • •	5.8. II.	⊙. Eng. bot. 769. ⊙. ———————————————————————————————————
11 amplexicaule. W.	Henbit.		7.	• • • •	9.7. II.	⊙. ————————————————————————————————————
12 multifidum. W.	multifid-leaved.		Lavent	1750	4.5 H	⊙. Comm. rar. t. 26.
GALEOPSIS. W.	HEMP-NETTLE.	Labiatæ. J.	Levanu	1/02.	4.0. 11.	. Comm. 1ar. t. 20.
1 Ladanum. W.	red.	Daoraca. 5.	Britain.		79. H.	O. Eng. bot. 884.
2 villosa. E. B.			Direction.		7.8. H.	O. 2353.
3 Tetrahit. W.	common.				H.	<ul><li>⊙. — 2353.</li><li>⊙. — 207.</li></ul>
4 versicolor. H. K.	large-flowered.	***************************************		4	H.	O. ——— 667.
GALEOBDOLON. }						0.
E. B.	DEAD-NETTLE.	Labiatæ. J.				
luteum. H. K.	yellow.		Britain.		5.6. H.	4. Eng. bot. 787.
BETONICA. W.	BETONY.	Labiatæ. J.				, 0
1 officinalis. W.	wood.		Britain.		7.8. H.	24. Eng. bot. 1142.
2 stricta. W.	Danish.		Denmark.	1592.	6.7. H.	24. Park.theat.615.f. 4.
3 incana. W.	hoary.		Italy.	1759.	H.	4. Ja 800. 216
4 orientalis. W.	oriental.		Levant.			4. Lam.ill. t. 507. f. 2.
5 alopecurus. W.	fox-tail.	90AC - 1	S. Europe.			24. Jac. aus. 1. t. 78.
6 hirsuta. W.	hairy.		· Italy.	1710.	6.7. H.	4. Mur.com.get.2.t.3
7 grandiflora. W.	great-flowered.	-	· Siberia.	1800.	—— H.	4. Bot. mag. 700.
STACHYS. W.	HEDGE-NETTLE.	Labiatæ. J.				
i sylvatica. W.	common.		- Britain.		7.8. H.	4. Eng. bot. 416.
2 mollissima. W. en.			· Corfu.			4. W. Hort. ber. t. 60.
3 circinata. W.	blunt-leaved.		Barbary.	1777.	5.7. H.	4. L'Her. s. nov. t. 26.
4 decumbens. P. S.	decumbent.		• • • • • • • • • • • • • • • • • • • •		H.	
5 nepetifolia. P. S.	Cat-mint-leaved.				6.8. H.	
6 coccinea. W.	scarlet.		S. America.	1798.	— G.	4. Bot. mag. 666.
7 ralustris. W.	{Clown's All-}		Britain.		8. H.	2. Eng. bot. 1675.
	{ heal. }					
8 ambigua. H. K.	ambiguous.	- W	<u> </u>			4 2089.
9 alpina. W.	Alpine.		Germany.			4. Lap. pyr. 1. t. 8.
10 germanica. W.	downy.		England.			4. Eng. bot. 829.
11 intermedia, W.	oblong-leaved.		· Carolina.		6.7. H.	
12 lanata. W.	woolly.		Siberia.	1/52.	0.9. II.	4. Jac. ic. 1. t. 107.

	DIDYN	AMIA GYN	INUSPE	RMIA.		133
13 cretica. W.	Cretan.	Labiatæ. J.	Candia.	1640. 6.8.	H.4.	Walt.hort.108.t.19
14 glutinosa. W.	clammy.			1729. 6.7.	H.4.	Mor.h.s.11.t.4.f.17
15 spinosa. W.	thorny.			1640. 7.	F.h.	s.11.t.10.f.9.
16 orientalis. W.	oriental.		Levant.	1768. 6.7.		
17 maritima. W.	sea.		S. Europe.			Jac. vind. 1. t. 70.
18 obliqua. P. S.	oblique-leaved.		Hungary.			Pl. rar. hung. t.133.
19 betonicæfolia. P. S.			Rochelle.	1812. ——		Y . 1
20 æthiopica. W.	Ethiopian.		C. B. S.			Jac. obs. 4. t. 77.
21 hirta. W.	procumbent.		Spain.			All. ped. 1.t. 2. f. 3.
22 rugosa. W. 23 scordifolia. W. en.	rough. wedge-leaved.		C. D. S.	1816. —		Jac. ic. 3. t. 493.
24 recta. W. en.	upright.		S. Europe.			Jac. aust. 4. t. 359.
					-	Sot. mag. 1959.
25 diffusa. H. R.	spreading.		Levant.	1804. 7.	H.4.	S. arenaria.
26 annua. W.	annual.		S. Europe.	1713. 6.8.	H.O.	Jac. aust. 4. t. 360.
27 arvensis. W.	corn.		Britain.	7.8.	H.O.	Eng. bot. 1154.
28 latifelia. W.	broad-leaved.			1775. 6.7.	H.h.	
29 phlomoides. W. en.				1816. —	· H. 4.	
BALLITTA W. 2	STINKING }	Labiatæ. J.				
(	Horehound.				**	77 1 4
1 nigra. W.	black.		Britain.			Eng. bot. 46.
2 alba. W.	white.					Could the a tes
3 lanata. W.  Panzeria multifida.	woolly.		Siberia.	1752. 6.8.	11.4.	Gmel. sib. 3. t. 54.
MARRUBIUM. W.	HOREHOUND.	Labiatæ. J.				
1 Alyssum. W.	plaited-leaved.	Labratæ. J.	Snain	1507 78.	ET 2/	Ger. herb.379. f. 1.
2 astracanicum. W.	Astracan.		Levent.			Jac. ic. 1. t. 109.
3 peregrinum. W.	Sicilian.					Jac. aust. 2. t. 160.
4 creticum. W.	Cretan.		Levant.	1596. —	-H.4.	***************************************
5 candidissimum. W.		***************************************		1732	H.4.	Dill.elt.t.274.f.214
6 supinum. W.	procumbent.		S. Europe.			Bocc. mus. 2. t. 96.
7 vulgare. W.	common white.		Britain.	6.9.	H.4.	Eng. bot. 410.
8 africanum. W.	African.		C. B. S.	1710. 7.9.	G. 4.	Comm. hort.2.t.90.
9 crispum. W.	curl-leaved.		S. Europe.	1714. 7.8.	H.4.	Herm.parad.t.200.
10 hirsutum. W.	hirsute.	-				
11 hispanicum. W.	Spanish.	<u> </u>	Spain.	1714. 7.8.	H.4.	Herm. parad. t.201.
12 Pseudo-Dictam-	shrubby white.		Candia.	1596	F.h.	Lam. ill. t. 508.f. 2.
nus. W.   13 acetabulosum. W.	saucer-leaved.					
LEONURUS. B. P.	Motherwort.	Labiatæ. J.		10/0. 0.8.	r.4.	Barr. ic. 129.
1 crispus. W.	curl-leaved.	Empletic. 0.	Siberia.	1658, 78,	H. 21.	Murr. c. get. 8. t. 4.
2 Cardiaca. W.	common.		Reitain			Eng. bot. 286.
3 tataricus. W.	Tartarian.		Russia.			Mill. ic. 1. t. 80.
4 sibiricus. W.	Siberian.		Siberia.	1759. 6.8.	H. 3.	Exot. bot. 2. t. 94.
5 marrubiastum. W.	small-flowered.		Austria.	1710. —	· H.⊙.	Jac. aust. 5. t. 405.
6 supinus. W.	procumbent.		Siberia.	1816	H.4.	Jac. aust. 5. t. 405.
PHLOMIS. B. P.	PHLOMIS.	Labiatæ. J.				
1 fruticosa. W. en.	Jerusalem Sage.					Bot. mag. 1843.
2 lanata. W. en.	small-shrubby.		0.71			0 11 1 11 - 1
3 purpurea. W.	purple.		S. Europe.			Smith spicil. 6. t. 3.
4 italica. W. 5 Nissolii. W.	Italian. Nissole's.		Lavort	1757 67		Mill. ic. 2. t. 204.
6 Lychnites. W.	lamp-wick.		S Furana			
7 Samia. W.	Samian.		N. Africa	1714 67	H. 21	Bot. mag. 999.
8 Herba-venti. W.	rough-leaved.		S. Europe.	1596. 7.9.	H. 21	2447 1891.
9 alpina. W.	Alpine.		Siberia.			Pall. act. pet.2.t.13.
10 tuberosa. W.	tuberous.					Bot. mag. 1555.
11 laciniata. W.	jagged-leaved.		Levant.	1731. 7.		
LEUCAS. B. P.	LEUCAS.	Labiatæ. J. Ph				
1 zeylanica. B. P.	Ceylon.		E. Ind.	1777. 6.10		Jac. ic. 1. t. 111.
2 martinicensis. B. P.				1781. 7.9.	s.o.	1. t. 110.
3 urticifolia. B. P.	Nettle-leaved.			1810	- S.⊙.	
4 indica. B. P.	Indian.	Y -1.1 4 Y 77.7		1789. 7.8.	s.o.	
LEONOTIS. B. P.	LION'S-TAIL.	Labiatæ. J. Phili		1880 01-	0.0	TTown In all a
1 nepetifolia. H. K.	Catmint-leaved.					Herm. lugdb.t.117.
2 Leonurus. H. K. 3 Leonitis. H. K.	narrow-leaved.		U. D. S.			Bot. mag. 478.
MOLUCCELLA. W.	dwarf-shrubby. Molucca-Balm	Lahiatæ I		1/13. 0./.	G.n.	Mill.ic.2. t. 162.f.1.
1 spinosa. W.	prickly.	Labiatæ. J.	Levant.	1596. 78	H.O	Lam. ill. t. 510.
2 lævis. W.	smooth.					Bot. mag. 1852.
3 tuberosa. W.			Tartary.			Pall. it. 3. t. T.
					-	

-	וועונו	Amin Ui	MINOSI.	MIUNITA.	
CLINOPODIUM. W.	WILD-BASIL.	Labiatæ. J.			
1 vulgare. W.	common.		Britain.	6.8. Н.4.	Eng. bot. 1401.
2 ægyptiacum. W.	Egyptian.		Egypt.	1759. — H. 4.	
ORIGANUM. W.	MARJORAM.	Labiatæ. J.			
1 ægyptiacum. W.	Egyptian.		Egypt.		Alp. ægypt. t. 95.
2 Dictamnus. W. 3 sipyleum. W.	Mount Singles		Candia.	1551. — G.h.	
4 Tournefortii. W.	Tournefort's.		Amorgos		Herm. lugd. t. 463.
5 creticum. W.	Cretan.		S. Europe.	1788. 8.9. G.h.	Sckh.hand.2.t.164.
6 smyrnæum. W.	Smyrna.		Smyrna.	1722. 6.7. G.4.	
7 heracleoticum. W.	winter sweet.		S. Europe.	1640. 6.11. H.4.	Lob. ic. 492.
8 vulgare. W.	common.		Britain.	6.10. Н. 4.	Eng. bot. 1143.
9 Onites. W.	pot.		Sicily.	1759. 7.11. H.4.	
10 Majorana. W.	knotted.		Portugal.	1573. 6.7. F.J.	Moris. s. 11.t.3.f.1.
11 salvifolium. Roth. 12 majoranoides. W.	Sage-leaved. shrubby sweet.				
THYMUS. P. S.	Тнуме.	Labiatæ. J.		Γ.η.	
1 Serpyllum. W.	wild.		Britain.	6.8. H.h.	Eng. hot. 1514
2 lanuginosus. W.	woolly.			H.h.	26.
3 citriodorus. P. S.	Lemon.			— H.b.	
4 angustifolius. P. S.	narrow-leaved.			H.h. 1548. 5.8. H.h.	
5 vulgaris. W.	garden.		S. Europe.	1548. 5.8. H.h.	
6 ericæfolius. Roth.	Heath-leaved.		Spain.	1806. 6.8. H.h.	Di may hung 2 4 1 48
7 acicularis. P. S. 8 lucidus. W. en.	needle-leaved. shining-leaved.		riungary.	1816. — H. h.	Fi.rar.nung.2.t.147
9 Mastichina. W.	Mastick.		Spain	1596. 7.9. F. h.	Blackw. t. 134.
10 montanus. W.	mountain.				Pl. rar.hung.1.t.71.
11 tomentosus. W. en.	toméntose.		Spain.	1816. 6.8. H.h.	
12 Zygis. W.	Spanish.			1771. 8. H.h.	Barrel. ic. 777.
13 croaticus. P. S.	oval-leaved.		Hungary.	1892. 7.8. H.4.	Pl.rar.hung.2.t.156
14 cephalotus. W.	great-headed.		Portugal.		Hof.etLin.lus.1.13
15 villosus. W.	hairy.		Candia	6.7. F.h.	
16 Tragoriganum. W. 17 filiformis. W.	goat's. Minorca.		Vandia.	1640. 5.6. F.h. 1779. 6.7. G.h.	Aip. exot. t. 78.
ACYNOS. P. S.	Acynos.	Labiatæ. J. Thy	mi sp. H.	11/9. 0.7. 0.7.	
1 vulgaris. P. S.	Basil-leaved.			6.8. H.O.	Eng. bot. 411.
Thymus Acinos. W	•		25		3
2 villosus. P. S.	villous.		Germany.	1817. — H.⊙.	
3 alpinus. P. S.	Alpine.		Austria.	1731. 6.9. F. J.	
4 patavinus. P. S.		Tableton T 35-1	S. Europe.	1776. 6.8. H. J.	Jac. obs. 4. t. 87.
GALAMINTHA. Ph. 1 grandiflora. P. S.	CALAMINT. great-flowered.	Labiatæ. J. Mel		Thymi sp. Smith.	Dot mor one
2 caroliniana.	Carolina.		Carolina.	1596. 6.9. H.4. 1804. 6.7. F.4.	
grandiflora. Ph.	Thymus grandifl		Circinia	10011 0171 2141	, 001.
3 vulgaris.	common.		England.	7.8. Н.4.	Eng. bot. 1676.
4 Nepeta. Ph.	lesser.			7.10. H.4.	1414.
5 marifolia. P. S.			Spain.	1788. 6.7. H.4.	
6 cretica. P. S.	Cretan.		S. Europe.	1596. — F.h.	Barr. 1c. 1166.
7 fruticosa. P. S. MELISSA. W.	Shrubby.	Labiatæ. J.	spam.	1752. 7.9. F.h.	
officinalis. W.	common.	Lautata. o.	S. Europe.	1573. 6.10. H. 4.	
B romana.	hairy.		. Little por		
DRACOCEPHA- \	DRAGON'S HEAD.	Labiatæ. J.			
LUM. W.			N. Amania-	1000 mg TT 31	Dot man ACT
1 virginianum. W. 2 denticulatum. W.	Carolina.		Carolina.	1683. 7.9. H. 4. 1787. 8.9. H. 4.	
3 variegatum. Ph.	variegated.		Curonita.	1812. — H. 4.	
4 canariense. W.	Balm of Gilead.		Canaries.	1697. 7.9. G.h.	
5 palmatum. W.	palmated.		Siberia.	1815. 6.8. H.4.	
6 peregrinum. W.	prickly-leaved.			1759. 7.8. H.4.	
7 austriacum. W.	Austrian.		Austria.	1597. 6.7. H.4.	
8 Ruyschiana. W.	Hyssop-leaved.		N. Europe.	1699. — H.4.	
9 grandiflorum. W.	great-flowered.		Siberia.	1759. 7. H.4.	Nov. com. pet. t.
10 altaiense. W.	Betony-leaved.		Georgia.	1787. 7.8. H.4.	29. f. 3.
11 sibiricum. W.	Siberian.		Siberia.	1760. 6.8. H.4.	Gmel. sib. 3. t. 51. 1/6
12 Moldavica. W.	Moldavian.		Moldavia.	1596. 7.8. H.O.	Lam. ill. t. 513. f. 1.
13 canescens. W.	hoary.		Levant.	1711. — H. O.	Mill. ic. 1. t. 129.
14 peltatum. W.	Willow-leaved.			1711. — H.⊙.	Lam. ill. t. 513. f.2.

# DIDYNAMIA GYMNOSPERMIA.

	אועות	AMIA UI	MINOSIE	Trivi	H.		100
15 nutans. W.	nodding.	Labiatæ, J.	Siberia.	1731.	7.8.	H. 24.	Gmel. sib. 3. t. 49. 04
16 thymifforum. W.	small-flowered.						3. t. 50.
MELITTIS. W.	BASTARD-BALM.	Labiatæ. J.					
1 Melissophyllum. W.			England.	• • • •	5.6.	H.4.	Eng. bot. 577.
β alpina.	Alpine.		Switzerland.				F b-+ COC
2 grandiflora. H. K. OCYMUM. W.	great-flowered. Basil.	Labiatæ. J.	England.	• • • •	5.	H. 4.	Eng. bot. 636.
1 thyrsiflorum. W.	thyrse-flowered.	Laulatæ. J.	E. Ind.	1806.	7.8.	S. 2.	Jac. vind. 3. t. 72.
2 suave. W. en.	sweet-scented.			1816.	7.9.	S.h.	
3 viride. W. en.	green.						
4 monachorum. W.	monk's.		E. Ind.	1796.	7.8.	S.⊙.	Jac. ic. 3. t. 495. L'Her. s. nov. t. 43.
5 gratissimum. W.	shrubby.		41	1752.		· S.h.	Jac. ic. 3. t. 495.
6 grandiflorum. W.	great-flowered.						
7 Basilicum. W. 8 minimum. W.	bush.						Blackw. t. 104. Schk.hand.2.t.166.
9 sauctum. W.	purple-stalked.		E. Thui				Rheed.mal.10.t.92.
10 pilosum. W. en.	ciliated.			1816.		- s.⊙.	
11 americanum. W.	American.		India.	1789.	7.8.	S.O.	Jac. vind. 3. t. 86.
12 tenuiflorum. W.	slender-spiked.						Rum.am.5.t.92.f 2.
13 polystachion. W.	many-spiked.						Murr.com.got.3.t.3
14 menthoides. W.	Mint-leaved.					· S.⊙.	
15 micranthum. W.en. 16 molle. W.	heart-leaved.		F Ind			. S.⊙.	
17 capitellatum. W.	small-headed.		China.			н.⊙.	
PLECTRANTHUS.W			CHARLE	10000	,,,,,	1	
1 fruticosus. W.	shrubby.		C. B. S.	1774.	6.9.	G. h .	L'Her.stirp.85.t.41
2 Forskohlæi. W.	Forskohl's.		Abyssinia.	1806.	10.1	1. S. h.	Bot. rep. 594. 2000
3 parviflorus. W. en.			S. America.	1805.	6.9.	G. h.	W.hort. ber.1. t.65,
parviflorus. R. P. i			77 1-1	1504	= 0	60	D.4 5 1440
4 scutellarioides. B.P.  Ocimum scutellario			E. Ind.	1764.	7.8.	s. <u>o</u> .	Bot. mag. 1446.
5 punctatus. W.	dotted.		Africa.	1775.	1.5.	G. 2.	L'Her.stirp.87.t.41
TRICHOSTEMA. W.		Labiatæ. J.		-,,,,,			
1 dichotoma. W.			N. America.	1759.	6.7.	H.⊙.	
2 brachiata. W.	sessile-leaved.			1732.	6.8.	Н.∂.	Dill.elt.t.285.f.369
PROSTANTHERA }	PROSTANTHERA.	Labiatæ. J.					
B. P. lasianthos. B. P.	villous-flowered.		N. S. W.	1000	e =	G L	Bot. reg. 143.
SCUTELLARIA. W.		Labiatæ. J.	14. 5. 14.	1808.	0.7.	G.n.	Dot. reg. 143. a
1 orientalis. W.	yellow-flowered,		Levant.	1729.	7.9.	H. 2.	. 2123
2 grandiflora. P. S.	large-flowered.		Siberia.				Bot. mag. 635.
3 albida. W.	hairy.		Levant.				Sab. hort. 3, t. 29.
4 alpina. W.	Alpine.		Hungary.				Pl.rar.hung.2.t.137
5 lupulina. W.	Tartarian.	and the same of th	Tartary.	1739.	6.9.	H.4.	Schmidel ic. t. 73.
6 lateriflora. W.	Virginian.		N. America.				
7 pilosa. Ph.	pubescent.		Britain				Eng. bot. 523.
8 galericulata. W. 9 minor. W.	lesser.						524.
10 hastifolia. W.	hastate-leaved.		Germany.			H.4.	
11 caroliniana. Ph.	Carolina.		· Carolina.	1811.		- H. 4.	Lam. ill. t. 515. f. 3.
12 integrifolia. Ph.	entire-leaved.		<ul> <li>N. America.</li> </ul>	1731.	6.9.	H.4.	Pluk.alm. t.441.f.6.
13 serrata. Ph.	saw-leaved.			1800.			Bot. rep. 494.
14 havanensis. W.	Havannah.		- Havannah.				Jac. ohs. 2. t. 29.
15 peregrina. W. 16 Columnæ. W.	Florentine heart-leaved.						Pl.rar.hun.2.1.125. Colum. ecp.1.t.189
17 altissima. W.	tall.		Levant.			H.4.	
18 cretica. W.	Cretan.		· Crete.	1729	6.7.	G. h.	25 5
PRUNELLA. W.	SELF-HEAL.	Labiatæ. J.				3,1	
1 vulgaris. W.	common.		Britain.		7.8.	H. 4.	Eng. bot. 961.
B alba.	white-flowered.					** •	-
2 ovata. P. S.	oval-leaved.	-				-H.⊙.	
3 pensylvanica. W.	Pensylvanian. Hyssop-leaved.						W. hort. ber. t. 9.
4 hyssopifolia. W. 5 grandiflora. W.	great-flowered.						Mor. s. 11. t. 5. f. 7. Bot. mag. 337. 20/4
6 laciniata. P. S.	yellow-flowered.		- Augustus				Lam. ill. t. 516. f. 2.
7 intermedia. P. S.							
	various-leaved.		- Portugal.	1790.	-	-H.4.	
CLEONIA. W.	various-leaved.	Labiatæ. J.		1790.	- The state of the	- M. 4.	
lusitanica. W.	various-leaved. CLEONIA. sweet-scented.	Labiatæ. J.	- Portugal. - Portugal.				Mill. ic. 1. t. 70.
lusitanica. W. PRASIUM. W.	various-leaved. CLEONIA. sweet-scented. Prasium.	Labiatæ. J.	- Portugal.	1710	. 6.7	, н.⊙.	Mill. ic. 1. t. 70.
lusitanica. W.	various-leaved. CLEONIA. sweet-scented.	Labiatæ. J.	- Portugal. - Spain.	1710 1699	6.8	, н.⊙.	Mill. ic. 1. t. 70.  Lam. ill. t. 516.

PHRYMA. W.	Рикума.	Labiatæ. J.					
Leptostachya. W. SELAGO. W.	slender-spiked. Selago.	Verhanger I in	N. America.	1802.	8.9.	H.4.	
1 corymbosa. W.	fine-leaved.	Verbenaceæ. J. in	C. B. S.	1699.	7.8.	G.h.	Com. hort 9 t 40
2 canescens. W.	canescent.			1812. 7	7.11.	G.h.	Com. hort. 2. t. 40.  Bot. mag. 186.
3 diffusa. Th.	spreading.		· <del></del>	1807.	7.8.	G.h.	
4 ovata. W.	oval-headed.			1774. (	3.7.	G.h.	Bot. mag. 186.
5 polygaloides. Th.	Milkwort-like. linear-leaved.						
6 spuria. W. 7 fasiculata. W.	cluster-flowered.			1774 6	3 7	CL	Bot reg 104
8 lucida. P. S.	shining-leaved.			1812		G.h.	Vent. malm. t. 10.
		ANGIOSPERMI	ΙΑ.		-		
HEBENSTRETIA. W.	. HEBENSTRETIA.	Verbenaceæ. J. in	Ann. Mus.	1	0	f Cl	6
2 integrifolia. W. aurea. B. Rep.	entire-leaved.			1792. 5	5.6.	G.h.	Bot. rep. 252.
3 ciliata. W.	ciliated.			1815.	5.7.	G. L.	
4 spicata. W.	spiked.					C 31	
5 erinoides. Th.	Erinus-leaved.			1816. 5	.11.	G. h .,	13.20 1970. public
6 cordata. W.	heart-leaved.			1774. 7	7.8.	G. h.	,
CLERODENDRUM B. P.	CLERODENDRUM	Verbenaceæ. B. P.					
1 fragrans. H. K.	fragrant.		China.	1790. 1	2,8.	S.h.	Vent. malm. 70.
B flore pleno.	double-flowered.					S, h,	Bot. mag. 1834.
2 viscosum. H. K.	clammy.		E. Ind.	1796. 5	5.8.	S.h.	1805 (
3 infortunatum. P. S.	spear-leaved.				•••	S.h.	0.5 4 4 11
4 fortunatum. W. 5 squamatum. H. K.	scarlet.		Ohima	1 700 0	7 ·	S.h.	Osb. it. t. 11. Jac. ic. 3. t. 500.
6 paniculatum. W.	panicled.		Java.	1809. 7			Bot. rep. 628. /2 /1
7 trichotomum. W.	three-forked.		Japan.	1800		G.h.	0
8 tomentosum. B. P.			N. S. W.	1794. 3	3.4.	G.h.	Bot. mag. 1518.
9 ligustrinum. H. K.			Mauritius.	1789. 8	.11.	S.h.	Jac.col, sup. t.5.f.1.
10 heterophyllum.H.K. 11 inerme. H. K.	smooth.						Bot. rep. 554.
12 Siphonanthus. H.K.			E. Ind.	1796.	.11.	S. h.	Jac. col. sup. t.4.f.1. Burm.ind. t.43. f. 1.
VOLKAMERIA. H.K.		Verbenaceæ. B. P.		.,,,,,,,,,		12 .	
aculeata. H. K.	prickly.	-	W. Ind.	1739. 8	.10.	S.h.	Brown.jam.t.20.f.2
HOLMSKIOLDIA.	Holmskioldia.	Verbenaceæ. P. S.	Platunium.	J. Hasi	tings	ia. Ex	. bot.
H.K.	scarlet.				_		
sanguinea. W. VITEX. W.	CHASTE-TREE.	Verbenaceæ. B. P.		1790	• • •	S. n.	Exot. bot. 2. t. 80.
1 ovata. W.	oval-leaved.		China.	1796. 7	7.8.	S.b.	C. C. Color
2 altissima. W.	tall.		Ceylon.	1802			
3 Agnus-Castus. W.	common.		Sicily.	1570.			
B latifolia.	broad-leaved.		01.			O 1	Det 004
4 incisa. W. 5 Leucoxylon. W.	cut-leaved. white-wooded.			1758. 7			Bot. mag. 364.
6 Negundo. W.	quadrangular.		E. Ind.				Rumph.amb.4.t.19
7 bicolor. W. en.	two-coloured.			1910		S L	_
8 trifolia. W.	three-leaved.			1759		S.h.	Rheed, mal. 2. t. 11.
CORNUTIA. P. S.	CORNUTIA.	Verbenaceæ. B. P.					
pyramidata. P. S.	pyramidal.	Verbenaceæ. B. P.				5. h.	Lam. ill. t. 541.
HOSTA. Jac. cærulea. Jac.	Hosta. blue-flowered.					S. h.	Jac.schoen.1.t.114.
GMELINA. W.	GMELINA.	Verbenaceæ. B. P.			• • •	20160	2011
1 asiatica. W.	oval-leaved.						Lam. ill. t. 542.
2 parviflora. Rox.	obovate-leaved.		····				Roxb. cor. t. 32.
PETRÆA. W.	PETRÆA.	Verbenaceæ. P. S.	Warra Co				
volubilis. W.	climbing.	Verbenaceæ. P. S.	vera Cruz.	1733. 7	.8.	5. h.	Bot. mag. 628.
CITHAREXYLUM.W.	ash-coloured.	verbenaceæ. P. S.	W. Ind-	1739.		S. b.	Jac. amer. t. 118.
2 caudatum. W.	oval-leaved.		Jamaica.	1763		S. h.	Jac. ic. 3. t. 501.
3 villosum. W.	hairy-leaved.		St. Domingo.	1784		S.h.	1. t. 118.
	pentandrous.		Portorico.	1815	• • • •	S.h.	Vent. cels. t. 47.
5 quadrangulare. W.	square-stalked.	*** 1 ** 0	Jamaica.	1759	• • •	S.h.	Jac. vind. 1. t. 22.
DURANTA. W.	DUBANTA.	Verbenaceæ. P. S.	& America	1729	0	SI	Rot. reg. 944.
market a second	smooth. prickly.			1733. I			Bot. reg. 244. Bot. mag. 1759.
	K-10m1].			-, -, -			

LANTANA. W.	LANTANA.	Verbenaceæ. P. S			
1 mista. W.	Nettle-leaved.			1732. 8.10. S.	h. Dill. elt. t. 56. f. 64.
2 trifolia. W.	three-leaved.			1733. 6.9. S. J	2 . Bot. mag. 1449.
3 annua. W.	annual.	<del></del>	S. America.	7.8. S.(	O. ———— 1022.
4 stricta. W.	narrow-leaved.		Jamaica.	S.1	2. Slo.jam.2.t.195.f.4.
5 Radula. W.	Rasp-leaved.			1803 S. l	2 •
6 Camara. W.	various-coloured			1691. 4.9. S.J	2. Dill. elt. t. 56. f. 65.
7 involucrata. W.	round-leaved.			1690. 5.7. S.I	2. Pluk.alm.t. 114.f.5.
3 recta. W.	upright.		Jamaica.	1758. 6.8. S.J	Jac.scheen.3.t.360.
9 odorata. W.	sweet-scented.		W. Ind.	5.11. S. I	7. Jac.schæn.3.t.360. 2. Plym. ic. t. 71. f. 2.
10 melissæfolia. W.	Balm-leaved.			1732. 7.9. S. I	2. Dill. elt. t. 57. f. 66.
11 scabrida. W.	rough.			1774. 9. S.I	2 •
12 nivea. P. S.	white-flowered.		E. Ind.	7.9. S. I	Vent. malm. t. 8.
13 aculeata. W.	changeable-cold.		W. Ind.		. Bot. mag. 96.
SPIELMANNIA. W.	SPIELMANNIA.	Verbenaceæ. J.			3
africana. W.	Lex-leaved.		C. B. S.	1710. 2.11. G. F	2. Bot. mag. 1899.
ZAPANIA. J.	ZAPANIA.	Verbenaceæ. B. P.			9
1 stechadifolia. P. S.	oval-spiked.		W. Ind.		4. Brown.jam.t.3.f.1.
2 nodiflora. Ph.	knot-flowered.		America.		. Lam, ill. 1.t. 17.f.3.
PRIVA. P. S.	PRIVA.	Verbenaceæ. P. S.			20000
1 mexicana. P. S.	Mexican.				4. Dill.elt.t.302.f.389
Verbena mexicana.				.,	
2 leptostachya. P. S.	rough.		E. Ind.	1799, 7.8, S.7	4. Rox. cor. 2. t. 146.
Tortula aspera. IV.		rum Rorh	22. 1114.	17001 1101 012	7. 2000 001. 2. 0. 1402
ALOYSIA. P. S.	ALOYSIA.	Verbenaceæ. P. S.	Verhouse en	IV.	
citriodora. P. S.		verbenacea. 1. 5.			2 . Bot. mag. 367.
Verbena triphylla.		,	Cuiti.	1/04. 3.3. 0.1	7. Dot. mag. 307.
VERBENA. B. P.		Verbenaceæ. B. P.			
	VERVAIN.			1720 7 10 U	1 Dill alt t 200 f 200
1 bonariensis. W.			Canada	1702. 7.10. II.	3. Dill.elt.t.300.f.387
2 hastata. W.	halberd-leaved.		M America	1/10. 0.5. H. 2	. Herm. parad. t.242.
3 paniculata. P.S.	panicled.	-	N. America.	1800. 7.8. F1. Z	<i>t</i> •
4 angustifolia. H. K.	narrow-leaved.		-	1802. 6.8. H. A	T. D. II. II. A son food
5 caroliniana. W.	Carolina.			1732. 6.9. H. A	4. Dill.elt. t.301.f.388
6 urticifolia. W.	Nettle-leaved.			1683. 7.9. H. 2	4. Rob. ic. 26.
7 stricta. Ph.	upright.	<del></del>		1802. 7.8. H, 2	4. Vent. cels. 53.
8 Aubletia. W.	Rose.			1774. 6.8. F.	3. Bot. mag. 308.
9 bracteosa. Ph.	long-bracted.		***************************************	1812. 7. H.7	4. 200
10 spuria. W.	jagged-leaved.			1731. 7.8. H.	3.
11 officinalis. W.	common.		Britain.	6.9. H.2	4. Eng. bot. 769.
12 supina. W.	trailing.		Spain.	1640. 6.7. H.(	). Park theat 675.1.2
13 prostrata. H. K.	prostrate.		N. America.	1794. —— H. 2	<i>ţ</i> .
MYOPORUM. B. P.	Myoporum.	Myoporinæ. B. P.			
1 ellipticum. B. P.	smooth-leaved.		N. S. W.	1789. 1.3. G. I	2. Bot. rep. 283.
2 acuminatum. B. P.	acuminate.			1812 G. J	7 .
3 parvifolium. B. P.	small-leaved.		N. Holland.	'303. 1.12. G. J	2. Bot. mag. 1691.
4 tuberculatum. B. P.	tubercled.			1803 G. I	2 •
5 viscosum. B. P.	viscid.	20.		G. J	7 •
6 debile. B. P.	procumbent.		N. S. W.	1793. 5.8. G. I	Bot. mag. 1832.
7 diffusum. B. P.	diffuse.		N. Holland.	8.2. G. I	2 •
8 oppositifolium. B.P.				1803. 1.12. G, J	2 •
STENOCHILUS. B.P.		Myoporinæ. B. P.			•
glaber, B. P.	smooth-leaved.		N. Holland.	1803, 1.12, G. J	2. Bot. mag. 1942.
BONTIA. B. P.	BONTIA.	Myoporinæ. B. P.		10001 11161 011	20 200 mag. 10 120
daphnoides. W.	Barbadoes.	zizyopotimes zitz	W. Ind.	1690. 6. S.F	2. Dill.elt. t. 49. f. 57.
AVICENNIA. B. P.	AVICENNIA.	Myoporinæ. B. P.	***************************************	20000 00 001	2 · 2 inicit. t. 43.1.07.
tomentosa, B. P.	downy-leaved.	My operation 15:11	India.	1793 S E	Palis. d'Owar.t. 47.
PEDALIUM. W.	PEDALIUM.	Pedalinæ. B. P.	ALIGINO	#1000 Di	2. I ans. d Owat. c. 4/.
Murex. W.	prickly-fruited.		E. Ind,	1779 90 86	Tam : 11 4 520
			E. IHu.	1770. 0,3. 0,9	). Lam. ill. t. 538.
BIGNONIA. W.	TRUMPET-	Bignoniaceæ. B, P	. Bignonia &	Tecoma. J.	
1 Unonie W	FLOWER.		W Ind	1750 CT	Dlum omen 4 04
1 Unguis. W.	Barbadoes.		W. Ind.		Plum amer. t. 94.
2 æquinoctialis. W.	equinoctial.				. Plum. ic. t. 55. f. 1.
3 alliacea. W.	Garlick-scented.		W. Ind.	1790 S. h	
4 laurifolia. W.	Laurel-leaved.	· ·	Guiana.	1804 S. h	
5 paniculata. W.	panicled.				Plum. ic. 56. f. 1.
6 crucigera. W.	cross-bearing.	,	S. America.	1759 S. K	t. 58.
7 uncata. B. M.	hooked.		Guiana.	1804. 6.9. S. k	. Bot. mag. 1511.
8 capreolata. W.	four-leaved.				2. 264.
9 pubescens. W.	downy.		Campeachy.	1759. — S. I.	2 :
		T			

#### DIDYNAMIA ANGIOSPERMIA.

10 venusta. B. reg.	comely.	Bignoniaceæ.B.P.	S. America.	1816, 9.12	S.h.	Bot. reg. 249. 2050
11 echinata. W.	bristly-fruited.					Aub. gui. 2. t. 264.
12 triphylla. W.	three-leaved.		S America	1733	Sh	1145. 641. 2. 4. 201.
	five-leaved.		Inmaion.			Money book 6 110
13 pentaphylla. W.				3,000	o.n.	Marcg. bras. t. 118.
14 Leucoxylon. W.	white-wooded.		w. ina.	1759. 6.7.	S. h.	Bot. rep. 43.
15 radicans. W.	Ash-leaved.		N. America.	1640. 7.8.	H.h.	Control of the Contro
a major.	Great Ash-leav'd.		-			Bot. mag. 485.
$\beta$ minor.	Small Ash-leav'd.					Cates. car. 1. t. 65.
16 grandiflora. W.	large-flowered.		China.			Bot. mag. 1398.
17 stans. W.	branching.					Plum. ic. t. 54.
18 chelonoides. W.	tree.	-				Rheed. mal. 6. t. 26.
			12. 1110.	1500	S.n.	Rox. cor. 2. t. 144.
19 spathacea. W.	salver-shaped.			1/94	3. n.	Nox. col. 2. t. 144.
Spathodea longiflor					~ -	
20 australis. H. K.			N. S. W.	1793. 4.7.	G.h.	Bot. mag. 865.
Pandoræ. B. M.	Tecoma australis.	B, P.				
21 indica. W.	Indian.		India.	1775	S.h.	Rheed.mal.1.t.43.
22 procera. W.	Box-leaved.		Guiana.			Aub. gui. 2. t. 265.
23 cærulea. W.	blue-flowered.		Bahama Icls	1794 78	G b	Cat car 1 t 49
Jacaranda carolini			Dullania 131 s	1,21. 7.0.	٠. ١٧٠	040.001.110.120
		Diamania aum 3 T				
SESAMUM. W.	OILY-GRAIN.	Bignoniaceæ? J.	T) T 1		0.0	71 1 1 1 1 1 1
1 orientale. W.	oriental.		E. Ind.	1731. 7.	S.O.	Rheed.mal. 9. t. 54. Bot. mag. 1788.
2 indicum. W.	Indian.				· S.⊙.	Bot. mag. 1788.
PENTSTEMON. W.	PENTSTEMON.	Bignoniaceæ? J.				
1 campanulata. W.	bell-flowered.		Mexico.	1794. 3.10	. F.b.	Bot. mag. 1878.
2 lævigata. W.	smooth.		N. America.	1776, 8.9.	H. 21	1425.
3 hirsuta. W.	narrow-ld. hairy.			1758	H 21	Mor.h.s.11.t.21.f.3 Bot. mag. 1424.
	broad 1d bains			1755. —	TJ 3/	Pot mag 1404
4 pubescens. W.	broad-la. hairy.		Y		11.4.	Dot. mag. 1424.
5 erianthera. Ph.	dwarf.		Louisiana.	1811	н. 4.	
6 angustifolia. Ph.	narrow-leaved.			7.9.	H.4.	
7 glabra. Ph.	Nuttal's.				H.4.	Bot. mag. 1672.
8 Bradburii. Ph.	large-flowered.				H. 1.	
CHELONE. W.	CHELONE.	Bignoniaceæ? J.				
1 glabra. W.	white-flowered.		N America	1730 8 10	TT 21	Trew. ehret. t. 83.
·						
2 obliqua. W.	red-flowered.			1/32.	· 11. 4.	Dot. reg. 175.
					TY AL	TO 4 2004
3 Lyoni. Ph.	Lyon's.			1812. 7.9.	H.4.	Bot. mag. 1864.
4 barbata. W.			Mexico.	1812. 7.9. 1794. 6.9.	H.4. H.4.	Bot. mag. 1864. Bot. reg. 116.
	Lyon's. scarlet. Tourrettia.	Bignoniaceæ? J.	Mexico.	1812. 7.9. 1794. 6.9.	H.4. H.4.	Bot. reg. 116.
4 barbata. W.			Mexico.  Dombeya. So	1812. 7.9. 1794. 6.9.	H.4. H.4.	Bot. reg. 116.
4 barbata. W. TOURRETTIA. J. lappacea. W.	Tourrettia. scarlet-flowered.	Bignoniaceæ? J.	Mexico.  Dombeya. So	1812. 7.9. 1794. 6.9.	H.4. H.4.	Bot. mag. 1864. Bot. reg. 116. Sal. stirp. rar. 5. t.3.
4 barbata. W. TOURRETTIA. J. lappacea. W. MARTYNIA. W.	Tourrettia. scarlet-flowered. Martynia.	Bignoniaceæ? J. Bignoniaceæ? J.	Mexico.  Dombeya. So Peru.	1812. 7.9. 1794. 6.9. al. 1788. 6.8.	H. ¼. H. ¼. S.⊙.	Bot. mag. 1864. Bot. reg. 116. Sal. stirp. rar. 5. t.3.
4 barbata. W. TOURRETTIA. J. lappacea. W. MARTYNIA. W. 1 diandra. W.	TOURRETTIA. scarlet-flowered. MARTYNIA. two-stamened.	Bignoniaceæ? J.  Bignoniaceæ? J.	Mexico.  Dombeya. Sa Peru.  New Spain.	1812. 7.9. 1794. 6.9. il. 1788. 6.8. 1731. 7.8.	H. ¼. H. ¼. S.⊙. S.⊙.	Bot. mag. 1864. Bot. reg. 116. Sal. stirp. rar. 5. t.3. Bot. rep. 575.
4 barbata. W. TOURRETTIA. J. lappacea. W. MARTYNIA. W. 1 diandra. W. 2 craniolaria. W.	TOURRETTIA. scarlet-flowered. MARTYNIA. two-stamened. white-flowered.	Bignoniaceæ? J. Bignoniaceæ? J.	Mexico.  Dombeya. So Peru.  New Spain. S. America.	1812. 7.9. 1794. 6.9. il. 1788. 6.8. 1731. 7.8. 1733. ——	H.4. H.4. S.⊙. S.⊙.	Bot. mag. 1864. Bot. reg. 116. Sal.stirp. rar. 5. t. 3. Bot. rep. 575. Jac. amer. t. 110.
4 barbata. W. TOURRETTIA. J. lappacea. W. MARTYNIA. W. 1 diandra. W. 2 craniolaria. W. 3 Proboscidea. W.	TOURRETTIA. scarlet-flowered. MARTYNIA. two-stamened. white-flowered. horn-capsuled.	Bignoniaceæ? J. Bignoniaceæ? J.	Mexico.  Dombeya. Sa Peru.  New Spain. S. America.  America.	1812. 7.9. 1794. 6.9. tl. 1788. 6.8. 1731. 7.8. 1733. ———————————————————————————————————	H. 4. H. 4. S. ⊙. S. ⊙. S. ⊙. G. ⊙.	Bot. mag. 1864. Bot. reg. 116. Sal.stirp. rar. 5. t. 3. Bot. rep. 575. Jac. amer. t. 110. Bot. mag. 1056.
4 barbata. W. TOURRETTIA. J. lappacea. W. MARTYNIA. W. 1 diandra. W. 2 craniolaria. W. 3 Proboscidea. W. 4 longiflora. W.	TOURRETTIA. scarlet-flowered. MARTYNIA. two-stamened. white-flowered. horn-capsuled. long-flowered.	Bignoniaceæ? J. Bignoniaceæ? J.	Mexico.  Dombeya. Sa Peru.  New Spain. S. America.  America.	1812. 7.9. 1794. 6.9. tl. 1788. 6.8. 1731. 7.8. 1733. ———————————————————————————————————	H. 4. H. 4. S. ⊙. S. ⊙. S. ⊙. G. ⊙.	Bot. mag. 1864. Bot. reg. 116. Sal.stirp. rar. 5. t. 3. Bot. rep. 575. Jac. amer. t. 110.
4 barbata. W. TOURRETTIA. J. lappacea. W. MARTYNIA. W. 1 diandra. W. 2 craniolaria. W. 3 Proboscidea. W. 4 longiflora. W. GLOXINIA. W.	TOURRETTIA. scarlet-flowered. MARTYNIA. two-stamened. white-flowered. horn-capsuled. long-flowered. GLOXINIA.	Bignoniaceæ? J. Bignoniaceæ? J. Bignoniaceæ?	Mexico.  Dombeya. So Peru.  New Spain. S. America. America. C. B. S.	1812. 7.9. 1794. 6.9. tl. 1788. 6.8. 1731. 7.8. 1738. 6.8. 1781. 7.8.	H. ¼. H. ¼. S.⊙. S.⊙. G.⊙. G.⊙.	Bot. mag. 1864. Bot. reg. 116. Sal.stirp. rar. 5. t.3. Bot. rep. 575. Jac. amer. t. 110. Bot. mag. 1056. Meerb. ic. 1. t. 7.
4 barbata. W. TOURRETTIA. J. lappacea. W. MARTYNIA. W. 1 diandra. W. 2 craniolaria. W. 3 Proboscidea. W. 4 longiflora. W.	TOURRETTIA. scarlet-flowered. MARTYNIA. two-stamened. white-flowered. horn-capsuled. long-flowered. GLOXINIA.	Bignoniaceæ? J. Bignoniaceæ? J. Bignoniaceæ?	Mexico.  Dombeya. So Peru.  New Spain. S. America. America. C. B. S.	1812. 7.9. 1794. 6.9. tl. 1788. 6.8. 1731. 7.8. 1738. 6.8. 1781. 7.8.	H. ¼. H. ¼. S.⊙. S.⊙. G.⊙. G.⊙.	Bot. mag. 1864. Bot. reg. 116. Sal.stirp. rar. 5. t.3. Bot. rep. 575. Jac. amer. t. 110. Bot. mag. 1056. Meerb. ic. 1. t. 7.
4 barbata. W. TOURRETTIA. J. lappacea. W. MARTYNIA. W. 1 diandra. W. 2 craniolaria. W. 3 Proboscidea. W. 4 longiflora. W. GLOXINIA. W.	TOURRETTIA. scarlet-flowered. MARTYNIA. two-stamened. white-flowered. horn-capsuled. long-flowered. GLOXINIA. spotted-stalked. many-flowered.	Bignoniaceæ? J. Bignoniaceæ? J. Bignoniaceæ?	Mexico.  Dombeya. So Peru.  New Spain. S. America. America. C. B. S.	1812. 7.9. 1794. 6.9. tl. 1788. 6.8. 1731. 7.8. 1738. 6.8. 1781. 7.8.	H. ¼. H. ¼. S.⊙. S.⊙. G.⊙. G.⊙.	Bot. mag. 1864. Bot. reg. 116. Sal.stirp. rar. 5. t.3. Bot. rep. 575. Jac. amer. t. 110. Bot. mag. 1056. Meerb. ic. 1. t. 7.
4 barbata. W. TOURRETTIA. J. lappacea. W. MARTYNIA. W. 1 diandra. W. 2 craniolaria. W. 3 Proboscidea. W. 4 longiflora. W. GLOXINIA. W. 1 maculata. W.	TOURRETTIA. scarlet-flowered. MARTYNIA. two-stamened. white-flowered. horn-capsuled. long-flowered. GLOXINIA. spotted-stalked. many-flowered. GESNERIA.	Bignoniaceæ? J.  Bignoniaceæ?  Bignoniaceæ?	Mexico. Dombeya. Sa Peru. New Spain. S. America. C. B. S. S. America.	1812. 7.9. 1794. 6.9. tl. 1788. 6.8. 1731. 7.8. 1733. ———————————————————————————————————	H.↓. S.⊙. S.⊙. S.⊙. G.⊙. G.⊙.	Bot. mag. 1864. Bot. reg. 116.  Sal. stirp. rar. 5. t. 3.  Bot. rep. 575. Jac. amer. t. 110. Bot. mag. 1056. Meerb. ic. 1. t. 7.  Bot. mag. 1191. Bot. reg. 213.
4 barbata. W. TOURRETTIA. J. lappacea. W. MARTYNIA. W. 1 diandra. W. 2 craniolaria. W. 3 Proboscidea. W. 4 longiflora. W. GLOXINIA. W. 1 maculata. W. 2 speciosa. B. reg. GESNERIA. W.	TOURRETTIA. scarlet-flowered. MARTYNIA. two-stamened. white-flowered. horn-capsuled. long-flowered. GLOXINIA. spotted-stalked. many-flowered. GESNERIA.	Bignoniaceæ? J. Bignoniaceæ? Bignoniaceæ?	Mexico. Dombeya. Sa Peru. New Spain. S. America. C. B. S. S. America.	1812. 7.9. 1794. 6.9. tl. 1788. 6.8. 1731. 7.8. 1733. ———————————————————————————————————	H.↓. S.⊙. S.⊙. S.⊙. G.⊙. G.⊙.	Bot. mag. 1864. Bot. reg. 116.  Sal. stirp. rar. 5. t. 3.  Bot. rep. 575. Jac. amer. t. 110. Bot. mag. 1056. Meerb. ic. 1. t. 7.  Bot. mag. 1191. Bot. reg. 213.
4 barbata. W. TOURRETTIA. J. lappacea. W. MARTYNIA. W. 1 diandra. W. 2 craniolaria. W. 3 Proboscidea. W. 4 longiflora. W. GLOXINIA. W. 1 maculata. W. 2 speciosa. B. reg. GESNERIA. W. 1 acaulis. W.	TOURRETTIA. scarlet-flowered. MARTYNIA. two-stamened. white-flowered. horn-capsuled. long-flowered. GLOXINIA. spotted-stalked. many-flowered. GESNERIA.	Bignoniaceæ? J. Bignoniaceæ? Bignoniaceæ?	Mexico. Dombeya. Sa Peru. New Spain. S. America. C. B. S. S. America.	1812. 7.9. 1794. 6.9. tl. 1788. 6.8. 1731. 7.8. 1733. ———————————————————————————————————	H.↓. S.⊙. S.⊙. S.⊙. G.⊙. G.⊙.	Bot. mag. 1864. Bot. reg. 116.  Sal. stirp. rar. 5. t. 3.  Bot. rep. 575. Jac. amer. t. 110. Bot. mag. 1056. Meerb. ic. 1. t. 7.  Bot. mag. 1191. Bot. reg. 213.
4 barbata. W. TOURRETTIA. J. lappacea. W. MARTYNIA. W. 1 diandra. W. 2 craniolaria. W. 3 Proboscidea. W. 4 longiflora. W. CLOXINIA. W. 1 maculata. W. 2 speciosa. B. reg. GESNERIA. W. 1 acaulis. W. 2 tomentosa. W.	Tourrettia. scarlet-flowered. Martynia. two-stamened. white-flowered. horn-capsuled. long-flowered. GLOXINIA. spotted-stalked. many-flowered. GENDERIA. stemless. woolly.	Bignoniaceæ? J. Bignoniaceæ? Bignoniaceæ?	Mexico. Dombeya. Sa Peru.  New Spain. S. America. America. C. B. S. S. America.  Jamaica. S. America.	1812. 7.9. 1794. 6.9. tl. 1788. 6.8. 1731. 7.8. 1733. ———————————————————————————————————	H.↓. S.⊙. S.⊙. S.⊙. G.⊙. G.⊙.	Bot. mag. 1864. Bot. reg. 116.  Sal. stirp. rar. 5. t. 3.  Bot. rep. 575. Jac. amer. t. 110. Bot. mag. 1056. Meerb. ic. 1. t. 7.  Bot. mag. 1191. Bot. reg. 213.
4 barbata. W. TOURRETTIA. J. lappacea. W. MARTYNIA. W. 1 diandra. W. 2 craniolaria. W. 3 Proboscidea. W. 4 longiflora. W. GLOXINIA. W. 1 maculata. W. 2 speciosa. B. reg. GESNERIA. W. 1 acaulis. W. 2 tomentosa. W. LATHR. E.A. W.	Tourrettia. scarlet-flowered. Martynia. two-stamened. white-flowered. horn-capsuled. long-flowered. GLOXINIA. spotted-stalked. many-flowered. GESNERIA. stemless. woolly. Toothwort.	Bignoniaceæ? J. Bignoniaceæ? J. Bignoniaceæ? Orobancheæ. Ven	Mexico. Dombeya. Sa Peru.  New Spain. S. America. America. C. B. S. S. America.  Jamaica. S. America.	1812. 7.9. 1794. 6.9. tl. 1768. 6.8. 1731. 7.8. 1738. 6.8. 1781. 7.8. 1789. 7.10 1815. 6.11. 1793 1752. 11.6.	H. 4. H. 4. S. ⊙. S. ⊙. G. ⊙. G. ⊙. S. 4. S. 4. S. h.	Bot. mag. 1864. Bot. reg. 116.  Sal. stirp. rar. 5. t. 3.  Bot. rep. 575. Jac. amer. t. 110. Bot. mag. 1056. Meerb. ic. 1. t. 7.  Bot. mag. 1191. Bot. reg. 213.  Sloa.jam.1.t.102.f.1 Bot. mag. 1023.
4 barbata. W. TOURRETTIA. J. lappacea. W. MARTYNIA. W. 1 diandra. W. 2 craniolaria. W. 3 Proboscidea. W. 4 longiflora. W. GLOXINIA. W. 1 maculata. W. 2 speciosa. B. reg. GESNERIA. W. 1 acaulis. W. 2 tomentosa. W. LATHR.EA. W. squamaria. W.	Tourrettia. scarlet-flowered. Martynia. two-stamened. white-flowered. horn-capsuled. long-flowered. GLONINIA. spotted-stalked. many-flowered. GESNERIA. stemless. woolly. Toothwort. scaly.	Bignoniaceæ? J. Bignoniaceæ? J. Bignoniaceæ? Orobancheæ. Ven	Mexico. Dombeya. Sa Peru.  New Spain. S. America. America. C. B. S. S. America.  Jamaica. S. America. t. Britaiu.	1812. 7.9. 1794. 6.9. tl. 1768. 6.8. 1731. 7.8. 1738. 6.8. 1781. 7.8. 1789. 7.10 1815. 6.11. 1793 1752. 11.6.	H. 4. H. 4. S. ⊙. S. ⊙. G. ⊙. G. ⊙. S. 4. S. 4. S. h.	Bot. mag. 1864. Bot. reg. 116.  Sal. stirp. rar. 5. t. 3.  Bot. rep. 575. Jac. amer. t. 110. Bot. mag. 1056. Meerb. ic. 1. t. 7.  Bot. mag. 1191. Bot. reg. 213.
4 barbata. W. TOURRETTIA. J. lappacea. W. MARTYNIA. W. 1 diandra. W. 2 craniolaria. W. 3 Proboscidea. W. 4 longiflora. W. GLOXINIA. W. 1 maculata. W. 2 speciosa. B. reg. GESNERIA. W. 1 acaulis. W. 2 tomentosa. W. LATHR.EA. W. squamaria. W. OROBANCHE. W.	Tourrettia. scarlet-flowered. Martynia. two-stamened. white-flowered. horn-capsuled. long-flowered. GLONINIa. spotted-stalked. many-flowered. GESNERIA. stemless. woolly. Toothwort. scaly. BROOM-RAPE.	Bignoniaceæ? J. Bignoniaceæ? J. Bignoniaceæ?  Orobancheæ. Ven Orobancheæ. Ven	Mexico. Dombeya. Sa Peru. New Spain. S. America. America. C. B. S. S. America. Jamaica. S. America. t. Britaiu.	1812. 7.9. 1794. 6.9. dl. 1788. 6.8. 1731. 7.8. 1733. ———————————————————————————————————	H. 4. H. 4. S. ⊙. S. ⊙. S. ⊙. G. ⊙. S. 4. S. 4. S. h. H. 4.	Bot. mag. 1864. Bot. reg. 116.  Sal. stirp. rar. 5. t. 3.  Bot. rep. 575. Jac. amer. t. 110. Bot. mag. 1056. Meerb. ic. 1. t. 7.  Bot. reg. 213.  Sloa.jam.1.t.102.f.1 Bot. mag. 1023.  Eng. bot. c. ic.
4 barbata. W. TOURRETTIA. J. lappacea. W. MARTYNIA. W. 1 diandra. W. 2 craniolaria. W. 3 Proboscidea. W. 4 longiflora. W. GLOXINIA. W. 1 maculata. W. 2 speciosa. B. reg. GESNERIA. W. 1 acaulis. W. 2 tomentosa. W. LATHR.EA. W. squamaria. W. OROBANCHE. W. 1 major. E. B.	Tourrettia. scarlet-flowered. Martynia. two-stamened. white-flowered. horn-capsuled. long-flowered. GLONINIA. spotted-stalked. many-flowered. GESNERIA. stemless. woolly. Toothwort. scaly.	Bignoniaceæ? J. Bignoniaceæ? J. Bignoniaceæ?  Bignoniaceæ?  Orobancheæ. Ven	Mexico. Dombeya. Sa Peru.  New Spain. S. America. America. C. B. S. S. America.  Jamaica. S. America. t. Britain. t.	1812. 7.9. 1794. 6.9. tl. 1768. 6.8. 1731. 7.8. 1738. 6.8. 1739. 7.10 1815. 6.11. 1793 1752. 11.6.	H. 4. H. 4. S.⊙. S.⊙. S.⊙. G.⊙. G.⊙. S. 4. S. 4. S. 5. H. 4.	Bot. mag. 1864. Bot. reg. 116.  Sal. stirp. rar. 5. t. 3.  Bot. rep. 575. Jac. amer. t. 110. Bot. mag. 1056. Meerb. ic. 1. t. 7.  Bot. mag. 1191. Bot. reg. 213.  Sloa.jam.1.t.102.f.1 Bot. mag. 1023.  Eng. bot. c. ic.  Eng. bot. 421.
4 barbata. W. TOURRETTIA. J. lappacea. W. MARTYNIA. W. 1 diandra. W. 2 craniolaria. W. 3 Proboscidea. W. 4 longiflora. W. GLOXINIA. W. 1 maculata. W. 2 speciosa. B. reg. GESNERIA. W. 1 acaulis. W. 2 tomentosa. W. LATHR.EA. W. squamaria. W. OROBANCHE. W.	Tourrettia. scarlet-flowered. Martynia. two-stamened. white-flowered. horn-capsuled. long-flowered. GLONINIa. spotted-stalked. many-flowered. GESNERIA. stemless. woolly. Toothwort. scaly. BROOM-RAPE.	Bignoniaceæ? J. Bignoniaceæ? J. Bignoniaceæ?  Bignoniaceæ?  Orobancheæ. Ven	Mexico. Dombeya. Sa Peru.  New Spain. S. America. America. C. B. S. S. America.  Jamaica. S. America. t. Britain. t.	1812. 7.9. 1794. 6.9. tl. 1768. 6.8. 1731. 7.8. 1738. 6.8. 1739. 7.10 1815. 6.11. 1793 1752. 11.6.	H. 4. H. 4. S.⊙. S.⊙. S.⊙. G.⊙. G.⊙. S. 4. S. 4. S. 5. H. 4.	Bot. mag. 1864. Bot. reg. 116.  Sal. stirp. rar. 5. t. 3.  Bot. rep. 575. Jac. amer. t. 110. Bot. mag. 1056. Meerb. ic. 1. t. 7.  Bot. mag. 1191. Bot. reg. 213.  Sloa.jam.1.t.102.f.1 Bot. mag. 1023.  Eng. bot. c. ic.  Eng. bot. 421.
4 barbata. W. TOURRETTIA. J. lappacea. W. MARTYNIA. W. 1 diandra. W. 2 craniolaria. W. 3 Proboscidea. W. 4 longiflora. W. GLOXINIA. W. 1 maculata. W. 2 speciosa. B. reg. GESNERIA. W. 1 acaulis. W. 2 tomentosa. W. LATHR.EA. W. squamaria. W. OROBANCHE. W. 1 major. E. B. 2 elatior. E. B.	Tourrettia. scarlet-flowered. Martynia. two-stamened. white-flowered. horn-capsuled. long-flowered. GLOXINIA. spotted-stalked. many-flowered. GENERIA. stemless. woolly. Toothwort. scaly. Broom-Rape. greater. taller.	Bignoniaceæ? J. Bignoniaceæ? J. Bignoniaceæ?  Bignoniaceæ?  Orobancheæ. Ven	Mexico. Dombeya. Sa Peru. New Spain. S. America. America. C. B. S. S. America. Jamaica. S. America. t. Britain. t.	1812. 7.9. 1794. 6.9. tl. 1788. 6.8. 1731. 7.8. 1738. 6.8. 1781. 7.8. 1789. 7.10 1815. 6.11. 1793 1752. 11.6 4 6.7 7.8.	H.4. H.4. S.⊙. S.⊙. S.⊙. G.⊙. G.⊙. S.4. S.4. S.h. H.4. H.4.	Bot. mag. 1864. Bot. reg. 116.  Sal. stirp. rar. 5. t. 3.  Bot. rep. 575. Jac. amer. t. 110. Bot. mag. 1056. Meerb. ic. 1. t. 7.  Bot. reg. 213.  Sloa.jam.1.t.102.f.1 Bot. mag. 1023.  Eng. bot. c. ic.  Eng. bot. 421. ————————————————————————————————————
4 barbata. W. TOURRETTIA. J. lappacea. W. MARTYNIA. W. 1 diandra. W. 2 craniolaria. W. 3 Proboscidea. W. 4 longiflora. W. GLOXINIA. W. 1 maculata. W. 2 speciosa. B. reg. GESNERIA. W. 1 acaulis. W. 2 tomentosa. W. LATHR.EA. W. squamaria. W. OROBANCHE. W. 1 major. E. B. 2 elatior. E. B.	Tourrettia. scarlet-flowered. Martynia. two-stamened. white-flowered. horn-capsuled. long-flowered. GLOXINIA. spotted-stalked. many-flowered. GESNERIA. stemless. woolly. Toothwort. scaly. BROOM-RAPE. greater. taller. smaller.	Bignoniaceæ? J. Bignoniaceæ? J. Bignoniaceæ?  Bignoniaceæ?  Orobancheæ. Ven	Mexico. Dombeya. Sa Peru. New Spain. S. America. America. C. B. S. S. America. Jamaica. S. America. t. Britain. t.	1812. 7.9. 1794. 6.9. tl. 1768. 6.8. 1731. 7.8. 1738. 6.8. 1731. 7.8. 1739. 7.10 1815. 6.11. 1793 1752. 11.6 4 6.7 7.8.	H. 4. H. 4. S.⊙. S.⊙. S.⊙. G.⊙. G.⊙. S. 4. S. 4. S. b. S. b. H. 4. H. 4. H. 4.	Bot. mag. 1864. Bot. reg. 116.  Sal.stirp. rar. 5. t.3.  Bot. rep. 575. Jac. amer. t. 110. Bot. mag. 1056. Meerb. ic. 1. t. 7.  Bot. mag. 1191. Bot. reg. 213.  Sloa.jam.1.t.102.f.1 Bot. mag. 1023.  Eng. bot. c. ic.  Eng. bot. 421.  568.  422.
4 barbata. W. TOURRETTIA. J. lappacea. W. MARTYNIA. W. 1 diandra. W. 2 craniolaria. W. 3 Proboscidea. W. 4 longiflora. W. GLOXINIA. W. 1 maculata. W. 2 speciosa. B. reg. GESNERIA. W. 1 acaulis. W. 2 tomentosa. W. LATHR.EA. W. squamaria. W. OROBANCHE. W. 1 major. E. B. 2 elatior. E. B. 3 minor. E. B.	Tourrettia. scarlet-flowered. Martynia. two-stamened. white-flowered. horn-capsuled. long-flowered. GLONINIA. spotted-stalked. many-flowered. GESNERIA. stemless. woolly. Toothwort. scaly. BROOM-RAPE. greater. taller. smaller. red.	Bignoniaceæ? J. Bignoniaceæ? J. Bignoniaceæ?  Orobancheæ. Ven Orobancheæ. Ven	Mexico. Dombeya. Sa Peru. New Spain. S. America. America. C. B. S. S. America. Jamaica. S. America. t. Britain. t. Britain.	1812. 7.9. 1794. 6.9. dl. 1788. 6.8. 1731. 7.8. 1733 1738. 6.8. 1781. 7.8. 1739. 7.10 1815. 6.11. 1793 1752. 11.6 4 6.7 7.8.	H.4. H.4. S. ©. S. ©. G. ©. S. 4. S. 4. S. 4. S. 4. H.4. H.4. H.4. H.4.	Bot. mag. 1864. Bot. reg. 116.  Sal. stirp. rar. 5. t. 3.  Bot. rep. 575. Jac. amer. t. 110. Bot. mag. 1056. Meerb. ic. 1. t. 7.  Bot. mag. 1191. Bot. reg. 213.  Sloa.jam.1.t.102.f.1 Bot. mag. 1023.  Eng. bot. c. ic.  Eng. bot. 421.  568.  422.  c. ic.
4 barbata. W. TOURRETTIA. J. lappacea. W. MARTYNIA. W. 1 diandra. W. 2 craniolaria. W. 3 Proboscidea. W. 4 longiflora. W. GLOXINIA. W. 1 maculata. W. 2 speciosa. B. reg. GESNERIA. W. 1 acaulis. W. 2 tomentosa. W. LATHR.EA. W. squamaria. W. OROBANCHE. W. 1 major. E. B. 2 elatior. E. B. 3 minor. E. B. 4 rubra. E. B. 5 cærulea. E. B.	Tourrettia. scarlet-flowered. Martynia. two-stamened. white-flowered. horn-capsuled. long-flowered. GLONINIa. spotted-stalked. many-flowered. GENERIA. stemless. woolly. Toothwort. scaly. Broom-Rape. greater. taller. smaller. red. blue.	Bignoniaceæ? J. Bignoniaceæ? J. Bignoniaceæ?  Orobancheæ. Ven Orobancheæ. Ven	Mexico. Dombeya. Sa Peru. New Spain. S. America. America. C. B. S. S. America. Jamaica. S. America. t. Britain. t.	1812. 7.9. 1794. 6.9. tl. 1788. 6.8. 1731. 7.8. 1738. 6.8. 1739. 7.10 1815. 6.11. 1798 1752. 11.6 4 6.7 7.8.	H.4. H.4. S.⊙. S.⊙. G.⊙. G.⊙. S.4. S.4. S.4. H.4. H.4. H.4. H.4. H.4	Bot. mag. 1864. Bot. reg. 116.  Sal. stirp. rar. 5. t.3.  Bot. rep. 575. Jac. amer. t. 110. Bot. mag. 1056. Meerb. ic. 1. t. 7.  Bot. mag. 1191. Bot. reg. 213.  Sloa.jam.1.t.102.f.1 Bot. mag. 1023.  Eng. bot. c. ic.  Eng. bot. 421.  568.  422.  c. ica  423.
4 barbata. W. TOURRETTIA. J. lappacea. W. MARTYNIA. W. 1 diandra. W. 2 craniolaria. W. 3 Proboscidea. W. 4 longiflora. W. GLOXINIA. W. 1 maculata. W. 2 speciosa. B. reg. GESNERIA. W. 1 acaulis. W. 2 tomentosa. W. LATHR.EA. W. squamaria. W. OROBANCHE. W. 1 major. E. B. 2 elatior. E. B. 3 minor. E. B. 4 rubra. E. B. 5 cærulea. E. B. 6 ramosa. E. B.	Tourrettia. scarlet-flowered. Martynia. two-stamened. white-flowered. horn-capsuled. long-flowered. GLOXINIA. spotted-stalked. many-flowered. GESNERIA. stemless. woolly. Toothwort. scaly. BROOM-RAPE. greater. taller. smaller. red. blue. branching.	Bignoniaceæ? J. Bignoniaceæ? J. Bignoniaceæ?  Bignoniaceæ?  Orobancheæ. Ven	Mexico. Dombeya. Sa Peru.  New Spain. S. America. C. B. S. S. America. Jamaica. S. America. t. Britain. t.	1812. 7.9. 1794. 6.9. tl. 1788. 6.8. 1731. 7.8. 1738. 6.8. 1739. 7.10 1815. 6.11. 1798 1752. 11.6 4 6.7 7.8.	H.4. H.4. S.⊙. S.⊙. G.⊙. G.⊙. S.4. S.4. S.4. H.4. H.4. H.4. H.4. H.4	Bot. mag. 1864. Bot. reg. 116.  Sal. stirp. rar. 5. t. 3.  Bot. rep. 575. Jac. amer. t. 110. Bot. mag. 1056. Meerb. ic. 1. t. 7.  Bot. mag. 1191. Bot. reg. 213.  Sloa.jam.1.t.102.f.1 Bot. mag. 1023.  Eng. bot. c. ic.  Eng. bot. 421.  568.  422.  c. ic.
4 barbata. W. TOURRETTIA. J. lappacea. W. MARTYNIA. W. 1 diandra. W. 2 craniolaria. W. 3 Proboscidea. W. 4 longiflora. W. GLOXINIA. W. 1 maculata. W. 2 speciosa. B. reg. GESNERIA. W. 1 acaulis. W. 2 tomentosa. W. LATHR.EA. W. squamaria. W. OROBANCHE. W. 1 major. E. B. 2 elatior. E. B. 3 minor. E. B. 4 rubra. E. B. 5 cærulea. E. B. 6 ramosa. E. B. ACANTHUS. W.	Tourrettia. scarlet-flowered. Martynia. two-stamened. white-flowered. horn-capsuled. long-flowered. GLOXINIA. spotted-stalked. many-flowered. GESNERIA. stemless. woolly. Toothwort. scaly. BROOM-RAPE. greater. taller. smaller. red. blue. branching. BEAR'S-BREECH	Bignoniaceæ? J. Bignoniaceæ? J. Bignoniaceæ?  Bignoniaceæ?  Orobancheæ. Ven  Orobancheæ. Ven	Mexico. Dombeya. Sa Peru.  New Spain. S. America. C. B. S. S. America.  Jamaica. S. America. t. Britain. t.	1812. 7.9. 1794. 6.9. tl. 1788. 6.8. 1731. 7.8. 1738. 6.8. 1781. 7.8. 1789. 7.10 1815. 6.11. 1793 1752. 11.6 4 6.7 7.8 8.	H.4. H.4. S.⊙. S.⊙. S.⊙. G.⊙. G.⊙. S.4. S.4. S.h. H.4. H.4. H.4. H.4. H.4.	Bot. mag. 1864. Bot. reg. 116.  Sal. stirp. rar. 5. t. 3.  Bot. rep. 575. Jac. amer. t. 110. Bot. mag. 1056. Meerb. ic. 1. t. 7.  Bot. reg. 213.  Sloa.jam.1.t.102.f.1 Bot. mag. 1023.  Eng. bot. c. ic.  Eng. bot. 421.  568.  422.  1023.  423.  84.
4 barbata. W. TOURRETTIA. J. lappacea. W. MARTYNIA. W. 1 diandra. W. 2 craniolaria. W. 3 Proboscidea. W. 4 longiflora. W. GLOXINIA. W. 1 maculata. W. 2 speciosa. B. reg. GESNERIA. W. 1 acaulis. W. 2 tomentosa. W. LATHR.EA. W. squamaria. W. OROBANCHE. W. 1 major. E. B. 2 elatior. E. B. 3 minor. E. B. 4 rubra. E. B. 5 cærulea. E. B. 6 ramosa. E. B. ACANTHUS. W. 1 mollis. W.	Tourrettia. scarlet-flowered. Martynia. two-stamened. white-flowered. horn-capsuled. long-flowered. GLOXINIA. spotted-stalked. many-flowered. GESNERIA. stemless. woolly. Toothwort. scaly. BROOM-RAPE. greater. taller. smaller. red. blue. branching. BEAR's-BREECH smooth.	Bignoniaceæ? J. Bignoniaceæ? J. Bignoniaceæ?  Orobancheæ. Ven Orobancheæ. Ven Acanthaceæ. B. P.	Mexico. Dombeya. Sa Peru.  New Spain. S. America. America. C. B. S. S. America. Jamaica. S. America. t. Britaiu. t. Britain.	1812. 7.9. 1794. 6.9. tl. 1788. 6.8. 1731. 7.8. 1733. ———————————————————————————————————	H.4. H.4. S. ©. S. ©. G. ©. S. 4. S. ½. S. ½. H.4. H.4. H.4. H.4. H.4. H.4.	Bot. mag. 1864. Bot. reg. 116.  Sal. stirp. rar. 5. t.3.  Bot. rep. 575. Jac. amer. t. 110. Bot. mag. 1056. Meerb. ic. 1. t. 7.  Bot. mag. 1191. Bot. reg. 213.  Sloa.jam.1.t.102.f.1 Bot. mag. 1023.  Eng. bot. c. ic.  Eng. bot. 421.  568.  422.  c. ica  423.
4 barbata. W. TOURRETTIA. J. lappacea. W. MARTYNIA. W. 1 diandra. W. 2 craniolaria. W. 3 Proboscidea. W. 4 longiflora. W. GLOXINIA. W. 1 maculata. W. 2 speciosa. B. reg. GESNERIA. W. 1 acaulis. W. 2 tomentosa. W. LATHR.EA. W. squamaria. W. OROBANCHE. W. 1 major. E. B. 2 elatior. E. B. 3 minor. E. B. 4 rubra. E. B. 5 cærulea. E. B. 6 ramosa. E. B. ACANTHUS. W.	Tourrettia. scarlet-flowered. Martynia. two-stamened. white-flowered. horn-capsuled. long-flowered. GLOXINIA. spotted-stalked. many-flowered. GESNERIA. stemless. woolly. Toothwort. scaly. BROOM-RAPE. greater. taller. smaller. red. blue. branching. BEAR'S-BREECH	Bignoniaceæ? J. Bignoniaceæ? J. Bignoniaceæ?  Orobancheæ. Ven Orobancheæ. Ven Acanthaceæ. B. P.	Mexico. Dombeya. Sa Peru.  New Spain. S. America. America. C. B. S. S. America. Jamaica. S. America. t. Britaiu. t. Britain.	1812. 7.9. 1794. 6.9. 1794. 6.9. 1788. 6.8. 1731. 7.8. 1738. 6.8. 1781. 7.8. 1789. 7.10 1815. 6.11. 1793 1752. 11.6 4 6.7 7.8 8.9. 1548. 7.9.	H.4. H.4. S. ©. S. ©. S. Ø. G. ©. S. 4. S. h. S. h. H.4. H.4. H.4. H.4. H.4. H.4.	Bot. mag. 1864. Bot. reg. 116.  Sal. stirp. rar. 5. t.3.  Bot. rep. 575. Jac. amer. t. 110. Bot. mag. 1056. Meerb. ic. 1. t. 7.  Bot. mag. 1191. Bot. reg. 213.  Sloa.jam.1.t.102.f.1 Bot. mag. 1023.  Eng. bot. c. ic.  Eng. bot. 421.  568.  422.  c. ica  423.  84.  Lam. ill. t. 550.
4 barbata. W. TOURRETTIA. J. lappacea. W. MARTYNIA. W. 1 diandra. W. 2 craniolaria. W. 3 Proboscidea. W. 4 longiflora. W. GLOXINIA. W. 1 maculata. W. 2 speciosa. B. reg. GESNERIA. W. 1 acaulis. W. 2 tomentosa. W. LATHR.EA. W. squamaria. W. OROBANCHE. W. 1 major. E. B. 2 elatior. E. B. 3 minor. E. B. 4 rubra. E. B. 5 cærulea. E. B. 6 ramosa. E. B. ACANTHUS. W. 1 mollis. W.	Tourrettia. scarlet-flowered. Martynia. two-stamened. white-flowered. horn-capsuled. long-flowered. GLOXINIA. spotted-stalked. many-flowered. GESNERIA. stemless. woolly. Toothwort. scaly. BROOM-RAPE. greater. taller. smaller. red. blue. branching. BEAR's-BREECH smooth.	Bignoniaceæ? J. Bignoniaceæ? J. Bignoniaceæ?  Bignoniaceæ?  Orobancheæ. Ven  Orobancheæ. Ven	Mexico. Dombeya. Sa Peru.  New Spain. S. America. America. C. B. S. S. America. Jamaica. S. America. t. Britain. t. Britain. t. Britain. Italy. Portugal. Italy.	1812. 7.9. 1794. 6.9. 1794. 6.9. 1788. 6.8. 1731. 7.8. 1738. 6.8. 1781. 7.8. 1789. 7.10 1815. 6.11. 1793 1752. 11.6 4 6.7 7.8 8.9. 1548. 7.9.	H.4. H.4. S. ©. S. ©. S. Ø. G. ©. S. 4. S. h. S. h. H.4. H.4. H.4. H.4. H.4. H.4.	Bot. mag. 1864. Bot. reg. 116.  Sal. stirp. rar. 5. t. 3.  Bot. rep. 575. Jac. amer. t. 110. Bot. mag. 1056. Meerb. ic. 1. t. 7.  Bot. reg. 213.  Sloa.jam.1.t.102.f.1 Bot. mag. 1023.  Eng. bot. c. ic.  Eng. bot. 421.  568.  422.  1023.  423.  84.
4 barbata. W. TOURRETTIA. J. lappacea. W. MARTYNIA. W. 1 diandra. W. 2 craniolaria. W. 3 Proboscidea. W. 4 longiflora. W. GLOXINIA. W. 1 maculata. W. 2 speciosa. B. reg. GESNERIA. W. 1 acaulis. W. 2 tomentosa. W. LATHR.EA. W. squamaria. W. OROBANCHE. W. 1 major. E. B. 2 elatior. E. B. 3 minor. E. B. 4 rubra. E. B. 5 cærulea. E. B. 6 ramosa. E. B. ACANTHUS. W. 1 mollis. W. 2 nigra. Mill. 3 spinosus. P. S.	Tourrettia. scarlet-flowered. Martynia. two-stamened. white-flowered. horn-capsuled. long-flowered. GLOXINIA. spotted-stalked. many-flowered. GESNERIA. stemless. woolly. Toothwort. scaly. BROOM-RAPE. greater. taller. smaller. red. blue. branching. BEAE'S-BREECH smooth. shining-leaved. prickly-leaved.	Bignoniaceæ? J. Bignoniaceæ? J. Bignoniaceæ?  Bignoniaceæ?  Orobancheæ. Ven  Orobancheæ. Ven	Mexico. Dombeya. Sa Peru.  New Spain. S. America. America. C. B. S. S. America. Jamaica. S. America. t. Britain. t. Britain. t. Britain. Italy. Portugal. Italy.	1812. 7.9. 1794. 6.9. tl. 1788. 6.8. 1731. 7.8. 1738. 6.8. 1739. 7.10 1815. 6.11. 1793 1752. 11.6 4 6.7 7.8 8.9. 1548. 7.9. 1759.	H.4. H.4. S.⊙. S.⊙. S.⊙. G.⊙. S.4. S.4. S.4. S.4. H.4. H.4. H.4. H.4	Bot. mag. 1864. Bot. reg. 116.  Sal. stirp. rar. 5. t.3.  Bot. rep. 575. Jac. amer. t. 110. Bot. mag. 1056. Meerb. ic. 1. t. 7.  Bot. mag. 1191. Bot. reg. 213.  Sloa.jam.1.t.102.f.1 Bot. mag. 1023.  Eng. bot. c. ic.  Eng. bot. 421.  568.  422.  c. ica  423.  84.  Lam. ill. t. 550.
4 barbata. W. TOURRETTIA. J. lappacea. W. MARTYNIA. W. 1 diandra. W. 2 craniolaria. W. 3 Proboscidea. W. 4 longiflora. W. GLOXINIA. W. 1 maculata. W. 2 speciosa. B. reg. GESNERIA. W. 1 acaulis. W. 2 tomentosa. W. LATHR.EA. W. squamaria. W. OROBANCHE. W. 1 major. E. B. 2 elatior. E. B. 3 minor. E. B. 4 rubra. E. B. 5 cærulea. E. B. 6 ramosa. E. B. ACANTHUS. W. 1 mollis. W. 2 nigra. Mill. 3 spinosus. P. S. 4 spinosissimus. P. S.	Tourrettia. scarlet-flowered. Martynia. two-stamened. white-flowered. horn-capsuled. long-flowered. GLOXINIA. spotted-stalked. many-flowered. GENERIA. stemless. woolly. Toothwort. scaly. Broom-Rape. greater. taller. smaller. red. blue. branching. Bear's-Breech smooth. shining-leaved. prickly-leaved. white-spined.	Bignoniaceæ? J. Bignoniaceæ? J. Bignoniaceæ?  Bignoniaceæ?  Orobancheæ. Ven  Orobancheæ. Ven	Mexico. Dombeya. Sa Peru.  New Spain. S. America. America. C. B. S. S. America. Jamaica. S. America. t. Britain. t. Britain. Italy. Portugal. Italy. S. Europe.	1812. 7.9. 1794. 6.9. tl. 1788. 6.8. 1731. 7.8. 1738. 6.8. 1781. 7.8. 1789. 7.10 1815. 6.11. 1793 1752. 11.6 8 7 8. 1789. 7.9. 1548. 7.9.	H.4. H.4. S. ©. S. ©. S. ©. G. ©. S. 4. S. h. S. h. H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.	Bot. mag. 1864. Bot. reg. 116.  Sal. stirp. rar. 5. t. 3.  Bot. rep. 575. Jac. amer. t. 110. Bot. mag. 1056. Meerb. ic. 1. t. 7.  Bot. mag. 1191. Bot. reg. 213.  Sloa.jam.1.t.102.f.1 Bot. mag. 1023.  Eng. bot. c. ic.  Eng. bot. 421.  568.  422.  c. ic.  423.  84.  Lam. ill. t. 550.  Bot. mag. 1808.
4 barbata. W. TOURRETTIA. J. lappacea. W. MARTYNIA. W. 1 diandra. W. 2 craniolaria. W. 3 Proboscidea. W. 4 longiflora. W. GLOXINIA. W. 1 maculata. W. 2 speciosa. B. reg. GESNERIA. W. 1 acaulis. W. 2 tomentosa. W. LATHR.EA. W. squamaria. W. OROBANCHE. W. 1 major. E. B. 2 elatior. E. B. 3 minor. E. B. 4 rubra. E. B. 5 cærulea. E. B. 6 ramosa. E. B. ACANTHUS. W. 1 mollis. W. 2 nigra. Mill. 3 spinosus. P. S. 5 ilicifolius. B. P.	Tourrettia. scarlet-flowered. Martynia. two-stamened. white-flowered. horn-capsuled. long-flowered. Gloxinia. spotted-stalked. many-flowered. GESNERIA. stemless. woolly. Toothwort. scaly. BROOM-RAPE. greater. taller. smaller. red. blue. branching. BEAR's-BREECH smooth. shining-leaved. prickly-leaved. Holly-leaved.	Bignoniaceæ? J. Bignoniaceæ? J. Bignoniaceæ?  Bignoniaceæ?  Orobancheæ. Ven  Acanthaceæ. B. P.	Mexico. Dombeya. Sa Peru.  New Spain. S. America. America. C. B. S. S. America. Jamaica. S. America. t. Britain. t. Britain. Ltaly. Portugal. Italy. S. Europe. E. Ind.	1812. 7.9. 1794. 6.9. tl. 1788. 6.8. 1731. 7.8. 1738. 6.8. 1781. 7.8. 1789. 7.10 1815. 6.11. 1793 1752. 11.6 8 7 8. 1789. 7.9. 1548. 7.9.	H.4. H.4. S. ©. S. ©. S. ©. G. ©. S. 4. S. h. S. h. H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.	Bot. mag. 1864. Bot. reg. 116.  Sal. stirp. rar. 5. t.3.  Bot. rep. 575. Jac. amer. t. 110. Bot. mag. 1056. Meerb. ic. 1. t. 7.  Bot. mag. 1191. Bot. reg. 213.  Sloa.jam.1.t.102.f.1 Bot. mag. 1023.  Eng. bot. c. ic.  Eng. bot. 421.  568.  422.  c. ica  423.  84.  Lam. ill. t. 550.
4 barbata. W. TOURRETTIA. J. lappacea. W. MARTYNIA. W. 1 diandra. W. 2 craniolaria. W. 3 Proboscidea. W. 4 longiflora. W. GLOXINIA. W. 1 maculata. W. 2 speciosa. B. reg. GESNERIA. W. 1 acaulis. W. 2 tomentosa. W. LATHR.EA. W. squamaria. W. OROBANCHE. W. 1 major. E. B. 2 elatior. E. B. 3 minor. E. B. 4 rubra. E. B. 5 cærulea. E. B. 6 ramosa. E. B. ACANTHUS. W. 1 mollis. W. 2 nigra. Mill. 3 spinosus. P. S. 4 spinosissimus. P. S. 5 ilicifolius. B. P. THUNBERGIA. W.	Tourrettia. scarlet-flowered. Martynia. two-stamened. white-flowered. horn-capsuled. long-flowered. GLOXINIA. spotted-stalked. many-flowered. GESNERIA. stemless. woolly. Toothwort. scaly. BROOM-RAPE. greater. taller. smaller. red. blue. branching. BEAR's-BREECH smooth. shining-leaved, prickly-leaved. white-spined. Holly-leaved. Thunbergia.	Bignoniaceæ? J. Bignoniaceæ? J. Bignoniaceæ?  Bignoniaceæ?  Orobancheæ. Ven Orobancheæ. Ven Acanthaceæ. B. P.	Mexico. Dombeya. Sa Peru.  New Spain. S. America. America. C. B. S. S. America. Jamaica. S. America. t. Britaiu. t. Britaiu. t. Britaiu. t. Elitaly. Portugal. Italy. S. Europe. E. Ind.	1812. 7.9. 1794. 6.9.  1794. 6.9.  1788. 6.8. 1731. 7.8. 1733 1738. 6.8. 1781. 7.8. 1739. 7.10 1815. 6.11. 1793 1752. 11.6 4 6.7 7.8 7 8.9. 1548. 7.9. 1759 1759	H.4. H.4. S. ©. S. ©. S. Ø. G. ©. S. 4. S. ½. S. ½. H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.	Bot. mag. 1864. Bot. reg. 116.  Sal. stirp. rar. 5. t. 3.  Bot. rep. 575. Jac. amer. t. 110. Bot. mag. 1056. Meerb. ic. 1. t. 7.  Bot. mag. 1191. Bot. reg. 213.  Sloa.jam.1.t.102.f. 1 Bot. mag. 1023.  Eng. bot. c. ic.  Eng. bot. 421.  568.  422.  c. ic.  423.  84.  Lam. ill. t. 550.  Bot. mag. 1808.  Rheed. mal. 2. t. 48.
4 barbata. W. TOURRETTIA. J. lappacea. W. MARTYNIA. W. 1 diandra. W. 2 craniolaria. W. 3 Proboscidea. W. 4 longiflora. W. GLOXINIA. W. 1 maculata. W. 2 speciosa. B. reg. GESNERIA. W. 1 acaulis. W. 2 tomentosa. W. LATHR.EA. W. squamaria. W. OROBANCHE. W. 1 major. E. B. 2 elatior. E. B. 3 minor. E. B. 4 rubra. E. B. 5 cærulea. E. B. 6 ramosa. E. B. ACANTHUS. W. 1 mollis. W. 2 nigra. Mill. 3 spinosus. P. S. 5 ilicifolius. B. P. THUNBERGIA. W. fragrans. W.	Tourrettia. scarlet-flowered. Martynia. two-stamened. white-flowered. horn-capsuled. long-flowered. GLONINIA. spotted-stalked. many-flowered. GENERIA. stemless. woolly. Toothwort. scaly. BROOM-RAPE. greater. taller. smaller. red. blue. branching. BEAR's-BREECH smooth. shining-leaved. prickly-leaved. white-spined. Holly-leaved. Thunbergia. twining.	Bignoniaceæ? J. Bignoniaceæ? J. Bignoniaceæ?  Bignoniaceæ?  Orobancheæ. Ven Orobancheæ. Ven Acanthaceæ. B. P.	Mexico. Dombeya. Sa Peru.  New Spain. S. America. America. C. B. S. S. America. Jamaica. S. America. t. Britaiu. t. Britaiu. t. Portugal. Italy. S. Europe. E. Ind.	1812. 7.9. 1794. 6.9.  1794. 6.9.  1788. 6.8. 1731. 7.8. 1733 1738. 6.8. 1781. 7.8. 1739. 7.10 1815. 6.11. 1793 1752. 11.6 4 6.7 7.8 7 8.9. 1548. 7.9. 1759 1759	H.4. H.4. S. ©. S. ©. S. Ø. G. ©. S. 4. S. ½. S. ½. H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.	Bot. mag. 1864. Bot. reg. 116.  Sal. stirp. rar. 5. t. 3.  Bot. rep. 575. Jac. amer. t. 110. Bot. mag. 1056. Meerb. ic. 1. t. 7.  Bot. mag. 1191. Bot. reg. 213.  Sloa.jam.1.t.102.f.1 Bot. mag. 1023.  Eng. bot. c. ic.  Eng. bot. 421.  568.  422.  c. ic.  423.  84.  Lam. ill. t. 550.  Bot. mag. 1808.
4 barbata. W. TOURRETTIA. J. lappacea. W. MARTYNIA. W. 1 diandra. W. 2 craniolaria. W. 3 Proboscidea. W. 4 longiflora. W. GLOXINIA. W. 1 maculata. W. 2 speciosa. B. reg. GESNERIA. W. 1 acaulis. W. 2 tomentosa. W. LATHR.EA. W. squamaria. W. OROBANCHE. W. 1 major. E. B. 2 elatior. E. B. 3 minor. E. B. 4 rubra. E. B. 5 cærulea. E. B. 6 ramosa. E. B. ACANTHUS. W. 1 mollis. W. 1 nigra. Mill. 3 spinosus. P. S. 5 ilicifolius. B. P. THUNBERGIA. W. fragrans. W. BARLERIA. W.	Tourrettia. scarlet-flowered. Martynia. two-stamened. white-flowered. horn-capsuled. long-flowered. GLOXINIA. spotted-stalked. many-flowered. GENERIA. stemless. woolly. Toothwort. scaly. Broom-Rape. greater. taller. smaller. red. blue. branching. Bear's-Breech smooth. shining-leaved. prickly-leaved. white-spined. Holly-leaved. Thunbergia. twining. Barleria.	Bignoniaceæ? J. Bignoniaceæ? J. Bignoniaceæ? Bignoniaceæ? Orobancheæ. Ven Orobancheæ. Ven Acanthaceæ. B. P. Acanthaceæ. B. P.	Mexico. Dombeya. Sa Peru. New Spain. S. America. America. C. B. S. S. America. Jamaica. S. America. Britain. t. Britain. t. Britain. Ltaly. Portugal. Italy. S. Europe. E. Ind.	1812. 7.9. 1794. 6.9. tl. 1788. 6.8. 1731. 7.8. 1738. 6.8. 1781. 7.8. 1789. 7.10 1815. 6.11. 1793 1752. 11.6 4 6.7 8 7 8.9. 1548. 7.9. 1759 1759 1759	H.4. H.4. S. ©. S. ©. G. ©. G. ©. S. 4. S. b. S. b. H. 4. H. 4. H. 4. H. 4. H. 4. H. 4. H. 4. H. 4. S. b. S. b. S. S. S	Bot. mag. 1864. Bot. reg. 116.  Sal. stirp. rar. 5. t.3.  Bot. rep. 575. Jac. amer. t. 110. Bot. mag. 1056. Meerb. ic. 1. t. 7.  Bot. mag. 1191. Bot. reg. 213.  Sloa.jam.1.t.102.f.1 Bot. mag. 1023.  Eng. bot. c. ic.  Eng. bot. 421.  568.  422.  c. ic.  423.  84.  Lam. ill. t. 550.  Bot. mag. 1808.  Rheed. mal. 2. t. 48.  Bot. mag. 1881.
4 barbata. W. TOURRETTIA. J. lappacea. W. MARTYNIA. W. 1 diandra. W. 2 craniolaria. W. 3 Proboscidea. W. 4 longiflora. W. GLOXINIA. W. 1 maculata. W. 2 speciosa. B. reg. GESNERIA. W. 1 acaulis. W. 2 tomentosa. W. LATHR.EA. W. squamaria. W. OROBANCHE. W. 1 major. E. B. 2 elatior. E. B. 3 minor. E. B. 4 rubra. E. B. 5 cærulea. E. B. 6 ramosa. E. B. ACANTHUS. W. 1 mollis. W. 2 nigra. Mill. 3 spinosus. P. S. 5 ilicifolius. B. P. THUNBERGIA. W. fragrans. W. BARLERIA. W. 1 longifolia. W.	Tourrettia. scarlet-flowered. Martynia. two-stamened. white-flowered. horn-capsuled. long-flowered. GLOXINIA. spotted-stalked. many-flowered. GESNERIA. stemless. woolly. Toothwort. scaly. BROOM-RAPE. greater. taller. smaller. red. blue. branching. BEAR's-BREECH smooth. shining-leaved. white-spined. Holly-leaved. Thunbergia. twining. BARLERIA. long-leaved.	Bignoniaceæ? J. Bignoniaceæ? J. Bignoniaceæ? Bignoniaceæ? Orobancheæ. Ven Orobancheæ. Ven Acanthaceæ. B. P. Acanthaceæ. B. P.	Mexico.  Dombeya. Sa Peru.  New Spain. S. America. America. C. B. S. S. America. Jamaica. S. America. t. Britain. t. Britain. Ltaly. Portugal. Italy. S. Europe. E. Ind. E. Ind.	1812. 7.9. 1794. 6.9.  1794. 6.9.  1788. 6.8. 1731. 7.8. 1733 1738. 6.8. 1781. 7.8. 1739. 7.10 1815. 6.11. 1793 1752. 11.6 4 6.7 8 7. 8 1759 1759 1759 1759 1796. 5.9.	H. 4. H. 4. S. ⊙. S. ⊙. S. ⊙. S. ⊙. S. ⊙. S. ↓. S. ↓. H. 4. H. 4. H	Bot. mag. 1864. Bot. reg. 116.  Sal. stirp. rar. 5. t. 3.  Bot. rep. 575. Jac. amer. t. 110. Bot. mag. 1056. Meerb. ic. 1. t. 7.  Bot. mag. 1191. Bot. reg. 213.  Sloa.jam.1.t.102.f.1 Bot. mag. 1023.  Eng. bot. c. ic.  Eng. bot. 421.  568.  422.  c. ic.  423.  84.  Lam. ill. t. 550.  Bot. mag. 1808.  Rheed. mal. 2. t. 48.  Bot. mag. 1881.  Pluk.alm.t.138.f.4.
4 barbata. W. TOURRETTIA. J. lappacea. W. MARTYNIA. W. 1 diandra. W. 2 craniolaria. W. 3 Proboscidea. W. 4 longiflora. W. GLOXINIA. W. 1 maculata. W. 2 speciosa. B. reg. GESNERIA. W. 1 acaulis. W. 2 tomentosa. W. LATHR.EA. W. squamaria. W. OROBANCHE. W. 1 major. E. B. 2 elatior. E. B. 3 minor. E. B. 4 rubra. E. B. 5 cærulea. E. B. 6 ramosa. E. B. ACANTHUS. W. 1 mollis. W. 1 nigra. Mill. 3 spinosus. P. S. 5 ilicifolius. B. P. THUNBERGIA. W. fragrans. W. BARLERIA. W.	Tourrettia. scarlet-flowered. Martynia. two-stamened. white-flowered. horn-capsuled. long-flowered. GLOXINIA. spotted-stalked. many-flowered. GENERIA. stemless. woolly. Toothwort. scaly. Broom-Rape. greater. taller. smaller. red. blue. branching. Bear's-Breech smooth. shining-leaved. prickly-leaved. white-spined. Holly-leaved. Thunbergia. twining. Barleria.	Bignoniaceæ? J. Bignoniaceæ? J. Bignoniaceæ? Bignoniaceæ? Orobancheæ. Ven Orobancheæ. Ven Acanthaceæ. B. P. Acanthaceæ. B. P.	Mexico.  Dombeya. Sa Peru.  New Spain. S. America. America. C. B. S. S. America. Jamaica. S. America. t. Britain. t. Britain. Ltaly. Portugal. Italy. S. Europe. E. Ind. E. Ind.	1812. 7.9. 1794. 6.9.  1794. 6.9.  1788. 6.8. 1731. 7.8. 1733 1738. 6.8. 1781. 7.8. 1739. 7.10 1815. 6.11. 1793 1752. 11.6 4 6.7 8 7. 8 1759 1759 1759 1759 1796. 5.9.	H. 4. H. 4. S. ⊙. S. ⊙. S. ⊙. S. ⊙. S. ⊙. S. 5. S. 4. S. b. H. 4. H. 4. H	Bot. mag. 1864. Bot. reg. 116.  Sal. stirp. rar. 5. t.3.  Bot. rep. 575. Jac. amer. t. 110. Bot. mag. 1056. Meerb. ic. 1. t. 7.  Bot. mag. 1191. Bot. reg. 213.  Sloa.jam.1.t.102.f.1 Bot. mag. 1023.  Eng. bot. c. ic.  Eng. bot. 421.  568.  422.  c. ic.  423.  84.  Lam. ill. t. 550.  Bot. mag. 1808.  Rheed. mal. 2. t. 48.  Bot. mag. 1881.
4 barbata. W. TOURRETTIA. J. lappacea. W. MARTYNIA. W. 1 diandra. W. 2 craniolaria. W. 3 Proboscidea. W. 4 longiflora. W. GLOXINIA. W. 1 maculata. W. 2 speciosa. B. reg. GESNERIA. W. 1 acaulis. W. 2 tomentosa. W. LATHR.EA. W. squamaria. W. OROBANCHE. W. 1 major. E. B. 2 elatior. E. B. 3 minor. E. B. 4 rubra. E. B. 5 cærulea. E. B. 6 ramosa. E. B. ACANTHUS. W. 1 mollis. W. 2 nigra. Mill. 3 spinosus. P. S. 5 ilicifolius. B. P. THUNBERGIA. W. fragrans. W. BARLERIA. W. 1 longifolia. W.	Tourrettia. scarlet-flowered. Martynia. two-stamened. white-flowered. horn-capsuled. long-flowered. GLOXINIA. spotted-stalked. many-flowered. GESNERIA. stemless. woolly. Toothwort. scaly. BROOM-RAPE. greater. taller. smaller. red. blue. branching. BEAR's-BREECH smooth. shining-leaved. white-spined. Holly-leaved. Thunbergia. twining. BARLERIA. long-leaved.	Bignoniaceæ? J. Bignoniaceæ? J. Bignoniaceæ? Bignoniaceæ? Orobancheæ. Ven Orobancheæ. Ven Acanthaceæ. B. P. Acanthaceæ. B. P.	Mexico. Dombeya. Sa Peru. New Spain. S. America. America. C. B. S. S. America. Jamaica. S. America. t. Britain. t. Britain. Litaly. Portugal. Italy. S. Europe. E. Ind. E. Ind.	1812. 7.9. 1794. 6.9.  1794. 6.9.  1788. 6.8. 1731. 7.8. 1733 1738. 6.8. 1781. 7.8. 1739. 7.10 1815. 6.11. 1793 1752. 11.6 4 6.7 8 7 8 1759. 1629 1759. 1759. 1759. 7.8.	H.4. S. S. S	Bot. mag. 1864. Bot. reg. 116.  Sal. stirp. rar. 5. t. 3.  Bot. rep. 575. Jac. amer. t. 110. Bot. mag. 1056. Meerb. ic. 1. t. 7.  Bot. mag. 1191. Bot. reg. 213.  Sloa.jam.1.t.102.f.1 Bot. mag. 1023.  Eng. bot. c. ic.  Eng. bot. 421.  568.  422.  c. ic.  423.  84.  Lam. ill. t. 550.  Bot. mag. 1808.  Rheed. mal. 2. t. 48.  Bot. mag. 1881.  Pluk.alm.t.138.f.4.

4 cristata. W.	crested.	Acanthaceæ. B. P.	E. Ind.	1796. 6	5.9. S	. h.	Bot. mag. 1615.
5 mitis. B. reg.	yellow-flowered.			1816	S	. h.	Bot. reg. 191.
6 longiflora. W.	long-flowered.				s	. ħ .	Vahl. symb.1.t. 16.
RUELLIA. J.	RUELLIA.	Acanthaceæ. B. P.	•				
1 ovata. W.	oval-leaved.		Mexico.	1800.	7.8. S	.4.	Cav. ic. 3. t. 254.
2 strepens. W.	whorl-flowered.		N. America.	1726	G	.4.	Schk.hand.2.t.177.
3 ocymoides. Cav.	Basil-like.	<del></del>	Mexico.	1815	s	·h.	Cav. ic. 5. t. 456.
4 patula. W.	spreading.		E. Ind.	1774	s	.h.	Jac. ic. 1. t. 119.
5 lactea. W.	white.		Mexico.	1796. 6	.s. G	. 24 .	Cav. ic. 3. t. 255.
6 clandestina. W.	three-flowered.		Barbadoes.	1728. 7	.8. S	. 24 .	Dill.elt.t.248.f.320
7 paniculata. W.	panicled.		W. Ind.	1768.	8. S	.4.	Slo.jam.1.t.100.f.2.
8 tuberosa. W.	tuberous-rooted.		Jamaica.	1752. 7			1.t. 95.f.1
9 biflora. W.	two-flowered.		Carolina.	1765.			
10 formosa. H. K.	splendid.		Brazil.				Bot. mag. 1400.
11 fulgida. H. K.	bright-flowered.		W. Ind.				Bot. rep. 527.
12 ciliata. W. en.	ciliated.		E. Ind.	1806.			•
13 ringens. W.	gaping-flowered.		E. Ind.	1807. 7			
Hygrophilæ sp. B.							
BLECHUM. B. P.	BLECHUM.	Acanthaceæ. B. P.					
Brownei, H. K.	dense-spiked.			1780.	6. S	. 24 .	Slo.jam.1.t.109.f.1
APHELANDRA. B.P.		Acanthaceæ. B. P.		1700.		. 47	2101341111111111111111111111111111111111
cristata. H. K.	dense-spiked.	Treamenacea: 17: 1		1733 6	3 a. S	Ъ.	Bot. mag. 1578.
CROSSANDRA. P. L		Acanthaceæ. B. P.			).J. D	• • • •	Dott Milg. 1070.
undulæfolia. P. S.	waved-leaved.	Acanthacee: D. 1		1800 6	1 S	Ъ.	Bot. reg. 69. 24 215
LIMOSELLA. W.	MUDWORT.	Scrophularinæ. B.		1000. 0	),1, D	. 17 .	Dot. 10g. 03. 127 2 2
aquatica. W.		Scrophularine. D.		7	7 0 H	0	Eng. bot. 357.
BROWALLIA. W.	water.			• • • • /	.3. 11		E115. DOL: 307.
1 demissa. W.	BROWALLIA.	Scrophularinæ. B		1795 6	0 6	0	Rot mag 1126
	spreading.		D. America.	1/00. 0	C	0.	Dot. mag. 1100.
2 elata. W.	upright.			1708	G	.0.	34.
STEMODIA. W.	STEMODIA.	Scrophularinæ. B.		1650 5		21.3	
parviflora. H. K.	small-flowered.	Complete Today 12		.1759. 7	.8. 3	. 4 .	
MAZUS. B. P.	Mazus.	Scrophularinæ. B.		1700 5	. 0 17		
rugosus. H. K.	China.	0 11: 7		1780. 5	5.9. F	.0.	
LINDERNIA. B. P.	LINDERNIA.	Scrophularinæ. B.					T 11 4 500
Pyxidaria. W.							
	European.						Lam. ill. t. 522.
HERPESTIS. B. P.	HERPESTIS.	Scrophularinæ. B.	P. Monnieri	a. Mich.	Grati	ioli sp	o. IV.
HERPESTIS. B. P. 1 Monnieria.	HERPESTIS. Thyme-leaved.	Scrophularinæ. B.	P. Monnieri	a. Mich.	Grati	ioli sp	
HERPESTIS. B. P. 1 Monnieria. 2 cuneifolia. Ph.	HERPESTIS. Thyme-leaved. wedge-leaved.	Scrophularinæ. B.	P. Monnieri India. N. America.	a. Mich.	Grati	ioli sp	o. IV.
HERPESTIS. B. P. 1 Monnieria. 2 cuneifolia. Ph. CAPRARIA. P. S.	HERPESTIS. Thyme-leaved. wedge-leaved. CAPRARIA.	Scrophularinæ. B.	P. Monnieri India. N. America.	a. Mich.	Grati	ioli sp	o. IV.
HERPESTIS. B. P. 1 Monnieria. 2 cuneifolia. Ph. CAPRARIA. P. S. 1 biffora. W.	HERPESTIS. Thyme-leaved. wedge-leaved. CAPRARIA. Slirubby Goat-	Scrophularinæ. B. Scrophularinæ. B.	P. Monnieri India. N. America. P.	a. Mich. 1772. 7 1812.	Grati .9. S 8. H	ioli sp .4. .4.	o. W. Rox. cor. 2. t. 178.
HERPESTIS. B. P. 1 Monnieria. 2 cuneifolia. Ph. CAPRARIA. P. S. 1 biflora. W.	HERPESTIS. Thyme-leaved. wedge-leaved. CAPRARIA. Slirubby Goat- weed.	Scrophularinæ. B. Scrophularinæ. B.	P. Monnieri India. N. America. P. S. America.	a. Mich. 1772. 7 1812.	Gratic 1.9. S 8. H	ioli sp .4. .4.	o. IV.
HERPESTIS. B. P. 1 Monnieria. 2 cuneifolia. Ph. CAPRARIA. P. S. 1 biffora. W.	HERPESTIS. Thyme-leaved. wedge-leaved. CAPRARIA. Slirubby Goat-	Scrophularinæ. B.	P. Monnieri India. N. America. P. S. America.	a. Mich. 1772. 7 1812.	Gratic 1.9. S 8. H	ioli sp .4. .4.	o. W. Rox. cor. 2. t. 178.
HERPESTIS. B. P. 1 Monnieria. 2 cuneifolia. Ph. CAPRARIA. P. S. 1 biflora. W.	HERPESTIS. Thyme-leaved. wedge-leaved. CAPRARIA. Slirubby Goat- weed.	Scrophularinæ. B.	P. Monnieri India. N. America. P. S. America.	a. Mich. 1772. 7 1812.	Gratic 1.9. S 8. H 7.8. S	ioli sy ·4· ·4·	o. W. Rox. cor. 2. t. 178.
HERPESTIS. B. P. 1 Monnieria. 2 cuneifolia. Ph. CAPRARIA. P. S. 1 biffora. W. 2 cuneata. H. K.	HERPESTIS. Thyme-leaved. wedge-leaved. CAPRARIA. Shrubby Goat- weed. wedge-leaved.	Scrophularinæ. B.	P. Monnieri India. N. America. P. S. America. C. B. S.	a. Mich. 1772. 7 1812. 1752. 7 1759 1774	Gratic 7.9. S 8. H 7.8. S G	ioli sp .4. .4. .h.	o. W. Rox. cor. 2. t. 178.
HERPESTIS. B. P. 1 Monnieria. 2 cuneifolia. Ph. CAPRARIA. P. S. 1 biflora. W. 2 cuneata. H. K. 3 lanceolata. W.	HERPESTIS. Thyme-leaved. wedge-leaved. CAPBARIA. Slirubby Goat- weed. wedge-leaved. spear-leaved.	Scrophularinæ. B.	P. Monnieri India. N. America. P. S. America. C. B. S.	a. Mich. 1772. 7 1812. 1752. 7 1759 1774	Gratic.9. S 8. H 7.8. S G 6.7. G	ioli sp .4. .4. .h.	D. W. Rox. cor. 2. t. 178.  Jac. amer. t. 115.
HERPESTIS. B. P. 1 Monnieria. 2 cuneifolia. Ph. CAPRARIA. P. S. 1 biflora. W. 2 cuneata. H. K. 3 lanceolata. W. 4 undulata. W.	HERPESTIS. Thyme-leaved. wedge-leaved. CAPRARIA. Shrubby Goat- weed. wedge-leaved. spear-leaved. wave-leaved.	Scrophularinæ. B. Scrophularinæ. B.	P. Monnieri India. N. America. P. S. America. C. B. S. E. Ind. P. Borckha	a. Mich. 1772. 7 1812.  1752. 7 1759 1774 — 3 1781. 7 usenia. R	Grati (.9. S 8. H 7.8. S G 6.7. G 7.8. S	ioli sq .4. .4. .h. .h.	Jac. amer. t. 115.  Bot. mag. 1556.
HERPESTIS. B. P. 1 Monnieria. 2 cuneifolia. Ph. CAPRARIA. P. S. 1 biflora. W. 2 cuneata. H. K. 3 lanceolata. W. 4 undulata. W. 5 humilis. W.	HERPESTIS. Thyme-leaved. wedge-leaved. CAPRARIA. Slirubby Goat- weed. wedge-leaved. spear-leaved. wave-leaved. dwarf.	Scrophularinæ. B. Scrophularinæ. B.	P. Monnieri India. N. America. P. S. America. C. B. S. E. Ind. P. Borckha	a. Mich. 1772. 7 1812.  1752. 7 1759 1774 — 3 1781. 7 usenia. R	Grati (.9. S 8. H 7.8. S G 6.7. G 7.8. S	ioli sq .4. .4. .h. .h.	Jac. amer. t. 115.  Bot. mag. 1556.
HERPESTIS. B. P. 1 Monnieria. 2 cuneifolia. Ph. CAPRARIA. P. S. 1 biflora. W. 2 cuneata. H. K. 3 lanceolata. W. 4 undulata. W. 5 humilis. W. TEEDIA. P. S.	HERPESTIS. Thyme-leaved. wedge-leaved. CAPRARIA. Shrubby Goat- wedge-leaved. spear-leaved. wave-leaved. dwarf. TEEDIA.	Scrophularinæ. B. Scrophularinæ. B.	P. Monnieri India. N. America. P. S. America. C. B. S. E. Ind. P. Borckha	a. Mich. 1772. 7 1812.  1752. 7 1759 1774 — 3 1781. 7 usenia. R	Grati (.9. S 8. H 7.8. S G 6.7. G 7.8. S	ioli sq .4. .4. .h. .h.	Jac. amer. t. 115.  Bot. mag. 1556.
HERPESTIS. B. P. 1 Monnieria. 2 cuneifolia. Ph. CAPRARIA. P. S. 1 biffora. W. 2 cuneata. H. K. 3 lanceolata. W. 4 undulata. W. 5 humilis. W. TEEDIA. P. S. 1 lucida. P. S.	HERPESTIS. Thyme-leaved. wedge-leaved. CAPRARIA. Shrubby Goat- wedd. wedge-leaved. spear-leaved. wave-leaved. dwarf. TEEDIA. shining.	Scrophularinæ. B.	P. Monnieri India. N. America. P. S. America. C. B. S. E. Ind. P. Borckhau C. B. S.	a. Mich. 1772. 7 1812.  1752. 7 1759 1774 — 3 1781. 7 usenia. R	Grati (.9. S 8. H 7.8. S G 6.7. G 7.8. S	ioli sq .4. .4. .h. .h.	Jac. amer. t. 115.  Bot. mag. 1556.
HERPESTIS. B. P. 1 Monnieria. 2 cuneifolia. Ph. CAPRARIA. P. S. 1 biflora. W. 2 cuneata. H. K. 3 lanceolata. W. 4 undulata. W. 5 humilis. W. TEEDIA. P. S. 1 lucida. P. S. 2 pubescens. B. reg.	HERPESTIS. Thyme-leaved. wedge-leaved. CAPRARIA. Shrubby Goat- weed. wedge-leaved. spear-leaved. wave-leaved. dwarf. TEEDIA. shining. pubescent.	Scrophularinæ. B. Scrophularinæ. B. Scrophularinæ. B.	P. Monnieri India. N. America. P. S. America. C. B. S. E. Ind. P. Borckhau C. B. S. P. Guiana.	a. Mich. 1772. 7 1812.  1752. 7 1759 1774 3 1781. 7 usenia. R 1774. 4 1816. 5.	Gratic (1.9. S 8. H 7.8. S G 63.7.	ioli sp .4. .h. .h. .h.	Jac. amer. t. 115.  Bot. mag. 1556.
HERPESTIS. B. P. 1 Monnieria. 2 cuneifolia. Ph. CAPRARIA. P. S. 1 biflora. W. 2 cuneata. H. K. 3 lanceolata. W. 4 undulata. W. 5 humilis. W. TEEDIA. P. S. 1 lucida. P. S. 2 pubescens. B. reg. BESLERIA. W.	HERPESTIS. Thyme-leaved. wedge-leaved. CAPRARIA. Shrubby Goat- weed. wedge-leaved. spear-leaved. dwarf. TEEDIA. shining. pubescent. BESLERIA.	Scrophularinæ. B. Scrophularinæ. B. Scrophularinæ. B.	P. Monnieri India. N. America. P. S. America. C. B. S. E. Ind. P. Borckhau C. B. S. P. Guiana.	a. Mich. 1772. 7 1812.  1752. 7 1759 1774 3 1781. 7 usenia. R 1774. 4 1816. 5.	Gratic (1.9. S 8. H 17.8. S G 17. G 17. G 17. G 17. S 17	ioli sp .4. .h. .h. .h. .h.	Jac. amer. t. 115.  Bot. mag. 1556.  Bot. reg. 210. 214.
HERPESTIS. B. P. 1 Monnieria. 2 cuneifolia. Ph. CAPRARIA. P. S. 1 biflora. W. 2 cuneata. H. K. 3 lanceolata. W. 4 undulata. W. 5 humilis. W. TEEDIA. P. S. 1 lucida. P. S. 2 pubescens. B. reg. BESLERIA. W. 1 melittifolia. W.	HERPESTIS. Thyme-leaved. wedge-leaved. CAPRARIA. Shrubby Goat- wedge-leaved. spear-leaved. dwarf. TEEDIA. shining. pubescent. BESLERIA. Balm-leaved.	Scrophularinæ. B. Scrophularinæ. B. Scrophularinæ. B.	P. Monnieri India. N. America. P. S. America. C. B. S. E. Ind. P. Borckhar. C. B. S. P. Guiana. W. Ind.	a. Mich. 1772. 7 1812.  1752. 7 1759 1774 1781. 7 usenia. R 1774. 4 1816. 5.	Gratic.9. S 8. H 7.8. S G G 6.7. G G.10. G. 6.7. S 8. S 6.7. G 6.7. S 6.8. S 8. S 8. S 8. S 8. S 8. S 8. S	ioli sp .4. .h. .h. .h. .h.	D. W. Rox. cor. 2. t. 178.  Jac. amer. t. 115.  Bot. mag. 1556.  Bot. reg. 210. 214.  Exot. bot. 1. t. 54.
HERPESTIS. B. P.  1 Monnieria.  2 cuneifolia. Ph. CAPRARIA. P. S.  1 biflora. W.  2 cuneata. H. K.  3 lanceolata. W.  4 undulata. W.  5 humilis. W. TEEDIA. P. S.  1 lucida. P. S.  2 pubescens. B. reg. BESLERIA. W.  1 melittifolia. W.  2 lutea. W.  3 serrulata. W.	HERPESTIS. Thyme-leaved. wedge-leaved. CAPRARIA. Shrubby Goat- wedd. wedge-leaved. spear-leaved. wave-leaved. dwarf. TEEDIA. shining. pubescent. BESLERIA. Balm-leaved. yellow-flowered. saw-leaved.	Scrophularinæ. B. Scrophularinæ. B. Scrophularinæ. B.	P. Monnieri India. N. America. P. S. America. C. B. S. E. Ind. P. Borckhar. C. B. S. P. Guiana. W. Ind.	a. Mich. 1772. 7 1812.  1752. 7 1759 1774 3 1781. 7 18816. 5. 1739. 6 1739. 6 1739. 6 1739. 6	Gratic.9. S 8. H 7.8. S G G.7. G G.8. S Coth. 1.7. G G.10. G. 1.7. S S S S S S S S S S S S S S S S S S	ioli sy. 4. h. h. h. h. h. h.	D. W. Rox. cor. 2. t. 178.  Jac. amer. t. 115.  Bot. mag. 1556.  Bot. reg. 210. 214.  Exot. bot. 1. t. 54. Plum. ic. 49 f. 1. Jac. schoen. 3. t. 290.
HERPESTIS. B. P.  1 Monnieria.  2 cuneifolia. Ph. CAPRARIA. P. S.  1 biflora. W.  2 cuneata. H. K.  3 lanceolata. W.  4 undulata. W.  5 humilis. W. TEEDIA. P. S.  1 lucida. P. S.  2 pubescens. B. reg. BESLERIA. W.  1 melittifolia. W.  2 lutea. W.	HERPESTIS. Thyme-leaved. wedge-leaved. CAPRARIA. Shrubby Goat- wedge-leaved. spear-leaved. wave-leaved. dwarf. TEEDIA. shining. pubescent. BESLERIA. Balm-leaved. yellow-flowered.	Scrophularinæ. B. Scrophularinæ. B. Scrophularinæ. B.	P. Monnieri India. N. America. P. S. America. C. B. S. E. Ind. P. Borckhar. C. B. S. P. Guiana. W. Ind.	a. Mich. 1772. 7 1812.  1752. 7 1759 1779 1774. 3 1781. 7 usenia. R 1774. 4 1816. 5. 1739. 6 — 7 1806. 7	Gratic 19. S 8. H 17.8. S S 6.7. G 6.8. S 6.10. G 6.7. S 8. S 6.8. S	iolisy .4. h. h.h.h. o oo h.h.h.	Jac. amer. t. 115.  Bot. mag. 1556.  Bot. reg. 210. 214.  Exot. bot. 1. t. 54. Plum. ic. 49. f. 1. Jac. scheen. 3. t. 290. Bot. mag. 1146.
HERPESTIS. B. P.  1 Monnieria. 2 cuneifolia. Ph. CAPRARIA. P. S.  1 biflora. W. 2 cuneata. H. K. 3 lanceolata. W. 4 undulata. W. 5 humilis. W. TEEDIA. P. S. 1 lucida. P. S. 2 pubescens. B. reg. BESLERIA. W. 1 melittifolia. W. 2 lutea. W. 3 serrulata. W. 4 pulchella. H. K. 5 cristata. W.	HERPESTIS. Thyme-leaved. wedge-leaved. CAPRARIA. Slirubby Goat- wedge-leaved. spear-leaved. dwarf. TEEDIA. shining. pubescent. BESLERIA. Balm-leaved. yellow-flowered. saw-leaved.	Scrophularinæ. B. Scrophularinæ. B. Scrophularinæ. B.	P. Monnieri India. N. America. P. S. America. C. B. S. E. Ind. P. Borckhau C. B. S. P. Guiana. W. Ind. Trinidad. W. Ind.	a. Mich. 1772. 7 1812.  1752. 7 1759 1774 1781. 7 usenia. R 1774. 4 1816. 5. 1739. 6 1806 1739. 6	Gratic 19. S 8. H 17.8. S S 6.7. G 6.8. S 6.10. G 6.7. S 8. S 6.8. S	iolisy .4. h. h.h.h. o oo h.h.h.	D. W. Rox. cor. 2. t. 178.  Jac. amer. t. 115.  Bot. mag. 1556.  Bot. reg. 210. 214.  Exot. bot. 1. t. 54. Plum. ic. 49 f. 1. Jac. schoen. 3. t. 290.
HERPESTIS. B. P.  1 Monnieria.  2 cuneifolia. Ph.  CAPRARIA. P. S.  1 biflora. W.  2 cuneata. H. K.  3 lanceolata. W.  4 undulata. W.  5 humilis. W.  TEEDIA. P. S.  1 lucida. P. S.  2 pubescens. B. reg.  BESLERIA. W.  1 melittifolia. W.  2 lutea. W.  3 serrulata. W.  4 pulchella. H. K.  5 cristata. W.  TREVIRANA. W. en.	HERPESTIS. Thyme-leaved. wedge-leaved. CAPRARIA. Shrubby Goat- wedge-leaved. spear-leaved. dwarf. TEEDIA. shining. pubescent. BESLERIA. Balm-leaved. yellow-flowered. saw-leaved. striped-flowered. trested. TREVIRANA.	Scrophularinæ. B. Scrophularinæ. B. Scrophularinæ. B. Scrophularinæ. B.	P. Monnieri India. N. America. P. S. America. C. B. S. E. Ind. P. Borckhar. C. B. S. P. Guiana. W. Ind. Trinidad. W. Ind. P. Achimene	a. Mich. 1772. 7 1812.  1752. 7 1759 1774 1781. 7 usenia. R 1774. 4 1816. 5. 1739. 6 1806. 7 1806. 7 1739. 6	Gratic. 9. S 8. H 7.8. S G 6.7. G 6.7. G 6.10. G 6.7. S 8. S	iolisy. 44. h. h.h.h. of of h.h.h.h.h.	D. W. Rox. cor. 2. t. 178.  Jac. amer. t. 115.  Bot. mag. 1556.  Bot. reg. 210. 214.  Exot. bot. 1. t. 54. Plum. ic. 49. f. 1. Jac. scheen.3. t. 290. Bot. mag. 1146. Jac. amer. t. 119.
HERPESTIS. B. P.  1 Monnieria.  2 cuneifolia. Ph. CAPRARIA. P. S.  1 biflora. W.  2 cuneata. H. K.  3 lanceolata. W.  4 undulata. W.  5 hunilis. W. TEEDIA. P. S.  1 lucida. P. S.  2 pubescens. B. reg. BESLERIA. W.  1 melittifolia. W.  2 lutea. W.  3 serrulata. W.  4 pulchella. H. K.  5 cristata. W. TREVIRANA. W. en. coccinea. W. en.	HERPESTIS. Thyme-leaved. wedge-leaved. CAPRARIA. Shrubby Goat- wedge-leaved. spear-leaved. wave-leaved. dwarf. TEEDIA. shining. pubescent. BESLERIA. Balm-leaved. yellow-flowered. saw-leaved. striped-flowered. TREVIRANA. scarlet.	Scrophularinæ. B. Scrophularinæ. B. Scrophularinæ. B. Scrophularinæ. B.	P. Monnieri India. N. America. P. S. America. C. B. S. E. Ind. P. Borckhar. C. B. S. P. Guiana. W. Ind. Trinidad. W. Ind. P. Achimene	a. Mich. 1772. 7 1812.  1752. 7 1759 1774 1781. 7 usenia. R 1774. 4 1816. 5. 1739. 6 1806. 7 1806. 7 1739. 6	Gratic. 9. S 8. H 7.8. S G 6.7. G 6.7. G 6.10. G 6.7. S 8. S	iolisy. 44. h. h.h.h. of of h.h.h.h.h.	Jac. amer. t. 115.  Bot. mag. 1556.  Bot. reg. 210. 214.  Exot. bot. 1. t. 54. Plum. ic. 49. f. 1. Jac. scheen. 3. t. 290. Bot. mag. 1146.
HERPESTIS. B. P.  1 Monnieria. 2 cuneifolia. Ph. CAPRARIA. P. S.  1 biflora. W. 2 cuneata. H. K. 3 lanceolata. W. 4 undulata. W. 5 humilis. W. TEEDIA. P. S. 1 lucida. P. S. 2 pubescens. B. reg. BESLERIA. W. 1 melittifolia. W. 2 lutea. W. 3 serrulata. W. 4 pulchella. H. K. 5 cristata. W. TREVIRANA. W. en. coccinea. W. en. Cyrilla pulchella.	HERPESTIS. Thyme-leaved. wedge-leaved. CAPRARIA. Shrubby Goat- weed. wedge-leaved. spear-leaved. dwarf. TEEDIA. shining. pubescent. BESLERIA. Balm-leaved. yellow-flowered. saw-leaved. striped-flowcred. trested. TREVIRANA. scarlet. B. M.	Scrophularinæ. B. Scrophularinæ. B. Scrophularinæ. B. Scrophularinæ. B.	P. Monnieri India. N. America. P. S. America. C. B. S. E. Ind. P. Borckhar. C. B. S.  W. Ind. Trinidad. W. Ind. P. Achimene Jamaica.	a. Mich. 1772. 7 1812.  1752. 7 1759 1774 3 1781. 7 usenia. R 1774. 4 1816. 5. 1739. 6 7 1806 1739. 6 2s. P. S. 1778. 8.	Gratic. 9. S. 8. H. 7.8. S. G. 7. G. 8. S. S. 6. 7. G. 8. S. S. 8.	ioli sq4	D. W. Rox. cor. 2. t. 178.  Jac. amer. t. 115.  Bot. mag. 1556.  Bot. reg. 210. 214.  Exot. bot. 1. t. 54. Plum. ic. 49. f. 1. Jac. schæn.3. t. 290. Bot. mag. 1146. Jac. amer. t. 119.  Bot. mag. 374.
HERPESTIS. B. P.  1 Monnieria. 2 cuneifolia. Ph. CAPRARIA. P. S.  1 biflora. W. 2 cuneata. H. K. 3 lanceolata. W. 4 undulata. W. 5 humilis. W. TEEDIA. P. S. 1 lucida. P. S. 2 pubescens. B. reg. BESLERIA. W. 1 melittifolia. W. 2 lutea. W. 3 serrulata. W. 4 pulchella. H. K. 5 cristata. W. TREVIRANA. W. en. Coccinea. W. en. Cyrilla pulchella. COLUMNEA. W.	HERPESTIS. Thyme-leaved. wedge-leaved. CAPRARIA. Slirubby Goat- weed. wedge-leaved. spear-leaved. dwarf. TEEDIA. shining. pubescent. BESLERIA. Balm-leaved. yellow-flowered. saw-leaved. striped-flowered. crested. TREVIRANA. scarlet. B. M. COLUMNEA.	Scrophularinæ. B. Scrophularinæ. B. Scrophularinæ. B. Scrophularinæ. B. Scrophularinæ. B.	P. Monnieri India. N. America. P. S. America. C. B. S. E. Ind. P. Borckhau C. B. S.  W. Ind. Trinidad. W. Ind. P. Achimene Jamaica. P.	a. Mich. 1772. 7 1812.  1752. 7 1759 1774 3 1781. 7 usenia. R 1774. 4 1816. 5. 1739. 6 7 1806 1739. 6 2s. P. S. 1778. 8.	Gratic. 9. S. 8. H. 7.8. S. G. 7. G. 8. S. S. 6. 7. G. 8. S. S. 8.	ioli sq4	D. W. Rox. cor. 2. t. 178.  Jac. amer. t. 115.  Bot. mag. 1556.  Bot. reg. 210. 214.  Exot. bot. 1. t. 54. Plum. ic. 49. f. 1. Jac. schæn.3. t. 290. Bot. mag. 1146. Jac. amer. t. 119.  Bot. mag. 374.
HERPESTIS. B. P.  1 Monnieria. 2 cuneifolia. Ph. CAPRARIA. P. S.  1 biflora. W. 2 cuneata. H. K. 3 lanceolata. W. 4 undulata. W. 5 humilis. W. TEEDIA. P. S. 1 lucida. P. S. 2 pubescens. B. reg. BESLERIA. W. 1 melittifolia. W. 2 lutea. W. 3 serrulata. W. 4 pulchella. H. K. 5 cristata. W. TREVIRANA. W. en. coccinea. W. en. Cyrilla pulchella. COLUMNEA. W. 1 scandens. H. K.	HERPESTIS. Thyme-leaved. wedge-leaved. CAPRARIA. Slirubby Goat- weed. wedge-leaved. spear-leaved. dwarf. TEEDIA. shining. pubescent. BELLERIA. Balm-leaved. yellow-flowered. saw-leaved. triped-flowered. crested. TREVIRANA. scarlet. B. M. COLUMNEA. climbing.	Scrophularinæ. B. Scrophularinæ. B. Scrophularinæ. B. Scrophularinæ. B. Scrophularinæ. B.	P. Monnieri India. N. America. P. S. America. C. B. S. E. Ind. P. Borckhau C. B. S. P. Guiana. W. Ind. Trinidad. W. Ind. P. Achimene Jamaica. P. W. Ind.	a. Mich. 1772. 7 1812.  1752. 7 1759 1774 3 1781. 7 usenia. R 1774. 4 1816. 5. 1739. 6 28. P. S. 1778. 8.	Gratic 99 S S S S S S S S S S S S S S S S S S	iolisy. 4. h. h.h.h. of S.S. h.h.h.h.h. 4. h.	D. W. Rox. cor. 2. t. 178.  Jac. amer. t. 115.  Bot. mag. 1556.  Bot. reg. 210. 214.  Exot. bot. 1. t. 54. Plum. ic. 49. f. 1. Jac. schæn.3. t. 290. Bot. mag. 1146. Jac. amer. t. 119.  Bot. mag. 374.  Bot. mag. 1614.
HERPESTIS. B. P.  1 Monnieria. 2 cuneifolia. Ph. CAPRARIA. P. S.  1 biflora. W. 2 cuneata. H. K. 3 lanceolata. W. 4 undulata. W. 5 humilis. W. TEEDIA. P. S. 1 lucida. P. S. 2 pubescens. B. reg. BESLERIA. W. 1 melittifolia. W. 2 lutea. W. 3 serrulata. W. 4 pulchella. H. K. 5 cristata. W. TREVIRANA. W. en. coccinea. W. en. Cyrilla pulchella. COLUMNEA. W. 1 scandens. H. K. 2 hirsuta. W.	HERPESTIS. Thyme-leaved. wedge-leaved. CAPRARIA. Shrubby Goat- wedge-leaved. wedge-leaved. wave-leaved. dwarf. TEEDIA. shining. pubescent. BESLERIA. Balm-leaved. yellow-flowered. saw-leaved. triped-flowered. trested. TREVIRANA. scarlet. B. M. COLUMNEA. climbing. hairy.	Scrophularinæ. B. Scrophularinæ. B. Scrophularinæ. B. Scrophularinæ. B. Scrophularinæ. B.	P. Monnieri India. N. America. P. S. America. C. B. S. E. Ind. P. Borckhar. C. B. S. P. Guiana. W. Ind. Trinidad. W. Iud. P. Achimene Jamaica. P. W. Ind. Jamaica.	a. Mich. 1772. 7 1812.  1752. 7 1759 1774 3 1781. 7 usenia. R 1774. 4 1816. 5. 1739. 6 28. P. S. 1778. 8.	Gratic 99 S S S S S S S S S S S S S S S S S S	iolisy. 4. h. h.h.h. of S.S. h.h.h.h.h. 4. h.	D. W. Rox. cor. 2. t. 178.  Jac. amer. t. 115.  Bot. mag. 1556.  Bot. reg. 210. 214.  Exot. bot. 1. t. 54. Plum. ic. 49. f. 1. Jac. schæn.3. t. 290. Bot. mag. 1146. Jac. amer. t. 119.  Bot. mag. 374.
HERPESTIS. B. P.  1 Monnieria. 2 cuneifolia. Ph. CAPRARIA. P. S.  1 biflora. W. 2 cuneata. H. K. 3 lanceolata. W. 4 undulata. W. 5 humilis. W. TEEDIA. P. S. 1 lucida. P. S. 2 pubescens. B. reg. BESLERIA. W. 1 melittifolia. W. 2 lutea. W. 3 serrulata. W. 4 pulchella. H. K. 5 cristata. W. TREVIRANA. W. en. coccinea. W. en. Cyrilla pulchella. COLUMNEA. W. 1 scandens. H. K. 2 hirsuta. W. RUSSELIA. W.	HERPESTIS. Thyme-leaved. wedge-leaved. CAPRARIA. Shrubby Goat- weed. wedge-leaved. spear-leaved. dwarf. TEEDIA. shining. pubescent. BESLERIA. Balm-leaved. yellow-flowered. saw-leaved. striped-flowcred. trevirana. scarlet. B. M. COLUMNEA. climbing. hairy. RUSSELIA.	Scrophularinæ. B. Scrophularinæ. B. Scrophularinæ. B. Scrophularinæ. B. Scrophularinæ. B.	P. Monnieri India. N. America. P. S. America. C. B. S. E. Ind. P. Borckhar. C. B. S.  W. Ind. Trinidad. W. Ind. P. Achimene Jamaica. P. W. Ind. Jamaica. P.	a. Mich. 1772. 7 1812.  1752. 7 1759 1774. 3 1781. 7 usenia. R 1774. 4 1816. 5. 1739. 6 7 1806. 7 1739. 6 2s. P. S. 1778. 8.	Gratic 9.9. S 8. H 7.8. S G 6.7. G 6.8. S 6.7. G 6.10. G 6.8. S 8.8. S 6.8. S 6.8. S 6.8. S 6.9. S 6.9	iolisy.  A. h. h.h.o. of h.h.h.h.h. 4. h.h.	D. W. Rox. cor. 2. t. 178.  Jac. amer. t. 115.  Bot. mag. 1556.  Bot. reg. 210. 214.  Exot. bot. 1. t. 54. Plum. ic. 49. f. 1. Jac. schen. 3. t. 290. Bot. mag. 1146. Jac. amer. t. 119.  Bot. mag. 374.  Bot. mag. 1614.  Brown.jam.t. 30. f. 3
HERPESTIS. B. P.  1 Monnieria. 2 cuneifolia. Ph. CAPRARIA. P. S.  1 biflora. W. 2 cuneata. H. K. 3 lanceolata. W. 4 undulata. W. 5 humilis. W. TEEDIA. P. S. 1 lucida. P. S. 2 pubescens. B. reg. BESLERIA. W. 1 melittifolia. W. 2 lutea. W. 3 serrulata. W. 4 pulchella. H. K. 5 cristata. W. TREVIRANA. W. en. Cyrilla pulchella. COLUMNEA. W. 1 scandens. H. K. 2 hirsuta. W. RUSSELIA. W. multiflora. B. M.	HERPESTIS. Thyme-leaved. wedge-leaved. CAPRARIA. Shrubby Goat- weed. wedge-leaved. spear-leaved. dwarf. TEEDIA. shining. pubescent. BESLERIA. Balm-leaved. yellow-flowered. saw-leaved. striped-flowcred. treeviran- scarlet. B. M. COLUMNEA. climbing. hairy. RUSSELIA. many-flowered.	Scrophularinæ. B. Scrophularinæ. B. Scrophularinæ. B. Scrophularinæ. B. Scrophularinæ. B. Scrophularinæ. B.	P. Monnieri India. N. America. P. S. America. C. B. S. E. Ind. P. Borckhar. C. B. S.  W. Ind. Trinidad. W. Ind. P. Achimene Jamaica. P. W. Ind. Jamaica. P. S. America.	a. Mich. 1772. 7 1812.  1752. 7 1759 1774. 3 1781. 7 usenia. R 1774. 4 1816. 5. 1739. 6 7 1806. 7 1739. 6 2s. P. S. 1778. 8.	Gratic 9.9. S 8. H 7.8. S G 6.7. G 6.8. S 6.7. G 6.10. G 6.8. S 8.8. S 6.8. S 6.8. S 6.8. S 6.9. S 6.9	iolisy.  A. h. h.h.o. of h.h.h.h.h. 4. h.h.	D. W. Rox. cor. 2. t. 178.  Jac. amer. t. 115.  Bot. mag. 1556.  Bot. reg. 210. 214.  Exot. bot. 1. t. 54. Plum. ic. 49. f. 1. Jac. schæn.3. t. 290. Bot. mag. 1146. Jac. amer. t. 119.  Bot. mag. 374.  Bot. mag. 1614.
HERPESTIS. B. P.  1 Monnieria. 2 cuneifolia. Ph. CAPRARIA. P. S.  1 biflora. W. 2 cuneata. H. K. 3 lanceolata. W. 4 undulata. W. 5 humilis. W. TEEDIA. P. S. 1 lucida. P. S. 2 pubescens. B. reg. BESLERIA. W. 1 melittifolia. W. 2 lutea. W. 3 serrulata. W. 4 pulchella. H. K. 5 cristata. W. TREVIRANA. W. en. coccinea. W. en. Cyrilla pulchella. COLUMNEA. W. 1 scandens. H. K. 2 hirsuta. W. MUSSELIA. W. multiflora. B. M. DODARTIA. W.	HERPESTIS. Thyme-leaved. wedge-leaved. CAPRARIA. Shrubby Goat- weed. wedge-leaved. spear-leaved. dwarf. TEEDIA. shining. pubescent. BESLERIA. Balm-leaved. yellow-flowered. saw-leaved. striped-flowered. crested. TREVIRANA. scarlet. B. M. COLUMNEA. climbing. hairy. RUSSELIA. many-flowered. DODARTIA.	Scrophularinæ. B. Scrophularinæ. B. Scrophularinæ. B. Scrophularinæ. B. Scrophularinæ. B. Scrophularinæ. B.	P. Monnieri India. N. America. P. S. America. C. B. S. E. Ind. P. Borckhau C. B. S. P. Guiana. W. Ind. Trinidad. W. Ind. P. Achimene Jamaica. P. W. Ind. Jamaica. P. S. America. P.	a. Mich. 1772. 7 1812.  1752. 7 1759 1774 1781. 7 usenia. R 1774. 4 1816. 5. 1739. 6 7 1806 1739. 8 1739. 8 1759. 8	Gratic 99. S 88. H 77.8. S 77.8. S 77.8. S 77.8. S 77.8. S 77. G 78.8. S 78.8. S 79.8.	iolisy. A h. h.h.h. of of h.h.h.h. 4 h.h.h.h.h.h.h.h.h.h.h.h.h.h.	D. W. Rox. cor. 2. t. 178.  Jac. amer. t. 115.  Bot. mag. 1556.  Bot. reg. 210. 214.  Exot. bot. 1. t. 54. Plum. ic. 49. f. 1. Jac. schæn.3. t. 290. Bot. mag. 1146. Jac. amer. t. 119.  Bot. mag. 374.  Bot. mag. 1614.  Brown.jam.t.30.f.3  Bot. mag. 1528.
HERPESTIS. B. P.  1 Monnieria. 2 cuneifolia. Ph. CAPRARIA. P. S.  1 biflora. W. 2 cuneata. H. K. 3 lanceolata. W. 4 undulata. W. 5 humilis. W. TEEDIA. P. S. 1 lucida. P. S. 2 pubescens. B. reg. BESLERIA. W. 1 melittifolia. W. 2 lutea. W. 3 serrulata. W. 4 pulchella. H. K. 5 cristata. W. TREVIRANA. W. en. coccinea. W. en. Cyrilla pulchella. COLUMNEA. W. 1 scandens. H. K. 2 hirsuta. W. RUSSELIA. W. multiflora. B. M. DODARTIA. W. orientalis. W.	HERPESTIS. Thyme-leaved. wedge-leaved. CAPRARIA. Slirubby Goat- weed. wedge-leaved. spear-leaved. dware-leaved. dwarf. TEEDIA. shining. pubescent. BESLERIA. Balm-leaved. yellow-flowered. saw-leaved. triped-flowered. crested. TREVIRANA. scarlet. B. M. COLUMNEA. climbing. hairy. RUSSELIA. many-flowered. DODARTIA. oriental.	Scrophularinæ. B.	P. Monnieri India. N. America. P. S. America. C. B. S. E. Ind. P. Borckhan C. B. S.  Guiana. W. Ind. Trinidad. W. Ind. P. Achimene Jamaica. P. W. Ind. Jamaica. P. S. America. P. Levant.	a. Mich. 1772. 7 1812.  1752. 7 1759 1774 1781. 7 usenia. R 1774. 4 1816. 5. 1739. 6 7 1806 1739. 8 1739. 8 1759. 8	Gratic 99. S 88. H 77.8. S 77.8. S 77.8. S 77.8. S 77.8. S 77. G 78.8. S 78.8. S 79.8.	iolisy. A h. h.h.h. of of h.h.h.h. 4 h.h.h.h.h.h.h.h.h.h.h.h.h.h.	D. W. Rox. cor. 2. t. 178.  Jac. amer. t. 115.  Bot. mag. 1556.  Bot. reg. 210. 214.  Exot. bot. 1. t. 54. Plum. ic. 49. f. 1. Jac. schen. 3. t. 290. Bot. mag. 1146. Jac. amer. t. 119.  Bot. mag. 374.  Bot. mag. 1614.  Brown.jam.t. 30. f. 3
HERPESTIS. B. P.  1 Monnieria. 2 cuneifolia. Ph. CAPRARIA. P. S.  1 biflora. W. 2 cuneata. H. K. 3 lanceolata. W. 4 undulata. W. 5 humilis. W. TEEDIA. P. S. 2 pubescens. B. reg. BESLERIA. W. 1 melitifolia. W. 2 lutea. W. 3 serrulata. W. 4 pulchella. H. K. 5 cristata. W. TREVIRANA. W. en. coyrilla pulchella. COLUMNEA. W. 1 scandens. H. K. 2 hirsuta. W. RUSSELIA. W. multiflora. B. M. DODARTIA. W. orientalis. W. HALLERIA. W.	HERPESTIS. Thyme-leaved. wedge-leaved. CAPRARIA. Shrubby Goat- weed. wedge-leaved. spear-leaved. dwarf. TEEDIA. shining. pubescent. BESLERIA. Balm-leaved. yellow-flowered. saw-leaved. striped-flowered. treevirana. scarlet. B. M. COLUMNEA. climbing. hairy. RUSSELIA. many-flowered. DODARTIA. oriental. HALLERIA.	Scrophularinæ. B.	P. Monnieri India. N. America. P. S. America. C. B. S. E. Ind. P. Borckhar. C. B. S.  W. Ind. Trinidad. W. Ind. P. Achimene Jamaica. P. W. Ind. Jamaica. P. S. America. P. Levant. P.	a. Mich. 1772. 7 1812. 1752. 7 1759 1774 3 1781. 7 usenia. R 1774. 4 1816. 5. 1739. 6 7 1806. 7 1806. 7 1739. 8 1778. 8. 1759. 8 1759. 8 1759. 8	Gratie 9. S 8. H 7.8. S 6.7. G 6.8. S 6.7. G 6.8. S 6.7. G 7. S	iolist. A h h h h h o o o o h h h h h h h h h h	Jac. amer. t. 115.  Bot. mag. 1556.  Bot. reg. 210. 214.  Exot. bot. 1. t. 54. Plum. ic. 49. f. 1. Jac. schæn. 3. t. 290. Bot. mag. 1146. Jac. amer. t. 119.  Bot. mag. 374.  Bot. mag. 1614. Brown.jam.t.30. f.3  Bot. mag. 1528.  Lam. ill. t. 530.
HERPESTIS. B. P.  1 Monnieria. 2 cuneifolia. Ph. CAPRARIA. P. S.  1 biflora. W. 2 cuneata. H. K. 3 lanceolata. W. 4 undulata. W. 5 humilis. W. TEEDIA. P. S. 1 lucida. P. S. 2 pubescens. B. reg. BESLERIA. W. 1 melittifolia. W. 2 lutea. W. 3 serrulata. W. 4 pulchella. H. K. 5 cristata. W. TREVIRANA. W. en. Cyrilla pulchella. COLUMNEA. W. 1 scandens. H. K. 2 hirsuta. W. RUSSELIA. W. multiflora. B. M. DODARTIA. W. orientalis. W. HALLERIA. W. lucida. W. lucida. W.	HERPESTIS. Thyme-leaved. wedge-leaved. CAPRARIA. Shrubby Goat- weed. wedge-leaved. spear-leaved. dwarf. TEEDIA. shining. pubescent. BESLERIA. Balm-leaved. yellow-flowered. saw-leaved. striped-flowered. TREVIRANA. scarlet. B. M. COLUMNEA. climbing. hairy. RUSSELIA. many-flowered. DODARTIA. oriental. HALLERIA. shining-leaved.	Scrophularinæ. B.	P. Monnieri India. N. America. P. S. America. C. B. S. E. Ind. P. Borckhar. C. B. S.  P. Guiana. W. Ind. Trinidad. W. Ind. P. Achimene Jamaica. P. W. Ind. Jamaica. P. S. America. P. C. B. S.	a. Mich. 1772. 7 1812. 1752. 7 1759 1774 3 1781. 7 usenia. R 1774. 4 1816. 5. 1739. 6 7 1806. 7 1806. 7 1739. 8 1778. 8. 1759. 8 1759. 8 1759. 8	Gratie 9. S 8. H 7.8. S 6.7. G 6.8. S 6.7. G 6.8. S 6.7. G 7. S	iolist. A h h h h h o o o o h h h h h h h h h h	D. W. Rox. cor. 2. t. 178.  Jac. amer. t. 115.  Bot. mag. 1556.  Bot. reg. 210. 214.  Exot. bot. 1. t. 54. Plum. ic. 49. f. 1. Jac. schæn.3. t. 290. Bot. mag. 1146. Jac. amer. t. 119.  Bot. mag. 374.  Bot. mag. 1614.  Brown.jam.t.30.f.3  Bot. mag. 1528.
HERPESTIS. B. P.  1 Monnieria. 2 cuneifolia. Ph. CAPRARIA. P. S.  1 biflora. W. 2 cuneata. H. K. 3 lanceolata. W. 4 undulata. W. 5 humilis. W. TEEDIA. P. S. 1 lucida. P. S. 2 pubescens. B. reg. BESLERIA. W. 1 melittifolia. W. 2 lutea. W. 3 serrulata. W. 4 pulchella. H. K. 5 cristata. W. TREVIRANA. W. en. coccinea. W. en. Cyrilla pulchella. COLUMNEA. W. 1 scandens. H. K. 2 hirsuta. W. RUSSELIA. W. multiflora. B. M. DODARTIA. W. orientalis. W. HALLERIA. W. lucida. W. MIMULUS. W.	HERPESTIS. Thyme-leaved. wedge-leaved. CAPRARIA. Shrubby Goat- wedd. wedge-leaved. spear-leaved. wave-leaved. dwarf. TEEDIA. shining. pubescent. BESLERIA. Balm-leaved. yellow-flowered. saw-leaved. striped-flowered. crested. TREVIRANA. scarlet. B. M. COLUMNEA. climbing. hairy. RUSSELIA. many-flowered. DODARTIA. oriental. HALLERIA. shining-leaved. MONKEY-FLOW <sup>T</sup> .	Scrophularinæ. B.	P. Monnieri India. N. America. P. S. America. C. B. S. E. Ind. P. Borckhau C. B. S.  Guiana. W. Ind. Trinidad. W. Ind. Jamaica. P. W. Ind. Jamaica. P. Levant. P. C. B. S. P. C. B. S.	a. Mich. 1772. 7 1812.  1752. 7 1759 1774. 4 1816. 5.  1739. 6 1806. 7 1739. 6 1806. 7 1739. 6 1806. 7 1739. 6 1739. 6 1759. 8 1759. 8 1759. 8 1759. 8	Gratie 9. S 8. H 7.8. S 7.8. S 7.8. S 7.7. G 7.8. S 7.7. G 7.8. S 7.8. S 7.9. S 7. S 7	iolisy. A h.	Jac. amer. t. 115.  Bot. mag. 1556.  Bot. reg. 210. 214.  Exot. bot. 1. t. 54. Plum. ic. 49. f. 1. Jac. schæn. 3. t. 290. Bot. mag. 1146. Jac. amer. t. 119.  Bot. mag. 374.  Bot. mag. 1614.  Brown.jam.t.30. f.3  Bot. mag. 1528.  Lam. ill. t. 530.  Bot. mag. 1744.
HERPESTIS. B. P.  1 Monnieria. 2 cuneifolia. Ph. CAPRARIA. P. S.  1 biflora. W. 2 cuneata. H. K. 3 lanceolata. W. 4 undulata. W. 5 humilis. W. TEEDIA. P. S. 1 lucida. P. S. 2 pubescens. B. reg. BESLERIA. W. 1 melittifolia. W. 2 lutea. W. 3 serrulata. W. 4 pulchella. H. K. 5 cristata. W. TREVIRANA. W. en. coccinea. W. en. Cyrilla pulchella. COLUMNEA. W. 1 scandens. H. K. 2 hirsuta. W. RUSSELIA. W. multiflora. B. M. DODARTIA. W. orientalis. W. HALLÈRIA. W. lucida. W. MIMULUS. W. 1 ringens. W.	HERPESTIS. Thyme-leaved. wedge-leaved. CAPRARIA. Slirubby Goat- weed. wedge-leaved. spear-leaved. dware-leaved. dwarf. TEEDIA. shining. pubescent. BESLERIA. Balm-leaved. yellow-flowered. saw-leaved. triped-flowered. crested. TREVIRANA. scarlet. B. M. COLUMNEA. climbing. hairy. RUSSELIA. many-flowered. DODARTIA. oriental. HALLERIA. shining-leaved. MONKEY-FLOW'. gaping.	Scrophularinæ. B.	P. Monnieri India. N. America. P. S. America. C. B. S. E. Ind. P. Borckhar. C. B. S. P. Guiana. W. Ind. Trinidad. W. Ind. P. Achimene Jamaica. P. W. Ind. Jamaica. P. Levant. P. C. B. S. P. C. B. S. P. Levant. P. N. America.	a. Mich. 1772. 7 1812.  1752. 7 1759 1774 1774 1781. 7 1881. 7 1881. 7 1881. 7 1881. 7 1881. 7 1891. 8 1891. 8 1891. 6 1752. 7 1752. 6 1752. 6	Gratic 9.9 S S S S S S S S S S S S S S S S S S	iolisy	D. W. Rox. cor. 2. t. 178.  Jac. amer. t. 115.  Bot. mag. 1556.  Bot. reg. 210.  214.  Exot. bot. 1. t. 54. Plum. ic. 49. f. 1. Jac. schœn. 3. t. 290. Bot. mag. 1146. Jac. amer. t. 119. Bot. mag. 1614. Brown.jam.t. 30. f. 3  Bot. mag. 1528.  Lam. ill. t. 530.  Bot. mag. 1744. Bot. mag. 283.
HERPESTIS. B. P.  1 Monnieria. 2 cuneifolia. Ph. CAPRARIA. P. S.  1 biflora. W. 2 cuneata. H. K. 3 lanceolata. W. 4 undulata. W. 5 humilis. W. TEEDIA. P. S. 1 lucida. P. S. 2 pubescens. B. reg. BESLERIA. W. 1 melittifolia. W. 2 lutea. W. 3 serrulata. W. 4 pulchella. H. K. 5 cristata. W. TREVIRANA. W. en. coccinea. W. en. Cyrilla pulchella. COLUMNEA. W. 1 scandens. H. K. 2 hirsuta. W. RUSSELIA. W. multiflora. B. M. DODARTIA. W. orientalis. W. HALLERIA. W. lucida. W. MIMULUS. W.	HERPESTIS. Thyme-leaved. wedge-leaved. CAPRARIA. Shrubby Goat- wedd. wedge-leaved. spear-leaved. wave-leaved. dwarf. TEEDIA. shining. pubescent. BESLERIA. Balm-leaved. yellow-flowered. saw-leaved. striped-flowered. crested. TREVIRANA. scarlet. B. M. COLUMNEA. climbing. hairy. RUSSELIA. many-flowered. DODARTIA. oriental. HALLERIA. shining-leaved. MONKEY-FLOW <sup>T</sup> .	Scrophularinæ. B.	P. Monnieri India. N. America. P. S. America. C. B. S. E. Ind. P. Borckhau C. B. S.  Guiana. W. Ind. Trinidad. W. Ind. Jamaica. P. W. Ind. Jamaica. P. Levant. P. C. B. S. P. C. B. S.	a. Mich. 1772. 7 1812.  1752. 7 1759 1774 1774 1781. 7 1881. 7 1881. 7 1881. 7 1881. 7 1881. 7 1891. 8 1891. 8 1891. 6 1752. 7 1752. 6 1752. 6	Gratic 9.9 S S S S S S S S S S S S S S S S S S	iolisy	Jac. amer. t. 115.  Bot. mag. 1556.  Bot. reg. 210. 214.  Exot. bot. 1. t. 54. Plum. ic. 49. f. 1. Jac. schæn. 3. t. 290. Bot. mag. 1146. Jac. amer. t. 119.  Bot. mag. 374.  Bot. mag. 1614.  Brown.jam.t.30. f.3  Bot. mag. 1528.  Lam. ill. t. 530.  Bot. mag. 1744.

# DIDYNAMIA ANGIOSPERMIA.

1.10	וועותות	AMIA ANO	TOST ET	TATI	Lo			
3 alatus. W.	oval-leaved.	Scrophularinæ.B.P.	N. America.	1783.	7.8.	H. 21.	•	
4 1-4 337	yellow-flowered.						Bot. mag. 1501.	
HORNEMANNIA.					_		3	
W. en.	HORNEMANNIA.	Scrophularinæ. B.	Р.					
bicolor. W. en.	two-coloured.		É. Ind.	1816.	6.9.	S.O.		
DIGITALIS. W.	Fox-GLOVE.	Scrophularinæ. B.	Р.			_		
1 purpurea. W.	purple.		Britain.		6.9.	H. 3.	Eng. bot. 1297.	
β alba.	white.						. 0./	
2 minor. W.	dwarf.	-					m.2160	
3 Thapsi. W.	Mullein.			1752.	5.8.	H. 4.	Exot. bot. 1. t. 43.	
4 ambigua. W.	greater yellow.		Switzerland.	1596.	7.8.	H.4.	Bot. reg. 64.	
5 intermedia. P. S.	middle yellow.		Germany.	1816.		H. 24.		
6 lutea. W.	small yellow.		France.				Bot. reg. 251.	
7 erubescens. H. K.	blush-flowered.		Italy.	1776.	6.7	H:4.	Dat non Off	
8 parviflora. W. 9 lanata. W.	small-flowered.		Llungom	1798.	0.3.	11.4.	Bot. reg. 257. Bot. mag. 1159.	
10 leucophæa. H. K.	woolly. broad-lipped:		Cuangary.			H.4.		
11 ferruginea. W.	iron-coloured.		Italy				Bomas for a	
12 lævigata. P. S.	shining-leaved.		Hungary				Pl.rar.hung.2.t.15	8
13 obscura. W.	Willow-leaved.						Jac. vind. 1. t. 91.	
14 canariensis. W:	Canary.						Bot. reg. 48.	~ /
15 Sceptrum. W.	Madeira shrubby		Madeira.				Exot. bot. 2. t. 73	•
SCROPHULARIA. W		Scrophularinæ. B.						
1 marilandica. W.	Maryland.		N. America.	1759.	5.7.	H. 24.		
2 nodosa. W.	knotty-rooted.		Britain.			-H.4.	Eng. bot. 1544.	
3 aquatica. W.	water.					H. 4.	854.	
4 appendiculata.W.en		-	Morocco.			H.4.		
5 auriculata. W.	ear-leaved.		Spain.				Lob. ic. 533.	
6 Scarodonia. W.	Balm-leaved.	<b></b>	Britain.				Eng. bot. 2209.	
7 glabrata. W.	spear-leaved.		Canaries.				Jac.schoen.2.t.20	9.
8 betonicifolia. W.	Betony-leaved.	<del></del>	Spain.				Barr. ic. 274.	
9 biserrata. W. en.	doubly-sawed:		Titisian	1816.	0.0	- H. 4.	Pl. rar. hung. t. 214	A
10 glandulosa. W. en.			Flungary.				Schk.hand.2.t.178	
11 orientalis. W. 12 adscendens. W. en.	Hemp-leaved: ascending.		Levant.	1916	7.0.	11.4.	Stilk.iiaiid.2, t.17	
13 frutescens. W.	shrubby.		Portugali	1768.	6.8.	F.b.	Herm.lugdb.t.547	7.
14 altaica. W.	white-flowered.		Siberia.	1786.	5.6.	H. 24.	Mur.com.got.4.t.	
15 vernalis. W.	yellow.		Britain.				Eng. bot. 567.	
16 arguta. W.	slender upright.		Canaries.	1778.	5.6	G.O.		,
17 trifoliata. W.	three-leaved.		Africa.	1731.	5.9.	H. 3.	Jac.scheen.3. t.28	6.
18 sambucifolia. W.	Elder-leaved.		Spain.	1640.	7.9.	F.4.	Mill. ic. 2. t. 231.	
19 laciniata. W. en.	jag-leaved.		Hungary.				Pl.rar.hung.2.t.17	
20 lyrata. W. en.	lyrate-leaved.		Portugal.	1816.	7.8.	H.4.	W. hort. ber.1.t.5	5.
21 tanacetifolia. W. en			Tauria.	1804.	7.9.	H. 4.	1. t. 5	6.
22 mellifera. W.	Barbary.		Barbary.				Desf. atl. 2. t. 14	3.
23 canina. W.	wing-leaved.		S. Europe.				Lob. ic. 2. p. 55.	
24 lucida. W.	shining-leaved.		Coopier Share	1996.	- 20	- H. 4	W. hort. ber. 57.	
25 variegata. M. B. 26 multifida. W. en.	variegated. multifid-leaved.		Caspiansijor	cs1810.	-	- H 2	W.hort.ber.1.t.5	8.
27 chrysanthemifo-	Chrysanthe-							
lia. W. en.	mum-leav <sup>d</sup> .		Tauria.			- H.4	. — 1. t. 59.	
28 peregrina. W.	Nettle-leaved.		Italy.	1640		-H. A	. Camer. hort. t. 43	3.
MAURANDIA. W.	MAURANDIA.	Scrophularinæ. B		-5.5.				
1 semperflorens, W.	red-flowered.		Mexico.	1796.	1.19	. G. h	. Bot. mag. 460.	
2 antirrhinistora.	, -							
W. en.	blue-flowered.			- 1814.		_ G. n	1643.	
CYMBARIA. W.	CYMBARIA.	Scrophularinæ. B	. P.					•
daurica. W.	Daurian.		Dauria.	1796	6.7	. H.4	. Amm.ruth.t.1.f.	Z.
NEMESIA. Vent.	NEMESIA.	Scrophularinæ. B				C 31		
1 chamædrifolia. V.	Chamædrys-la.		C. B. S.	1787.	4.9	G.4	Vant malm t 41	
2 feetens. V.	fœtid.	-		1798	-	G. 4	. Vent. malm. t. 41	3.
3 bicorne. P. S.	horned.	100		- 1774.	7.8	. 4.0	. Burm. afr. t. 75. f.	.,
ANARRHINUM. Desf.	ANARRHINUM.	Scrophularinæ. B.	P. Antirrhin					
bellidifolium. W.	Daisy-leaved.		France.	1620	6.8	H. 2	. Bauh. prod. t. 10	6. 2056
ANTIRRHINUM. J.		Scrophularinæ, B.	4	1049	0.0	0		
1 majus. W.	great.		England.		6.8	. H.1	. Eng. bot. 129.	
β coccinea.	scarlet-flowered				-		•	
y bicolor.	two-coloured.							
flore pleno.	double-flowered.							

	TOTTOTA	AILLA AIII	OLOOT TH	OLVERTA.		111
2 siculum. W.	Sicilian.	Scrophularinæ.B.P.	Sicily.	1804. 7.8.	H. 24.	
3 orontium. W.	lesser.	1				Eng. bot. 1155.
4 Asarina. W.	heart-leaved.		Italy			Bot. mag. 902.
5 molle. W.	soft-leaved.		Spain.	1752. 7.10		J
LINARIA. J.	TOAD-FLAX.	Scrophularinæ. B.I	Antirrhini			
1 Cymbalaria. H. K.	Ivy-leaved.		England.		. H. 2/.	Eng. bot. 502.
2 pilosa. H. K.	hairy-leaved.		Pyrenees.			Jac. obs. 2. t. 48.
3 Elatine. H. K.	sharp-pointed.		England.			Eng. bot. 692.
4 spuria. H. K.	round-leaved.					691.
5 cirrhosa. H. K.	tendrilled.		Egypt.			Jac. vind. 1. t. 82.
6 ægyptiaca. H. K.	Egyptian.			1771		
7 triphylla. H. K.	three-leaved.		Sicily.	1596. 6.9.	H.⊙.	Bot. mag. 324.
8 latifolia. H. K.	broad-leaved.		N. America.			Desf. atl. 2. t. 134.
9 triornithophora.	41 1.1.12.				_	
н. к.	three-bird's.		Portugai.	1710. 0.9.	r.4.	Bot. mag. 523.
10 bipartita. P. S.	two-parted.		Barbary.	1815:	- F.4.	Vent. cels. t. 82.
11 purpurea. H. K.	purple.	····	S. Europe.	1648. 7.9.	H.4.	Bot. mag. 99.
12 versicolor. H. K.	various-coloured.		France.	1777	- H.O.	Jac. ic. 1. t. 116.
13 repens. H. K.	creeping-rooted.		England.			Eng. bot. 1253.
14 spartea. H. K.	branching.		Spain.			Bot. mag. 200.
15 bipunctata. H. K.	two-spotted.			1749. 6.8.		Ü
16 Hælava. W.	hairy-calyxed.		Egypt.	1803. 7.		
17 tristis. H. K.	melancholy.		Spain.			Bot. mag. 74.
18 supina. H. K.	trailing.	-		1728. 7.		
19 simplex. P. S.	upright.		S. Europe.			Jac. ic. 3. t. 499.
20 arvensis. P. S.	corn.	<del></del>				
21 pelisseriana. H. K.	violet-coloured.					Barrel. ic. 1162.
22 viscosa. H. K.	clammy.		Spain.			Bot. mag. 368.
23 multicaulis. H. K.	many-stalked.		Levant.			Boc. sic. t. 19. f. 1.
24 reticulata. H. K.	net-flowered.		Algiers.	1788	- F.2L.	Smith. ic. pict. 2.
25 glauca. H. K.	glaucous -leaved.		S. Europe.	1800. 6.8.	H.O.	Buxb. cent. 4. t. 37.
26 alpina. H. K.	Alpine.		Austria.			Bot. mag. 205.
27 villosa. H. K.	villous.		Spain.			Barrel. ic. 597.
28 origanifolia. H. K.	Marjoram-leavd.		S Europe			598.
29 minor. H. K.	least erect.		Eugland.			Eng. bot. 2014.
30 dalmatica. H. K.	Dalmatian.		Levant.	1731. 6.7.	н.о.	Buxb. cent.1. t. 24.
31 hirta. H. K.	shaggy-leaved.		Spain.	1759, 6.9.	. н.⊙.	Jac. ic. 1. t. 117.
32 genistifolia. H. K.	Broom-leaved.		Austria.			Jac. aus. 3. t. 244. 2/
33 juncea. H. K.	Rush-stalked.		Spain.	1780. —		
34 vulgaris. H. K.	yellow.		Britain.			Eng. bot. 658.
B Peloria.	regular-flowered.					260.
35 canadensis. P. S.	Canada.		N. America.	1812. 6.8.	H.O.	Vent. cels. 49.
36 chalepensis. H. K.	white-flowered.		Levant.			Moris. s. 5. t. 35. f.9.
GERARDIA. W.	GERARDIA.	Scrophularinæ. B.I		2000. 01,	- 110	
1 delphinifolia. W.	Larkspur-leaved.			1800, 6.7,	S.21.	Rox. cor. 1. t. 90.
2 purpurea. Ph.	purple.			1772. 7.8.	H.O.	Pluk.man.t.388.f.1.
3 tenuifolia. Ph.	slender-leaved.			1812.	- H. A.	Pluk. alm. t.12. f.4.
4 flava. Ph.	yellow.			1796.	- H.2/.	Pluk.amal.t.389.f.3
5 quercifolia. Ph.	Oak-leaved.	`		1812.	- H. 2/ .	Pursh. amer. t. 19.
PEDICULARIS. W.	Lousewort.	Scrophularinæ. B.J		.012.	11.4.	v v v v v v v
1 palustris. W.	marsh.	Scropharama: D.,		6.7.	TH. 21	Eng. bot. 399.
2 sylvatica. W.	common.		ZJIORIII.			400.
3 euphrasioides. W.	Eyebright-leavd.		Siberia.			Gmel. sib. 3. t. 43.
4 myriophylla. W.	Milfoil-leaved.		Danria.			Pall.it.3.app.t.8.f.1.
5 resupinata. W.	resupinate.		Siberia.	0.7.	- F. 2/	Gmel. sib. 3. t. 44.
6 Sceptrum Caro-	-					
linum. W.	sceptred.	<del></del>	Sweden.	1793. 8.	F.4.	Flor. dan. t. 26.
7 recutita. W.	jagged-leaved.		Austria.	1787. 7.8	F. 21	Jac. aust. 3. t. 258.
8 foliosa. W.	leafy.		13 4511141			2. t. 139.
9 canadensis. W.	Canadian.	-	N. America.			2500
10 incarnata. W.	flesh-coloured.		Austria.			Jac. aust. 2. t. 140.
11 uncinata. W.	hooked-flowered		Siberia.			Gmel. sib. 3: t. 45.
12 verticillata. W.	whorled.		Austria.			Jac. aust. 3. t. 206.
13 flammea. W.	upright.		Switzerland.			Hall.helv. t. 8. f.3.
14 tuberosa. W.	tuberous.		Owitzeriand.	1799. 7.8		n.323.t.10.
15 compacta. W.	close-headed.		Siberia	1815.		
16 comosa. W.	spiked.		Italy.	1775	F. 21	All. ped.1. t. 4. f.1.
MELAMPYRUM, W.	Cow-WHEAT.	Scrophularinæ. B.I		. 1 7 0 1	1.4.	Pourte to 40 10 10
1 cristatum. W.	crested.	Scrophularmæ. D.1		78	HO	Eng. bot. 41.
2 arvense. W.	purple.		2115141140			53.
	f w.f	9			24.00	300

#### TETRADYNAMIA SILICULOSA.

3 pratense. W.	common.	Scrophularinæ.B.P.Britain.		7.8.	H.⊙.	Eng. bot. 113.
4 sylvaticum. W.	wood.					
RHINANTHUS. W.		Scrophularinæ. B.P.				•
Crista-galli. W.	Cock's Comb.	Britain.	• • • •	6.8.	H.⊙.	Eng. bot. 657.
BARTSIA. W.	BARTSIA.	Scrophularinæ. B.P.				
1 coccinea. W.	scarlet.	N. Americ Siberia.	a. 1787.	7.	H.4.	Pluk.alm.t.102.f.5.
2 pallida. W.	pale-flowered.	Siberia.		6.9.	H.4.	Gmel. sib. 3. t. 42.
3 viscosa. W.	yellow viscid.	Britain.				Eng. bot. 1045.
4 Odontites. H. K.	red.			7.9.	H.⊙.	
5 alpina. W.	Alpine.			7.8.	H.⊙.	361.
CASTILLEJA. Sm.	CASTILLEJA.	Scrophularinæ. B.P.			-	•
sessiliflora. Ph.	sessile-flowered.	Louisiana	1811.	7.8.	H.4.	f.,
EUPHRASIA. W.	EYE-BRIGHT.	Scrophularinæ. B.P.				
1 officinalis. W.	cemmon.	Britain. S. Europe.	• • • •			Eng. bot. 1416.
2 lutea. W.	yellow.		1816.	-	H.⊙.	Jac. aust. t. 398.
BUCHNERA. B. P.	BUCHNERA.	Scrophularinæ. B.P.				
americana. W.	American.	N. Americ	a. 1733.	6.8.	H.4.	
MANULEA. W. en.	MANULEA.	Scrophularina. B.P. Buchne				
1 fœtida. P. S.	stinking.	C. B. S.	1794.	6.9.	G.⊙.	Bot. rep. 80.
2 villosa. P. S.	villous.		<b>—</b> 1783.	6.7.	G.⊙.	Burm.afr. t.50. f.2.
Buchnera capensis.						
3 pedunculata. P. S.	solitary-flowerd.		<del>-</del> 1790.	6.11.	G.h.	Bot. rep. 84.
4 viscosa. W. en.	clammy.		<del>- 1774.</del>		G. h.	Bot. mag. 217.
5 rubra. W.	red.		<del></del> 1790.	4.9.	G.h.	
6 tomentosa. W.	woolly.		<del> 1774.</del>	5.11.	G.h.	Bot. mag. 322.
7 Cheiranthus. W.	Wall Flower.		<b>—</b> 1795.	6.8.	G. 3.	Com. hort. 2. t. 42.
8 argentea. W.	silvery.		- 1801.	7.11.	G.⊙.	
ERINUS. W.	ERINUS.	Scrophularinæ. B.P.				
1 alpinus. P. S.	smooth-leaved.	Pyrenees Spain C. B. S.			F.4.	
2 hispanicus. P. S.	hairy-leaved.	Spain.			F.4.	
3 fragrans. W.	fragrant.		1776.	5.6.	G.h.	Burm. afr. t. 49. f.4.
SIBTHORPIA. W.	SIBTHORPIA.	Scrophularinæ. B.P.				
europæa. W.	Cornish.	England.		7.8.	H.4.	Eng. bot. 619.
BRUNFELSIA. W.	BRUNFELSIA.	Solaneæ? J.				
1 undulata. W.	wave-flowered.	Jamaica. W. Ind.				Bot. reg. 228.
2 americana. W.	American.	W. Ind.	1735.		S.h.	Bot. mag. 393.
a latifolia.	broad-leaved.					
β angustifolia.	narrow-leaved.					
CRESCENTIA. W.	CALABASHTREE.	Solaneæ? J.				
1 Cujete. W.	oval-fruited.	Jamaica. W. Ind.	1690.		S.h.	Jac. amer. t. 111.
2 cucurbitina. W.	round-fruited.	W. Ind.	1733.		S.h.	Plum. ic. t. 109.
CELSIA. W.	CELSIA.	Solaneæ. J.				
1 orientalis. W.	oriental.	Levant.				Lam. ill. t. 532.
2 Arcturus. W.	scallop-leaved.	Candia.	1780.			Jac. vind. 2. t. 117.
3 coromandelina. W.		E. Ind.	1783.		$S.\odot$ .	•
4 viscosa. W. en.	clamniy.	E. Ind. Crete. Levant.	. 1816.			
5 cretica. W.	great-flowered.	Crete.	1752.	7.9.	F. 3.	Bot. mag. 964.
6 lanceolata. P. S.	spear-leaved.	Levant.	1816.	da	F. 3.	Vent. cels. t. 27.
ALONSOA. H. K.	ALONSOA.	Solaneæ. J. Hemimeridis sp	. W.	6.		
¹ acutifolia. P. S.	acute-leaved.	Peru. Chili.	1790.	5.10.	G.h.	
2 incisifolia. H. K.	Nettle-leaved.		1795.		G.h.	Bot. mag. 417.
Hemimeris urticifo		ticifolia. B. M.				
3 linearis. H. K.	linear-leaved.	Peru.	1790.		G.h.	210.
ANTHOCERCIS.B.P.		Solaneæ. B. P.				_
littorea. B. P.	yellow.	N. Holland	1. 1803.	5.8.	G.h.	Bot. reg. 212.
LINNÆA. W.	LINNÆA.	Caprifoliæ. J.				
borealis. W.	two-flowered.	Scotland.		5.8.	H.4.	Eng. bot. 433.
MELIANTHUS. W.	HONEY-FLOWER					<b>D</b>
1 major. W.	great.	C. B. S.				Bot. reg. 45.
2 minor. W.	small.		<b>- 1696.</b>	8.	G.h.	Bot. mag. 301.

# CLASS XV. TETRADYNAMIA SILICULOSA.

CAKILE. H. K.	CARILE.	Cruçiferæ. J.		
1 maritima. H. K.	Sea Rocket.	Britain.	6.9.	H.⊙. Eng. bot. 231.
2 perennis. H. K.	perennial.	Germany.	1789. 7.	H. 4. Jac. aust. 5. t. 414.
3 rugosa. H. K.	wrinkled.	S. Europe.	1739. 6.7.	H.⊙. All. ped. 1. t. 78.

#### TETRADYNAMIA SILICULOSA.

		12110	ADINAMIA	1 SILIC	ULUL	111		A Po
	CRAMBE. W.	COLEWORT.	Cruciferæ. J.					
	1 maritima. W.	Sea Kale.		Britain.		5.6.	H.21.	Eng. bot. 924.
	2 pinnatifida. H. K.	smooth-winged.						Jac. ic. 1. t. 128.
	3 orientalis. W.	oriental.			1752.			
	4 tatarica. W.	Tartarian.		Siberia.				Jac. ic. 1. t. 129.
	5 hispanica. W.	Spanish.		Spain.	1683.		H.O.	Jac. ic. 1. t. 129. Schk.hand.2. t.189.
	6 fruticosa. W.	Madeira.			1777.			
	7 strigosa. W.	Canary.						Jac. ic. 1. t. 120.
	8 filiformis. W.	Patagonian.						3. t. 504.
	MYAGRUM. H. K.	MYAGRUM.	Cruciferæ. J.		,			
	1 perfoliatum. W.	perfoliate.		France.	1648.	6.7.	H.O.	Schk.hand.2, t.178.
	2 orientale. P. S.	oriental.		Levant.	1795.			
	EUCLIDIUM. H. K.	EUCLIDIUM.	Cruciferæ. J.					
	syriacum. H. K.	Syrian.		Levant.	1778.	7.8.	H.O.	Jac. aus. 1. t. 6.
	RAPISTRUM. G.	RAPISTRUM,	Cruciferæ. J. A.					
	1 ægyptiacum. H. K.	Egyptian.				8.	H.O.	Jac. vind. 2. t. 145,
	2 paniculatum. H. K.			Europe.				Gært. de fr.2.t.141.
	BUNIAS. W.	BUNIAS.	Cruciferæ. J.	•				
	1 Erucago. W.	prickly-podded.		· Austria.	1640.	6.7.	H.O.	Jac. aust. 4. t. 340.
	2 orientalis. W.	oriental.		Levant.				Gmel. sib. 3. t. 57.
	CORONOPUS. G.	WART CRESS.	Cruciferæ. J. Se				·	
	1 Ruellii. H. K.	common.				6.8.	H.O.	Eng. bot. 1660.
	2 didyma. H. K.	lesser.		England.				248.
	•	(BUCKLER )		J				
	BISCUTELLA. W.	MUSTARD.	Cruciferæ. J.					
	1 auriculata. W.	ear-podded.		S. Europe.	1683.	6.7.	H.O.	Lam.ill. t. 560. f. 2.
	2 apula. W.	spear-leaved.		Italy.				-t.560.f.l.
	3 lyrata. W.	lyre-leaved.		Spain.	1799.			
	4 didyma. W. en.	distant-toothed.		Italy.	1816.			
	5 coronopifolia.W.en.							Dec.an,mus.18.t.14
	6 lævigata. W.	smooth-podded.						
	7 alpestris. W. en.	Hungarian.		Hungary.	1816.		H. 24.	Jac. aust. 4. t. 339. Pl. rar.hun.3.t.228.
	8 sempervirens. W.	downy-leaved.		Spain.				Barr. ic. t. 841.
	PELTARIA. W.	PELTARIA.	Cruciform I				-	
	alliacea. W.	Garlie-scented.	Cruchera. v.	Austria.	1601.	5.7.	H.4.	Jac. aust. 2. t. 123.
	CIVDEOLA W	(TREACLE						
	CLYPEOLA. W.	Mustard.	Cruciferæ. J.					
	Ionthlaspi, W.	annual.		S. Europe.	1710.	5.7.	$H.\odot.$	Cav. ic.1. t. 34. f. 2.
	ISATIS. W.	WOAD.	Cruciferæ. J.	-			_	
	1 tinctoria. W.	common dyer's.		England.		5.7.	H. 3.	Eng. bot. 97.
	2 aleppica. H. K.	oriental		Levant.	1739.	6.7.	H.O.	Scop. ins. 2. t. 16.
	3 alpina. W.	Alpine.		Italy.	1800.		H. 4.	All. ped. t. 86. f. 2.
	SUCCOWIA. P. S.	SUCCOWIA.	Cruciferæ. J.	•				•
	balearica. P. S.	Minorca.		Minorca.	1781.	6.7.	H.O.	Jac. vind. 2. t. 144.
	VELLA. W.	CRESS ROCKET.	Cruciferæ. J.				_	
	1 annua. W.	annual.		England.		6.7.	H.O.	Eng. bot. 1441,
	2 Pseudo-Cytisus. W.	shrubby.		Spain.	1759.	4.5.	F. 12.	Cav. ic. 1. t. 42.
	ANASTATICA. W.	Rose of	Cruciferæ. J.	-			•	
	ministriich. w.	} JERICHO. }	Crucheræ. J.					
	hierochuntica. W.	common.		Levant.	1597.	6.8.	H.4.	Jac. vind. 1. t. 58.
	ÆTHIONEMA. H. K.	ÆTHIONEMA.	Cruciferæ. J.					
	1 saxatile. H. K.	rock.		S. Europe.	1759.	6.7.	H.⊙.	Jac. aust. 3. t. 236.
	2 monospermum. }	one-seeded.		Spoin	1778.	7 0	T.T A	
	H. K.			opan.	11,000	7.0.	11.0.	
	THLASPI. W.	SHEPHERD'S ?	Cruciferæ. J.					
	ATTIMADE IN TY.	Purse.						
	1 arvense. W.	Penny Cress.		Britain.		6.7.	H.⊙.	Eng. bot. 1659.
	2 alliaceum. W.	Garlic-scented.	-	· S. Europe.	1714.	5.7.	H	Jac. ic. 1. t. 121.
	3 ceratocarpon. W.	Siberian.		Siberia.	1779.	7.	H.O.	Scop. ins. 1. t. 4.
	4 Bursa pastoris. W.	common.		Britain.				Eng. bot. 1485.
	5 hirtum. W.	hairy.		-		6.7.	H.3.	1803.
	6 perfoliatum. W.	perfoliate.	,	England.		4.7.	H.4.	Eng. bot. 2354.
	7 alpestre. W.	Alpine.						81.
	8 montanum. W.	mountain.		Austria.		7.	Н.∂.	Jac. aust. 3. t. 287.
	HUTCHINSIA. H. K.		Cruciferæ. J. Leg					
	1 rotundifolia. H. K.							All.ped.1. t. 55. f.2.
	2 alpina. H. K.	Alpine.						Jac. aust. 2. t. 137.
	3 petræa. H. K.	rock.				3.5.	H. 3.	Eng. bot. 111.
,	TEESDALIA. H. K.	TEESDALIA.	Cruciferæ. J. Iber					
	nudicaulis. H. K.	naked-stalked.	Transport the same of the component of the same	Britain.		5.7.	H.⊙.	Eng. bot. 827.

IBERIS. H. K.	CANDY TUFT.	Cruciferæ. J.					
1 semperflorens. W.	broad-leaved.		Sicily.	1679.	1.12	. G. b .	Zanon. hist. t. 165.
2 sempervirens. W.	narrow-leaved.		Candia.				Riv. tetr. 224. f. 2.
8 gibraltarica. W.	Gibraltar.	*	Snain				Bot. mag. 124.
			S Furana				
4 saxatilis. W.	rock.						Garid. prov. t. 101.
- β corifolia.	smooth-leaved.					- H. h.	Bot. mag. 1642,
5 ciliata. W.	ciliate-leaved.		Caucasus,	1802.	6.7.	F. 4.	<del></del>
6 umbellata. W.	purple.		S. Europe.	1596.		-H.O.	106.
7 violacea. H. K.	blunt-lcd purple.					-н.⊙.	
8 amara. W.	bitter.		Forland	1,020		HO	Eng. bot. 52.
			C. P.				
9 linifolia. W.	Flax-leaved.		S. Europe.				Garid. prov. t. 105.
10 odorata. W.	sweet-scented.	<del></del>	Geneva.			-H.⊙.	the same of the sa
11 pinnata. W.	wing-leaved.		S. Europe.	1596.	6.8.	H.⊙.	Lob. ic. 218.
LEPIDIUM. H. K.	PEPPERWORT.	Cruciferæ. J.					
1 latifolium. W.	broad-leaved,		Britain.		6.7.	H. 21.	Eng. bot. 182.
2 lyratum. W.	lyre-leaved.						Tourn. it. 2. t. 339.
	Whitlow.						
3 Draba. H. K.			Europe.				Jac. aust. 4. t. 315.
4 graminifolia. H. K.		-					Bauh.h.2.p. 918.ic.
5 Iberis. Roth.	diandrous.		Germany,	1793.	7.8.	$H.\odot.$	Lob. ic. 223.
6 divaricatum. W.	close-spiked.		C. B. S.	1774.	5.8.	G, h.	
7 ruderale. W.	narrow-leaved.		Britain.				Eng. bot. 1595.
8 bonariense. W.	Buenos Ayres.		S. America.				Dill.elt.t.286.f.370
9 Cardamines. W.	Spanish Cress.						
			Spani.				Arduin. sp. 1. t. 18,
10 subulatum. W.	awl-leaved.		0 1 1 1				D.Asso arag.t.6.f.3,
11 piscidium. W.	South Sea.		Society Isl.	1779.		H.⊙.	_
12 perfoliatum. W.	various-leaved.			1640.	7.	H.⊙.	Jac. aust. 4. t. 346.
13 spinosum. W.	prickly.		Levant.	1787.	9.	H.O.	
14 campestre. H. K.	hoary-field.		Britain.				Eng. bot. 1385.
15 sativum. W.	Common Cress.	<del></del>	2521000121				Zorn. ic. 16.
			*******	1040.		-11.0.	20111. iç. 10.
β crispum.	Curled Cress.					T¥ 0	0.11.1 104.00
16 virginicum. W.	Virginian.		America.				Schk.hand.2.t.180.
17 chalepense. W.	Aleppo.		Aleppo.	1798.	5.7.	$H.\odot$ .	
COCHLEARIA. H.K.	SCURVY-GRASS.	Cruciferæ. J.					
1 officinalis. W.			Britain.		4.5.	H.O.	Eng. bot. 550.
2 anglica. W.	English.						552.
					* 0	11.0.	696.
3 danica. W.	Danish.		~				
4 glastifolia. W.	Woad-leaved.	<del></del>	Germany.	1648.			Moris.his.2.t.21.f.3
5 grænlandica. E. B.	Greenland.		Scotland.		5.6.	H.4.	Eng. bot. 2403.
6 saxatilis. W.	rock.		Austria.	1775.	6.7.	H.24.	Jac. aust. 2. t. 128,
7 macrocarpa. W.	large-capsuled.	-	Hungary.			H. 4.	
8 Armoracia. W.	Horse-Radish.		England				Eng. bot. 2223.
		Considered T	mg mu.		J.	11.4.	Tile: con marco.
SUBULARIA. W.	Awlwort,	Cruciferæ. J.	77. 1. 1.		_	TTO	E 1 -4 #00
aquatica, W.	water.		Britain.	: * * *	7.	H.O.	Eng. hot. 732.
DRABA. W.	WHITLOW-	Cruciferæ. J.					
MINISTER W.	GRASS.	Ciuciera. v.					
1 verna. W,	common.		Britain.		3.4.	H.O.	Eng. Bot. 586.
2 rupestris. H. K.	rock.		Scotland.				1338.
hirta. E. B.			- COVERNITA	4	2.7.	4.	
	twisted madded		Pulta!-		= 0	7.7	900
3 incana. W.	twisted-podded.		Britain.				388.
4 muralis. W.	Speedwell-leaved.		England.				912.
5 nemoralis. W.	wood.		Europe.	1759.	5.6.	$H_{\bullet}\odot$ .	Hout.sys.4.t.60.f.1
6 aizoides. W.	sen-green.		Wales.		2.4.	H.4.	Eng. bot. 1271.
7 ciliaris. W.	ciliate-leaved.		Switzerland.	1731.		H. 24 .	Eng. bot. 1271. Bot. mag. 170.
PETROCALLIS. H.K.		Cruciferæ. J. D.	rabe sp. W			7	Ÿ ·
pyrenaica. H. K.	Dyrengen			1750	5.6	Ha	Bot. mag. 713.
CAMELINA D		Compiler I M		1709.	7.0.	11.4.	Bot. mag. 713.
CAMELINA. P. S.	CAMELINA.	Cruciferæ. J. M	yagrı et Atys.			** ~	E 1-4 2074
1 sativa. H. K.	cultivated.	***************************************	Britain.				Eng. bot. 1254.
2 dentata. P. S.	tooth-leaved.	***************************************	Europe.	1806.		H.⊙.	Lind.alsat.p.49.f.1.
3 austriaca, H. K.	Austrian.		Austria.	1795.	6.7.	H.O.	Jac. aust, 2. t. 111,
ALYSSUM. H. K.		Cruciferæ. J.			1-		
1 calycinum. H. K.	calycine.		Austria	1740	7.8	H.O.	Jac. aust. t. 339.
	field		France				
2 campestre. W.	field.		Came.			·H.⊙,	Dot mag 410
3 montanum. W.	mountain.		Germany.				Bot. mag. 419.
4 saxatile. W.	rock.		Candia.				159.
5 alpestre. W.	Italian.		Italy.	1777.	6.10.	H.h.	Jac. col. 4. t. 4. f. 1.
6 spinosum. W.	thorny.		S. Europe.				Barr. ic. 808.
7 tortuosum. W,	twisted.		Hungary.				Pl. rar. hung.t. 91.
8 minimum. W.	small.		Spain			H.O.	-70
			England	1/31.	60	H L	Eng. bot. 1729.
9 maritimum. W,	sweet.	, to	migratio.	2777	0.5.	Ari IS a	Soll and at a said

	11111	CLID I IVIIII	III OLIII	2CCD2	L.M.o.	110
FARSETIA. H. K.	FARSETIA.	Cruciferæ. J. A	Tuesi en W.			
1 Cheiranthoides.H.l		Crucincia: 0.		1788. 6	7. G.L.	Desf. atl. 2. t. 160.
2 lunarioides. H. K.	oriental.		- Archinelago	1731	H. 2/	Tourn. it. 1. p. 242.
3 clypeata. H. K.	buckler-podded.		S Europe		Н.⊙.	Tourse to be a see
4 mutabilis. H. K.	changeable.		- Levant			Vent. cels. 85.
5 incana. H. K.	hoary.		- Europe		.9. H.J.	venti cetsi co.
6 deltoidea. H. K.	purple.		- Larent			Bot. mag. 126.
VESICARIA. Lam.	Vesicaria.	Cruciferæ. J. A	Lucei on III	1/10. 5	11.4.	Dot. mag. 120.
1 utriculata. H. K.	smooth.	Cracifera. 9. 27	- Lavant	1720 4	6 H 21	Bet. mag. 130.
2 cretica. P. S.			- Cruto			
	Cretan.		Spain			Alp. exot. t. 118.
3 sinuata. H. K. LUNARIA. W.	sinuate-leaved.	Considered I	- abam.	1090. 4	.6. H.J.	
	HONESTY.	Cruciferæ. J.	Commons	1506 5	e II N	Yam :11 4 501 6 1
1 rediviva. W.	perennial.		Germany.	1590. 5	.o. II. 4.	Lam. ill. t. 561. f. 1.
2 annua. W.	annual.	C		1570	н. д.	t. 561. f. 2.
RICOTIA. W.	RICOTIA.	Cruciferæ. J.	77		- TT O	D-4 10
ægyptiaca. W.	Egyptian.	······································	Egypt.	1757. 6	.7. H.O.	Bot. reg. 49.
		SILIQUOSA				
HELIOPHILA. W.	HELIOPHILA.	Cruciferæ. J.				
1 incana. W.	hoary.		- C. B. S.	1774. 5	.8. G.h.	
2 filiformis. W.	awl-podded.	- Crubilere. 51		1786. 7	.s. G.⊙.	1
3 platysiliqua. H. K.	broad-podded.	-		1774	- G. h.	
4 pilosa. H. K.	hairy.			1768. 5	.9. H.⊙.	Jac. ic. 3. t. 526.
β incisa.	cut-leaved.					Bot, mag. 496.
5 amplexicaulis. W.	opposite-leaved.			1774. 6	.9. H.⊙.	
6 fœniculacea. H. K.	Fennel-leaved.				— H.⊙.	-1
7 pinnata. H. K.	wing-leaved.			1792	— H.O.	Vent. malm. t. 118.
8 crithmifolia. W. en.	Samphire-leaved			1816	— H.⊙.	Herm.lugdb.t.367.
9 coronopifolia. W.	Buck's-horn-led.			1778. 6	3.7. G. 3.	Herm.lugdb.t.367.
CARDAMINE. H. K.	LADY'S SMOCK.	Cruciferæ. J. Ca	ardamine et De	entaria. I	V.	
1 enneaphylla. H. K.	nine-leaved.		· Austria.	1656. 5	.6. H. đ.	Jac. aust. 4. t. 316.
2 pentaphylla. H. K.	five-leaved.		Switzerland.		H.4.	Jac. aust. 4. t. 316. Garid. prov. t. 29.
3 pinnata. H. K.	seven-leaved.			1683	H. 4.	t. 28.
4 bulbifera. H. K.	bulbiferous.	-	· England.	4	.5. H. 21.	Eng. bot. 309.
5 polyphylla. P. S.	many-leaved.	-	· Hungary.	1817. 5	.6. H. 21.	Pl,rar.hung.2.t.169
6 glandulosa. P. S.	glandular.			1815	H. 24.	8
7 diphylla. P. S.	two-leaved.		N. America.	1810	H. 24.	Bot. mag. 1465.
8 asarifolia. W.	kidney-leaved.		· Italy.			1735.
9 bellidifolia. W.	Daisy-leaved,		- Scotland.			Eng. bot. 2355.
10 trifolia. W.	three-leaved.		- Switzerland.	1629. 3	.4. H.21.	Bot. mag. 452.
11 africana. W.	African.		C B S	1691. 5	6. G.1	Herm. parad. 202.
12 chelidonia. W.	Celandine -leavd.		. Italy			Pl.rar.hung.2.t.140
13 græca. W.	Grecian.		S. Europe			Boc. sic. t. 44. f. 2.
14 amara. W.	bitter.		Britain	1/10. 0	5 H 2	Eng. bot. 1000.
15 latifolia. W.	broad-leaved.		Snain	1710 6	8 H 1	Herm. parad. 203
16 pratensis. W.	Cuckoo-flower,		Britain			
B plena.			Dillain,	**** 4	.0. 11.4.	Eng. bot. 776.
17 impatiens. W.	double-flowered.			4	6 HO	90
18 hirsuta. W.	hairy.			4	10 11.0	400
19 resedifolia. W.	Rocket-leaved.		Cormon	1650	7 H O	All ped 1 t = 7 fo
		Cruciferæ. J.	- Jermany.	1008.	· 11.().	All. ped.1. t.57. f.2.
ARABIS. H. K.	WALL CRESS.	Cruchera. J.	Curitmonlar d	1800 0	T II at	All mod 1 4 40 50
1 cærulea. W. 2 nutans. W.	blue.		switzerland.	1793. 6	./. Fl.4.	All. ped.1.t.40.f.2. Jac. aust. 3. t. 281. 22
	nodding.			1658. 3	4. H.4.	Jac. aust. 3. t. 281.
3 bellidifolia. W.	Daisy-leaved.			1773. 5	.6. H.4.	3. t. 280.
4 caucasica. W. en.	early-flowering.		· Caucasus.	1798. 1.	10. H.4.	J-10
5 grandiflora. W.	naked-stalked.					Lamœn.ac.t.4.f.20
6 alpina. W.	Alpine.					Bot. mag. 226.
7 crispata. W. en.	curled-leaved.				.4. H.4.	
8 verna. H. K.	vernal.					Barr. ic. 476.
9 stricta. W.	Bristol.	<del></del>				Eng. bot. 614.
10 arenosa. H. K.	purple.			1798. 6	.7. H.⊙.	Scop. carn. t. 40.
11 hispida. H. K.	short-podded.		Britain.	5	.7. H.4.	Eng. bot. 469.
12 thaliana. W.	common.					901.
13 ciliata. H. K.	ciliated.		· Ireland.	6	.7. Н. г.	1746,
Turritis alpina. E	.B.					
14 hirsuta. H. K.	hairy.		- Britain.	5	.7. H.4.	587.
15 pendula. W.	pendulous.	<del></del>	Siberia.			Jac. vind. 3. t. 34,
16 Turrita. W.	tower.		- England.			Eng. bot. 178,
		U			7.	

140	ILIN	ADINAMI	y piris	UUSE	y.		
17 canadensis. W.	sickle-podded.	Cruciferæ. J.	N. America.	1768.	5.7.	H. 2.	
18 lucida. W. en.	shining-leaved.		Hungary.	1790.	6.7.	H. 24.	
19 incana. W. en.	hispid-stalked.		Switzerland.	1816.	5.6.	н.д.	
MACROPODIUM.	MACROPODIUM.	Cruciferæ. J. Ca.					
H. K.			•			**	TO 11 14 - 4 27
nivalis. H. K.	Siberian.	-	Siberia.	1796.	6.9.	H.4.	Pall. it. 2. ap. t. U.
TURRITIS. H. K.	MUSTARD.	Cruciferæ. J.					
1 arvensis. H. K.	Cabbage-flowd.		S. Europe.	1739.	6.	II.2L.	Bocc.sic.t.25.f.3.4.
2 glabra. H. K.	long-podded.		England.				Eng. bot. 777.
3 stricta. W.	upright.		Italy.	1804			3
4 Loeselii. H. K.	Loeselius's.		Germany.	1683.	8.	H.⊙.	Jac. aust. 4. t. 324.
BARBAREA. H. K.		Cruciferæ. J. Er	ysimi sp. W.				
1 vulgaris. H. K.	common.		Britain.				Eng. bot. 443.
2 præcox. H. K.	early.	Canaifora I Sie	England.	4	.10.	H.4.	
NASTURTIUM. H.K. 1 officinale. H. K.	Water Cress.	Cruciferæ. J. Sis	Britain		5.7	T-T 2/	Eng. bot. 855.
2 sylvestre. H. K.	creeping.			• • • •	6.7. 6.9.	H 2/	2394
3 terrestre. H. K.	marsh.					H.O.	2324. 1747.
4 amphibium. H. K.	omulibione.				6.8.	H.4.	1840.
5 pyrenaicum. H. K.	Pyrenean.	<del></del>	Pyrenees.				Act. helv. 4. t. 15.
6 sagittatum. H. K.	arrow-leaved.		Siberia.	1780		н.4.	Jac. ic. 1. t. 122.
SISYMBRIUM. H. K.	SISYMBRIUM.	Cruciferæ. J.					
1 officinale. H. K.	Hedge Mustard.		Britain.				Eng. bot. 725.
2 Irio. W.	London Rocket.		England.				——————————————————————————————————————
3 Columnæ. W.	Columna's,		Larent			_	Jac. aust. 4. t. 323.
4 orientale. W. 5 pannonicum. W.	Hungarian.		Hungary	1739.			Jac. ic. 1. t. 123.
6 Barbareæ. W.	Winter-Cress-1d.		Levant.	1799.			040.10.11.0.120.
7 austriacum. W.	Austrian.		Ametria				Jac. aust. 3. t. 262.
8 sinapoides. H. K.	Pyrenean.		Demonos				Jac. vind. 3. t. 97.
9 altissimum. W.	tall.		Siberia.				Walth, hort. t. 22.
10 eckartsbergense. W.	Austrian.		Austria.	1799.			
11 asperum. W.	rough-podded.		S. France.	1778.			
12 supinum. W.	dwarf.		S. Europe.		6.7.	H.⊙.	Isnard.act.par.t.18.
13 polyceratium. W.	Dandelion-leavd.			1633		H.⊙.	Jac. vind. 1. t. 79. Dill.elt.t.148.f.177
14 bursifolium. W. 15 tanacetifolium. W.	Tansy-leaved.		Itale	1732		H	Zavon bist 4 70
16 Barrelieri. W.	small.		S Europe	1770 -		H. (1)	Zanon. hist. t. 72. Barr. ic. 1016.
17 Sophia. W.	Flix Weed.		Britain	1//0.	7.	H.O.	Eng. bot. 963.
18 millefolium. W.	Milfoil-leaved.		Canaries.	1779.	5.9.	G. b.	Jac. ic. 1. t. 127.
19 strictissimum. W.	spear-leaved.	-	Switzerland.	1658.	6.8.	H. 4.	Jac. aust. 2. t. 194.
ERYSIMUM. H. K.	HEDGE }	Cruciferæ. J. Ery					
	Mustard.					Ī	
1 cheiranthoides. W.	treacle.		Britain.				Eng. bot. 942.
2 repandum. W.	small-flowered.		Spain.				Jac. aust. 1. t. 22.
3 diffusum. H. K. 4 angustifolium. W.	Alpine.		Hungary				Pl.rar.hung.1.t.98.
5 sessiliflorum. H. K.			Siberia.				L'Her.stirp.1.t.44.
6 lanceolatum. H. K.			S. Europe.	1597.	5.7.	H. 3.	Jac. aust. 1. t. 74. 22
7 helveticum. H. K.	Swiss.		Switzerland.	1793.	5.6.	Н.∂.	Jac. vind. 3. t. 9.
8 odoratum. W.	fragrant.		Austria.	1795.	7.8.	H.⊙.	Jac. aust. 1. t. 73.
9 virgatum. W.	twiggy.		Portugal.	1807.			
10 Alliaria. W.	Garlick-scented.		Britain.				Eng. bot. 796.
11 orientale. H. K.	Hare's Ear.		England.	••••	6.	н.⊙.	18045
NOTOCERAS. H. K. canariensis. H. K.	Notoceras. Canary.	Cruciferæ. J. Er	Canaries.	1770	0.0	GO	
CHEIRANTHUS.	•		Canaries.	1779.	0.3.	0.0.	
H. K.	WALL FLOWER.	Cruciferæ. J.					
1 Cheiri. W.	garden.		S. Europe.	1573.	4.7.	H. b.	
B flore pleno.	double-flowered.		1	-	,		
y Chameleon.	various-coloured.			1816		H. h.	Bot. reg. 219.
2 fruticulosus. E. B.	common.		Britain.				Eng. bot. 1934.
B flore pleno.	double.						
3 strictus. W.	upright.		C. B. S.	1802.			D-4
4 mutabilis. W.	changeable.		Madeira.				Bot. mag. 195.
5 longifolius. Vent. 6 frutescens. Vent.	long-leaved.		Teneriffe.	1815. 9			Vent. malm. t. 83
	f crowded-	'					A CHEST THEIRWITE SE COD
7 scoparius. W. en.	branched.			1815.	3.8.	G.h.	
	_						

		MAMIL	r striet			141
8 linifolius. W. en.	Plan Laura	C	O!	1015	00 67	1
9 semperflorens.W.e	Flax-leaved.	Cruciferæ. J.	Spain.		3.8. G.h.	
10 silenifolius. W. en.			- Darbary.		1.12. G.h.	
11 tenuifolius. H. K.	.,	b	M. 1.1.		G. h.	
	fine-leaved.				5.6. G.h.	
12 armeniacus. B. M.	Armenian.					Bot. mag. 835.
13 ibericus. W. en.	Barbarea-leaved.		- Iberia.	1816.	5.8. H.4.	
MATHIOLA. H. K.	Ѕтоск.	Cruciferæ. J. C.				
1 incana. H. K.	Gilly Flower.		· England.	5	.11. H.h.	Eng. bot. 1935.
B coccinea.	Brompton.					
y alba.	white branching.					
2 annua. W.	ten-week.		S. Europe.	1731	—H.⊙.	
3 græca. P. S.	Wall-flower-led.				— H.O.	
4 fenestralis. H. K.	window.					Jac. vind. 2. t, 179.
5 taraxacifolia. W.	Dandelion-leavd.		Siberia.		6. H.J.	
6 sinuata. H. K.	greater sea.		England.			Eng. bot. 462.
7 odoratissima. H. K.						Bot. mag. 1711.
8 tristis. H. K.	dark-flowered.		S Europe.			729.
9 tricuspidata. H. K.			Barbary			Lam.ill. t. 564. f. 2.
10 parviflora. H. K.	small-flowered.		Morogoo			12311.111. 6. 004. 1. 2.
MALCOMIA. H. K.	- 4	Courtier I Cl	Morocco.		7.8. H.⊙.	
	MALCOMIA.	Cruciferæ. J. Ch				Det 100
1 maritima. H. K.	dwarf annual.					Bot. mag. 166.
2 Chius. W.			Chio.			Dill.elt.t.147.f.178
3 africana. H. K.	African.		Africa.			Bocc. sic. t. 42. f.1.
4 littorea. H. K.	small sea.		S. Europe.	1683. 6	.11. H.⊙.	
HESPERIS. H. K.	ROCKET.	Cruciferæ. J.				
1 tristis. W.	night-smelling.	Citation of the citation of th	Austria.	1629. 4	1.6. H.J.	Bot. mag. 730.
2 matronalis. W.	common.	-	Italy.	1597. 5	.s. H. 4.	Lam. ill. t. 564. f.1.
β albo-plena.	double white.		•			
y purpureo-plena.	double purple.					
3 inodora. W.	scentiless.		Britain.	5	5.6. H.M.	Eng. bot. 731.
4 runcinata. W. en.	runcinate.		Hungary			Pl.rar.hung.2.t.200
5 bituminosa. W. en.	clammy.		Hangary.		Н. д.	1uiiidiig.2200
6 arenaria. W.	sand.		Algiore			Desf. atl. 2. t. 162.
ERUCARIA. G.					11.0.	Desi. ati. z. t. 102.
	ERUCARIA.	Cruciferæ. J. Cor			, II O	C
aleppica. Vent.	Aleppo.	C 15 Y	Levant.	1.680. 7	.s. H.O.	Gært.se.2.t.143.f.9.
BRASSICA. H. K.	CABBAGE.	Cruciferæ. J.	m + 1			7 1
1 Napus. W.	Rape.		Britain.			Eng. bot. 2146.
2 Rapa. W.						
	Turnep.					Eng. bot. 2176.
3 oleracea. W.	Turnep.					Eng. bot. 2176.
3 oleracea. W. a capitata.						
	common.					
a capitata.	common. white. red.					
a capitata. B rubra.	common. white. red. Savoy.					
a capitata. B rubra. Y sabauda. S sabellica.	common. white. red. Savoy. Borecole.					
a capitata. ß rubra. y sabauda. d sabellica. s botrytis.	common. white. red. Savoy. Borecole. Cauliflower.					
a capitata.  ß rubra.  ÿ sabauda.  š sabellica.  ¿ botrytis.  § ——	common. white. red. Savoy. Borecole. Cauliflower. Broccoli.					
a capitata.  ß rubra.  y sabauda.  δ sabellica.  t betrytis.  ξ —  n napobrassica.	common. white. red. Savoy. Borecole. Cutlifower. Broccoli. Turnep-rooted.			4	i.6. H.đ.	
a capitata.  ß rubra.  y sabauda.  δ sabellica.  t botrytis.  y napobrassica.  4 chinensis. W.	common. white. red. Savoy. Borecole. Cauliflower. Broccoli. Turnep-rooted. Chinese.		China.	1770.	1.6. H.∂. 7. H.⊙.	637.
a capitata, ß rubra. y sabauda, δ sabellica, t botrytis. ζ — n napobrassica, 4 chinensis. W. 5 polymorpha, W.	common. white. red. Savoy. Borecole. Cauliflower. Broccoli. Turnep-rooted. Chinese. various-leaved.		China.	1770. 1804. –	7. H.⊙. ——H.↓.	637. Pl. rar. hung. t. 90.
a capitata, ß rubra. y sabauda, ð sabellica, z botrytis. \$ —— n napobrassica, 4 chinensis. W. 5 polymorpha. W. 6 Erucastrum. W.	common. white. red. Savoy. Borecole. Cauliflower. Broccoli. Turnep-rooted. Chinese. various-leaved. runcinate-leav <sup>4</sup> .		China. Hungary. S. Europe.	1770. 1804. – 1790. 6	7. H.⊙. H. ₩. ₩. H. W.	637.  Pl. rar. hung. t. 90. Fusch. hist. 262. ic.
a capitata,  ß rubra.  y sabauda,  s sabellica,  botrytis.  n napobrassica.  chinensis. W.  polymorpha. W.  Erucastrum. W.  Fruca. W.	common. white. red. Savoy. Borecole. Cauliflower. Broccoli. Turnep-rooted. Chinese. various-leaved. runcinate-leav <sup>4</sup> . stripe-flowered.		China. Hungary. S. Europe. Austria.	1770. 1804. – 1790. 6	7. H.⊙. ——H.4. G.S. H.⊙. 7. H.⊙.	Pl. rar. hung. t. 90. Fusch. hist. 262. ic. Schk. hand. 2. t. 186.
a capitata.  ß rubra.  y sabauda.  s sabellica.  b botrytis.  n napobrassica.  chinensis. W.  polymorpha. W.  Erucastrum. W.  reruca. W.  monensis. H. K.	common. white. red. Savoy. Borecole. Cauliflower. Broccoli. Turnep-rooted. Chinese. various-leaved. runcinate-leaved. stripe-flowered. Isle of Man.		China. Hungary. S. Europe. Austria. Britain.	1770. 1804. – 1790. 6 1573.	7. H.⊙. H.Ψ. G.S. H.⊙. 7. H.⊙.	Pl. rar. hung. t. 90. Fusch.hist. 262. ic. Schk.hand.2.t.186. Eng. bot. 962.
a capitata, ß rubra. y sabauda, ð sabellica. t botrytis. ß —— napobrassica. t chinensis. W. polymorpha. W. Erucastrum. W. Teruca. W. monensis. H. K. elongata. W.	common. white. red. Savoy. Borecole. Cauliflower. Broccoli. Turnep-rooted. Chinese. various-leaved. runcinate-leav <sup>4</sup> . stripe-flowered. Isle of Man. stalk-leaved.		China. Hungary. S. Europe. Austria. Britain. Hungary.	1770. 1804. – 1790. 6 1573. 6 1801. 5	7. H. ⊙. H. 4. H. 4. H. 9. H. 10. H.	Pl. rar. hung. t. 90. Fusch. hist. 262. ic. Schk. hand.2.t.186. Eng. bot. 962. Pl. rar.hung.1.t.28.
a capitata, ß rubra. y sabauda, ð sabellica, i botrytis. \$\frac{\text{y}}{\text{napobrassica}}\$, 4 chinensis. W. 5 polymorpha. W. 6 Erucastrum. W. 7 Eruca. W. 8 monensis. H. K. 9 clongata. W. 10 campestris. W.	common. white. red. Savoy. Borecole. Cauliflower. Broccoli. Turnep-rooted. Chinese. various-leaved. runcinate-leav <sup>4</sup> . stripe-flowered. Isle of Man. stalk-leaved. field.		China. Hungary. S. Europe. Austria. Britain. Hungary.	1770. 1804. – 1790. 6 1573	7. H.⊙. H.4. S.S. H.⊙. 7. H.⊙. 6. H. 3.	Pl. rar. hung. t. 90. Fusch. hist. 262. ic. Schk. hand.2.t. 186. Eng. bot. 962. Pl. rar.hung.1.t.28. Eng. bot. 2234.
a capitata,  β rubra.  γ sabauda,  δ sabellica,  ε botrytis.  ζ ——  η napobrassica.  4 chinensis. W.  5 polymorpha. W.  6 Erucastrum. W.  7 Eruca. W.  8 monensis. H. K.  9 clongata. W.  10 campestris. W.	common. white. red. Savoy. Borecole. Cauliflower. Broccoli. Turnep-rooted. Chinese. various-leaved. runcinate-leav <sup>d</sup> . stripe-flowered. Isle of Man. stalk-leaved. field. Alpine.		China. Hungary. S. Europe. Austria. Britain. Hungary.	1770. 1804. – 1790. 6 1573	7. H.⊙. H.4. S.S. H.⊙. 7. H.⊙. 6. H. 3.	Pl. rar. hung. t. 90. Fusch. hist. 262. ic. Schk. hand.2.t.186. Eng. bot. 962. Pl. rar.hung.1.t.28.
a capitata, ß rubra. y sabauda, ð sabellica, i botrytis. \$\frac{\text{y}}{\text{napobrassica}}\$, 4 chinensis. W. 5 polymorpha. W. 6 Erucastrum. W. 7 Eruca. W. 8 monensis. H. K. 9 clongata. W. 10 campestris. W.	common. white. red. Savoy. Borecole. Cauliflower. Broccoli. Turnep-rooted. Chinese. various-leaved. runcinate-leav <sup>4</sup> . stripe-flowered. Isle of Man. stalk-leaved. field.		China. Hungary. S. Europe. Austria. Britain. Hungary.	1770. 1804. – 1790. 6 1573	7. H.⊙. H.4. S.S. H.⊙. 7. H.⊙. 6. H. 3.	Pl. rar. hung. t. 90. Fusch. hist. 262. ic. Schk. hand.2.t. 186. Eng. bot. 962. Pl. rar.hung.1.t.28. Eng. bot. 2234.
a capitata,  β rubra.  γ sabauda,  δ sabellica.  ε botrytis.  ζ —  η napobrassica.  4 chinensis. W.  5 polymorpha. W.  6 Erucastrum. W.  7 Eruca. W.  8 monensis. H. K.  9 elongata. W.  10 campestris. W.  11 alpina. W.  SINAPIS. H. K.  1 arvensis. W.	common. white. red. Savoy. Borecole. Cauliflower. Broccoli. Turnep-rooted. Chinese. various-leaved. runcinate-leav <sup>d</sup> . stripe-flowered. Isle of Man. stalk-leaved. field. Alpine.	Cruciferæ. J.	China. Hungary. S. Europe. Austria. Britain. Hungary.	1770. 1804. – 1790. 6 1573. 6 1801. 5	7. H.⊙. H.Ψ. S.S. H.⊙. 7. H.⊙. 6. H.⊙. 6. H.⊙. 6. H.⊙.	Pl. rar. hung. t. 90. Fusch. hist. 262. ic. Schk. hand.2.t. 186. Eng. bot. 962. Pl. rar.hung.1.t.28. Eng. bot. 2234.
a capitata, ß rubra. y sabauda, ð sabellica, i botrytis. \$\frac{1}{3}	common. white. red. Savoy. Borecole. Cauliflower. Broccoli. Turnep-rooted. Chinese. various-leaved. runcinate-leav <sup>d</sup> . stripe-flowered. Isle of Man. stalk-leaved. field. Alpine. MUSTARD.	Cruciferæ. J.	China. Hungary. S. Europe. Austria. Britain. Hungary. England. Germany.	1770. 1804. – 1790. 6 1573 6 1801. 5 5 1793. 5	7. H.⊙. H.4. 6.8. H.⊙. 7. H.⊙. 6.6. H.∂. 6.6. H.∂. 6.7. H.⊙. 6.7. H.⊙.	Pl. rar. hung. t. 90. Fusch. hist. 262. ic. Schk. hand.2.t.186. Eng. bot. 962. Pl. rar.hung.1.t.28. Eng. bot. 2234. Vill. dauph. 3. t. 36. Eng. bot. 1748. Schk.hand.1.t.186.
a capitata,  β rubra.  γ sabauda,  δ sabellica.  ε botrytis.  ζ —  η napobrassica.  4 chinensis. W.  5 polymorpha. W.  6 Erucastrum. W.  7 Eruca. W.  8 monensis. H. K.  9 elongata. W.  10 campestris. W.  11 alpina. W.  SINAPIS. H. K.  1 arvensis. W.	common. white. red. Savoy. Borecole. Cauliflower. Broccoli. Turnep-rooted. Chinese. various-leaved. runcinate-leav <sup>d</sup> . stripe-flowered. Isle of Man. stalk-leaved. field. Alpine. Mustard. Charlock. oriental.	Cruciferæ. J.	China. Hungary. S. Europe. Austria. Britain. Hungary. England. Germany. Britain. Levant.	1770. 1804. – 1790. 6 1573 6 1801. 5 5 1793. 5	7. H.⊙. H.4. 6.8. H.⊙. 7. H.⊙. 6.6. H.∂. 6.6. H.∂. 6.7. H.⊙. 6.7. H.⊙.	Pl. rar. hung. t. 90. Fusch. hist. 262. ic. Schk. hand.2.t.186. Eng. bot. 962. Pl. rar.hung.1.t.28. Eng. bot. 2234. Vill. dauph. 3. t. 36. Eng. bot. 1748. Schk.hand.1.t.186.
a capitata, ß rubra. y sabauda, ð sabellica, i botrytis. \$\frac{1}{3}	common. white. red. Savoy. Borecole. Cauliflower. Broccoli. Turnep-rooted. Chinese. various-leaved. runcinate-leav <sup>4</sup> . stripe-flowered. Isle of Man. stalk-leaved. field. Alpine. Mustard. Charlock.	Cruciferæ. J.	China. Hungary. S. Europe. Austria. Britain. Hungary. England. Germany. Britain. Levant. Britain.	1770. 1804. — 1790. 6 1573 6 1801. 5 5 1793. 5	7. H.⊙. H.4. S.s. H.⊙. 7. H.⊙. S.6. H.∂. 6. H.∂. 6. H.∂. 1.7. H.⊙. 1.7. H.⊙. 1.7. H.⊙. 1.7. H.⊙.	Pl. rar. hung. t. 90. Fusch. hist. 262. ic. Schk. hand. 2.t. 186. Eng. bot. 962. Pl. rar. hung. 1. t. 28. Eng. bot. 2234. Vill. dauph. 3. t. 36. Eng. bot. 1748. Schk. hand. 1. t. 186. Eng. bot. 1677.
a capitata, ß rubra. y sabauda, s sabellica, t botrytis. y	common. white. red. Savoy. Borecole. Cauliflower. Braccoli. Turnep-rooted. Chinese. various-leaved. runcinate-leav <sup>d</sup> . stripe-flowered. Isle of Man. stalk-leaved. field. Alpine. MUSTARD. Charlock. oriental. white. Allioni's.	Cruciferæ. J.	China. Hungary. S. Europe. Austria. Britain. Hungary. England. Germany. Britain. Levant. Britain.	1770. 1804. – 1790. 6 1573. 6 1801. 5 5 1778. 6 5	7. H.⊙.	Pl. rar. hung. t. 90. Fusch. hist. 262. ic. Schk. hand.2.t.186. Eng. bot. 9234. Vill. dauph. 3. t. 36. Eng. bot. 1748. Schk.hand.1.t.186. Eng. bot. 1677. Jac. vind. 2. t. 168,
a capitata, ß rubra. y sabauda, s sabellica, t botrytis. y	common. white. red. Savoy. Borecole. Cuntiflower. Broccoli. Turnep-rooted. Chinese. various-leaved. runcinate-leav <sup>d</sup> . stripe-flowered. Isle of Man. stalk-leaved. field. Alpine. Mustard. Charlock. oriental. white. Allioni's. Chinese.	Cruciferæ. J.	China. Hungary. S. Europe. Austria. Britain. Hungary. England. Germany. Britain. Levant. Britain. China.	1770. 1804. – 1790. 6 1573 1793. 5 5 1778. 6 – 1789. –	7. H. ⊙.  H. Ψ.  H. Ψ.  H. Φ.  H. Φ.  H. Φ.  H. Φ.  H. Φ.  H. Θ.  H. Φ.	Pl. rar. hung. t. 90. Fusch.hist. 262. ic. Schk.hand.2.t.186. Eng. bot. 962. Pl. rar.hung.1.t.28. Eng. bot. 2234. Vill. dauph. 3. t. 36. Eng. bot. 1748. Schk.hand.1.t.186. Eng. bot. 1677. Jac. vind. 2. t. 168, Arduin.spec.1.t.10.
a capitata, ß rubra.  y sabauda, ð sabellica, t botrytis. \$ — n napobrassica, 4 chinensis, W. 5 polymorpha, W. 6 Erucastrum, W. 7 Eruca, W. 8 monensis, H. K. 9 elongata, W. 10 campestris, W. 11 alpina, W. SINAPIS, H. K. 1 arvensis, W. 2 orientalis, W. 3 alba, W. 4 Allioni, W. 5 chinensis, W. 6 juncea, W.	common. white. red. Savoy. Borecole. Cauliflower. Broccoli. Turnep-rooted. Chinese. various-leaved. runcinate-leav <sup>4</sup> . stripe-flowered. Isle of Man. stalk-leaved. field. Alpine. Mustard. Charlock. oriental. white. Allioni's. Chinese. fine-leaved.	Cruciferæ. J.	China. Hungary. S. Europe. Austria. Britain. Hungary. England. Germany. Britain. Levant. Britain. China.	1770. 1804 1790. 6 1573. 6 1801. 5 5 1778. 6 1789 1789 1789 1710. 6	7. H. ⊙.  H. 4.  S.8. H. ⊙.  S.8. H. ⊙.  G.6. H. 4.  G.7. H. ⊙.  T. H. ⊙.  T. H. ⊙.  T. H. ⊙.  T. H. ⊙.	Pl. rar. hung. t. 90. Fusch. hist. 262. ic. Schk. hand.2.t.186. Eng. bot. 9234. Vill. dauph. 3. t. 36. Eng. bot. 1748. Schk.hand.1.t.186. Eng. bot. 1677. Jac. vind. 2. t. 168,
a capitata, ß rubra. y sabauda, ð sabellica, i botrytis. \$\frac{2}{3}	common. white. red. Savoy. Borecole. Cauliflower. Broccoli. Turnep-rooted. Chinesc. various-leaved. runcinate-leav <sup>d</sup> . stripe-flowered. Isle of Man. stalk-leaved. field. Alpine. Mustard. Charlock. oriental. white. Allioni's. Chinese. fine-leaved. Cabbage-leaved.	Cruciferæ. J.	China. Hungary. S. Europe. Austria. Britain. Hungary. England. Germany. Britain. Levant. Britain.	1770. 1804. — 1790. 6 1573 6 1801. 5 5 1778. 6 — 1789. — 1789. — 1780. — 1710. 6	7. H.⊙. H.Ψ. S.S. H.⊙. 7. H.⊙. S.C. H.⊙. 6. H.⊙. H.⊙. H.⊙. T. H.⊙. T. H.⊙. T. H.⊙. T. H.⊙. H.⊙. H.⊙. T. H.⊙.	Pl. rar. hung. t. 90. Fusch.hist. 262. ic. Schk.hand.2.t.186. Eng. bot. 962. Pl. rar.hung.1.t.28. Eng. bot. 2234. Vill. dauph. 3. t. 36. Eng. bot. 1748. Schk.hand.1.t.186. Eng. bot. 1677. Jac. vind. 2. t. 168, Arduin.spec.1.t.10.
a capitata, ß rubra. y sabauda, ð sabellica, t botrytis. \$\frac{2}{3}	common. white. red. Savoy. Borecole. Cauliflower. Broccoli. Turnep-rooted. Chinese. various-leaved. runcinate-leav <sup>d</sup> . stripe-flowered. Isle of Man. stalk-leaved. field. Alpine. MUSTARD. Charlock. oriental. white. Allioni's. Chinese. fine-leaved. Cabbage-leaved. smooth.	Cruciferæ. J.	China. Hungary. S. Europe. Austria. Britain. Hungary. England. Germany. Britain. Levant. Britain. China.	1770. 1804 1790. 6 1573 6 1801. 5 5 1778. 6 5 1789 1789 1780 1780 1769	7. H.⊙. H.4. S.s. H.⊙. 7. H.⊙. S.s. H.⊙. 6.6. H.3. 6.6. H.4. S.7. H.⊙. H.⊙. H.⊙. H.⊙. H.⊙. H.⊙. H.⊙. H.⊙	Pl. rar. hung. t. 90. Fusch. hist. 262. ic. Schk. hand.2.t.186. Eng. bot. 962. Pl. rar.hung.1.t.28. Eng. bot. 2234. Vill. dauph. 3. t. 36. Eng. bot. 1748. Schk.hand.1.t.186. Eng. bot. 1677. Jac. vind. 2. t. 168, Arduin.spec.1.t.10. Jac. vind. 2. t. 171.
a capitata, ß rubra. y sabauda, s sabellica, t botrytis. y	common. white. red. Savoy. Borecole. Cauliflower. Broccoli. Turnep-rooted. Chinese. various-leaved. runcinate-leaved. stripe-flowered. Isle of Man. stalk-leaved. field. Alpine. MUSTARD. Charlock. oriental. white. Allioni's. Chinese. fine-leaved. Cabbage-leaved. smooth. common.	Cruciferæ. J.	China. Hungary. S. Europe. Austria. Britain. Hungary. England. Germany. Britain. Levant. Britain. China.  Spain. Britain.	1770. 1804 1790. 6 1801. 5 5 1778. 6 1789. 1789. 1710. 6 1801 1769 1769 5	7. H. ⊙.	Pl. rar. hung. t. 90. Fusch.hist. 262.ic. Schk.hand.2.t.186. Eng. bot. 962. Pl. rar.hung.1.t.28. Eng. bot. 2234. Vill. dauph. 3. t. 36. Eng. bot. 1748. Schk.hand.1.t.186. Eng. bot. 1677. Jac. vind. 2. t. 168, Arduin.spec.1.t.10. Jac. vind. 2. t. 171. Eng. bot. 969.
a capitata, ß rubra. y sabauda, ð sabellica, t botrytis. \$ —— n napobrassica, 4 chinensis, W. 5 polymorpha, W. 6 Erucastrum, W. 7 Eruca, W. 8 monensis, H. K. 9 elongata, W. 10 campestris, W. 11 alpina, W. SINAPIS, H. K. 1 arvensis, W. 2 orientalis, W. 3 alba, W. 4 Allioni, W. 5 chinensis, W. 6 juncea, W. 7 brassicata, W. 8 lævigata, W. 9 nigra, W. 10 pubescens, W.	common. white. red. Savoy. Borecole. Cauliflower. Broccoli. Turnep-rooted. Chinese. various-leaved. runcinate-leav <sup>4</sup> . stripe-flowered. Isle of Man. stalk-leaved. field. Alpine. Mustard. Charlock. oriental. white. Allioni's. Chinese. fine-leaved. Cabbage-leaved. smooth. common. downy.	Cruciferæ. J.	China. Hungary. S. Europe. Austria. Britain. Hungary. England. Germany. Britain. Levant. Britain. China.  Spain. Britain. Sicily.	1770. 1804 1790. 6 1573	7. H. ⊙.  H. 4.  S.8. H. ⊙.  S.8. H. ⊙.  S.6. H. J.  S.7. H. ⊙.	Pl. rar. hung. t. 90. Fusch. hist. 262. ic. Schk. hand.2.t.186. Eng. bot. 962. Pl. rar.hung.1.t.28. Eng. bot. 2234. Vill. dauph. 3. t. 36. Eng. bot. 1748. Schk.hand.1.t.186. Eng. bot. 1677. Jac. vind. 2. t. 168, Arduin.spec.1.t.10. Jac. vind. 2. t. 171. Eng. bot. 969. Arduin. spec.1.t. 9.
a capitata, ß rubra. y sabauda, ð sabellica, i botrytis. \$\frac{1}{3}	common. white. red. Savoy. Borecole. Cauliflower. Broccoli. Turnep-rooted. Chinese. various-leaved. runcinate-leav <sup>d</sup> . stripe-flowered. Isle of Man. stalk-leaved. field. Alpine. MUSTARD. Charlock. oriental. white. Allioni's. Chinese. fine-leaved. Cabbage-leaved. smooth. common. downy. hispid.	Cruciferæ. J.	China. Hungary. S. Europe. Austria. Britain. Hungary. England. Germany. Britain. Levant. Britain. China.  Spain. Britain. Sicily. Morocco.	1770. 1804 1790. 6 1573 6 1801. 5 1793. 5 5 1778. 6 1789 1789 1769 1769 1789. 6 1789. 6	7. H. ⊙.  H. 4.  3.8. H. ⊙.  7. H. ⊙.  7. H. ⊙.  7. H. ⊙.  7. H. ⊙.  6. H. ♂.  6. H. ⊙.  7. H. ⊙.  1.7. H. ⊙.  1.7. H. ⊙.	Pl. rar. hung. t. 90. Fusch. hist. 262. ic. Schk. hand.2.t.186. Eng. bot. 962. Pl. rar.hung.1. t. 28. Eng. bot. 2234. Vill. dauph. 3. t. 36. Eng. bot. 1748. Schk.hand.1. t.186. Eng. bot. 1677. Jac. vind. 2. t. 168, Arduin.spec.1.t.10. Jac. vind. 2. t. 171. Eng. bot. 969. Arduin. spec.1. t. 9. Schous. Maroc. t. 4.
a capitata, ß rubra.  y sabauda, ß sabellica,  i botrytis.	common. white. red. Savoy. Borecole. Cauliflower. Broccoli. Turnep-rooted. Chinese. various-leaved. runcinate-leav <sup>d</sup> . stripe-flowered. Isle of Man. stalk-leaved. field. Alpine. MUSTARD. Charlock. oriental. white. Allioni's. Chinese. fine-leaved. Cabbage-leaved. smooth. common. downy. hispid. dwarf.	Cruciferæ. J.	China. Hungary. S. Europe. Austria. Britain. Hungary. England. Germany. Britain. Levant. Britain. China. Spain. Britain. Sicily. Morocco. S. Europe.	1770. 1804. — 1790. 6 1573 6 1801. 5 5 1778. 6 — 1789. — 1789. — 1769. — 1769. — 1769. — 1789. 6 1804. 6 1804. 6	7. H.⊙. H.Ψ. S.S. H.⊙. 7. H.⊙. S.S. H.⊙. 7. H.⊙. S.S. H.⊙. 7. H.⊙. S.S. H.⊙. S.T. H.⊙. H.⊙. H.⊙. H.⊙. H.⊙. H.⊙. H.⊙. H.⊙	Pl. rar. hung. t. 90. Fusch. hist. 262. ic. Schk. hand.2.t.186. Eng. bot. 962. Pl. rar.hung.1.t.28. Eng. bot. 2234. Vill. dauph. 3. t. 36. Eng. bot. 1748. Schk.hand.1.t.186. Eng. bot. 1677. Jac. vind. 2. t. 168, Arduin.spec.1.t.10. Jac. vind. 2. t. 171. Eng. bot. 969. Arduin. spec.1.t. 9. Schous. Maroc. t. 4. Jac. vind. 2. t. 170.
a capitata, ß rubra.  y sabauda, ß sabellica, ¿ botrytis, ß —— n napobrassica, 4 chinensis. W. 5 polymorpha. W. 6 Erucastrum. W. 7 Eruca. W. 8 monensis. H. K. 9 clongata. W. 10 campestris. W. 11 alpina. W. SINAPIS. H. K. 1 arvensis. W. 2 orientalis. W. 3 alba. W. 4 Allioni. W. 5 chinensis. W. 6 juncea. W. 7 brassicata. W. 8 lævigata. W. 9 nigra. W. 10 pubescens. W. 11 hispida. W. 12 erucoides. W. 13 pyrenaica. W.	common. white. red. Savoy. Borecole. Cauliflower. Broccoli. Turnep-rooted. Chinese. various-leaved. runcinate-leaved. stripe-flowered. Isle of Man. stalk-leaved. field. Alpine. MUSTARD. Charlock. oriental. white. Allioni's. Chinese. fine-leaved. Cabbage-leaved. smooth. common. downy. hispid. dwarf. Pyrenean.	Cruciferæ. J.	China. Hungary. S. Europe. Austria. Britain. Hungary. England. Germany. Britain. Levant. Britain. China.  Spain. Britain. Sicily. Morocco. S. Europe. Pyrenees.	1770. 1804. — 1790. 6 1573 6 1801. 5 5 1778. 6	7. H. ⊙.  7. H. ⊙.  7. H. Ø.  7. H. Ø.  7. H. Ø.  7. H. Ø.  8.8. H. Ø.  8.6. H. Ø.  8.7. H. ⊙.  9.7. H. ⊙.  7. H. ⊙.  7. H. ⊙.  7. H. ⊙.  7. H. Ø.  8.7. H. Ø.  7. H. Ø.  8.7. H. Ø.  9.7. H. Ø.  1.7. H. Ø.	Pl. rar. hung. t. 90. Fusch. hist. 262. ic. Schk. hand.2.t.186. Eng. bot. 962. Pl. rar.hung.1. t. 28. Eng. bot. 2234. Vill. dauph. 3. t. 36. Eng. bot. 1748. Schk.hand.1. t.186. Eng. bot. 1677. Jac. vind. 2. t. 168, Arduin.spec.1.t.10. Jac. vind. 2. t. 171. Eng. bot. 969. Arduin. spec.1. t. 9. Schous. Maroc. t. 4.
a capitata, ß rubra. y sabauda, ð sabellica. t botrytis. \$	common. white. red. Savoy. Borecole. Cauliflower. Broccoli. Turnep-rooted. Chinese. various-leaved. runcinate-leav <sup>d</sup> . stripe-flowered. Isle of Man. stalk-leaved. field. Alpine. Mustard. Charlock. oriental. white. Allioni's. Chinese. fine-leaved. Cabbage-leaved. smooth. common. downy. hispid. dwarf. Pyrenean. shrubby.	Cruciferæ. J.	China. Hungary. S. Europe. Austria. Britain. Hungary. England. Germany. Britain. Levant. Britain. China.  Spain. Britain. Sicily. Morocco. S. Europe. Pyrenees. Madeira.	1770. 1804 1790. 6 1801. 5 5 1793. 5 5 1778. 6 1789. 1789. 6 1801 1769 1789. 6 1804. 1736. 6 1799. 1777. 1	7. H. ⊙.  7. H. ⊙.  1.6. H. 4.  1.6. H. 3.  1.7. H. ⊙.  1.7. H. ⊙.	Pl. rar. hung. t. 90. Fusch.hist. 262. ic. Schk.hand.2.t.186. Eng. bot. 962. Pl. rar.hung.1.t.28. Eng. bot. 2234. Vill. dauph. 3. t. 36. Eng. bot. 1748. Schk.hand.1.t.186. Eng. bot. 1677. Jac. vind. 2. t. 168, Arduin.spec.1.t.10. Jac. vind. 2. t. 171.  Eng. bot. 969. Arduin. spec.1. t. 9. Schous. Maroc. t. 4. Jac. vind. 2. t. 170. All. ped. t. 55. f. 1.
a capitata, ß rubra.  y sabauda, ß sabellica, ¿ botrytis, ß —— n napobrassica, 4 chinensis. W. 5 polymorpha. W. 6 Erucastrum. W. 7 Eruca. W. 8 monensis. H. K. 9 clongata. W. 10 campestris. W. 11 alpina. W. SINAPIS. H. K. 1 arvensis. W. 2 orientalis. W. 3 alba. W. 4 Allioni. W. 5 chinensis. W. 6 juncea. W. 7 brassicata. W. 8 lævigata. W. 9 nigra. W. 10 pubescens. W. 11 hispida. W. 12 erucoides. W. 13 pyrenaica. W.	common. white. red. Savoy. Borecole. Cauliflower. Broccoli. Turnep-rooted. Chinese. various-leaved. runcinate-leaved. stripe-flowered. Isle of Man. stalk-leaved. field. Alpine. MUSTARD. Charlock. oriental. white. Allioni's. Chinese. fine-leaved. Cabbage-leaved. smooth. common. downy. hispid. dwarf. Pyrenean.	Cruciferæ. J.	China. Hungary. S. Europe. Austria. Britain. Hungary. England. Germany. Britain. Levant. Britain. China.  Spain. Britain. Sicily. Morocco. S. Europe. Pyrenees. Madeira. England.	1770. 1804 1790. 6 1801. 5 5 1793. 5 5 1778. 6 1789. 1789. 6 1801 1769 1789. 6 1804. 1736. 6 1799. 1777. 1	7. H. ⊙.  7. H. ⊙.  1.6. H. 4.  1.6. H. 3.  1.7. H. ⊙.  1.7. H. ⊙.	Pl. rar. hung. t. 90. Fusch. hist. 262. ic. Schk. hand.2.t.186. Eng. bot. 962. Pl. rar.hung.1.t.28. Eng. bot. 2234. Vill. dauph. 3. t. 36. Eng. bot. 1748. Schk.hand.1.t.186. Eng. bot. 1677. Jac. vind. 2. t. 168, Arduin.spec.1.t.10. Jac. vind. 2. t. 171. Eng. bot. 969. Arduin. spec.1.t. 9. Schous. Maroc. t. 4. Jac. vind. 2. t. 170.

16 muralis. H. K.	sand.	Cruciferæ. J.	England.		7.9.	H.O.	Eng. bot. 1090.	
17 incana, H. K.	hoary-jointed.		S. Europe.				Jac. vind. 2. t. 169.	
18 hispanica. W.	Spanish.		Spain.			H.O.		
19 integrifolia. W.	entire-leaved.	A	E. Ind.	1804.	7.8.	H.O.		
RAPHANUS. H. K.	RADISH.	Cruciferæ. J.						
1 sativus. W.	common.		China.	1548.	5.6.	H.⊙.	Lam. ill. t. 566.	
2 caudatus. W.	long-podded.			1815.	5.8.	H.⊙.	Linn. dec. 3. t. 10.	
3 Raphanistrum. W.	wild.		Britain.		6.7.	H.⊙.	Eng. bot. 856.	
4 maritimus. H. K.	sea.				5.7.	H.4.		
5 cheiranthifolius. W.	Stock-leaved.		Spain.	1806.	6.8.	н.д.	W. hort. ber. t. 19.	
CHORISPERMUM )	CHORISPERMIM.	Cruciferæ. J. Ra	nhani en W					
H. K.		Ciuchera. v. Ita	puuni sp. rr .					
· tenellum. H. K.	purple.		Siberia.	1780.	6.7.	H.⊙.	Pall. it. 3. t. L. f. 3.	
CLEOME. W.	CLEOME.	Capparides. J.						
1 Chelidonii. W.	Celandine-flow.					S.⊙.		
2 viscosa. W.	viscid.		*				Rheed.mal. 9. t. 23.	
3 dodecandra. W.	three-leaved.		India.				Bur.zeyl. t.100.f.1.	
4 pentaphylla. W.	five-leaved.	<del></del>					Jac. vind. 1. t. 21.	
5 gigantea. W.	gigantic.						Jac. obs. 4. t. 76.	
6 spinosa. W.						-	Marcgr. bras. t. 34.	
7 pungens. W.		***************************************		1812.	7.8.	S. 3.	W.hort.ber.1.t.18.	
spinosa. B. M. 164						50)		
8 Houstoni. H. K.	Houstoun's.					S.⊙.		
9 violacea. W.	Violet-coloured.		Portugal.	1776.	6.7.	H.⊙.	Schk. hand. 2. t. 189. b.	
10 ornithopodioides. W	bird's-foot.		Levant.				Dill.elt.t.266.f.345	
11 arabica. W.	Arabian.						Lin. fil. fasc. t. 8.	
12 monophylla. W.	simple-leaved.						Burm.zey. t.100.f.2	
13 procumbens. W.	procumbent.						Jac. amer. t. 120.	
14 pubescens. B. M.	pubescent.						Bot. mag. 1857.	
•								

# CLASS XVI.

#### MONADELPHIA TRIANDRIA.

TAMARINDUS. W.	TAMARIND TREE.					~ -	
indica. W.			India.	1633.	6.7.	S.h.	Jac. amer. t. 10.
PATERSONIA. B. P.		Irideæ. B. P.					
1 sericea. B. P.	silky.		N. S. W.				Bot. mag. 1041.
2 glabrata. B. P.	smooth.	~		1814.		G. 4.	Bot. reg. 50.
FERRARIA. Ker.	FERRARIA.	Irideæ. B. P.	0.70.0			~	
1 undulata. W.	curled.		С. В. S.				Bot. mag. 144.
2 antherosa. Ker.	variegated.	T 11 D D 77	***************************************	1800.	3.7.	G.4.	751.
TIGRIDIA. J.		Irideæ. B. P. Fer				**	
pavonia. P. S.	Mexican.	T 11 TO TA	Mexico.	1796.	5.9.	H. 4.	Bot, mag. 532.
GALAXIA. W.	GALAXIA.	Irideæ. B. P.	0.70.0			C 21	T) 4
1 ovata. W.	oval-leaved.	•	C. B. S.				Bot. rep. 94.
2 grandiflora. B. R.	great-flowered.	The latest division of					164.
3 mucronularis. Sal.	mucronated.		C. B. S.			G. 4.	Jac. ic. t. 291. f. inf. ad sinis.
4 versicolor. Sal.	rarious coloured						-, f. inf. ad dextr.
	narrow-leaved.						Bot. mag. 1292.
5 graminea. W.	marrow-icavcu.			1/30.	7.0.	0.4.	Dot. mag. 1202.
		PENTANDRIA					
WALTHERIA. W.	WALTHERIA.	Tiliaceæ? J.					
1 americana. W.	American.		S. America.	1601	5 10.	S. 2.	Jac. ic. 1. t. 130.
2 indica. W.	Indian.						Burm. zeyl. t. 68.
3 elliptica. W.	woolly.						Cav.dis.6.t.171.f.2.
HERMANNIA. W.	HERMANNIA.	Tiliaceæ? J.		1012.		2	
1 althæifolia. W.	Althæa-leaved.		C. B. S.	1728.	3.7.	G.b.	Bot. mag. 307.
2 plicata. W.	plaited-leaved.						Jac.schen.2.t.213.
3 candicans. W.	white.						1.t.117.
4 disticha, W.	round-leaved.						1.t.118.
5 salvifolia. W.	Sage-leaved.						Cav.dis.6.t.180.f.2.
6 micans. W.	glittering.						Jac.scheen.1.t.119.
0	9						

	MONAL	ELLILIA I	TATA T WILL	DILIA.	149
7 involucrata. W.	involucred.	Tiliaceæ. J.	C. B. S.	1794. 5.6. G.h.	Cav.dis.6.t.177.f.1.
8 scordifolia. W.					Jac.schen.1. t.120.
9 mollis. W. en.	soft-leaved.			1814. 5.6. G.h.	
10 denudata. W.	smooth.			1774. 5.7. G.h.	Jac-schæn.1.t.122.
11 disermæfolia. W.				1795. 3.4. G.h.	1.t.121.
12 alnifolia. W.	Alder-leaved.			1728. 2.5. G.h.	Pot. mag. 299.
13 cuneifolia. W.	wedge-leaved.			1791. 8.9. G.h.	Jac.scheen.1.t.124.
14 holosericea. W.	velvet-leaved.			1792. 5.6. G.h.	3. t.292.
15 hirsuta, W.	hairy-branched.			1790. G. h.	Schrad. s.han.1.t.4. Jac.schæn.1.t.127.
16 scabra. W.	rough-leaved. many-flowered.			1709. 3.4. G. 7.	Jac.schen.1.1.12/.
18 flammea. W.	flame-flowered.			1794. 1.19. G.h.	Bot. mag. 1349.
19 angularis. W.	angular.			1791. 4.5. G.b.	Jac.schæn.1.t.126.
20 hyssopifolia. W.	Hyssop-leaved.			1725, 4.6, G. b.	Cav.dis.6.t.181.f.3.
21 trifurcata. W.	three-forked.			1789, 4.7, G.b.	Jac.schon.1. t.125.
22 odorata. W.	sweet-scented.			1780. 2.10. G.b.	
23 lavandulifolia. W.				1732. 5.9. G. J.	Bot. mag. 304.
24 filifolia. W.	thread-leaved.			1816. 5.8. G.h.	Jac.schæn.1. t.123.
25 trifoliata. W.	three-leaved.			1752. — G. h.	Cav.dis.6. t.182.f.2.
26 procumbens. W.	procumbent.			1792. 5.6. G.h. 1731. 4.5. G.h.	6.t.177.f.2.
27 grossularifolia. W.				1800. 5.8. G.h.	77-4 101
28 pulverulenta. B. R.	powdered. cut-leaved.			1806. 6.7. G. J.	вот. гер. 161.
29 incisa. W. 30 tenuifolia. B. M.	slender-leaved.			- G. $h$ .	Bet mag 1949
MELOCHIA. W.	MELOCHIA.	Malvaceæ. J.		d.n.	Det. mag. 1040.
1 pyramidata. W.	pyramidal.	marracca. b.	Brazil.	1768, 7.8, S.b.	Jac. vind. 1. t. 30.
	**			2,000 7.00 207.	( Cav. dis. 6, t. 172.
2 tomentosa. W.	downy.		W. Ind.	5.6. S.h.	Cav. dis. 6. t. 172.
3 corchorifolia. W.	Corchorus-leavd.		E. Ind.		Dill.elt.t.176.f.217
MELHANIA. J.	MELHANIA.	Malvaceæ. J. Don	nbeyæ sp. W.		
1 Erythroxylon. H.K.	red-wood.			1772. 5.8. S.h.	
2 Melanoxylon. H.K.				1800. 7.8. S.h.	Pluk.man. t.333.f.5
OCHROMA. W.	OCHROMA.	Malvaceæ. J.			
1 tomentosa. W. en.	woolly-leaved.		S. America.	1816 S.h.	0 "
2 Lagopus. W. en.	downy-leaved.	D'(1 T'		1802 S.h.	Cav. dis. 5. t. 153.
PASSIFLORA. W. 1 serratifolia. W.	PASSIONF LOWER	Passifloræ. J. in	M. Ind	1701 5 10 S T	Dot mag CE1
2 cuprea. W.	copper-coloured		Rahama Isl	1731. 5.10. S.h. 1724. 7.8. S.h.	Jac ic 3 t 606
3 maliformis. W.	Apple-fruited.		W. Ind.	1731. 7.11. S.h.	Bot. reg. 95.
4 quadrangularis. W.			Jamaica.		- 14. 204/
5 alata. W.	wing-stalked.		W. Ind.	1772. 4.8. S. h.	
6 laurifolia. W.	Laurel-leaved.	-		1690. 6.7. S.h.	
7 multiflora. W.	many-flowered.		Vora Cruz		Plum. amer. t. 90.
8 Murucuja. W.	purple.		W. Ind.	1739. 7.8. S.h.	t. 87.
9 perfoliata. W.				1806. — S.h.	Bot. reg. 78.
10 rubra. W.	red-fruited.			1731. 4.9. S. J.	
11 normalis. W.	linear-lobed.			1771. 5.6. S.h.	
12 lunata. W.	crescent-leaved.		Jamaica.		Smith ic. pict. 1.
13 Vespertilio. W.	bat-winged.		W. Ind.		Dill.elt.t.137.f.164.
14 rotundifolia. W. 15 punctata. W.	round-leaved.		Peru		Cav. dis. 10. t. 290.
16 lutea. W.	yellow.		America	1714. — S.h.	
17 angustifolia. W.	narrow-leaved.		W. Ind.	1773. 6.9. S.h.	
18 minima. W.	small.			1690. 7.8. S.h.	144.
19 suberosa. W.	Cork-barked.		W. Ind.		Exot. bot. 1. t. 28.
20 peltata. W.	peltate.				Cav. diss. 10. t. 274.
21 hederacea. W.	Ivy-leaved.				Plum. amer. t. 84.
22 glauca. W.	glaucous-leaved.		Cayenne.	1779. 8.9. S.h.	Bot. reg. 88.
23 stipulata. W.	large-stipuled.		Guiana.		Aub. gui. 3. t. 325.
24 holosericea. W.	silky-leaved.		Vera Cruz.		Bot. reg. 59. 207
25 hirsuta. W.	hairy.	***************************************	W. Ind.		Plum.amer.t.88.f.A
26 fœtida. W. 27 ciliata. W.	stinking.		Tomoico		Cav. dis. 10. t. 289.
28 adiantifolia. B. Reg.	Adjusting-leave		Jamaica.	1783. 7.9. S.h. 1792. 6.8. G.h.	Bot. mag. 288.
29 peduncularis. Cav.	long-peduncled.		Peru.		Cav. ic. 5. t. 426.
30 incarnata. W.	Rose-coloured.		America.		Miss Lawr. pass.
β major.	larger.		Brazil.	G.h.	
31 cærulea. W.	common.				Bot. mag. 28.
32 serrata. W.	saw-leaved.		Martinique.		Plum. amer. t. 79.
33 pedata. W.	curl-flowered.		W. Ind.		t. 81.

#### MONADELPHIA HEPTANDRIA.

EPODIUM W	HERON'S Brev	Gerania I Car	vaii on Tim		
ERODIUM. W.	HERON'S BILL.	1		1700 00 63	Dat was 100
1 crassifolium. W.			Cyprus.	1788. 3.8. G.4	
2 petræum. W.	rock.		S. Europe.		Gouan. ill. t.21. f.1.
3 glandulosum. W.	glandulous.		Spain.		. Lapey. pyr. 1. t. 1.
4 bipinnatum. W.	Numidian.		Numidia.		. Cav.dis.5.t.126.f.3.
5 alpinum. W.	Alpine.		Italy.		L'Her. ger. t. 3.
6 ciconium. W.	long-beaked.		S. Europe.	1711. 6.7. H.⊙	. Jac. vind. 1. t. 18.
7 cicutarium. W.	Hemlock-leav'd.			···· 4.9. H.⊙	. Eng. bot. 1768.
8 romanum. W.	Roman.	***************************************	Rome.	1724. 5.6. H.O.	Bot. mag. 377.
9 moschatum. W.	musky.		England.	5.7. H.O.	Eng. bot. 902.
10 laciniatum. W.	laciniated.		Crete.	1794. 5.8. G. 4	Cav.dis.4. t.113.f.3.
11 gruinam. W.	broad-leaved.		-		
12 chium. W.	Chion.		Levant.	1724 H.O.	4. t. 88. f. 2. 4. t. 92. f. 1.
13 hymenodes. W.	three-leaved.		Barbary.	1789. 1.12. G. 4	
14 glaucophyllum. W.	glaucous-leaved.		Egynt.		Dil.elt. t.124.f.150.
15 incarnatum. W.	flesh-coloured.		C. B. S.	1787. 5.7. G.h.	
16 malacoides. W.	Mallow-leaved.	H	S Europe		Cav.diss.4.t.91.f.2.
17 maritimum. W.	sea.				
18 chamædryoides. W.			Minores	5.9. H. 4	
10 Chamædi yoldes. W.	uwaii.	<del></del>	Millorca.	1783. 4.9. F. 4.	Dot. mag. 10.
		TAEDTA MINDA A			
DEL ARCOMING M	Spany's Dee-	HEPTANDRIA			
PELARGONIUM. W.		Geraniæ. J. Ger			Too in O A CLO
1 longifolium. W.	long-leaved.		С. В. S.	1812. 5.6. G.4	Jac. 1c. 8. t. 518.
2 longiflorum. W.	long-flowered.	***************************************		— G. 4	3. t. 521.
3 dipetalum. W.	two-petalled.			1795. 4.5. G. 4	L'Her. ger. t. 43.
4 ciliatum. W.	ciliated.			4.6. G. 4.	t. 7.
5 undulatum. H. K.	wave-flowered.			5.7. G. 2L.	Bot. rep. 292.
6 auriculatum. W.	ear-leaved.			4.6. G. 4	Jac. ic. 3. t. 519.
7 radicatum. Vent.	fleshy-fringe-led.			- 1802. 6.7. G. 4	Bot. mag. 1718.
ciliatum. B. R. ce	oncavifolium, P. S				
8 spathulatum. H. K.				1795, 4.5. G. 2.	Bot. rep. 152.
9 affine. P. S.	fringed spatula-la	·		1795. 4.5. G. 4.	282.
10 radiatum. H. K.	ray-leaved.			1801, 6.8, G. 2L.	222.
11 lineare. H. K.	linear-petalled.			1800. 6.7. G. 4.	Bot. rep. 193.
12 punctatum. W.	dotted-flowered.			1794. 4.5. G. 4.	60
13 foseum. H. K.	Rose-coloured.			1792. 3.5. G. 4.	179
				1800. 5.6. G. 4.	173.
14 laciniatum. P. S.	jag-leaved.			1800. 5.6. 6.4.	131.
15 penniforme. P. S.	winged.			G. 4.	269.
16 purpurascens. P. S.	purple-flowered.			G. 4.	904.
17 hirsutum. W.	various-leaved.			1788. 3. G.4.	Cav.diss.4.t.101.f.2
18 virgineum. P. S.	virgin.			1795. 5.7. G.4.	Bot. rep. 317.
19 atrum. W.	dark-brown.		***************************************	1793. — G.4.	L'Her. ger. t. 44.
20 dioicum. H. K.	diœcious.	<del></del>		1795. 6.7. G.4.	Bot. rep. 209. 2 200
Geranium melanan	thum. B. R.				
21 revolutum. H. K.	revolute.			1800. 7.8. G.4.	354.
22 oxalidifolium. H.K.	Wood-Sorrel-1d.			1801. 5.8. G.4.	300.
23 pictum. P. S.	painted.			1800. 4.5. G.4.	160.
24 triphyllum. W.	three-leaved.			1812. — G. 4.	Jac. ic. 3. t. 515.
25 nervifolium. W.	nerved-leaved.			5.8. G. 2L.	3. t. 517.
26 reflexum. H. K.	reflex-leaved.			1800. 6.7. G. 24.	Bot. rep. 224.
27 astragalifolium. P.S.				1788. 7. G.4.	<del></del>
28 coronillafolium.P.S				1795, 6.7, G.2L.	305.
29 pinnatum. W.	wing-leaved.			1779. 4.6. G. 1.	Bot. mag. 579.
30 floribundum. H. K.				1795. 3.5. G. 4.	Bot. rep. 420.
31 fissifolium, H. K.	cloven-leaved.			4.8. G.4.	378.
32 bubonifolium. H.K.				1800. 3.7. G. 4.	
33 luteum. B. R.	small yellow.			- 6.7. G.4.	
34 nummularifolium.	Moneywort.			1801. 5.8. G.4.	
85 barbatum. W.	bearded.	:		1790. 7.8. G.4.	
				1801. 5.7. G.4.	
36 pilosum, H. K.	hairy. black-flowered.			1790. 5.6. G.4.	
37 melananthon. W.				1790. 5.6. G.4. 1788. 4.6. G.4.	Rot ran 000
38 rapaceum. W.	Fumitory-flowd.			1/88. 4.6. 6.4.	Pot. rep. 239.
β lutcum.	yellow-flowered.			G. 4.	Dot. mag. 1877.
39 carneum. W.	flesh-coloured.			1812. — G. 4.	
40 Grenvillianum.A.G.				4.5. G.4.	And. ger. c. ic.
41 incrassatum. H. K.				1801. 6.7. G.4.	
42 lobatum. W.	Cow-Parsnep-ld.			1710. 7.8. G.4.	Cav.diss.4.t.114.f.2
43 triste. W.	night-smelling.			1632. 5.10. G.4.	4.t.107.f.1
	Dropwort-leavd.			1812. — G.4.	
45 flavum. W.	Carrot-leaved.		-	1724. 7.9. G.4.	Jac. ic. 3. t. 522.

		MONAI	TILLIIIA I	HELL LAW	DIL	A.		IOT	
46 pulche	llum. H. K.	nonesuch.	Geraniæ. J.	C. B. S.	1795.	3.5.	G.4.	Bot. mag. 524.	
47 ardens		burnished.			1812.	3.6.	G.h.		
48 ignesco		fiery-flowered.					G.h.		
49 Œnotl		Œnothera-like.		C. B. S.			G. 4.	Jac. ic. 3. t. 525.	
		Chamædrys-lend.			1812.	5.6.	G. 4.	Jac. ic. 3. t. 528.	
51 ovale. 52 blattar		oval-leaved.			1774.	5.7.	G. n.	L'Her, ger, t. 28. Jac.schæn, 2, t. 131.	
53 erioste		downy-leaved.			1790.	3.6	G h		
54 elegan		elegant.			1795.		G.h.	Bot. rep. 28.	
55 tabula		rough-stalked.		-	1775.	5.8.	G.4.	L'Her. ger. t. 9.	
56 alchim	illoides. W.	mantle-leaved.			1693.	5.10.	G. 24.	Cav.diss.4.t.98.f.1.	
	issimum. W.	sweet-scented.			1724.		G.h.	4.t.103.f.1. W. hort. ber.2.t.77.	
58 fragrai							G.h.	W. hort. ber. 2. t. 77.	
	um. W. en. larioides. W.	scentless. Gooseberry-lead.			1796.	1 9	G. 4.	1. t. 34, Cav.diss.4.t.119.f.2	
61 anceps		flat-stalked.			1788.	5.7.	G. 21.	Jac. coll. 4. t. 22. f 8.	
62 althao		Althæa-leaved.			1724.	4.6.	G. Z.	4.t.21.f.2.	
	inum. W.	Dove's-foot.			1795.	6.10.	G. 24.	Jac. scheen, 2, t. 133.	
64 corono		Buck's-horn-ld.			1791.		G.b.	Bot. rep. 338.	
65 tricolo						1.12.	G.h.	Bot. mag. 240.	
	um. Jac. ic. 3							¥ ?¥¥ 4	
66 senecie	isum. W. en.				1775.	5.7	G.O.	L Her. ger. t. 11.	
	abens. H. K.				1501.	4.5.	G.21.	Bot. rep. 234.	
	folium. W.	Myrrh-leaved.			1696.	5.8.	G.b.	Jac. ic. 3. t. 531.	
70 laceru		torn-leaved.			1731.	6.8.	G. 24.	3. t. 532.	
71 multic	aule. W.	many-stalked.			1802.		G. 21.	3, t. 534,	
		Coriander-leav'd.			1724.	3.9.	G. 3.	3. t. 528.	
	ifolium. W.	Caucalus-leaved.			1812.		G. 4.	3. t. 529.	
74 glaucu		spear-leaved.			1775.	6.8.	G.h.	And. ger. c. ic.	
	latum. A. G. um. A. G	tooth-leaved.			• • • •	7.	G. h.	c. ic.	
	folium. W.	different-leaved.			1794.	6.8.	G.b.	0.10.	
		sharp-pointed.					G.b.		
	latum. W. en.				1794.		G.h.	W.hort.ber.1. t. 37,	
80 betuli		Birch-leaved.			1759.		G. h.	Bot. mag. 148.	
	sum. A. G.	handsome.					G.h.	And. ger. c. ic.	
82 acc os 83 hybrid		Sorrel-leaved.			1710.	5.9.	G.h.	Bot. mag. 103. Cav.diss.4.t.105.f,2	
	me. H. K.	kidney-leaved.			1701	1 12	G.h.	Bot mag 403	
	etalum. W.	narrow-petalled.			1800.	6.7.	G.b.	Don mag. 454.	
	ım. W. en.	dwarf.					G.h.		
87 scande	ens. W.	climbing.				6.8.	G.h.		
88 laterit	ium. W. en.	brick-coloured.		<del></del>			G.h.		
89 zonale	. w. {	common horse-	-		1710.	4.12.	G.h.	Cav.diss.4.t.98.f.2,	
Q'mur	ginatum.	shoe. } white-margined.					•		
	lianum. A.G.					4.5.	G. b.	And. ger. c. ic.	
	um. A. G.	Cape scarlet.					G.h.	- c. ic	
92 inquir		scarlet-flowered.			1714.	5.9.	G. b.	Cav.diss.4.1.106 f.a	
93 hetero	gamum. W.	six-stamened.			1786.		G.h.	L'Her. ger. t. 18.	
94 monst		cluster-leaved.			1784.	7.8.	G.h.		
95 crassic		thick-stalked.		Africa.	1786.		S.h.	Bot. mag. 477.	
96 pertat	um.W.	peltated. lvy-leaved.		С. В. S.				1'Hon gun 6 24	
	onum. W.	square-stalked.						L'Her. ger. t. 24, Plant. grass. 96.	
	egatum.	variegated.						Bot. mag. 136.	
99 cordat		heart-leaved.						165.	
	uplicatum. }	curl'd-heart-lead.							
	en.								
		. Barrington's.		C. B. S.				() 11 ( ( ) = 0 )	
	losum. W.en.	hooded-leaved. Marshmallow-ld.						Cav.diss.4.t.106.f.1	
		concave-leaved.		, , , , , , , , , ,				4.t.112.f.2.	6
	folium. W.	Maple-leaved.						L'Her. ger. t. 21.	
106 sidæ	folium. W.en.	Sida-leaved.						0 2 4 4 4 4	
	osum. W. en.	specious.							
	issimum.	stately.					G. h.		
	en.							1-1	
roa bune	scens. A. G.	pubescent.	Series as a series and an article and an article and an article and article article and article and article article and article and article article and article article and article article and article article article and article ar	C. B. S.		6.7.	G. h.	And. ger. c. ic,	

15%	MONAI	JELPHIA .	HEPTAN	DKI	A.		
110 rugosum. A. G.	wrinkled.	Geraniæ. J.	C. B. S.		5.7.	G. h.	And. ger. c. ic.
111 rubens. W. en.	red-flowered.					C L	
112 papilionaceum. W.			C. B. S.	1724.	4.7.	G.h.	Cav.diss.4.t.112.f.1
113 Beaufortianum.P.S 114 cortusæfolium. W.	Cortusa-leaved		Africa	1798.	5.8.	G.h.	Bot ron 101
115 quinatum. H. K.	five-fingered.		C. B. S.	1793.	3.7.	G.h.	Bot. mag. 547.
116 fuscatum. W.	dark-marked.			1812.	4.7.	G.h.	Jac. ic. 3. t. 540.
117 patulum. W.	spreading.					G.h.	Bot. rep. 121. Bot. mag. 547. Jac. ic. 3. t. 540. 3. t. 541. Bot. rep. 12. Cav.diss.4.t.118.f.3
118 sororium. W. en.	sister.		0 D C			G.h.	77 / 10
119 grandiflorum. W.	varievated-flowd		C. B. S.	1794.		G.h.	Bot. rep. 12.
121 delphinifolium.	T 1			1012.		a.n.	Cav.uiss.4.t.1 10.1.0
w.en.	-						
122 cynoshatifolium	Cynosbati-leav'd.					G.h.	W.hort.ber.2. t.78.
W. en. }							
123 Samediælondin. W.	Hallyhook loand		St IIulana	1505	E 77	C T.	Jac. ic. t. 539.
125 discipes. H. S.	central-stalked.		Africa.	1808.		S. h.	Bot. mag. 309. Cav.diss.4.t.111.f.2 And. ger. c. ic.
126 echinatum. W.	prickly-stalked.		C. B. S.	1789.	5.8.	S.h.	Bot. mag. 309.
127 australe. W.	Botany-Bay.		N. S. W.	1792.		G.h.	
128 vitifolium. W.	Vine-leaved.		C. B. S.	1724.	4.8.	G.h.	Cav.diss.4.t.111.f.2
129 capitatum. W. 130 glutinosum. W.	clammy.			1690.	4.8.	G.h.	Rot mag 142
131 hispidum. W.	hispid.			1790.	5.7.	G. h.	Cav.diss.4.t.110.f.1
132 tomentosum. W.	Pennyroyal.				6.7.	G.h.	Cav.diss.4.t.110.f.1 Bot. mag. 518.
133 ribifolium. W.	Currant-leaved.			1798.	5.6.	G.h.	Jac. ie. 3. t. 538.
134 quercifolium. W.	Oak-leaved.			1774	38.	GL	L'Her, ger. t. 14.
135 candidum.	white-leaved.			1812.	12.8.	G.h.	L'Her. ger. t. 17.
136 graveolens. W. 137 asperum. W.	Odour of Rose. rough multifid.			1774.	3.7. " 0	G.h.	Roth abhand t. 10.
138 balsameum. W.	balsamic.			1790.	7.9.	G.h.	Jac. ic. 3. t. 543.
139 Radula. W.	Rasp-leaved.			1774.	27.	G h	Bot. mag. 95.
140 denticulatum. W.	tooth-leaved.			1789.	6.7.	G.h.	Jac.schon.2.t.195.
141 quinquevulne-	dark-flowered.						Bot. rep. t. 114.
rum. P. S.							
142 bicolor. W. 143 canariense. W.	two-coloured.		Canaries.	1809	7.8.	G. h.	W. hort, her. t. 17.:
144 tricuspidatum. W.	three-pointed.		C. B. S.	1780.	5.8.	G. h.	W. hort. ber. t. 17. L'Her. ger. t. 30.
145 scabrum. W.							
146 spinosum. W.	thorny.			1795.	5.6.	ti.h.	Paters.it.t.ad.p.67.
147 spurium. W. en.	spurious.		• • • • • • • • • •	• • • •	4.7.	G.h.	,
148 nothum. W. en. 149 alnifolium. W. en.	mixed.		• • • • • • • • • • • • • • • • • • • •	••••		G.h.	
150 crispum. W.	curl-leaved.		C. B. S.	1774.	7 11.	Gh.	L'Her. ger. t.32.33.
151 gratum. W. en.	Citron-scented.				4.8.	G.h.	ZZ ZZCZI, BOZZ ZZCZ
152 consanguineum.	kindred.						
W. en.						•	
153 pallidum. W. en. 154 obtusilobum.W.en.	pale-flowered.	· · · · · · · · · · · · · · · · · · ·	• • • • • • • • • • • • • • • • • • • •	••••		G.h.	
154 ootustiooum. w .en.	Hermannia-lead		C.B.S.	• • • • •	16	G.h.	Jac. ic. 3. t. 545.
155 hermannifolium.W 156 adulterinum. W.	hoary-trifid-lead.			1785	7.0.	G. b.	L'Her. ger. t. 34.
157 tripartitum. W.	glanconstrifid-ld.			1704	4.8.	G. b.	Jac.scheen.2.t.184.
158 semitrilobum. W.	three-lobed.			1800.	4.7.	G.h.	2. t. 139.
159 splendens. W. en.						G.h.	W.hort.ber.2.t. 76.
160 fulgidum. W.	Celandine-leava.						Cav.diss.4.t.116.f.3
161 gibbosum. W. 162 exstipulatum. W.	gouty. soft-trifid-leav'd.						And, ger. c. ic. L'Her. ger. t. 35.
163 ternatum. W.	ternate-leaved.						Bot. mag. 413.
164 unicolorum. W.en.							
165 Willdenowii.	Willdenow's.					G.h.	
pulchellum, W. enu							
166 lævigatum. W.	{ glaucous ter- } nate-leav'd. }					G.h.	Cav.diss.4.t.121.f.1
167 fragile. W.	brittle-stalked.		-	1789		G. b.	Bot. rep. 37.
168 incisum. W.	cut-leaved.			1791.	5.8.	G. h .	67.
169 carnosum. W.	fleshy-stalked.			1724.	6.8.	G.h.	Cav.diss.4.t.99.f.1.
170 ceratophyllum. W.							Bot. mag. 315.
171 alternans. W.	Parsley-leaved. thick-stemmed.		C. B. S.	1791.	10	G.L.	Wendl. herr. 2. t. 9.
172 dasycaule. H. S. 173 crithmifolium. W.				1790.	5.6.	G.h.	Smith ic. pict. 13.
.,	3 F						_

# MONADELPHIA DODECANDRIA.

	MONA	DELPHIA	DODEC	ANDRI.	A.	193
174 abrotanifolium.W.	Southernwood-l' fine-leaved.	Geraniæ. J.	C. B. S.			Jac.schæn.2.t.136, L'Her. ger. t. 12.
		OCTANDRI	Λ.			
AITONIA. W.	AITONIA.	Meliæ. J.				•
capensis. W.	Cape.		C. B. S.	1774. 4.9.	G.h.	Bot. mag. 173.
		DECANDRL	A.			
GERANIUM. W.	CRANE'S-BILL.	Geraniæ, J.				
1 spinosum. W.	spiny.					Cav.diss.4. t.75. f.2.
2 sibiricum. W.	Siberian.		Siberia.			Jac. vind. 1. t. 19.
3 sanguineum. W.	bloody.		Britain.			Eng. bot. 272.
4 lancastriense. With. 5 tuberosum. W.	tuberous-rooted		Italy.			Cav.diss.4.t.76.f.3.
6 anemonefolium. W.			Madeira.			Bot. mag. 206.
7 macrorhizum. W.	long-rooted.					Jac. ic. 1. t. 134.
8 phæum. W.	dusky.		England.			Eng. bot. 322.
9 reflexum. W.	reflex-flowered.					Cav.diss.4.t.81.f.1.
10 lividum, W.	wrinkle-leaved.					L'Her. ger. t. 39.
11 fuscum. W.	brown.			1759. 7.		Eng hot 1001
12 nodosum. W. 13 striatum. W.	knotty. streaked.					Eng. bot. 1091. Bot. mag. 55.
14 angulatum. W.	angular-stalked.					203.
15 ibericum. W.	Iberian.		Levant.			1386.
16 sylvaticum. W.	wood.		Britain.	5.6.	H.4.	Eng. bot. 121.
17 parviflorum. W. en.				1816. —		771
18 palustre. W.	marsh.	,	Germany.	1732. 6.8.	H.4.	Flor. dan. 596.
19 aconitifolium. W. 20 collinum. W.	Aconite-leaved.		Siberia Siberia	1815. 5.8.		L'Her. ger. t. 40.
21 prateuse. W.	Crowfoot-leaved.					Eng. bot. 404.
22 maculatum. W.	spotted.					Cav.diss.4. t.86.f.2;
23 canescens. W.	silky-leaved.					L'Her. ger. t. 38.
24 incanum. W.	heary multifid.					Cav.diss.4.t.82.f.2.
25 argenteum. W.	silvery-leaved.		S. Europe.			Bot. mag. 504.
26 varium. W. 27 pyrenaicum. W.	grey. mountain.		Pyrences.			L'Her. ger. t. 37. Eng. bot. 405.
28 umbrosum. P. S.	naked-stalked.		Hungary.			Pl.rar.hung.2.t.124
29 bohemicum. W.	Bohemian.					Cav.diss.4.t.81.f.2.
30 divaricatum. W.	straddling.		Hungary.			Pl.rar.hun.2.t.123.
31 lucidum. W.	shining.		Britain.			Eng. bot. 75.
32 molle. W.	Dove's-foot.	<del></del>	NT A contract			778.
33 carolinianum. Ph.	spreading.		N. America.			Cav.diss.4.t.84.f.1. Jac.schen. 2.t.140
34 lanuginosum.W.en. 35 columbinum.W.	long-stalked.		Britain.			Eng. bot. 259.
36 dissectum. W.	jagged-leaved.					<del></del>
37 rotundifolium. W.	round-leaved.		England.	6.7.	H.⊙.	<del></del> 157.
38 pusillum. W.	small-flowered.			6.9.	H.⊙.	385.
39 robertianum. W.	Herb-Robert.		Britain.			
40 purpureum. W. BROWNEA. W.	purple.	Leguminosæ? J.			н. о.	Vill. delph. 3. t. 40.
coccinea. W.	Brownea. scarlet-flowered.	Legumnosæ: 5.	W. Ind.	1793. 7.8.	S.b.	Jac. amer. t. 121.
0000111048 143	semiet nowered		11 8 21103	27,500 7.00	2,17	out times to 121.
		DODECANDRIA				
MONGONIA III	*F					
MONSONIA. W. 1 speciosa. W.	Monsonia. large-flowered.	Geraniæ. J.	C. B. S.	1774. 4.5.	G 21	Bot. mag. 73.
2 pilosa. W. en.	hairy.	20				Bot. rep. 276.
3 lobata. W.	broad-leaved.					Bot. mag. 385.
4 ovata. W.	oval-leaved					L'Her. ger. t. 40.
5 spinosa. W.	thorny.			1790. 5.6.	G.h.	t. 42.
HELICTERES. W.	SCREW-TREE.	Malvaceæ. J,	W Ind	1500 0 10	ОТ	Too amon 4 1.12
1 baruensis. W. 2 jamaicensis. W.	small-fruited,					Jac. amer. t. 149.
3 Isora. W.	great-fruited. East-Indian.		E. Ind.			Jac. vind. 2. t. 143. Rum.am.7.t.17.f.1.
DOMBEYA. J.	Dombeya.	Malvaceæ. J.	2.7 2.1.0	-10.31	~	
ferruginea. W.	ferrugineous.		Mauritius.	1815	S. h.	Cav.diss.3.t.42.f.2.
PENTAPETES. W.	PENTAPETES.	Malvaceæ. J.				
1 phœnicea. W.			India.	1690. 7.8.	S. 3.	Mill. ic. t. 201.
2 ovata. P. S.	oval-leaved.	X	New Spain.	1805. 6.9.	S.h.	Cav. ic. t. 433.
		Λ				

PTEROSPERMUM.W	PTEROSPERMUM.	Malvaceæ, J.	*			
1 suberifolium. W.	various-leaved.			1783. 9.1	10 5. ъ.	Bot. mag. 1526.
2 acerifolium. W.	Maple-leaved.			1790. 7.9	9. S.h.	620.
	e e	POLYANDRI	A.			
CAROLINEA. W.	CAROLINEA.	Malvaceæ. J.				
1 princeps. W.	digitated.					Aub.gui.2.t. 291.2.
2 minor. H. K.	lesser.		Guiana.			Bot. mag. 1412.
3 insignis. W. ADANSONIA. W.	great-flowered. Adamsonia.	Malvaceæ. J.	· w. ma.	1795	n.	Cav. diss. 5. t. 154.
digitata W	Sour-Gourd		Senegal.	1724	S.h.	Cav. diss. 5. t. 157.
BOMBAX. W.	SILK-COTTON-	Malvacem I			_	
	`		<b></b>		6.1	T
1 pentandrum. W.	five-stamened. five-leaved.		- E. Ind.			Jac.amer.pict.t.176 Cav.diss.5.t.152.f.2
2 Ceiba. W. 3 heptaphyllum. W.	seven-leaved.					Pluk.alm.t.188.f.4.
LAGUNEA. W.	LAGUNEA.	Malvaceæ. J. So		2000		
lobata. W.	Maple-leaved.			1787. 7.	8. S.O	. Cav.diss.5.t.136.f.1
NAPÆA. L.	NAPÆA.	Malvaceæ. J. S	ide sp. II.	1710 0	0 77.31	Com dies 5 + 190 + 10
1 lævis. P. S.	smooth.	1	- Virginia.	1748, 8,	9. H.1	Cav.diss.5.t.132.t 12
2 scabra. P. S. SIDA. W.	rough.	Malvaceæ. J.		1703.	11,24	010,10
1 angustifolia. W.	narrow-leaved.			1726. 7	.9. S. 4	L'Her. stirp. t. 52.
2 spinosa. W.	prickly.		- E. Ind.			Cav. diss. 1.1.1.f. 9.
3 carpinifolia. W.			- Canaries.			Jac. ic. 1. t. 135.
4 suberosa. W. 5 rhombifolia. W.	corky.		- Fiispanioia.	1798	8. S.h	L'Her. stirp. t. 54 Cav.diss.1.t.3.f.12
6 alnifolia. W.	Alder-leaved.		- E. Ind.	7.	9. S. đ	Dill.elt.t.172.f.211
7 ciliaris. W.	ciliated.		- Jamaica.			Cav. diss. 1.t. 3. f.9.
8 periplocifolia. W.	Periploca-leav'd.		- India.	1691. 7.	8. S. J.	Dill. elt. 4. t. 3. f. 2.
9 hernandioides. W.	Hernandia-leav <sup>d</sup> .		- Hispaniola.	1798	S.h.	L'Her.stirp.1.t.58.
10 nudiflora. W.	naked-flowered.		- Peru.	1731. 5.		Bot. mag. 1644.
11 periptera. B. M. 12 triquetra. W.	Shuttlecock. triangular.	-,				Jac. vind. 2. t. 118.
13 reflexa. W.	reflex'd-flower'd.		- Peru.			L'Her.stirp.1.t.64.
14 patens. H. K.	spreading.		- Abyssinia.			. Bot. rep. 571.
15 humilis. W.	dwarf.			1800. 7	.8. S.⊙	I'llar ctien 1 t 52
16 fœtida. W.	stinking.		- Peru.			. L'Her.stirp.1.t.53. . Cav.diss.5.t.135.f.2
17 crispa. W. 18 arborea. W.	curled. great-flowered.		- Peru.			L'Her.stirp.1.t.63.
19 mauritiana. W.	Mauritius.		- Mauritius.	1789. 7	.9. S.⊙	. Jac. ic. 1. t. 137.
20 occidentalis. W.	downy.		– America.			. Dill. elt. 7. t. 6. f. 6.
21 americana. W.	woolly.		- Jamaica.	1730. 7		
22 Abutilon. W.	broad-leaved.		- India. F. Ind	1768 7	.s. s. o	. Houtt. syst. t. 61 Cav. diss. 1. t. 7. f. 2.
23 asiatica. W. 24 populifolia. W.	small-flowered. Poplar-leaved.			- 1796	S.O	. ————————————————————————————————————
25 indica. W.	rough-capsuled.		– India.	1731	S.O	. ————————————————————————————————————
26 molliss via. W.	soft-leaved.			1789. 6	.7. S. 3	2.t.14.f.1.
27 Sonneratiana. W.	Sonnerat's:		- C. B. S.			. ————————————————————————————————————
28 arguta. W.	smooth sharp-ld.		– W. ma. – St. Dominge		.8. S.h .9. S.A	1.t.1.f.8.
29 pilosa. W. 30 alba. W.	pilose. white-flowered.		- E. Ind.	1732. 6	.7. S.O	. Dill.elt.t.171.f.210.
31 cordifolia. W.	heart-leaved.			6	.9. S.O	·
32 urens. W.	stinging.		- Jamaica.	1781. 7	.9. S.h	. Cav. diss.1. t. 2. f.7.
33 umbellata. W.	umbelled.		- '	- 1788	- S. S	. Jac. vind. 1. t. 16. . Cav.diss.1.t.12.f.5.
34 paniculata. W.	panicled. bladdered.	,	- Mexico.	- 1795 1796	S. b	. ————————————————————————————————————
35 vesicaria. W.	halberd-leaved.			- 1799. 6	.7. S.O	. Bot. mag. 1541.
37 cristata. W.	crested.			- 1720. 7	.9. G.O	. Cav.diss.1.t.10.f.3.
38 Dilleniana. W.	Dillenius's.			- 1725. 6.	.11. G.⊙	. Dill. elt. 3. t. 2. f. 2.
39 triloba. W.	three-lobed.					. Jac.scheen. 2. t. 142.
40 sericea. P. S.	silky. Physic-Nut-like.	N		1787.	8. S. A	. L'Her. stirp. 1. t. 56.
41 jatrophoides. W. CRISTARIA. Cav.	CRISTARIA.	Malvaceæ. J.		., ., .	~~0	
coccinea. Ph.	scarlet.		- Missouri.	1811. 7	.9. H.4	. Bot. mag. 1673.
PALAVIA. W.	PALAVIA.	Malvaceæ. J.	Dann	1504 0	o II o	Condice 1 + 11 f 4
malvifolia. W.	Mallow-leaved.	Malvaceæ. J.	- Peru.	1794. 6	.s. F1.	. Cav.diss.1.t.11.f.4
MALACHRA. W.	MALACHRA.	Marvaceæ. 5.	- W. Ind.	1759. 8.	9. S.O	Cav.dis.2.t.33.f.1.2.
T cubining at	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					

2 alceæfolia. W.	Hollyhock-leavd.	Malvaceæ. J.	Caracas.	1805.	8.9.	S.⊙.	Jac. ic. 3. t. 549.
3 radiata. W.	rayed.		St.Domingo.	1794.	7.8.	S.J.	Cav. diss.2.t.33.f.3.
ALTHEA. W.	MARSH MALLOW		1 -				
1 officinalis. W.	common.						Eng. bot. 147.
2 narbonensis. W.	Narbonne.		S. Europe.				Jac. ic. 1. t. 138.
3 cannabina, W.	Hemp-leaved.						Jac. aust. 2. t. 101.
4 hirsuta. W.	hairy.		0: 11				2. t. 170.
5 Ludwigii, W.	Ludwig's.		Sicily.				Cav.diss.2. t.30. f.3.
6 acanlis. W. 7 rosea. W.	stemless.						2.t.27.f.3.
S pallida. W.	Hollyhock. pale-flowered.					H. J.	2.t.28.f.1.
9 caribæa. B. M.	West Indian.		W Ind				Bot. mag. 1916.
10 flexuosa. B. M.	Seringapatam.						892.
11 ficifolia. W.	Fig-leaved.		Levent.				Cav.diss.2.t.28.f.2.
MALVA. W.	MALLOW.	Malvaceæ. J.	230 7 101100	1007.	0.5.		Curratos:2: 0:20:1:20
1 spicata. W.	simple-spiked.		Jamaica.	1726.	9.10	S.b.	Cav.diss.2.t.20.f.4.
2 polystachia. W.	many-spiked.						5.t.138.f.3.
3 borbonica. W. en.	Bourbon.		Mauritius.			- S. h.	
4 scoparia. W.	Birch-leaved.		Peru.	1782.	8.9.	S. J.	Jac. ic. 1. t. 139.
5 tricuspidata. H. K.	Jamaica.		W. Ind.	1726.	7.8.	S. &.	Cav.diss.2. t.22. f.2.
coromandeliana. W	. americana. Cav	•					
6 americana. W.	American.					н.⊙.	
7 calycina. W.	large-calyxed.			1812.	5.8.	G.h.	Cav.diss.2.t.22.f.4.
8 angustifolia. W.	narrow-leaved.		Mexico.				Cav. ic. 1. t. 68.
9 scabra. W.	rough-stemmed.		Peru.				Cav.diss.5.t.138.f.1
10 leprosa. W. en.	leprous.		Cuba.			S.h.	
11 peruviana. W.	Peruvian.						Jac. vind. 2. t. 156.
12 limensis. W.	blue-flowered.						2. t. 141.
13 capitata. W.	various-leaved.						Cav.diss.5.t.137.f.1
14 bryonifolia. W.	Bryony-leaved.						Wen.hort.her.1.t.4
15 asperrima. W. en. 16 procumbens. W. en.	roughest.			1790.	0.9.	G. N.	Jac. schæn. 2. t. 39.
17 abutiloides. W.	Bahama.		Rohama Isl	1705		G L	Jac.schæn.3. t.293.
18 stricta. W.	upright.		C B S				3. t.294.
19 lactea. W.	panicled white.		Mexico.				Cav. ic. 1. t. 20.
20 operculata. W.	lid-capsuled.		Pern.	1795.	7.8.	G.h.	Cav.diss.2. t.35.f.1.
21 fragrans. W.	fragrant.		C. B. S.	1759.	5.7.	G. h.	Jac. vind. 3. t. 33.
22 capensis. W.	Cape.			1712	1 10	GL	Cardies 0 + 01 fo
23 balsamica. W.	balsamic.			1800.	5 9.	Gh.	Jac. ic. 1. t. 140
24 grossularifolia. W.	Gooseberry-lead.			1739.		. G. h .	Cav diss. 9 t. 94 f o. 9
25 virgata. W.	twiggy.			1727.	5.7.	(T. 12 .	2. T. 18. T. 2.
26 miniata. W.	painted.		S. America.	1798.		- G. h.	Cav. ic. 3. t. 278.
27 retusa. W.	blunt-leaved.		C. B. S.	1803.	3.5.	G. b.	Cav.diss.2, t.21.f.1.
28 tridactylides. W.	reflex-flowered.			1791.	6.8.	G.h.	Bot. rep. 135.
29 divaricata. H. K.	straddling.			1792.	6.9.	G.h.	182.
30 caroliniana. W.	creeping.		Carolina.	1 700	0 7	$\mathbf{H} \cap$	Con dian O + 1 5 6 1
31 prostrata. W.	trailing.		Brazil.	1806.	6.8.	G.h.	2.t.16.f.3.25
32 parviflora. W.	small-flowered.			1110.	0.7.	11.0.	oac. vilid. 1. t. 59.
33 rotundifolia. W.	round-leaved.						Eng. bot. 1092.
β pusilla.	dwarf.		T) 14 1				241.
34 sylvestris. W.	common.		Britain.				Eng. bot. 671.
85 mauritiana. W.	Ivy-leaved.						Cav.diss.2.t.25.f.2.
36 hispanica. W.	Spanish.						Desf. atl. 2. t. 170.
37 verticillata. W.	whorl-flowered.		Cinna.				Jac. vind. 1. t. 40.
38 crispa. W. 39 stipulacea. W.	long-stipuled.		Spoin	1073.	6.8.	H	Cav.diss.2, t.23, f.1.
				1507	7.10	H. W.	2. t.15. f.2.
40 Alcea. W.	Vervain. musk.						2. t.17. f.2. 22
42 elegans. W.	elegant.						Eng. bot. 754.
43 Tournefortiana. W.							Jac. col. 4. t. 6. f.1. Cav.diss.2. t.17. f.3.
44 ægyptia. W.			Egypt.				2. t.17.f.1.
45 trifida. W.	large-flowered.						
LAVATERA. W.	LAVATERA.	Malvaceæ. J.	-1	30101			0. 0. 1.0 / 11.4.9
1 arborea. W.	Tree Mallow.		Britain.		7.10.	H. A.	Eng. bot. 1841.
2 micans. W.	glittering.						Mor. his. 1. t. 17. f.9.
3 Olbia. W.	downy-leaved.						Cav.diss.2.t.32.f.2.
4 unguiculata. P. S.	clawed.			1807.			
5 hispida. P. S.	hispid.		Algiers.				Desf. atl. 2. t. 171.
6 triloba. W.	three-lobed,		Spain.				Jac. vind. 1. t. 74.
7 lusitanica. W.	Portugal.	Andrews to the second	Portugal.	1731.	\$.9.	G.h.	

# MONADELPHIA POLYANDRIA.

				*.	
8 maritima. W.	sea-side.	Malvaceæ. J.	S. Europe.	1597. 4.6. G.h.	Cav.diss.2. t.32.f.3.
9 thuringiaca. W.	large-flowered.			1731. 7.9. H.4.	
10 cretica. W.	Cretan.			1723. — H.⊙.	Jac. vind. 1. t. 41.
11 punctata. W.	spotted-stalked.		Italy.	1800. — H.⊙.	
12 trimestris. W.			S. Europe.	1633. — H.⊙.	Bot. mag. 109.
RUIZIA. W.	Ruizia.	Malvaceæ. J.			T 1 0 0 0 0 0
variabilis. W.	various-leaved.		Bourbon.	1792. 5. S.h.	Jac.scheen.3.t.295.
MALOPE. W.	MALOPE.	Malvaceæ. J.	D. A	1710 CF C 1	Conding 0 + 07 fl
1 malacoides. W. 2 trifida. W.	Barbary. trifid.		Barbary.		Cav.diss.2. t.27. f.1. ——————————————————————2. t.27. f.2.
KITAIBELIA. W.	KITAIBELIA.	Malvaceæ. J.		1000. 7. 11.0.	2.0.27.1.20
vitifolia. W.	Vine-leaved.		Hnngary.	1801. 7.9. H.4.	Bot. mag. 821.
URENA. W.	URENA.	Malvaceæ. J.	Alunguij.	10011 1101 2114	.25000
1 lobata. W.	angular-leaved.		China.	1731. 6.7. G.b.	Cav.diss.6.t.185.f.1
2 americana. W.	American.				Sloan.his.1.t.11.f.2
3 sinuata. W.	cut-leaved.		E. Ind.		Cav.diss.6.t.185.f.2
4 multifida. W.	multifid.			1817. 10.1. S.h.	6.t.184.f.2.
GOSSÝPIUM. W.	COTTON.	Malvaceæ. J.			
1 herbaceum. W.	common.		E. Ind.	1594. 7. S.O.	Cav.dis. 6.t. 164.f.2.
2 arboreum. W.	tree.			1694. 7.8. S.h.	
3 vitifolium. W.	Vine-leaved.	~		1805 S.h.	6. t. 166.
4 hirsutum. W.	hairy.	-	S. America.	1731. 7.8. S.J.	6.t. 167.
5 religiosum. W.	spotted barked.		India.	1777. 7. S.h.	
6 barbadense. W. HIBISCUS. W.	Barbadoes.		Barbadoes.	1759. 9. S.J.	Bot. reg. 84.
1 Moscheutos. Ph.	Hibiscus.	Malvaceæ. J.	N America	9 10 H 1/	Cav.diss.3. t.65.f.1.
2 palustris. Ph.	marsh.				3. t.65. f.2.
3 Patersonii. H. K.	Norfolk Island.		Norfolk Isl.	1792. 6.8. G.h.	Bot. rep. 286.
Lagunæa Patersoni			110110111 1511	17021 0.01 0.77	200 Ispania
4 incanus. Ph.	hoary.		Carolina.	1806. 9. G. 2.	Wend.hort.her.t.24
5 militaris. Ph.	smooth.		Louisiana.	1804. 8.9. G. 24.	Cav.diss.6.t.198.f.2 23
6 populneus. W.	Poplar-leaved.		E. Ind.	1770 S.h.	Rheed. mal.1. t. 29.
7 tiliaceus. W.	Lime-tree-leavd.			1739. 7.8. S.b.	Bot. reg. 232.
8 elatus. Sw.	tall.		Jamaica.	1790 S. h.	Cav.diss.3.t.56.f.2.
9 Lampas. W.	three-pointed.		E. Ind.	1806 S.h.	Cav.diss.3.t.56.f.2.
	leafy-calyxed.			1816 S.h.	3. t.57.1.2.
11 lunarifolius. W.	Lunaria-leaved.		E. Ind.	S.h.	77.4
1.2 Rosa-sinensis. W.	China Rose.		-	1731. 7.8. S.h.	Bot. mag. 158.
β rubro-plenus.	double red.				
γ flavo-plenus. δ variegato-plenus.	double buff. double striped.				
13 phæniceus. W.				1796. — S. h	Bot. reg. 280.
14 micranthus. H. K.				1794 S. b.	Cav.diss.3.t.66, f.1.
15 æthiopicus. W.	dwarf wedge-led.		C. B. S.	1774. 8. G.b.	3. t.61. f.1. Bot. rep. 228.
16 mutabilis. W.	changeable.		E. Ind.	1690.10.12. S. h	Bot. rep. 228 5 60
B flore pleno.	double-flowered.		*		- Aller
17 syriacus. W.	Althæa frutex.		Syria.	1596. 8.9. H.h.	. Bot. mag. 83.
a purpureus.	purple-flowered.				
β ruber.	red-flowered.	,			
y albus.	white-flowered.				
8 variegatus.	striped-flowered.				
e albo-plenus.	double white.				
3 purpureo-plenus. 18 acerifolius. P. L.	Maple-leaved.	Company of the Compan	Chine	1798. 3.6. G.h	Par land a ic
19 diversifolius. W.	different-leaved.		E. Ind.		Jac. ic. 3. t. 551. 381
20 ficulneus. W.	Fig-leaved.	~			Cav.diss.3. t.52. f.2.
21 Sabdariffa. W.	Indian.		- E. Ind.		. ——— 6.t.198.f.1.
22 speciosus. W.	superb.		- Carolina.	1778. 6.8. G.24	
23 pruriens. B. R.	stinging.		- E. Ind.	1804. 7.9. S.d	
24 heterophyllus. H.K.			- N. S. W.	1803. 8.9. G. h	
25 cannabinus. W.	Hemp-leaved.				. Rox. cor. 2. t. 190.
26 surattensis. W.	prickly-stalked.		-	- 1731. 7.9. S.O	. Bot. mag. 1356.
27 radiatus. W.	rayed.	,	-	- 1790. 6.8. S.⊙	. ———— 1911.
28 Manihot. W.	palmated.			1712. 7.9. S.h	1702.
29 scaber. Ph.	scabrous.		- Carolina.	1810. 7.9. G.4	
30 furcatus. W. en.	forked-calyxed.	***************************************		1816. — S.O	TI 1 I c. ( cc
31 Abelmoschus, W.	Musk Okro.				Rheed. mal, 2. t. 33.
32 pedunculatus. W.	long-peduncled.	***************************************		1812. 5.12. S.h	
33 esculentus. W.	eatable.				. Cav.diss.3.t.61.f.2.
34 clypeatus. W.	smem-capsuied.		- samatca.	*103. 1.0. D.Q	. ————————————————————————————————————

				Ditti.		
35 tubulosus. W.	tubular.	Malvaceæ. J.	E. Ind.	1796, 7,10,	S. 2.	Cav.diss. 3. t. 68.f.2.
36 vitifolius. W.	Vine-leaved,					Rheed.mal.6.t.46.
37 virginicus. W.	Virginian.		Virginia.			Jac. ic. 1. t. 142.
38 pentacarpos. W.	angular-fruited.	-	Venice.			1. t. 143.
39 vesicarius. W.	African.		Africa.	1713. 7.8.	H.O.	Cav.diss.3.t.64.f.2.
40 Trionum, W.	Bladder Ketmia.		Italy.			Bot. mag. 209.
41 hispidus. Mill.	hispid.		C. B. S.			2001 41143. 2001
PAVONIA. W.	PAVONIA.	Malvaceæ, J.	O. B. G.			A
1 præmorsa. W.	bitten-leaved.		C. B. S.	1774. 6.8.	Gh.	Bot. mag. 436.
2 spinifex. W.	prickly-seeded.		W. Ind.			Jac. vind. 2. t. 103.
3 odorata. W.	fragrant.		E. Ind.	1807		5 to 1 1 to 1 to 1 to 1
4 coccinea. W.	scarlet.		St. Domingo.	1816	S.h.	Cay diss 3 t.47 f 1
5 columella. W.	angular-leaved.		Bourbon.	1307. 7.	S.h.	Cav.diss.3. t.47.f.1.  —————————————————————————————————
6 urens. W.	stinging.		Mauritius.	1801	S. b.	Jac. ic. 3. t. 522.
7 zeylanica. W.	Ceylon.		E. Ind.			Cav.diss.3. t.48.f.2.
ACHANIA. W.	ACHANIA.	Malvaceæ. J.	231 21141	2100: 1.01	2.0.	Cu / 1012121
1 Malvaviscus. W.	scarlet.		Jamaica.	1714, 1.12,	S. b.	Cav.diss.3. t.48.f.1.
2 mollis. W.	woolly.					Bot. reg. 11. 29
3 pilosa. W.	hairy.		Jamaica.	10.11		
MYRODIA. W.	Myrodia.	Malvaceæ. J.	o tomicus	10111	. 2	?
turbinata. W.	short-flowered.		W. Ind.	1793	Sh.	
GORDONIA. W.	GORDONIA.	Malvaceæ. J.	· · · · · · · ·	17.70	5.77.	
1 Lasianthus. W.	smooth.		N America	1790 8 11	G L	Bot. mag. 668.
	pubescent.		Carolina			Vent. malm. t. 1.
2 pubescens. W.			Caronna.	1//4.	r.n.	vent. main. t. 1.
Lacathea florida. P. STUARTIA. W.	STUARTIA.	Tiliaceæ, J.				
			N America	1740 50	T.T. T.	Bot. rep. 397.
1 Malachodendron.W	curled.					
2 pentagyna. W.				1/00. /.0.	11.7.	Exot. bot. 2. t. 110,
Malachodendron ov CAMELLIA. Ker.	CAMELLIA.	Amontin I Ca	mallia to Thea	777		
1 Bohea.	Boliea Tea.	Aurantiæ. J. Car			G L	Bot. mag. 998.
Thea Bohea. a. lax			Cuma.	1700. 0.12.	. α.η.	Dot. mag. 998.
2 viridis.		nsis, p. D. M.			G L	Lill and t oo
	Green Tea.	lu a distinat escoie			-	Hill exot. t. 22.
Thea Bohea. B. stri		iy a aisiinci specie	S.	1011 11 0	CLI	D.4 10
3 Sasanqua. W.	Lady Banks's.			1511. 11.2	G. n.	Bot. reg. 12.
4 japonica. W.	common.	1 11			· U.h.	
a rubra.				1,00. 12.0	CI	Det man 12
β alba.	single red.			17001 1210	- G. h.	Bot. mag. 42.
	single white.				- G. h.	Bot. mag. 42.
y semiduplex.	single white. semi-double red.				- G. n.	Bot. reg. 12.  Bot. mag. 42.  Bot. rep. 559.
8 rubro-plena.	single white. semi-double red. double red.				- G. n.	Bot. mag. 42.  Bot. rep. 559.  199.
S rubro-plena.	single white. semi-double red. double red.  Middlemist's				- G. h.	дон гер. ээу.
δ rubro-plena. ε carneo-plena.	single white. semi-double red. double red. { Middlemist's } red.		1		- G. h. - G. h.	199.
δ rubro-plena. ε carneo-plena ζ myrtifolia.	single white. semi-double red. double red. Middlemist's red. Myrtle-leaved.		1		- G. h. - G. h. - G. h.	дон гер. ээу.
δ rubro-plena. ε carneo-plena.	single white. semi-double red. double red. { Middlemist's } red. Myrtle-leaved. Loddiges' red.		1		- G. h. - G. h.	199.
δ rubro-plena.  ε carneo-plena.  ζ myrtifolia.  n atrorubens.	single white. semi-double red. double red. Middlemist's red. Myrtle-leaved. Loddiges' red.  Waratah-		1		- G. h. - G. h. - G. h. - G. h.	199. Bot. mag. 1670.
δ rubro-plena.  ε carneo-plena.  ζ myrtifolia.  n atrorubens.  3 anemoniflora.	single white. semi-double red. double red. Middlemist's red. Myrtte-leaved. Loddiges' red. flowered.				- G. h. - G. h. - G. h. - G. h. - G. h.	199.
S rubro-plena.  c carneo-plena.  g myrtifolia.  n atrorubens.  anemoniflora.  pæoniflora.	single white. semi-double red. double red. Middlemist's red. Myrtle-leaved. Loddiges' red. { Waratah- flowered. Pæony-flowered				- G. h. - G. h. - G. h. - G. h. - G. h. - G. h.	Bot. rep. 559.  199.  Bot. mag. 1670.  Bot. mag. 1654.
S rubro-plena.  c carneo-plena.  g myrtifolia.  n atrorubens.  s anemoniflora.  pæoniflora.  v variegata.	single white. semi-double red. double red. Middlemist's red. Myrtle-leaved. Loddiges' red. Waratah- flowered. Pæony-flowered double-striped.				- G. h. - G. h. - G. h. - G. h. - G. h. - G. h. - G. h.	Bot. mag. 1670.  Bot. mag. 1654.  Bot. rep. 91.
S rubro-plena.  c carneo-plena.  g myrtifolia.  n atrorubens.  anemoniflora.  pæoniflora.	single white. semi-double red. double red.  Middlemist's red. Myrtle-leaved. Loddiges' red. flowered. Pæony-flowered double-striped. Kew blush.				- G. h. - G. h. - G. h. - G. h. - G. h. - G. h. - G. h.	Bot. rep. 559.  199.  Bot. mag. 1670.  Bot. mag. 1654.
δ rubro-plena.  ε carneo-plena.  ζ myrtifolia.  n atrorubens.  3 anemoniflora.  ι pæoniflora.  κ variegata.  λ pomponia.	single white. semi-double red. double red.  Middlemist's red. Myrtle-leaved. Loddiges' red. Waratah- flowered. Pæony-flowered double-striped. Kew blush. Hume's-				- G. h. - G. h.	Bot. rep. 539.  199.  Bot. mag. 1670.  Bot. rep. 91. Bot. reg. 92.
δ rubro-plena.  ε carneo-plena.  ζ myrtifolia.  n atrorubens.  3 ancmoniflora.  ι pæoniflora.  κ variegata.  λ pomponia.  μ flavescens.	single white. semi-double red. double red. Middlemist's red. Myrtle-leaved. Loddiges' red. { Waratah- flowered.} Pæony-flowered double-striped. Kew blush. { Hume's- blush or buff.}				- G. h. - G. h.	Bot. rep. 539.  199.  Bot. mag. 1670.  Bot. rep. 91. Bot. reg. 22.  112.
δ rubro-plena.  ε carneo-plena.  ζ myrtifolia.  η atrorubens.  θ ancmoniflora.  ε pæoniflora.  κ variegata.  λ pomponia.  μ flavescens.  ν albo-plena.	single white. semi-double red. double red. Middlemist's red. Myrtle-leaved. Loddiges' red. { Waratah- flowered. Pæony-flowered double-striped. Kew blush. { Hume's- blush or buff. double white.				- G. h. - G. h.	Bot. rep. 539.  199.  Bot. mag. 1670.  Bot. rep. 91. Bot. reg. 92.
δ rubro-plena.  ε carneo-plena.  ζ myrtifolia.  n atrorubens.  3 ancmoniflora.  ι pæoniflora.  κ variegata.  λ pomponia.  μ flavescens.	single white. semi-double red. double red. Middlemist's red. Myrtle-leaved. Loddiges' red. Waratah- flowered. Pæony-flowered double-striped. Kew blush. Hume's- blush or buff. double white. long-leaved.				- G. h. - G. h.	Bot. rep. 539.  199.  Bot. mag. 1670.  Bot. rep. 91. Bot. reg. 22.  112.
δ rubro-plena.  ε carneo-plena.  ζ myrtifolia.  η atrorubens.  θ ancmoniflora.  ε pæoniflora.  κ variegata.  λ pomponia.  μ flavescens.  ν albo-plena.	single white. semi-double red. double red. { Middlemist's } red. Myrtle-leaved. Loddiges' red. { Wuratah- flowered. Pæony-flowered double-striped. Kew blush. { Hume's- blush or buff. } double white. long-leaved. { Lady (Adl.)				- G. h G. h.	Bot. rep. 539.  199.  Bot. mag. 1670.  Bot. rep. 91. Bot. reg. 22.  112.
δ rubro-plena.  ε carneo-plena.  ζ myrtifolia.  n atrorubens.  n anemoniflora.  ε pæoniflora.  κ variegata.  λ pomponia.  μ flavescens.  valbo-plena.  ξ longifolia.  o rubricaulis.	single white. semi-double red. double red. Middlemist's red. Myrtle-leaved. Loddiges' red. flowered. Pæony-flowered double-striped. Kew blush. Hume's- blush or buff. double white. long-leaved. Lady (Adl.) Campbell's.				- G. h G. h.	Bot. rep. 539.  199.  Bot. mag. 1670.  Bot. rep. 91. Bot. reg. 22.  112.
δ rubro-plena.  ε carneo-plena.  ζ myrtifolia.  η atrorubens.  θ anemoniflora.  ε variegata.  λ pomponia.  μ flavescens.  γ albo-plena.  ξ longifolia.  ο rubricaulis.  BARRINGTONIA.W.	single white. semi-double red. double red. Middlemist's red. Myrtle-leaved. Loddiges' red. { Waratah- flowered. Pæony-flowered double-striped. Kew blush. { Hume's- blush or buff. double white. long-leaved. Lady (Adl.) Campbell's. BARRINGTONIA.	Myrti. J. Buton	ica. Lam.		- G. h	Bot. rep. 359.  199.  Bot. mag. 1670.  Bot. rep. 91. Bot. reg. 22.  —————————————————————————————————
δ rubro-plena.  ε carneo-plena.  ζ myrtifolia.  η atrorubens.  3 anemoniflora.  ε pæoniflora.  ε variegata.  λ pomponia.  μ flavescens.  y albo-plena.  ξ longifolia.  • rubricaulis.  BARRINGTONIA.W. speciosa. W.	single white. semi-double red. double red. Middlemist's red. Myrtle-leaved. Loddiges' red. H' aratah- flowered. Pæony-flowered double-striped. Kew blush. Hume's- blush or buff. double white. long-leaved. Lady (Adl.) Campbell's. BARRINGTONIA. Laurel-leaved.	Myrti. J. Buton	ica. Lam.		- G. h	Bot. rep. 539.  199.  Bot. mag. 1670.  Bot. rep. 91. Bot. reg. 22.  112.
δ rubro-plena.  ε carneo-plena.  ζ myrtifolia.  η atrorubens.  β anemoniflora.  ι pæoniflora.  ν variegata.  λ pomponia.  μ flavescens.  γ albo-plena.  ξ longifolia.  ο rubricaulis.  BARRINGTONIA.W.  speciosa. W. GUSTAVIA. W.	single white. semi-double red. double red. Middlemist's red. Myrtle-leaved. Loddiges' red. Waratah- flowered. Pæony-flowered double-striped. Kew blush. Hume's- blush or buff. double white. long-leaved. Lady (Adl.) Campbell's. BARRINGTONIA. Laurel-leaved. GUSTAVIA.	Myrti. J. Buton Myrti. J. Piriga	ica. Lam E. Ind.	1786	- G. h	Bot. rep. 359.  199.  Bot. mag. 1670.  Bot. rep. 91. Bot. reg. 22.  —————————————————————————————————
δ rubro-plena.  ε carneo-plena.  ζ myrtifolia.  η atrorubens.  θ anemoniflora.  ε pæoniflora.  ε variegata.  λ pomponia.  μ flavescens.  γ albo-plena.  ξ longifolia.  • rubricaulis.  BARRINGTONIA,W. speciosa. W.  GUSTAVIA. W.  augusta. W.	single white. semi-double red. double red. double red. Middlemist's red. Myrtle-leaved. Loddiges' red. flowered. flowered. Pæony-flowered double-striped. Kew blush. Hume's- blush or buff. double white. long-leaved. Lady (Adl.) Campbell's. BARRINGTONIA. Laurel-leaved. GUSTAVIA. august.	Myrti. J. Buton Myrti. J. Piriga	ica. Lam. i.e. Ind. iri. J. Guiana.	1786	- G. h	Bot. rep. 359.  199.  Bot. mag. 1670.  Bot. rep. 91. Bot. reg. 22.  —————————————————————————————————
δ rubro-plena.  ε carneo-plena.  ζ myrtifolia.  η atrorubens.  β anemoniflora.  ι pæoniflora.  ν variegata.  λ pomponia.  μ flavescens.  γ albo-plena.  ξ longifolia.  ο rubricaulis.  BARRINGTONIA.W.  speciosa. W. GUSTAVIA. W.	single white. semi-double red. double red. Middlemist's red. Myrtle-leaved. Loddiges' red. Waratah- flowered. Pæony-flowered double-striped. Kew blush. Hume's- blush or buff. double white. long-leaved. Lady (Adl.) Campbell's. BARRINGTONIA. Laurel-leaved. GUSTAVIA.	Myrti. J. Buton Myrti. J. Piriga	ica. Lam. E. Ind. iri. J. Guiana.	1786	- G. h	Bot. rep. 359.  199.  Bot. mag. 1670.  Bot. rep. 91. Bot. reg. 22.  —————————————————————————————————

# CLASS XVII.

# DIADELPHIA PENTANDRIA.

MONNIERIA. W.	Monnieria.		a .			0.0	
trifolia. W.	three-leaved.		Guiana.	1792.	7.8.	s. <sub>0</sub> .	Aub. gui. 2. t. 293.
PETALOSTEMUM }	PETALOSTEMUM.	Leguminosæ. J. 1	Dalea sp. IV.				
Mi.	white.	7			<b>=</b> 0	T.F. 31	Mich om 0 + 0 f f 1
1 candidum. Ph. 2 carneum. Ph.	flesh-coloured.		N. America.	1811.	7.8.	п. 4.	Mich.am.2.t.37.f.1.
3 violaceum. Ph.	purple.				7.0	13.4.	Bot. mag. 1707.
4 corymbosum. Ph.	corymbose.				7.9.	H 1	Dot. mag. 1/0/.
Dalea Kuhnistera.		the second second				11.4.	
Dated Runnstera.	,, .						
		HEXANDRIA					· ·
CORYDALIS. Vent.	CORYDALIS.	Deportune out I	Elman and man	r			
1 Cucullaria. P. S.	naked-stalked.	Tupareracearo:	N. America.	1731.	6.7.	H.21.	Bot. mag. 1127.
2 formosa. Ph.	blush.	-		1796		H.4.	1335.
3 eximia. B. Reg.	choice.			1812		H. 1.	Bot. reg. 51.
4 fungosa. Ph.	spongy-flowered.			1778.	6.9.	н.д.	Vent. choix. t. 19.
5 nobilis. P. S.	great-flowered.	1 1 1 1 1 1 1	Siberia.	1783.	5.	H.4.	Bot. mag. 1127.  1335. Bot. reg. 51. Vent. choix. t. 19. Bot. rep. 614. Bot. mag. 232. Eng. bot. 1471.
6 bulbosa. P. S.	hollow-rooted.		Europe.	1596.	2.4.	H.4.	Bot. mag. 232.
7 fabacea. W. en.	Bean-leaved,		Germany.	1815		H.4.	
8 Halleri. W. en.	solid-rooted.		Britain.		2.5.	H.4.	Eng. bot. 1471.
Fumaria solida. B	. mag. 231.						
9 sempervirens. P. S.			N. America.	1683.	7.8.	H.⊙.	Bot. mag. 179.
10 aurea. W. en.	golden.			1812.	5.7.	н.∂.	Bot. reg. 66.
11 lutea. P. S.	yellow.		England.	4	1.10.	H.4.	Eng. bot. 588.
12 capnoides. P. S.	white-flowered.		S. Europe.	1596.	5.10.	H.J.	
13 claviculata. W.	climbing.		Britain.				Eng. bot. 103.
CYSTICAPNOS. W.en	CYSTICAPNOS.	Papaveraceæ. J.					
africana. W. en.	African.		C. B. S.	1696.	6.7.	н.⊙.	Boerh.lugd.1.t.300
Fumaria vesicaria.	H. K.						
FUMARIA. P. S.	FUMITORY.	Papaveraceæ. J.					
1 enneaphylla, P. S	nine-leaved.		Spain.	1714.	5.7.	H.4.	Boc.mus.2.t 73.f.1.
2 officinalis. P. S.	common.		Britain.	• • • •	5.8.	H.⊙.	Eng. bot. 589.
3 capreolata. P. S.	ramping.				5.9.	н.⊙.	943. 590.
4 parviflora. P. S.	small-flowered.		England.	• • • •	8.9.	н.⊙.	590.
5 spicata. P. S.	narrow-leaved.	<del></del>	S. Europe.	1714.	7.8.	H.O.	
		OCTANDRIA	•				
POLYGALA. W.	MILKWORT.	Pediculares. J.			_		
1 incarnata. W.	flesh-coloured.		N. America.	1812.	6.7.	H.⊙.	Jac. aust. 5. t. 419.24 Eng. bot. 76.
2 amara. W.	bitter.		Europe.	1775.	6.	H.4.	Jac. aust. 5. t. 412.
3 vulgaris. W.	common.		Britain.		5.6.	11.24.	Eng. bot. 76.
4 major. W.	large Austrian.		Austria.	1739.	7.8.	11.4.	Jac. aust. 5. t. 410.
5 paucifolia. W.	naked-stalked.		N. America.	1812.	5.8.	п. 4.	Dat man 245
6 bracteolata. W.	spear-leaved.		C. B. S.	1713. 8	5.10.	G.h.	Jac. aust. 5. t. 413.  Bot. mag. 345.  Bot. reg. 150 % 1780
7 speciosa. B. M.	showy.			1814.	F 0	G.h.	Bot. reg. 1007/700
8 teretifolia. W.	columnar-leaved	A	At America	1791.	5.6	H.L	Bot. reg. 150.0 /780 Bot. rep. 370.
9 purpurea. H. K.	purple.		C. D. S.	1010	5.0.	G L	
10 virgata. Th.	1wiggy.		C. B. S.	1707	0.0.	G h	Com. hort. 1. t. 46.
11 myrtifolia. W. 12 oppositifolia. W.	opposite logge			1707.		G. h	Bot. mag. 492. 7 6
13 cordifolia. W.	beart leaved			1701	2 8	G. h.	m lend
14 tomentosa. W.	woolly-leaved			1819.	<b></b>	G.h.	The state of the s
15 spinosa. W.	sniny			1780.	1.5.	G.h.	
16 Chamæbuxus. W.	Boy-leaved	`	Austria	1658.	5.6.	H. h.	Bot. mag. 316.
17 alopecuroides. W.	Fox Tail	•	C. B. S.	1800.	5.8.	G. h.	1006.
18 Heisteria. W.	Furze-leaved.		J. 17. 0.	1787.	1.12.	G.b.	340.
19 mixta. W.	Heath-leaved.			1791.		G.b.	1714.
20 filiformis. W.	filiform.			1812.	5.12.	G.h.	
21 micrantha. W.	small-flowered.			1800.	1.12.	G.h.	Bot. rep. 324.
22 stipulacea. W.	stipuled.			1801.	4.9.	G.b.	Bot. mag. 1715.
23 Senega. W.	Rattlesnake Root.		N. America.	1739.	7.	H.24.	Bot. mag. 316.  Bot. mag. 316.  1006.  340.  1714.  Bot. rep. 324.  Bot. mag. 1715.  1051.  Pluk,amal,t.438.f 6
24 lutea. W.	golden.				6.7.	H.O.	Pluk,amal,t.438.f6
25 viridescens. W.	greenish-flowerd.		-	1815.	7.8.	H.O.	
	-					40	5

# DIADELPHIA DECANDRIA.

	DIADE	di iiin Di	OHITT	11.			109
26 sanguinea. W.	purple-spiked.	Pediculares. J.	N. America.	1739.	7.9.	H.⊙.	Pluk.man.t.438.f.5
27 verticillata. W.	whorl-leaved.				7.8.	$H.\odot$ .	t.438.f.4
28 cruciata. W.	four-leaved.				6.7.	H.⊙.	•
SECURIDACA. W.	SECURIDACA.	Leguminosæ? J.					
volubilis. W.	climbing.		W. Ind.	1739.	• • • •	S.h.	Jac.amer.t.183.f.38
					>		
	_	DECANDRIA.					
NISSOLIA. W.	NISSOLIA.	Leguminosæ. J.	0 4 4	00		0.7	T 1 1 2 4 2 4 2 4 7 1
fruticosa. W.	shrubby.		S. America.	1766.	7.11.	S.h.	Jac. vind. 2. t. 167.
DALBERGIA. W.	DALBERGIA.	Leguminosæ. J.	E Ind	1011		S T.	Par and 0 4 110
1 latifolia. W.	broad-leaved.		F. 1nd.	1911.	• • • •	5. h.	Rox. cor. 2. t. 113.
2 rubiginosa. W. 3 paniculata. W.	climbing.					S. I.	2. t. 115. 2. t. 114.
PONGAMIA. Vent.	Pongamia.	Leguminosæ. J. 1	Julherrice sn.	W.	• • • •	Б. н.	2. 0. 114.
glabra. P. S.	smooth-leaved.					S. b.	Vent. malm. t. 28.
PTEROCARPUS. W.	PTEROCARPUS.	Leguminosæ. J.	III IIII	2		2.76	vente manne et 20.
1 Marsupium. W.	emarginate-lead.		E. Ind.	1811.		S.b.	Rox. cor. 2. t. 116.
2 lunatus. W.	crescent-podded.		S. America.				Lam. ill. t. 602. f. 5.
3 santalinus. W.	Red Sandal Wood		E. Ind.	1800.			
4 Ecastaphyllum, W.	oval-leaved.		W. Ind.				Brown.jam.t.32.f.1.
AMERIMNUM. W.	AMERIMNUM.	Leguminosæ. J.					
1 Brownei. W.	Browne's.		W. Ind.	1793.		S.h.	Jac.amer.t.180.f.58
2 latifolium. W.	broad-leaved.		S. America.	1814.		S.h.	t.177.f.50
3 Ebenus. W.	Jamaica Ebony.		W. Ind.	1713.	7.8.	S.h.	Brown.jam.t.31.f.2
DIPTERIX. W.		Leguminosæ. J.				•	
odorata. W.	sweet-scented.		Guiana.	1793.		S.h.	Aub. gui. 2. t. 296.
ABRUS. W.	{ WILD }	Laguminasm I					
ZDROS. W.	Liquorice.	Leguminosæ. J.					
precatorius. W.	Jamaica.		W. Ind.	1680.	3.5.	S.h.	Rheed.mal.3.t.39.
ERYTHRINA. W.	CORAL TREE.	Leguminosæ. J.					
1 herbacea. W.	herbaceous.		Carolina.	1724.	6.9.	G.h.	Bot. mag. 877.
2 carnea. W.	flesh-coloured.		Vera Cruz.	1733.	5.	S.h.	Trew. chret. t. 8. 7. a
3 Corallodendrum. W	smooth-leaved.		W. Ind.	1690.	5.6.	S.h.	Comm.hort.1.t.10\$
4 indica. W.	Indian.		E. Ind.	1814.	• • • •	S.h.	Rheed. mal. 6. t. 7.
5 fusca. W.	brown-flowered.			1800.	• • • •	S.h.	Rumph.amb.2.t.78.
6 caffra. W.	Cape.						200 200 . 2
7 picta. W.	prickly-leaved.	1	E. Ind.				Rumph.amb.2. t.77
8 speciosa. H. K.	large-flowered.		W. Ind.				Bot. rep. 443.
9 Crista-galli. W.	Cock's Comb.		Brazil.	1771.	3.7.	S.h.	Exot. bot. 2. t. 95.
BUTEA. W.	BUTEA.	Leguminosæ. J.				~ =	
- 1 frondosa. W.	downy-branched		E. Ind.				Roxb. cor. 1. t. 21.
2 superba. W.	_			1798.	• • • •	S.n.	1. t. 22.
PISCIDIA. W.	PISCIDIA.	Leguminosæ. J.				O.	
Erythrina. W.	{Jamaica }		W. Ind.	1690.		S.b.	Lam. ill. t. 605.
	Dogwood.						
BORBONIA. W,	BORBONIA.	Leguminosæ. J.	0.70.0	1010	~ 0	C T	
1 cricifolia. W.	Heath-leaved.		C. B. S.	1812.	7.8.	G. h.	Districtor 4 20m 5 4
2 trinervia. W.	three-nerved.			1759.		G.n.	Pluk.alm.t.297.f.4.
3 lanceolata. W.	many-nerved.			1810		G.h.	Jac.schæn.2.t.217.
4 perfoliata. W. 5 undulata. W.	perfoliate. wave-leaved.			1012.		G.n.	
6 cordata. W.	heart-leaved.			1750	7.0	G. L.	Jac.schæn.2.t.218.
7 crenata. W.	notch-leaved.			1774	6.8	G. L.	Bot. mag. 274.
SPARTIUM. W.	Broom.	Leguminosæ. J.		1//4.	5.5.	J.n.	1500 mag. 2/4.
1 junceum. W.	Spanish.		S Europe.	1548	7 0.	H.b.	Rot mag 85
β flore pleno.	double-flowcred.		is. Lattope.	1040.	1.3.	11.77.	Dot. mag. 85.
	( white single- )						
2 monospermum. W.	seeded.			1690.	6.7.	G.h.	683.
	(yellow )					_	
3 sphærocarpon. W.	{ single-seeded }			1731.		G.h.	Renealm.spec.t.33.
4 procerum. W. en.	tall.		Portugal.	1816.		G. h	
5 congestum. W. en.	close-branched.		Teneriffe.				
6 virgatum. W.	long-twigged.		Madeira.				Jac. ic. 1. t. 147.
7 purgans. W.	purging.		S. France.				Bulliard herb.1.115
8 umbellatum. W.	umbelled.		Barbary.				Desf. atl. 2. t. 180.
9 Scorpius. W.	Scorpion.		S. Europe.	1570.			
10 sericeum. Vent.	silky.		Mogadore.				Vent. choix. t. 17.
11 multiflorum. W.	white Portugal.		Portugal.				Duham. arb. t. 23.
12 angulatum. W.	small-flowered.		Levant.	1739.	5.6.	н.ь.	Vent. cels. 87.
13 patens. W.	woolly-podded.			1752.	6.7.	H. b.	Cav. ic. 2. t. 176:
May .	• •		3-				

# DIADELPHIA DECANDRIA.

14 nubigenum. W.	cluster-flowered.	Leguminosæ. J.		1779. 5.8. G.	h ·
15 linifolium. W.	Flax-leaved.				2. Bot. mag. 442.
16 scoparium. W.	common.		Britain.		h. Eng hot 1939.
17 radiatum. W.			Italy		
	starry,		D	1/30. 0./. 12.	2. Mill. ic.2.t.259.f.1
18 ferox. W.	fierce.		Barbary.	1800. — G. J	2. Desf. atl. 2. t. 182.
19 spinosum. W.	prickly.		S. Europe.	1596. — G.	2. Lob. ic. 2. p. 95.
GENISTA. W.	GENISTA.	Leguminosæ. J.			
1 canariensis. W.	Canary.		· Canaries.	1656, 5.9, G.1	2. Bot. reg. 217.
2 candicans. W.	hoary.		- Spain.	1735. 4.7. H.	
3 viscosa. W.	clammy.		Canariae		
			Саманся.	1815. — G.	
4 triquetra. W.	triangular.		· Corsica.		2. Bot. mag. 314.
5 sagittalis. W.	jointed.		Germany.		7. Jac. aust. 3. t. 209.
6 triangularis. W.	three-sided.		· Hungary.	1815. — H.	2. Pl.rar.hung.2.t.153
7 tinctoria. W.	Green Weed.		Britain.		2. Eng. bot. 44.
8 sibirica. W.	Siberian.		. Siberia		2. Jac. vind. 2. t. 190.
9 ovata. W.	oval-leaved.	P	Hungary		2. Pl. rar. hung. t. 83.
			Casin Cary.		
10 florida. W.	Spanish.		spani.	1752. — H. I	
11 procumbens. W.	procumbent.		Hungary.	1816. —— H. J	2 •
12 decumbens. W.	trailing.		France.	1775. 5.6. H.	չ•
13 pilosa. W.	hairy green-weed		England.	— Н.	2. Eng. bot. 208.
14 diffusa. W.	diffuse.		Italy.		2. Jac. ic. 3. t. 555.
15 sericea. W.	silky.		Austria.		2. ————————————————————————————————————
			Britain		
16 anglica. W.	Petty Whin.		Commercial		2. Eng. bot. 132.
17 germanica. W.	German.			1773. 6.8. H.J	
18 hispanica. W.	dwarf prickly.		Spain.		2. Cav. ic. 3. t. 211.
19 lusitanica. W.	Portugal.		Portugal.	1771. 3.5. H. I	2. Bot. rep. 419.
LEBECKIA. W.	LEBECKIA.	Leguminosæ. J.	-		
1 contaminata. W.	narrow-leaved.		C. B. S.	1787. 4.5. G.J	
2 sericea. W.			0. 1. 0.		
	silky.			1774. 4. G.J	
3 cytisoides. W.	Cytisus-leaved.			G. F	2. Comm.hort.2.t.107
RAFNIA. Th.	RAFNIA.	Leguminosæ. J.			
triflora. W.	three-flowered.		C. B. S.	1786. 6.7. G.	6. Bot. mag. 482.
ASPALATHUS. W.	ASPALATHUS.	Leguminosæ. J.			
1 Chenopoda. W.	Goose-foot.	0	C. B. S.	1759, 7.8, G.1	b. Breyn, cent. t. 11. 99
			0.20.	1774 G	L Biejin centi ti i i i
2 albens. W.	silky.			1//4 (1.1	2. Breyn. cent. t. 11. 22 4. 2. Bot. mag. 344. 3. Pluk.man.t.413.f.6.
3 pedunculata. H. K.				1775. — G.)	7. Bot. mag. 344.
4 ericifolia. W.	Heath-leaved.			1789. —— G. V	2. Pluk.man.t.413.f.6.
5 asparagoides. W.	Asparagus-leavd.			1812. — G. 1	2 •
6 carnosa. W.	fleshy-leaved.				
7 crassifolia. B. R.	bristle-pointed.			1800. 7.8. G. I	2. Bot. rep. 351.
8 ciliaris. W.	ciliated.			1700 G I	73.2
				1799. — G.1	Distance to the fire
9 uniflora. W.	single-flowered.			1812. — G. F	2. Pluk.man.t.414.f.7.
10 subulata. W.	awl-leaved.			1789. —— (†. )	2 •
11 globosa, B. R.	globular.			1802. 6.7. G.V	2. Bet. rep. c. ic.
12 araneosa. W.	cobweb.			1795 G. F	. Bot. mag. 829.
13 indica. W.	Indian.		E. Ind.	1759, 7.8, S. I	Rheed, mal, 9, t, 37.
	silver-leaved.		CRS	G I	
14 argentea. W.	white		O. D. S.	1274 67 61	2. Bot. rep. c. ic. 2. Bot. mag. 829. 2. Rheed. mal. 9. t. 37.
15 candicans. H. K.				1// 11 01/1 01/	( *
16 callosa. W.	oval-spiked.			1812. 7.8. G.	Pluk.man.t.345.f.4.
17 mucronata. W.	thorny-branch'd.			1796. 6.7. G.J	2 •
SARCOPHYLLUM	SARCORITYTE	Leguminasm I			
Th.	SARCOPHYLLUM.	negummosæ. s.			- 0 4 . 0
carnosum. Th.	jointed-leaved.		C. B. S.	1812. 5.8. G. F	2. Br. 2000 02.
STAURACAN-	STAURACAN-		J		
/		Leguminosæ. J.			
THUS. W. en.			D ( )		
aphyllus. W. en.	leafless.		Portugal.	1815. 6.7. F. h	. •
ULEX. W.	Furze.	Leguminosæ. J.	-		
1 europæus. W.	common.		Britain.	., 4.5. H.I	2 . Eng. bot. 742.
2 nanus. W.	dwarf.				743.
	BASTARD-INDIGO	Leguminosa I			4:
AMORPHA. W.			Camalina	1504 CF TT T	Sahmidt out 1 4 05
1 fruticosa. W.	shrubby.		Carolina.		. Schmidt.arb.1.t.30.
$\beta$ emarginata.	emarginate-leav.			— Н. И	· 2
2 microphylla. Ph. 224	dwarf.		Missouri.	1811. 7.8. F.J	2.0-3 to 12112.
3 pubescens. Ph.	pubescent.		Carolina.	1803. 6.7. F.J	
4 canescens. Ph.	canescent.		Missouri.	1812. 7.8. F. J	
PLATYLOBIUM. Sm.		Leguminosæ. J.			•
			NEW	1700 60 G I	Bot mag 460
1 formosum. H. K.	large-flowered.				Bot. mag. 469.
2 parviflorum. H. K.		فيائد المتعادل والمستحد والمستحد			1520.
3 triangulare. H. K.	triangular-leav'd.		VanDiem.Isl.	. 1805. 6.9. G. J	1508.

BOSSIÆA. Sm.	Bossiæa.	Leguminosæ. J.	Platylobii sp.	B. R.			
1 Scolopendrium.H.					5.7.	G. h.	Bot. rep. 191.
2 rufa. H. K.			- N. Holland.				
	red-flowered.						
3 heterophylla. V.	various-leaved.		. IV. S. W.	1792.	5.12	. G.n.	Bot. mag. 1144.
4 linophylla. H. K.	narrow-leaved.		· N. Holland.	1803.	7.9.	G. h.	23491.
5 prostrata. H. K.	procumbent.		· N. S. W.		-	- G.h.	Bot. mag. 1493.
6 cinerea. H. K.	downy-sharp-ld.		VanDiem.Isl.	1805.	5.7.	G.h.	AUG.
							Bot. mag. 863.
7 microphylla. H. K.			. 14. 9. 14.	1000.	0.0.	G.n.	not. mag. 803.
SCOTTIA. H. K.	SCOTTIA.	Leguminosæ. J.					
dentata. H. K.	tooth-leaved.		N. Holland.	1803.	6.9.	G. h.	
TEMPLETONIA.H.B	. TEMPLETONIA.	Leguminosæ. J.					43
retusa. H. K.	wedge-leaved.	3	N. Holland.	1803.	3.G.	G.h.	Vent. malm. 53. 4 3
GOODIA. P. L.		Leguminosæ. J.	111 11011111111		0.01		
	Goodia.		** *** * 1			a *	190 2
1 lotifolia. H. K.	smooth.		VanDiem.Isl.	1793.	4.7.	G. 12.	Bot. mag. 958.
2 pubescens. H. K.	downy.			1805.		- G.h.	1310.
LODDIGESIA. B. M.	LODDIGESIA.	Leguminosæ. J.					
oxalidifolia. B. M.	Oxalis-leaved.		CBS	1800	5.0	GL	Bot. mag. 965.
			C. D. G.	1002.	0.3.	Ci. n.	100. mag. 905.
WIBORGIA. W.	Wiborgia.	Leguminosæ. J.					
sericea. W.	silky.		C. B. S.	1780.	7.8.	G.h.	
CROTALARIA. W.	CROTALARIA.	Leguminosæ. J.					
1 sagittalis. W.	Virginian.		America	1731.	67.	S.O.	Pluk.alm.t.169.f.6.
	•		E Ind				an-amin-6-105-1-0-
2 prostrata. W. en.	prostrate.		E. ma.	1804.			
3 rubiginosa. W.	ferrugineous.	-		1807.		· S.O.	
4 andhall 12 xx xx	[ large-flower- ]			1500	0.0	СТ	
4 anthylloides. H. K.	cupped.		<del></del>	1789.	8.9.	S. h.	
5 tetragona LI V	· • • • • • • • • • • • • • • • • • • •	e		1806	10.11	8 1	Rot von FOS
5 tetragona. H. K.	square-stalked.			1000.	10.11	. 13. 0 .	Dot. 1ep. 595.
6 benghalensis. P. S.	Bengal.				6.7.	$s.\odot$ .	Pluk.alm.t.169.f.5.
7 juncea. W.	striated-stalked.		***************************************	1700.	-	- S.⊙.	Bot. rep. 422.
8 fenestrata. B. M.	window-calvxed.			1815.		· S.O.	Bot. mag. 1933.
9 sericea. W.				1007			2000 12000
	silky.			100/.		3.0.	
10 retusa. W.	wedge-leaved.			1731.		· S.O.	Bot. reg. 253.
11 verrucosa. W.	blue-flowered.				7.8.	S.⊙.	Bot. rep. 308.
12 pulchra. H. K.	short-podded,			1800.	3.5.	S.h.	601.
13 semperflorens. P. S.		***************************************		1916	3.0	8 6	Vent. cels. t. 17.
							vent. dels. t. 1/.
14 hirta. W. en.	hairy.			-	6.8.	S.⊙.	
15 biflora. W.	two-flowered.			1790.	7.8.	$S_{\bullet}\odot$ .	Burm. ind. t. 48. f. 2.
16 paniculata. W.	panicled.			1807.		S.h.	
17 lotifolia. W.	Lotus-leaved.						Dill.elt.t.102.f.121
			T. Ind	1700	7 0	8 1	Rheed. mal. 9.t.27,
18 laburnifolia. W.	Laburnum-leav <sup>d</sup> .		E. Ind,	1/39.	7.9.	3.6.	Kneed. mai. 9. t.27,
19 cordifolia. W.	heart-leaved.		C. B. S.	1790.	4.6.	G. h.	
20 purpurea. H. K.	dark-purple,	<del></del>		-	3.5.	G.h.	Bot. reg. 128.
21 pulchella. H. K.	large-flowered.			1800.	7.8.	G. h.	Bot. mag. 1699.
22 Saltiana. B. R.	Salt's.		Abvecinia	1010	67	S T	Bot von C40
the second secon			Abyssinia.				Bot. rep. 648.
23 axillaris. W.	axil-flowered.	·				S.⊙.	*
24 orixensis. W. en,	strigose.		E. Ind.	1816.		- S.⊙.	
25 incanescens. W.	spreading.		C. B. S.	1774.	6.10.	G.h.	Jac. vind. 3. t. 64.
26 incana. W.	hoary.		W Ind				3200 277
*** *			A C.:				of the state of the state of
27 pallida. W.	pale-flowered.		Atrica.			· S.⊙.	
28 angustifolia. W.	narrow-leaved.		C. B. S.	1815.	5.9.	G.h.	Jac.schæn.2.t.219.
29 quinquefolia. W.	five-leaved.		E. Ind.	1792.	6.7.	$S, \odot$ .	Rheed. mal. 9.t. 28.
HOVEA. H. K.	HOVEA.	Leguminosæ. J.				_	
1 linearis. H. K.	linear-leaved.				3.7	G L	S - 61 -
2 longifolia. H. K.			110 100 17 0	1005	0.7.	C.T.	1,21,400
. 0	long-leaved.			1805.	6.9.	G.n.	5. 6th
3 lanceolata. B. M.	spear-leaved.		N. Holland.		3.7.	G.h.	Bot. mag. 1624.
4 ovata. L. T.	oval-leaved.			1817.		G.h.	
ONONIS. W.	REST-HARROW.	Leguminosæ, J.					
1 antiquorum. W.				1 500	0 =	TT at	
	tall.		S. Europe.	1/90.		H.4.	
2 spinosa. W.	Cammock.		Britain.		6.8.	H.4.	Eng. bot. 682.
3 hircina. W.	stinking.		Italy.	1596.	5.8.	H.4.	Jac. vind. 1. t. 93.
4 repens. W.	creeping.		Britain.				Dill. elt. t. 25. f. 28.
5 Columnæ. W.	small-flowered.		S Europa				
							Jac. aust. 3. t. 240.
6 mitissima. W.							Dill. elt. t. 24. f. 27.
7 alopecuroides. W.	Fox-tail.			1696.	7.8.	H.O.	Lap. pyr. 1. t. 9.
8 variegata. W.	variegated.		Spain.	1784.		H.O.	Desf. atl. 2. t. 185.
9 pubescens. W.	downy.		S Europe				
			O. P. C	1680.			Comm. book a com
10 cernua. W.			C. B. S.				Comm. hort.2.t.32.
11 geminata. W.	two-flowered.			1787.		G. 24.	
12 reclinata. W.	spreading.		S. Europe.	1800.			
13 cenisia. W.	narrow-leaved.			1750		HN	All. ped. 1. t.10. f.2.
14 vaginalis. P. S.	Zourcus		2000.70	-100.		C	11. peu. 1. 0.10.1,2.
	sheathed		Fount				
	sheathed.	Y	Egypt.	1815.		G.n.	Vent. cels. t. 32,

	162	DIADI	ELPHIA D	ECANDI	αIA.			
	15 Cherleri. W.	dwarf.	Leguminosæ. J.	S. Europe.	1771.	6.7.	H.4.	
	16 viscosa. W.	clammy.			1759.	7.8.	H.O.	Barr. ic. 1289.
	17 ornithopodioides.W.	Bird's-foot.		Sicily.	1713.		H.⊙.	Cav. ic. 2. t. 192.
	18 pinguis. W.	greasy.		S. Europe.	1739.	7.	G.h.	
	19 Natrix. W.	yellow-shrubby.		2	1683.	5.9.	G.h.	Bot. mag. 329.
	20 hispanica. W.	Spanish.		Spain.	1799.		G.h.	Bot. mag. 329. Barr. ic. 775.
	21 tridentata. W.	three-toothed.			1759	68.	(+ h	Cav. ic. 2. t. 152. Magn. mons. t. 17.
	22 crispa. W.	curl-leaved.		S France	1739.	5 C	u. n.	Pot mons. t. 17.
	23 fruticosa. W. 24 rotundifolia. W.	shrubby. round-leaved.		Switzerland	1570	5.0.	п.η.	Dot. mag. 317.
	ANTHYLLIS. W.	KIDNEY-VETCH.	Leguminosæ, J.	Switzeriana	1070.	0.7.	*** 15 .	000.
	1 tetraphylla. W.			S. Europe.	1640.	7.8.	H.O.	Bot. mag. 108.
	2 Vulneraria. W.	common.		Britain.				Eng. bot. 104.
	β rubra.	red-flowered.						,
	3 montana. W.	mountain.		S. Europe.				Jac. aust. 4. t. 334.
	4 sericea. W.			Barbary.				Desf. act. par.1.t.3.
	5 cornicina. W.	horny.		Spain.				Cav.ic.1. t. 39. f. 2.
	6 lotoides. W.				1739.	6.7.	H.⊙.	1. t. 40. Ger. prov. t. 18.
	7 Gerardi, W.	Juniter's-heard		S Europe				Bot. mag. 1927.
	8 Barba-jovis. W. 9 cretica. W.							1092.
	10 heterophylla. W.	various-leaved.		S. Europe.			- G. h.	
	* * ** ** ** ** ** ** ** ** ** ** ** **	January Language		Cmn!m				Barr. ic. 1182.
	12 Hermanniæ. W.	Lavender-leav'd.		Levant.	1739.	4.7.	F.h.	Alp. exot. t. 26. 2
	13 tragacanthoides.P.S.	Goat's-thorn-like.		Barbary.				Desf. atl. 2. t. 194.
	11 cytisoides. W. 12 Hermanniæ. W. 13 tragacanthoides.P.S. 14 Erinacea. W.	prickly.		Spain.	1759.	4.5.	F.h.	Bot. mag. 676.
	ARACHIS. W.	EARTH-NUT.	Leguminosæ. J.					
March 1	hypogæa. W.	American.		S. America.	1712.	5.6.	s.⊙.	Trew.pl.rar.3.t.3.
	LUPINUS, W.		Leguminosæ. J.	N America	1650	c =	LI N	Dot mor 000
	1 perennis. Ph. 2 nootkatensis. Ph.	hairy necessial		NootkaSound	1704	6.8	H 21	Bot. mag. 202.
	3 albus. W.	white.		Levant.	1596.	7.8.	H.O.	1011.
10000	4 Termis. W.	Egyptian.		Egypt.	1802.	6.7.	H.O.	
1000	5 varius. W.	small blue.		S. Europe.	1596.	7.8.	н.⊙.	
3	6 hirsutus. W.	great blue.			1629.		- H.⊙.	
	7 pilosus. W.	rose.		****	1710.		- H.⊙.	
	s angustifolius. W.	narrow-leaved.		Spain.	1686.		- H.⊙.	Knorr. del.2. t. L.7.
	9 linifolius. W.							Roth.abhand.14.t.5
	10 Inteus. W.	yellow.		Sicily.	1596.		· H.⊙.	Bot. mag. 140.
	11 villosus. W. 12 arborens. H. K.	villous.		Caronna.	1787.		F.4.	Rot mar 680
, 5th	CARPOPOGON. Rox.	CARPOPOGON.	Leguminosæ. J.		1790.		- r.n.	Dot. mag. 002.
	1 giganteum. Rox.	gigantic.		E. Ind.	1815.		S.h.	
	2 imbricatum. Rox.	imbricated.					S.h.	
	PHASEOLUS. W.	KIDNEY-BEAN.	Leguminosæ. J.					
	1 vulgaris. W.	common.		India.	1597.	6.9.	H.⊙.	Lob. ic. 2. p. 59. Schk.han.2.t.199.a. Ho.n.h.10.t.63.f.1.
	2 multiflorus. W.	scarlet.		S. America?	1633.	7.9.	$H.\odot$ .	Schk.han.2.t.199.a.
	3 lunatus. W.	cimeter-podded.		E. Ind.	1779.	6.7.	S.⊙.	Ho.n.h.10. t.63.f.1.
	4 inamænus. W.	various-coloured.		1				Jac. vind. 1. t. 66.
	5 farinosus. W.	mealy.		E. Ind.	1759.		- S.4.	Niss.act.par.1730. t. 42.
	6 vexillatus. W.	sweet-scented.		W. Ind.				Jac. vind. 2. t. 102.
	7 helvolus. W.	pale-red.					- H.O.	Dill.elt.t.233.f.300
	8 semierectus. W.	dark-red.				7.	$S.\odot.$	t. 233.f.301.
	9 alatus. W.	winged.					- S.⊙.	t.235.f.303.
	10 Caracalla. W.	Snail-flower.						Bot. rep. 341. 90 3
	11 aconitifolius. W.	Aconite-leaved.			1731.			Jac. obs. 3. t. 52.
	12 trilobus. W.	three-lobed.						Burm.ind. t. 50. f.1.
	13 stipularis. W.	large stipuled.					- H.⊙. H.⊙.	
	14 nanus. P. S. 15 radiatus. W.	rayed.						Dill.elt.t.235.f.305
	16 Max. W.	hairy-podded.						Rumph.am.5.t.140.
	17 Mungo. W.	small-fruited.			1790.		- H.⊙.	
	18 diversifolius. P. S.	various-leaved.		N. America.			- н.⊙.	
	trilobus. Ph. Glyci	ne angulosa. W. e					_	
	19 lathyroides. W.	Lathyrus-like.		Jamaica.	1786.	7.8.	S.⊙.	Slo.jam.1.t.116.f.1.
	DOLICHOS. W.		Leguminosæ. J.	T			0.0	m
	1 Lablab. W.	black-seeded.			1694.	6.7.	S.⊙.	Bot. mag. 896.
	2 sinensis. W.	Chinese.		India.				Jac. vind. 3. t. 71, 2
	3 luteolus. Ph.	yellow.		ALIREM ICH,	1809.		£1.0.	Jac. hort. t. 90.

	DALLO.		1101111111				100
4 unguiculatus. W.	Bird's-foot.	Leguminosæ. J.	W. Ind.	1780.	6.7.	S.O.	Jac. vind. 1. t. 23.
5 tranquebaricus. W.			E. Ind.	1801.			Jac. vind. 3. t. 70.
6 gladiatus. W.	sabre-podded.				8.		Jac. ic. 3. t. 560.
7 tetragonolobus. W.	square-podded.			1816.	9.11.	S.⊙.	
8 sesquipedalis. W.	long-podded.	****	W. Ind.	1781.			Jac. vind. 1. t. 67.
9 hirsutus. W.	hirsute.		China.	1802.	6.		Kæmpf. ic. t. 41.
10 pilosus. W.	hairy-podded.		E. Ind.	1790.		S.⊙.	
11 minimus. W.	small.		Jamaica.	1776.			Jac. obs. 1. t. 22.
12 tetraspermus. W.	four-seeded.		E. Ind.	1816.			Did i den Co
13 scarabæoides. W.	silver-leaved.		NT C TYT				Pluk. alm. t. 53. f. 3.
14 reticulatus. W.	net-leaved.			1781.			D 5 4 100
15 bulbosus. W.	bulbous.						Rumph.am.5.t.132.
16 purpureus. W. 17 lignosus. W.	purple.		r, mu.	1790.	7.0	G. L.	Exot. bot. 2. t. 74.
18 luteus. W.	woody. yellow-flowered.		Jamaica	1919	7.0.	S.L.	Doc. mag. 200.
19 ensiformis. W.	cimeter-podded.		E. Ind	1778.		S.O.	Jac. ic. 3. t. 559.
20 Soja. W.	Soy.			1790.	-	S.O.	1. t. 145.
21 Catiang. W.	small-fruited.			1793.		S.O.	Rheed, mal. 8. t. 41.
22 biflorus. W.	two-flowered.			1776.		s	Pluk.alm.t.213.f.4.
23 roseus. W.	Rose-coloured.		Jamaica.	1812.		s.o.	
STIZOLOBIUM. P.S.		Leguminosæ. J.				•	
1 altissimum. P. S.	tall.		Martinico.			S.h.	Jac.amer.t.182.f.85
2 urens. P. S.	broad-podded.		W. Ind.				Plum. amer. t. 107.
3 pruriens. P. S.	common.		India.				Jac. amer. t. 192.
GLYCINE. P. S.	GLYCINE.	Leguminosæ. J.	,			•	
1 sarmentosa. W.	sarmentose.		Carolina.	1805.	6.8.	H.⊙.	Schk.bot.ann.12.t.2
2 monoica. W.	male dament		NT America				
2 monoica. W.	pale-flowered.		N. America.	1781.	9.	n.4.	{ Wendl. in Rœm. Arch. 3. t. 2.
3 angustifolia. W.	narrow-leaved.		C. B. S.				Jac.scheen.2.t.231.
4 debilis. W.	hairy.		E. Ind.	1778.	6.7.	S. 3.	
5 comosa. W.	tufted.		N. America.	1812.	7.9.	H.4.	
6 tomentosa. Ph.	downy.			1732.	6.9.	H.4.	Dill. elt. t. 26. f. 29.
7 reniformis. Ph.	kidney-leaved.		Carolina.	1806.	7.8.	F. 4.	
8 suaveolens. W.	sweet-scented.			1816.	7.9.	S.h.	6
9 reticulata. W.	net-leaved.		Jamaica.	1779.		S.h.	
10 caribæa. W.	trailing.			1742.	9.10.	S.h.	Jac. ic. 1. t. 146.
11 bituminosa. W.	clammy.		C. B. S.	1774.	4.9.	G.h.	Bot. reg. 261.
12 parviflora. P. S.	small-flowered.		E. Ind.	1812.	7.	S. 3.	
13 sagittata. W. en.	arrow-leaved.		Havannah.	1815.			
14 rhombifolia. W.	rhomb-leaved.		E. Ind.			S.h.	
APIOS. Ph.	Arios.	Leguminosæ. J.	Glycinis sp. II	7.			
1 tuberosa. Ph.	tuberous-rooted.		N. America.	1640.	8.9.	H.4.	Bot. mag. 1198. Hort. angl. t. 15.
2 frutescens. Ph.	shrubby.			1724.	6.9.	H.h.	Hort. angl. t. 15.
KENNEDIA. Vent.	KENNEDIA.	Leguminosæ. J.	Glycinis sp. W	•			
1 rubicunda. V.	dingy-flowered.		N. S. W.	1788.	3.8.	G.h.	Bot. mag. 268.
2 coccinea. V.	many-flowered.		N. Holland.	1803.	5.8.	G.h.	Vent. malm. 105. 26
3 prostrata. H. K.	single-flowered.		N. S. W.	1790.	3.6.	G.h.	Bot. mag. 270.
4 Comptoniana. B. R.			N. Holland.	1803.		G.h.	Bot. rep. c. ic.
5 monophylla. V.	simple-leaved.		N. S. W.	1790.		G. h.	Bot. mag. 270. Bot. rep. c. ic. Bot. mag. 263.
CYLISTA. W.	CYLISTA.	Leguminosæ. J.					
1 villosa. H. K.	Cape.	-	C. B. S.				Bot. rep. 446.
2 albiflora. B. M.	white-flowered.		Mauritius.				Bot. mag. 1859.
3 scariosa. W.	Coromandel.		E. Ind.	1806.	• • • •	S.h.	Rox. cor. 1. t. 92.
CLITORIA. W.	CLITORIA.	Leguminosæ. J.	77 . 1			0.7	~ .
1 Ternatea. W.	wing-leaved.		E. Ind.	1739.	7.8.	S.h.	Bot. mag. 1542.
2 heterophylla. V.	various-leaved.		73. 11	1812.		8.0.	Vent. choix. t. 26.
3 brasiliana. W.	Brazilian.						Breyn. cent. t. 32.
4 virginica. W.	small-flowered.			1732.		5.4.	Par. lond. 51.
5 mariana. W.	Maryland.		N. America.				
6 arborescens. H. K.	tree.		Trinidad.			S.h.	D.4 000
7 Plumieri. B. reg.	Plumier's.	T	W. Ind.		9.11.	S.h.	Bot. reg. 268.
GALACTIA. Mi.	GALACTIA.	Leguminosæ. J.				C T	Dat nom 000
pendula. B. reg. PISUM. W.	pendulous.	T	Jamaica.	1794.	7.8.	s.h.	Bot. reg. 269.
1 sativum. W.	PEA.	Leguminosæ. J.	C Em			11.0	Yem :11 4 Con
2 arvense. W.	common.		S. Europe.	• • • •			Lam. ill. t. 633.
3 maritimum. W.			England	• • • •		H.⊙.	The hot said
OCHRUS. P. S.	sea.	Tomorio and Y	England.	• • • •	7.	11.4.	Eng. bot. 1046.
	Ochrus.	Leguminosæ. J.	0.77			** 0	0.11.1
nallida D C							
pallida. P. S. Pisum Ochrus. W.	yellow-flowered.	. 7)	S. Europe.	1633.	6.7.	H.O.	Schk.hand.2.t.280.

Y 2

OROBUS. W.	BITTER-VETCH.						
1 lathyroides. W.	upright.		Siberia.	1758.	6.	H.4.	Amm. ruth. t. 7. f. 2.
2 luteus. W.	yellow.			1759.	6.7.	H.4.	Gmcl. sib. 4. t. 4.
3 vernus, W.	spring.		Europe.				Bot. mag. 521.
4 tuberosus. W.	tuberous.		Britain.				Eng. bot. 1153.
5 albus. W.	white-flowered.		Austria.	1794		H 2/	Jac. aust. 1. t. 39.
			Italy				
6 varius, H. K.	parti-coloured.		Cil.				Bot. mag. 675.
7 angustifolius. W.	narrow-leaved.		Siberia.				Gmel. sib. 4. t. 5.
8 niger. W.	black.		Europe.	1596.	6.7.	H.4.	Flor. dan. t. 1170.
9 pyrenaicus. W.	Pyrenean.		Spain.	1699.	5.6.	H.4.	Pluk.alm.t.210.f.2.
10 sylvaticus. W.	wood.		Britain.				Eng. bot. 518.
11 ochroleucus. P. S.	sulphur-colourd.		Hnngary.				Pl.rar.hung.2.t.118
LATHYRUS. W.	LATHYRUS.	Leguminosæ. J.	2287.				2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
			England		0.5	11.0	F 1-4 1100
1 Aphaca. W.			England.				Eng. bot. 1167.
2 Nissolia. W.	crimson.	<del></del>					112.
3 amphicarpos. W.	Earth Pea.		· Levant.				Mor.his. 2.t. 23.f.1.
4 Cicera. W.	flat-podded.		S. Europe.	1633.		H.⊙.	Ger. emac. f. 3.
5 sativus. W.	Chickling Vetch.			1640.		H.O.	Bot. mag. 115.
6 inconspicuus. W.	small-flowered.		Levant.				Jac. vind. 1. t. 86?
7 setifolius. W.	bristle-leaved.					H.⊙,	ouce vinue 11 hoos
	scarlet.						
8 coccineus. P. S.			C. F	1000.		H.⊙.	
9 sphæricus. W.	round-seeded.		· S. Europe.	1801.	-	H.⊙.	
10 angulatus. W.	angular-seeded.			1683.		н.⊙.	Bux.cent.3.t.42.f.2
11 spurius. W. en.	bastard.			1815.		H.⊙.	
12 monanthos. W.	one-flowered.		Russia.			H.O.	
13 articulatus. W.	joint-podded.		S. Europe.				Bot. mag. 253.
	Sweet Pea.		Sicily				60.
14 odoratus. W.			& Envene				
15 grandiflorus. B. M.			S. Europe.				1938.
16 annuus. W.	two-flowered.			1621.		H.⊙.	•
17 tingitanus. W.	Tangier.		Barbary.	1680.		H.⊙.	Bot. mag. 100.
18 Clymenum. W.	various-flowered.		Levant.	1713.	6.7.	H.O.	Pluk.alm.t.114.f.6.
19 hirsutus. W.	rough-podded.		England.				Eng. bot. 1255.
20 magellanicus. W.	Lord Anson's Pea		Cane Horn.	1744	6.7	HO	21.8
			Lialland				Det meg 111
21 tuberosus. W.	tuberous.						Bot. mag. 111.
22 pratensis. W.	meadow.		Britain.	• • • •	6.8.	н.4.	Eng. bot. 670.
23 sylvestris. W.	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \				7.0	H 2/	805.
ab sylvestils. W.	lasting Pea.			• • • •	1.3.	11.4.	
- 1 110 11 777	[broad-leaved]		77 1 1			**	
24 latifolius. W.	{ everlasting. }		England.			H.4.	1108.
25 heterophyllus. W.	various-leaved.		Furone	1731.		H N	
			Dultain				En. bat 100
26 palustris. W.	marsh.		Dritain.				Eng. bot. 169.
27 incurvus. W.	curve-podded.		Russia.				Buxb. cent. 4. t. 46.
28 pisiformis. W.	Siberian.	-	Siberia.	1759.	6.7.	H.4.	Lin. fil. dec. t. 20.
VICIA. W.	VETCH.	Leguminosæ. J.					
1 pisiformis. W.	Pea-shaped.		Austria.	1739.	7.8.	H.4.	Jac. aust. 4. t. 364.
2 dumetorum. W.	great wood.		France.				Spreng. fl. hal. t. 7.
3 sylvatica. W.	common wood.		Britain				Eng. bot. 79.
* * * * * * * * * * * * * * * * * * * *			C				
4 cassubica. W.	Cassubian.		Germany.	1711.	6.7.	H. 4.	Jac. aust. 3. t. 229.
5 atropurpurea. W.	dark purple.		Aigiers.	1815.		r1.4.	Vent. cels. t. 84.
6 villosa. W.	villous.		Germany.				
7 Cracca. W.	tufted.		Britain.		6.8.	H.4.	Eng. bot. 1168.
8 tenuifolia. W.	slender-leaved.		Germany.	1799.	6.7.	H.4.	
9 onobrychioides. W.		Name and Address of the Owner, when the Owner, which t	S. Europe.	1789.		H.O.	All. ped.1. t. 42. f. 1, 9200
10 biennis. W.	biennial.		Siberia.				Gmel. sib. 4. t. 2.
11 pissoliana. W.							Chick that It to at
	red-flowered.			1773.			Hamm lund + loos
12 benghalensis. W.	Bengal.		E. Ind.				Herm. lugd. t. 625.
13 canescens. W.	hoary.		Libanus.				Labill. syr. t. 7.
14 capensis. W.	Cape.		C. B. S.	1802.		G. 4.	Jac.schæn.2.t.222.
15 pellucida. W.	pellucid.			1812.		G. 4.	Jac.schœn.2.t.222.
16 Ervilia. W.	officinal.		S. Europe.				Blackw. t. 208. f. 3.
17 biflora. W.	two-flowered.						Desf. atl. 2. t. 197.
1			-				2001. 401. 2. 0. 10/6
18 globosa. W.	globular.		70.14	1804.			Enm hat 984
19 sativa. W.	common.		Britain.		5.6.	н.⊙.	Eng. bot. 334.
β segetalis.	hedge.						
y nemoralis.	wood.						
20 angustifolia. P. S.	narrow-leaved.	·	Germany.	·		н.⊙.	
21 amphicarpos. P. S.	subterraneous.						Clus. exot. t. 88.
22 lathyroides. W.			Britain				Eng. bot. 30.
	spring.		Dillain.				
23 lutea. W.	yellow.		E . l l				481.
24 hybrida. W.	hairy-flowered.		England.	• • • •	_	11.4.	462.

		DIAD	ELLIIIA I	DECEMB	IUI.A.			100
25	lævigata. W.	smooth-podded.	Leguminosæ. J.	England.		7.8.	H.4.	Eng. bot. 483.
	megalosperma. }	Taurian.	. 0				н.⊙.	•
27	W. en. 3 articulata. W. en.	jointed.					- Н.⊙.	
	pannonica. W.	Hungarian.		Hungary.				Jac. aust. 1. t. 34.
	sordida. W.	sordid.						Pl.rar.hung.2.t.184
30	Michauxii. W. en.	white-flowered.					H.⊙.	
	peregrina. W.	broad-podded.		- France.	1779.		.н.⊙.	Pluk.alm.t.233.f.6.
	monantha. W.	single-flowered.		- Barbary.			-H.⊙.	Eng. bot 1515
	sepium. W. bithynica. W.	bush. purple.		- England				Eng. bot. 1515. Jac. vind. 2. t. 147.
	platycarpos. W.	flat-podded.		Germany.				Roth. abhand. t. 1.
	narbonensis. W.	broad-leaved.		France.	1596.	6.7.	H.O.	t. 2.
	serratifolia. W.	saw-leaved.		· Hungary.	1723.	<del></del>	-H.⊙.	Jac. aust. app. t. 8.
38	Faba. W.	Garden Bean.		· Egypt.	• • • •		-н.⊙.	
ER	β equina. XVUM. W.	Horse Bean. TARE.	Leguminosæ. J.					
	Lens. L.	Lentil.		- France.	1548.	5.	н.⊙.	
	Cicer Lens. W. Le			2 1411000		•	22.0.	
	tetraspermum. W.			- Britain.		6.	н.⊙.	Eng. bot. 1223.
	hirsutum. W.	hairy.			• • • •			970.
	dispermum. W. en.		· · · · ·	· E. Ind.	1802.		- H.⊙.	
CIO	CER. W.	CHICK PEA.	Leguminosæ. J.	C Funanc	1540	~ 0	110	Sable hand a + 000
7.11	arietinum. W. PARIA. W.	common. Liparia.	Leguminosæ. J.	s. Europe.	1548.	7.0.	п.б.	Schk.hand.2. t.202.
	sphærica. W.	globe-flowered.		. C. B. S.	1794.	7.8.	G.b.	Bot. mag. 1241.
	capitata. W.	headed.			1812.		- G. h.	3
3	tomentosa. W.	downy.					- G. b .	
	vestita. W.	concave-leaved.			1800.	5.6.	G.h.	Bot. rep. 382. 22223
5	graminifolia. W.	narrow-leaved.				6.7.	G.h.	(Houtt not his 5
6	villosa. W.	woolly.			1774.		G.h.	Houtt. nat. his. 5.
7	hirsuta. W.	shaggy-stemmed.			1792.	12.4.	G.h.	Bot. reg. 8.
8	sericea. W.	silky-leaved.			1794.	6.7.	G.h.	0
CY	TISUS. W.	CYTISUS.	Leguminosæ. J.					
1	Laburnum. W.	{ Common } Laburnum. }		- Switzerland.	1596.	5.6.	н. ь.	Bot. mag. 176.
2	alpinus. W. en.	Scotch (		- Europe.		6.	н. h.	,
	•	Laburnum.		-	1 # 0 0			D-4 225
	tomentosus. B. R. nigricans. W.	tomentose. black-rooted.		Austria				Bot. rep. 237. Jac. aust. t. 387.
	foliolosus. W.	leafy.		· Canaries.	1779.	7.8.	G.b.	Bot. mag. 426.
	divaricatus. W.	clammy.		S. Europe.	1656.		F.h.	1387.
7	sessilifolius. W.	common.		Italy.	1629.	5.6.	H.h.	1387. 255.
	wolgaricus. W.	wing-leaved.		Siberia.				Pall. ross. 1. t. 47.
	Cajan. W. nanus. W. en.	Pigeon Pea.		E. Ind.				Rheed. mal. 6. t. 13.
	hirsutus. W.	dwarf. hairy.		S. Europe.			G.h.	Jac. obs. 4. t. 96.
	capitatus. W.			Austria.				Schmidtarb.1.t.29.
13	austriacus. W.	Austrian.						Jac. aust. 1. t. 21.
	leucanthus. W.	cream-coloured.		Hungary.				Bot. mag. 1438.
	purpureus. W.			· Austria.				i176.
	supinus. W. biflorus. W.	trailing. two-flowered.		S. Europe.				Jac. aust. 1. t. 20.
	falcatus. W. en.	sickle-shaped.		Trungary.				Pl.rar.hung.2.t.166
	triflorus. W.	three-flowered.		Spain.	1640.	6.7.	H.h.	
20	elongatus. W. en.	long-branched.		Hungary.				Pl.rar.hung.2.t.183
	rhombifolius. Ph.	rhomb-leaved.		Louisiana			H.h.	
	proliferus. W.	silky.		Canaries.				Bot. reg. 121.
	argenteus. W. JLLERA. W.	silver-leaved. /	Leguminosæ. J.	France.	1739.	8.	H.h.	
	meniliformis. W.	bracelet.		Guiana.	1792.		S.h.	
	OFFROYA, W.	BASTARD CAB-	Leguminosæ. J.				~,,,	
	inermis. W.	BAGE-TREE. Smooth.		Jamaica.	1779		SI	Phil tran 1777 # 10
	BINIA. W.	ROBINIA.	Leguminosæ. J.	o mindica.	1110.	• • • •	B. n.	Phil.tran.1777.t.10
	Pseudacacia. W.	Common Acacia.		N. America.	1640.	5.6.	н. ь.	Schmidt arb.1.t.32.
	β inermis.	smooth large-ld.						
	viscosa. W.	clammy.		317 T. 1				Bot. mag. 560.
3	violacea. W.	Ash-leaved.		W. Ind.	1759.		S.h.	

# DIADELPHIA DECANDRIA.

	B	T amount or a - T	Camalina	1840 7 - 77 -	
4 hispida. W.	Rose-acacia.	Leguminosæ. J.	Carolina.	1743. 5.9. H.h.	Bot. mag. 311.
β rosea. 5 Caragana. W.	vpright. Caragana.		Siberia.	1752, 4.5. H L	Schmidt arb.1.t.33.
6 arenaria.	sand.	-		1809 67 H L	Rot mar 1006
7 Altagana. W.	flat-podded.			1789. 4.6. H.h.	L'Her. stirp. t. 76.
8 jubata. W.	bearded.			1796 H. Iz.	L'Her. stirp. t. 76. Pall.act. pet.10. t.6.
9 tragacanthoides. W.				1816. — H. h.	
10 spinosa. W.	thorny.		-	1775. 4.5. H.h.	Schmidt arb. 1.t. 36 Bot. mag. 1016.
11 Halodendron. W.	Salt-tree.		China	1779. 5.6. H.h.	Bot. mag. 1016.
12 Chamlagu. W. 13 frutescens. W.	shining. shrubby.		Siberia	1773. — 11. h.	Schmidt orb 1 t 24
14 pygmæa. W.	dwarf.		CHOCKE.	1751. — H.h.	L'Her. stirp. t. 77. Schmidt arb.1.t.34.
15 candida. Rox.	white-leaved.		E. Ind.	1810 S.h.	1.6.07.
COLUTEA. H. K.	BLADDER-SENNA				
1 arborescens. W. en			France.	1568. 6.8. H.h.	Bot. mag. 81.
2 media. W. en.	smaller.	-		— Н. h.	0.1
3 cruenta. W. en.	oriental.		Levant.	1710. 6.7. H.h.	Schmidt arb. t. 119.
4 Pocockii. W. en. SWAINSONA. H. K.	Pocock's. Swainsona.	Leguminosæ. J.	Loridium Va	1752. 5.10. H. h.	
1 galegifolia. H. K.	red-flowered.	neguminosæ.».		1800. 7.8. G.h.	Bot. mag. 799.
2 coronillifolia. H. K.				1802. — G. h.	1725.
SUTHERLANDIA. )					-,
H. K.		Leguminosæ. J.		•	
frutescens. H. K.	scarlet.			1683. 6.7. G. h.	Bot. mag. 181.
LESSERTIA. H. K.	LESSERTIA.	Leguminosæ. J.			Community of the
1 annua. H. K.	annual.		С. В. S.	1731. 6.7. G.O.	Comm.hort.2.t.44.
2 diffusa. H. K. 3 perennans. H. K.	procumbent.			1792. 7.8. G.⊙. 1753. 8. G.4.	Jac. vind. 2 t 3.
GLYCYRRHIZA. W.	4	Leguminosæ. J.		1700. 0. 0.4.	ouc. vina. o. c. o.
1 echinata. W.	prickly-headed.		Italy.	1596. 6.9. H.4.	Jac. vind. 1. t. 95. 2/
2 glandulifera. W.	glandulous.		Hungary.		Pl.rar.hung.1.t.21.
3 lepidota. Ph.	silky-leaved.		Missouri.		13.2. 1 . 10
4 glabra. W.	common.	C	S. Europe.		Lam. ill. t. 625. f. 2.
5 asperrima. W. 6 hirsuta. W.	rough.		Siberia.	1739. — H. 4.	Pall.it.app.t.M.f.3.
SESBANA. H. K.	Sesbana.	Leguminosæ. J.			
1 grandiflora. H. K.	great-flowered.		E. Ind.		Rheed.mal. 1. t. 51.
2 ægyptiaca. H. K.	Egyptian.		Egypt.		Alp.ægypt.81. t. 82.
3 aculeata. H. K.	prickly.		E. Ind.	1690. — S.⊙.	
4 cannabina. P. S.	Hemp.			1800. — S.O.	
CORONILLA. H. K.	CORONILLA.	Leguminosæ. J.	77		77. 4
1 Emerus. W.	Scorpion Senna.	-		1596. 4.6. H.h.	
2 juncea. W. 3 valentina. W.	Rush. nine-leaved.		S. Europe.	1596. 11.3. G.h.	Barr. ic. 133. 4 C
4 glauca. W.	seven-leaved.		France.	1722. 9.5. G.h.	
5 viminalis. H. K.	slender.		Mogador.		
6 coronata. W.				1798. 5.11. G.h.	rar. ionu. 15.
J Colonata. 11 .	large-headed.		S. Europe.	1798. 5.11. G.h. 1776. 6.7. F.4.	Bot. mag. 907.
7 minima. W.	least.		S. Europe.	1776. 6.7. F.4. 1658. 7. F.4.	Bot. mag. 907. Jac. aust. 3. t. 271.21
7 minima. W. 8 argentea. W.	least. silvery-leaved.		Crete	1776. 6.7. F. 4. 1658. 7. F. 4. 1664. 5.6. G. h.	Bot. mag. 907.  Jac. aust. 3. t. 271.21  Mill.ic. 2. t. 289. f. 1.
7 minima. W. 8 argentea. W. 9 varia. W.	least. silvery-leaved. purple.		Crete	1776. 6.7. F.4. 1658. 7. F.4. 1664. 5.6. G.h. 1597. 6.11. H.4.	Bot. mag. 907.  Jac. aust. 3. t. 271. 2/  Mill.ic. 2.t. 289.f. 1.  Bot. mag. 258.
7 minima. W. 8 argentea. W. 9 varia. W. 10 cretica. W.	least. silvery-leaved. purple. Cretan.		Crete. Europe. Candia.	1776. 6.7. F.4. 1658. 7. F.4. 1664. 5.6. G.h. 1597. 6.11. H.4. 1731. 6.7. H	Bot. mag. 907.  Jac. aust. 3. t. 271.2/1  Mill.ic. 2. t. 289. f. 1.  Bot. mag. 258.  Jac. vind. 1. t. 25.
7 minima. W. 8 argentea. W. 9 varia. W.	least. silvery-leaved. purple.		Crete. Europe. Candia.	1776. 6.7. F.4. 1658. 7. F.4. 1664. 5.6. G.h. 1597. 6.11. H.4. 1731. 6.7. H	Bot. mag. 907.  Jac. aust. 3. t. 271.2/1  Mill.ic. 2. t. 289. f. 1.  Bot. mag. 258.  Jac. vind. 1. t. 25.
7 minima. W. 8 argentea. W. 9 varia. W. 10 cretica. W.	least. silvery-leaved. purple. Cretan.		Crete. Europe. Candia.	1776. 6.7. F.4. 1658. 7. F.4. 1664. 5.6. G.h. 1597. 6.11. H.4. 1731. 6.7. H	Bot. mag. 907.  Jac. aust. 3. t. 271. 2/  Mill.ic. 2.t. 289.f. 1.  Bot. mag. 258.
7 minima. W. 8 argentea. W. 9 varia. W. 10 cretica. W.	least. silvery-leaved. purple. Cretan. Hatchet-vetch.	Leguminosæ. J.	Crete. Europe. Candia.	1776. 6.7. F.4. 1658. 7. F.4. 1664. 5.6. G.h. 1597. 6.11. H.4. 1731. 6.7. H	Bot. mag. 907. Jac. aust. 3. t. 271.21 Mill.ic. 2. t. 239. f. 1. Bot. mag. 258. Jac. vind. 1. t. 25. { Gært. de fr. 2. t. 153. f. 3.
7 minima. W. 8 argentea. W. 9 varia. W. 10 cretica. W. 11 Securidaca. W. ORNITHOPUS. W. 1 perpusillus. W. 2 ebracteatus. H. K.	least. silvery-leaved. purple. Cretan. Hatchet-vetch. BIRD's-Foot. common. round-podded.	Leguminosæ. J.	Crete. Europe. Candia. Spain. Britain. Portugal.	1776. 6.7. F. 4. 1658. 7. F. 4. 1664. 5.6. G. h. 1597. 6.11. H. 4. 1731. 6.7. H.⊙. 1562. 7.8. H.⊙ 5.8. H.⊙ 5.6. H.⊙.	Bot. mag. 907. Jac. aust. 3. t. 271.21 Mill.ic. 2. t. 239. f. 1. Bot. mag. 258. Jac. vind. 1. t. 25. { Gært. de fr. 2. t. 153. f. 3. Eng. hot. 369.
7 minima. W. 8 argentea. W. 9 varia. W. 10 cretica. W. 11 Securidaca. W. ORNITHOPUS. W. 1 perpusillus. W. 2 chracteatus. H. K. 3 compressus. W.	least. silvery-leaved. purple. Cretan. Hatchet-vetch. BIRD's-Foor. common. round-podded. hairy.	Leguminosæ. J.	Crete. Europe. Candia. Spain. Britain. Portugal. S. Europe.	1776. 6.7. F. ↓. 1658. 7. F. ↓. 1664. 5.6. G. ħ. 1597. 6.11. H. ↓. 1731. 6.7. H. ⊙. 1562. 7.8. H. ⊙ 5.8. H. ⊙. 1730. 6.7. H. ⊙.	Bot. mag. 907. Jac. aust. 3. t. 271.21 Mill.ic. 2. t. 239. f. 1. Not. mag. 258. Jac. vind. 1. t. 25. Gært. de fr. 2. t. 153. f. 3. Eng. bot. 369.
7 minima. W. 8 argentea. W. 9 varia. W. 10 cretica. W. 11 Securidaca. W. ORNITHOPUS. W. 1 perpusillus. W. 2 ebracteatus. H. K. 3 compressus. W. 4 durus. W.	least. silvery-leaved. purple. Cretan. Hatchet-vetch. BIRD's-FOOT. common. round-podded. hairy. perennial.	Leguminosæ. J.	Crete. Europe. Candia. Spain. Britain. Portugal. S. Europe. Spain.	1776. 6.7. F. ↓. 1658. 7. F. ↓. 1664. 5.6. G. ħ. 1597. 6.11. H. ↓. 1731. 6.7. H. ⊙. 1562. 7.8. H. ⊙ 5.8. H. ⊙. 1730. 6.7. H. ⊙.	Bot. mag. 907. Jac. aust. 3. t. 271.21 Mill.ic. 2. t. 239. f. 1. Not. mag. 258. Jac. vind. 1. t. 25. Gært. de fr. 2. t. 153. f. 3. Eng. bot. 369.
7 minima. W. 8 argentea. W. 9 varia. W. 10 cretica. W. 11 Securidaca. W. ORNITHOPUS. W. 1 perpusillus. W. 2 cbracteatus. H. K. 3 compressus. W. 4 durus. W. 5 scorpioides. W.	least. silvery-leaved. purple. Cretan. Hatchet-vetch. BIRD's-FOOT. common. round-podded. hairy. perennial. Purslane-leaved.	Leguminosæ. J.	Crete. Europe. Candia. Spain. Britain. Portugal. S. Europe. Spain. S. Europe.	1776. 6.7. F. ¼. 1658. 7. F. ¼. 1664. 5.6. G. ½. 1597. 6.11. H. ¼. 1731. 6.7. H.⊙. 1562. 7.8. H.⊙ 5.8. H.⊙. 1730. 6.7. H.⊙. 1730. 6.7. H.⊙. 1805. — H. ¼. 1596. — H. ∯.	Bot. mag. 907. Jac. aust. 3. t. 271.21 Mill.ic. 2. t. 289. f. 1. Bot. mag. 258. Jac. vind. 1. t. 25. { Gært. de fr. 2. t. 153. f. 3. Eng. bot. 369.  Cav.ic. 1. t. 41.
7 minima. W. 8 argentea. W. 9 varia. W. 10 cretica. W. 11 Securidaca. W. ORNITHOPUS. W. 1 perpusillus. W. 2 ebracteatus. H. K. 3 compressus. W. 4 durus. W. 5 scorpioides. W. 6 repandus. P. S.	least. silvery-leaved. purple. Cretan. Hatchet-vetch. BIRD's-Foot. common. round-podded. hairy. perennial. Purslane-leaved. repand.	Leguminosæ. J.	Crete. Europe. Candia. Spain. Britain. Portugal. S. Europe. Spain. S. Europe.	1776. 6.7. F. ¼. 1658. 7. F. ¼. 1664. 5.6. G. ½. 1597. 6.11. H. ¼. 1731. 6.7. H.⊙. 1562. 7.8. H.⊙ 5.8. H.⊙. 1730. 6.7. H.⊙. 1730. 6.7. H.⊙. 1805. — H. ¼. 1596. — H. ∯.	Bot. mag. 907. Jac. aust. 3. t. 271.21 Mill.ic. 2. t. 239. f. 1. Not. mag. 258. Jac. vind. 1. t. 25. Gært. de fr. 2. t. 153. f. 3. Eng. bot. 369.
7 minima. W. 8 argentea. W. 9 varia. W. 10 cretica. W. 11 Securidaca. W. ORNITHOPUS. W. 1 perpusillus. W. 2 cbracteatus. H. K. 3 compressus. W. 4 durus. W. 5 scorpioides. W.	least. silvery-leaved. purpls. Cretan. Hatchet-vetch. Bird's-Foot. common. round-podded. hairy. perennial. Purslane-leaved. repand. { Horseshoe-}	Leguminosæ. J.	Crete. Europe. Candia. Spain. Britain. Portugal. S. Europe. Spain. S. Europe.	1776. 6.7. F. ¼. 1658. 7. F. ¼. 1664. 5.6. G. ½. 1597. 6.11. H. ¼. 1731. 6.7. H.⊙. 1562. 7.8. H.⊙ 5.8. H.⊙. 1730. 6.7. H.⊙. 1730. 6.7. H.⊙. 1805. — H. ¼. 1596. — H. ∯.	Bot. mag. 907. Jac. aust. 3. t. 271.21 Mill.ic. 2. t. 289. f. 1. Bot. mag. 258. Jac. vind. 1. t. 25. { Gært. de fr. 2. t. 153. f. 3. Eng. bot. 369.  Cav.ic. 1. t. 41.
7 minima. W. 8 argentea. W. 9 varia. W. 10 cretica. W. 11 Securidaca. W. ORNITHOPUS. W. 1 perpusillus. W. 2 ebracteatus. H. K. 3 compressus. W. 4 durus. W. 5 scorpioides. W. 6 repandus. P. S.	least. silvery-leaved. purple. Cretan. Hatchet-vetch. BIRD's-Foot. common. round-podded. hairy. perennial. Purslane-leaved. repand.	Leguminosæ. J.	Crete. Europe. Candia. Spain. Britain. Portugal. S. Europe. Spain. S. Europe. Barbary. Italy.	1776. 6.7. F. ¼. 1658. 7. F. ¼. 1664. 5.6. G. ½. 1597. 6.11. H. ¼. 1731. 6.7. H.⊙. 1562. 7.8. H.⊙ 5.8. H.⊙. 1730. 6.7. H.⊙. 1730. 6.7. H.⊙. 1805. — H. ¼. 1596. — H. ∯.	Bot. mag. 907. Jac. aust. 3. t. 271.21 Mill.ic. 2. t. 289. f. 1. Bot. mag. 258. Jac. vind. 1. t. 25. { Gært. de fr. 2. t. 153. f. 3.  Eng. bot. 369.  Cav.ic. 1. t. 41.  1. t. 37. Lam.ill. t. 631. f. 2.
7 minima. W. 8 argentea. W. 9 varia. W. 10 cretica. W. 11 Securidaca. W. ORNITHOPUS. W. 1 perpusillus. W. 2 chracteatus. H. K. 3 compressus. W. 4 durus. W. 5 scorpioides. W. 6 repandus. P. S. HIPPOCREPIS. W.	least. silvery-leaved. purple. Cretan. Hatchet-vetch. BIRD's-Foor. common. round-podded. hairy. perennial. Purslane-leaved. repand. { HORSESHOE-} VETCH.	Leguminosæ. J.	Crete. Europe. Candia. Spain. Britain. Portugal. S. Europe. Spain. S. Europe. Barbary.  Italy. S. Europe.	1776. 6.7. F. ±. 1658. 7. F. ½. 1664. 5.6. G. ħ. 1597. 6.11. H. ½. 1731. 6.7. H.⊙. 1562. 7.8. H.⊙ 5.8. H.⊙ 5.6. H.⊙. 1730. 6.7. H.⊙. 1805. — H. ⊉. 1596. — H. ⊕. 1570. 6.7. H.⊙.	Bot. mag. 907. Jac. aust. 3. t. 271.21 Mill.ic. 2. t. 289. f. 1. Bot. mag. 258. Jac. vind. 1. t. 25. { Gært. de fr. 2. t. 153. f. 3.  Eng. bot. 369.  Cav.ic. 1. t. 4!. ————————————————————————————————————
7 minima. W. 8 argentea. W. 9 varia. W. 10 cretica. W. 11 Securidaca. W. ORNITHOPUS. W. 1 perpusillus. W. 2 ebracteatus. H. K. 3 compressus. W. 4 durus. W. 5 scorpioides. W. 6 repandus. P. S. HIPPOCREPIS. W. 1 unisiliquosa. W. 2 multisiliquosa. W. 3 balearica. W.	least. silvery-leaved. purple. Cretan.  Hatchet-vetch. BIRD's-Foot. common. round-podded. hairy. perennial. Purslane-leaved. repand. { HORSESHOE- VETCH.} single-podded many-podded. slirubby.	Leguminosæ. J.	Crete. Europe. Candia. Spain.  Britain. Portugal. S. Europe. Spain. S. Europe. Harbary.  Italy. S. Europe. Minorca.	1776. 6.7. F. 4. 1658. 7. F. 4. 1664. 5.6. G. h. 1597. 6.11. H. 4. 1731. 6.7. H.⊙. 1562. 7.8. H.⊙ 5.8. H.⊙ 5.6. H.⊙. 1730. 6.7. H.⊙. 1805. — H.⊙. 1805. — H.⊙. 1570. 6.7. H.⊙.	Bot. mag. 907. Jac. aust. 3. t. 271.21 Mill.ic. 2. t. 239. f. 1. Bot. mag. 258. Jac. vind. 1. t. 25. { Gært. de fr. 2. t. 153. f. 3.  Eng. hot. 369.  Cav.ic. 1. t. 41
7 minima. W. 8 argentea. W. 9 varia. W. 10 cretica. W. 11 Securidaca. W. ORNITHOPUS. W. 1 perpusillus. W. 2 cbracteatus. H. K. 3 compressus. W. 4 durus. W. 5 scorpioides. W. 6 repandus. P. S. HIPPOCREPIS. W. 1 unisiliquosa. W. 2 multisiliquosa. W. 3 balearica. W. 4 comosa. W.	least. silvery-leaved. purpls. Cretan. Hatchet-vetch. Bird's-Foot. common. round-podded. hairy. perennial. Purslane-leaved. repand. { Horseshoe-} Vetch. } single-podded many-podded. slirubby. tufted.	Leguminosæ. J.	Crete. Europe. Candia. Spain.  Britain. Portugal. S. Europe. Spain. S. Europe. Harbary.  Italy. S. Europe. Minorca.	1776. 6.7. F. ±. 1658. 7. F. ½. 1664. 5.6. G. ħ. 1597. 6.11. H. ½. 1731. 6.7. H.⊙. 1562. 7.8. H.⊙ 5.8. H.⊙ 5.6. H.⊙. 1730. 6.7. H.⊙. 1805. — H. ⊉. 1596. — H. ⊕. 1570. 6.7. H.⊙.	Bot. mag. 907. Jac. aust. 3. t. 271.21 Mill.ic. 2. t. 239. f. 1. Bot. mag. 258. Jac. vind. 1. t. 25. { Gært. de fr. 2. t. 153. f. 3.  Eng. hot. 369.  Cav.ic. 1. t. 41
7 minima. W. 8 argentea. W. 9 varia. W. 10 cretica. W. 11 Securidaca. W. ORNITHOPUS. W. 1 perpusillus. W. 2 chracteatus. H. K. 3 compressus. W. 4 durus. W. 5 scorpioides. W. 6 repandus. P. S. HIPPOCREPIS. W. 1 unisiliquosa. W. 2 multisiliquosa. W. 3 balearica. W. 4 comosa. W. SCORPIURUS. W.	least. silvery-leaved. purple. Cretan.  Hatchet-vetch. BIRD's-Foor. common. round-podded. hairy. perennial. Purslane-leaved. repand. {HORSESHOE-} VETCH. single-podded many-podded. shrubby. tufted. CATERPILLAR.	Leguminosæ. J.  Leguminosæ. J.  Leguminosæ. J.	Crete. Europe. Candia. Spain.  Britain. Portugal. S. Europe. Spain. S. Europe. Barbary.  Italy. S. Europe. Minorea. England.	1776. 6.7. F. ↓. 1658. 7. F. ↓. 1664. 5.6. G. ħ. 1597. 6.11. H. ↓. 1731. 6.7. H.⊙.  5.8. H.⊙ 5.6. H.⊙. 1780. 6.7. H.⊙. 1805. — H. ↓. 1596. — H. ↓. 1570. 6.7. H.⊙. 1683. 7.8. H.⊙. 1776. 5.6. G. ħ 4.8. H. ↓.	Bot. mag. 907. Jac. aust. 3. t. 271.2/ Mill.ic. 2. t. 289. f. 1. Bot. mag. 258. Jac. vind. 1. t. 25. { Gært. de fr. 2. t. 153. f. 3.  Eng. bot. 369.  Cav.ic. 1. t. 41
7 minima. W. 8 argentea. W. 9 varia. W. 10 cretica. W. 11 Securidaca. W. ORNITHOPUS. W. 1 perpusillus. W. 2 cbracteatus. H. K. 3 compressus. W. 4 durus. W. 5 scorpioides. W. 6 repandus. P. S. HIPPOCREPIS. W. 1 unisiliquosa. W. 2 multisiliquosa. W. 3 balearica. W. 4 comosa. W. SCORPIURUS. W. 1 vermiculata. W.	least. silvery-leaved. purple. Cretan. Hatchet-vetch. BIRD's-Foot. common. round-podded. hairy. perennial. Purslane-leaved. repand. { HORSESHOE-} VETCH. single-podded many-podded. slrubby. tufted. CATERPILLAR. common.	Leguminosæ. J.	Crete. Europe. Candia. Spain.  Britain. Portugal. S. Europe. Spain. S. Europe. Barbary.  Italy. S. Europe. Minorea. England.	1776. 6.7. F. ±. 1658. 7. F. ½. 1664. 5.6. G. ½. 1597. 6.11. H. ½. 1731. 6.7. H.⊙. 1562. 7.8. H.⊙ 5.8. H.⊙. 1730. 6.7. H.⊙. 1805. — H. ∰. 1570. 6.7. H.⊙. 1570. 6.7. H.⊙. 1570. 6.7. H.⊙. 1570. 6.7. H.⊙. 1683. 7.8. H.⊙. 1776. 5.6. G. ½ 4.8. H. ¾.	Bot. mag. 907. Jac. aust. 3. t. 271.21 Mill.ic. 2. t. 289. f. 1. Bot. mag. 258. Jac. vind. 1. t. 25. { Gært. de fr. 2. t. 153. f. 3.  Eng. bot. 369.  Cav.ic. 1. t. 4!. ————————————————————————————————————
7 minima. W. 8 argentea. W. 9 varia. W. 10 cretica. W. 11 Securidaca. W. ORNITHOPUS. W. 1 perpusillus. W. 2 chracteatus. H. K. 3 compressus. W. 4 durus. W. 5 scorpioides. W. 6 repandus. P. S. HIPPOCREPIS. W. 1 unisiliquosa. W. 2 multisiliquosa. W. 3 balearica. W. 4 comosa. W. SCORPIURUS. W.	least. silvery-leaved. purple. Cretan.  Hatchet-vetch. BIRD's-Foor. common. round-podded. hairy. perennial. Purslane-leaved. repand. {HORSESHOE-} VETCH. single-podded many-podded. shrubby. tufted. CATERPILLAR.	Leguminosæ. J.  Leguminosæ. J.  Leguminosæ. J.	Crete. Europe. Candia. Spain.  Britain. Portugal. S. Europe. Spain. S. Europe. Barbary.  Italy. S. Europe. Minorea. England.	1776. 6.7. F. ±. 1658. 7. F. ½. 1664. 5.6. G. ½. 1597. 6.11. H. ½. 1731. 6.7. H.⊙. 1562. 7.8. H.⊙ 5.8. H.⊙. 1730. 6.7. H.⊙. 1805. — H. ∰. 1570. 6.7. H.⊙. 1570. 6.7. H.⊙. 1570. 6.7. H.⊙. 1570. 6.7. H.⊙. 1683. 7.8. H.⊙. 1776. 5.6. G. ½ 4.8. H. ¾.	Bot. mag. 907. Jac. aust. 3. t. 271.2/ Mill.ic. 2. t. 289. f. 1. Bot. mag. 258. Jac. vind. 1. t. 25. { Gært. de fr. 2. t. 153. f. 3.  Eng. bot. 369.  Cav.ic. 1. t. 41

#### DIADELPHIA DECANDRIA.

	DIAD	ELFRIA I	ECAND.	MIA.	101
3 sulcata. W. 4 subvillosa. W.	three-flowered.	Leguminosæ. J.			<ul><li>Desf. atl. 2. f. 4.</li><li>Mor.hist.2,t.11.f.2.</li></ul>
SMITHIA. W. sensitiva. W.	SMITHIA.	Leguminosæ. J.			⊙. Par. lond. 92.
ÆSCHYNOMENE.	ÆSCHYNOMENE.		234 21111	*	0. 2
1 sensitiva. W.	shrubby.		W. Ind.	1733 S.	h . Plum. ic. t. 149.
2 aspera. W.	rough-stemmed.		E. Ind.		O. Breyn. cent. t. 52.
3 hispida. W.	hispid.		N. America.	1803. 8. H.	⊙.
4 americana. W.	hairy.		Jamaica.		. Sloan.h.1.t.118.f.3.
5 indica. W.			E. Ind.	1799. 6.7. S.	O. Rheed.mal.9.t.18.
HALLIA. Th.	HALLIA.	Leguminosæ. J.	o n e	17700 00 C	4
i flaccida. W.	long-leaved.		C. B. S.	1789. 8.9. G.	d. 4. Jac.schoon.3.t.290.
2 cordata. W. 3 imbricata. W.	heart-leaved.			1787. 8. G.	h. Bot. mag. 1850. 254
LESPEDEZA. Mich.	LESPEDEZA.	Leguminosæ. J.	Hedusari sa	II'.	7. Dot. mag. 1650. 23
1 fruticosa. P. S.	shrubby.				h . Jac. vind. 3. t. 89.
2 sessiliflora. Ph.	sessile-flowered.		N. America.	7. H.	24.
3 juncea. P. S.	slender-branch'd,		India.	1776. 7.8. S.	24. Linn. fil. dec. 1. t. 4.
4 capitata. Ph.	headed.		N. America.	1789. 6.7. H.	21.
5 polystachia. Ph.	hairy.			6.8. H	21. Mich amer 9 t 40.
6 violacea. Ph.	Violet-flowered.			7.8. H.	4.
			- China.	1790. 5.6. G.	4. Burm. ind. t.53.f.2.
HEDYSARUM. W.	HEDYSARUM.	Leguminosæ. J.	T4	1 m 1 4 m 0 G	T . Thomas 't ou t at
1 Alliagi. W.	prickly-stemm d.		Levant,	1714. 7.8. G.	h. Rauw. it. 94. t. 14. 3. Roxb. cor. 2. t. 194.
2 pupieuriioiium. w.	mare s-ear-ieav.		· maia.	1/93 3.	8. Koxo. cor. 2. t. 194.
٧٧٠.	Moneywort-lead.		T. I. 3	1777. 7.9. S.	O. Pet. gaz. t. 26. f. 4.
4 styracifolium. W. 5 gangeticum. W.	Storax-leaved.		· E. Inu.	1790 2	Runn gal + 40 f a
6 triquetrum. W.	triangular-stalkd		111	1802. 7.5. S.	<ul> <li>Burm.zel.t.49.f.2.</li> <li>Burm.ind.t.52.f.2.</li> </ul>
7 maculatum. W.	spotted.		- India.	1732. 6.8. S.	①. Dill.elt.t.141.f.168
8 vaginale. W.	sheathed.		- E. Ind.	1790. 7.8. S	<ul> <li>⊙. Dill.elt.t.141.f.168</li> <li>⊙. Burm.zeyl.t.49.f.1.</li> <li>h.</li> </ul>
3 sagittatum. P. S.	arrow-leaved.			· 1807 S.	h.
10 vespertilionis. W.	bat-winged.		- Lochinchina	1780 78 8	£ 490 10 3. T 566.
11 tomentosum. W.	woolly.		- China.	1782. 6.7. G.	4. Jac.schen.3.1.297.
12 umbellatum. W.	umbel-flowered.		- E. Ind.	1801 S.	h. Jac.schen.3.t.297.
13 biarticulatum. W.	jointed.				
14 gyrans. W.	Moving-plant.	-	· · ·	· 1775. 7.8. S	Jac. ic. 3. t. 565.
15 trigonum. W.	three-sided.	Annual translation and the same with	- Jamaica.	1733. — S.	h.
16 canadense. W. 17 canescens. Ph.	Canadian. hoary.		- N. America.	1040. — H	4. Corn. canad. t. 45:
18 marilandicum. W.	Maryland.			1795. 7 10 H	4. Dill.elt.t.144.f.171
19 obtusum. Ph.	obtuse.		-	1805. 7.8. H.	31.
20 capitatum. W.	headed.		- Cevlon.	7. S	h. Burm.ind.t.54.f.1. h. Slojam.1.t.116.f.2.
21 tortuosum. W.	twisted-podded.		- Jamaica.	1781. 7.8. S.	h. Slojam.1.t.116.f.2.
22 viridiflorum. W.	green-flowered.		- N. America.	1787, 7.9, H	. 21. Pluk.alm. t.308.f.5.
23 paniculatum. W.	panicled.			- 1781. 7. H	21. Pluk.man. t. 432.f.6
24 tuberosum. W.	tuberous.		- E. Ind.	1806 S	. T <sub>2</sub> .
25 cuspidatum. W.	sharp-pointed.		- N. America.	7.8. H	.4.
26 glutinosum. W. 27 serotinum. W. en.	glutinous.		-	- 1805. — FI	· 4 •
28 triflorum. W. en.	late-flowering. three-flowered.		- India	1796, 6.7 S	A Burm und t 54 f a
29 pictum. W.	painted-leaved.		- E Ind	1799. 0.7. 3	L Jac ic 2 t 567
30 argenteum. W.	silver-leaved.	-	- Siberia.	1796, 7.8. H	6. Burm. ind.t.54.f.2, h. Jac. ic. 3. t. 567. 4. Pall. it. 2. t. 9.
31 fruticosum. W.	Siberian shrubby			- 1782. 6.7. H	h. — 9. t. 5. f. 1.
32 alpinum. W.	Alpine.			- 1798. —— H	(Coral oil Am Of
33 obscurum. W.	creeping-rooted.		- Alps of Eur.	1640. 7.8. H	
34 tauricum. W.	Taurian.		- Tauria.	1804. 7. H	
35 roseum. H. K.	Rose-coloured.		- Caucasus.		. 4. Bot. mag. 996.
36 coronarium. W.	French Honey-		- Italy.	1596. 6.7. H	
37 flexuosum. W.	wave-podded.	***************************************	- Asia.	1680. 7.8. H	.O. Schk.hand.2.t.207.
38 humile. W.	dwarf.		-	1640. —— H	
39 muricatum. W.	prickly-podded.		- Patagonia.		.4. Jac. ic. 3. t. 568.
40 spinosissimum. W.					O. Pluk.alm.t.50.f.2.
41 Onobrychis. W.	Saint-foin,		- Britain.		.4. Eng. bot. 96.
42 saxatile. W.	rock,		- S. Europe.		24. All. ped. 1. t.19. f.1.
43 album. P. S.	white.	The second secon	- mungary.	1804	4. Pl.rar.hung.2.t.114

```
1731. 7.8. H.⊙.
1710. 6.8. H.⊙.
1780. 7.9. S.h. Burm. ind. t. 56.
                        Cock's-head.
44 Caput-galli, W.
                                         Leguminosæ. J.
                                                            France.
45 Crista-galli. W.
                        Cock's-comb.
                                                            S. Europe.
46 crinitum. W.
                       crook-podded.
                                                           E. Ind.
                       ZORNIA.
                                         Leguminosæ. J. Hedysari sp. IV.
ZORNIA. Mich.
                       neat Indian.
                                              ____ E. Ind.
 1 pulchella. P. S.
                                                                          1799. 7.8. S.h. Burm. zeyl. t. 52.
                       two-leaved.
 2 diphylla. P. S.
                                                           India.
                                                                          1733. - S.O. Rheed.mal. 9. t. 82.
                                         Leguminosæ. J. Hedysari sp. W.
FLEMINGIA. Rox.
                       FLEMINGIA.
 1 stricta. H. K.
                       straight.
                                                           India.
                                                                          1798. 7.9.
                                                                                      S. 24 .
                                                                                      S.h.
 2 semialata. H. K.
                       many-spiked.
                                                            Nepaul.
                                                                          1805. 7.8.
 3 congesta. H. K.
                       crowded-spiked.
                                                                                      S. h.

    India.

                                                                          1802. 7.9.
 4 nana. H. K.
                       dwarf.
                                                                                       S.h.
                                                                          1804. 8.
 5 lineata, H. K.
                       branch-spiked.
                                                                          1793. 7.8.
                                                                                      S. J. Burm.ind. t.53. f.1.
                       Beech-leaved.
 6 strobilifera. H. K.
                                                         - E. Ind.
                                                                                      S. h. Linn. zeyl. t. 30 617
                                                                         1787. ----
INDIGOFERA. W.
                       INDIGO.
                                         Leguminosæ. J.
 1 filifolia. W.
                       naked-stalked.
                                                           C. B. S.
                                                                          1812. 7.10. G.h. Bot. reg. 104.
 2 linifolia. W.
                       Flax-leaved.
                                                          - E. Ind.
                                                                          1792. 7.8. S.O. Rox. cor. 2. t. 194.
 3 psoraloides. W.
                       long-spiked.
                                                            C. B. S.
                                                                          1758. 7.9. G.h. Bot. mag. 476.
                       white-leaved.
 4 caudicans. W.
                                                                          1774. 5.9. G.h.
 5 amorna. W.
                                                                             - 3.4. G. h. Jac.scheen. 2. t. 234.
                       scarlet-flowered.
                                                                         1812. 5.7. G.h.
 6 incana. W.
                       hoary.
 7 sarmentosa. W.
                       dwarf.
                                                                          1786. 6.7. G.24.
 8 denudata. W.
                       smooth-leaved.
                                                                         1790. 5.7. G. h. Jac.schæn. 2. t. 233.
 9 trita. W.
                       oval-leaved.
                                                          - E. Ind.
                                                                          1802. 6.7.
                                                                                      S. 3.
10 microphylla. P. S.
                       small-leaved.
                                                         - C. B. S.
                                                                          1812. 1.12. G.h.
                       leathery-leaved.
                                                                         1774. 7.8. G.h.
11 coriacea. W.
                                                         - E. Ind:
12 enneaphylla. W.
                       trailing.
                                                                          1776. ---
                                                                                  - S.O. Burm.ind. t.55. f.1.
                                                           C. B. S.
                       angular-stalked.
                                                                          1774. - G. h. Pot. mag. 742.
13 cytisoides. W.
                                                                         1812. — G. h. Jac.schæn.2.t.236.
14 stricta. W.
                       upright.
15 hirsuta. W.
                       hairy-leaved.
                                                          - E. Ind.
                                                                          1759. . . . S. h . Burm. zeyl. t. 14.
                                                                         1774. 6.10. G. h. Bot. mag. 465.
1790. 3.6. G. h. Vent. malm. 45. 386
16 angustifolia. W.
                       narrow-leaved.
                                                           C. B. S.
                       Botany Bay.
                                                           N. S. W.
17 australis. W.
                                                       -- E. Ind.
                                                                          1806. 6.7. S.O. Sert. han. 2. t. 12.
18 viscosa. W.
                       clammy.
19 Anil. W.
                       West Indian.
                                                           W. Ind.
                                                                          1731. 7.8. S. J.
                                                                                - S.h.
20 tinctoria. W.
                       East Indian.
                                                           E. Ind.
                                                                                             Rheed.mal.1.t. 54.
                                                           W. Ind.
                                                                          1776. - S. h. L'Her. stirp. t. 79.
                       silver-leaved.
21 argentea. W.
                                         Leguminosæ. J. Galegæ sp. IV.
TEPHROSIA, P. S.
                       TEPHROSIA.
 1 toxicaria. P. S.
                       Fish Poison.
                                                       - S. America.
                                                                         1791. .... S. h. Plum. ic. t. 135.
                                                           N. America. 1765. 6.8. H. 4. Pluk. alm.t. 23. f. 2.
 2 virginiana. Ph.
                       Virginian.
 3 grandiflora. P. S.
                       Rose-coloured.
                                                           C. B. S.
                                                                          1774. 5.9. G.h.
 4 stricta. P. S.
                       upright.
                                                                         1774. 5.6. G.h. Scop. insub.1. t. 3.
                       pale-flowered.
                                                                         1787. 6.8. G.h.
 5 pallens. P. S.
                       villous.
                                                           E. Ind.
                                                                         1779. 6.7. S. h. Pluk.alm. t. 59.f. 6.
 6 villosa, P. S.
 7 piscatoria. P. S.
                       woolly.
                                                           India.
                                                                          1778. -
                                                                                    - S. J.
 9 purpurea. P. S.
                       purple.
                                                           E. Ind.
                                                                         1768. 7.8. S. 4. Burm. zeyl. t. 32.
                       GOAT'S RUE.
                                         Leguminosæ. J.
GALEGA. P. S.
 1 officinalis. W.
                       officinal.
                                                           Spain.
                                                                         1568. 6.9. H. 4. Sch.hand.2.t.208.a.
                       blue-flowered.
   a cærulea.
   B alba.
                       white-flowered.
                                                                         2 orientalis. W.
                       oriental.
                                                          - Levant.
 8 caribæa. W.
                       Caribean.
                                                           Caribees.
                                                                         1799. . . . .
 4 ochroleuca. W.
                       sulphur-colour'd
                                                                                      S.h. Jac. ic. 1. t. 150.
                                                           E. Ind.
                                                                         1807. 7.
                                                                                      S. 3.
 5 Heyniana. Rox,
                       Heyne's.
PHACA. W.
                       BASTARD VETCH Leguminosæ. J.
                                                                         1640. 7. H.4. Moris. s. 2. t. 8. f.1.
 1 bætica. W.
                       hairy.
                                                           Spain.
                                                                         1795. — H.4. Jac. aust. t. 166.
1759. — H.4. Jac. ic. 1. t. 151.
1779. 5.6. H.4. Jac. misc. 2. t. 3.
                       small.
 2 frigida. W.
                                                           Austria.
 3 alpina. W.
                       smooth Alpine.
 4 australis. W.
                                                           S. Europe.
                       trailing.
                                                                         1796. 7.8. H. 4. Pall.it. 3.t. Cc.f.1.2.
 5 arenaria. W.
                       sand.
                                                           Siberia.
                       procumbent.
 6 astragalina. P. S.
                                                         - N. Europe.
                                                                         1771. 6.7. H. 4. Fl. dan. 51.
   Astragalus alpinus. IV.
OXYTROPIS, Dec.
                       OXYTROPIS.
                                         Leguminosæ. J. Astragali sp. W.
 1 montana. P. S.
                       mountain.
                                                           Austria.
                                                                         1581. 7.8. H. 4. Bot. mag. 843.
                       Lambert's.
                                                                         1811. 8.9. H.4.
 2 Lambertii. Ph.
                                                           Missouri.
                                                           Siberia.
                                                                                7. H. 4. Pall. astrag. t. 42.
 3 uralensis. P. S.
                       silky.
                                                                         1800.
                                                                                5.8. H.4. Eng. bot. 466.
                       hairy mountain.
                                                         - Scotland.
 4 sordida. P. S.
   Astragalus uralensis. E. B.
                                                                         1778. 6.7. H. 4. Pl.rar.hung.2.t.130
 5 campestris. P. S.
                       field.
                                                        - Germany.
                                                                         1768. 7.8. H.O.
 6 uncata. P. S.
                       Aleppo.
                                                        - Aleppo.
                                                                         1802. 7.9. H. 4. Pall, astrag. t. 45.
 7 altaica. P. S.
                       Altaic.
                                                          · Siberia.
 8 cymbicarpos. P. S.
                       boat-podded.
                                                         - Portugal.
                                                                         1800. 7.8. H.⊙.
```

		DiA.	DELLINIA	Dischin	JEULIA.	109
	pilosa. P. S.	pale-flowered.	Leguminosæ. J.	Siberia.	1732. 6.8. H.	24. Jac. aust. 1. t. 51.24
	dealbata. P. S.	mealy.				4. Pall.astra.t.23.f.2.3
11	deflexa. P. S.	small-flowered.		Siberia.	1800. 6.7. H.	4. Jac. ic. 1. t. 153.
12	Astragalus parvift dichoptera. P. S.	pubescent.			1815. —— H.	24. Pall. astrag. t. 39.
	TRAGALUS. Dec.	MILK VETCH.	Leguminosæ. J.		20101	41 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1	christianus. W.	great yellow.		Armenia.	1737. 7. H.	24 . Tourn. it. 2. t. 254.
	tomentosus. W.	downy-leaved.	-	Egypt.		24. Dec. astrag. t. 29.
	alopecuroides. W. vulpinus. W.	Fox-tail-like. Fox-tail.				24. Pall. astrag. t. 8.
	narbonensis. W.	French.		S. Eurone.		24 t. 10.
	capitatus. W.	headed.			1759. 7.8. H.	
	sulcatus. W.	furrowed.				4. Jac. vind. 3. t. 40.
	melilotoides. W.	Melilot-like.			6.7. H.	24. Pall. astrag. t. 41.
	virgatus. W. tenuifolius. W.	twiggy.			1306. 5.8. H.	h t. 18.
	asper. W,					4. Jac. ic. t. 152.
	galegiformis. W.	Goat's-Rue-lead.		Siberia.		4. Pall. astrag. t. 29.
	chinensis. W.	upright Chinese.		China.		4. Linn. fil. dec. t. 3.
	virescens. Dec.	green-flowered.	Minimum Millians		1737. — H.	
	falcatus. Dec.	sickle-podded.				24. Dec. astrag. t. 26.
	uliginosus. W. carolinianus. W.	marsh. Carolina.				<ol> <li>Pall. astrag. t. 26.</li> <li>Dill. elt. t. 39. f. 45.</li> </ol>
	canadensis. W.	woolly.				4. Dodart. mem. 4. 64.
	semibilocularis.P.S.		Manager and Company of the Company o			24. Dec. astrag. t. 23.
	Cicer. W.	bladdered.		Europe.		24. Jac. aus. t. 251.
	carnosus. Ph.	fleshy-podded.	****	Louisiana.	1811. — H.	
	caryocarpus. B. reg.					4. Bot. reg. 176.
	glycyphyllos. W.	sweet.				4. Eng. bot. 203.
	microphyllus. W. trimestris. W.	small-leaved. Egyptian.		Siceria.	1773. — H.	. Jac. vind. 2. t. 174.
	Buceras. W. en.	horned.		ngypo.	1816. — H.	
	hamosus. W.	hook-podded.		Spain.	1633 H.	. Lam. ill. t. 622. f.4,
	canaliculatus, W.en.		-		1816. — H.	· .
	contortuplicatus. W			Siberia.		O. Pall. astrag. t. 79.
	bœticus. W. Stella. W.	triangular-poda.		S. Europe.	1759. 6.7. H.	O. Bocc. sic. 7. t. 4.
	sesameus. W.	star-podded. Sesama.		Antonia de la compansión de la compansió	1616. 6.7. H.	
	annularis. W.	ring-podded.		Egypt.	1800. — H.	
	pentaglottis. W.	rough Spanish.		Spain.		O. Cav. ic. 2. t. 188.
	epiglottis. W.	heart-podded.		S. Europe.		⊙. Herm. lugd. t. 77.
	hypoglottis. W.	A. A				4. Eng. bot. 274.
	austriacus. W.	Austrian.		Austria.		4. Jac. aus. 2. t. 195.
	fruticosus. W. arenarius. W.	woody.		Siberia.		h. Pall. astrag. t. 19. 24. Retz. obs. 3. t. 3.
	leucophæus. W.	dwarf white.		Germany.	1776. 5.8. H.	•
	depressus. W.	depressed.		Europe.		24. All.ped.1 t.19.f.3.
	leontinus. Jac.	Lion's-tail.		Austria.		24. Jac. ic. 1. t. 154.
	Glaux. W.	small Spanish.		Spain.	1596. 6.7. H.	⊙.
	sinicus. W.	Chinese annual.		China.		O. Bot. mag. 1350.
,	albidus. W. Onobrychis. W.	white Italian.		Europe.		4. Pl. rar.hung.1.t.40.
	Laxmanni. P. S.	purple-spiked. Laxmann's.		Siberia.		4. Jac. aus. 1. t. 38
	physodes. W.	inflated yellow.				24. Dec. astrag. t. 48.
49	halicacabus. P. S.	bladdered.		Armenia.		4. Schreb. decad. t. 3.
	Phaca vesicaria. W					
	caprinus. W.	scented.				24. Mor. his. 2. t. 24. f. 3.
	longiflorus. W.	long-flowered.		Tartary.		4. Pall. astrag. t. 60.
	monspessulanus.W.	hoary.		France. Montpelier.	1710. 7.8. H. 1759. 6.7. H.	24. Bot. mag. 375.
	exscapus. W.	hairy-podded.		Hungary.		4. Jac. ic. 8. t. 561.
	tragacanthoides.W.			Armenia.		4. Bux.cent.3. t.38.f.2
56 a	aristatus. W.	awned.		Pyrenees.	H.	h . Pall. astrag. t. 3.
57 7	Fragacantha. W.	Great Goat's		S. Europe.	1640. — H.1	$h \cdot \begin{cases} \text{W. act. ber. 1794.} \\ \text{t. 1. f. 5.} \end{cases}$
		(Small Goat's)			241	t. 1. 1. 5.
58 I	Poterium. W.	Small Goat's Thorn.	-	Levant.	6.7. H.	h . Park. theat. f. 2.
DIC	EDDIII +	CHAMOTTEM 5				
	ERRULA. W.	VETCH.	Leguminosæ. J.			
]	Pelecinus. W.	bastard.		S. Europe.	1640. 7.8. H.(	). Lam. ill. t. 622,
			Z			

#### DIADELPHIA DECANDRIA.

- 10	47444	/23222222		~~~~	
DALEA. P. S.	DALEA.	Leguminosæ. J.			•
1 Cliffortiana. W.	Vera Cruz.		Vera Cruz.		Linn.hort.clif.t.22.
2 alopecuroides. Ph.	Fox-tail.	b	Missisippi.		Mich.amer. 2. t.38.
3 aurea. Ph.	golden. loose-flowered.		Louisiana.	1811. — H.4. — H.4.	
4 laxiflora. Ph. 5 enneaphylla. W.	nine-leaved.		W Ind	1772. — S.O.	
6 citriodora. W.	leafy.		N. Spain.		Cav. ic. 3. t. 271.
7 Lagopus. W.	downy-spiked.		Mexico.	G.O.	
PSORALEA. W.	PSORALEA.	Leguminosæ. J.			
1 pinnata. W.	wing-leaved.		C. B. S.	1690. 5.7. G.h.	Bet. rep. 474.
2 odoratissima. W.	fragrant.			1795. — G. Iz.	Jac.scheen.2.t.229.
3 verrucosa. W.	warted.			1774. 5.8. G.h.	2.t.226. Bot. rep. 146.2/4
4 aculeata. W. 5 bracteata. W.	prickly. oval-spiked.			1721 - G h	Bot mag 446
6 spicata. W.	long-spiked.			1731. — G. h. 1774. 7.8. G. h.	Bot. rep. 411.
7 aphylla. W.	leafless.		C. B. S.	1790. 6.7. G.b.	Bot. mag. 1727.
8 multicaulis. W.	many-stalked.			1793. 8.10. G. h.	Jac.scheen.2. t.230.
9 tenuifolia. W.	fine-leaved.	-		5.7. G.h.	- 2. t. 225.
10 decumbens. W.	trailing.	-		1774. 4.5. G.h.	T 1 - 4 - 6 - 6
11 hirta. W.	hairy.		***************************************	1713. 5.8. G. h.	Jac.schoen.2. t.228.
12 Stachydis. W. 13 repens. W.	Stachys-leaved.			1793. 4.5. G. h. 1774. 7.8. G. 4.	
14 bituminosa. W.	bituminous.		S. Europe.	1570. 4.9. G.b.	Lam. ill. t. 614. f. 1.
15 glandulosa. W.	stripe-flowered.		Peru.	1770. 5.8. G. h.	Bot. mag. 990.
16 pedunculata, B. reg.			C. B. S.	1815. 10.8. G. h.	
17 palæstina. W.	Palestine.		Levant.		Jac. vind. 2. t. 184.
18 americana. W.	Madeira.	-	Madeira.		Jac.scheen.2. t.227.
19 capitata. W.	headed.		C. B. S.	1793. — G.h.	70.
20 corylifolia. W.	Hazel-leaved.		India.	1739. 6.7. S.J.	Bot. mag. 665.
21 esculenta. Ph. 22 cuspidata. Ph.	Bread-root. large-rooted.		Missouri.	1811. — H. 4.	Pursh. amer. t. 22.
23 Lupinellus. Ph.	small-flowered.		Carolina.	1812. — H.4.	
MELILOTUS. J.	MELILOT.	Leguminosæ. J.			02 1 7 5 5 4
1 cærulea. P. S.			Germany.	1562. 8.9. H	with a dollar
2 indica. P. S.	Indian.		India.	1680. 6.8. H	Pluk. alm.t. 45. f.4.
3 rugulosa. W. en.	White Indian.			1810. — H.⊙.	
4 parviflora. P. S.	small-flowered.		Barbary.	1798. —— H.⊙.	
5 messanensis. P. S.	Sicilian.		Sicily.	1680. — H.⊙. 1798. — H.⊙.	
6 sulcata. P. S. 7 polonica. P. S.	Barbary. Polish.		Poland	1778. — H.O.	
8 macrorrhiza. P. S.	long-rooted.		Hungary.		Pl.rar.hung.1.t.26,
9 dentata. P. S.	toothed.				1. t. 42.
10 officinalis. W. en.	common.		Britain.	7.9. H.⊙.	
11 vulgaris. W. en.	white-flowered.			н. д.	
12 Kochiana. W. en.	smooth-podded.			1816. 6.9. H. J.	
13 Petitpierreana.W.en			T( . l .		Clause 1, and 4, 00
14 italica. P. S.	Italian. Cretan.		Condia		Camer. hort. t. 29.
15 cretica. P. S. 16 ornithopodioides				_	Bauh.prodr. t. 142.
P. S.	Bird's-foot.		Britain.	6.7. H.⊙.	Eng. bot. 1047.
LUPINASTER. Ph.	BASTARDLUPINE	Leguminosæ. J.	Pentaphyllon.	P. S. Trifolii sp. 1	<i>y</i> .
pentaphyllus.	five-leaved.		Siberia.	1741. 7.8. H.4.	Bot. mag. 879.
TRIFOLIUM. J.	TREFOIL.	Leguminosæ. J.			
1 reflexum. W.	reflexed.			1794. 6.8. H.4.	771 1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
2 angulatum. W.	angular.		-		Pl.rar.hung.1.t.27.
3 strictum. W.	upright. mule.		Europe.		1.t.37. Mich.gen.t.25.f.2.6
4 hybridum. W.					
5 Michelianum. P. S.	Italian.		· Italy.	1815. — H	Mich. N. G. Pl. t. 25. f. 2.
6 cæspitosum. W.	turfy.		Switzerland.		Vill. delph. 3. t. 41.
7 repens. W.	White Clover.				Eng. bot. 1769.
8 comosum. W.	tufted.			1798. 6.7. H.4.	
9 alpinum. W.	Alpine.			1775. 6.8. H.4.	
10 pallescens. P. S.	pale.			1804. — H.4.	Eng hot 1049
11 subterraneum. W.	subterraneous.		Levant	5. H.⊙. 1713. 6.8. H.⊙.	Eng. bot. 1048.
12 globosum. W. 13 Cherleri. W.	globular. hairy.			1750. 5.6. H.⊙.	Barr. ic. 859.
14 pictum. W.	painted.			1800. 7.8. H.⊙.	-
15 lappaceum. W.	burr.			1787. 6.8. H.⊙.	
16 diffusum. W.	diffuse.				Pl.rar.hung.1.t.50:

#### DIADELPHIA DECANDRIA.

	211121						
17 saxatile. W.	rock.	Leguminosæ. J.	Switzerland.	1816.	5.7.	н. д.	All. ped. t. 59. f. 3.
18 rubens. W.	long-spiked.		- S. Europe.				Jac. aust. 4. t. 385.
19 pratense. W.			· Britain.		5.9.	H.4.	Eng. bot. 1770.
20 pensylvanicum. Ph.			- N. America.			H.4.	
21 medium. W.	Cow Grass.						Eng. bot. 190.
22 alpestre. W.	oval-spiked.	(mar)					Jac. aust. 5. t. 438.
23 bracteatum. W. en.	large-bracted.		Morocco.			н. д.	
24 pannonicum. W.	Hungarian.						Jac. obs. 2. t. 42.
25 canescens. W.	gray.						Bot. mag. 1168.
26 maritimum. W.	teasel-headed.						Eng. bot. 220.
27 squarrosum. W.	various-leaved.		Spain.				Mor.hist.2.t.13.f.1.
28 incarnatum. W.							Bot. mag. 328.
29 pallidum. W.	pale-flowered.		Flungary.				Pl.rar.hung. 1.t.36.
30 ochroleucum. W.			England.				Eng. bot. 1224.
31 armenium. W. en. 32 angustifolium. W.	Armenian.					H.4.	Down : 4 COO
0	narrow-leaved.						Barr. ic. t. 698.
33 arvense, W. 34 stellatum, W.	Hare's-foot.		England				Eng. bot. 944.
35 clypeatum. W.	starry.		Lavant	1711			Alp. exot. t. 306.
36 albidum. W.	white.					H.O.	111p. caou. 0. 500.
37 scabrum. W.	rough.						Eng. bot. 903.
38 glomeratum. W.	round-headed.						——————————————————————————————————————
39 striatum. W.	soft-knotted.		Britain.				1843.
40 alexandrinum. W.	Egyptian.		Egypt.			H.⊙.	¥ Q 2 Q 8
41 suffocatum. W.	suffocated.		England.				Eng. bot. 1049.
42 spumosum. W.	bladdered.					H.O.	2115. 500. 10.10
43 resupinatum. W.	Salamanca.		Germany.				Barr. ic. t. 872.
44 recurvum. P. S.	recurved.		Hungary.				Pl.rar.hung.2.t.165
45 tomentosum. W.	woolly.		S. Europe.				Mag. mons. t. 264
	Strawberry-						
46 fragiferum. W.	headed.		England.		7.8.	н.4.	Eng. bot. 1050.
47 montanum. W.	mountain.		Europe.	1786.		H.24.	Flor. dan. t. 1172.
48 badium. P. S.	villous-stalked.		Dyronos				Barr. ic. 1024.
49 spadiceum. P. S.	Bay-coloured.		Europe.				Bot. mag. 557.
50 speciosum. W.	large-flowered.		- Candia.			H.4.	o .
51 agrarium. W.	golden.		- Europe.	1815.		- H.Ó.	Flor. dan. t. 558.
52 procumbens. H. K.	Hop.		Britain.				Bot. mag. 945
campestre. P. S.							
53 minus. H. K.	lesser yellow.					· H.⊙.	Eng. bot. 1256.
procumbens. P. S.							
54 filiforme. W.	slender yellow.			• • • •	5.7.	H.⊙.	Eng. bot. 1257.
LOTUS. W.	BIRD'S-FOOT	Leguminosæ. J.					
3 141 . TYT	TREFOIL.	•	77			TT	T1 1 000
1 maritimus. W.	sea.						Fl. dan. 800.
2 siliquosus. W.	square-podded.		S. Europe.				Jac. aust. 4. t. 361.
3 tetragonolobus. W.			Monta dian				Bot. mag. 151.
4 conjugatus. W.	twin-podded.	Andrew Control of the	Montpeller.	1754.		-H.⊙.	C 0 + 255
5 edulis. W.	esculent.		s E	1710.	-	- H.⊙. - H.⊙.	Cav. ic. 2. t. 157.
6 peregrinus. W.	flat-podded.		S. Europe.				
7 glaucus. W. 8 anthylloides. V.						G. 3.	Vent malm + 00
9 angustissimus. W.	Anthyllis-like.		Erance				Vent. malm. t. 92. Bauh. hist. 2. f. 2.
10 diffusus. W.	slender-podded.		France.				Eng. bot. 925.
11 coimbrensis. W.	Portugal.		Portugal			H.⊙.	Eng. 000. 920.
12 arabicus. W.	red-flowered.		Arabia				Jac. vind. 2. t. 155.
13 australis. H. K.	New Holland.		N. S. W.				Bot. mag. 1365.
14 Dioscoridis. W.	Dioscorides's.						All. ped.1.t.59.f.1.
15 ornithopodioides.							
W.	claw-podded.		Sicily.	1683.	6.8.	H.⊙.	Cav. ic. 2. t. 163.
16 jacobæus. W.	dark-flowered.		CapeVerdIsl.	1714.	1.12.	G.b.	Bot. mag. 79.
17 creticus. W.	silver-leaved.						Cav. ic. 2. t. 156.
18 tenuis. W. en.	slender.			1816.			
19 hirsutus. W.	hairy						Bot. mag. 336.
20 rectus. W.	upright.			1640.		H.4.	Moris.s.2.t.18.f.13.
21 oderatus. H. K.	sweet-scented.		Barbary.	1804.		F.24.	Bot. mag. 1233.
22 pedunculatus. W.				1814.		H.4.	Cav. ic. 2. t. 164.
23 major. E. B.	greater.						Eng. bot. 2091.
24 corniculatus. E. B.	common.						2090.
25 cytisoides. W.	downy.		S. Europe.				All. ped. 1. t. 20. f.1.
	,	Z 2					

#### POLYADELPHIA DECANDRIA.

DORYCNIUM. W.	DORYCNIUM.	Leguminosæ. J.					
1 monspeliense. W.	shrubby.		S. Europe.	1640.	7.9.	G. h.	Park.theat.360.f.1.
, 2 herbaceum. W.	herbaceous.			1802.	6.9.	H.4.	Vill. dauph. 3. t. 41,
TRIGONELLA. W.	FENUGREEK.	Leguminosæ. J.				-	
1 rathenica. W.	small.		- Siberia.	1741.	6.7.	H.4.	Gmel. sib. 4. 1. 8.
2 platycarpos. W.	round-leaved.		·		6.9.	H. J.	4. t. 9.
3 hybrida. P. S.	hybrid.			1806.		H.4.	
4 polycerata. W.	broad-leaved.		- S. Europe.	1640.	7.9.	H.O.	
5 hamosa. W.	Egyptian.		· Egypt.		7.8.	H	Alp. ægypt. t. 124.
6 spinosa. W.	thorny.		- Candia.	1710.		H.O.	Lam. ill. t. 611. f. 2.
7 corniculata. W.	horse-shoe.		S. Europe.	1597.	6.7.	H.O.	Moris.s.2.t.16.f.11.
8 monspeliaca. W.	Montpelier.		- Montpelier.	1710.		H.O.	Pl.rar.hung.2.t.142
9 pinnatifida. W.	cut-leaved.		- Spain.	1801.	6.8.	H.O.	Cav. ic. 1. t. 38.
10 Fænum-græcum.	common.					11.0	Sable a hom 0 t 011
w. §	common.			1597.		н.б.	Schk.s.han.2.t.211.
11 esculenta. W. en.	esculent.		- E. Ind.	1815.		- S.⊙.	
12 indica. W.	Indian.		-	1793.		- S.⊙.	Pluk.alm.t.200.f.7.
MEDICAGO. W.	MEDICK.	Leguminosæ. J.					
1 arborea. W.	Moon Trefoil.		- Italy.	1596.	5.11	. F.h.	Lob. ic. 2. p. 46. f. 2.
2 cretacea. W. en.	shrubby.			1805.	7.	H.h.	
3 radiata. W.	ray-podded.	-	- Italy.	1629.	6.7.	н.⊙.	Lob. ic.2. p. 38. f. 2.
4 circinnata. W.	kidney-podded.			1640.	7.8.	$H.\odot$ .	Gært. sem. 2. t.155.
5 sativa. W.	Lucerne.		- England.				Eng. bot. 1749.
6 glomerata. W. en.	clustered.		- Italy.			H. 4.	
7 prostrata. W.	prostrate.			1793.		H.24.	Jac. vind. 1. t. 89.
8 falcata. W.	yellow.		- England.		7.	H. 4.	Eng. bot. 1016.
9 lupulina. W.	nonesuch.		- Britain.		5.8.	H.⊙.	971.
10 obscura. W.	doubtful.			1734.	7.8.	$H.\odot$ .	Retz.obs.1.p.24.t.1. Moris.s. 2.t.15.f.1.
11 orbicularis. W.	flat-podded.		- S. Europe.				Moris.s. 2.t.15.f.1.
12 marginata. W. en.	margined.	*****		1816.			
13 elegans. W.	elegant.						Moris. s. 2. t. 15. f. 4.
14 scutellata. W.	Snail.		- S. Europe.	1562.			2.t.15.f.3.
15 Helix. W.	many-flod Snail.		*	1816.		H.⊙.	
16 tornata. W.	smooth-podded.		- S. Europe.	1658.		· H.⊙.	** * * * * * * * * * * * * * * * * * * *
17 turbinata. W.	Turban.						Moris. s. 2. t. 15. f. 5.
18 tuberculata. W.	wart-podded.	·		1653.			2.t. 15. f. 6.
19 aculeata. W.	spiny.			1802.		· H.⊙.	x - 21
20 granadensis. W. en.	Spanish.		- Spain.	1816.		· H.⊙.	Jac. coll. t. 15. f. 2.
21 Murex. W.			·	1802.		· H.⊙.	25
22 intertexta, W.	hedgehog.						Moris.s.2.t.15.f.7.
23 ciliaris. W.	fringed.		- France.			H.⊙.	TD 4
24 carstiensis. W.	creeping-rooted.		- Carintnia.				Bot. mag. 909.
25 maculata. W.	heart.		- England.				Eng. bot. 1616.
26 coronata. W.	crowned.		- S. Europe.	1660.	6.7.	H.O.	Moris.s.2.t.15.f.16.
27 apiculata. W.	tufted.			1800.		· 11. · · ·	
28 denticulata. W.	toothed.		England			- H.⊙.	Mania - 0 + 15 f 11
29 muricata. W.	prickly.		- England.				Moris.s.2.t.15.f.11.
30 Gerardi, W.	Gerard's.		S Europe				
31 marina. W. 32 Terebellum. W.	sea.		- a. Europe.	1090.			Cav. ic. 2. t. 130.
	short-spined.			1798.		. H.⊙.	
33 tribuloides. W.	Caltrops-like.			1730.		п.	
34 rigidala. W.	thorny-podded.						El den 911
35 minima. W.	least.		- England.				Fl. dan. 211. Moris.s.2.t.15.f.19.
36 nigra. W.	black.		. Greece				1710115.3.2.6.10.1.17.
37 græca. W. en. 38 laciniata. W.	cut-leaved.		S Europe			· H.⊙.	Breyn. cent. t. 34.
o lacilitata. W.	cut-icayeu.		- S. Europe.	1000.		*1.0.	Diches some a 938

# CLASS XVIII.

# POLYADELPHIA DECANDRIA.

THEOBROMA. W.	CHOCOLATENUT	. Malvaceæ. J.			
1 Cacaa. W.		S. America.	1739	S. h.	Cates. car. 3. t. 6.
2 guianensis. W.	woolly-leaved.	Guiana.	1803	S.h.	Auf. gui. 2. t. 275.

1774. 6.9. H. 2. Gmel. sib. 4, t. 69.

DODECANDRIA. BUBROMA. W. BASTARDCEDAR. Malvaceæ. J. Guazuma. P. S. 1739. 8.9. S. h. Trew. ehret. t. 76. Guazuma. W. - Jamaica. Elm-leaved. ABROMA. W. Malvaceæ. J. ABROMA. E. Ind. N. S. W. S. h . Jac. vind. 3. t. 1. 1 angusta. H. K. smooth-stalked. 1770. 8. 2 fastuosa. H. K. prickly-stalked. 1800. 6.10. S. h. Par. lond. 102. ICOSANDRIA. MELALEUCA. H. K. MELALEUCA. Myrti. J. --- E. Ind. 1796. . . . S. L. Rumph.amb.2.t.16. 1 Leucadendron. W. Caju Puti Tree. green-flowered. \_\_\_ N.S. W. 1798. . . . G. L. Cav. ic. 4. t. 333. 2 viridiflora. W. --- N. Holland. 1803. 7.9. G. h. 3 paludosa. H. K. long-leaved red. globe-fruited. 4 globifera. H. K. — — .... G. h. Diosma-leaved. · 1794. 6.7. G. h. Bot. rep. 476. 5 diosmifolia. H. K. 6 stypheloides. H. K. Styphelia-leaved -\_\_\_\_ N. S. W. 1793. 5.6. G.h. 7 genistifolia. H. K. Broom-leaved. --- .... G.h. striated. ---- N. Holland. 1803. . . . G. L. Lab.nov.ho.2.t.165 8 striata. H. K. Van Diem. 1805. 6.7. G. h. ——2. t.167 9 thymoides. H. K. yellow spear-led. -10 squamea. H. K. scaly-branched. 11 nodosa, H. K. N. S. W. Whin-leaved. 1790. - G. h. Ex. bot. 1. t. 35. - 1788. 7.9. G.h. - 1.t. 34. 12 ericifolia. H. K. Heath-leaved. 13 armillaris. H. K. pale-flowered. -- 6.7. G. h. Bot. rep. 175. N. Holland. 1803. . . . G. h. 14 uncinata. H. K. hook-leaved. ----- 6.7. G. h. 15 scabra. H. K. rough-leaved. -- 6.9. G.h. 16 pulchella. H. K. neat. N. S. W. 1792, 2.9. G. h.
N. Holland, 1803, 6.9. G. h. Thyme-leaved. 1792. 2.9. G. h. Bot. mag. 1868. 17 thymifolia. H. K. 18 decussata. H. K. decussate. - G.h. Bot. reg. 103. 19 fulgens. H. K. splendid. 1793. 7.9. G. h. Exot. bot. 1. t. 56. 1792. — G. h. Bot. rep. 200. 20 linariifolia. H. K. Toad-Flax-leav<sup>d</sup>. -\_\_\_\_\_ N. S. W. 21 hypericifolia. H. K. Hypericum-lead. -22 squarrosa, H. K. Myrtle-leaved. - 1794. 6.8. G.h. Bot. mag. 1935. permanent-cupd. -N. Holland. 1803. - G. h. 23 calycina. H. K. --- .... G.h. 24 densa. H. K. whorl-leaved. Myrti. J. Melaleucæ sp. W. TRISTANIA. H. K. TRISTANIA. 

 TRISTANIA.
 Myrti, J. Metaveucw sp. 77.

 Oleander-leaved.
 N. S. W.
 1804. 6.9. G. ½.

 Laurel-leaved.
 1798. . . . G. ½.

 Bittosnorum-led.
 1805. 7.9. G. ½.

 1 nereifolia. H. K. 1804. 6.9. G. h. Bot. mag. 1058. 2 laurina. H. K. 3 conferta. H. K. Pittosporum hirtum. W. en. CALOTHAMNUS. } CALOTHAMNUS. Myrti. J. 1 quadrifida. H. K. four-cleft. - N. Holland. 1803. 7.9. G. h. Bet. mag. 1506. 2 villosa, H. K. hairy. - - G.h. 3 gracilis. H. K. slender-leaved. BEAUFORTIA, H.K. BEAUFORTIA. Myrti. J. - N. Holland. 1803. 7.5. G. h. Bot. reg. 18. 1 decussata. H. K. splendid. 2 sparsa. H. K. alternate-leaved. --- ... G. h. POLYANDRIA. HOPEA. L. HOPEA. Ebenaceæ. J. tinctorial Ph. Laurel-leaved. - Carolina. 1780. . . . G. h . Cat. car. 1. t. 54. Symplocos tinctoria. IV. CITRUS. W. ORANGE-TREE. Aurantiæ. J. 1 acida. Rox. Lemon-Tree. - Asia. 1648. 5.7. G. h. Gær.fru.2.t.121.f.2 2 limonia. Lime-Tree. 3 Aurantium. P. S. common. ---- India. 4 sinensis. P. S. Myrtle-leaved. China. .... --- G. h. 5 buxifolia. P. S. Box-leaved. - 1805. — G. h. Bot. rep. 608. - G. h. Bot. reg. 211. 1724. — G. h. Rum.am.2. t.24.f.2. 6 nobilis. H. K. Mandarin. B minor. smaller. India. 7 decumana. W. Shaddock-Tree. XANTHOCHY-XANTHO-MUS. Rox. CHYMUS. E. Ind. pictorius. H. K. painter's. 1796. ... S.h. Roxb. cor. 2. t.196. HYPERICUM. W. ST.JOHN'S WORT. Hypericinæ. J. Majorca. 1714. 3.9. G. h. Bot. mag. 137.

N. America. 1759. 6.7. Η. h. 1 balearicum. W. warted. 2 Kalmianum. W. Kalmia-leaved. China. 3 monogynum. W. Chinese. 1753. 8.9. G. h. Bot. mag. 334. Ireland. 4 calycinum. W. large-flowered. .... 6.9. H. h. Eng. bot. 2017. N. America. 1812. 6.7. H. 4. 5 ascyroides. Ph. large-capsuled. Siberia,

6 Ascyron. W.

Siberian.

	~	021.021.20					- ~·	
7	pyramidatum. W.	pyramidal.	Hypericinæ. J.	Canada.	1759.	7.8.	H.21.	Vent. malm. 11%
	Androsæmum. W.	Tutsan.	71					Eng. bot. 1225.
	olympicum. W.	Olympian.		Levant.	1706.		H. b.	Exot. bot. 2. t. 96.
	foliosum. H. K.	shining.	-	Azores.			G.h.	2
11	floribundum. W.	many-flowered.		Madeira.				Com. hort. 2. t. 68.
12	canariense. W.	Canary.		Canaries.	1699.	7.9.	G.h.	
13	ægypticum. W.	Egyptian.		Egypt.				Bot.*reg. 196.
2.4	elatum. W.	tall.		NY America	1500		** *	(Juss. in ann. mus.
14	eratum, w.	tail.		N. America.	1762.	7.8.	H.h.	Juss. in ann. mus, 3. t. 17.
15	frondosum. Ph.	green.	<del>i</del>	<del></del>	1806.		Н. Ь.	•
16	amœnum. Ph.	elegant.		Caromia	1812.		Hila	
17	hircinum. W.	stinking.		S. Europe.	1640	70	H.L.	Dill.elt.t.151.f.182
	β minus.	small stinking.					H.h.	t.151.f.181
18	prolificum. W.	prolific.	A	N. America.	1758.	6.8.	H.h.	Jac.scheen.3.t.299.
	canadense. W.	Canadian.			1770.	7.9.	H.4.	t.151.f.181 Jac.schœn.3.t.299. Pluk.alm.t.245.f.6. Bot. rep. 552.
	angulosum. Ph.	toothed-flowered			1812	6.7.	H.4.	
	setosum. H. K.	unbranched.		Carolina.	1759.	7.8.	F. 4.	Pluk.alm.t.245.f.6.
	mutilum. H. K.	small-flowered.		N. America.		6.9.	F.4.	
23	virginicum. W.	0			1800.	7.9.	H.4.	Bot. rep. 552.
	Elodea campanulat							
24	lævigatum. H. K.	smooth.	-	-	1772.		H.4.	
25	nudiflorum. Ph.	naked-panicled.			1811.	9.10.	F. h.	
26	glaucum. Ph.	glaucous.			1812.	7.8.	F.h.	
27	rosmarinifolium.W.	Rosemary-leaved.		Carolina.		6.8.	F. h.	
28	aspalathoides. W.	Aspalathus-like.		27.4	1811.		F.h.	
29	lævigatum. H. K. nudiflorum. Ph. glaucum. Ph. rosmarinifolium.W. aspalathoides. W. fasciculatum. Ph. reflexum. W. quadrangulare. W. dubium. W.	clustered.		N. America.	1806.	7.	F. h.	
30	reflexum. W.	hanging-leaved.		Teneriffe.	1778.	6.9.	G.h.	
31	quadrangulare. W.	square-stalked.		Britain.	• • • •	7.8.	H.4.	Eng. bot. 370
32	dubium. W.	imperforate.		NT. A			H.4.	296.
33	macuiatum. Wii.	spotted.		N. America.	1789.		F. 4.	
	corymbosum. IV.			D-14-1-			TT 21	T 1.4 005
	perforatum. W.	perforated.						Eng. bot. 295.
	humifusum. W.	trailing.		Creeses				1226:
	crispum. W.			Borborn	1088.		F.4.	Bocc. mus. t. 12,
	undulatum, W. en.	bearded.		Scotland				Eng hot 1005
	barbatum. W.	perfoliate.		Italy				Eng. bot. 1985.
39	perfoliatum. W. heterophyllum. P.S.			Persia			F.4.	Vent. cels. t. 68.
	ciliatum. W.	fringe-flowered.		Lovant				Bocc. mus. t. 127.
	montanum. W.	mountain.		Britain.				Eng. bot. 371.
	glandulosum. W.	glandulous.		Madeira.			G. h.	Ling. bot. o. 1.
	hirsutum. W.	hairy.		Britain.				Eng. bot. 1156.
	elodes. W.	marsh.						<del></del>
	tomentosum. W.	woolly.		S. Europe.			F. 4.	
	pulchrum. W.	small upright.		Britain.				Eng. bot. 1227.
	serpyllifolium. W.	Thyme-leaved.		Levant.				Mor.hi.2.s.5.t.6.f.2
	Coris. W.	Heath-leaved.						Bot. mag. 178.
	verticillatum. W.	whorl-leaved.		C. B. S.	1784.			0
	CYRUM. W.	ASCYRUM.	Hypericinæ. J.				7.	
	pumilum. Ph.	dwarf.		Georgia.	1806.	6.8.	G. 24.	
	•							
2	Crux Andreæ. Ph.	1 Cross		N. America.	1759.	7.	G.h.	
3	hypericoides. Ph.	Hypericum -like.				7.9.	G.b.	
	stans. W.	large-flowered.			1806.		G.h.	Vent. malm. 90.
	amplexicaule. Ph.						•	
	•							

# CLASS XIX.

GEROPOGON. W.	{OLD MAN'S } BEARD.	Cichoraceæ.J.					
1 glaber. W.	smooth.						Bot. mag. 479.
2 hirsutus. W.	hirsute.	<del>*************************************</del>					Cel. esphr.1.7. 251.
3 calyculatus. W.	perennial.	Property Control of the Control of t	Section of the sectio	1774.	6.8.	H. H.	Jac. vaid. 2. t. 106.

TRAGOPOGON. W.	GOAT'S BEARD.	Cichoraceæ. J.			
1 prateusis. W.	yellow.		Britain.	5.6. H.J.	Eng. bot. 434.
2 mutabilis. Jac.	changeable.		Siberia.	1816. — H.J.	Jac. ic. 1. t. 157.
3 undulatus. W.	wave-leaved.			1790. — H. J.	
4 orientalis. W.	oriental.			1787. 6.7. H.J.	
5 major. W.	great.		Austria.	1788. 5.6. H.J.	Jac. aust. 1. t. 29.
6 floccosus. W.	woolly.		Hungary.		Pl.rar.hung.2.t.112
		•	England	— H.J.	Fng hot 639
7 porrifolius, W.	purple.		Ingland.		
8 crocifolius. W.	Crocus-leaved.		riary.		Col. ecplir.1. t.230.
9 villosus. W.	hairy.		Spain.	1794. 5.6. H.J.	
TROXIMON. Ph.	TROXIMON.	Cichoraceæ, J.	241	1011 5 0 TT 21	D-4 1 CCW
1 glaucum. Ph.	glaucous-leaved.		Missouri.	1811. 5.6. H.4. 1799. 7.8. H.4.	Bot. mag. 1667.
2 virginicum. Ph.	Virginian.				
ARNOPOGON. W.	SHEEP'S BEARD.	Cichoraceæ. J. U			
1 Dalechampii. W.	great-flowered.		S. Europe.	1739. 6.10. H. 4.	Pot. mag. 1623.
2 picroides. W.	prickly-cupped.	***************************************		1683. 7.8. H.⊙.	Lam.ill. t. 646. f.3.
3 asper. W.	rough.		Montpelier.	1774. —— H.⊙.	
SCORZONERA. W,	VIPER'S GRASS.	Cichoraceæ. J.			
1 tomentosa. W.	white.		Armenia.	1789. 6.7. H.4.	
2 humilis. Jac.	dwarf.		Europe.		Jac. aust. 1. t. 36.
3 hispanica. W.	garden.		Spain.		Lam. ill.t. 647.f.5.
4 glastifolia. W.	Woad-leaved.		Germany.	1816. — H.24.	
5 caricifolia. W.	Carex-leaved.		Siberia		Pal.it.3. ap.t.J.i.f.1.
6 purpurea. W.	purple-flowered.		Anetria		Jac. aust. 1. t. 35.
, ~ ~					
7 rosea. W.	Rose-coloured.		Destrue 1		Pl.rar.hung.2.t.121
8 graminifolia. W.	Grass-leaved.		Portugai.		Jac. obs. 4. t. 100.
9 angustifolia. W.	narrow-leaved.		S. Europe.	H.4.	Pl.rar.hung.2.t.122
10 eriosperma. W.	woolly-seeded.		Siberia.		
11 resedifolia. W,	spreading.	-	Spain.		Bocc.sic.13. t.7. f.4.
12 laciniata. W.	cut-leaved.		S. Europe.	1640. — H.♂.	Jac. aust. 4. t. 356.
13 taraxacifolia. W.	Dandelion-leavd.		Bohemia.	1801. 6.8. H.4.	Jac. ic. 1. t. 106.
PICRIDIUM. P. S.	PICRIDIUM.	Cichoracea. J. R	Richardia. Roti	h. Sonchi sp. IV.	
1 vulgare. P. S.	various-leaved.		· France.	1773. 6.8. H.O.	All. ped.1.t.16.f.1
Sonchus picroides.	W.			ŭ	•
2 tingitanum. P. S.	Tangier.		Barbary.	1713. 6.9. H.⊙.	Bot. mag. 142.
3 albidum. P. S.	pale-flowered.				Jac. ic. 1. t. 164.
Crepis albida. W.	r				
SONCHUS. W.	Sow THISTLE.	Cichoraceæ. J.			
1 maritimus. W.	sea.		S Europe	1749 70 H 21	All. ped.1.t.16, f. 2.
2 fruticosus. W.			Modeire		
	shrubby.		with the state of	1777. 4.7. G.h.	Jac. 1c. 1. 6. 101s
3 pinnatus. W.	wing-leaved.			G.h.	
4 lævigatus. W. en.	smooth.	***************************************		$\frac{1816. \dots G.h}{\dots G.h}.$	
5 lyratus. W. en.	lyre-leaved.				
6 radicatus. W.	long-rooted.			1780. 7. G.h.	
7 palustris. W.	tall marsh.			7.8. H.4.	Eng. bot. 935.
8 arvensis. W.	corn.		· Britain.	— H.4.	
9 oleraceus. W.	common.			6.8. H.⊙.	843.
10 tenerrimus. W.	clammy.		S. Europe.	1691. 7.8. H.⊙.	Pluk.alm.t.93.f.3.
11 Plumieri. W.	Plumier's.	****	Pyrenees.	1794 H. 4.	
12 alpinus. W.	blue-flowered.		· Scotland.	н. 4.	Eng. bot. 2425.
13 lapponicus. W.	Lapland.		Lanland.		Smith ic.ined.t. 21.
14 floridanus. W.	small-flowered.		N. America.	1713. 7. H.J.	
15 acuminatus. W.	acuminate.	(		1812. 8.9. H.J.	
16 pallidus. Ph.	Canadian.				Rob. ic. 148 & 151.
17 sibiricus. W.	Siberian.		Siberia.		Gmel. sib. 2. f. 3.
18 tataricus. W.	Tartarian.		Olberta.	1784. 6.7. H.4.	Cincar did 2 11 a
LACTUCA. W.		Cichoraceæ. J.		1704. 0.7. 11.4.	
1 sativa. W.	LETTUCE.			1560 67 HO	
	garden.			1562. 6.7. H.⊙.	
2 crispa. W.	curled.			1570. —— H.⊙.	
3 palmata. W.	Savoy.	****		1683. — H.⊙.	
4 intybacea. W.	Endive-leaved.	-			
5 quercina. W.	Oak-leaved.			1686. 5.7. H.⊙.	
6 stricta. W.	upright.		· Hungary.	1805. 6.7. H.J.	Pl.rar.hung.1.t.48.
7 elongata. W.	elongated.	·	- Pensylvania.	— — Н. д.	
8 Scariola. W.	prickly.		- England.	7.8. H. J.	Eng. bot. 268.
9 virosa. W.	strong-scented.		- Britain.		<del></del> 1957.
10 angustata. W.	entire-leaved.		- Italy.	1791. 7.8. H.O.	All. ped. 1. t.52.f.1.
11 sagittata. W.	arrow-leaved.	***************************************		1805 H. A.	Pl. rar.hung. 1.t.1.
12 saligna. W.	least.		- England.	— Н. З	
13 indica. W.	Indian.	Water transport to the second	- E. Ind.	1784 S.O.	
B					

	1 0 1	61.1	0.70				
14 tenerrima. W,	purple-flowered.		S. Europe.	1815.	7.8.	H.4.	
15 perennis. W.	perennial.		- Germany.	1596.	6.8.	H.4.	Mill. ic. 2. t. 157. 2
CHONDRILLA. W.	Gum-Succory.	Cichoraceæ. J.					
juncea. W.	common.		· France.	1633.	9.10.	H.4.	Jac. aust. 5. t. 427.
PRENANTHES. W.	PRENANTHES.	Cichoraceæ. J.					,
1 purpurea. W.	purple-flowered.		- Germany.	1659.	7.9.	H.24.	Jac. aust. 4. t. 317
2 alba. W.	white-flowered.		N. America.	1762.	7.8.	H.4.	Bot. mag. 1079.
3 altissima. Ph.	tall.			1696.		H. 2L.	Pluk.alm.t.317.f.2.
4 cordata. Ph.	heart-leaved.	-		1816.		H.24.	
5 spinosa. W.	prickly.		· Barbary.				Park.theat.804.f.7.
6 viminea. W.	rushy-twigged.		Austria.				Jac. aust. 1. t. 9.
7 muralis. W.	wall.		Britain.				Eng. bot. 457.
LEONTODON. W.	DANDELION.	Cichoraceæ. J.					9
1 Taraxacum. W.	common.	-	Britain.		4.7.	H.24.	Eng. bot. 510.
2 serotinum. W.	late-flowering.	-					Fl.rar.hung.2.t.114
3 palustre. E. B.	marsh.	-					Eng. bot. 553.
lividus. W.					0.,.	220 200	2.1.6. 000. 000.
4 obovatum. W.	obovate-leaved.		Snain.	1805	***	H.4.	
APARGIA. W.	APARGIA.	Cichoraceæ. J.				*** 4 .	
1 aurantiaca. W.						H.4.	
	Alpine.		. Anetria				Tuo anet 1 + 60
2 alpina. W. 3 hastilis. W.	shining-leaved.						Jac. aust. 1. t. 93.
4 dubia. W.		•	Cormony				2. t. 164.
	tooth-leaved.					H.4.	Tob % 000 f 1
5 tuberosa. W.	knotty-rooted.						Lob. ic. 232. f. 1.
6 incana. W.	hoary.		S. Europe.				Jac. aust. 3. t. 287.
7 Taraxaci. W.							Eng. bot. 1109.
autumnalis. W.	autumnal.						830.
9 crispa. W.	curled.	-					Vill. dauph. 3.t. 25.
10 hispida. W.	rough.		Britain.				Eng. bot. 554.
11 aspera. W.	hairy.					H.4.	Pl.rar.hung.2.t.119
THRINCIA. W.	THRINCIA.	Cichoraceæ. J.					
1 hirta. W.	simple-haired.	-					Eng. bot. 555.
2 hispidà. W.	hispid.	-		1815.	6.8.	H.⊙.	
3 maroccana. P. S.	Morocco.		- Morocco,	1799.	7.8.	$H.\odot.$	
Hyoseris hispida.							
PICRIS. W.	Ox-Tongue.	Cichoraccæ. J.					
1 hieracioides. W.	Hawkweed-like.	4	England.				Eng. bot. 196.
2 asplenioides. W.	Spleenwort-lead.		Barbary.	1905		FF 21.	Trillian ation t co
	Process and the season		war start ye	1000.		11.40	L'Her. stirp. t. 82.
3 hispida. H. K.	hispid.		Levant.			H.4.	L. Fier, surp. t. oz.
	hispid.	M	Levant.	1789.		H.24.	Moris. s. 7. t. 5. f. 17.
3 hispida. H. K.	hispid.	Cichoraceæ. J.	Levant. Portugal.	1789.		H.24.	
3 hispida. H. K. 4 sprengeriana. P. S.	hispid. branched.	Cichoraceæ. J.	Levant. Portugal. Italy.	1789. 1783.	6.7,	H.4. H.⊙,	
3 hispida. H. K. 4 sprengeriana. P. S. HIERACIUM. W.	hispid. branched. HAWKWEED. golden.	Cichoraceæ. J.	Levant. Portugal. Italy.	1789. 1783.	6.7. 5.7.	H.4. H.⊙,	Moris.s.7.t.5.f.17.
3 hispida. H. K. 4 sprengeriana. P. S. HIERACIUM. W. 1 aureum. W.	hispid. branched. HAWKWEED. golden.	Cichoraceæ. J.	Levant. Portugal. Italy. Britain.	1789. 1783.	6.7. 5.7. 6.8.	H.4. H.⊙. H.4. H.4.	Moris.s.7.t.5.f.17.
3 hispida. H. K. 4 sprengeriana. P. S. HIERACIUM. W. 1 aureum. W. 2 eriophyllum. W. en	hispid. branched. HAWKWEED. golden. villous.	Cichoraceæ. J.	Levant. Portugal. Italy. Britain. Germany.	1789. 1783. 1769.	6.7. 5.7. 6.8. 7.8.	H.4. H.⊙. H.4. H.4.	Moris.s.7.t.5.f.17, Jac. aust. 3. t. 297.
3 hispida. H. K. 4 sprengeriana. P. S. HIERACIUM. W. 1 aureum. W. 2 criophyllum. W. en 3 alpinum. W.	hispid. branched. HAWKWEED. golden. villous. Alpine.	Cichoraceæ. J.	Levant. Portugal. Italy. Britain. Germany. Britain.	1789. 1783. 1769.  1804.	6.7. 5.7. 6.8. 7.8.	H.↓. H.↓. H.↓. H.↓. H.↓.	Moris.s.7.t.5.f.17, Jac. aust. 3. t. 297.
3 hispida. H. K. 4 sprengeriana. P. S. HIERACIUM. W. 1 aureum. W. 2 criophyllum. W. en 3 alpinum. W. 4 pumilum. W.	hispid. branched. HAWKWEED. golden. villous. Alpine. small.	Cichoraceæ. J.	Levant. Portugal. Italy. Britain. Germany. Britain.	1789. 1783. 1769.  1804.	6.7. 5.7. 6.8. 7.8.	H.↓. H.↓. H.↓. H.↓. H.↓.	Moris. s. 7. t. 5. f. 17, Jac. aust. 3. t. 297. Eng. bot. 1110.
3 hispida. H. K. 4 sprengeriana. P. S. HIERACIUM. W. 1 aureum. W. 2 criophyllum. W. en 3 alpinum. W. 4 pumilum. W. 5 Pilosella. W.	hispid. branched. HAWKWEED. golden. villous. Alpine. small. Mouse-ear.	Cichoraceæ. J.	Levant. Portugal. Italy. Britain. Germany. Britain.	1789. 1783. 1769.  1804.	5.7. 6.8. 7.8.	H.4. H.2. H.4. H.4. H.4. H.4. H.4.	Moris. s. 7. t. 5. f. 17, Jac. aust. 3. t. 297. Eng. bot. 1110.
3 hispida. H. K. 4 sprengeriana. P. S. HIERACIUM. W. 1 aureum. W. 2 eriophyllum. W. en 3 alpinum. W. 4 pumilum. W. 5 Pilosella. W. 6 flagellare. W. en. 7 dubium. W.	hispid. branched. HAWKWEED. golden. villous. Alpine. small. Mouse-ear. creeping.	Cichoraceæ. J.	Levant. Portugal. Italy. Britain. Germany. Britain. Britain.	1789. 1783. 1769.  1804. 	5.7. 6.8. 7.8. 5.7.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Moris. s. 7. t. 5. f. 17, Jac. aust. 3. t. 297. Eng. bot. 1110. Eng. bot. 1093. Eng. bot. 2332.
3 hispida. H. K. 4 sprengeriana. P. S. HIERACIUM. W. 1 aureum. W. 2 criophyllum. W. en 3 alpinum. W. 4 pumilum. W. 5 Pilosella. W. 6 flagellare. W. en.	hispid. branched. HAWKWEED. golden. villous. Alpine. small. Mouse-ear. creeping. branching.	Cichoraceæ. J.	Levant. Portugal. Italy. Britain. Germany. Britain. Britain. England.	1789. 1783. 1769.  1804. 	5.7. 6.8. 7.8. 5.7.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Moris. s. 7. t. 5. f. 17,  Jac. aust. 3. t. 297.  Eng. bot. 1110.  Eng. bot. 1093.
3 hispida. H. K. 4 sprengeriana. P. S. HIERACIUM. W. 1 aureum. W. 2 eriophyllum. W. en 3 alpinum. W. 4 pumilum. W. 5 Pilosella. W. 6 flagellare. W. en. 7 dubium. W.	hispid. branched. HAWKWEED. golden. villous. Alpine. small. Mouse-ear. creeping. branching.  { Umbelled	Cichoraceæ. J.	Levant. Portugal. Italy. Britain. Germany. Britain. England. Germany.	1789. 1783. 1769.  1804. 	5.7. 6.8. 7.8. 5.7. 7.8.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Moris. s. 7. t. 5. f. 17, Jac. aust. 3. t. 297. Eng. bot. 1110. Eng. bot. 1093. Eng. bot. 2332.
3 hispida, H. K. 4 sprengeriana, P. S. HIERACIUM, W. 1 aureum, W. 2 criophyllum, W. en 3 alpinum, W. 4 pumilum, W. 5 Pilosella, W. 6 flagellare, W. en, 7 dubium, W. 8 Auricula, W. 9 florentinum, W.	hispid. branched. HAWKWEED. golden. villous. Alpine. small. Mouse-ear. creeping. branching. { Umbelled Mouse-ear.}	Cichoraceæ. J.	Levant. Portugal. Italy. Britain. Germany. Britain. England. Germany.	1789. 1783. 1769.  1804.  1816. 	5.7. 6.8. 7.8. 5.7. 7.8.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Moris.s.7.t.5.f.17, Jac. aust. 3. t. 297. Eng. bot. 1110. Eng. bot. 1093. Eng. bot. 2332. ——————————————————————————————————
3 hispida, H. K. 4 sprengeriana, P. S. HIERACIUM, W. 1 aureum, W. 2 criophyllum, W. en 3 alpinum, W. 4 pumilum, W. 5 Pilosella, W. 6 flagellare, W. en. 7 dubium, W. 8 Auricula, W.	hispid. branched. HAWKWEED. golden. villous. Alpine. small. Mouse-ear. creeping. branching. { Umbelled Mouse-ear.} Florentine.	Cichoraceæ. J.	Levant. Portugal. Italy. Britain. Germany. Britain. Eritain. England. Germany. Europe.	1789. 1783. 1769.  1804.  1816. 	5.7. 6.8. 7.8. 5.7. 7.8.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Moris.s.7.t.5.f.17, Jac. aust. 3. t. 297. Eng. bot. 1110. Eng. bot. 1093. Eng. bot. 2332. ——————————————————————————————————
3 hispida. H. K. 4 sprengeriana. P. S. HIERACIUM. W. 1 aureum. W. 2 criophyllum. W. en 3 alpinum. W. 4 pumilum. W. 5 Pilosella. W. 6 flagellare. W. en. 7 dubium. W. 8 Auricula. W. 9 florentinum. W. 10 cymosum. W. 11 staticifolium. W.	hispid. branched. HAWKWED. golden. villous. Alpine. small. Mouse-ear. creeping. branching. { Umbelled Mouse-ear.} Florentine. small-flowered. Thrift-leaved.	Cichoraceæ. J.	Levant. Portugal. Italy. Britain. Germany. Britain. Eritain. England. Germany. Europe.	1789. 1783. 1769.  1804.  1816.  1796. 1739. 1804.	6.7. 5.7. 6.8. 7.8. 5.7. 7.8.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Moris.s.7.t.5.f.17, Jac. aust. 3. t. 297. Eng. bot. 1110. Eng. bot. 1093. Eng. bot. 2332. 2368. Col. ccphr. 1.t. 249. Vill. dauph. 3.t. 27,
3 hispida. H. K. 4 sprengeriana. P. S. HIERACIUM. W. 1 aureum. W. 2 criophyllum. W. en 3 alpinum. W. 4 pumilum. W. 5 Pilosella. W. 6 flagellare. W. en. 7 dubium. W. 8 Auricula. W. 10 cymosum. W. 11 staticifolium. W. 12 incarnatum. W.	hispid. branched. HAWKWEED. golden. villous. Alpine. small. Mouse-ear. creeping. branching. { Umbelled Mouse-ear.} Florentine. small-flowered. Thrift-leaved. flesh-coloured.	Cichoraceæ. J.	Levant. Portugal. Italy. Britain. Germany. Britain. England. Germany. Europe. Carniola.	1789. 1783. 1769.  1804.  1816.  1796. 1739. 1804. 1815.	5.7. 6.8. 7.8. 5.7. 7.8.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Moris.s.7.t.5.f.17, Jac. aust. 3. t. 297. Eng. bot. 1110. Eng. bot. 1093. Eng. bot. 2332. ——————————————————————————————————
3 hispida, H. K. 4 sprengeriana, P. S. HIERACIUM, W. 1 aureum, W. 2 criophyllum, W. en 3 alpinum, W. 4 pumilum, W. 5 Pilosella, W. 6 flagellare, W. en. 7 dubium, W. 8 Auricula, W. 9 florentinum, W. 10 cymosum, W. 11 staticifolium, W. 12 incarnatum, W. 13 aurantiacum, W.	hispid. branched. HAWKWEED. golden. villous. Alpine. small. Mouse-ear. creeping. branching. { Umbelled Mouse-ear.} Florentine. small-flowered. Thrift-leaved. flesh-coloured. Orange.	Cichoraceæ. J.	Levant. Portugal. Italy. Britain. Germany. Britain. Britain. England. Germauy. Europe. Carniola. Scotland.	1789. 1783. 1769.  1804.  1816.  1796. 1739. 1804. 1815.	5.7. 6.8. 7.8. 5.7. 7.8.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Moris.s.7.t.5.f.17, Jac. aust. 3. t. 297. Eng. bot. 1110. Eng. bot. 1093. Eng. bot. 2332. 2368. Col. ccphr. 1.t. 249. Vill. dauph. 3.t. 27,
3 hispida, H. K. 4 sprengeriana, P. S. HIERACIUM, W. 1 aureum, W. 2 criophyllum, W. en 3 alpinum, W. 4 pumilum, W. 5 Pilosella, W. 6 flagellare, W. en. 7 dubium, W. 8 Auricula, W. 9 florentinum, W. 10 cymosum, W. 11 staticifolium, W. 12 incarnatum, W. 13 aurantiacum, W. 14 venosum, W.	hispid. branched. HAWKWEED. golden. villous. Alpine. small. Mouse-ear. creeping. branching. { Umbelled Mouse-ear.} Florentine. small-flowered. Thrift-leaved. flesh-coloured. Orange. veined.	Cichoraceæ, J.	Levant. Portugal. Italy. Britain. Germany. Britain. England. Germany. Europe. Carniola. Scotland. N. America.	1789. 1783. 1769.  1804.  1816.  1796. 1739. 1804. 1815. 	5.7. 6.8. 7.8. 5.7. 7.8.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Moris.s.7.t.5.f.17, Jac. aust. 3. t. 297. Eng. bot. 1110. Eng. bot. 1093. Eng. bot. 2332. ——————————————————————————————————
3 hispida. H. K. 4 sprengeriana. P. S. HIERACIUM. W. 1 aureum. W. 2 criophyllum. W. en 3 alpinum. W. 5 Pilosella. W. 6 flagellare. W. en. 7 dubium. W. 8 Auricula. W. 9 florentinum. W. 10 cymosum. W. 11 staticifolium. W. 12 incarnatum. W. 13 aurantiacum. W. 14 venosum. W. 15 Gronovii. W.	hispid. branched. HAWKWEED. golden. villous. Alpine. small. Mouse-ear. creeping. branching. { Umbelled } Mouse-ear.} Florentine. small-flowered. Thrift-leaved. flesh-coloured. Orange. veined. Gronovius's.	Cichoraceæ. J.	Levant. Portugal. Italy. Britain. Germany. Britain. England. Germany. Europe. Carniola. Scotland. N. America.	1789. 1769.  1804.  1796. 1739. 1804.  1790. 1798.	5.7. 6.8. 7.8. 5.7. 7.8.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Moris.s.7.t.5.f.17, Jac. aust. 3. t. 297. Eng. bot. 1110. Eng. bot. 1093. Eng. bot. 2332. ——————————————————————————————————
3 hispida. H. K. 4 sprengeriana. P. S. HIERACIUM. W. 1 aureum. W. 2 criophyllum. W. en 3 alpinum. W. 4 pumilum. W. 5 Pilosella. W. 6 flagellare. W. en. 7 dubium. W. 8 Auricula. W. 9 florentinum. W. 10 cymosum. W. 11 staticifolium. W. 12 incarnatum. W. 13 aurantiacum. W. 14 venosum. W. 15 Gronovii. W. 16 Gmelini. W.	hispid. branched. HAWKWED. golden. villous. Alpine. small. Mouse-ear. creeping. branching. { Umbelled Mouse-ear.} Florentine. small-flowered. Thrift-leaved. flesh-coloured. Orange. veined. Gronovius's. Gmelin's.	Cichoraceæ. J.	Levant. Portugal. Italy. Britain. Germany. Britain. England. Germany. Europe. Carniola. Scotland. N. America.	1789. 1769.  1804.  1796. 1739. 1804. 1815.  1790. 1798.	5.7. 6.8. 7.8. 5.7. 7.8.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Moris.s.7.t.5.f.17,  Jac. aust. 3. t. 297.  Eng. bot. 1110.  Eng. bot. 2332.  2368.  Col. ecphr. 1. t. 249.  Vill. dauph. 3. t. 27,  Jac. ic. t. 578.  Eng. bot. 1469.  Gmel. sib. 2.t.8.f.2.
3 hispida. H. K. 4 sprengeriana. P. S. HIERACIUM. W. 1 aureum. W. 2 criophyllum. W. en 3 alpinum. W. 4 pumilum. W. 5 Pilosella. W. 6 flagellare. W. en. 7 dubium. W. 8 Auricula. W. 10 cymosum. W. 11 staticifolium. W. 12 incarnatum. W. 13 aurantiacum. W. 14 venosum. W. 15 Gronovii. W. 16 Gmelini. W. 17 Lawsoni. W.	hispid. branched. HAWKWEED. golden. villous. Alpine. small. Mouse-ear. creeping. branching. { Umbelled    Mouse-ear.} Florentine. small-flowered. Thrift-leaved. flesh-coloured. Orange. veined. Gronovius's. Gmelin's. Lawson's.	Cichoraceæ. J.	Levant. Portugal. Italy. Britain. Germany. Britain. England. Germany. Europe. Carniola. Scotland. N. America. Siberia. Britain.	1789. 1769.  1804.  1816.  1796. 1739. 1804. 1815.  1790.	5.7. 6.8. 7.8. 5.7. 7.8.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Moris.s.7.t.5.f.17, Jac. aust. 3. t. 297, Eng. bot. 1110. Eng. bot. 1093. Eng. bot. 2332. ——————————————————————————————————
3 hispida, H. K. 4 sprengeriana, P. S. HIERACIUM, W. 1 aureum, W. 2 criophyllum, W. en 3 alpinum, W. 4 pumilum, W. 5 Pilosella, W. 6 flagellare, W. en. 7 dubium, W. 8 Auricula, W. 9 florentinum, W. 10 cymosum, W. 11 staticifolium, W. 12 incarnatum, W. 13 aurantiacum, W. 14 venosum, W. 15 Gronovii, W. 16 Gmelini, W. 17 Lawsoni, W. 18 pallescens, W. en.	hispid. branched. HAWKWEED. golden. villous. Alpine. small. Mouse-ear. creeping. branching. { Umbelled Mouse-ear.} Florentine. small-flowered. Thrift-leaved. flesh-coloured. Orange. veined. Gronovius's. Gmelin's. Lawson's. pale.	Cichoraceæ, J.	Levant. Portugal. Italy. Britain. Germany. Britain. England. Germany. Europe. Carniola. Scotland. N. America. Siberia. Britain. Hungary.	1789. 1783. 1769.  1804.  1796. 1739. 1804. 1815.  1790.	6.7. 5.7. 6.8. 7.8. 5.7. 7.8.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Moris.s.7.t.5.f.17,  Jac. aust. 3. t. 297.  Eng. bot. 1110.  Eng. bot. 2332.  2368.  Col. ecphr. 1. t. 249.  Vill. dauph. 3. t. 27,  Jac. ic. t. 578.  Eng. bot. 1469.  Gmel. sib. 2.t.8.f.2.
3 hispida. H. K. 4 sprengeriana. P. S. HIERACIUM. W. 1 aureum. W. 2 criophyllum. W. en 3 alpinum. W. 5 Pilosella. W. 6 flagellare. W. en. 7 dubium. W. 8 Auricula. W. 9 florentinum. W. 10 cymosum. W. 11 staticifolium. W. 12 incarnatum. W. 13 aurantiacum. W. 14 venosum. W. 15 Gronovii. W. 16 Gmelini. W. 17 Lawsoni. W. 18 pallescens. W. en. 19 paniculatum. W.	hispid. branched. HAWKWED. golden. villous. Alpine. small. Mouse-ear. creeping. branching. { Umbelled } Mouse-ear.} Florentine. small-flowered. Thrift-leaved. flesh-coloured. Orange. veined. Gronovius's. Gmelin's. Lawson's. pale. panicled.	Cichoraceæ. J.	Levant. Portugal. Italy. Britain. Germany. Britain. England. Germany. Europe. Carniola. Scotland. N. America. Siberia. Britain. Hungary. Canada.	1789. 1783. 1769.  1804.  1796. 1739. 1804. 1815.  1798.	6.7. 5.7. 6.8. 7.8. 5.7. 7.8.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Moris.s.7.t.5.f.17, Jac. aust. 3. t. 297. Eng. bot. 1110. Eng. bot. 1093. Eng. bot. 2332. ——————————————————————————————————
3 hispida. H. K. 4 sprengeriana. P. S. HIERACIUM. W. 1 aureum. W. 2 criophyllum. W. en 3 alpinum. W. 5 Pilosella. W. 6 flagellare. W. en. 7 dubium. W. 8 Auricula. W. 9 florentinum. W. 10 cymosum. W. 11 staticifolium. W. 12 incarnatum. W. 13 aurantiacum. W. 14 venosum. W. 15 Gronovii. W. 16 Gmelini. W. 17 Lawsoni. W. 18 pallescens. W. en. 19 paniculatum. W. 20 chondrilloides. W.	hispid. branched. HAWKWED. golden. villous. Alpine. small. Mouse-ear. creeping. branching. { Umbelled    Mouse-car.} Florentine. small-flowered. Thrift-leaved. flesh-coloured. Orange. veined. Gronovius's. Gmelin's. Lawson's. pale. panicled. Gum-succory.	Cichoraceæ. J.	Levant. Portugal. Italy. Britain. Germany. Britain. England. Germany. Europe. Carniola. Scotland. N. America. Siberia. Britain. Hungary. Canada. Austria.	1789. 1769 1804 1816 1796. 1739. 1804. 1815 1798 1815. 1800.	6.7. 5.7. 6.8. 7.8. 5.7. 7.8.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Moris.s.7.t.5.f.17, Jac. aust. 3. t. 297. Eng. bot. 1110. Eng. bot. 1093. Eng. bot. 2332. ——————————————————————————————————
3 hispida. H. K. 4 sprengeriana. P. S. HIERACIUM. W. 1 aureum. W. 2 criophyllum. W. en 3 alpinum. W. 4 pumilum. W. 5 Pilosella. W. 6 flagellare. W. en. 7 dubium. W. 8 Auricula. W. 9 florentinum. W. 11 staticifolium. W. 12 incarnatum. W. 13 aurantiacum. W. 14 venosum. W. 15 Gronovii. W. 16 Gmelini. W. 17 Lawsoni. W. 18 pallescens. W. en. 19 paniculatum. W. 20 chondrilloides. W. 21 nigrescens. W.	hispid. branched. HAWKWED. golden. villous. Alpine. small. Mouse-ear. creeping. branching. { Umbelled Mouse-ear.} Florentine. small-flowered. Thrift-leaved. flesh-coloured. Orange. veined. Gronovius's. Gmelin's. Lawson's. pale. panicled. Gum-succory. dark-coloured.	Cichoraceæ. J.	Levant. Portugal. Italy. Britain. Germany. Britain. England. Germany. Europe. Carniola. Scotland. N. America. Siberia. Britain. Hungary. Canada. Austria.	1789. 1769.  1804.  1816.  1796. 1739. 1804. 1815.  1798. 1815. 1815. 1800. 1640. 1801.	6.7. 5.7. 6.8. 7.8. 5.7. 7.8.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Moris.s.7.t.5.f.17,  Jac. aust. 3. t. 297.  Eng. bot. 1110.  Eng. bot. 2332.  2368.  Col. ecphr. 1.t. 249.  Vill. dauph. 3.t. 27,  Jac. ic. t. 578.  Eng. bot. 1469.  Gmel. sib. 2.t. 8.f. 2.  Eng. bot. 2083.  Pl.rar.hung. 3.t. 217  Jac. aust. 5. t. 429.  W. hort. ber. 10.
3 hispida. H. K. 4 sprengeriana. P. S. HIERACIUM. W. 1 aureum. W. 2 criophyllum. W. en 3 alpinum. W. 4 pumilum. W. 5 Pilosella. W. 6 flagellare. W. en. 7 dubium. W. 8 Auricula. W. 10 cymosum. W. 11 staticifolium. W. 12 incarnatum. W. 13 aurantiacum. W. 14 venosum. W. 15 Gronovii. W. 16 Gmelini. W. 17 Lawsoni. W. 19 paniculatum. W. 20 chondrilloides. W. 21 nigrescens. W. 22 montanum. W.	hispid. branched. HAWKWEED. golden. villous. Alpine. small. Mouse-car. creeping. branching. { Umbelled    Mouse-car.} Florentine. small-flowered. Thift-leaved. flesh-coloured. Orange. veined. Gronovius's. Gmelin's. Lawson's. pale. panicled. Gum-succory. dark-coloured. mountain.	Cichoraceæ, J.	Levant. Portugal. Italy. Italy. Britain. Germany. Britain. England. Germany. Europe. Carniola. Scotland. N. America. Siberia. Britain. Hungary. Canada. Austria. S. Europe.	1789. 1769.  1804.  1816.  1796. 1739. 1804. 1815.  1815. 1800. 1640. 1801. 1775.	6.7. 5.7. 6.8. 7.8. 5.7. 7.8. 5.6. 6.7.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Moris.s.7.t.5.f.17, Jac. aust. 3. t. 297, Eng. bot. 1110. Eng. bot. 1093. Eng. bot. 2332. ——————————————————————————————————
3 hispida. H. K. 4 sprengeriana. P. S. HIERACIUM. W. 1 aureum. W. 2 criophyllum. W. en 3 alpinum. W. 5 Pilosella. W. 6 flagellare. W. en. 7 dubium. W. 8 Auricula. W. 10 cymosum. W. 11 staticifolium. W. 12 incarnatum. W. 13 aurantiacum. W. 14 venosum. W. 15 Gronovii. W. 16 Gmelini. W. 17 Lawsoni. W. 18 pallescens. W. en. 19 paniculatum. W. 20 chondrilloides. W. 21 nigrescens. W. 22 montanum. W. 23 porrifolium. W.	hispid. branched. HAWKWED. golden. villous. Alpine. small. Mouse-ear. creeping. branching. {Umbelled Mouse-ear.} Florentine. small-flowered. Thrift-leaved. flesh-coloured. Orange. veined. Gronovius's. Gmelin's. Lawson's. pale. panicled. Gum-succory. dark-coloured. mountain. Leek-leaved.	Cichoraceæ, J.	Levant. Portugal. Italy. Italy. Britain. Germany. Britain. England. Germauy. Europe. Carniola. Scotland. N. America. Siberia. Britain. Hungary. Canada. Austria. S. Europe. Austria.	1789. 1769 1804 1816 1796. 1739. 1804. 1815 1790. 1798 1815. 1800. 1640. 1801. 1775.	5.7. 6.8. 7.8. 5.7. 7.8. 5.6. 6.7. 7.8.	H. 4. H. 4.	Moris.s.7.t.5.f.17, Jac. aust. 3. t. 297. Eng. bot. 1110. Eng. bot. 1093. Eng. bot. 2332. ——————————————————————————————————
3 hispida. H. K. 4 sprengeriana. P. S. HIERACIUM. W. 1 aureum. W. 2 criophyllum. W. en 3 alpinum. W. 5 Pilosella. W. 6 flagellare. W. en. 7 dubium. W. 8 Auricula. W. 9 florentinum. W. 10 cymcsum. W. 11 staticifolium. W. 12 incarnatum. W. 13 aurantiacum. W. 14 venosum. W. 15 Gronovii. W. 16 Gmelini. W. 17 Lawsoni. W. 18 pallescens. W. en. 19 paniculatum. W. 20 chondrilloides. W. 21 nigrēscens. W. 22 montanum. W. 23 porrifolium. W. 24 saxatile. W.	hispid. branched. HAWKWED. golden. villous. Alpine. small. Mouse-ear. creeping. branching. { Umbelled } Mouse-car. Florentine. small-flowered. Thrift-leaved. flesh-coloured. Orange. veined. Gronovius's. Gmelin's. Lawson's. pale. panicled. Gum-succory. dark-coloured. mountain. Leek-leaved. rock.	Cichoraceæ. J.	Levant. Portugal. Italy. Britain. Germany. Britain. England. Germany. Europe. Carniola. Scotland. N. America. Siberia. Britain. Hungary. Canada. Austria. S. Europe. Austria.	1789. 1769 1804 1816 1796. 1739. 1804. 1815 1799. 1800. 1640. 1801. 1775. 1640. 1801.	5.7. 6.8. 7.8. 5.7. 7.8. 5.6. 6.7. 7.8.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Moris.s.7.t.5.f.17, Jac. aust. 3. t. 297, Eng. bot. 1110. Eng. bot. 1093. Eng. bot. 2332. ——————————————————————————————————
3 hispida. H. K. 4 sprengeriana. P. S. HIERACIUM. W. 1 aureum. W. 2 criophyllum. W. en 3 alpinum. W. 4 pumilum. W. 5 Pilosella. W. 6 flagellare. W. en. 7 dubium. W. 8 Auricula. W. 10 cymosum. W. 11 staticifolium. W. 12 incarnatum. W. 13 aurantiacum. W. 14 venosum. W. 15 Gronovii. W. 16 Gmelini. W. 17 Lawsoni. W. 18 pallescens. W. en. 19 paniculatum. W. 20 chondrilloides. W. 21 nigrescens. W. 22 montanum. W. 23 sparifolium. W. 24 saxatile. W. 25 glaucum. W.	hispid. branched. HAWKWED. golden. villous. Alpine. small. Mouse-ear. creeping. branching. { Umbelled   Mouse-ear.} Florentine. small-flowered. Thrift-leaved. flesh-coloured. Orange. veined. Gronovius's. Gmelin's. Lawson's. pale. panicled. Gum-succory. dark-coloured. mountain. Leek-leaved. rock. glaucous.	Cichoraceæ. J.	Levant. Portugal. Italy. Britain. Germany. Britain. England. Germany. Europe. Carniola. Scotland. N. America. Siberia. Britain. Hungary. Canada. Austria. S. Europe. Austria.	1789. 1769 1804 1816 1796. 1739. 1804. 1815 1798 1800. 1640. 1801. 1775. 1640. 1801.	5.7. 6.8. 7.8. 5.7. 7.8. 5.6. 6.7. 7.8. 6.7. 6.7.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Moris.s.7.t.5.f.17,  Jac. aust. 3. t. 297.  Eng. bot. 1110.  Eng. bot. 2332.  2368.  Col. ecphr. 1.t. 249. Vill. dauph. 3.t. 27, Jac. ic. t. 578. Eng. bot. 1469.  Gmel. sib. 2.t.8.f.2. Eng. bot. 2083. Pl.rar.hung. 3.t. 217  Jac. aust. 5. t. 429. W. hort. ber. 10. Jac. aust. 2. t. 190.  Jac. ic. 1. t. 163.
3 hispida. H. K. 4 sprengeriana. P. S. HIERACIUM. W. 1 aureum. W. 2 criophyllum. W. en 3 alpinum. W. 4 pumilum. W. 5 Pilosella. W. 6 flagellare. W. en. 7 dubium. W. 8 Auricula. W. 9 florentinum. W. 11 staticifolium. W. 12 incarnatum. W. 13 aurantiacum. W. 14 venosum. W. 15 Gronovii. W. 16 Gmelini. W. 17 Lawsoni. W. 18 pallescens. W. en. 19 paniculatum. W. 20 chondrilloides. W. 21 nigrescens. W. 22 montanum. W. 23 porrifolium. W. 24 saxatile. W. 25 glaucum. W. 26 molle. W.	hispid. branched. HAWKWED. golden. villous. Alpine. small. Mouse-ear. creeping. branching. { Umbelled   Mouse-ear.} Florentine. small-flowered. Thrift-leaved. flesh-coloured. Orange. veined. Gronovius's. Gmelin's. Lawson's. palie. panicled. Gum-succory. dark-coloured. mountain. Leek-leaved. rock. glaucous. soft-leaved.	Cichoraceæ. J.	Levant. Portugal. Italy. Britain. Germany. Britain. England. Germany. Europe. Carniola. Scotland. N. America. Siberia. Britain. Hungary. Canada. Austria. S. Europe. Austria. S. Europe. Scotland.	1789. 1769 1804 1816 1796. 1739. 1804. 1815. 1790. 1640. 1801. 1775. 1640. 1801.	6.7. 5.7. 6.8. 7.8. 5.7. 7.8. 5.6. 6.7. 7.8. 6.7. 7.8.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Moris.s.7.t.5.f.17,  Jac. aust. 3. t. 297.  Eng. bot. 1110.  Eng. bot. 2332.  2368.  Col. ecphr. 1. t. 249.  Vill. dauph. 3. t. 27,  Jac. ic. t. 578.  Eng. bot. 1469.  Gmel. sib. 2.t.8.f.2.  Eng. bot. 2083.  Pl.rar.hung. 3.t. 217  Jac. aust. 5. t. 429.  W. hort. ber. 10.  Jac. aust. 2. t. 190.  3. t. 286.  Jac. ic. 1. t. 163.  Eng. bot. 2210.
3 hispida. H. K. 4 sprengeriana. P. S. HIERACIUM. W. 1 aureum. W. 2 criophyllum. W. en 3 alpinum. W. 4 pumilum. W. 5 Pilosella. W. 6 flagellare. W. en. 7 dubium. W. 8 Auricula. W. 10 cymosum. W. 11 staticifolium. W. 12 incarnatum. W. 13 aurantiacum. W. 14 venosum. W. 15 Gronovii. W. 16 Gmelini. W. 17 Lawsoni. W. 18 pallescens. W. en. 19 paniculatum. W. 20 chondrilloides. W. 21 nigrescens. W. 22 montanum. W. 23 sparifolium. W. 24 saxatile. W. 25 glaucum. W.	hispid. branched. HAWKWED. golden. villous. Alpine. small. Mouse-ear. creeping. branching. { Umbelled   Mouse-ear.} Florentine. small-flowered. Thrift-leaved. flesh-coloured. Orange. veined. Gronovius's. Gmelin's. Lawson's. pale. panicled. Gum-succory. dark-coloured. mountain. Leek-leaved. rock. glaucous.	Cichoraceæ. J.	Levant. Portugal. Italy. Britain. Germany. Britain. England. Germauy. Europe. Carniola. Scotland. N. America. Siberia. Britain. Hungary. Canada. Austria. S. Europe. Austria. S. Europe. Scotland. Britain.	1789. 1769 1804 1816 1796. 1739. 1804. 1815 1798 1800. 1640. 1801. 1775. 1640. 1801.	5.7. 6.8. 7.8. 5.7. 7.8. 5.6. 6.7. 7.8. 6.7. 7.8.	H.4. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Moris.s.7.t.5.f.17,  Jac. aust. 3. t. 297.  Eng. bot. 1110.  Eng. bot. 2332.  2368.  Col. ecphr. 1.t. 249. Vill. dauph. 3.t. 27, Jac. ic. t. 578. Eng. bot. 1469.  Gmel. sib. 2.t.8.f.2. Eng. bot. 2083. Pl.rar.hung. 3.t. 217  Jac. aust. 5. t. 429. W. hort. ber. 10. Jac. aust. 2. t. 190.  Jac. ic. 1. t. 163.

29 pulmonarium. E.B.	Lungwort.	Cichoraceæ. J.	Scotland.		7.8.	H.4.	Eng. bot. 2307.
30 sylvaticum. W.	wood.						2031.
31 ramosum. W.	branching.		Hungary.			H.4.	
32 paludosum. W.	Succory-leaved.		Britain.				Eng. bot. 1094.
33 lapsanoides. W.	Lapsana-like.		Pyrenees.				Gouan. ill.t. 21.f.3.
34 lyratum. W.	Lyre-leaved.		Siberia.				Gmel. sib. 2. t. 9.
35 cerinthoides. W.	Honeywort-lead.		Scotland.				Eng. bot. 2378.
36 flexuosum. W.	bending-stalk'd.		Hungary.	1804.	7.8.	H.4.	
W. en.	Quince-leaved.		France.	1816.		н.4.	
38 amplexicaule. W.	heart-leaved.			1739.	7.8.	H.4.	All.ped.1.t.15.f.1.
39 pyrenaicum. W.	Pyrenean.			1723.		11.24.	TT 1
β pilosum.	pilose.					11.4.	Herm.parad.t.184.
y austriacum.	Austrian.		Cili.	1755		11.4.	Jac. aust. 5. t. 441. Gmel. sib. 2. t. 10.
40 sibiricum. W.	Siberian.	3	Suitgerland	1700.		H.4.	Pl.rar.hung.1.t.99.
41 grandiflorum. W. 42 intybaceum. W.	great-flowered.		Enrope	1704		H 21	Jac.aust.5.t.app.43.
43 villosum. W.	Endive-leaved. shaggy Alpine.		Scotland	1/94.		H 3/	Eng. bot. 2379.
44 Halleri. W.	Haller's.		Europe				Vill.dauph.3. t.26.
45 echioides. W.	Viper's-bugloss.	d .	Hungary.				Pl.rar.hung.1.t.85.
46 undulatum. W.	wave-leaved.		Snain.	1778.		H.4.	1
47 glutinosum. W.	clammy.		S. Europe.			H	
48 Kalmii. W.	Kalm's.		Pencylyania	1794.	8.	н. и.	
49 fasiculatum. Ph.	bundled.		Canada.		7.8.	H. 24.	
56 foliosum. W.	leafy.		Hungary.				Pl.rar.hung.2.t.145
51 fallax. W. en.	hairy spear-leavd.			1816.			5
52 sabaudum. W.	shrubby.		Britain.				Eng. bot. 349.
53 denticulatum. E. B.			Scotland.				2122.
54 prenanthoides. W.	rough-bordered.						2235,
55 umbellatum. W.	narrow-leaved.	-	Britain.		7.9.	H.4.	Eng. bot. 1771.
56 lævigatum. W.	smooth.			1804.	8.9.	H.4.	W. hort. ber. t. 16.
57 fruticosum. W.	shrubby.		Madeira.			G.h.	
CREPIS. W.	CREPIS.	Cichoraceæ. J.					
1 nemausensis. W.	Palestine.	,	S. Europe.				All. ped. 1.t. 75.f.1.
2 leontodontoides.W.			Italy.			H. &.	0 1 11 - 1 -
3 alpina. W.	Alpine.		0 11 1				Gmel. sib. 2. t. 5.
4 pulchra. L. T.	small-flowered.		Scotland.				Eng. bot. 2325.
5 rigida, W.	rigid.		Hungary.				Pl. rar. hung.1.t.19.
6 rigens. W.	bristle-leaved.		Azores.			G.4.	
7 rubra. W. 8 aspera. W.	purple.		Sigily			H.⊙.	
9 hieracioides. W.	rough. Hawkweed-like.		Hungary			H.⊙.	Direrbung 1 4 #0
10 hispida. W.	hispid.		S Europe				Pl.rar.hung.1. t.70.
11 tectorum. P. S.	smooth.		Britain				Eng. bot. 1111.
12 cinerea. P. S.	red-stalked.						Eng. bot. 1111.
13 agrestis. W.	field.		Hungary.			H.⊙.	
14 biennis. W.			England.				Eng. bot. 149.
15 virens. W.	green.		Switzerland	1796.	6.7.	H.O.	21151 0001 1101
16 intybacea. W. en.	Endive-leaved.		Portugal.	1816.		H. 3.	
17 Dioscoridis. W.	Dioscorides's.		France.	1772.		H.O.	Schk.hand.3.t.222.
18 raphanifolia. W. en.				1816.		H.4.	
19 coronopifolia. W.	fleshy-leaved.		Madeira.	1777.	8.9.	H	Desf.act.par.38.t.9.
20 filiformis. W.	fine-leaved.						•
HELMINTHIA. J.	HELMINTHIA.	Cichoraceæ.J. P	icridis sp. L.			-	
echioides. W.	bristly.	<del></del>	Britain.	,.	6.7.	H.⊙.	Eng. bot. 972.
TOLPIS. W.	Tolpis.	Cichoraceæ. J. C	repidis sp. L.			,	
barbata. W.	purple-eyed.		France.	1620.	6.7.	H.⊙.	Bot. mag. 35.
ANDRYALA. W.	ANDRYALA.	Cichoraceæ. J.				_	
1 cheiranthifolia. W.	various-leaved.	-	Madeira.	1777.	5.10.	G.4.	L'Her.stirp.35.t.18
2 pinnatifida. W.	wing-leaved.						
3 crithmifolia. W.	Samphire-leav'd.		70 1		6.8.	G. 8.	
4 nigricans. W.	dark-flowered.		Barbary.	1804.		H.O.	Mill.ic.1.t.146.f.2.
5 ragusina. W.	downy.						
6 lanata. W.	woolly.		S. Europe.	1732.	5.6.	H.4.	1.t.146.f.1.
Hieracium verbascif		Cichounce I	Indoned T	0 0			
ROTHIA. W. 1 andryaloides. W.	Rothia. Andryala-like.	Cichoraceæ. J. A			0	HO	Gort sem 0 + 174
						H.⊙.	Gært. sem.2. t.174.
3 runcinata. W.	hoary.		S. Europe.				
	, .	Aa					

KRIGIA. W.	KRIGIA.	Cichoraceæ. J. Hyoseridis sp.	. P. S.
virginica. W.	Virginian.	N. America	. 1811. 5.7. H
	(SWINE'S- )	C: 1 T	nat. 1. t. 12.
HYOSERIS. W.	{ Succory. }	Cichoraceæ. J.	
1 radiata. W.	starry.	S. Europe.	1640. 6.7. H.4. Pluk.alm.t.37.f.2.
2 lucida. W.	shining.	Levant.	1770. 6.8. H. 4. Schmid.ic.t. 39.41.
3 scabra. W.	rugged.	Sicily.	1789. 7.8. H.O. Boc.mus.146.t.106
4 arenaria. W.	sand.	Morocco.	1800. —— H.⊙.
HEDYPNOIS. W.	HEDYPNOIS.	Cichoraceæ. J.	1.000 - 4 T T T
1 monspeliensis. W.	branching.	S. Europe.	1683. 6.7. H.⊙. - 1773. 7.8. H.⊙. Cav. ic. 1. t. 43.
2 rhagadioloides. W. 3 cretica. W.	Nipplewort. Cretan.	Candia.	1731. 6.7. H.⊙.
SERIOLA. W.	SERIOLA.	Cichoraceæ. J.	1/31. 0./. 11.0.
1 lævigata. W.	smooth.	Candia.	1772. 7.8. H.⊙. Desf. atl. 2. t. 216.
2 æthnensis. W.	rough.	Italy. S. Europe.	1763. — H.O. Jac. obs. 4. t. 79.
3 urens. W.	stinging.	S. Europe.	1773. — H. O. Schmid. ic. t. 32.
HYPOCHÆRIS. W.	CAT'S-EAR.	Cichoraceæ. J.	
1 helvetica. W.	one-flowered.	Switzerland	and the second s
2 maculata. W.	spotted.	England.	—— H. 4. Eng. bot. 225.
3 minima. W.	least.	Barbary.	1797. 7.8. H.O.
4 hispida. W. en.	bristly.	S. Europe.	1804. — H. A. W. nort. ber.1. t.46.
5 glabra. W. 6 radicata. W.	smooth. long-rooted.	Dittain.	1804. — H. 4. W. hort. ber. 1. t. 46. H. ©. Eng. bot. 575. 6.9. H. 4. — 881.
LAPSANA. W.	Nipplewort.	Cichoraceæ. J.	
1 fœtida. W.	stinking.	Italy.	1722. 7.8. H. 1. Pl.rar.hung.1.t.49.
Hyoseris fætida.		•	
2 pusilla. W.	least.	Britain.	5.6. H Eng. bot. 95.
Hyoseris minima.			
3 communis. W.	common.	Britain.	6.7. H. O. Eng. bot. 844.
4 crispa. W.	curled.	Committee Committee	. 1799. 7.8. H.⊙.
5 lyrata. W. en. ZACINTHA. W.	lyrate. ZACINTHA.	Cichoraceæ. J. Lapsanæ sp. 1	1. 1816. — Fl. 4.
verrucosa. W.	warted.	S. Europe.	1633. 6.7. H
RHAGADIOLUS. W	RHAGADIOLUS.	Cichoraceæ. J. Lapsanæ sp	
1 stellatus. W.	starry.	S. Europe.	1633. 6.7. H.⊙.
2 edulis. W.	heart-leaved.	Levant.	1633. 6.7. H.O. Schk.hand.3 t.225.
3 Kœlpinia. W.			
	small.	Cinhamana I	1633. 6.7. H.⊙. Schk.hand.3 t.225. 1788. 7. H.⊙. Pall. it. 3, t. Ll. f. 2.
CATANANCHE. W.	CATANANCHE.	Cicnoracea. J.	
CATANANCHE. W.	CATANANCHE. blue.	Cicnoracea. J.	1596. 7.10. H.4. Bot. mag. 293.
CATANANCHE. W. 1 cærulea. W. 2 lutea. W.	CATANANCHE. blue. yellow.	S. Europe.	
CATAÑANCHE. W. 1 cærulca. W. 2 lutca. W. CICHORIUM. W.	CATANANCHE. blue. yellow. Succory.	Cicnoracea. J.	1596. 7.10. H. 1. Bot. mag. 293. 1640. 6.7. H.⊙. Alp. exot. t. 236.
CATANANCHE. W. 1 cærulea. W. 2 lutea. W. CICHORIUM. W. 1 Intybus. W.	CATANANCHE. blue. yellow.	S. Europe. Candia. Cichoraceæ. J. Britain.	1596. 7.10. H.↓. Bot. mag. 293. 1640. 6.7. H.⊙. Alp. exot. t. 286. 6.8. H.↓. Eng. bot. 539.
CATAÑANCHE. W. 1 cærulca. W. 2 lutca. W. CICHORIUM. W.	CATANANCHE. blue. yellow. SUCCORY. wild.	S. Europe. Candia. Cichoraceæ. J. Britain.	1596. 7.10. H.¼. Bot. mag. 293. 1640. 6.7. H.⊙. Alp. exot. t. 286. 6.8. H.¼. Eng. bot. 539. .1799. 7.8. H.⊙. Jac. obs. 4. t. 80. 1548. — H.⊙.
CATANANCHE. W. 1 cærulea. W. 2 lutea. W. CIOHORIUM. W. 1 Intybus. W. 2 pumilum. W. 3 Endivia. W. 4 divaricatum. W.	CATANANCHE. blue. yellow. SUCCORY. wild. dwarf.	S. Europe. Candia. Cichoraceæ. J. Britain. E. Ind. Burbary.	1596. 7.10. H. ½. Bot. mag. 293. 1640. 6.7. H. ⊙. Alp. exot. t. 236. 6.8. H. ½. Eng. bot. 539. .1799. 7.8. H. ⊙. Jac. obs. 4. t. 80. 1548. — H. ⊙. 1798. — H. ⊙.
CATANANCHE. W. 1 cærulea. W. 2 lutea. W. CIOHORIUM. W. 1 Intybus. W. 2 pumilum. W. 3 Endivia. W.	CATANANCHE. blue. yellow. SUCCORY. wild. dwarf. Endive. branching. prickly.	S. Europe. Candia. Cichoraceæ. J. Britain.	1596. 7.10. H.¼. Bot. mag. 293. 1640. 6.7. H.⊙. Alp. exot. t. 286. 6.8. H.¼. Eng. bot. 539. .1799. 7.8. H.⊙. Jac. obs. 4. t. 80. 1548. — H.⊙.
CATANANCHE. W. 1 cærulea. W. 2 lutea. W. CIOHORIUM. W. 1 Intybus. W. 2 pumilum. W. 3 Endivia. W. 4 divaricatum. W.	CATANANCHE. blue. yellow. SUCCORY. wild. dwarf. Endive. branching. prickly.  GOLDEN-	S. Europe. Candia. Cichoraceæ. J. Britain. E. Ind. Burbary.	1596. 7.10. H. ½. Bot. mag. 293. 1640. 6.7. H. ⊙. Alp. exot. t. 236. 6.8. H. ½. Eng. bot. 539. .1799. 7.8. H. ⊙. Jac. obs. 4. t. 80. 1548. — H. ⊙. 1798. — H. ⊙.
CATANANCHE. W. 1 cærulca. W. 2 lutca. W. CIOHORIUM. W. 1 Intybus. W. 2 pumilum. W. 3 Endwia. W. 4 divaricatum. W. 5 spinosum. W. SCOLYMUS. W.	CATANANCHE. blue. yellow. SUCCORY. wild. dwarf. Endive. branching. prickly. GOLDEN- THISTLE.	S. Europe. Candia. Cichoraceæ. J. Britain. E. Ind. Barbary. Candia. Cichoraceæ. J.	1596. 7.10. H. ½. Bot. mag. 293. 1640. 6.7. H. ⊙. Alp. exot. t. 236. 6.8. H. ½. Eng. bot. 539. 1799. 7.8. H. ⊙. Jac. obs. 4. t. 80. 1548. — H. ⊙. 1798. — H. ⊙. 1638. — F. ♂. Bauh. prodr. t. 62.
CATANANCHE. W. 1 cærulca. W. 2 lutca. W. CIOHORIUM. W. 1 Intybus. W. 2 pamilum. W. 3 Endivia. W. 4 divaricatum. W. 5 spinosum. W. SCOLYMUS. W. 1 maculatus. W.	CATANANCHE. blue. yellow. SUCCORY. wild. dwarf. Endive. branching. prickly.  GOLDEN- THISTLE. annual.	S. Europe. Candia. Cichoraceæ. J. Britain. E. Ind. Barbary. Candia. Cichoraceæ. J.	1596. 7.10. H. ½. Bot. mag. 293. 1640. 6.7. H. ⊙. Alp. exot. t. 236. 6.8. H. ½. Eng. bot. 539. 1799. 7.8. H. ⊙. Jac. obs. 4. t. 80. 1548. — H. ⊙. 1798. — H. ⊙. 1638. — F. ♂. Bauh. prodr. t. 62.
CATANANCHE. W. 1 cærulea. W. 2 lutea. W. CIOHORIUM. W. 1 Intybus. W. 2 pumilum. W. 3 Endivia. W. 4 divaricatum. W. 5 spinosum. W. SCOLYMUS. W. 1 maculatus. W. 2 hispanicus. W.	CATANANCHE. blue. yellow. SUCCORY. wild. dwarf. Endive. branching. prickly. GOLDEN- THISTLE.	S. Europe. Candia. Cichoraceæ. J. Britain. E. Ind. Barbary. Candia. Cichoraceæ. J.	1596. 7.10. H. ½. Bot. mag. 293. 1640. 6.7. H. ⊙. Alp. exot. t. 236. 6.8. H. ½. Eng. bot. 539. .1799. 7.8. H. ⊙. Jac. obs. 4. t. 80. 1548. — H. ⊙. 1798. — H. ⊙.
CATANANCHE. W. 1 cærulca. W. 2 lutca. W. CIOHORIUM. W. 1 Intybus. W. 2 pumilum. W. 3 Endivia. W. 4 divaricatum. W. 5 spinosum. W. SCOLYMUS. W. 1 maculatus. W. 2 hispanicus. W. ARCTIUM. W.	CATANANCHE. blue. yellow. SUCCORY. wild. dwarf. Endive. branching. prickly.  GOLDEN- THISTLE. annual. perennial.	S. Europe. Candia. Cichoraceæ. J. Britain. E. Ind. Barbary. Candia. Cichoraceæ. J. S. Europe. Cynarocephalæ. J.	1596. 7.10. H. \(\perpsi\). Bot. mag. 293. 1640. 6.7. H. \(\overline{\Omega}\). Alp. exot. t. 236 6.8. H. \(\perpsi\). Eng. bot. 539. 1799. 7.8. H. \(\overline{\Omega}\). Jac. obs. 4. t. 80. 1548. — H. \(\overline{\Omega}\). 1798. — H. \(\overline{\Omega}\). Bauh. prodr. 1. 62. 1633. 7.8. H. \(\overline{\Omega}\). Lam. ill. t. 659. 1658. 7.9. H. \(\perpsi\).
CATANANCHE. W. 1 cærulea. W. 2 lutea. W. CIOHORIUM. W. 1 Intybus. W. 2 pumilum. W. 3 Endivia. W. 4 divaricatum. W. 5 spinosum. W. SCOLYMUS. W. 1 maculatus. W. 2 hispanicus. W.	CATANANCHE. blue. yellow. SUCCORY. wild. dwarf. Endive. branching. prickly. { GOLDEN- THISTLE. } annual. perennial. BURDOCK.	S. Europe. Candia. Cichoraceæ. J. Britain. E. Ind. Barbary. Candia. Cichoraceæ. J. S. Europe. Cynarocephalæ. J. Britain.	1596. 7.10. H. ¼. Bot. mag. 293. 1640. 6.7. H. ⊙. Alp. exot. t. 236.  6.8. H. ¼. Eng. bot. 539. 1799. 7.8. H. ⊙. Jac. obs. 4. t. 80. 1548. — H. ⊙. 1798. — H. ⊙. 1638. — F. ♂. Bauh. prodr. t. 62.  1633. 7.8. H. ⊙. Lam. ill. t. 659. 1658. 7.9. H. ఢ.
CATANANCHE. W. 1 cærulca. W. 2 lutca. W. 2 lutca. W. 1 Intybus. W. 2 pumilum. W. 3 Endivia. W. 4 divaricatum. W. 5 spinosum. W. SCOLYMUS. W. 1 maculatus. W. 2 hispanicus. W. ARCTIUM. W. 1 Lappa. W.	CATANANCHE. blue. yellow. SUCCORY. wild. dwarf. Endive. branching. prickly. {GOLDEN- THISTLE.} annual. perennial. BURDOCK. smooth-headed.	S. Europe. Candia. Cichoraceæ. J. Britain. E. Ind. Barbary. Candia. Cichoraceæ. J. S. Europe. Cynarocephalæ. J. Cynarocephalæ. J.	1596. 7.10. H. ½. Bot. mag. 293. 1640. 6.7. H. ⊙. Alp. exot. t. 236.  6.8. H. ½. Eng. bot. 539. 1799. 7.8. H. ⊙. 1548. — H. ⊙. 1638. — F. ♂. Bauh. prodr. t. 62.  1633. 7.8. H. ⊙. Lam. ill. t. 659. 1658. 7.9. H. ঐ 7.8. H. ♂. Eng. bot. 1228 H. ♂. Eng. bot. 1228 4478.
CATANANCHE. W. 1 cærulca. W. 2 lutca. W. 2 lutca. W. CIOHORIUM. W. 1 Intybus. W. 2 pumilum. W. 3 Endivia. W. 4 divaricatum. W. 5 spinosum. W. SCOLYMUS. W. 1 maculatus. W. 2 hispanicus. W. ARCTIUM. W. 1 Lappa. W. 2 Bardana. W. SERRATULA. W. 1 tinctoria. W.	CATANANCHE. blue. yellow. SUCCORY. wild. dwarf. Endive. branching. prickly.  GOLDEN- THISTLE. annual. perennial. BURDOCK. smooth-headed. woolly-headed. SAW-WORT. common.	S. Europe. Candia. Cichoraceæ. J. Britain. E. Ind. Barbary. Candia. Cichoraceæ. J. S. Europe. Cynarocephalæ. J. Britain. Cynarocephalæ. J. Britain.	1596. 7.10. H. ½. Bot. mag. 293. 1640. 6.7. H. ⊙. Alp. exot. t. 236.  6.8. H. ½. Eng. bot. 539. 1799. 7.8. H. ⊙. 1798. — H. ⊙. 1638. — F. ♂. Bauh. prodr. 1. 62.  1633. 7.8. H. ⊙. Lam. ill. t. 659. 1658. 7.9. H. ⊉.  7.8. H. ♂. Eng. bot. 1228.  7.10. H. ఢ. Eng. bot. 38.
CATANANCHE. W. 1 cærulca. W. 2 lutca. W. 2 lutca. W. 2 lutca. W. 1 Intybus. W. 2 pumilum. W. 3 Endivia. W. 4 divaricatum. W. 5 spinosum. W. SCOLYMUS. W. 1 maculatus. W. 2 hispanicus. W. ARCTIUM. W. 1 Lappa. W. 2 Bardana. W. SERRATULA. W. 1 tinctoria. W. 2 coronata. W.	CATANANCHE. blue. yellow. SUCCORY. wild. dwarf. Endive. branching. prickly. GOLDEN- THISTLE. annual. perennial. BURDOCK. smooth-headed. woolly-headed. SAW-WORT. common. Siberian.	S. Europe. Candia. Cichoraceæ. J. Britain. E. Ind. Barbary. Candia. Cichoraceæ. J. S. Europe. Cynarocephalæ. J. Britain. Cynarocephalæ. J. Britain. Siberia.	1596. 7.10. H. ¼. Bot. mag. 293. 1640. 6.7. H. ⊙. Alp. exot. t. 236.  6.8. H. ¼. Eng. bot. 539. 1799. 7.8. H. ⊙. Jac. obs. 4. t. 80. 1548. — H. ⊙. 1638. — F. ♂. Bauh. prodr. t. 62.  1633. 7.8. H. ⊙. Lam. ill. t. 659. 1658. 7.9. H. ¼.  7.8. H. ♂. Eng. bot. 1228 7.10. H. ¼. Eng. bot. 38. 1759. 7.8. H. ⅙. Gmel. sib. 2. t. 20.
CATANANCHE. W.  1 cærulca. W.  2 lutea. W.  CIOHORIUM. W.  1 Intybus. W.  2 pumilum. W.  3 Endivia. W.  4 divaricatum. W.  5 spinosum. W.  SCOLYMUS. W.  1 maculatus. W.  2 hispanicus. W.  ARCTIUM. W.  1 Lappa. W.  2 Bardana. W.  SERRATULA. W.  1 tinctoria. W.  2 coronata. W.  3 quinquefolia. W.	CATANANCHE. blue. yellow. SUCCORY. wild. dwarf. Endive. branching. prickly. {GOLDEN- THISTLE.} annual. perennial. BURDOCK. smooth-headed. woolly-headed. SAW-WORT. common. Siberian. five-leaved.	S. Europe. Candia. Cichoraceæ. J. Britain. E. Ind. Barbary. Candia. Cichoraceæ. J. S. Europe. Cynarocephalæ. J. Britain. Cynarocephalæ. J. Britain. Cynarocephalæ. J. Persia.	1596. 7.10. H. ¼. Bot. mag. 293. 1640. 6.7. H. ⊙. Alp. exot. t. 236.  6.8. H. ¼. Eng. bot. 539. 1799. 7.8. H. ⊙. Jac. obs. 4. t. 80. 1548. — H. ⊙. 1638. — F. ♂. Bauh. prodr. t. 62.  1633. 7.8. H. ⊙. Lam. ill. t. 659. 1658. 7.9. H. ¼.  7.8. H. ♂. Eng. bot. 1228.  7.10. H. ¼. Eng. bot. 38. 1789. 7.8. H. ఢ. Gmel. sib. 2. t. 20. 1804. — H. ¼. Bot. mag. 1871.
CATANANCHE. W.  1 cærulca. W.  2 lutea. W.  CIOHORIUM. W.  1 Intybus. W.  2 pumilum. W.  3 Endivia. W.  4 divaricatum. W.  5 spinosum. W.  SCOLYMUS. W.  1 maculatus. W.  2 hispanicus. W.  ARCTIUM. W.  1 Lappa. W.  2 Bardana. W.  5 ERRATULA. W.  1 tinctoria. W.  2 quinquefolia. W.  4 pygmæa. W.	CATANANCHE. blue. yellow. SUCCORY. wild. dwarf. Endive. branching. prickly. {GOLDEN- THISTLE.} annual. perennial. BURDOCK. smooth-headed. woolly-headed. SAW-WORT. common. Siberian. five-leared. Pigmy.	S. Europe. Candia. Cichoraceæ. J. Britain. E. Ind. Barbary. Candia. Cichoraceæ. J. S. Europe. Cynarocephalæ. J. Britain. Cynarocephalæ. J. Britain. Cynarocephalæ. J. Austria.	1596. 7.10. H. ½. Bot. mag. 293. 1640. 6.7. H. ⊙. Alp. exot. t. 236.  6.8. H. ½. Eng. bot. 539. 1799. 7.8. H. ⊙. 1798. — H. ⊙. 1638. — F. ♂. Bauh. prodr. t. 62.  1633. 7.8. H. ♂. Lam. ill. t. 659. 1658. 7.9. H. ½.  7.8. H. ♂. Eng. bot. 1228.  7.10. H. ఢ. Eng. bot. 38. 1789. 7.8. H. ఢ. Gmel. sib. 2. t. 20. 1804. — H. ఢ. Bot. mag. 1871. 1816. — H. ఢ. Jac. aust. t. 440.
CATANANCHE. W.  1 cærulea. W.  2 lutea. W.  CIOHORIUM. W.  1 Intybus. W.  2 pumilum. W.  3 Endivia. W.  4 divaricatum. W.  5 spinosum. W.  SCOLYMUS. W.  1 maculatus. W.  2 hispanicus. W.  ARCTIUM. W.  1 Lappa. W.  2 Bardana. W.  SERRATULA. W.  1 tinctoria. W.  2 quinquefolia. W.  4 pygmæa. W.  5 alpina. W.	CATANANCHE. blue. yellow. SUCCORY. wild. dwarf. Endive. branching. prickly. {GOLDEN- THISTLE.} annual. perennial. BURDOCK. smooth-headed. woolly-headed. SAW-WORT. common. Siberian. five-leaved. Pigmy. Alpine.	S. Europe. Candia. Cichoraceæ. J. Britain. E. Ind. Barbary. Candia. Cichoraceæ. J. S. Europe. Cynarocephalæ. J. Britain. Cynarocephalæ. J. Britain. Cynarocephalæ. J. Britain. Siberia. Persia. Austria. Britain.	1596. 7.10. H. ½. Bot. mag. 293. 1640. 6.7. H. ⊙. Alp. exot. t. 236.  6.8. H. ½. Eng. bot. 539. 1799. 7.8. H. ⊙. 1798. — H. ⊙. 1638. — F. ♂. Bauh. prodr. t. 62.  1633. 7.8. H. ♂. Lam. ill. t. 659. 1658. 7.9. H. ⊉.  7.8. H. ♂. Eng. bot. 1228.  7.10. H. ½. Eng. bot. 38. 1789. 7.8. H. ⊉. Gmel. sib. 2. t. 20. 1804. — H. ⊉. Bot. mag. 1871. 1816. — H. ⊉. Bot. aust. t. 440 H. ⊉. Eng. bot. 599.
CATANANCHE. W.  1 cærulca. W.  2 lutca. W.  2 lutca. W.  2 lutca. W.  2 pumilum. W.  3 Endivia. W.  4 divaricatum. W.  5 spinosum. W.  SCOLYMUS. W.  1 maculatus. W.  2 hispanicus. W.  ARCTIUM. W.  1 Lappa. W.  2 Bardana. W.  SERRATULA. W.  1 tinctoria. W.  2 quinquefolia. W.  4 pygmæa. W.  5 alpina. W.  6 angustifolia. W.	CATANANCHE. blue. yellow. SUCCORY. wild. dwarf. Endive. branching. prickly. { GOLDEN- THISTLE. } annual. perennial. BURDOCK. smooth-headed. woolly-headed. SAW-WORT. common. Siberian. five-leared. Pigmy. Alpine. narrow-'e.ved.	S. Europe. Candia. Cichoraceæ. J. Britain. E. Ind. Barbary. Candia. Cichoraceæ. J. S. Europe. Cynarocephalæ. J. Britain. Cynarocephalæ. J. Britain. Cynarocephalæ. J. Austria.	1596. 7.10. H. ½. Bot. mag. 293. 1640. 6.7. H. ⊙. Alp. exot. t. 236 6.8. H. ½. Eng. bot. 539. 1799. 7.8. H. ⊙. Jac. obs. 4. t. 80. 1548. — H. ⊙. 1638. — F. ♂. Bauh. prodr. t. 62. 1633. 7.8. H. ♂. Lam. ill. t. 659. 1658. 7.9. H. ⊉ 2478 7.10. H. ⊉. Eng. bot. 1228 7.10. H. ⊉. Eng. bot. 38. 1789. 7.8. H. ⊉. Gmel. sib. 2. t. 20. 1804. — H. ⊉. Bot. mag. 1871. 1816. — H. ⊉. Jac. aust. t. 440 H. ⊉. Eng. bot. 599. 1816. — H. ⊉. Gmel. sib. 2. t. 33.
CATANANCHE. W.  1 carulca. W.  2 lutea. W.  2 lutea. W.  2 lutea. W.  2 pumilum. W.  3 Endivia. W.  4 divaricatum. W.  5 spinosum. W.  SCOLYMUS. W.  1 maculatus. W.  2 hispanicus. W.  ARCTIUM. W.  1 Lappa. W.  2 Bardana. W.  5 ERRATULA. W.  1 tinctoria. W.  2 quinquefolia. W.  4 pygmaa. W.  5 alpina. W.  6 angustifolia. W.  7 salicifolia. W.	CATANANCHE. blue. yellow. SUCCORY. wild. dwarf. Endive. branching. prickly. {GOLDEN- THISTLE.} annual. perennial. BURDOCK. smooth-headed. woolly-headed. SAW-WORT. common. Siberian. five-leaved. Pigmy. Alpine.	S. Europe. Candia. Cichoraceæ. J. Britain. E. Ind. Barbary. Candia. Cichoraceæ. J. S. Europe. Cynarocephalæ. J. Britain. Cynarocephalæ. J. Britain. Cynarocephalæ. J. Britain. Siberia. Persia. Austria. Britain.	1596. 7.10. H. ½. Bot. mag. 293. 1640. 6.7. H. ⊙. Alp. exot. t. 236.  6.8. H. ½. Eng. bot. 539. 1799. 7.8. H. ⊙. 1798. — H. ⊙. 1638. — F. ♂. Bauh. prodr. t. 62.  1633. 7.8. H. ♂. Lam. ill. t. 659. 1658. 7.9. H. ⊉.  7.8. H. ♂. Eng. bot. 1228.  7.10. H. ½. Eng. bot. 38. 1789. 7.8. H. ⊉. Gmel. sib. 2. t. 20. 1804. — H. ⊉. Bot. mag. 1871. 1816. — H. ⊉. Bot. aust. t. 440 H. ⊉. Eng. bot. 599.
CATANANCHE. W.  1 cærulca. W.  2 lutca. W.  2 lutca. W.  2 lutca. W.  2 pumilum. W.  3 Endivia. W.  4 divaricatum. W.  5 spinosum. W.  SCOLYMUS. W.  1 maculatus. W.  2 hispanicus. W.  ARCTIUM. W.  1 Lappa. W.  2 Bardana. W.  SERRATULA. W.  1 tinctoria. W.  2 quinquefolia. W.  4 pygmæa. W.  5 alpina. W.  6 angustifolia. W.	CATANANCHE. blue. yellow. SUCCORY. wild. dwarf. Endive. branching. prickly. GOLDEN- THISTLE. annual. perennial. BURDOCK. smooth-headed. woolly-headed. SAW-WORT. common. Siberian. five-leaved. Pigmy. Alpine. narrow-'e-wed. Willow-leaved.	S. Europe. Candia. Cichoraceæ. J. Britain. E. Ind. Barbary. Candia. Cichoraceæ. J. S. Europe. Cynarocephalæ. J. Britain. Cynarocephalæ. J. Britain. Cynarocephalæ. J. Britain. Siberia. Persia. Austria. Britain. Siberia. Cynarocephalæ. J.	1596. 7.10. H. ½. Bot. mag. 293. 1640. 6.7. H. ⊙. Alp. exot. t. 236.  6.8. H. ½. Eng. bot. 539. 1799. 7.8. H. ⊙. 1548. — H. ⊙. 1638. — F. ♂. Bauh. prodr. t. 62.  1633. 7.8. H. ⊙. Lam. ill. t. 659. 1658. 7.9. H. ½.  7.8. H. ♂. Eng. bot. 1228.  7.10. H. ½. Eng. bot. 38. 1739. 7.8. H. ঐ. Gmel. sib. 2. t. 20. 1804. — H. ⅙. Bot. mag. 1871. 1816. — H. ⅙. Bot. 599. 1816. — H. ⅙. Gmel. sib. 2. t. 33. 1796. — H. ⅙. Gmel. sib. 2. t. 33. 1796. — H. ⅙. Gmel. sib. 2. t. 33.
CATANANCHE. W.  1 cærulea. W.  2 lutea. W.  CICHORIUM. W.  1 Intybus. W.  2 pumilum. W.  3 Endivia. W.  4 divaricatum. W.  5 spinosum. W.  SCOLYMUS. W.  1 maculatus. W.  2 hispanicus. W.  ARCTIUM. W.  1 Lappa. W.  2 Bardana. W.  SERRATULA. W.  1 tinctoria. W.  2 coronata. W.  3 quinquefolia. W.  4 pygmæa. W.  5 alpina. W.  6 angustifolia. W.  7 salicifolia. W.  8 centanroides. W.  CARDUUS. W.  1 leucographus. W.	CATANANCHE. blue. yellow. SUCCORY. wild. dwarf. Endive. branching. prickly. {GOLDEN- THISTLE.} annual. perennial. BURDOCK. smooth-headed. woolly-headed. SAW-WORT. common. Siberian. five-leaved. Pigmy. Alpine. narrow-'e .ved. Willow-leaved. Centaury-like. THISTLE. white-spotted.	S. Europe. Candia. Cichoraceæ. J. Britain. E. Ind. Barbary. Candia. Cichoraceæ. J. S. Europe. Cynarocephalæ. J. Britain. Cynarocephalæ. J. Britain. Siberia. Persia. Austria. Britain. Siberia. Cynarocephalæ. J. Italy.	1596. 7.10. H. ½. Bot. mag. 293. 1640. 6.7. H. ⊙. Alp. exot. t. 236 6.8. H. ½. Eng. bot. 539. 1799. 7.8. H. ⊙. Jac. obs. 4. t. 80. 1548. — H. ⊙. 1638. — F. ♂. Bauh. prodr. t. 62. 1633. 7.8. H. ♂. Lam. ill. t. 659. 1658. 7.9. H. ½ 7.8. H. ♂. Eng. bot. 1228. — H. ♂. 2478 7.10. H. ½. Eng. bot. 38. 1759. 7.8. H. ¼. Eng. bot. 38. 1759. 7.8. H. ¼. Gmel. sib. 2. t. 20. 1804. — H. ½. Bot. mag. 1871. 1816. — H. ¼. Jac. aust. t. 440 H. ½. Eng. bot. 599. 1816. — H. ¼. Gmel. sib. 2. t. 33. 1796. — H. ¼. Gmel. sib. 2. t. 33. 1796. — H. ¼. Gmel. sib. 2. t. 33. 1796. — H. ¼. — 2. t. 27. 1804. — H. ¼. Jac. aust. t. 7. 1804. — H. ¼. Jac. aust. t. 33. 1796. — H. ¼. — 2. t. 27. 1804. — H. ¼. Jac. aust. t. 33. 1796. — H. ¼. 2. 1796. — Jac. vind. 3. t. 23.
CATANANCHE. W.  1 cærulea. W.  2 lutea. W.  2 lutea. W.  CIOHORIUM. W.  1 Intybus. W.  2 pumilum. W.  3 Endivia. W.  4 divaricatum. W.  5 spinosum. W.  SCOLYMUS. W.  1 maculatus. W.  2 hispanicus. W.  ARCTIUM. W.  1 Lappa. W.  2 Bardana. W.  SERRATULA. W.  1 tinctoria. W.  2 coronata. W.  3 quinquefolia. W.  4 pygmæa. W.  5 alpina. W.  6 angustifolia. W.  7 saleifolia. W.  8 centaproides. W.  CARDUUS. W.  1 leucographus. W.  2 crassifolius. W. en.	CATANANCHE. blue. yellow. SUCCORY. wild. dwarf. Endive. branching. prickly. GOLDEN- THISTLE. annual. perennial. BURDOCK. smooth-headed. woolly-headed. woolly-headed. SAW-WORT. common. Siberian. five-leaved. Pigmy. Alpine. narrow-'e.ved. Willow-leaved. Centaury-like. THISTLE. white-spotted. thick-leaved.	S. Europe. Candia. Cichoraceæ. J. Britain. E. Ind. Barbary. Candia. Cichoraceæ. J. S. Europe. Cynarocephalæ. J. Britain. Cynarocephalæ. J. Britain. Cynarocephalæ. J. Britain. Cynarocephalæ. J. Siberia. Persia. Austria. Britain. Siberia. Cynarocephalæ. J. Italy.	1596. 7.10. H. ½. Bot. mag. 293. 1640. 6.7. H. ⊙. Alp. exot. t. 236 6.8. H. ½. Eng. bot. 539. 1799. 7.8. H. ⊙. Jac. obs. 4. t. 80. 1548. — H. ⊙. 1638. — F. ♂. Bauh. prodr. t. 62. 1633. 7.8. H. ♂. Lam. ill. t. 659. 1658. 7.9. H. ⊉ 2478 7.8. H. ♂. Eng. bot. 1228 H. ♂. Eng. bot. 38. 1789. 7.8. H. ⊉. Eng. bot. 38. 1789. 7.8. H. ⊉. Gmel. sib. 2. t. 20. 1804. — H. ⊉. Bot. mag. 1871. 1816. — H. ⊉. Bot. mag. 1871. 1816. — H. ⊉. Bot. mag. 1871. 1816. — H. ⊉. Eng. bot. 599. 1816. — H. ⊉. Gmel. sib. 2. t. 33. 1796. — H. ⊉. Gmel. sib. 2. t. 33. 1796. — H. ⊉. Gmel. sib. 2. t. 33. 1796. — H. ⊉. Gmel. sib. 2. t. 33. 1796. — H. ⊉. Gmel. sib. 2. t. 33. 1796. — H. ⊉. — 2. t. 27. 1804. — H. ⊉. — 2. n. 38. t. 17. 1752. 6.7. H. ⊙. Jac. vind. 3. t. 23. 1805. 7. H. ⊋.
CATANANCHE. W.  1 carulea. W.  2 lutea. W.  2 lutea. W.  1 Intybus. W.  2 pumilum. W.  3 Endivia. W.  4 divaricatum. W.  5 spinosum. W.  SCOLYMUS. W.  1 maculatus. W.  2 hispanicus. W.  ARCTIUM. W.  1 Lappa. W.  2 Bardana. W.  SERRATULA. W.  1 tinctoria. W.  2 coronata. W.  3 quinquefolia. W.  4 pygma: a. W.  5 alpina. W.  6 angustifolia. W.  7 salicifolia. W.  8 centauroides. W.  CARDUUS. W.  1 leucographus. W.  2 crassifolius. W. en.  3 arabicus. W. en.	CATANANCHE. blue. yellow. SUCCORY. wild. dwarf. Endive. branching. prickly. {GOLDEN- THISTLE.} annual. perennial. BURDOCK. smooth-headed. woolly-headed. SAN-WORT. common. Siberian. five-leaved. Pigmy. Alpine. narrow-'* .ved. Willow-leaved. Centaury-like. THISTLE. white-spotted. thick-leaved. Arabian.	S. Europe. Candia. Cichoraceæ. J. Britain. E. Ind. Barbary. Candia. Cichoraceæ. J. S. Europe. Cynarocephalæ. J. Britain. Cynarocephalæ. J. Britain. Siberia. Persia. Austria. Britain. Siberia.  Cynarocephalæ. J. Italy. Arabia.	1596. 7.10. H. ½. Bot. mag. 293. 1640. 6.7. H. ⊙. Alp. exot. t. 236.  6.8. H. ½. Eng. bot. 539. 1799. 7.8. H. ⊙. 1798. — H. ⊙. 1638. — F. ♂. Bauh. prodr. 1. 62.  1633. 7.8. H. ♂. Lam. ill. t. 659. 1658. 7.9. H. ½.  7.8. H. ♂. Eng. bot. 1228.  7.10. H. ½. Eng. bot. 38. 1789. 7.8. H. ¾. Gmel. sib. 2. t. 20. 1804. — H. ¾. Bot. mag. 1871. 1816. — H. ¾. Bot. mag. 1871. 1816. — H. ¾. Eng. bot. 599. 1816. — H. ¾. Gmel. sib. 2. t. 33. 1796. — H. ¾. Gmel. sib. 2. t. 33. 1796. — H. ¾. Gmel. sib. 2. t. 33. 1796. — H. ¾. Gmel. sib. 2. t. 33. 1796. — H. ¾. Jac. aust. t. 440 9. H. ¾. Gmel. sib. 2. t. 33. 1796. — H. ¾. Jac. aust. t. 47. 1752. 6.7. H. ⊙. Jac. vind. 3. t. 23. 1805. 7. H. ¾. 1789. 7.8. H. ⊙. Jac. vind. 3. t. 23.
CATANANCHE. W.  1 cærulea. W.  2 lutea. W.  2 lutea. W.  CIOHORIUM. W.  1 Intybus. W.  2 pumilum. W.  3 Endivia. W.  4 divaricatum. W.  5 spinosum. W.  SCOLYMUS. W.  1 maculatus. W.  2 hispanicus. W.  ARCTIUM. W.  1 Lappa. W.  2 Bardana. W.  SERRATULA. W.  1 tinctoria. W.  2 coronata. W.  3 quinquefolia. W.  4 pygmæa. W.  5 alpina. W.  6 angustifolia. W.  7 saleifolia. W.  8 centaproides. W.  CARDUUS. W.  1 leucographus. W.  2 crassifolius. W. en.	CATANANCHE. blue. yellow. SUCCORY. wild. dwarf. Endive. branching. prickly. GOLDEN- THISTLE. annual. perennial. BURDOCK. smooth-headed. woolly-headed. woolly-headed. SAW-WORT. common. Siberian. five-leaved. Pigmy. Alpine. narrow-'e.ved. Willow-leaved. Centaury-like. THISTLE. white-spotted. thick-leaved.	S. Europe. Candia. Cichoraceæ. J. Britain. E. Ind. Barbary. Candia. Cichoraceæ. J. S. Europe. Cynarocephalæ. J. Britain. Cynarocephalæ. J. Britain. Cynarocephalæ. J. Britain. Cynarocephalæ. J. Siberia. Persia. Austria. Britain. Siberia. Cynarocephalæ. J. Italy.	1596. 7.10. H. ½. Bot. mag. 293. 1640. 6.7. H. ⊙. Alp. exot. t. 236 6.8. H. ½. Eng. bot. 539. 1799. 7.8. H. ⊙. Jac. obs. 4. t. 80. 1548. — H. ⊙. 1638. — F. ♂. Bauh. prodr. t. 62. 1633. 7.8. H. ♂. Lam. ill. t. 659. 1658. 7.9. H. ⊉ 2478 7.8. H. ♂. Eng. bot. 1228 H. ♂. Eng. bot. 38. 1789. 7.8. H. ⊉. Eng. bot. 38. 1789. 7.8. H. ⊉. Gmel. sib. 2. t. 20. 1804. — H. ⊉. Bot. mag. 1871. 1816. — H. ⊉. Bot. mag. 1871. 1816. — H. ⊉. Bot. mag. 1871. 1816. — H. ⊉. Eng. bot. 599. 1816. — H. ⊉. Gmel. sib. 2. t. 33. 1796. — H. ⊉. Gmel. sib. 2. t. 33. 1796. — H. ⊉. Gmel. sib. 2. t. 33. 1796. — H. ⊉. Gmel. sib. 2. t. 33. 1796. — H. ⊉. Gmel. sib. 2. t. 33. 1796. — H. ⊉. — 2. t. 27. 1804. — H. ⊉. — 2. n. 38. t. 17. 1752. 6.7. H. ⊙. Jac. vind. 3. t. 23. 1805. 7. H. ⊋.

	~						
6 carlinæfolius. W.	Carline-leaved.	Cynarocephalæ. J.	Pyrenees.	1804.	7.8.	н.∂.	
7 acanthoides. W.	welted.		Britain.		6.8.	н.⊙.	Eng. bot. 973.
8 tenuislorus. W.	slender-flower'd.					H.⊙.	412.
9 crispus. W.	curled.			1804.	7.8.	н.∂.	Flor. dan. t. 621.
10 hamulosus, W.	spiny-hooked.		Hungary.			H. 3.	
11 candicans. W.	hoary.		Hungary.	1805.	7.8.	Н.∂.	Pl.rar.hung.1. t.83.
12 personata. W.	cut-leaved.		Austria.	1776.		H.3.	Jac. aust. 4. t. 348.
13 polyanthemos. W.	many-flowered.		Rome.	1739.	6.7.	H. &.	Triumf, obs. t. 103.
14 orientalis. W. en.	oriental.		Iberia.	1804.	7.	H.4.	
15 paniculatus. W.	panicled.		S. Europe.			H.4.	
16 pyenocephalus. W.				1739.	7.9.	H.4.	Jac. vind. 1. t. 44.
17 argentatus. W.			Egypt.	1789.	6.8.	$H.\odot.$	2. t. 192.
18 cyanoides. W.	blue-bottle-lead.		Siberia.				Gmel. sib. 2. t. 15.
19 arctioides. W.	pinnated.		Carniola.	1804.		H.4. H.4.	
20 alpestris. W.	Alpine.			1805.		H.4.	
21 defloratus. W.	various-leaved.			1570.	7.9.	H.4.	Jac. aust. 1. t. 89.
22 pannonicus. W.	Hungarian.			1816.		H.4.	3. t. 5.
23 parviflorus, W.	small-flowered.			1781.	6.7.	H.4.	
24 radiatus. W.	rayed.		Hungary.				Pl.rar.hung.1.t.11.
25 marianus. W.	milk.		Britain.				Eng. bot. 976.
26 nitidus. W.	glossy.		Hungary.	1806.		H.4.	Pl.rar.hung.1.t.52.
27 cerinthoides. W.	Honeywort-lead.		S. Europe.	1739.	7.8.	H.4.	Cav. ic. 3. t. 226.
CNICUS. W.		Cynarocephalæ. J.		P. S.			
1 palustris. W.			Britain.				Eng. bot. 974.
2 canus. W.	hoary.		Austria.				Jac. aust. 1. t. 42. 3.
3 Acarna. W.	yellow.		Spain.	1683.	7.9.	$H.\odot.$	Cav. ic. 1. t. 53.
4 monspessulanus.W.			Montpelier.	1596.	6.7.	H.4.	
5 lanceolatus. W.	common.		Britain.		6.9.	H. 3.	Eng. bot. 107.
6 ferox. W.	prickly.		S. Europe.	1683.	7.8.	H.3.	All. ped. 1. t. 50.
7 ciliatus. W.	fringed.		Siberia.	1787.	8.	H.4.	Mur.com.got.6.t.3.
8 criophorus. W.	woolly-headed.		Britain.		7.8.	H. J.	Eng. bot. 386.
9 discolor. W.	two-coloured.		N. America.	1803.		H. 3.	1
10 altissimus. W.	giant.			1726.	3.9.	H.4.	Dil. elt. t. 69. f. 80.
11 pratensis. W.	meadow.	-	Britain.		6.	H.4.	Eng. bot. 177.
12 heterophyllus. W.	melancholy.	<del></del>			7.8.	H.4.	
13 helenioides. W.	Elecampane-led.	-		1804.	-	H.4.	
14 serratuloides. W.	Saw-wort-like.			1752.	6.10.	H.4.	Jac. aust. 2. t. 127.
15 arvensis. Ph.	corn or way.		Britain.		7.	H.4.	Eng. bot. 975.
Serratula arvensis.	IV. Carduus arve	usis. $E.B.$					
16 rivularis. W.	river.		Hungary.	1804.	7.8.	H.4.	Jac. aust. 1. t. 91.
17 pauciflorus. W.	few-flowered.			1816.		H. 3.	Pl.rar hung.2.t.161
18 tataricus. W.	Tartarian.		Siberia.	1775.		H. 4.	Jac. aust. 1. t. 90.
19 rigens. W.	upright Alpine.		Switzerland.	1775	7 0	T-I N	J La Chen. act. helv.
	uping it inpines		Switzeriand.	1//0.	1.0.	11.4.	4. t. 16.
20 carniolicus. W.	Carniola.	*******************************	Carpiale	1700		LI N	Scop.carn.n.1005.
	Carmora.	,		1/92.		H.4.	t. 54.
21 oleraceus. W.	pale-flowered.		Europe.	1570.		H.4.	Fl. dan. 860.
22 munitus. W. en.	armed.		Caucasus.	1816.		H.4.	
23 obvallatus. W. en,	crowded-flowerd,			1816.		H.4.	
24 Erisithales, W.	clammy.		France.	1752.	6.8.	H.4.	Jac. aust. 4. t. 310.
25 ochroleucus. W.	pale yellow.	<del></del>	Switzerland.	1801.	7.	H.4.	
26 tuberosus. W.	tuberous.		England.		8.10.	H.4.	Lob. ic. t. 10. f. 2.
27 acaulis. W,	dwarf.		Britain.				Eng. bot. 161.
28 Casabonæ, W.	Fish-bone.	<del></del>	S. Europe.	1714.	6.8.	F. 3.	Schmid. ic.t.51.52.
29 afer. W.	Barbary.		Barbary.	1800.	6.7.	F. 3.	Jac.scheen.2.t.145. 2
30 diacanthus. Lab.	two-spined.	V	Syria.			F. 3.	Lab. ic. pl.syr.1.t.3.
31 stellatus. W.	starry.		Italy.	1665.		H.O.	Triumf. obs. t. 96.
32 syriacus. W.	Syrian.		Levant.	1771.	7.8.	H.O.	Camer, hort. t. 10.
33 spinosissimus. W.	feathery-headed.		Switzerland.	1759.	6.8.	H.4.	Bot. mag. 1366.
34 centauroides. W.	Artichoke-leavd.		Pyrenees.				Moris. s. 7. t. 25. f. 2.
35 uniflorus. W.	one-flowered.		Siberia.				Gmel. sib. 2. t. 38.
36 cernuus. W.	nodding.						Mill. ic. 2. t. 248.
ONOPORDUM. W.	COTTON }	Cunarage halm I					,
	THISTLE.	Cynarocephalæ. J.					
1 Acanthium. W.	woolly.	-	Britain.		7.8.	H. đ.	Eng. bot. 977.
2 tauricum. W.	Taurian.		Tauria.	1800.		H. 3.	
3 macrocanthum. W.	long-spined.			1798.	-	H.O.	Schous. maroc. t. 5.
4 illyricum. W.	Illyrian.		S. Europe.	1648.		H. 3.	Schous. maroc. t. 5. Jac. vind. 2. t. 148.
5 deltoides. W.	Siberian.		Siberia,	1784.	8.	H.4.	
græcum. W.	Grecian.		Levant.				Gouan, ill. t. 25.
		A a	2				•

180	INGENESI	A PULIGE	WIIA AL	QUALI	<b>D.</b>	
7 arabicum. W.	Arabian.	Cynarocephalæ. J.	S. Europe.	1686. 7.	H. A.	Jac. vind. 2. t. 149.
8 acaulon. W.	dwarf.		•			Jac. ic. 1. t. 167.
BERARDIA. Vill.		Cynarocephalæ. J.	Onopordi sp.	W.		
subacaulis. P. S.	round-leaved.		Italy.		H.4.	Vill. dauph. 3. t. 22,
Arctium lanuginosu	m. Dec. Onopora	lum rotundifolium.	IV			· ·
CYNARA. W.	ARTICHOKE.	Cynarocephalæ. J.				
1 Scolymus. W.	garden.		S. Europe.			Blackw. t. 458.
2 horrida. W.	Madeira.		Madeira.	1778		
3 Cardunculus. W.	Cardoon.		Candia.			Tabern. ic. 696.
4 humilis. W.	dwarf.		Spain.			Pluk. alm. t.81.f. 2.
5 acaulis. W.	stemless.		Barbary.			Desf. alt. 2. t. 223.
6 glomerata. Th.			C. B. S.	1816. 7.8.	G. 4.	
CARLINA. W.	{ CARLINE }	Cynarocephalæ. J.				
1 acaulis. W.	dwarf.		Italy	1640 6	T-Y 2/	Knorr.thes.2.t.c.t.
2 simplex. P. S.	single-flowered.		Hungary.	1816. 6.7.	H. 2/.	Pl.rar.hung.2.t.152
3 aggregata. W.	clustered.			1804. 6.9.	H.24.	1 111 at 111 at 15 12 11 1 1 2 4
4 lanata. W.	woolly.	<del></del>	S. Europe.	1683, 6.7,	H.O.	Garid, aix, t. 21.
5 corymbosa. W.	corymbed.			1640. 7.8.	H.4.	Col.ecphr.1.t.27.f.1
6 vulgaris. W.	common.		Britain.	6.9.	н. д.	Eng. bot. 1144.
7 racemosa. W.	racemed.		Spain.	1658. 6.8.		
8 pyrenaica. W.	Pyrencan.		Pyrenees.	1788. 6.	H.4.	
ATRACTYLIS. W.	ATRACTYLIS.	Cynarocephalæ. J	•			
humilis. W.	dwarf.				H.4.	Cav. ic. 1. t. 54.
ACARNA. W.	ACARNA.	Cynarocephalæ. J				
1 gummifera. W.	gummy-rooted.		S. Europe.			Cav. ic. 3. t. 228.
2 cancellata. W.	netted.			6.7	. н.⊙.	Lam. ill. t. 662. f. 1.
STOKESIA. W.	STOKESIA.	Cynarocephalæ. J			0.01	T 211
cyanea. W.	blue-flowered.	(1 1 1		1766. 8.	G. 4.	L'Her.sert.27.t.38,
STOBÆA. Th.	STOBÆA.	Cynarocephalæ, J		1010 110	CI	Tot man 1700
pinnata. Th.	Carthamus-like.			1812. 1.12	. G.n.	Bot. mag. 1788.
CARTHAMUS. W.	CARTHAMUS. officinal.	Cynarocephalæ. J	Fount	1551 67	HO	Bot. reg. 170.
2 lanatus. W.	woolly.		S Furone			Schk.hand.3. t. 233. 2
3 creticus. W.	Cretan.		Candia	1781. 6.7		
4 tingitanus. W.	Tangier.		Barbary.	1759. —	– H.26.	Cav. ic. 2. t. 128.
5 cœruleus. W.	blue-flowered.		Spain.	1640	- H. 24.	Cav. ic. 2. t. 128.
6 mitissimus. W.	small.		· France.	1776. —	- H. 4.	to the state of th
7 Carduncellus. W.	mountain.			1734. 5.6	H. 24.	
8 arborescens. W.	tree.		- Spain.	1731. 7.8	. G. h.	
9 salicifolius. W.	Willow-leaved.		· Madeira.	1784. 8.	G. Iz .	
STÆHELINA. W.	STÆHELINA.	Cynarocephalæ. J				
1 dubia. W.			- S. Europe.	1640. 6.7		Lam. ill. t. 666. f. 4.
2 arborescens. W.	Storax-leaved.		- Candia.	1739. 7.9	. G.h.	Schreb. dec. 1. t. 1.
3 Chamæpence. W.	Pine-leaved.			- 1640. 7.1	1. G. h.	Pluk.alm.t.94.f.3.
PTERONIA. W.	PTERONIA.	Cynarocephalæ. J	o m c			DI 1 4045 60
1 camphorata. W.	aromatic.	•	- С. В. S.	1774. 6.7	. G.h.	Pluk.man.t.345. f.2
2 stricta. W.	bandian stalland			4.6	. G. n.	
3 flexicaulis. W.	opposite leaved	_		1812. 6.8	. G. n.	I am ill t 667 f o
4 oppositifolia. W. 5 scariosa. W.	Window-calvard			1915 60	G. K.	Lam. ill. t. 667.f. 2.
VERNONIA. W.	VERNONIA.	Corymbiferæ. J.		1515. 6.8	. G.n.	
1 noveboracensis. W		Corymonera. 9.	N. America	1710 91	1. H. 2/	Dil.elt.t.263, f.342.
2 præalta. W.	tall.		- Transition	· 1732. —	- H. 2	Dil.elt.t.263. f.342
3 angustifolia. Ph.	narrow-leaved.					
4 glauca. W.	glaucous-leaved.			- 1710	-H.4	Dill.elt.t.262.f.341
5 anthelmintica. W.	purple.		- E. Ind.	1770. 8.9	. S. d.	Rheed. mal. 2. t.24.
LIATRIS. W.	LIATRIS.	Corymbiferæ. J.		1	3	
1 squarrosa. W.	rough-cupped.		- N. America.	1732. 7.8	. H.4	Dill. elt. t. 71. f. 82.
2 scariosa. W.	scarious-cupped.			- 1739. 9.10	o. H.4	Bot. mag. 1709. 551
3 sphæroidea. Ph.	globular-cupped.			1817. 8.10	D. H. 24.	t
4 elegans. W.	hairy-cupped.			- 1787. 9.10	o. H.4	Bot. reg. 267.
5 pilosa. W.	hairy-leaved.			1783	- H. 24.	4 60
6 cylindracea. Ph.	cylindrical-cupd.			- 1811. 8.10	o. H.4	
7 heterophylla. Ph.	various-leaved.			- 1790. 7.8	H. 24	D'11 .14 4 =2 C 4=
8 pycnostachya. Ph.	pubescent-leavd.	**************************************		- 1732. 8.10	U. H. 4	Dill. elt. t. 72. f. \$3.
9 spicata. W.	long-spiked.		Constina	1732	- H. 4	дот. гер. 401.
10 odoratissima. W.	sweet-scented.	Commbison I	- Caronna.	1786.	<b>-</b> G. 4	633.
MIKANIA. W. 1 Houstoni. W.	MIKANIA.	Corymbiferæ. J.	Tamaica	1733. 7.8	C L	
s mouscome we	Houstoun's.		· Samarca,	1/00, 1,0	. 7. 12 ·	1

2 hastata. W.	halbert-leaved.	Corymbiferæ. J.	Jamaica.			S.h.	Brown.jam.t.34.f.3
3 scandens. W.	climbing.		N. America.	1714.	8.9.	G. 4.	Jac. ic. 1. t. 169.
EUPATORIUM. W.	EUPATORIUM.	Corymbiferæ. J.					
1 Dalea. W.	shrabby.		Jamaica.	1773.	8.	S.h.	Jac. scheen.2.t.146
2 fœniculaceum. Pli.			N. America.	1807.	6.9.	H.4.	D'II l'Anna Cara
3 hyssopifolium. W.	Hyssop-leaved.			1699.	8.9.	H. 4.	Dill.elt.t.115.f.140
4 sessilifolium. W.	sessile-leaved.						
5 teucrifolium. W.				1816.	8.11.	H.4.	Pluk. alm. t. 88. f. 4.
6 rotundifolium. W. 7 altissimum. W.	round-leaved.			1699.	0.10	H 2	Jac. vind. 2. t. 164.
8 trifoliatum. W.	three-leaved.			1768	8 10	H.21.	vac. vinu. 2. t. 104.
9 cannabinum. W.	Hemp Agrimony.		Britain.	1700.	7.10.	H.24.	Eng. bot. 428.
10 syriacum. W.	Syrian.		Syria.	1807.	7.9.	H. 24.	Jac. ic. 1. t. 170.
11 purpureum. W.	purple-stalked.		N. America.	1640.	9.10.	H.4.	Corn. canad. t. 72.
12 maculatum. Ph.	spotted-stalked.			1656.	8.9.	H.4.	Herm.parad.t.158.
13 punctatum. Ph.	punctated.			1815.		H.4.	•
14 verticillatum. W.	whorl-leaved.			1811.		H.4.	
15 perfoliatum. Ph.	Feverwort.			1699.	8.10.	H.4.	Pluk.alm.t. 87.f.6.
16 cœlestinum. W.	blue-flowered.			1732.	7.11.	H.4.	Dill.elt.t.114.f.139
17 urticæfolium. W.	Nettle-leaved.						Smith ined. t. 68.
18 aromaticum. W.	aromatic.		N. America.	1739.		H.4.	Pluk.alm. t. 88. f. 3.
19 ageratoides, W.	Ageratum-like.			1640.	8.10.	H.4.	Corn. canad. t. 21. Pluk.alm.t.177.f.3.
20 odoratum. W.	sweet-scented.		Jamaica.	1752.		S.h.	Pluk.alm.t.177.f.3.
21 ivæfolium. W.	Iva-leaved.	C 110 5		1794.	6.7.	S. 4.	
AGERATUM. W.	AGERATUM.	Corymbiferæ. J.					Calabarato 4 ann
1 conyzoides. W.	bairy.		America.	1714.	7.8.	H. ().	Schk.hand.3.t.238. Cav. ic. 4. t. 357.
2 latifolium. W. 3 cœlestinum. B. M.	broad-leaved. blue-flowered.		Peru.	1800.	7.10	G.L	Bot mag 1790
STEVIA. W.	STEVIA.	Corymbiferæ. J.			7.10	α.η.	Dot. mag. 1750.
1 purpurea. W. en.	purple.		Mexico	1219	8 0	FT 2/ .	Bot reg 93
2 Eupatoria. W.	entire-leaved.	1	MCXICO.	1708.	7.9	H 2/.	Bot mag 1840
3 hyssopifolia. B. M.				1750	8.9.	H.21.	1861.
4 salicifolia. W.	Willow-leaved.			1803.		- F. 2.	Cav. ic. 4. t. 354.
5 serrata. W.	saw-leaved.			1799.	7.9.	H.21.	Jac. scheen.3.t.300.
6 ivæfolia. W. en.	Iva-leaved.			1816.		H. 4.	
7 ovata. W. en.	oval-leaved.				8.9.	H.4.	
9 modete W	1.10.1						
8 pedata. W.	multifid.			1803.	7.9.	H.⊙.	Cav. ic. 4. t. 356. 20
CEPHALOPHORA.	multihd.	Corrections I		1803.	7.9.	н.⊙.	Cav. ic. 4. t. 356. 20
CEPHALOPHORA.	CEPHALOPHORA.	Corymbiferæ. J.		1803.	7.9.	н.⊙.	Cav. ic. 4. t. 356. 20-
CEPHALOPHORA. W. glauca. W.	CEPHALOPHORA.	Corymbiferæ. J.					Cav. ic. 4. t. 356. 20-
CEPHALOPHORA. W. glauca. W. HYMENOPAPPUS.J.	CEPHALOPHORA. glaucous. HYMENOPAPPUS.	Corymbiferæ. J.	Chili.	1798.	7.8.	F.4.	
CEPHALOPHORA.  W. glauca. W. HYMENOPAPPUS.J. tenuifolius. Ph.	CEPHALOPHORA. glaucous. HYMENOPAPPUS. slender-leaved.	Corymbiferæ. J.	Chili.	1798.	7.8.	F.4.	
CEPHALOPHORA.  W. glauca. W. HYMENOPAPPUS.J. tenuifolius. Ph.	CEPHALOPHORA. glaucous. HYMENOPAPPUS. slender-leaved.	Corymbiferæ. J.	Chili.	1798.	7.8.	F.4.	
CEPHALOPHORA. W. glauca, W. HYMENOPAPPUS.J. tenuifolius. Ph. MELANANTHERA Mi.	CEPHALOPHORA. glaucous. HYMENOPAPPUS. slender-leaved. MELANANTHERA	Corymbiferæ. J.  Corymbiferæ. J.	Chili.  Louisiana.  Bidentis sp.	1798. 1811. W.	7.8. 6.8.	F.4.	Cav. ic. 6. t. 599.
CEPHALOPHORA. W. glauca, W. HYMENOPAPPUS.J. tenuifolius. Ph. MELANANTHERA Mi. 1 hastata. Ph.	CEPHALOPHORA. glaucous. HYMENOPAPPUS. slender-leaved. MELANANTHERA snowy.	Corymbiferæ. J.  Corymbiferæ. J.  Corymbiferæ. J.	Chili.  Louisiana.  Bidentis sp.  N. America.	1798. 1811. W. 1732.	7.8. 6.8.	F.4. F.3.	Cav. ic. 6. t. 599.  Dill. elt. t. 47. f. 55.
CEPHALOPHORA.  W. glauca, W. HYMENOPAPPUS.J. tenuifolius. Ph. MELANANTHERA  Mi. 1 hastata. Ph. β pandurata.	CEPHALOPHORA. glaucous. HYMENOPAPPUS. slender-leaved. MELANANTHERA snowy. fiddle-leaved.	Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J.	Chili.  Louisiana.  Bidentis sp.  N. America.	1798. 1811. W.	7.8. 6.8.	F.4. F.3. G.4.	Cav. ic. 6. t. 599.  Dill. elt. t. 47. f. 55.
CEPHALOPHORA.  W. glauca. W. HYMENOPAPPUS.J. tenuifolius. Ph. MELANANTHERA Mi. 1 hastata. Ph. β pandarata. 2 deltoidea. Mi.	CEPHALOPHORA. glaucous. HYMENOPAPPUS. slender-leaved. MELANANTHERA snowy.	Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J.	Chili.  Louisiana.  Bidentis sp.  N. America.	1798. 1811. W.	7.8. 6.8.	F.4. F.3. G.4.	Cav. ic. 6. t. 599.  Dill. elt. t. 47. f. 55.
CEPHALOPHORA.  W. glauca. W. HYMENOPAPPUS. J. tenuifolius. Ph. MELANANTHERA  Mi. 1 hastata. Ph. β pandurata. 2 deltoidea. Mi. Calea aspera. W.	CEPHALOPHORA. glaucous. HYMENOPAPPUS. slender-leaved. MELANANTHERA snowy. fiddle-leaved. rough-leaved.	Corymbiferæ. J. Corymbiferæ. JCorymbiferæ. J.	Chili. Louisiana. Bidentis sp. N. America. S. America.	1798. 1811. W. 1732. 1799.	7.8. 6.8. 6.7. 7.8.	F.4. F.3. G.4. G.4. S.3.	Cav. ic. 6. t. 599.  Dill. elt. t. 47. f. 55.  - t. 46.f. 54.  Jac. ic. 3. t. 583.
CEPHALOPHORA.  W. glauca, W. HYMENOPAPPUS.J. tenuifolius. Ph. MELANANTHERA Mi. 1 hastata. Ph. β pandurata. 2 deltoidea. Mi. Calea aspera. W. MARSHALLIA. Ph.	CEPHALOPHORA. glaucous. HYMENOPAPPUS. slender-leaved. MELANANTHERA snowy. fiddle-leaved. rough-leaved. MARSHALLIA.	Corymbiferæ. J.  Corymbiferæ. J.  Corymbiferæ. J.	Chili. Louisiana. Bidentis sp. N. America. S. America.	1798. 1811. W. 1732. 1799.	7.8. 6.8. 6.7. 7.8.  ttenic	F.4. F.3. G.4. G.4. S.3.	Cav. ic. 6. t. 599.  Dill. elt. t. 47. f. 55.  - t. 46.f. 54.  Jac. ic. 3. t. 583.
CEPHALOPHORA.  W. glauca. W. HYMENOPAPPUS. J. tenuifolius. Ph. MELANANTHERA  Mi. 1 hastata. Ph. β pandurata. 2 deltoidea. Mi. Calea aspera. W.	CEPHALOPHORA. glaucous. HYMENOPAPPUS. slender-leaved. MELANANTHERA snowy. fiddle-leaved. rough-leaved. MARSHALLIA. spear-leaved.	Corymbiferæ. J.  Corymbiferæ. J.  Corymbiferæ. J.	Chili. Louisiana. Bidentis sp. N. America. S. America.	1798. 1811. W. 1732. 1799.	7.8. 6.8. 6.7. 7.8.  ttenic	F.4. F.3. G.4. G.4. S.3.	Cav. ic. 6. t. 599.  Dill. elt. t. 47. f. 55.  - t. 46.f. 54.  Jac. ic. 3. t. 583.
CEPHALOPHORA.  W. glauca. W. HYMENOPAPPUS. J. tenuifolius. Ph. MELANANTHERA Mi. 1 hastata. Ph. β pandurata. 2 deltoidea. Mi. Calea aspera. W. MARSHALLIA. Ph. 1 lanceolata. Ph.	CEPHALOPHORA. glaucous. HYMENOPAPPUS. slender-leaved. MELANANTHERA snowy. fiddle-leaved. rough-leaved. MARSHALLIA.	Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J.	Chili. Louisiana. Bidentis sp. N. America. S. America.	1798. 1811. W. 1732. 1799.	7.8. 6.8. 6.7. 7.8.  ttenic	F.4. F.3. G.4. G.4. S.3.	Cav. ic. 6. t. 599.  Dill. elt. t. 47. f. 55.  - t. 46.f. 54.  Jac. ic. 3. t. 583.
CEPHALOPHORA.  W. glauca, W. HYMENOPAPPUS.J. tenuifolius, Ph. MELANANTHERA Mi. 1 hastata, Ph. β pandarata. 2 deltoidea, Mi. Calea aspera, W. MARSHALLIA, Ph. 1 lanceolata, Ph. 2 latifolia, Ph.	CEPHALOPHORA. glaucous. HYMENOPAPPUS. slender-leaved. MELANANTHERA snowy. fiddle-leaved. rough-leaved. MARSHALLIA. spear-leaved. broad-leaved. SPILANTHES.	Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J.	Chili. Louisiana. Bidentis sp. N. America. S. America. Persoonia. M Carolina.	1798. 1811. W. 1732. 1799.	7.8. 6.8. 6.7. 7.8.  ttenic 6.7.	F.4. F.3. G.4. S.3. kia. P. F.4.	Cav. ic. 6. t. 599.  Dill. elt. t. 47. f. 55.  - t. 46.f. 54.  Jac. ic. 3. t. 583.
CEPHALOPHORA.  W. glauca. W. HYMENOPAPPUS. J. tenuifolius. Ph. MELANANTHERA  Mi. 1 hastata. Ph. β pandarata. 2 deltoidea. Mi. Calea aspera. W. MARSHALLIA. Ph. 1 lanceolata. Ph. 2 latifolia. Ph. SPILANTHES. W.	CEPHALOPHORA. glaucous. HYMENOPAPPUS. slender-leaved. MELANANTHERA snowy. fiddle-leaved. rough-leaved. MARSHALLIA. spear-leaved. broad-leaved. SPILANTHES.	Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J.	Chili. Louisiana. Bidentis sp. N. America. S. America. Persoonia. M Carolina. Ceylon. Pern.	1798. 1811. W. 1732. 1799. i. Tra 1812. 1806.	7.8. 6.8. 6.7. 7.8.  ttenic 6.7. 7.	F.4.  F.8.  G.4G.4. S.8. kia. P. F.4F.4. S.⊙.	Cav. ic. 6. t. 599.  Dill. elt. t. 47. f. 55.  - t. 46.f. 54.  Jac. ic. 3. t. 583.  S.  Mich. amer. 2. t. 43.  Pluk. alm. t. 159. f. 4.  L'Her. stirp. 7. t. 4.
CEPHALOPHORA.  W. glauca. W. HYMENOPAPPUS.J. tenuifolius. Ph. MELANANTHERA Mi. 1 hastata. Ph. β pandarata. 2 deltoidea. Mi. Calea aspera. W. MARSHALLIA. Ph. 1 lanceolata. Ph. 2 latifolia. Ph. SPILANTHES. W. 1 Pseudo-Acmella. W 2 alba. W. 3 oleracea. W.	CEPHALOPHORA. glaucous. HYMENOPAPPUS. slender-leaved. MELANANTHERA snowy. fiddle-leaved. rough-leaved. MARSHALLIA. spear-leaved. broad-leaved. SPILANTHES. spear-leaved. white-flowered. esculent.	Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J.	Chili. Louisiana. Bidentis sp. N. America. S. America. Persoonia. M Carolina. Ceylon. Peru. E. Ind.	1798.  1811.  W.  1732.  1799.  i. Tra  1812.  1806.  1768.  1783.  1770.	7.8. 6.7. 7.8.  ttenic 6.7. 7. 6.7. 7.9.	F.4. F.3. G.4. S.3. kia. P. F.4. S.⊙. S.⊙. S.3.	Cav. ic. 6. t. 599.  Dill. elt. t. 47. f. 55.
CEPHALOPHORA.  W. glauca. W. HYMENOPAPPUS.J. tenuifolius. Ph. MELANANTHERA Mi. 1 hastata. Ph. β pandarata. 2 deltoidea. Mi. Calea aspera. W. MARSHALLIA. Ph. 1 lanceolata. Ph. 2 latifolia. Ph. SPILANTHES. W. 1 Pseudo-Acmella. W 2 alba. W. 3 oleracea. W. 4 crocata. B. M.	CEPHALOPHORA. glaucous. HYMENOPAPPUS. slender-leaved. MELANANTHERA snowy. fiddle-leaved. rough-leaved. MARSHALLIA. spear-leaved. broad-leaved. SPILANTHES. spear-leaved. white-flowered.	Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J.	Chili. Louisiana. Bidentis sp. N. America. S. America. Persoonia. M Carolina. Ceylon. Peru. E. Ind.	1798.  1811.  W.  1732.  1799.  i. Tra  1812.  1806.  1768.  1783.  1770.	7.8. 6.7. 7.8.  ttenic 6.7. 7. 6.7. 7.9.	F.4. F.3. G.4. S.3. kia. P. F.4. S.⊙. S.⊙. S.3.	Cav. ic. 6. t. 599.  Dill. elt. t. 47. f. 55.  - t. 46.f. 54.  Jac. ic. 3. t. 583.  S.  Mich. amer. 2. t. 43.  Pluk. alm. t. 159. f. 4.  L'Her. stirp. 7. t. 4.
CEPHALOPHORA.  W. glauca. W. HYMENOPAPPUS. J. tenuifolius. Ph. MELANANTHERA Mi. 1 hastata. Ph. β pandarata. 2 deltoidea. Mi. Calea aspera. W. MARSHALLIA. Ph. 1 lanceolata. Ph. SPILANTHES. W. 1 Pseudo-Acmella. W. 2 alba. W. 3 oleracea. W. 4 crocata. B. M. BIDENS. W.	CEPHALOPHORA. glaucous. HYMENOPAPPUS. slender-leaved. MELANANTHERA snowy. fiddle-leaved. rough-leaved. MARSHALLIA. spear-leaved. SPILANTHES. spear-leaved. white-flowered. esculent. saffron-coloured. BIDENS.	Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J.	Chili. Louisiana. Bidentis sp. N. America. S. America. Persoonia. M Carolina. Ceylon. Peru. E. Ind. S. America.	1798. 1811. W. 1732. 1799. i. Tra 1812. 1806. 1768. 1783. 1770. 1812.	7.8. 6.8. 6.7. 7.8. ttenic 6.7. 7. 6.7. 7.9. 1.3.	F.4. F.3. G.4. S.3. kia. P. F.4. S.⊙. S.⊙. S.3.	Cav. ic. 6. t. 599.  Dill. elt. t. 47. f. 55.
CEPHALOPHORA.  W. glauca. W. HYMENOPAPPUS.J. tenuifolius. Ph. MELANANTHERA Mi. 1 hastata. Ph. β pandurata. 2 deltoidea. Mi. Calea aspera. W. MARSHALLIA. Ph. 1 lanceolata. Ph. 2 latifolia. Ph. SPILANTHES. W. 1 Pseudo-Acmella. W. 2 alba. W. 3 oleracea. W. 4 crocata. B. M. BIDENS. W. 1 nodiflora. W.	CEPHALOPHORA. glaucous. HYMENOPAPPUS. slender-leaved. MELANANTHERA snowy. fiddle-leaved. rough-leaved. MARSHALLIA. spear-leaved. broad-leaved. spear-leaved. white-flowered. esculent. saffron-coloured. BIDENS. sessile-flowered.	Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J.	Chili. Louisiana. Bidentis sp. N. America. S. America. Persoonia. M Carolina.  Ceylon. Peru. E. Ind. S. America.	1798. 1811.  1732. 1799. 1. Tra 1812. 1806. 1768. 1783. 1770. 1812.	7.8. 6.8. 6.7. 7.8. ttenic 6.7. 7.9. 1.3.	F.4. F.3. G.4. S.3. kia. P. F.4. S.⊙. S.3. S.3. S.4.	Dill. elt. t. 47. f. 55.  — t. 46.f. 54. Jac. ic. 3. t. 583.  S.  Mich. amer. 2. t. 43.  Pluk. alm. t. 159. f. 4. L'Her. stirp. 7. t. 4. Jac. vind. 2. t. 135. Bot. mag. 1627.  Dill. elt. t. 44. f. 52.
CEPHALOPHORA.  W. glauca. W. HYMENOPAPPUS. J. tenuifolius. Ph. MELANANTHERA Mi. 1 hastata. Ph. β pandarata. 2 deltoidea. Mi. Calea aspera. W. MARSHALLIA. Ph. 1 lanceolata. Ph. 2 latifolia. Ph. SPILANTHES. W. 1 Pseudo-Acmella. W 2 abba. W. 3 oleracea. W. 4 crocata. B. M. BIDENS. W. 1 nodiflora. W. 2 tripartita. W.	CEPHALOPHORA. glaucous. HYMENOPAPPUS. slender-leaved. MELANANTHERA snowy. fiddle-leaved. rough-leaved. MARSHALLIA. spear-leaved. broad-leaved. SPILANTHES. spear-leaved. white-flowered. esculent. saffron-coloured. BIDENS. sessile-flowered. trifid.	Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J.	Chili. Louisiana. Bidentis sp. N. America. S. America. Persoonia. M Carolina. Ceylon. Peru. E. Ind. S. America.	1798. 1811. W. 1732. 1799. i. Tra 1812. 1806. 1768. 1770. 1812. 1732.	7.8. 6.8. 6.7. 7.8. ttenic 6.7. 7.9. 1.3. 7.8.	F.4.  F.3.  G.4. S.3.  kia. P. F.4. S.0. S.3. S.4. S.0. H.0.	Cav. ic. 6. t. 599.  Dill. elt. t. 47. f. 55.  - t. 46.f. 54. Jac. ic. 3. t. 583.  S.  Mich. amer. 2. t. 43.  Pluk. alm. t. 159. f. 4. L'Her. stirp. 7. t. 4. Jac. vind. 2. t. 135. Bot. mag. 1627.  Dill. elt. t. 44. f. 52. Eng. bot. 1113.
CEPHALOPHORA.  W. glauca, W. HYMENOPAPPUS.J. tenuifolius, Ph. MELANANTHERA Mi. 1 hastata, Ph. β pandarata. 2 deltoidea, Mi. Calea aspera, W. MARSHALLIA, Ph. 1 lanceolata, Ph. 2 latifolia, Ph. SPILANTHES, W. 1 Pseudo-Aemella, W 2 alba, W. 3 oleracea, W. 4 crocata, B. M. BIDENS, W. 1 nodiflora, W. 2 tripartita, W. 3 cernua, W.	CEPHALOPHORA. glaucous. HYMENOPAPPUS. slender-leaved. MELANANTHERA snowy. fiddle-leaved. rough-leaved. MARSHALLIA. spear-leaved. broad-leaved. SPILANTHES. spear-leaved. white-flowered. esculent. saffron-coloured. BIDENS. sessile-flowered. trifid. nodding.	Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J.	Chili. Louisiana. Bidentis sp. N. America. S. America. Persoonia. M Carolina.  Ceylon. Peru. E. Ind. S. America. E. Ind. Britain.	1798. 1811. W. 1732. 1799. i. Tra 1812. 1806. 1768. 1770. 1812. 1732	7.8. 6.8. 6.7. 7.8. ttenic 6.7. 7.9. 1.3. 7.9.	F.4.  F.3.  G.4G.4. S.3.  kia. P. F.4. S.0. S.0. S.4. S.0. H.0.	Cav. ic. 6. t. 599.  Dill. elt. t. 47. f. 55.
CEPHALOPHORA.  W. glauca. W. HYMENOPAPPUS.J. tenuifolius. Ph. MELANANTHERA Mi. 1 hastata. Ph. β pandarata. 2 deltoidea. Mi. Calea aspera. W. MARSHALIA. Ph. 1 lanceolata. Ph. 2 latifolia. Ph. SPILANTHES. W. 1 Pseudo-Acmella. W 2 alba. W. 3 oleracea. W. 4 crocata. B. M. BIDENS. W. 1 nodiflora. W. 2 tripartita. W. 3 cernua. W. 4 leterophylla. W.	CEPHALOPHORA. glaucous. HYMENOPAPPUS. slender-leaved. MELANANTHERA snowy. fiddle-leaved. rough-leaved. MARSHALLIA. spear-leaved. broad-leaved. SPILANTHES. spear-leaved. white-flowered. esculent. safiron-coloured. BIDENS. sessile-flowered. trifid. nodding. various-leaved.	Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J.	Chili. Louisiana. Bidentis sp. N. America. S. America. Persoonia. M Carolina.  Ceylon. Peru. E. Ind. S. America. E. Ind. Britain.  Mexico.	1798. 1811.  W. 1732. 1799.  i. Tra 1812. 1806. 1768. 1780. 1812. 1732 1803.	7.8. 6.8. 6.7. 7.8. ttenic 6.7. 7.9. 1.3. 7.8.	F. 4.  F. 3.  G. 4 G. 4 S. 3.  kia. P. F. 4 F. 4 S. ⊙. S. 3. S. ⊙. S. 3. S. ⊙. H. ⊙ H. ⊙.	Cav. ic. 6. t. 599.  Dill. elt. t. 47. f. 55.
CEPHALOPHORA.  W. glauca. W. HYMENOPAPPUS.J. tenuifolius. Ph. MELANANTHERA Mi. 1 hastata. Ph. β pandarata. 2 deltoidea. Mi. Calea aspera. W. MARSHALLIA. Ph. 1 lanceolata. Ph. SPILANTHES. W. 1 Pseudo-Acmella. W. 2 alba. W. 3 oleracea. W. 4 crocata. B. M. BIDENS. W. 1 nodiflora. W. 2 tripartita. W. 3 cernua. W. 4 heterophylla. W. 5 frondosa. W.	CEPHALOPHORA. glaucous. HYMENOPAPPUS. slender-leaved. MELANANTHERA snowy. fiddle-leaved. rough-leaved. MARSHALLIA. spear-leaved. SPILANTHES. spear-leaved. white-flowered. esculent. saffron-coloured. BIDENS. sessile-flowered. trifid. nodding. various-leaved. smooth-stalked.	Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J.	Chili. Louisiana. Bidentis sp. N. America. S. America. Persoonia. M Carolina. Ceylon. Peru. E. Ind. S. America. E. Ind. Britain. Mexico. N. America.	1798. 1811.  1732. 1799.  1. Tra 1812. 1806. 1768. 1770. 1812. 1732 1803.	7.8. 6.8. 6.7. 7.8. ttenic 6.7. 7.9. 1.3. 7.9. 8.9. 7.8.	F.4. F.3. G.4. S.3. kia. P. F.4. S.⊙. S.5. S.7. S.⊙. S.4. H.⊙. H.⊙.	Cav. ic. 6. t. 599.  Dill. elt. t. 47. f. 55.
CEPHALOPHORA.  W. glauca. W. HYMENOPAPPUS. J. tenuifolius. Ph. MELANANTHERA Mi. 1 hastata. Ph. β pandarata. 2 deltoidea. Mi. Calea aspera. W. MARSHALLIA. Ph. 1 lanceolata. Ph. 8 PILANTHES. W. 1 Pseudo-Acmella. W. 2 alba. W. 3 oleracea. W. 4 crocata. B. M. BIDENS. W. 1 nodiflora. W. 2 tripartita. W. 3 cernua. W. 4 leterophylla. W. 5 frondosa. W. 6 leucantha. W.	CEPHALOPHORA. glaucous. HYMENOPAPPUS. slender-leaved. MELANANTHERA snowy. fiddle-leaved. rough-leaved. MARSHALLIA. spear-leaved. broad-leaved. SPILANTHES. spear-leaved. white-flowered. esculent. safiron-coloured. BIDENS. sessile-flowered. trifid. nodding. various-leaved.	Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J.	Chili. Louisiana. Bidentis sp. N. America. S. America. Persoonia. M Carolina.  Ceylon. Peru. E. Ind. S. America. E. Ind. Britain.  Mexico.	1798. 1811.  1732. 1799.  1. Tra 1812. 1806. 1768. 1770. 1812. 1732 1803. 1710.	7.8. 6.8. 6.7. 7.8. tttenic 6.7. 7.9. 1.3. 7.9. 8.9. 7.8.	F.4. F.3. G.4. S.3. kia. P. F.4. S.⊙. S.7. S.⊙. S.7. H.⊙. H.⊙.	Cav. ic. 6. t. 599.  Dill. elt. t. 47. f. 55.
CEPHALOPHORA.  W. glauca. W. HYMENOPAPPUS.J. tenuifolius. Ph. MELANANTHERA Mi. 1 hastata. Ph. β pandarata. 2 deltoidea. Mi. Calea aspera. W. MARSHALLIA. Ph. 1 lanceolata. Ph. SPILANTHES. W. 1 Pseudo-Acmella. W. 2 alba. W. 3 oleracea. W. 4 crocata. B. M. BIDENS. W. 1 nodiflora. W. 2 tripartita. W. 3 cernua. W. 4 heterophylla. W. 5 frondosa. W.	CEPHALOPHORA. glaucous. HYMENOPAPPUS. slender-leaved. MELANANTHERA snowy. fiddle-leaved. rough-leaved. MARSHALLIA. spear-leaved. SPILANTHES. spear-leaved. white-flowered. esculent. saffron-coloured. BIDENS. sessile-flowered. trifid. nodding. various-leaved. smooth-stalked.	Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J.	Chili. Louisiana. Bidentis sp. N. America. S. America. Persoonia. M Carolina.  Ceylon. Peru. E. Ind. S. America. E. Ind. Britain.  Mexico. N. America. S. America.	1798. 1811.  1732. 1799.  1. Tra 1812. 1806. 1768. 1770. 1812. 1732 1803. 1710.	7.8. 6.8. 6.7. 7.8. tttenic 6.7. 7.9. 1.3. 7.9. 8.9. 7.8.	F.4. F.3. G.4. S.3. kia. P. F.4. S.⊙. S.7. S.⊙. S.7. H.⊙. H.⊙.	Cav. ic. 6. t. 599.  Dill. elt. t. 47. f. 55.
CEPHALOPHORA.  W. glauca. W. HYMENOPAPPUS.J. tenuifolius. Ph. MELANANTHERA Mi. 1 hastata. Ph. β pandarata. 2 deltoidea. Mi. Calea aspera. W. MARSHALLIA. Ph. 1 lanceolata. Ph. 2 latifolia. Ph. 8PILANTHES. W. 1 Pseudo-Acmella. W 2 alba. W. 3 oleracea. W. 4 crocata. B. M. BIDENS. W. 1 nodiflora. W. 2 tripartita. W. 3 cernua. W. 4 heterophylla. W. 5 frondosa. W. 6 leucantha. W. 7 chinensis. W.	CEPHALOPHORA. glaucous. HYMENOPAPPUS. slender-leaved. MELANANTHERA snowy. fiddle-leaved. rough-leaved. MARSHALLIA. spear-leaved. broad-leaved. SPILANTHES. spear-leaved. white-flowered. esculent. safiron-coloured. BIDENS. sessile-flowered. trifid. nodding. various-leaved. smooth-stalked. white-flowered. Chinese.	Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J.	Chili. Louisiana. Bidentis sp. N. America. S. America. Persoonia. M Carolina.  Ceylon. Peru. E. Ind. S. America. E. Ind. Britain.  Mexico. N. America. S. America. China.	1798.  1811.  W.  1732.  1799.  i. Tra  1812.  1768.  1770.  1812.  1803.  1710.  1801.	7.8. 6.8. 6.7. 7.8. ttenic 6.7. 7.9. 1.3. 7.9. 8.9. 7.8. 6.7.	F. 4.  F. 3.  G. 4.  G. 4.  S. 3.  kia. P.  F. 4.  S. ⊙.  S. ⊙.  S. ∴  S. ⊙.  H. ⊙.  H. ⊙.  H. ⊙.	Cav. ic. 6. t. 599.  Dill. elt. t. 47. f. 55.  - t. 46 f. 54.  Jac. ic. 3. t. 583.  S.  Mich. amer. 2. t. 43.  Pluk. alm. t. 159. f. 4.  L'Her. stirp. 7. t. 4.  Jac. vind. 2. t. 185.  Bot. mag. 1627.  Dill. elt. t. 44. f. 52.  Eng. bot. 1113.  - 1114.  Orteg. dec. 8. t. 12.  Moris. s. 6. t. 5. f. 21.  {Rumpl. amb. 6. t.  15. f. 2.
CEPHALOPHORA.  W. glauca. W. HYMENOPAPPUS. J. tenuifolius. Ph. MELANANTHERA Mi. 1 hastata. Ph. β pandarata. 2 deltoidea. Mi. Calea aspera. W. MARSHALLIA. Ph. 1 lanceolata. Ph. 8 PILANTHES. W. 1 Pseudo-Acmella. W. 2 alba. W. 3 oleracea. W. 4 crocata. B. M. BIDENS. W. 1 nodiflora. W. 2 tripartita. W. 3 cernua. W. 4 leterophylla. W. 5 frondosa. W. 6 leucantha. W.	CEPHALOPHORA. glaucous. HYMENOPAPPUS. slender-leaved. MELANANTHERA snowy. fiddle-leaved. rough-leaved. MARSHALLIA. spear-leaved. broad-leaved. SPILANTHES. spear-leaved. white-flowered. esculent. saffron-coloured. BIDENS. sessile-flowered. trifid. nodding. various-leaved. smooth-stalked. white-flowered. Chinese. hairy.	Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J.	Chili. Louisiana. Bidentis sp. N. America. S. America. Persoonia. M Carolina.  Ceylon. Peru. E. Ind. S. America. E. Ind. Britain.  Mexico. N. America. S. America. China. N. America. S. America.	1798.  1811.  W.  1732.  1799.  i. Tra  1812.  1806.  1768.  1770.  1812.  1732.   1803.  1710.   1801.	7.8. 6.8. 6.7. 7.8. ttenic 6.7. 7.9. 1.3. 7.8. 7.9. 6.7. 7.8.	F.4.  F. 3.  G. 4.  G. 4.  S. 5.  kia. P.  F. 4.  S. 0.  S. 0.  H. 0.  H. 0.  H. 0.  H. 0.	Dill. elt. t. 47. f. 55.  —————————————————————————————————
CEPHALOPHORA.  W. glauca. W. HYMENOPAPPUS. J. tenuifolius. Ph. MELANANTHERA Mi. 1 hastata. Ph. β pandarata. 2 deltoidea. Mi. Calea aspera. W. MARSHALLIA. Ph. 1 lanceolata. Ph. 2 latifolia. Ph. SPILANTHES. W. 1 Pseudo-Acmella. W 2 abba. W. 3 oleracea. W. 4 crocata. B. M. BIDENS. W. 1 nodiflora. W. 2 tripartita. W. 3 cernua. W. 4 leterophylla. W. 5 frondosa. W. 6 leucantha. W. 7 chinensis. W. 8 pilosa. W. 9 sambucifolia. W.	CEPHALOPHORA. glaucous. HYMENOPAPPUS. slender-leaved. MELANANTHERA snowy. fiddle-leaved. MARSHALLIA. spear-leaved. SPILANTHES. spear-leaved. white-flowered. esculent. saffron-coloured. BIDENS. sessile-flowered. trifid. nodding. various-leaved. smooth-stalked. white-flowered. chinese. hairy. Elder-leaved.	Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J.	Chili. Louisiana. Bidentis sp. N. America. S. America. Persoonia. M Carolina.  Ceylon. Peru. E. Ind. S. America. E. Ind. Britain.  Mexico. N. America. S. America. China. N. America. S. America.	1798.  1811.  W.  1732.  1799.  i. Tra  1812.  1806.  1768.  1770.  1812.  1732.   1803.  1710.   1801.	7.8. 6.8. 6.7. 7.8. ttenic 6.7. 7.9. 1.3. 7.8. 7.9. 6.7. 7.8.	F.4.  F. 3.  G. 4.  G. 4.  S. 5.  kia. P.  F. 4.  S. 0.  S. 0.  H. 0.  H. 0.  H. 0.  H. 0.	Dill. elt. t. 47. f. 55.  —————————————————————————————————
CEPHALOPHORA.  W. glauca. W. HYMENOPAPPUS. J. tenuifolius. Ph. MELANANTHERA Mi. 1 hastata. Ph. β pandarata. 2 deltoidea. Mi. Calea aspera. W. MARSHALLIA. Ph. 1 lanceolata. Ph. SPILANTHES. W. 1 Pseudo-Acmella. W. 2 alba. W. 3 oleracea. W. 4 crocata. B. M. BIDENS. W. 1 nodiflora. W. 2 tripartita. W. 3 cernua. W. 4 heterophylla. W. 5 frondosa. W. 6 leucantha. W. 7 chinensis. W. 8 pilosa. W.	CEPHALOPHORA. glaucous. HYMENOPAPPUS. slender-leaved. MELANANTHERA snowy. fiddle-leaved. rough-leaved. MARSHALLIA. spear-leaved. broad-leaved. SPILANTHES. spear-leaved. white-flowered. esculent. saffron-coloured. BIDENS. sessile-flowered. trifid. nodding. various-leaved. smooth-stalked. white-flowered. Chinese. hairy.	Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J. Corymbiferæ. J.	Chili. Louisiana. Bidentis sp. N. America. S. America. Persoonia. M Carolina.  Ceylon. Peru. E. Ind. S. America. E. Ind. Britain.  Mexico. N. America. S. America. China. N. America. S. America. N. America. N. America. N. America. N. America. N. America. N. America.	1798.  1811.  W.  1732.  1799.  i. Tra  1812.  1806.  1768.  1770.  1812.  1803.  1710.   1801.  1732.  1801.  1732.	7.8. 6.8. 6.7. 7.8.  ttenic 6.7. 7.9. 1.3. 7.8. 7.9. 6.7. 7.8.	F.4.  F. 3.  G. 4.  G. 4.  S. 5.  kia. P.  F. 4.  S. 0.  S. 0.  H. 0.  H. 0.  H. 0.  H. 0.  H. 0.	Dill. elt. t. 47. f. 55.  — t. 46.f. 54.  Jac. ic. 3. t. 583.  S.  Mich. amer. 2. t. 43.  Pluk. alm. t. 159. f. 4.  L'Her. stirp. 7. t. 4.  Jac. vind. 2. t. 135.  Bot. mag. 1627.  Dill. elt. t. 44. f. 52.  Eng. bot. 1113.  — 1114.  Orteg. dec. 8. t. 12.  Moris. s. 6. t. 5. f. 21.  {Rumph. amb. 6. t.  15. f. 2.  Dill. elt. t. 43. f. 51.

	_				
LAGASCA. Cav.	LAGASCA.	Corymbiferæ. J.			
mollis. Cav.	soft.	C1-'C	S. America.	1815. 6.9. S.O.	Bot. mag. 1804.
LAVENIA. W.	LAVENIA.	Corymbiferæ. J.	77 . T 3		D. 1.4.46
erecta. W.	upright.	Corymbiferæ. J.	E. Ind.	1739. 7.9. S.⊙.	Burm. zeyl. t. 42.
CACALIA. W.	CACALIA. rough-stalked.			TOOT C. I.	Dill. elt. t. 55. f. 69.
1 papillaris. W. 2 Anteuphorbium. W.	0		C. D. S.	1/2/ G. h.	
	Oloondon looved		Cananias	1590, 2.3. G.h.	Diant
3 Kleinia. W. 4 Ficoides. W.	Ant leaved	-	C P C	1732. 9.10. G.h. 1710. 6.11. G.h.	Plant. grass. 12.
5 carnosa. W.	narrow-leaved.		C. B. S.	1757. 6. G.h.	90.
6 repens. W.	Tlaucons-longed			1759. 6.10. G. h.	Diant mass 48
7 Haworthii.	woolly-leaved.			1795 G. h.	Plant. grass. 42.
tomentosa. M. n. no				1/95 G.h.	
8 articulata. W.	jointed.			1775. 9.11. G. h.	Dlant grace 10
9 tomentosa. Th.	tomentose.			1705 G L	
10 appendiculata. W.	appendaged.		Teneriffe	1915 G. L.	
11 bicolor. W.	two-coloured.		E Ind	1904 05 S.L	Bot year 110
12 ovalis. B. reg.	oval-leaved.		13. IIId.	1815 G.h. 1804. 9.5. S.h. 	102
13 sonchifolia. W.	Sow-thistle-lead.		E Ind	1769 7 80	Rheed.mal.10.t.68.
14 coccinea. H. K.	scarlet-flowered.		23. 111d.	1799. 6.7. H.⊙.	Rot mag 564
15 sarraceniaca. W.	creening-rooted.		France	1772. 8.10. H. 4.	100. mag. 504.
16 hastata. W.	spear-leaved.			1780. — H.4.	Gmel sih a t 66
17 rhombifolia. W.	rhomb-leaved.			1816. — H. 4.	C.Heli 510, 2, 0, 00,
18 suaveolens. W.	sweet-scented.		N. America	1752. — H. 4.	
19 atriplicifolia. W.	Orache-leaved.				Pluk.alm.t.101.f.2.
20 reniformis. W.	kidney-leaved.			1801. 7.8. H.4.	1 1tm. ditti. (.1 0 1.1.2.)
21 alpina. W.	Alpine.		Austria.		Jac. aust. 3. t. 234.
22 albifrons. W.	white-leaved.				
23 scandens. W.	climbing.		C.B.S.	1774 4 G 21	0, 0, 200
24 pinnata. W. en.	wing-leaved.		Theria.	1816 78 H 21	
KLEINIA. W.	KLEINIA.	Corymbiferæ. J.	1001100	H. 4. G. 4. G. 4. 1816. 7.8. H. 4.	
porophyllum. W.	perforated.	Corymonera: o:	N. America.	1609 6 10 8.0	Cav. ic. 3. t. 222 R
ETHULIA. W.	ETHULIA.	Corymbiferæ. J.	111111111111111111111111111111111111111	100001 01141 2101	
1 conyzoides. W.	panicled.		India.	1776, 7.8, S.O.	Linn. fil. dec. t. 1.
2 divaricata. W.	spreading.		Allaia.	1815. —— S.O.	
PIQUERIA. W.	Piqueria.	Corymbiferæ. J.		1010.	4
trinervia. W.	three-nerved.		Mexico.	1798. 7.8. G.4.	Cav. ic. 3. t. 235.
CHRYSOCOMA. W.	GOLDY-LOCKS.	Corymbiferæ. J.	2.2011.000	27000 7100 01141	101 2652
1 Comaurea. W.	great-shrubby.		C. B. S.	1731, 6.8, G.b.	Volk. norib. t. 148.
2 cernua. W.	small-shrubby.				Comm.hort.2.t.45.
3 ciliaris. W.	Heath-leaved.			1759. 7.10. G. h.	2. t. 48.
4 scabra. W.	rugged.			1732. 8.9. G.h.	Dill.elt.t.88.f.103.
5 denticulata. W.	toothed.				Jac.scheen.3.t.368.
6 Linosyris. W.	German.		Europe.	1596. 9.10. H. 1.	Schk.hand.3. t.238.
7 draeunculoides. W.			Siberia.	— Н. 4.	
8 biffora. W.	two-flowered.			1741. 8.9. H. 4.	Gmel.sib.2.t.82.f.1
9 villosa. W.					Pl.rar.hung.1.t.58.
	APPICANTIFA-)		0,		o o
THUS. W.		Corymbiferæ. J.			
camphoratus. W.	shrubby.		C.B.S.	1690. 6.10. G. h.	Lam. ill. t. 671.
CALEA. W.	CALEA.	Corymbiferæ. J.			
1 Jamaicensis. W.	purple-flowered.		W. Ind.	1739. 6.7. S.h.	Slo.jam.1.t.151.f.3,
2 oppositifolia. W.	opposite-leaved.			7.8. S. J. 1733. 6.7. S. h.	
3 lobata. W.	Halberd-weed.			1733. 6.7. S.h.	Bot. mag. 1734.
HUMEA. Sm.	HUMEA.	Corymbiferæ. J.	Calomeria, V	ent. malm. 73.	
elegans. H. K.	rose-coloured.		N. S. W.	1800. 6.10. G. J.	Exot. bot. 1. t. 1.
CÆSULIA. W.	CÆSULIA.	Corynibiferæ. J.			
axillaris. W.	axillary-flower'd.		E. Ind.	1804. 7.9. S.4.	Bot. rep. 431.
IXODIA. H. K.	Ixodia.	Corymbiferæ. J.			
achillæoides. H. K.			N. Holland.	1803. 3.9. G.h.	Bot. mag. 1534.
SANTOLINA. W.	{LAVENDER-} COTTON. }	Corymbiferæ. J.	< *		
1 Chamæ-Cyparis- }	common.		S. Europe.	1573. 7. H.h.	Lam. ill. t. 671.f.3.
sus. W. 2 squarrosa. W.	hoary.		· .		Moris. s. 6. t. 3. f. 17.
3 viridis. W.	dark-green.			1727. 7. H.h.	
4 rosmarinifolia. W.	Rosemary-leavd.			1683. 7.9. H.h.	Exot. bot. 2.t. 62.
5 maritima. W.	sea.		England.	H.h.	
6 alpina. W.	Alpine.		Italy.	1798. — H.4.	
7 anthemoides. W.	Chamomile-lead.			1727. 7.8. H.4.	

#### SYNGENESIA POLYGAMIA SUPERFLUA, 183

5)	INGENESI.	A POLYGA	IMIA SU	PERFLUA	. 183
ATHANASIA. W.	ATHANASIA.	Corymbiferæ. J.			
1 capitata. W.	hairy.	Corymoneræ. 5.	CBS	1774. 13. G.h	. Moris.s. 6. t. 3. f. 48.
2 pubescens. W.	villous-leaved.			1768 68 G.h	Comm.hort.2.t.47.
3 annua. W.	annual.		Barbary.	1686. 7.8. H.C	Sch. hand. 3. t. 239. Comm. rar. t. 41. Comm.hort. 2. t. 49. Jac.schæn. 2. t. 148.
4 dentata. W.	tooth-leaved.		C. B. S.	1759. — G. b	. Comm. rar. t. 41.
5 trifurcata. W.	trifid-leaved.			1710. —— G. h	. Comm.hort. 2. t. 49.
6 virgata. W.	twiggy.			1815. — G. h	Jac.schœn. 2.t.148.
7 tomentosa. W.	Lavender-leav'd.			1774. 5.6. G.h	
s filiformis. W.	fine-leaved.			1787. 8. G. h	
9 crithmifolia. W.	Samphire-leav'd.			1723. 7.8. G. b	. Comm.hort. 2. t. 50.
10 parviflora. W.	small-flowered.			1781. 4. G.b	Jac.scheen. 2, t. 149.
11 pectinata. W.	pectinated.			1774. 5.6. G.h	•
BALSAMITA. W.	COSTMARY.	Corymbiferæ. J.			
1 virgata. W.	twicev		Italy.	1791. 6.7. H. 24	. Jac. obs. 4. t. 81.
2 ageratifolia. W.	Ageratum-leavd.		Candia.		. Alp. exot. t. 326.
3 vulgaris. W.	common.		Italy.		. Schk.hand.3.t.240.
PENTZIA. Th.	PENTZIA.	Corymbiferæ. J.	Tanaceti sp. L		
flabelliformis. W.	fan-leaved.		C. B. S.	1774. 5.8. G.h	. Bot. mag. 212.
			•		
•		SUPERFLU	JA.		
TANACETUM. W.	TANSY.	Corynibiferæ. J.			
1 linifolium. W.	Flax-leaved.			1774. 8. G. F.	•
2 suffruticosum. W.	shrubby.			1751. 5.9. G. J	. Comm.hort.2.t.100
3 argenteum. W.	silvery.	<u> </u>	Levant.	1812. — H. 2	••
4 annuum. W.	annual.		Spain.	1629. 7.8. H.C	). Mill.ic.2. t.227.f.1.
5 vulgare. W.	common.		Britain.		. Eng. bot. 1229.
β crispum.	curled.				
ARTEMISIA. W.	Wormwood.	Corymbiferæ. J.			
1 judaica. W.	Judean.		Levant.	1683. 8. G. F	. Pluk. alm. t. 73. f. 2.
2 valentina. W.	Spanish.		Spain.	1739. 7.8. F. k	. Barr. ic. t. 485.
3 subcanescens. W.en	hoary-leaved.		S. Europe.	F. F.	
4 Abrotanum. W.	Southernwood.			1548. 8.10. H. J	Blackw. t. 555.
5 humilis. W. en.	dwarf.		Carniola.	H. J	2 •
6 tenuifolia. W.	slender-leaved.			1732. 9.12. G. J	. Dill.elt.t.33. f. 37.
7 arborescens. W.	tree.		Levant.	1640, 6.8, H. h	Lob. ic. 753.
8 argentea. W.	silvery.		Madeira.	1777. 6.7. G. h	Jac. aus. 5. t. ap. 35.
9 glacialis. W.	silky.		Switzerland.	1739. 7.8. H. 4	Jac. aus. 5. t. ap. 35.
10 mutellina. W.	Alpine.		Alps of Eur.	1815 H.2	. Vill. daup. 3. t. 35.
11 caucasica. W.	Caucasian.		Caucasus.	1804. 6.7. H.2	<u>l</u> .
12 spicata. W.	spiked.		Switzerland.	1790. — H. 2	4. Jac.aust.5.t. ap.34.
13 pectinata. W.	comb-leaved.		Dauria.	1806. — H.G	). Pall.it.3. t.Hh. f.2.
14 tanacetifolia. W.	Tansy-leaved.			1768. 7.8. H. a	. All.ped.1.t.10.f.3.
15 Santonica. W.	Tartarian.			1596. 9.11. H. F	2. Gmel. sib. 2. t. 51.
16 scoparia. W.	besom.		Hungary.	1796. 7.9. H.G	). Pl.rar.hung.1.t.65,
17 campestris. W.	field.		England.		L. Eng. bot. 338.
18 pauciflora. W.	few-flowered.		Siberia.	1800. — H.2	ļ.
19 palustris. W.	marsh.			1804. 7.8. H.C	). Gmel. sib. 2. t. 55.
20 neglecta. W. en.	neglected.				
21 crithmifolia. W.	Samphire-leav'd,		Portugal.	1739. S.10. H. J	
22 saxatilis. W.	rock.		Hungary.	1816. 6.s. H.2	
23 glauca. W.	glaucous.		Siberia.	1806. — H.2	4.
24 monogyna. W.	one-styled.		Hungary.		4. Pl.rar.hung.1.t.75.
25 palmata. W.	palmated.		S. Europe.	1739. 6.7. G.J	
26 nivea. W. en.	snowy.		Siberia.	1815. — H. 2	· _
27 maritima. W.	drooping-flowd.			8.9. H.2	. Eng. bot. 1706.
28 gallica. W.	upright-flower'd.				1001.
29 fragrans. W.				1739. 6.7. H.2	
30 austriaca. W.	Austrian.				1. Jac. aust. 1. t. 100.
31 vallesiaca. W.	downy.		Italy.	1739. 7.8. H.2	
32 rupestris. W.	nodding-flow'rd.		Siberia.		1. Flor. dan. t. 801.
33 sericea, W.	silky-leaved.	H-1-1-1-1			. Gmel. sib. t.64. f. 1.
34 repens. W.	Creeping.	***************************************		1805. 6.7. H.2	
35 balsamica. W. en.	Balsam-scented.			1816. — H.2	
36 pontica. W.	Roman.				L. Jac. aust. 1. t. 99.
27 chanæmelifolia. W.			S. Europe.		4. Vill. dauph. 3. t. 35.
38 annua. W.	annual.			1741. — H.(	). Am.ruth.t.196.f.23
39 biennis. Ph.	biennial.	***************************************		1804. — H.	3. Jac. ic. 1. t. 172.
40 Absinthium. W.	common.				1. Eng. bot. 1230.
41 Siversiana. W.	Sivers's.		Siberia.	1800. 7.8. H.	
42 vulgaris, W.	Mugwort.	G.	Draun.	S.9. H.1	1. Eng. bot. 978.

#### SYNGENESIA POLYGAMIA SUPERFLUA.

					•
43 indica. W.	Indian.	Corymbiferæ. J.	E. Ind.	1796, 9.10, F. 2/	. Rheed.mal.10.t.45.
44 integrifolia. W.	entire-leaved.		Siberia.		. Gm.sib.2.t.48.f.1.2.
45 japonica. W.	Japanese.		Janan.	1804.10.11.H.4	
46 cærulescens. W.	blueish.		England.		. Eng. bot. 2426.
				٠٠٠٠ ٥٠١٥٠ ١١٠ ار	( Corol sib 0 + 50
47 inodora. W. en.	inodorous.		Siberia.	1548. 7.8. H.4	Gmel. sib. 2. t. 59 & 60. f. 1.
40 December W	Tannaman		C 17	TT at	`
48 Dracunculus. W.	Tarragon.		S. Europe.	— H.4	•
GNAPHALIUM. W.	EVERLASTING.	Corymbiferæ. J.	e		1 33 -1 48.55
1 eximium. W.	giant.		C. B. S.	1793. 7.8. G.h	. Bot. rep. 654. 4 3 4
2 crispum. W.	curied.			1809 G. h	
3 arboreum. W.	tree.			1770. 2.8. G.h	
4 grandiflorum. W.	great-flowered.			1731. 6.8. G.h. 1779. — G.h. 1791. 5.6. G.h.	. Bot. rep. 489.
5 fruticans. W.	shrubby.			1779. — G. h.	Bot. mag. 1802
6 congestum. W.	close-headed.			1791, 5.6, G.b.	Bot. reg. 243.
7 patulum. W.	spreading.	-		1771. S.1. († b.	
8 discolorum. W.	two-coloured.			1815 5 9 G L	Burm.afr. t. 97. f.4.
9 cephalotes. W.	large-headed.			1700 111 C.L	Pluk.phyt. t.410.f.2
	O			1789. 11.1. G. n.	Piuk.phyt. t.410.1.2
10 fastigiatum. W.	close-flowered.		-	1812. 5.8. G. h	. Pet. gaz.12. t.7.f.3.
11 milleflorum. W.	many-flowered.			1802. 6.9. G.h	
12 diosmæfolium. P. S.		···		1812. 3.8. G.h.	Vent. malm. t. 74.
13 ericoides. W.	Heath-leaved.			1774. — G. h.	Bot. mag. 435.
14 teretifolia. W.	round-leaved.			1812. — G.h.	Burm. afr. t.77. f.3.
15 Steechas. W.	common shrubby		Europe.	1629. 6.10. H. h	
16 ignescens. W.	red-flowered.		C. B. S.	1731. — G. b.	
17 crassifolium. W.	thick-leaved.		Balearic Isl.	1774. 7.9. G. J	
18 maritimum. W.	sea.		C. B. S.		Burm. afr. t.77. f. 2.
19 dasyanthum. W.en.			0.17.01	1812. — G. h	Danie 111, 007, 701, 20,
20 orientale. W.	eastern.		A fries		
			Allica.		Comm. hort.2. t.55.
21 cymosum. W.	branching.		C. D. C.	1/31. — G. h.	Dill.elt. t.107.f.128
22 rutilans. W.			C. B. S.	1731. 6.7. G. 24.	1.107.f.127
23 arenarium. W.	sand.		Europe.	1739. 7.9. H.4	2159
24 luteo-album. W.	Jersey.		England.	7.8. H.⊙.	Eng. bot. 1002.
25 albescens. W.	white Jamaica.		Jamaica.	1793 S.h.	
26 apiculatum. H. K.	New Holland.		VanDiem.Isl	1804. 1.12. G. 24.	Bot. reg. 240. 10 36
27 odoratissimum. W.	sweet-scented.		C. B. S.		Mill.ic.1.t.1317f.2.
28 sanguineum. W.	bloody.		Egypt.		Rauw.it.285.t.37.
29 foetidum. W.	strong-scented.		C. B. S.		. Comm. hort.2. t.56./
30 undulatum. W.	wave-leaved.		Africa		. Dill.elt.t.108.f.130
				1702. —— 11.0	. Dinicia100100
31 helianthemifo-	Sun-rose-leaved.		C. B. S.	1774. 7.10. G.h.	Volck.norib.t.194.
lium. W.				•	
32 squarrosum. W.	squarrose.				Jac. frag. t. 3. f. 4.
33 obtusifolium. W.	blunt-leaved.				Dill.elt. t. 108.f. 131
34 margaritaceum. W.	pearly.			— Н. 4.	Eng. bot. 2018.
35 plantaginifolium.W	. Plantain-leaved.		Virginia.	1759. 6.7. H.4.	Pluk.alm. t.348.f.9.
36 dioicum. W.	diœcious.		Britain.	5.7. H. 24.	Eng. bot. 267.
37 alpinum. W.	Alpine.		Alps of Eur.	1775. 6.7. H. 24.	. Flor. dan. t. 332.
38 purpureum. W.	purple-flowered.	-	S. America.	1732, 6.9, G. A.	Dill.elt.t.109.f.132
39 americanum. W.en.			Jamaica.	1815 S.4	
40 pensylvanicum.					
W. en.	American.		N. America.	— 7.9. H.⊙.	
	highland		Britain	e II a	Eng. bot. 913.
41 sylvaticum. W.	highland.			•	0
42 rectum. W.	upright wood.				124.
43 supinum. W.	dwarf.		Scotland.		1193.
44 declinatum. W.	creeping.			1787. 7.9. G. 24.	
45 uliginosum. W.	marsh.	<del></del>	Britain.	s. H.O.	Eng. bot. 1194.
46 glomeratum. W.	cluster-flowered.		C. B. S.	1774. 3.9. G.4.	•
47 Leontopodium. W.	Lion's-foot.		Austria:	1776. 6.7. H.4.	Bot. mag. 1958.
48 germanicum. W.	common.		Britain.	6.8. H.O.	Eng. bot. 948.
49 gallicum. W.	narrow-leaved.		England.	— н.о.	2369.
50 pyramidatum. W.	pyramidal.		S. Europe.	1779. — H.O.	
51 minimum. W.	least.		Britain	7.8. H.⊙.	
			Furant.		
52 arvense. W.	corn.	**************************************	Europe.	1804. — H.⊙.	
XERANTHEMUM	XERANTHEMUM	Corymbiferæ. J.			
W		-	0.77		T 4 4 0.000
1 annuum. W.	annual.				Jac. aust. 4. t. 388.
2 inapertum. W.	small-flowered.				Moris. s. 6. t. 12. f. 1.
3 orientale. W.	oriental.		Levant.	1713. — H.⊙.	
ELICHRYSUM. W.	ELICHRYSUM.	Corymbiferæ. J. X	Teranthemi sp.	L.	
1 vestitumW.					Burm. afr. t. 66. f.1.
2 spirale. W.	spiral-leaved.			1801. 7.10. G.h.	
		5			1

	5	YNGENESI	A POLIGA	AMIA SO	JPERFLUE	1. 185
3	speciosissimum. W.	showy.	Corymbiferæ. J.	C. B. S.	1691. 7.9. G.h	. Bot. rep. 51.
	dealbatum. P. S.	herbaceous.	-	VanDiemIsl.		. Lab.nov.ho.2.t.190
5	fulgidum. W.	great yellow.		C. B. S.	1774. 2.10. G. h	. Bot. mag. 414.
6	variegatum. W.	large globular-fld.			1801. 5.6. G.h	
	proliferum. W.	proliferous.			1789. 5.11. G. h	. Bot. reg. 21. 2305
	canescens. W.	elegant.			1794. 8.4. G. h	. Bot. mag. 420.
	argenteum. W.	silvery.			1800. 4.7. G.h	
	retortum. W.	trailing.			1732. 7.8. G.h	Dill.elt.t.322.f.415
	humile. B. R.	low.			1812. 6.9. G.h	Bot mag 405
	sesamoides. W. fasciculatum. W.	superb. bundle-leaved.			1709. 4.0. G.n	Bot rep 942
	B album.	white-flowered.			G. h	279.
	y rubrum.	red-flowered.			G. h	650.
14	rigidum. H. K.	rigid-leaved.			1801. 5.6. G.h	387.
	ericoides. P. S.	filiform.			1796 46 G L	Lam ill + 602 f @
16	Stæhelina, W.	Stæhelina-like.			1801. 12.1. G. h	. Bot. rep. 428.
17	fragrans. B. R.	fragrant.			1,803. 7. G.h	c. ic.
18	herbaceum. B. R.	shining-flowered.		~	1802. 7.9. G.4	. Bot. rep. 487.
		1773.				
	paniculatum. W.				1800. 6.9. G.h	. Burm.afr. t.67. f.1.
	bracteatum. W.	wave-leaved.	C 1:C 7	N. Holland,	1799. 7.10. H.⊙	. Bot. rep. 375.
	ARPESIUM. W.	CARPESIUM.	Corymbiferæ. J.	America	1800 80 TT 31	To sout a t and
1	cernuum. W.	drooping.			1739. 7.8. H.4	. Jac. aust. 3. t. 204,
2	abrotanoides. W.	Southern-		China.	1768. — H.4	. Osb. it. t. 10.
		(PLOWMAN'S)				
$\mathbf{B}_{I}$	ACCHARIS, W.	SPIKENARD.	Corymbiferæ. J.			
1	angustifolia. Ph.	narrow-leaved.		N. America.	1812, 7.9, G.h	
	ivæfolia. W.	Pernyian.		America.	1696 7.8. G.L	Schle hand 3 + 944
3	neriifolia. W.	Oleander-leaved.		C. B. S.	1752. 8.11. G.h	•
4	halimifolia. W.	Groundsel Tree.		N. America.	1683.10.11. H. h	Schmidt arb. t. 82.
CC	ONYZA. W.	FLEA-BANE.	Corymbiferæ. J.			
	squarrosa. W.	great.		Britain.	7.8. H.3	. Eng. bot. 1195.
	marylandica. Ph.	Maryland.		N. America.	8.10. H.⊙	. Dill.elt.t.88.f.104.
	camphorata. Ph.	Camphor-scenta.				t. 89. f.105.
	patula. W.	spreading.		China.	1758. 7.9. H.O	Mill. ic. 2. t. 247.
	bifrons. W.	oval-leaved.		N. America.	1739. 8.9. H. 4	. Pluk. alm. t.87.f.4.
	candida. W.	woolly.		China		Barr. ic. t. 217.
-	verbascifolia. W.	Mullein-lcaved.		Sicily		Rum.am.6. t.14.f.2.
	hirsuta. W.	shaggy.		China.	1767. 8.9. G. &	. Bocc. sic. t. 31. f.2.
	ægyptiaca. W.	Egyptian.		Egypt.		. Jac. vind. 3. t. 19.
	Gouani. W.	Gouan's.		Canaries.		3. t. 79.
	sicula. W.	red-stalked.		Sicily.		Bocc. sic. t. 31. f.4.
13	fœtida. W.	stinking.		Africa.		. Mill. ic. 2. t. 233.
14	sordida. W.	small-flowered.		S. Europe.		. Barr. ic. t. 368.
15	saxatilis. W.	stone.	<del></del>		1640. 7.8. G.h	. Schk.hand.3. t.241.
	rupestris. W.	rock.		Arabia.	1790 G. h	. Schmidel. ic. t, 36.
	sericca. W.	snowy.		Canaries.	1779 G. h	
	inuloides. W.			Teneriffe.		. Jac. ic. 1. t. 171.
	odorata. W.	sweet-scented.				. Plum. ic. t. 97.
	arborescens. W.	tree.		Jamaica.	1733. 11.12. S. h	
	incisa. W.	ear-leaved.		Casnian Sac	1774. 6.8. G.h	•
	thapsoides. W. virgata. W.	Thapsus-leaved. wing-stalked.		America.	1783. 80 G 31	. Slo.bist.1.t.152.f.5.
	rugosa. H. K.	St. Helena.			1772. 11. G.h	. 510.11151.1.152.1.5.
	ADIA. W.	MADIA.	Corymbiferæ. J.	or Helena.	1772. 31. 0.7	•
	viscosa. W.	clammy.		Chili.	1794. 7.8. H.O	. Jac. schæn. 3. t. 302. 💆
EB	IGERON. W.	ERIGERON.	Corymbiferæ. J.		-1010 7.00 2210	· vacischemortibozi
	graveolens. W.	strong-smelling.			1633. 7.8. H.O	Ger.emac. 481. f.2.
	compositum. Ph.	Daisy-flowcred.		N. America.	1811. — H.4	
	carolinianum. W.	Hyssop-leaved.	<del></del>		1727. — H. 4	Dill.elt.t.306.f.394
	canadense. W.	Canada.		England.	8.9. H.⊙	. Eng. bot. 2019.
	bonariense. W.	Buck's-horn.		S. America.	1732. 7.8. H.O	. Dill.elt.t.257.f.334
	linifolium. W.	Flax-leaved.	-		— H.⊙	•
	philadelphicum. W.		<del></del>	N. America.	1778. — H. 4	•
	nudicaule. Ph.	naked-stalked.		Hyda'a Par	1812. 7. H.4	
	purpureum. W. bellidifolium. Ph.	purple. Plantain-leaved.		N America	1776. 7.8. H.4	· 3.9 - 2402
	heterophyllum. Ph.			T. IIIICIICA.	1640. 7.9. H. &	•
1	Transfer Arriver, 4 H.	. LI LOUIS TOUT CUT	Вь		20101 7:01 III Q	a 1. uan. 480'.

186 SY	NGENESIA	A POLYGA	MIA SU	PEF	<b>IFL</b>	UA.	
12 Villarsii. W.	Villars's.	Corymbiferæ. J.	Piedmont.	1804.	7.8.	н.ч.	Bellar.ap.fl.ped.t.7.5 3
13 acre. W.	blue.		Britain.			н.д.	Eng. bot. 1158.
14 alpinum. W.	Alpine.	-	Scotland.		7.	H.4.	<del></del>
15 uniflorum. W.	dwarf.			• • • •	8.9.	H.4.	2416.
16 glaucum. B. reg.	shrubby.		• • • • • • • • • • • • • • • • • • • •	1812.	1.12.	G.h.	Bot. reg. 10.
17 delphinifolium.	Larkspur-leaved.		S. America.	1816.	7.9.	G. 3.	
W. en. TUSSILAGO. W.	COLT'S FOOT.	Corymbiferæ. J.				•	•
1 nutans. W.	drooping-flowd.	Corymonera. 5.	W Ind	1709	67	5 1	Plum. ic. t. 41. f. 1,
2 alpina. W.	Alpine.						Bot. mag. 84.
3 discolor. W.	two-coloured.						Jac. anst. 3. t. 247.
4 sylvestris. W.	wood.			1816.		-Н.4.	5.ap.t.12.
5 Farfara. W.	common.	<del></del>	Britain.				Eng. bot. 429.
6 frigida. W.	Lapland.	t	Lapland.	1710.	5.	H.4.	Fl. dan. t. 61.
7 fragrans. W.	sweet-scented.		Italy.				Bot. mag. 1388.
8 alba. W., 9 nivea. W.	downy-leaved.		Europe.	1583.	1.4.	H 2	Fl. dan. 524. Retz. obs. 2. t. 3.
	(Common )			1/10.			
10 Petasites. E. B.	Butter Bur.		Britain.	• • • •	3.4.	H.4.	Eng. bot. 431.
11 hybrida. E. B.	hybrid.	-	-			H.4.	430.
12 spuria. W.	lobe-leaved.		Germany.	1790.		. н. 4.	Retz. obs. 1. t. 2.
13 palmata. W.	cut-leaved.		Labrador.	1778.	4,	H.4.	Hort. Kew. 3. t.11.
SENECIO. W.	GROUNDSEL.	Corymbiferæ. J.					
1 reclinatus. W.	Grass-leaved.		C. B. S.				Jac. ic. 1. t. 174.
2 hieracifolius. W. 3 purpureus. W.	Hawkweed.		N. America.				Herm.parad. t.226, Jac. ic. 3. t. 580.
4 cernuus. W.	drooping.						Jac. vind. 3. t. 98.
5 erubescens. W.	blush-coloured.	-	C. B. S.			G. 3.	
6 divaricatus. W.	straddling.		China.			G. 3.	
7 croaticus. W.	Croatian.		Hungary.	1805.	7.8.	H.4.	Pl.rar.hun.2.t.143,
8 Pseudo-China. W.	Chinese.		E. Ind.	1732.	6.8.	S. 4.	Dill.elt.t.258. f.335
9 hæmatophyllus.	purple-leaved.			1789.	4.	S. 24 .	
W. en.							
10 japonicus. W. 11 vulgaris. W.	jagged-leaved.		Britain			H.4,	Eng. bot. 747.
12 arabicus. W.	Arabian.		Egynt.	1804.	7.8.	H. 2.	Dug. bott / 4/
13 verbenæfolius. W.	Vervain-leaved.		2,816.	1803.	6.7.	H.O.	Jac. vind. 1. t. 3.
14 triflorus. W.	three-flowered.			1776.	7.9.	H.⊙.	
15 ægyptius. W.	Egyptian.			. 1771.	. 7.8.	H.(•).	
16 crassifolius. W.	thick-leaved.		S. Europe.	1815.		- н.⊙.	0.11.1 . 10.4.04
17 lividus. W.	livid.		Spain.			- н.⊙.	
18 trilobus. W. 19 cinerascens. W.	three-lobed.		CRS			H.⊙.	
20 viscosus. W.	gray. stinking.		Britain.			G. h. H.⊙.	Eng. bot. 32.
21 sylvaticus. W.	mountain.						<del></del>
22 nebrodensis. W.	Nebrodes.		S. Europe.	1704.	6.8.	H.O.	Barr. rar. 401.
23 glaucus. W.	sea-green.		Egypt.	1739.	6.8.	$H.\odot$	
24 hastatus. W.	halberd-leaved.		C.B.S.	1722.	5.8.	G. 4.	Dil.elt.t.152.f.184.
25 vernalis. W.	spring.		· Hungary.	1803.	4.6.	н.⊙.	Pl.rar.hung.1. t.24.
26 rupestris. W.	rock.		C.D.C	1805.	6.7.	H. 4.	2.t.128
27 venustus. W. 28 elegans. W.	wing-leaved. elegant.		C. B. S.	1774	6.9	H 0	Reg-gel
β flore pleno.	double-flowered.			1700.	1 10	G.b.	Bot. mag. 238.
29 squalidus. W.	inelegant.		England.		6.10	. н.о.	Eng. bot. 600.
30 speciosus. W.	red-flowered.			1789	7.8.	G. 4.	Bot. reg. 41.
31 erucæfolius. W.	Eruca-leaved.		- Europe.	1816.		- H. 4.	
32 uniflorus. W.	Alpine.		<ul> <li>Alps of Eur.</li> </ul>	1799		-H.4.	All. ped. t. 17. f. 8.
33 incanus. W.	downy.			1759		-H.4.	Pluk.alm. t. 39. f. 6.
34 abrotanifolius. W.	Southernwood-loslender-leaved.		D.'As.'		. 7.10	. н. 4	Jac. aust. 1. t. 79.
35 tenuifolius. W.	Common ?			• • • •			Eng. bot. 574.
36 Jacobæa. W.	Ragwort.		·	• • • • •		- H.4.	1130.
37 aquaticus. W.	marsh.						1131.
38 aureus. W.	golden.		N. America.				
39 rosmarinifolius. W.			. C. B. S.			- G. h.	Jac. ic. 3. t. 587.
40 asper. W.	rough.			1774.		- G. h.	T 11 5 4 C 5 1
41 rigescens. W.	stiff-leaved.		T 1 1			- G. h.	
42 paludosus. W. 43 nemorensis. W.	bird's-tongue. branching.		Austria			н.4.	
44 sarracenicus. W.	creeping-rooted.			1/85.	7.10	. H. 2.	Eng. bot. 2211.
	Trans actions						-

# SYNGENESIA POLYGAMIA SUPERFLUA.

~	, , , , , , , , , , , , , , , , , , , ,				
45 umbrosus. W. en.	various-leaved.	Corymbiferæ. J.	Hungary.	1815. 7.8. H.4.	
46 coriaceus. W.	leathery-leaved.		Levant.	1728. — H.4.	Dill.elt. t.105.f.125
47 Doria. W.	broad-leaved.		Austria.	1570. 7.9. H.4.	Jac. aust. 2. t. 185.
48 Doronicum. W.	Leopard's Bane.	<del>,</del>	S. Europe.	1705 H.4.	5. t.ap.45.
49 lanceus. W.	spear-leaved.		C. B. S.	1774. 7.10. G.h.	
50 longifolius. W.	long-leaved.				Comm.hort. 2. t. 71.
51 halimifolius. W.	succulent-leav'd.			1723. 7. G.h.	Dill.elt.t.104.f.124
52 ilicifolius. W.	Hex-leaved.			1731. 6.7. G.h.	Comm. rar. t. 42.
53 rigidus. W.	hard-leaved.			1704. 6.9. G.h.	Com. hort. 2. t. 75.
ASTER. W.	STARWORT	Corymbiferæ. J.			
1 reflexus. W.	reflexed-leaved.			1759. 2.9. G.h.	
2 tomentosus. W.	tooth-leaved.			1793. 5.7. G.h.	
3 sericeus. W.	silky-leaved.		Missouri.	1802. 5.11. G.h.	
4 Cymbalariæ. W.	Ivy-leaved.			1786. — G.h.	
5 liratus. B. M.	fluted-stemmed.			1812. 5.7. G.h.	
6 argophyllus. H. K.	Musk-scented.		Van Diem Isl	1804. 5.7. G.h.	
7 angustifolius. W.	narrow-leaved.		C. B. S.	G.h.	Jac.scheen.3.t.370.
8 villosus. Th.	villous.			1812. — G.h.	
9 obtusatus. W.	obtuse-leaved.			1793. — G.h.	
10 fruticulosus. W.	shrubby.			1759. 3.7. G.h.	Jac. frag. 9. t.5. f. 4. 2
11 filifolius. V.	thread-leaved.		A.1 C. XX	1812. — G. h.	Vent. malm. t. 82.
12 alpinus. W.	Alpine.		Alps of Eur.	1658. 5.8. H.4.	Bot. mag. 199.
13 caucasicus. W.	Caucasian.		Caucasus.	1804. 7.8. H. 4.	
14 altaicus. W. en.	dwarf.			5.8. H.4.	D /
15 tenellus. W.	slender.			1769. 4.10. G. J.	Bot. mag. 33.
16 nemoralis. H. K.	wood.		N. America.	1778. 8.9. H.4.	
ledifolius. Ph.				- 0 0 TY 01	<b>7</b> 0.1.4.4.0.
17 hyssopifolius. W.	Hyssop-leaved.				Dodart. mem. t. 60.
18 punctatus. W.	dotted.		Hungary.		Pl.rar.hung.2.t.109
19 acris. W.	acrid.		S. Europe.	1731. —— H. 4.	Pluk. alm. t.271.f.3
20 canus. W.	hoary-leaved.		Hungary.	1816. — H. 24.	Pl.rar.hung.1.t.30.
21 solidaginoides. W.	Solidago-like.		N. America.	1699. — H.4.	Pluk.alm. t. 79. f. 2.
22 rigidus. Ph.	stiff-leaved.			1759. 8.10. H.4.	
23 linariifolius. Ph.	Toad-flax-leav'd.			1699. 9.10. H. 4.	
24 linifolius. W.	Flax-leaved.			1739. 7.8. H.4.	~
25 pilosus. W.	hairy.			1812. 8.10. H.4.	D'1 14 4 05 6 00
26 foliolosus. W.	leafy.			1732. 10. H.4.	Dil. elt. t. 35. f. 39.
27 tenuifolius. W.	slender-leaved.		<del></del>	1725. 9.10. H. 4.	Pluk. alm. t.78. f. 5.
28 dumosus. W.	bushy.			1734. — H.4. 1758. 9. H.4.	Herm. parad. 95.
29 ericoides. W.	Heath-leaved.			1700. 9. H.4.	Dill. elt. t. 36. f.40.
30 multiflorus. W.	many-flowered.			Н. 4.	Dill. etc. t. 36. 1.40.
31 ciliatus. W.	ciliated.			1812. — H. 4.	
32 canescens. Ph.	canescent.			1798. 9.11. H.4.	
33 sparsiflorus. Ph.				8.11. H.4.	
34 coridifolius. W. 35 squarrosus. W.	Coris-leaved.			1801. 6.7. H.4.	
36 argenteus. H. K.	ragged. silver-leaved.			7.9. H.4.	
37 concolor. W.	self-coloured.			1759. 8.11. H.4.	
38 reticulatus. Ph.	netted-leaved.			1812. 8.10. H.4.	
39 cornifolius. W.	Cornus-leaved.			1811. — H.4.	
40 humilis. Ph.	low.			1699. — H.4.	Willd.hort.ber. 67.
41 amygdalinus. Ph.	Almond-leaved.			1759. 7.9. H.4.	Willia Holts bel. 07.
umbellatus. IV.	aarmona-reareu.			1100. 1.0. 11.4.	
42 salicifolius. W.	Willow-leaved.			1760.9.10. H.4.	Reb.ic 307
43 æstivus. W.	summer.	1		1776. 7.8. H.4.	1100.10.00,.
44 pannonicus. W.	Hungarian.		Hungary.	1815. — H.4.	Jac wind 1 t c
45 Amellus. W.	Italian.		Italy.		Jac. aust. 5. t. 425.
46 novæ angliæ. W.	New England.		N America	1710. 9.10. H.4.	Rot reg 188
β rubrus.	red-flowered.		211 22111 021 041	1819 — H 2/	183. f.inf.
47 spurius. W.	beautiful blue.			1789. —— H.3/.	Hoff.phyt.1.t.B.f.1.
cyaneus. Ph. rubre				1700.	11011.121.7011.00.2011.1
48 paludosus. W.	marsh.	******************************	-	1784. — H.2.	
49 carolinianus. W.	tall.			8.9. H.4.	
50 grandiflorus. W.	great-flowered.		N. America.	1720.10.11. H. 24.	Bot. reg. 278.
51 phlogifolius. W.	Phlox-leaved.			1797, 7,10, H, 24,	
52 patens. W.	spreading-hairy.		-	1773. 9.11. H.4.	
53 undulatus. W.	wave-leaved,	·		1699. 8.10. H. 4.	Herm, parad, 96.
54 paniculatus. W.	panicled.			1640, 9.10, H. 71.	Corn. canad. t. 65.
55 cordifolius, W.	heart-leaved.			1759. 7.8. H.4.	
56 corymbosus. W.	corymbed.			1765. 9. H.4.	
•		Bbs			

100	THORINEDI	A TOLITO.	AMIA D	OTHITLOH	•
57 macrophyllus. W.	large-leaved.	Corymbifera, J.	N. America.	1739. 7.9. H.4.	
58 heterophyllus.	T				
W. en.	various-leaved.			1811. — H.4.	•
59 chineusis. W.	Chinese.		China.	1731, 7.9, H.O.	Dill. elt. t. 34. f. 38.
60 Tripolium. W.	sea.		Britain.	8.9. H.4.	
61 salignus W.			Germany.	1815. — H.4.	21.8. 224. 47.
62 puniceus. W.	red-stalked.		N America	1710 7 10 H 2/	Herm. lugd. t.651.
63 hispidus. W.	rough-stalked.		China	1804. 9.10. H. 4.	
64 sibiricus. W.	Siberian.		Cilina.		
	and the second s		Siberia.	1700. 7.10. 11. 4.	Gmel.sib.2.t.80.f.1.
65 elegans. W.	elegant.		BT A	1790. 8.10. H. 4.	
66 amplexicaulis. W.	stem-clasping.	-	N. America.	9.11. Н. 4.	
67 adulterinus. W. en.	bastard.			8.10. H.4.	
68 lævigatus. W.				1794. 9.11. H.4.	
69 longifolius. P. S.	long-leaved.			1794. 9.11. 11. 4. 1798. 10. H. 4.	
70 versicolor. W.				1790. 8.9. H.4.	
71 mutabilis. W.	changeable.			1710. 9.10. H.4.	Herm. lugd. t. 67.
72 lævis. W.	smooth.			1758. — H. 4.	
78 concinnus. W. en.	neat.			1800. — H. 24.	
74 floribundus. W.	abundant-flow'rg.			H. 2.	
75 pallens. W. en.	pale-flowered.	-		— н. 4.	
76 novi-belgil. W.	New York.			1710 H. 21.	Herm. lugd. t. 69.
77 bellidiflorus. W. en.	Daisy-flowered.			н. 4.	Herm. lugd. t. 69.
78 præcox. W. en.	early-flowering.			1800. 7.8. H. 1.	
79 spectabilis. W.	showy.		N. America.	1777. 8.9. H.4.	
80 serotinus. W.	late-flowering.		***************************************	9.11. Н. 4.	
81 tardiflorus. W.	spear-leaved.			1775. 7.9. H.4.	
82 blandus. Ph.	charming.			1800.10.11.H.4.	
83 acuminatus. Ph.	acuminate.			1806. 8.10. H. 4	
84 conyzoides. W.	Conyza-like.			1778. 8.9. H.4.	
85 Radula. W.	rasp-leaved.			1785. 9.11. H. 4.	
86 strictus. Ph.				1806. — H. 4.	
	upright dwarf.				
87 Tradescanti. W.		,		1633. 7.9. H. 4.	Moris. s. 7. t. 21. f. 42
88 recurvatus. W.	recurved.	-		1800. 8.9. H.4. 9.11. H.4.	
89 eminens. Ph.	eminent.			9.11. Н. 4.	
90 laxus. Ph.	loose-stalked.			Н. 4.	
91 simplex. W. en.	single-stalked.		-	8.10. H.4.	
92 polyphyllus. W. en.				— Н. 4.	
-93 junceus. W.	slender-stalked.			1758. 9.10. H. 4.	
94 lanceolatus. W.	lanceolate.			1811. 8.11. H.4.	
95 dracunculoides. W.	Tarragon-like.			9.11. H. 4.	
96 fragilis. W.	brittle.			1800. 9. H. 4.	
97 miser. W.	meager-flower'd.			1759. 9.10. H. 4.	
98 divergens. W.	spreading downy.			1758 H. 24.	
99 diffusus. W.	diffuse.			1777. — H. 4. 1758. — H. 4.	
100 pendulus. W.	pendulous.			1758 H. 24.	
SOLIDAGO. W.	GOLDEN-ROD.	Corymbiferæ. J.		,	
1 canadensis. W.	Canadian.	*	N. America.	1648, 7.9. H.M.	Schk.handb.8,f.246.
2 fragrans. W. en.	fragrant.			— Н. 4	
3 procera. W.	great.	No - result also hill the state of the state		1758. 9.10. H. 4	
4 serotina. W.	upright smooth.			7.8. H. 1.	
5 gigantea. W.	gigantic.			· 1758. 8.9. H.4	
6 ciliaris. W.	ciliated.			1811. — H. 4	
7 reflexa. W.				1758. — H. 4	
8 lateriflora. W.	lateral-Howard			— H.4	
9 aspera. W.	rough-leaved.			1790 0 H 3	Dill.elt.t.305.f.392
10 altissima. Ph.	tall.			- 1686. 8.9. H. 4	Dill alt tone fore
11 rugosa. Ph.	wrinkle-leaved.			- 1/32. — H. 4	. Dill.elt.t.308.f.396
12 villosa. Ph.	villous.			——————————————————————————————————————	
13 scabra. W.	rough.			- 1811. —— H.24	•
14 nemoralis. W.	woolly-stalked.			- 1769. 9. H.4	•
15 patula. W.	spreading.		-	- 1805. 9.10. H. 4	•
16 ulmifolia. W.	Elm-leaved.			- 8.10. H. 4	•
17 arguta. W.	sharp-notched.			- 1758. 7.8. H.4	
18 juncea. W.	Rush-stalked.	***************************************		- 1769. 8.9. H.4	• ,
19 elliptica. W.	oval-leaved.		-	- 1759. —— H.4	•
20 recurvata. W. en.	recurved.			9.11. H. 2	
21 sempervirens. W.	evergreen.		-	- 1699. 9.10. H. 4	. Corn. canad.t. 169.
22 odora. W.	sweet-smelling.			- 7.8. H. 1	. Pluk.alm.t.116.f.6.
23 pauciflosculosa. Ph				- 1811. 8.10. H. 4	•
24 bicolor. W.	two-coloured.		-	- 1759. 8.9. H. 4	. Pluk.alm.t.114.f.8.
	2			•	

	2	TIODITIDI.	i i olii oi	IIIIII D		LUA. A.	JOIL.	200
2	5 petiolaris. W.	late-flowered.	Corymbiferæ. J.	N. America.	1758.1	0.12.	H.4.	
	6 stricta. W.	Willow-leaved.				9.	H. 24.	
2	7 lanceolata. Ph.	Grass-leaved.				10.	H. 4.	14 2 File
2	8 tenuifolia. Ph.	slender-leaved.	<del></del>			9.10.	H.4.	
	9 cæsia. W.	Maryland.			1732.		H.4.	Dill.elt.t.307.f.395
3	0 livida. W. en.	livid.					H.4.	
3	1 birta. W. en.	hairy.	<u></u>				H.4.	
	2 lithospermifolia.Ph.				1811.	8.10.	H.4.	
	3 lævigata. W.	fleshy-leaved.						D 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	4 mexicana. W.	Mexican.			1683. 7	7.10.	H. 4.	Dodart.act.4.t.219.
	5 viminea. W.	twiggy.	(	-	1759.	9.	11.4.	
	6 erecta. Ph.	upright.			• • • • •	8.10.	H. 4.	
	7 macrophylla. Ph.	large-leaved.			1705	0	11.4.	Herm. parad. 244.
	8 flexicaulis. W. 9 latifolia.	broad-leaved.			1/20.	9.	13.24.	Pluk.alm.t.235.f.4.
	0 ambigua. W.	angular-stalked.			1750	7.8	11 3/	1 1ua.aiii. t. 200.1.4.
	1 axillaris. Ph.	axillary.		N. America.	1811.	8.10.	H. 2L.	
	2 Virgaurea. W.	common.		Britain.		7.9.	H. 2/	Eno. hot. 801.
	2 cambrica. W.	Welch.		wates.		7.8.	н. и.	DHI.eft.F.306. F.398
	4 multiradiata. W.	Labrador.		Labrador.	1776.		H. 1.	Herm. parad. 245.
	5 minuta. W.	least.		Pyrenees.	1772.		H.24.	Herm. parad. 245.
4	6 humilis. Ph.	dwarf.		N. America.	1811.		1-1 . 7/ .	•
4	7 elata. Ph.	tall hairy.			8	3.10.	H. 4.	
4	8 rigida. W.	hard-leaved.			1710.	9.	H.4.	Herm. parad. 243.
C	INERARIA. W.	CINERARIA.	Corymbiferæ. J.					
	1 geifolia. W.	Kidney-leaved.		C. B. S.	1710.	4.8.	G. h .	Comm.hort.2.t.73.
	2 parviflora. H. K.	small-flowered.			1790.		G.h.	30 10 10
	3 aurita. W.	purple-flowered.		Madeira.	1777.	6.7.	G. h.	Bot. mag. 1786.
	4 lactea. W. en.	milk-coloured.						
	5 cruenta. W.	purple-leaved.		Canaries.	1777.	2.5.	G. h .	Bot. mag. 406.
	6 hybrida. W. en.	hybrid.					G.h.	** . 1
	7 populifolia. H. K.			Canaries.				Vent. malm. 100.
	8 lobata. W.	lobed.			1774.			
	9 malvæfolia. W. D petasites. B. M.	Mallow-leaved.			1777.			Dat man 1500
	*			Mexico.	1812.	12.2.	G.h.	Bot. mag. 1536.
	1 discolor. W. 2 sibirica. W.	white-leaved. Siberian.			1704	/.ö.	ວ. ກຸ.	Bot. mag. 1869.
	3 gigantea. H. K.	gigantic.		Cana Horn	1001	70	ET 21	Exot. bot. 2. t. 65.
	4 glauca. W.	glaucous-leav'd.		Siberia	1700	6.7	H 21	Gmel. sib. 2. t. 74.
	5 palustris. W.	marsh.		England.				Eng. bot. 151.
	6 campestris. W.	mountain.	1					152.
-	integrifolia. E. B.	mountain.				0.0.		102.
1	7 longifolia. W.	long-leaved.		Austria.	1792.	6.8.	H. 2L.	Jac. aust. 2. t. 181.
	8 cordifolia. W.	heart-leaved.			1739.	7.8.	H. 24.	2. t. 177.
	9 alpina. W.	Alpine.			1683.	6.8.	H. 4.	2. t. 177.
	0 maritima. W.	Sea Ragwort.		S. Eurone.	1633.	7.9.	F.b.	Lob. ic. t. 227. f. 2.
2	1 canadensis. W.	Canadian.		Canada.	1739.			
2	2 linifolia. W.	Flax-leaved.		C. B. S.			G.h.	Jac.scheen.3.t.308.
2	3 humifusa. W.	trailing.			1704.	7.8.	G. 24.	
	4 viscosa. W.	clammy.			1774.	6.8.	G. J.	Jac.frag.12.t.7.f.2.
	5 lanata. W.	woolly.		Canaries.	1780.	5.9.	G. h.	Bot. mag. 53.
	6 amelloides. W.	blue-flowered.		C. B. S.	1753.	2.9.	G. h.	249.
	NULA. W.	INULA.	Corymbiferæ. J.					
	1 Helenium. W.	Elecampane.		Britain.				Eng. bot. 1546.
	2 Oculus-Christi. W.			Austria.				Jac. aust. 3. t. 223.
	3 britannica. W.	creeping-rooted.						Fl. dan. t. 413.
	4 dysenterica. W.	meadow.		England.				Eng. bot. 1115.
	5 undulata. W.	wave-leaved.		Egypt.	1739.7			D. leer Co.
	6 indica. W. 7 Pulicaria W	Indian.		England				Burm.zeyl.t.55.f.2.
	7 Pulicaria. W. 8 squarrosa. W.	Small Fleawort.		Lugiand.				Eng. bot. 1196.
	9 viscosa. W.	net-leaved.		S Europa				Pluk.alm.t.16.f.1.
	0 tuberosa. P. S.							Jac. vind. 2. t. 165.
*	Erigeron tuberosun	tuberous-rooted.			1040.	1.0.	11.4.	Moris.s.7.t.19.f.20.
1	1 salicina. W.	Willow-leaved.		N. Europe	1648	8 0	H. 2/	Fl. dan. t. 786.
	2 glandulosa. W.	glandulous.						Bot. mag. 1907.
	8 Bubonium. W.	Austrian.		Austria.				Jac.aust.5.app. t.19
	4 hirta. W.	hairy.						4. t. 358.
	5 suaveolens. W.	woolly-leave 1.		S. Europe.				Jac. vind. 3. 1. 51.
	6 Vaillantii. W.	Vaillant's.		France.	1739.			

	130	111022112201	a rourd		J. 111.01	220110	
	17 mariana. W.	American.					Mill. ic. 1.t. 57.f.1.
	18 germanica. W.	German.					Jac. aust. 2. t. 134.
	19 ensifolia. W.	sword-leaved.		Austria.			2. t. 162.
	20 crithmifolia. W.			England.			Eng. bot. 68.
	21 provincialis. W.	oval-leaved. mountain.		S Europa	1778. 7.8		Garid aix. t. 10.
	22 montana. W. 23 bifrons. W.	Italian.		5. Europe.			Herm.parad. t.127.
	24 saturejoides. W.	Savory-leaved.					Reliq.Houst.8.t.13
•	25 fœtida. W.	stinking.					Boc. sic. 26. t. 134
	GRINDELIA. W. en		Corymbiferæ. J.			0.	
	1 glutinosa. H. K.	glutinous.		Mexico.	1803. 1.19		Bot. reg. 187.
	2 inuloides. W. en.	Inula-like.					248.
	3 squarrosa. Ph.	Snakes-headed.	O 116 X		1811. 7.9	. G.4.	Bot. mag. 1706.
	PODOLEPIS. H. K.	PodoLEPIS.	Corymbiferæ. J.	Scalia. B.M.	1000 = 2	C 21	Tahna hala tash
	1 rugata. H. K.	wrinkle-scaled.		N S W	1803. 7.8		Lab.no.hol.2.t.208
	2 acuminata. H. K. ARNICA. W.	sharp-scaled. ARNICA.	Corymbiferæ. J.	11. O. W.	5.8	. 0.4.	Bot. mag. 956.
	1 montana. W.	mountain.		Europe.	1731. 7.8	. H.2.	Bot. mag. 1749.
	2 scorpioides. W.	alternate-leaved.		Austria.			Jac. aust. 4. t. 349.
	3 Doronicum. W.	Alpine.			1816	-H.4.	1. t. 92.
	4 Bellidiastrum. W.	Daisy-leaved.					Bot. mag. 1196.
	DORONICUM. W.	LEOPARD'S-BANE					m : 1
	1 Pardalianches. W.			Britain.			Eng. bot. 630.
	2 scorpioides. W.	mountain.		Germany.	1916		Too and t 100
	3 austriacum. W.	Austrian.			1810.	-11.4.	Jac. aust. t. 130.
	4 altaicum. W.	Siberian.		Siberia.	1783. 6.8	. н.4.	Pall.act. pet.1779.
	5 orientale. W. en.	oriental.		Caucasus.	1815		
	6 plantagineum. W.			S. Europe.	1570. 5.		
	PERDICIUM. H. K.	PERDICIUM.	Corymbiferæ. J.				
	Anandria. H. K.	Siberian.		Siberia.	1759. 3.	H.4.	Gmcl.sib.2.t.68.f.1.
	TETRAGONO- ]	{Tetragono-}	Corymbiferæ. J.				
		THECA.		Vincinia	1706 0 10	LT 31	Sohly hand a + aca
	helianthoides. W.	Sunflower-like. XIMENESIA.	Corymbiferæ. J.	virginia.	1/20. 8.10	· II. 4 ·	Schk.hand.3.t.263.
	XIMENESIA. W. encelioides. W.	Mexican.	Corymoner e. s.	Mexico.	1795. 6.1	1. G. A.	Cav. ic. 2. t. 178.
	HELENIUM. W.	HELENIUM.	Corymbiferæ. J.	2,30,000	-,00. 011.		
	1 autumnale. W.	smooth.					Sck. hand. 3. t. 250
	2 pubescens. W.	downy.			1776. 8.9	. H.4.	
	3 quadridentatum. V		Q 1.C F	Louisiana.	1790. 5.10	o. F.4.	Jac. ic. 3. t. 593.
	BELLIS. W.	Daisy.	Corymbiferæ. J.	Pritoire		TJ V	Eng hot 404
	1 perennis. W.	common.					Eng. bot. 424. Bot. mag. 228.
	β hortensis. y fistulosa.	large double. double quilled.				- H. 24.	2500. mag. 240.
	8 prolifera.	Hen and Chicken				-H.4.	0
	2 sylvestris. W.	large Portugal.		· Portugal.	1797. 5.7	. н.ч.	Cyril. neap. 2. t. 4.
	3 annua. W.	annual.		S. Europe.	1759. 3.7		Bocc. mus. t. 35. 21
	BELLIUM. W.	BELLIUM.	Corymbiferæ. J.	T. 1			v 111
	1 bellidioides. W.	small.		- Italy.	1796. 6.9	. н.о.	Lam. ill. t. 684.
	2 minutum. W.	dwarf.	AND THE PROPERTY OF THE PARTY O	- Levant.	1772.6.10	). H.4.	{Schreb.act.ups.1. t. 5. f. 2.
	DAHLIA. Cav.	DAHLIA.	Corymbiferæ. J.	Georgina, W.	,		( 0.0.1.2.
	1 superflua. H. K.	fertile-rayed.	Corymoneta: or			1. H. 2.	Cav. ic. 1. t. 80.
	& purpurea.	purple-flowered.					Ann.mus.3.t.37.f.1
	& lilacina.	rose-coloured.		erroren and an arrangement			Par. lond. 16.
	y pallida.	pale-flowered.				-H.4.	
	3 alba.	white-flowered.				- H.4.	
	e ochroleuea.	sulphur-coloured				- H.4.	
	ζ flava.	yellow-flowered. tawny.				- Н.4. - Н.4.	
	n fulva. E cuprea.	copper-coloured.				- H. 4.	*
	lateritia.	brick-coloured.				- H.4.	
	* rubra.	red-flowered.		-			Bot. mag. 1885. A.
	A atro-rubra.	dark-red.		-	bureman month	-H.4.	
	µ punicea.	{ Pomegranate-}				-H.4.	Bot. reg. 55.
		danh mumle	•				
	* atro-purpurea.	dark-purple.				—Н.4. —Н.4.	
	ž nigra. o variegata.	very dark. stripe-flowered.				-H.2.	
	π nana.	double-lilac.				-H.2.	Bot. rep. 488.
	e purpureo-plena.			-			Bot. mag. 1885. B.

	21	MGENESIA	A FULLUE	IMIA SU	TEIL	UA	191
	frustranea. H. K.	barren-rayed.	Corymbiferæ. J.	Mexico.	1802, 9.11,	H. 2/.	Cav. ic. t. 266.
-	a coccinea.	scarlet.					Bot. mag. 762.
	β fulgens.	bright scarlet.				H.21.	9, 1
	y aurantia.	Orange-coloured.				H. 2.	, i
	à crocea.	Saffron-coloured.				H.24.	
	s lutea.	yellow.		<del></del>	<del></del>	H.4.	
TA	GETES. W.		Corymbiferæ. J.			•	
	lucida, W.	sweet-scented.		S. America,	1798. 7.11.	G. 4.	Bot. mag. 740.
2	patula. W.	FrenchMarygold,		Mexico.	1578. 7.10.	H.⊙.	150.
3	erecta. W.	African Marygold.			1596. 6.9.	H.⊙.	Lam. ill. t. 684.
4	minuta. W.	small-flowered.	<del></del>	Chili.			Dill.elt.t.280.f.362
5	tenuifolia. W.	fine-leaved.		Peru.	1797.7.10.	H.⊙.	Cav. ic. 2. t. 169.
HH		HETEROSPER- \	Corymbiferæ. J.				
		MUM.	•				*
	pinnatum. W.	wing-leaved,		New Spain.	1799. 8.9.	н,⊙,	Cav. ic. 3. t. 267.
SC	HKUHRIA. W.		Corymbiferæ. J.				0111
	abrotanoides. W.	Wormwood-lead.		Mexico.	1798. 7.9.	H.⊙.	Schk.han.8. t.250.b
	CTIS. W.		Corymbiferæ. J.	*** 4.1.		0.0	Tol
	ciliaris. W.	ciliated.		Fuspamora.	1793. 7.		Plum. ic. 151. f. 2.
				Jamaica.	1732. 7.8.	3.0.	Slo.jam.1.t.149.f.3.
	YSERA. W.		Corymbiferæ. J.	a n c	1554 50	C 1	Too :- 0 4 500
	gnaphalodes. W.	woolly.		C. B. S.			Jac. ic. 3. t. 588.
	squarrosa. W.				1813.	G.n.	Pluk.alm.t.302.f.3.
T.C	ELHANIA. W,		Corymbiferæ. J.	CRS	1774 5 6	G.L	
711	squarrosa. W. NNIA. W.		Corymbiferæ. J.	U. D. S.	1774. 5.6.	G.n.	
	pauciflora. W.		Corymoneræ. 5.	Dom	1759 79	HO	Mill. ic. 1. t. 64.
	multiflora. W.	red-flowered.		N America	1770 6 10	H 0	Rot mar 140
		whorl-leaved.					Bot. rep. 189.
		nurnle-flowered.		MICAICOI			Bot. mag. 527.
	tenuiflora. W.	slender-flower'd.			1799, 7.8,	H.O.	555
		CHRYSANTHE-					1
		MUM.	Corymbiferæ. J.				
1	pinnatifidum. W.	cut-leaved.		Madeira.	1777. 5.8.	G. 17 .	
2	atratum, W.	fleshy-leaved.		Austria.	1731. 7.8.	H.4.	
3	heterophyllum, }	various-leaved.		Switzerland.	1806	T-T 2/	
	W. en.						
	Leucanthemum, W.	Ox-eye Daisy.		Britain.			Eng. bot. 601.
	montanum. W.			France.	1759. —	H.4.	Jac. obs. 4. t. 91.
	ceratophylloides.	Buck's-horn.		Piedmont.	1803. —	H.4.	All. ped.1. t.37.f.1.
	graminifolium. W.			Montpeller.			
	monspeliense. W.						4. t. 93.
	argenteum. W.	Milfoil-leaved.		Larent			Mich.gen. 34. t. 29.
	arcticum. W.				1731. 7.8.	H 21	W hort her 22
		three-coloured.		Rarhary	1706 7 10	H.4.	Bot. mag. 508.
	pumilum, W. en,	small.		Daroary	1806.	H.O.	2001 1110 6 0004
	sylvestre. W. en.	field.			1804. 6.7.	H.21.	
	segetum. W.	corn.		Britain			Eng. bot. 540.
	Myconis. W.	tongue-leaved.		Italy.			Jac. obs. 4. t. 94.
	italicum. W.	Italian.			1796. 6.7.		
	coronarium. W.	garden.		Sicily.			Lam. ill. t.678.f.6.
	RETHRUM. W.	Feverrew.	Corymbiferæ. J.				
	fæniculaceum.W.en					G. h.	Bot. reg. 272.
	crithmifolium.W.en.						
	anethifolium.W.en.						
	frutescens. W. en.	shrubby.		Canaries.	1699. —	G.h.	
5	coronopifolium.	Buckshorn-leavd.				G.h.	
_	W. en. }						
	grandiflorum.W.en.				1815.	G.h.	
	speciosum. W. en.	large-flowered.		Comment	1000 50		
	ptarmicæfolium.W.	Sheezewort-lead,	<del></del>	Caucasus.	1803. 7.8.	11.74.	Yes also 4 4 00
	serotinum. W.		<del></del>	N. America.			Jac. Ods. 4. C. 94.
	uliginosum. W.	marsh.		Frungary.	1816. 7.9.	11.4.	
	alpinum. W. Balsamita. W.	Alpine. various-leaved.		Levent	1770	13.4.	Jac obs 4 + en
	macrophyllum. W.				1903	11.4.	Jac. obs. 4. t. 89. Pl.rar.hung.1.t.94.
	roseum. W. en.			Caucasus			Bot. mag/1080.
	Chrysanthemum coo			Caucasus.	1004. 0.9.	22.4.	2000 mag 1000.
15	corymbosum. W.	mountain.		Germany.	1596. 6.8.	H.4.	Jac. aust. 4. t. 379.

16 pulverulentum.	powdered.	Corymbiferæ. J.	Iberia.	1806. 6.8. H.	21.
W. en. J 17 Parthenium. W.	common.				•
B flore pleno.	double-flowered.				24. Eng. bot. 1231.
18 parthenifolium. W.			- Caucasus.	1804. 6.7. H.	4. Vent. cels. t. 43.
19 caucasicum. W.	Caucasian.			7.8. H	24.
20 tenuifolium. W. en.	scentless.		- Britain.	· 1806. —— H.	. Eng. bot. 676.
22 maritimum. W.	sea.			6.10. H.	2/ 970
23 millefoliatum. W.	Milfoil-leaved.		- Siberia.	1731. 5.9. H.	4. Mill. ic. 1. t. 9. 4. Gmel.sib.2.t.85.f.1.
24 bipinnatum. W.	wing-leaved.		D. I. I.	- 1796. 6.7. H.	4. Gmel.sib.2.t.85.f.1.
25 indicum. H. K. MATRICARIA. W.	Indian. MATRICARIA.	Corymbiferæ. J.	- E. Ind.	1810. 6.9. H.	⊙. Bot. mag. 1521.
1 suaveolens. W.	sweet.		- Europe.	1781. 6.8. H.	⊙.
2 Chamomilla. W.	Wild Chamomile.		- Britain.	5.7. H.	O. Eng. bot. 1232.
3 capensis. W.	Cape.		- C. B. S.	1699. 7.9. G.	2. Seh.thes. 1. t. 16.f.2.
4 pusilla. W. en. BOLTONIA. W.	small. Boltonia.	Corymbiferæ. J.		— Н.	·
1 asteroides. W.	Starwort-flowerd.		N. America.	1758. 8.10. H.	24.
2 glastifolia. W.	glaucous-leaved.			9. H.	4 381
LIDBECKIA. W.	LIDBECKIA.	Corymbiferæ. J.			
pectinata. W. CENIA. J.	silver-leaved. CENIA.	Corymbiferæ. J.			h. Ber.cap.306.t.5.f.9.
turbinata. P. S.	turbinated.	Corymonera: 0.			. Lam.ill. t. 701. f. 1.
COTULA. W.	COTULA.	Corymbiferæ. J.			
1 anthemoides. W.	Anthemis-like.		St. Helena.		O. Dill. elt. t. 23. f. 25
2 coronopifolia. W. 3 viscosa. W.	Buck's Horn.		C. B. S.		O. Lam. ill. t. 700. f. 1
4 tanacetifolia. W.	clammy. Tansy-leaved.		C. B. S.	1739. 8. S.	. Pluk,man,t.430.f.7,
GRANGEA. J.	GRANGEA.	Corymbiferæ. J.			J4 2 14 pinning (0.400 0.11) {
1 cuneifolia. Lam.	wedge-leaved.		China.		O. Lam, ill. t. 699. f. 2.
2 minima. W.	least.			1768. —— H.	. Burm.ind. t.58. f.3.
3 maderaspatana.	Madras.		E. Ind.	1780. 7.8. S.	⊙. Lam.ill.t.699.f.3.
4 latifolia. Desf.	two-coloured.			1804 S.	O t, 699. f. 1,
Cotula bicolor. W.					
ANACYCLUS. W.	ANACYCLUS.	Corymbiferæ. J.	Con Po	iero co II	Ann 11 4 00
1 creticus. W. 2 orientalis. W.	trailing.		Candia.		<ul><li>O. Ann. mus.11. t.22.</li><li>O. Boer. lugd.1. t.110.</li></ul>
3 aureus. W.	golden-flowered.			1570. —— H.(	. Lam. ill. t.700.f.2.
4 valentinus. W.	fine-leaved.		Spain,		. Schk.han.3. t.254.b
ANTHEMIS. W.		Corymbiferæ. J,	C -	1005 FO II	W W hant han 1 4 00
1 rigescens. W. en. 2 Cota. W.					4. W.hort.ber.1. t.62. 3. Pluk.alm. t.17. f.5.
3 altissima. W.	tall.	F	S. Europe.	1731. 8. H.(	
4 maritima. W.	sea.		England.		. Eng. bot. 2370.
5 clavata. W.				1801. — H.(	
6 tomentosa. W.				1795. 7.10. H. 1 1803. 7.8. H. 1	•
7 pubescens. W. 8 mixta. W.	pubescent. simple-leaved.		France.		. Mich. gen. t.30. f.1.
9 saxatilis. W. en.	rock.		Hungary.	1807. — H.:	24.
10 Chamomilla. W.en.	various-leaved.		S. Europe.	— — H.:	4.
11 chia, W.				1731. 6.10. H.(	.). 4. Eng. bot. 980.
12 nobilis. W.	common.			6.8. H.	3. ——— 602.
14 austriaca, W.	Austrian.			1759. 5.8. H.(	). Jac. aust. 5. t. 444,
15 Cotula. W.	stinking.		Britain.		O. Eng. bot. 1772.
16 fuscata. W.	brown-scaled.		Portugal.	1805. 7.8. H.(	
17 montana. W. 18 Pyrethrum. W.	mountain. Pellitory of Spain.		S. Europe.		4. Ger. prov. t. 8. 4. Bot. mag. 462.
19 globosa. W.	globe.			8.9. G.2	4. Jac.schæn.3.4.371.
20 valentina. W.	purple-stalked.		S. Europe	1596. 7.8. H.	.). Breyn. cent. t. 75.
21 tinctoria. W.	Ox Eye.				4. Eng. bot. 1472.
22 discoidea. W.	Arabian.			1800. 7.8. H.(	. Smith. spic. 9. t.10.
24 artemisiæfolia. W.				1764. 9.11. H. 2	
Chrysanthemum ind	licum. H. K.	l, s			
	golden yellow			H.2	
B flava.	straw-coloured			— H.2	<b>f.</b> •

# SYNGENESIA POLYGAMIA SUPERFLUA.

9	quilled straw-}	Corymbiferæ. J.	China.	9.1	1. H.4.	Bot. reg. 4.
S alba.	coloured.	•				30 m
o atoa.	white. quilled white.					Bot. reg. 4.
	{ semi-double }				'	2001.118. 11
$\xi$ purpurea.	{ purple. }		-	• • • • • • • • • • • • • • • • • • • •	— н. 4.	
η	quilled purple.				- H. 4.	Bot. mag. 327.
3 lilacina.	Lilac-coloured.				- H. 2.	
· cuprea.	copper-coloured.	<del></del>			H.4.	
× fulva.	brown.				- H.4.	
SANVITALIA. Cav.	SANVITALIA.	Corymbiferæ. J.				Song as
procumbens. W.	trailing.		Mexico.	1798. 7.	s. H.⊙.	Cav. ic. 4. t. 351.
ACHILLEA. W.	MILFOIL.	Corymbiferæ. J.				
1 lingulata. W.	tongue-leaved.		Hungary.			Pl. rar. hung. 1. t.2.
2 Herba-rota. W.	Herbarota.					All. ped.1.t.9. f. 3.
3 grandiflora. M. B.	great-flowered.				8. H.4.	F bot men
4 Ptarmica. W.	Sneezewort.		Britain.	• • • • 7 • :	п. н. 4.	Eng. bot. 757.
β flore pleno.	double-flowered. slender-branchd.	-	Ttoler	1704 7	8. H.4.	
5 cristata. W. 6 Ageratum. W.	Sweet Maudlin.		S Europe		10. H.24.	
7 decolorans. W. en.	pale yellow.		S. Europe.		s. H.4.	
8 speciosa. W. en.	spear-leaved.				9. H.4.	
9 alpina. W.	Alpine.					Boc.mus.144.t.101
10 serrata. W.	saw-leaved.					
11 Clavennæ. W.	silver-leaved.		Austria.			Bot. mag. 1287.
12 impatiens. W.	impatient.		Siberia.			Gmel.sib.2.t.83.f.1.
13 pectinata. W.	comb-leaved.		Hungary.			Pl.rar.hung. 1.t.34.
ochroleuca. IV aldst			3 ,		·	O
14 squarrosa. W.	rough-headed.			1775. 7	.8. H.4.	
15 falcata. W.	sickle-leaved.		Levant.	1739. 6	.9. H.4.	Lam. ill. t.683.f. 3.
16 tenuifolia. W.	slender-leaved.		-	1733. 6	.8. H.h.	
17 Santolina, W.	\ Lavender- \ \			1759. —	н. 4.	
	cotton-lead.	,				
18 anthemoides. W.	Chamomile-like.				H.4.	
19 atrata. W.	black-cupped.					Jac. aust. 1. t. 77.
20 moschata. W.	musk.					5.t.ap.33.
21 nana. W.	dwarf.					All. ped.1. t. 9. f. 3.
22 cretica. W.	Cretan.					Bocc. mus. t. 34.
23 ægyptiaca. W.	Egyptian.					Tourn. it. 1. t. 87.
24 macrophylla. W.	large-leaved.					Triumf. obs. t. 23.
25 aurea. W.	golden-flowered.				.9. H.4.	
26 Eupatorium. W.	Caspian.				— H.4.	
27 compacta. W. 28 pubescens. W.	downy.		Levent		.9. H.4.	
29 crithmifolia. W.	Samphire-leav <sup>d</sup> .					Pl.rar.hung.1.t.66.
30 tanacetifolia. W.	Tansy-leaved.		Switzerland.	1658	— H.2/	Moris.s.6.t.11.f.14.
31 distans. W.	branching.		Italy.			All. ped. t. 53. f. 1.
32 lanata. W. en.	woolly.				- H.2.	
33 magna. W.	great.		S. Europe.		11. H.4.	
34 Millefolium. W.	Yarrow.		Britain.			Eng. bot. 758.
β rubra.	red-flowered.					
35 asplenifolia. P. S.	Rose-coloured.			1803. 6	.s. H.4.	Vent. cels. t. 93.
36 micrantha. W.	small-flowered.		Levant.	1805.6.	10. H.4.	
37 tomentosa. W.	tomentose.		S. Europe.			Bot. mag. 498.
38 ochroleuca. W.	cream-coloured.					
39 microphylla. W.	small-leaved.		Spain.			Barr. ic. 1114.
46 ligustica. W.	Ligurian.					All.ped.1.t.53.f.2.
41 nobilis. W.	showy.					Schk.hand.3.t.255.
42 myriophylla. W. en		-			.9. H.4.	T 1 1 1 00
43 odorata. W.	sweet-scented.		Spain.			Jac. col. 1. t. 21.
44 setacea. W.	bristly.		Hungary.			Pl.rar.hung.1.t.80
45 abrotanifolia. W.	Southernwood-ld		Levant.	1/39	Н.4.	
BALBISIA. W.	BALBISIA.	Corymbiferæ, J.	Movico	1004	OHO	
elongata. W. AMELLUS. W.	long-stalked. Amellus.	Corymbiferse. J.	· Mexico.	1004. 7	'.8. H.⊙.	
1 Lychnitis. W.		•	C.B.S.	1769 6	7. C. L	Jac.col.sup.t.10.f.1
2 villosus. Ph.	trailing.		· Missouri.		3.9. H.4.	o account p. t. Lo.I. L
3 spinulosus. Ph,	spiny.		TATOU ULI		H.4.	
STARKEA. W.	STARKEA.	Corymbiferæ. J.			~~. ~~ .	
umbellata. W.	umbel-flowered.		- Jamaica.	1768. 6	3.7. S. 21.	Lam. ill. t. 682, f, 2,
		Co				

102	LINGENTEDIA	LIGHTON	MILLE LIC		LILLI	•
ECLIPTA. W.	ECLIPTA.	Corymbiferæ. J.				
1 erecta. W.	upright.		America.			Dill.elt.t.113.f.137
2 prostrata. W.	trailing.		E. Ind.	1732. ——	s.⊙.	t.113.f.138
CHRYSANTHEL-		Corymbiferæ. J		gla		
LUM. P. S. procumbens. P. S	THELLUM.		W Ind	1762 67	80	Swa.obs.314.t.8.f.1
Verbesina mutica			W. IIIu.	1/00. 0./.	3.0.	Swa.003.514.1.5.1.1
SIEGESBECKIA. V		Corymbiferæ. J.				
1 orientalis. W.	oriental.		India.	1730. 8.10.	H.O.	Schk.hand.8.t.256.
2 flosculosa. W.	small-flowered.		Peru.			L'Her. stirp. t. 19.
VERBESINA. W.	VERBESINA.	Corymbiferæ. J.				
1 alata. W.	wing-stalked.		S. America.	1699. 5.10.		Bot. mag. 1716.
2 virginica. W.	white-flowered.		N. America.	1812. 7.9.		To . 1. 1. 4. 100
3 gigantea. W. 4 Siegesbeckia. W.	tree. American.		Wirginia			Jac. ic. 1. t. 175.
5 Coreopsis. Ph.	Coreopsis-like.		N. America.	1731.10.11.		Jac. vind. 2. t. 110.
Coreopsis alterni			211 12111021041	10100 9.111	22.4.	0 H.C. VIII (1 2 . C. 1 1 0 .
6 serrata. W.	saw-leaved.		Mexico.	1803. 7.10.	G. 24.	Cav. ic. 3. t. 214.
7 sativa. H. K.	Oil-seed.		E. Ind.			Bot. mag. 1017.
8 calendulacea. W.	Ceylon.		Ceylon.	1739. 7.9.		Burm.zeyl.t.22.f.1.
9 dichotoma. W.	forked.		E. Ind.	1789. 6.7.	S.O.	Murr. com. goet. 1779. t. 4.
					С.Т	1779. t. 4.
10 fruticosa. W.	shrubby.	Corymbiferæ. J.		1759. 6.8.	s.n.	Plum. ic. t. 52.
SYNEDRELLA. P. S nodiflora. P. S.	sessile-flowered.	Corymoneræ. 3.		1726. 6.7.	S.O	Dill.elt. t. 45. f. 53.
GALINSOGEA. W.	GALINSOGEA.	Corymbiferæ. J.	Audi	1720. 0.7.	5.0.	~ 1.11-C10. 01-10-11-0Q1
1 parviflora. W.	small-flowered.		S. America.	1796. 5.9.	н.о.	Cav. ic. 3. t. 281.
2 trilobata. W.	three-lobed.		Peru.	1797. 8.11.	н.⊙.	Cav. ic. 3. t. 281. Bot. mag. 1895.
ACMELLA. P. S.	ACMELLA.	Corymbiferæ. J.	Spilanthi et A	nthemidis sp.	W.	
1 mauritiana. P. S.	Balm-leaved.		Mauritius.	1768. 7.8.	s.⊙.	Rumph.am. 6.t. 65.
Spilanthes Acme			G 4 .	1 # 0 2 # 0	TT 0	7 1 04051
2 buphthalmoides. ZALUZANIA. P. S.	Zaluzania.		S. America.		H.⊙.	Jac.schæn.2.t.151.
triloba. P. S.	three-lobed.	Corymbiferæ. J.		1798. 7.9.	F. 2/	
			TIACHTOO		E . 44 .	
	PASCALIA.	Corymbiferæ, J.			•	
PASCALIA. W. glauca. W.	PASCALIA. glaucous-leaved.	Corymbiferæ. J.	Chili.		مالت	Bot. rep. 549.
PASCALIA. W.	glaucous-leaved. HELIOPSIS.	Corymbiferæ. J.		1799. 6.8.	н.4.	Bot. rep. 549.
PASCALIA. W. glauca. W. HELIOPSIS. P. S. lævis. P. S.	glaucous-leaved. Heliopsis. Sunflower-leav <sup>d</sup> .	Corymbiferæ. J.	N. America.	1799. 6.8.	н.4.	Bot. rep. 549. L'Her. stirp. t. 45.
PASCALIA. W. glauca. W. HELIOPSIS. P. S. lævis. P. S. Buphthalmum he	glaucous-leaved. Heliopsis. Sunflower-leav <sup>d</sup> . lianthoides. W. H	Corymbiferæ. J.	N. America.	1799. 6.8.	н.4.	-
PASCALIA. W. glauca. W. HELIOPSIS. P. S. lævis. P. S. Buphthalmum he	glaucous-leaved. Heliopsis. Sunflower-leav <sup>d</sup> . lianthoides. W. H	Corymbiferæ. J.	N. America.	1799. 6.8.	н.4.	-
PASCALIA. W. glauca. W. HELIOPSIS. P. S. lævis. P. S. Buphthalmum he BUPHTHALMUM W.	glaucous-leaved.  Heliopsis.  Sunflower-leav <sup>d</sup> .  lianthoides. W. H  Ox Eye.	Corymbiferæ. J.  elianthus lævis. L.  Corymbiferæ. J.	N. America.	1799. 6.8. 1714. 7.16.	Н.4. Н.4.	L'Her. stirp. t. 45.
PASCALIA. W. glauca. W. HELIOPSIS. P. S. lævis. P. S. Buphthalmum he BUPHTHALMUM W. 1 frutescens. W.	glaucous-leaved. HELIOPSIS. Sunflower-leav <sup>d</sup> . lianthoides. W. H OX EYE. shrubby.	Corymbiferæ. J. elianthus lævis. L. Corymbiferæ. J.	N. America. America. Bernudas.	1799. 6.8. 1714. 7.10. 1696. 6.8.	H.4. H.4. G.h.	L'Her. stirp. t. 45.  Dill. elt. t. 28. f. 44.
PASCALIA. W. glauca. W. HELIOPSIS. P. S. lævis. P. S. Buphthalmum he BUPHTHALMUM W. 1 frutescens. W. 2 arborescens. W.	glaucous-leaved. HELIOPSIS. Sunflower-leav <sup>d</sup> . lianthoides. W. H  OX EYE. shrubby. tree.	Corymbiferæ. J. elianthus lævis. L. Corymbiferæ. J.	N. America. America. Bernudas.	1799. 6.8. 1714. 7.10. 1696. 6.8. 1699. 5.9.	H.4. H.4. G.h.	L'Her. stirp. t. 45.  Dill. elt. t. 28. f. 44.  t. 38. f. 43.
PASCALIA. W. glauca. W. HELIOPSIS. P. S. lævis. P. S. Buphthalmum he BUPHTHALMUM W. 1 frutescens. W.	glaucous-leaved. HELIOPSIS. Sunflower-leav <sup>d</sup> . lianthoides. W. H OX EYE. shrubby.	Corymbiferæ. J. elianthus lævis. L. Corymbiferæ. J.	N. America.  America. Bermudas. Canaries. Spain.	1799. 6.8. 1714. 7.10. 1696. 6.8. 1699. 5.9.	H.4. H.4. G.h. G.h. G.h.	L'Her. stirp. t. 45.  Dill. elt. t. 28. f. 44.
PASCALIA. W. glauca. W. HELIOPSIS. P. S. lævis. P. S. Buphthalmum he BUPHTHALMUM W. 1 frutescens. W. 2 arborescens. W. 3 sericeum. W.	glaucous-leaved. HELIOPSIS. Sunflower-leav <sup>d</sup> . limthoides. W. H  Ox Eye. shrubby. tree. silky.	Corymbiferæ. J. elianthus lævis. L. Corymbiferæ. J.	N. America.  America. Bermudas. Canaries. Spain. S. Futone.	1799. 6.8. 1714. 7.10. 1696. 6.8. 1699. 5.9. 1779. 5.7. 1570. 6.9.	H.4.  H.4.  G.h. G.h. G.h. H.O.	L'Her. stirp. t. 45.  Dill. elt. t. 28. f. 44.  t. 38. f. 43.
PASCALIA. W. glauca. W. HELIOPSIS. P. S. lævis. P. S. Buphthalmum he BUPHTHALMUM W. 1 frutescens. W. 2 arborescens. W. 3 sericeum. W. 4 spinosum. W. 5 aquaticum. W. 6 maritimum. W.	glaucous-leaved. Heliopsis. Sunflower-leav <sup>d</sup> . lianthoides. W. H  Ox Eye. shrubby. tree. silky. prickly. sweet-scented. sea.	Corymbiferæ. J. elianthus lævis. L. Corymbiferæ. J.	N. America.  America. Bermudas. Canaries. Spain. S. Futone.	1799. 6.8. 1714. 7.10. 1696. 6.8. 1699. 5.9. 1779. 5.7. 1570. 6.9. 1731. 7.8. 1640. 7.9.	H.4. H.4. G.h. G.h. G.h. H.⊙. F.4.	Dill. elt. t. 28. f. 44.  — t. 38. f. 43.  Bot. mag. 1836.  Breyn. cent. t. 77.  Bocc. mus. t. 129.
PASCALIA. W. glauca. W. HELIOPSIS. P. S. lævis. P. S. Buphthalmum he BUPHTHALMUM W. 1 frutescens. W. 2 arborescens. W. 3 sericeum. W. 4 spinosum. W. 5 aquaticum. W. 6 maritimum. W. 7 salicifolium. W.	glaucous-leaved. Heliopsis. Sunflower-leav <sup>d</sup> . lianthoides. W. H  Ox Eye. shrubby. tree. silky. prickly. sweet-scented. sea. Willow-leaved.	Corymbiferæ. J. elianthus lævis. L. Corymbiferæ. J.	N. America.  America. Bermudas. Canaries. Spain. S. Europe. Sicily. Austria.	1799. 6.8. 1714. 7.10. 1696. 6.8. 1699. 5.9. 1779. 5.7. 1570. 6.9. 1731. 7.8. 1640. 7.9. 1759. 6.10.	H.4. H.4. G.h. G.h. G.h. H.⊙. F.4. H.2.	Dill. elt. t. 28. f. 44.  Dill. elt. t. 28. f. 44.  t. 38. f. 43.  Bot. mag. 1836.  Breyn. cent. t. 77.  Bocc. mus. t. 129.  Jac. aust. 4. t. 370.
PASCALIA. W. glauca. W. HELIOPSIS. P. S. lævis. P. S. Buphthalmum he BUPHTHALMUM W. 1 frutescens. W. 2 arborescens. W. 3 sericeum. W. 4 spinosum. W. 5 aquaticum. W. 6 maritimum. W. 7 salicifolium. W. 8 grandiflorum. W.	glaucous-leaved. HELIOPSIS. Sunflower-leav <sup>d</sup> . lianthoides. W. H  OX EYE. shrubby. tree. silky. prickly. sweet-scented. sea. Willow-leaved. great-flowered.	Corymbiferæ. J. elianthus lævis. L. Corymbiferæ. J.	N. America.  America. Bermudas. Canaries. Spain. S. Europe. Sicily. Austria.	1799. 6.8. 1714. 7.10. 1696. 6.8. 1699. 5.9. 1779. 5.7. 1570. 6.9. 1731. 7.8. 1640. 7.9. 1759. 6.10. 1722.	H.4.  G.h. G.h. G.h. H.⊙. F.4. H.4.	Dill. elt. t. 28. f. 44.  —————————————————————————————————
PASCALIA. W. glauca. W. HELIOPSIS. P. S. lævis. P. S. Buphthalmum he BUPHTHALMUM W. 1 frutescens. W. 2 arborescens. W. 3 sericeum. W. 4 spinosum. W. 5 aquaticum. W. 6 maritimum. W. 7 salicifolium. W.	glaucous-leaved. Heliopsis. Sunflower-leav <sup>d</sup> . lianthoides. W. H  Ox Eye. shrubby. tree. silky. prickly. sweet-scented. sea. Willow-leaved.	Corymbiferæ. J. elianthus lævis. L. Corymbiferæ. J.	N. America.  America. Bermudas. Canaries. Spain. S. Europe. Sicily. Austria.	1799. 6.8. 1714. 7.10. 1696. 6.8. 1699. 5.9. 1779. 5.7. 1570. 6.9. 1731. 7.8. 1640. 7.9. 1759. 6.10. 1722.	H.4.  G.h. G.h. G.h. H.⊙. F.4. H.4.	Dill. elt. t. 28. f. 44.  Dill. elt. t. 28. f. 44.  t. 38. f. 43.  Bot. mag. 1836.  Breyn. cent. t. 77.  Bocc. mus. t. 129.  Jac. aust. 4. t. 370.
PASCALIA. W. glauca. W. HELIOPSIS. P. S. lævis. P. S. Buphthalmum he BUPHTHALMUM W. 1 frutescens. W. 2 arborescens. W. 3 sericeum. W. 4 spinosum. W. 5 aquaticum. W. 6 maritimum. W. 7 salicifolium. W. 8 grandiflorum. W.	glaucous-leaved. HELIOPSIS. Sunflower-leav <sup>d</sup> . lianthoides. W. H  OX EYE. shrubby. tree. silky. prickly. sweet-scented. sea. Willow-leaved. great-flowered.	Corymbiferæ. J. elianthus lævis. L. Corymbiferæ. J.	N. America.  America. Bermudas. Canaries. Spain. S. Europe. Sicily. Austria.  Hungary.	1799. 6.8. 1714. 7.10. 1696. 6.8. 1699. 5.9. 1779. 5.7. 1570. 6.9. 1731. 7.8. 1640. 7.9. 1759. 6.10. 1722.	H.4.  G.h. G.h. G.h. H.⊙. F.4. H.4.	Dill. elt. t. 28. f. 44.  —————————————————————————————————
PASCALIA. W. glauca. W. HELIOPSIS. P. S. lævis. P. S. Buphthalmum he BUPHTHALMUM W. 1 frutescens. W. 2 arborescens. W. 3 sericeum. W. 4 spinosum. W. 5 aquaticum. W. 6 maritimum. W. 7 salicifolium. W. 8 grandiflorum. W.	glaucous-leaved. HELIOPSIS. Sunflower-leav <sup>d</sup> . lianthoides. W. H  OX EYE. shrubby. tree. silky. prickly. sweet-scented. sea. Willow-leaved. great-flowered.	Corymbiferæ. J. elianthus lævis. L. Corymbiferæ. J. FRUSTRANEA	N. America.  America. Bermudas. Canaries. Spain. S. Europe. Sicily. Austria.  Hungary.	1799. 6.8. 1714. 7.10. 1696. 6.8. 1699. 5.9. 1779. 5.7. 1570. 6.9. 1731. 7.8. 1640. 7.9. 1759. 6.10. 1722.	H.4.  G.h. G.h. G.h. H.⊙. F.4. H.4.	Dill. elt. t. 28. f. 44.  —————————————————————————————————
PASCALIA. W. glauca. W. HELIOPSIS. P. S. lævis. P. S. Buphthalmum he BUPHTHALMUM W. 1 frutescens. W. 2 arborescens. W. 3 sericeum. W. 4 spinosum. W. 5 aquaticum. W. 6 maritimum. W. 7 salicifolium. W. 8 grandiflorum. W. 9 cordifolium. W.	glaucous-leaved. Heliopsis. Sunflower-leav <sup>d</sup> . lianthoides. W. H  Ox Eye. shrubby. tree. silky. prickly. sweet-scented. sea. Willow-leaved. great-flowered. heart-leaved.	Corymbiferæ. J.  elianthus lævis. L.  Corymbiferæ. J.  FRUSTRANEA  Corymbiferæ. J.	N. America.  America. Bermudas. Canaries. Spain. S. Europe. Sicily. Austria. Hungary.	1799. 6.8. 1714. 7.10.  1696. 6.8. 1699. 5.9. 1779. 5.7. 1570. 6.9. 1731. 7.8. 1640. 7.9. 1759. 6.10. 1722. 1739. 6.3.	H.4. H.4. G.h. G.h. G.h. H.O. H.O. H.O. H.O. H.O. H.4. H.4.	Dill. elt. t. 28. f. 44.  Dill. elt. t. 28. f. 44.  t. 38. f. 43. Bot. mag. 1836.  Breyn. cent. t. 77. Bocc. mus. t. 129. Jac. aust. 4. t. 370. Moris. s.6. t. 7. f. 52. Pl. rar. hung. 2. t. 113
PASCALIA. W. glauca. W. HELIOPSIS. P. S. lævis. P. S. Buphthalmum he BUPHTHALMUM W. 1 frutescens. W. 2 arborescens. W. 3 sericeum. W. 4 spinosum. W. 5 aquaticum. W. 6 maritimum. W. 7 salicifolium. W. 8 grandidorum. W. 9 cordifolium. W. HELIANTHUS. W	glaucous-leaved. HELIOPSIS. Sunflower-leav <sup>d</sup> . lianthoides. W. H  OX EYE. shrubby. tree. silky. prickly. sweet-scented. sea. Willow-leaved. great-flowered. heart-leaved.  SUN FLOWER. annual. dwarf annual.	Corymbiferæ. J. elianthus lævis. L. Corymbiferæ. J. FRUSTRANEA	N. America.  America. Bermudas. Canaries. Spain. S. Europe. Sicily. Austria. Hungary.	1799. 6.8. 1714. 7.10.  1696. 6.8. 1699. 5.9. 1779. 5.7. 1570. 6.9. 1731. 7.8. 1640. 7.9. 1759. 6.10. 1722. 1739. 6.3.	H.4. H.4. G.h. G.h. G.h. H.⊙. H.⊙. H.7. H.4. H.4. H.4.	Dill. elt. t. 28. f. 44.  —————————————————————————————————
PASCALIA. W. glauca. W. HELIOPSIS. P. S. lævis. P. S. Buphthalmum he BUPHTHALMUM W. 1 frutescens. W. 2 arborescens. W. 3 sericeum. W. 4 spinosum. W. 5 aquaticum. W. 6 maritimum. W. 7 salicifolium. W. 8 grandiforum. W. 9 cordifolium. W. 1 annuus. W. 2 indicus. W. 2 indicus. W. 3 tubæformis. W.	glaucous-leaved. Heliopsis. Sunflower-leav <sup>d</sup> . lianthoides. W. H  Ox Eye. shrubby. tree. silky. prickly. sweet-scented. sea. Willow-leaved. great-flowered. heart-leaved.  Sun Flower. annual. dwarf annual. tube-flowered.	Corymbiferæ. J. elianthus lævis. L. Corymbiferæ. J. FRUSTRANEA Corymbiferæ. J.	N. America.  America. Bermudas. Canaries. Spain. S. Europe. Sicily. Austria. Hungary.	1799. 6.8. 1714. 7.10. 1696. 6.8. 1699. 5.9. 1779. 5.7. 1570. 6.9. 1731. 7.8. 1640. 7.9. 1759. 6.10. 1722. 1739. 6.3.	H. 4. H. 4. G. h. G. h. G. h. H. 0. H. 0. H. 1. H. 1. H. 1. H. 1. H. 0. H. 0.	Dill. elt. t. 28. f. 44.  —————————————————————————————————
PASCALIA. W. glauca. W. HELIOPSIS. P. S. lævis. P. S. Buphthalmum he BUPHTHALMUM W. 1 frutescens. W. 2 arborescens. W. 3 sericeum. W. 4 spinosum. W. 5 aquaticum. W. 6 maritimum. W. 7 salicifolium. W. 8 grandiflorum. W. 9 cordifolium. W. 1 annuus. W. 2 indicus. W. 2 tubeformis. W. 4 dentatus. W.	glaucous-leaved. Heliopsis. Sunflower-leav <sup>d</sup> . lianthoides. W. H  Ox Eye. shrubby. tree. silky. prickly. sweet-scented. sea. Willow-leaved. great-flowered. heart-leaved.  Sun Flower. annual. dwarf annual. tube-flowered. tooth-leaved.	Corymbiferæ. J. elianthus lævis. L. Corymbiferæ. J.  FRUSTRANEA Corymbiferæ. J.	N. America.  America. Bermudas. Canaries. Spain. S. Europe. Sicily. Austria.  Hungary.  S. America. Egypt. Mexico.	1799. 6.8. 1714. 7.10.  1696. 6.8. 1699. 5.9. 1779. 5.7. 1570. 6.9. 1731. 7.8. 1640. 7.9. 1759. 6.10. 1722. 1739. 6.3.	H.4. H.4. G.h. G.h. G.h. H.O. H.4. H.4. H.4. H.4. H.O. G.4.	Dill. elt. t. 28. f. 44.  —————————————————————————————————
PASCALIA. W. glauca. W. HELIOPSIS. P. S. lævis. P. S. Buphthalmum he BUPHTHALMUM W. 1 frutescens. W. 2 arborescens. W. 3 sericeum. W. 4 spinosum. W. 5 aquaticum. W. 6 maritimum. W. 7 salicifolium. W. 8 grandiflorum. W. 9 cordifolium. W. 1 annuus. W. 2 indicus. W. 2 tubæformis. W. 4 dentatus. W. 5 multiflorus. W. 5 multiflorus. W. 5 multiflorus. W.	glaucous-leaved. HELIOPSIS. Sunflower-leav <sup>d</sup> . Sunflower-leav <sup>d</sup> . lianthoides. W. H  OX EYE. shrubby. tree. silky. prickly. sweet-scented. sea. Willow-leaved. great-flowered. heart-leaved.  SUN FLOWER. annual. dwarf annual. tube-flowered. tooth-leaved. many-flowered.	Corymbiferæ. J. elianthus lævis. L. Corymbiferæ. J.  FRUSTRANEA Corymbiferæ. J.	N. America.  America. Bermudas. Canaries. Spain. S. Europe. Sicily. Austria.  Hungary.  S. America. Egypt. Mexico.	1799. 6.8. 1714. 7.10.  1696. 6.8. 1699. 5.9. 1779. 5.7. 1570. 6.9. 1731. 7.8. 1640. 7.9. 1759. 6.10. 1722. 1739. 6.3.	H.4. H.4. G.h. G.h. G.h. H.O. H.4. H.4. H.4. H.4. H.O. G.4.	Dill. elt. t. 28. f. 44.  —————————————————————————————————
PASCALIA. W. glauca. W. HELIOPSIS. P. S. lævis. P. S. Buphthalmum he BUPHTHALMUM W. 1 frutescens. W. 2 arborescens. W. 3 sericeum. W. 4 spinosum. W. 5 aquaticum. W. 6 maritimum. W. 7 salicifolium. W. 8 grandiflorum. W. 9 cordifolium. W. 1 annuus. W. 2 indicus. W. 2 tubeformis. W. 4 dentatus. W.	glaucous-leaved. HELIOPSIS. Sunflower-leav <sup>d</sup> . Sunflower-leav <sup>d</sup> . lianthoides. W. H  OX EYE. shrubby. tree. silky. prickly. sweet-scented. sea. Willow-leaved. great-flowered. heart-leaved.  SUN FLOWER. annual. dwarf annual. tube-flowered. tooth-leaved. many-flowered. double-flowered.	Corymbiferæ. J. elianthus lævis. L. Corymbiferæ. J.  FRUSTRANEA Corymbiferæ. J.	N. America.  America. Bermudas. Canaries. Spain. S. Europe. Sicily. Austria.  Hungary.  S. America. Egypt. Mexico.	1799. 6.8. 1714. 7.10.  1696. 6.8. 1699. 5.9. 1779. 5.7. 1570. 6.9. 1731. 7.8. 1640. 7.9. 1759. 6.10. 1722. 1739. 6.3.  1596. 6.10. 1785. 1799. 7.8. 1798. 9.11. 1597. 8.10.	H.4. H.4. G.h. G.h. G.h. H.O. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Dill. elt. t. 28. f. 44.  —————————————————————————————————
PASCALIA. W. glauca. W. HELIOPSIS. P. S. lævis. P. S. Buphthalmum he BUPHTHALMUM W. 1 frutescens. W. 2 arborescens. W. 3 sericeum. W. 4 spinosum. W. 5 aquaticum. W. 6 maritimum. W. 7 salicifolium. W. 8 grandiflorum. W. 9 cordifolium. W. 1 annuus. W. 2 indicus. W. 2 tubæformis. W. 4 dentatus. W. 5 multiflorus. W. 5 multiflorus. W. 5 multiflorus. W.	glaucous-leaved. HELIOPSIS. Sunflower-leav <sup>d</sup> . Sunflower-leav <sup>d</sup> .  lianthoides. W. H  OX EYE. shrubby. tree. silky. prickly. sweet-scented. sea. Willow-leaved. great-flowered. heart-leaved.  SUN FLOWER. annual. dwarf annual. tube-flowered. tooth-leaved. many-flowered. double-flowered.  Jerusalem	Corymbiferæ. J. elianthus lævis. L. Corymbiferæ. J.  FRUSTRANEA Corymbiferæ. J.	N. America.  America. Bermudas. Canaries. Spain. S. Europe. Sicily. Austria.  Hungary.  S. America. Egypt. Mexico.	1799. 6.8. 1714. 7.10.  1696. 6.8. 1699. 5.9. 1779. 5.7. 1570. 6.9. 1731. 7.8. 1640. 7.9. 1759. 6.10. 1722. 1739. 6.3.  1596. 6.10. 1785. 1799. 7.8. 1798. 9.11. 1597. 8.10.	H.4. H.4. G.h. G.h. G.h. H.O. H.4. H.4. H.4. H.4. H.4. H.4. H.4.	Dill. elt. t. 28. f. 44.  —————————————————————————————————
PASCALIA. W. glauca. W. HELIOPSIS. P. S. lævis. P. S. Buphthalmum he BUPHTHALMUM W. 1 frutescens. W. 2 arborescens. W. 3 sericeum. W. 4 spinosum. W. 5 aquaticum. W. 6 maritimum. W. 7 salicifolium. W. 8 grandiflorum. W. 9 cordifolium. W. 1 indicus. W. 2 indicus. W. 2 indicus. W. 4 dentatus. W. 5 multiflorus. W. 6 plenus. 6 tuberosus. W.	glaucous-leaved. HELIOPSIS. Sunflower-leav <sup>d</sup> . lianthoides. W. H  OX EYE. shrubby. tree. silky. prickly. sweet-scented. sea. Willow-leaved. great-flowered. heart-leaved.  SUN FLOWER. annual. dwarf annual. tube-flowered. tooth-leaved. many-flowered. double-flowered. { Jerusalem Artichoke. }	Corymbiferæ. J. elianthus lævis. L. Corymbiferæ. J.  FRUSTRANEA Corymbiferæ. J.	N. America.  America. Bermudas. Canaries. Spain. S. Europe. Sicily. Austria. Hungary.  S. America. Egypt. Mexico. N. America.	1799. 6.8. 1714. 7.10.  1696. 6.8. 1699. 5.9. 1779. 5.7. 1570. 6.9. 1731. 7.8. 1640. 7.9. 1759. 6.10. 1722. 1739. 6.3.  1596. 6.10. 1785. 1799. 7.8. 1798. 9.11. 1597. 8.10.	H.4. H.4. G.h. G.h. G.h. H.O. H.4. H.4. H.4. H.O. H.4. H.O. H.4.	Dill. elt. t. 28. f. 44.  —————————————————————————————————
PASCALIA. W. glauca. W. HELIOPSIS. P. S. lævis. P. S. Buphthalmum he BUPHTHALMUM W. 1 frutescens. W. 2 arborescens. W. 3 sericeum. W. 4 spinosum. W. 5 aquaticum. W. 6 maritimum. W. 7 salicifolium. W. 8 grandiflorum. W. 9 cordifolium. W. 1 annuus. W. 2 indicus. W. 2 indicus. W. 4 dentatus. W. 5 multiflorus. W. 6 plenus. 6 tuberosus. W. 7 angustifolius. Ph.	glaucous-leaved. HELIOPSIS. Sunflower-leav <sup>d</sup> . Sunflower-leav <sup>d</sup> . lianthoides. W. H  Ox Eye. shrubby. tree. silky. prickly. sweet-scented. sea. Willow-leaved. great-flowered. heart-leaved.  SUN FLOWER. annual. dwarf annual. tube-flowered. tooth-leaved. many-flowered. doubte-flowered. Jerusalem Artichoke. narrow-leaved.	Corymbiferæ. J. elianthus lævis. L. Corymbiferæ. J.  FRUSTRANEA Corymbiferæ. J.	N. America.  America. Bermudas. Canaries. Spain. S. Europe. Sicily. Austria.  Hungary.  S. America. Egypt. Mexico. N. America. Brazil. N. America.	1799. 6.8. 1714. 7.10.  1696. 6.8. 1699. 5.9. 1779. 5.7. 1570. 6.9. 1731. 7.8. 1640. 7.9. 1759. 6.10. 1722. 1739. 6.3.  1596. 6.10. 1785. 1799. 7.8. 1798. 9.11. 1597. 8.10. 1789.	H.4. H.4. G.h. G.h. G.h. H.O. H.4. H.4. H.4. H.4. H.4. H.4. H.4	Dill. elt. t. 28. f. 44.  Dill. elt. t. 28. f. 44.  t. 38. f. 43. Bot. mag. 1836.  Breyn. cent. t. 77. Bocc. mus. t. 129. Jac. aust. 4. t. 370. Moris. s. 6. t. 7. f. 52. Pl. rar. hung. 2. t. 113  Tabern. ic. 764. Jac. scheen. 3. t. 375. Cav. ic. 3. t. 220. Bot. mag. 227.  Jac. vind. 2. t. 161. Meerb. ic. 1. t. 49. 20
PASCALIA. W. glauca. W. HELIOPSIS. P. S. lævis. P. S. Buphthalmum he BUPHTHALMUM W. 1 frutescens. W. 2 arborescens. W. 3 sericeum. W. 4 spinosum. W. 5 aquaticum. W. 6 maritimum. W. 7 salicifolium. W. 8 grandiflorum. W. 9 cordifolium. W. 1 indicus. W. 2 indicus. W. 2 indicus. W. 4 dentatus. W. 5 multiflorus. W. 6 plenus. 6 tuberosus. W.	glaucous-leaved. HELIOPSIS. Sunflower-leav <sup>d</sup> . Sunflower-leav <sup>d</sup> . lianthoides. W. H  Ox Eye. shrubby. tree. silky. prickly. sweet-scented. sea. Willow-leaved. great-flowered. heart-leaved.  SUN FLOWER. annual. dwarf annual. tube-flowered. tooth-leaved. many-flowered. doubte-flowered. Jerusalem Artichoke. narrow-leaved.	Corymbiferæ. J. elianthus lævis. L. Corymbiferæ. J.  FRUSTRANEA Corymbiferæ. J.	N. America.  America. Bermudas. Canaries. Spain. S. Europe. Sicily. Austria. Hungary.  S. America. Egypt. Mexico. N. America. Brazil. N. America.	1799. 6.8. 1714. 7.10.  1696. 6.8. 1699. 5.9. 1779. 5.7. 1570. 6.9. 1731. 7.8. 1640. 7.9. 1759. 6.10. 1722. 1739. 6.3.  1596. 6.10. 1785. 1799. 7.8. 1798. 9.11. 1597. 8.10. 1789.	H.4. H.4. G.h. G.h. G.h. H.⊙. H.4. H.4. H.4. H.4. H.4. H.4. H.4	Dill. elt. t. 28. f. 44.  —————————————————————————————————
PASCALIA. W. glauca. W. HELIOPSIS. P. S. lævis. P. S. Buphthalmum he BUPHTHALMUM W. 1 frutescens. W. 2 arborescens. W. 3 sericeum. W. 4 spinosum. W. 5 aquaticum. W. 6 maritimum. W. 7 salicifolium. W. 8 grandiflorum. W. 9 cordifolium. W. 2 indiens. W. 2 indiens. W. 2 indiens. W. 5 multiflorus. W. 6 multiflorus. W. 6 plenus. 6 tuberosus. W. 7 angustifolius. Ph. 8 macrophyllus. Ph. 8 macrophyllus. Ph. 1 lævis. P. S. 1 lævis.	glaucous-leaved. HELIOPSIS. Sunflower-leaved. lianthoides. W. H  OX EYE. shrubby. tree. silky. prickly. sweet-scented. sea. Willow-leaved. great-flowered. heart-leaved.  SUN FLOWER. annual. dwarf annual. tube-flowered. tooth-leaved. many-flowered. doubte-flowered.  Jerusalem Artichoke. narrow-leaved. large-leaved. soft. ten-petalled.	Corymbiferæ. J. elianthus lævis. L. Corymbiferæ. J.  FRUSTRANEA Corymbiferæ. J.	N. America.  America. Bermudas. Canaries. Spain. S. Europe. Sicily. Austria. Hungary.  S. America. Egypt. Mexico. N. America. Brazil. N. America.	1799. 6.8.  1714. 7.10.  1696. 6.8. 1699. 5.9. 1779. 5.7. 1570. 6.9. 1731. 7.8. 1640. 7.9. 1759. 6.10. 1722. 1739. 6.3.  1596. 6.10. 1785. 1799. 7.8. 1798. 9.11. 1597. 8.10.  1617. 9.10. 1805. 7.10. 1805. 7.10. 1759. 8.11.	H. 4. H. 4.  G. h. G. h. G. h. H. 0. F. 4. H. 4.	Dill. elt. t. 28. f. 44.  Dill. elt. t. 28. f. 44.  t. 38. f. 43. Bot. mag. 1836.  Breyn. cent. t. 77. Bocc. mus. t. 129. Jac. aust. 4. t. 370. Moris. s. 6. t. 7. f. 52. Pl. rar. hung. 2. t. 113  Tabern. ic. 764. Jac. scheen. 3. t. 375. Cav. ic. 3. t. 220. Bot. mag. 227.  Jac. vind. 2. t. 161. Meerb. ic. 1. t. 49. 20
PASCALIA. W. glauca. W. HELIOPSIS. P. S. lævis. P. S. Buphthalmum he BUPHTHALMUM W. 1 frutescens. W. 2 arborescens. W. 3 sericeum. W. 4 spinosum. W. 5 aquaticum. W. 6 maritimum. W. 7 salicifolium. W. 8 grandiflorum. W. 9 cordifolium. W. 2 indicus. W. 2 indicus. W. 2 indicus. W. 5 multiflorus. W. 6 plenus. 6 tuberosus. W. 7 angustifolius. Ph. 8 macrophyllus. Ph. 9 moilis. Ph. 10 decapetalus. Ph. 11 prostratus. Ph. 11 prostratus. Ph.	glaucous-leaved. HELIOPSIS. Sunflower-leav <sup>d</sup> . Sunflower-leav <sup>d</sup> . lianthoides. W. H  Ox EYE. shrubby. tree. silky. prickly. sweet-scented. sea. Willow-leaved. great-flowered. heart-leaved.  SUN FLOWER. annual. dwarf annual. tube-flowered. double-flowered. Jerusalem Artichoke. narrow-leaved. large-leaved. soft. ten-petalled. rough.	Corymbiferæ. J. elianthus lævis. L. Corymbiferæ. J.  FRUSTRANEA Corymbiferæ. J.	N. America.  America. Bermudas. Canaries. Spain. S. Europe. Sicily. Austria. Hungary.  S. America. Egypt. Mexico. N. America. Brazil. N. America.	1799. 6.8.  1714. 7.10.  1696. 6.8. 1699. 5.9. 1779. 5.7. 1570. 6.9. 1731. 7.8. 1640. 7.9. 1759. 6.10. 1722. 1739. 6.3.  1596. 6.10. 1785. 1799. 7.8. 1798. 9.11. 1597. 8.10.  1617. 9.10. 1789. 1800. 8.10. 1759. 8.11. 1800. 7.9.	H. 4. H. 4. G. h. G. h. G. h	Dill. elt. t. 28. f. 44.  —————————————————————————————————
PASCALIA. W. glauca. W. HELIOPSIS. P. S. lævis. P. S. Buphthalmum he BUPHTHALMUM W. 1 frutescens. W. 2 arborescens. W. 3 sericeum. W. 4 spinosum. W. 5 aquaticum. W. 6 maritimum. W. 7 salicifolium. W. 8 grandiflorum. W. 9 cordifolium. W. 2 indicus. W. 2 indicus. W. 2 indicus. W. 5 multiflorus. W. 6 multiflorus. W. 6 plenus. 6 tuberosus. W. 7 angustifolius. Ph. 9 moilis. Ph. 10 decapetalus. Ph. 11 prostratus. Ph. 12 strumosus. Ph. 12 strumosus. Ph.	glaucous-leaved. HELIOPSIS. Sunflower-leav <sup>d</sup> . Sunflower-leav <sup>d</sup> .  lianthoides. W. H  OX EYE. shrubby, tree. silky. prickly. sweet-scented. sea. Willow-leaved. great-flowered. heart-leaved.  SUN FLOWER. annual. dwarf annual. tube-flowered. tooth-leaved. many-flowered. double-flowered. Jerusalem Artichoke. Jarrow-leaved. large-leaved. soft. ten-petalled. rough. Carrot-rooted.	Corymbiferæ. J. elianthus lævis. L. Corymbiferæ. J.  FRUSTRANEA Corymbiferæ. J.	N. America.  America. Bermudas. Canaries. Spain. S. Europe. Sicily. Austria. Hungary.  S. America. Egypt. Mexico. N. America. Brazil. N. America.	1799. 6.8.  1714. 7.10.  1696. 6.8. 1699. 5.9. 1779. 5.7. 1570. 6.9. 1731. 7.8. 1640. 7.9. 1759. 6.10. 1722. 1739. 6.3.  1596. 6.10. 1785. 1799. 7.8. 1597. 8.10. 1617. 9.10. 1789. 1800. 8.10. 1789. 8.11. 1800. 7.9. 1710.	H.4. H.4. G.h. G.h. G.h. H.9. H.4. H.5. H.6.	L'Her. stirp. t. 45.  Dill. elt. t. 28. f. 44.  —— t. 38. f. 43. Bot. mag. 1836.  Breyn. cent. t. 77. Bocc. mus. t. 129. Jac. aust. 4. t. 370. Moris. s.6. t. 7. f. 52. Pl.rar.hung. 2. t. 113  Tabern. ic. 764. Jac. schen. 3. t. 375. Cav. ic. 3. t. 220. Bot. mag. 227.  Jac. vind. 2. t. 161. Meerb. ic. 1. t. 49. 20  Rob. ic. 235.  Bocc. sic. t. 27. f. 4.
PASCALIA. W. glauca. W. HELIOPSIS. P. S. lævis. P. S. Buphthalmum he BUPHTHALMUM W. 1 frutescens. W. 2 arborescens. W. 3 sericeum. W. 4 spinosum. W. 5 aquaticum. W. 6 maritimum. W. 7 salicifolium. W. 8 grandiflorum. W. 9 cordifolium. W. 2 indicus. W. 2 indicus. W. 2 indicus. W. 4 dentatus. W. 5 multiflorus. W. 6 multiflorus. W. 6 plenus. 6 tuberosus. W. 7 angustifolius. Ph. 8 macrophyllus. Ph. 9 moilis. Ph. 10 decapetalus. Ph. 11 prostratus. Ph. 12 strumosus. Ph. 13 altissimus. Ph. 11	glaucous-leaved. HELIOPSIS. Sunflower-leav <sup>d</sup> . Sunflower-leav <sup>d</sup> .  lianthoides. W. H  OX EYE. shrubby. tree. silky. prickly. sweet-scented. sea. Willow-leaved. great-flowered. heart-leaved.  SUN FLOWER. annual. dwarf annual. tube-flowered. tooth-leaved. many-flowered. double-flowered. Jerusalem Artichoke. narrow-leaved. large-leaved. soft. ten-petalled. rough. Carrot-rooted. tall.	Corymbiferæ. J. elianthus lævis. L. Corymbiferæ. J.  FRUSTRANEA Corymbiferæ. J.	N. America.  America. Bermudas. Canaries. Spain. S. Europe. Sicily. Austria. Hungary.  S. America. Egypt. Mexico. N. America. Brazil. N. America.	1799. 6.8.  1714. 7.10.  1696. 6.8. 1699. 5.9. 1779. 5.7. 1570. 6.9. 1731. 7.8. 1640. 7.9. 1759. 6.10. 1722. 1739. 6.3.  1596. 6.10. 1785. 1799. 7.8. 1798. 9.11. 1597. 8.10.  1617. 9.10. 1789. — 1800. 8.10. 1805. 7.10. 1759. 8.11. 1800. 7.9. 1710. 1731. ——	H.4. H.4. G.h. G.h. G.h. H.9. H.9. H.9. H.9. H.9. H.9. H.9. H	L'Her. stirp. t. 45.  Dill. elt. t. 28. f. 44.  —— t. 38. f. 43.  Bot. mag. 1836.  Breyn. cent. t. 77. Bocc. mus. t. 129. Jac. aust. 4. t. 370. Moris. s. 6. t. 7. f. 52. Pl.rar.hung. 2. t. 113  Tabern. ic. 764. Jac. schcm. 3. t. 375. Cav. ic. 3. t. 220. Bot. mag. 227.  Jac. vind. 2. t. 161.  Meerb. ic. 1. t. 49. 20  W. hort. ber. t. 70.  Rob. ic. 235.  Bocc. sic. t. 27. f. 4. Jac. vind. 2. t. 160.
PASCALIA. W. glauca. W. HELIOPSIS. P. S. lævis. P. S. Buphthalmum he BUPHTHALMUM W. 1 frutescens. W. 2 arborescens. W. 3 sericeum. W. 4 spinosum. W. 5 aquaticum. W. 6 maritimum. W. 7 salicifolium. W. 8 grandiflorum. W. 9 cordifolium. W. 2 indicus. W. 2 indicus. W. 2 indicus. W. 5 multiflorus. W. 6 multiflorus. W. 6 plenus. 6 tuberosus. W. 7 angustifolius. Ph. 9 moilis. Ph. 10 decapetalus. Ph. 11 prostratus. Ph. 12 strumosus. Ph. 12 strumosus. Ph.	glaucous-leaved. HELIOPSIS. Sunflower-leav <sup>d</sup> . Sunflower-leav <sup>d</sup> .  lianthoides. W. H  OX EYE. shrubby, tree. silky. prickly. sweet-scented. sea. Willow-leaved. great-flowered. heart-leaved.  SUN FLOWER. annual. dwarf annual. tube-flowered. tooth-leaved. many-flowered. double-flowered. Jerusalem Artichoke. Jarrow-leaved. large-leaved. soft. ten-petalled. rough. Carrot-rooted.	Corymbiferæ. J. elianthus lævis. L. Corymbiferæ. J.  FRUSTRANEA Corymbiferæ. J.	N. America.  America. Bermudas. Canaries. Spain. S. Europe. Sicily. Austria. Hungary.  S. America. Egypt. Mexico. N. America. Brazil. N. America.	1799. 6.8.  1714. 7.10.  1696. 6.8. 1699. 5.9. 1779. 5.7. 1570. 6.9. 1731. 7.8. 1640. 7.9. 1759. 6.10. 1722. 1739. 6.3.  1596. 6.10. 1785. 1799. 7.8. 1798. 9.11. 1597. 8.10.  1617. 9.10. 1789. — 1800. 8.10. 1805. 7.10. 1759. 8.11. 1800. 7.9. 1710. 1731. ——	H. 4. H. 4. G. h. G. h. G. h	L'Her. stirp. t. 45.  Dill. elt. t. 28. f. 44.  —— t. 38. f. 43. Bot. mag. 1836.  Breyn. cent. t. 77. Bocc. mus. t. 129. Jac. aust. 4. t. 370. Moris. s.6. t. 7. f. 52. Pl.rar.hung. 2. t. 113  Tabern. ic. 764. Jac. schen. 3. t. 375. Cav. ic. 3. t. 220. Bot. mag. 227.  Jac. vind. 2. t. 161. Meerb. ic. 1. t. 49. 20  Rob. ic. 235.  Bocc. sic. t. 27. f. 4.

D1	TIGE TIES I	LIULIUA	WILE TH	iosi	ICELLY	Earl	. 199
16 divaricatus. Ph.	divaricate.	Corymbiferæ, J.	N. America.	1759.	8.10. F	I. 4.	5
17 pubescens. Ph.	downy.			- 1795.	7.10. I	1.24.	18 1 5 W 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
18 atrorubens. Ph.					— H	1.4.	Dill.elt.t.94.f.110.
GALARDIA. W.	GALARDIA.	Corymbiferæ. J.					- i i i
bicolor. W. RUDBECKIA. W.	two-coloured.	C) 1:C T	- Carolina.	1787.	7.10. H	1.24.	Bot. mag. 1602.
1 pinnata. Ph.	Rudbeckia. fragrant.	Corymbiferæ. J.	N7 Amorian	1000	eo Li	r 31	Frest hot 1 t 00
2 digitata. Ph.	narrow jagged-ld	1	- IV. America.	1750	5.9. II	1.4.	Exot. bot. 1. t. 38. Moris. s. 6. t. 6. f. 54.
3 laciniata. Ph.	hroad ingged led			1640.	7 0 H	[ 3/	
4 columnaris. Ph.	high-crowned.			1811.	8.9. H	. 71 .	Bot. mag. 1601.
5 subtomentosa. Ph.	downy-lobed.			1802.	H	. 24 .	
6 triloba. Ph.	three-lobed.			1699.	H	. t.	Pluk.alm. t. 22. f.2.
7 hirta. Ph.	great hairy.			1714.	6.11. H	. 71 .	Dill.elt.t.218.f.285
8 fulgida. Ph.	small hairy.	<del></del>		1760.	7.8. H	. 21 .	J 14 14
9 lævigata. Ph.	smooth.		- Carolina.	1812.	F	.4.	
10 amplexifolia. Ph.	stem-clasping.		Louisiana.	1793.	— H	.⊙.	Jac. ic. 3. t. 592.
11 purpurea. Ph. COSMEA. W.	purple,	Compliant I	N. America.	1699,	7.10. H	.4.	Bot. mag. 2.
1 lutea. B. M.	COSMEA. yellow-flowered,	Corymbiferæ. J.			10 11 G		Pat mag 1/20
2 sulphurea. W.	Southernwood-ld		Wiexico.	1790	7 9 H	.0.	Bot. mag. 1689.
3 bipinnata. W,	purple-flowered.			1733.	7.0. II	· • • • • • • • • • • • • • • • • • • •	Rot mag 1535
4 parviflora. W.	white-flowered.			1800.	—— H	.0.	Jac.schoen.3.t.374.
COREOPSIS. W.	COREOPSIS.	Corymbiferæ. J.			,		0.00.00.00.00.00.00.00.00.00.00.00.00.0
1 ferulæfelia. W.	Fennel-leaved.		Mexico.	1799.	10.11.F	. 24 .	Jac.schen.3.t.373. 205
2 verticillata. W.	whorl-leaved.		N. America.	1759.	7.10. H	. 24 .	Bot. mag. 156.
3 tenuifolia. W.	slender-leaved.			1780.	7.8. H	. 24 .	Fluk.man.t.344.f.4.
4 chrysantha. W.	Angelica-leav'd.		W. Ind.	1752.	7.9. S	٠ .	Plum. ic. 53. f. 1.
5 aurea. W.	Hemp-leaved.		N. America.	1785.	8.9. H	. 4.	
6 tripteris. Ph. 7 senifolia. Ph.	three-leaved.			1737.	3.10. H	. 24 .	Moris. s. 6. t.3. f.44.
8 amplexicaulis. Cav.	sessile-leaved.			1812.	!·1	. 4.	
9 fœtida. W.	stinking.		Mexico	1700	7,8. H	• 4 •	Car is 1 + 77
10 alba. W.	climbing.		Jamaica	1690	67 8	.⊙.	Cav. ic. 1. t. 77, Herm. parad. 124. Bot. reg. 7.
11 incisa. B. reg.	jagged-leaved.		W. Ind.	1000.	9.12. S	. 21 .	Bot. reg. 7
12 reptans. W.	trailing.			1792.	7.9. S	.⊙.	Smith spic. t. 22.
13 auriculata. W.	ear-leaved.		N. America.	1699.	8.10. H	. 21.	Schk. han.3. t. 260.
14 latifolia. W.	broad-leaved.			1786.	8.9. H	. 24 .	
15 arguta. Ph.	sharp-notched,		Carolina.		H	. 11 .	
16 lanceolata. W.	spear-leaved.			1724.	7.9. H	.4.	Dill. elt. t. 48. f. 56.
17 crassifolia. W.	thick-leaved.	-		1786.	8.10. H	.4.	
18 angustifolia. W.	narrow-leaved.						0
19 alata. W.	wing-stalked,		N. America.	1803.	7.8. H.	. 4 .	Cav. ic. 3. t. 260.
OSMITES. W.	OSMITES.	Corymbiferæ. J.	N. America.	1765.	9.10. H	. 4 .	
camphorina. W.		Corymonerae. 5.	CBS	1794	47 G	T <sub>o</sub>	Seb.mus.1.t.90.f.2.
PALLASIA. W.	PALLASIA.	Corymbiferæ. J.			4.7. G	٠ ٢٧ ٠	Seb.mus. 1.t. 90.1.2.
halimifolia. W.	downy-leaved.				7. G.	ь.	Jac. ic. 3. t. 594.
SCLEROCARPUS. W.	SCLEROCARPUS,	Corymbiferæ. J.					2 20
africanus. W.	African.		Guinea.	1812.	7.8. G.	0.	Jac. ic. 1. t. 176.
CULLUMIA. H. K.	CULLUMIA.	Corymbiferæ. J.					
1 ciliaris. H. K.	ciliated.						Burm. afr. t. 54. f. 1. 38.
2 setosa. H. K.	{ recurved }			1780.	6.8. G.	ь.	
3 squarrosa. H. K.	smooth-lead.			1700		T.	Th.act. hafn. 3. t. 5.
BERCKHEYA. H. K.		Corymbiferæ. J.			G.	· 12 ·	n.act. nam.3.t.5.
1 cynaroides. W,	Artichoke-cuppd.				6. G.	21	
2 obovata. W.	smooth shrubby,			1794.	6.8. G.	h.	Hout.n.h.6.t.34.f.2
3 incana. W.	hoary.			1739.	7.8. G.	ь.	Jac. ic. 3. t. 591.
4 cuneata. W.	wedge-leaved.			1812.	6.8. G.	h.	Th.act.hafn 3. t.10.
5 palmata. W.	palmated.			1800.	G.	h .	3 t 10
6 grandiflora. W.	large-flowered.			1812.	G.	h.	Bot. mag. 1844.
7 uniflora. W.	single-flowered.			1815	G.	24.	Th. act. hafn. 3. t. 7. 200
8 cernua. H. K.	drooping-flowerd.	C	-	1774.	5.7. G.	3.	Meerb. ic. 1. t. 40.
DIDELTA. H. K.	DIDELTA.	Corymbiferæ. J.	CRS	1001	0 = 0		T 2TT
1 carnosum. H. K. 2 spinosum. H. K.	alternate-leaved.		C. B. S.				L'Her. stirp. t. 28.
GORTERIA. H. K.	Gorteria.	Corymbiferæ. J.			G.	15.	Wendl.obs.t.4.f.32.
personata. H. K.	procumbent.	Corymoneræ. 3.	C. B. S.	1774	7.8. G	0	Jac. coll.4.t.21.f.1.
GAZANIA. H. K.	GAZANIA.	Corymbiferæ. J.			, 0.	0.	0 40. COHPT. 0.2 1.1.1.
1 rigens. H. K.	great-flowered.		C. B. S.		5.9. G	. Б.	Bot. mag. 90.
•		C c 2					

```
Corymbiferæ. J.
                                                          C. B. S.
 2 Pavonia. H. K.
                       Peacock.
                                                                       1804. 6.7. G. 4. Bot. reg. 35.
                       awl-leaved.
 3 subulata. H. K.
                                                                        1792. 7.8. G. 24.
CRYPTOSTEMMA )
                       CRYPTOSTEMMA. Corymbiferæ. J. Arctotidis sp. W.
     H. K.
  1 calendulaceum.
                       Marygold-flowd.
                                                                        1752. 6.8. H. O. Jac.schen. 2. t. 157. 22 52
                                                C. B. S.
     H.K.
 2 hypochondria-
                       divided-rayed.
                                                                      - 1731. 7.8. H.O.
     cum. H. K.
 3 runcinatum. H. K.
                       Dandelion-leavd.
                                                                     - 1794. --- H.⊙.
ARCTOTHECA. W.
                                        Corymbiferæ. J. Arctotidis sp. Jac.
                       ARCTOTHECA.
   repens. W.
                       creeping.
                                                         - C. B. S.
                                                                        1793. 7.8. G.4. Jac.schen.3.t.306.
SPHENOGYNE.H.K.
                       SPHENOGYNE.
                                        Corymbiferæ. J. Arctotidis sp. IV.
 1 anthemoides. H. K. white-crowned.
                                                      -- C. B. S.
                                                                        1774. 7.9. H.O. Bot. mag. 544.
 2 crithmifolia. H. K.
                       Samphire-leav'd.
                                                                       1763. 4.S. G. 12. Burm. afr. t. 65.f.1.
                       scaly-cupped.
 3 scariosa. H. K.
                                                                      - 1774. - G.h.
 4 abrotanifolia. H. K. Southernwood-Id.
                                                                        1789. 5.8. G.h.
                       small-leaved.
 5 dentata. H. K.
                                                                        1787. 6.7. G. h. Burm. afr. t. 64.
                       smooth-seeded.
 6 odorata. H. K.
                                                                       - 1774. 4.6. G.h.
ZŒGEA. W.
                       ZŒGEA.
                                         Cynarocephalæ. J.
   Leptaurea. W.
                       yellow-flowered.
                                                         - Levant.
                                                                        1779. 7.8. H.O. Jac. ic. 1. t. 177.
                                         Cynarocephalæ. J.
CENTAUREA. W.
                       CENTAURY.
                       black-seeded.
  1 Crupina. W.
                                                           Italy.
                                                                        1596. 6.7. H.O. Col. ecphr. 1. t. 34.
                                                                        1739. — H.⊙. Isn.a.par.1719.t.10
 2 Lippii. W.
                       Lippi's.
                                                          Egypt.
                       Sweet Sultan.
 3 moschata. W.
                                                         - Persia.
                                                                        1629. 7.10. H.O. Knor. thes. 2. t. C.4.
 4 glauca. W.
                       glaucous.
                                                           Caucasus.
                                                                        1805. 6.7. H.4.
 5 suaveolens. W.
                       Yellow Sultan.
                                                           Levant.
                                                                        1683. 7.10. H.O.
                                                                                           Moris.s. 7. t.25. f.9.
 6 alpina. W.
                       Alpine.
                                                           Italy.
                                                                        1640. 7.8. H. 24. Corn. can. 69. t. 70.
                                                                        1596. — H.4.
1806. — H.4. Gmel. sib. 2. t. 41.
 7 Centaurium. W.
                       great.
 8 ruthenica. W.
                       Russian.
                                                          Russia.
 9 phrygia. W.
                       feathery-calyx'd.
                                                          Switzerland. 1633. 6.10. H. 4. Fl. dan. 520.
                                                         - Portugal.
10 rivularis. P. S.
                       river-side.
                                                                        1812. 7.9. H, 4.
                                                                        1815. 6.10. H. 2.
11 austriaca. W.
                       Austrian.
                                                           Austria.
12 pectinata. W.
                       pectinated.
                                                          France.
                                                                        1727. 7.10. H. 4.
13 nervosa. W. en.
                       nerved.
                                                           S. Europe.
                                                                        1815. 6.9. H. M.
14 trichocephala. W.
                       downy-calyxed.
                                                           Siberia.
                                                                        1805. 7.8. H. 4. Gmel.s.2.t.45.f.1.2.
                                                                        1812. -- F. h. Barr. ic. 306.
15 hyssopifolia. W.
                       Hyssop-leaved.
                                                         - Spain.
                                                                        16 coronopifolia. W.
                       Buck's-horn.
                                                           Levant.
17 nigra. W.
                       Black Knapweed
                                                          Britain.
                                                                         1805. 6.8. H.4.
18 nigrescens. W.
                       dark.
                                                         - Hungary.
19 ochroleuca. W.
                       Caucasian.
                                                         · Caucasus.
                                                                         1801. 7.8. H. 4. Bot. mag. 1175.
                       mountain.
                                                         - Austria.
                                                                        1596. 6.8. H.4. ----- 77.
20 montana. W.
21 Cyanus. W.
                       Blue-bottle.
                                                      Britain.
                                                                        .... H.O. Eng. bot. 277.
22 pullata. W.
                       various-coloured
                                                         - S. Europe.
                                                                                           Lob. ic. t. 542. f. 2,
                       small-flowered.
                                                           Caucasus.
                                                                         1802. 7.11. H. 24.
23 ovina. W.
24 paniculata. W.
                       panicled.
                                                           Europe.
                                                                        1640. 7.8. H. J. Jac. aus. 4. t. 320.
                                                         - S. Europe.
25 intybacea. H. K.
                       Succory-leaved.
                                                                         1778. 7.9. H.4.
                       prickly-branched.
                                                           Candia.
                                                                         1640. -
                                                                                  - F.4. Alp. exot. t. 162.2492
26 spinosa. W.
                                                                         1710. 6.7. G. h. Bot. mag. 494.
27 ragusina. W.
                        white-leaved.
                       hoary-leaved.
                                                         - Italy.
                                                                            - 7.8. F. 24. Moris.s.7.t.26.f.20,
28 Cineraria. W.
29 cinerea. W.
                       gray.
                                                                              6.7. H. 4. Jac. vind. 1. t. 92.
                                                           Caucasus.
30 dealbata. W.
                       mealy.
                                                                         1804. 7.8. H.4.
                                                                        1739. — F. ħ. Barr. ic. t. 218.
1816. — H. ħ. Gmel.s.2.t.44.f.1.2
1683. — F. ħ. Bocc. sic. t. 39. f. 3.
31 argentea. W.
                       silver-leaved.
                                                           Candia.
                                                           Siberia.
32 maculosa. P. S.
                       spotted-calyxed.
33 sempervirens. W.
                        evergreen.
                                                           Spain.
                        leathery-leaved.
                                                                        1804. 6.7. H. 24. Pl.rar.hung.2.t.195
34 coriacea. W.
                                                           Hungary,
                        GreaterKnap- }
35 Scabiosa. W.

    Britain.

                                                                         .... 6.8. H.4. Eng. bot. 56.
                         weed.
36 tatarica. W.
                        Tartarian.
                                                           Tartary.
                                                                         1801. 7.8. H. 4.
                        wing-leaved.
                                                           Austria?
                                                                         1759. 6.7. H.4.
37 Steebe. W.
38 Fischeri. W. en.
                        Fischer's.
                                                           Siberia.
                                                                        1816. -- H. 24.
39 macrocephala. W.
                        large-headed.
                                                           Caucasus.
                                                                         1805. 6.8. H. 4. Bot. mag. 1248.
 40 atropurpurea. W.
                        dark-purple.
                                                           Hungary.
                                                                        1802. — H. 4. Pl.rar.hung.2.t.116
1816. — H. 4.
 41 calocephala. W. en.
                       smooth-stalked.
                                                           Levant.
                                                           Teneriffe.
 42 canariensis. W. en.
                                                                         1815. .... G.h.
                        Canary.
                                                                         1759. 7.8. H. 4.
                        oriental.
                                                           Siberia.
 43 orientalis. W.
                                                                        1782. — H.4. Gmel.sib.2.t.42.f.2.
1781. — H.4.
44 sibirica. W.
                       Siberian.
                                                           S. Europe.
45 diluta. H. K.
                       pale-flowered.
                       winged-stalked.
                                                           Tartary.
                                                                        --- 8.9. H.4. Vent. cels. 80.
46 alata. W.
47 Behen. W.
                       saw-leaved.
                                                           Levant.
                                                                        1797. 7.8. H.⊙.
                       creeping.
48 repens. W.
                                                                        1739. 6.8. H. 4.
```

~					
49 Jacea. W.		Cynarocephalæ. J.		7.9. H.4.	Eng. bot. 1678.
50 decumbens. P. S.	decumbent.		France.	1815. — H.4.	D
51. amara. W.					Bocc. mus. 31.t. 17.
52 alba. W.	white-flowered.			1597. 6.9. H.4.	
53 splendens. W.	shining.			7.8. H.J.	Brot. phyt. lus. t. 3.
54 tagana. W.	Portugal.		Switzerland	— H.4.	
55 Rhapontica. W. 56 babylonica, W.	Swiss, Babylonian.		Levant	1710. 6.9. H. 4.	
57 glastifolia. W.	Woad-leaved.			1731. — H.4.	
58 conifera. W.	cone.				Ann. mus. 16. t. 14.
59 sonchifolia. W.	Sow-thistle-lead.		Mediterran.		Pluk. phyt. 39. f. 1.
60 seridis. W.	purple-flowered.		Spain.		Pluk. alm. t. 38.f.1.
61 cruenta. W. en.	obovate-leaved.			1816. — H.4.	
62 romana. W.	Roman.			1739. 7.9. H.J.	Barr. rar. t. 504.
63 ferox. W.	hedgehog.		Barbary.	1790. — F.4.	Desf. atl. 2. t. 242.
64 solstitialis. W.	St. Barnaby's		England	7.8. H.⊙.	Eng hot 943
04 Soistitians. W.	Thistle.				1115. 00t. 240.
65 sulphurea. W. en.	sulphur-colour'd.			1815. —— H. O.	
66 melitensis. W.			Malta.	1710. — H.⊙.	Bocc. sic. t. 35.
67 Adami. W.	Adam's.		Siberia.	1804. —— H.⊙.	D :
68 sicula. W.	Sicilian.		Sicily.		Bocc. sic. t. 8. f. 1.
69 sphærocephala. W.			S. Europe.		Cyril. neap. 1. t. 8.
70 Isnardi. W.	Jersey.		Jersey.	— Н.4.	Eng. Dot. 2256.
71 polyacantha. W.	many-spined.		Portugai.	1804. — H.⊙.	W hart has oc
72 straminea. W.	straw-coloured.		Egypt.	1801. — H.⊙.	
73 napifolia. W.	Turnip-leaved.		Candia.		Herm.parad.t.189.
74 aspera. W.	rough.		S. Europe.		Bocc.mus.35.t.26.
75 benedicta. W,	Blessed Thistle.		Spain.	1548. — H.⊙. 1714. — H.⊙.	Zorn. ic. 122.
76 eriophora. W.			Fortugai.		
77 ægyptiaca. W. 78 Calcitrapa. W.	Egyptian. Star-thistle.		England	1790. 6.9. F.4.	Eng bot 105
79 calcitrapoides. W.	Phœnician.		Larant	7.8. H.⊙. 1683. 6.7. H.⊙.	Eng. 125.
80 reflexa. W.	crook-spined.		Theria	1801. 7.8. H.4.	
81 centauroides. W.	lyre-leaved.		S Furone		Col. ecphr. 1. t. 35.
82 collina. W.	hill.		S. Europe.	1596. 6.7. H.4.	соп. серит. 1. с. 33.
83 rupestris. W.	rock.		Italy.		Col.ecphr.1.t.et f.2.
84 pubescens. W.	downy.		luly.	— H.4.	Concephi. 1. G.C. 1.2.
85 verutum. W.	dwarf.		Levant.	1780. 8.9. H.⊙.	Jac. ic. 1. t. 178.
86 salmantica. W.	Ragwort-leaved.		S. Europe.		Jac. vind. 1. t. 64.
87 aurea. W.	great golden.			1758. 7.9. H.4.	
88 muricata. W.	muricated.		Spain.	1621. 7.8. H.⊙.	
89 peregrina. W.	soft-leaved.		S. Europe.	1749. — H. J.	
90 radiata, W.	rayed.		Siberia.		Gmel.sib.2.t.47.f.1.
91 Crocodylium. W,	blush-flowered.		Levant.	1777. — H.O.	Barr. rar. t. 503.
GALACTITES. P. S.	GALACTITES.	Cynarocephalæ. J.	. Centaureæ		
tomentosa, P. S.	woolly,		S. Europe.	1738. 7.8. H.⊙.	Ann. mus. 16.t. 16.
		NECESSARIA			
	27				
MILLERIA. P. S.	MILLERIA.	Corymbiferæ. J.	Vone C	1801 B 10 C 0	Com :- 1 4 00
1 quinqueflora. W.	five-flowered.		Vera Cruz.	1731. 7.10. 8.0.	Cav. ic. 1. t. 82. Mart. dec. 47. f. 1.
2 biflora. W.	two-flowered.	Commbison I	Millowin on I	1/30. —— S.O.	Mart. dec. 47. f. l.
FLAVERIA. J.		Corymbiferæ. J.		1704 70 8 4	Comical to 4
Contrayerba. W.en.		Corymbiferæ. J.	reru.	1794. 7.9. 5.6.	Cav. ic. 1. t. 4.
BALTIMORA. W. recta. W.	BALTIMORA. upright.		Vors Cruz	1600 67 HO	Schk.ha.3.t.261.C.
SILPHIUM. W.	SILPHIUM.	Corymbiferæ. J.	vera Cruz.	1099. 0.7. 11.0.	SCHK.118.5. 1. 201. C.
1 laciniatum. W.	jagged-leaved.		N America	1781 70 H 1	Lin. fil. fas. 1. t. 3.
2 compositum. W.	scollop-leaved.		TVI TRIBETICAL	1789. — H.4.	Din. III. 105. 1. t. Q.
3 therebinthina-	-				
ceum. W.	broad-leaved.	<del></del>		1765. 8.9. H.4.	Jac. vind. 1. t. 43.
4 perfoliatum. W.	perfoliate.			1766. 7.10. H.4.	
5 conjunctum. W.en.			-	— H.2/	
6 connatum. W.	round-stalked.			—— H.4. 1765. —— H.4.	
7 Asteriscus. W.	hairy-stalked.			1732, 7.9, H.M.	Dill. elt. t. 37.f. 42.
8 trifoliatum. W.	three-leaved.	***************************************		1755. 7.10. H. 1.	Moris.s. 6.t, 3.f.68.
9 ternatum. W.	various-leaved.			1806. — H. 2.	Moris.s. 6.t. 3.f. 68.
10 atropurpureum. W.				1812. — H.4.	
ALCINA. Cav.	ALCINA.	Corymbiferæ. J.			
		•			
perfoliata. P. S.	perfoliate.		Mexico.	1796. 7.8. G.⊙.	Cav. ic. 1. t. 15.

400	OTIONIIID.		TEMPTET IA	ECESSANIA	١.
POLYMNIA. W.	POLYMNIA.	Corymbiferæ. J.			
1 canadensis. W.	Canadian.	(COLVERTICAL COLUMN COL	- N. America.	1768. 7.8. H. M.	Lin.am.ae.3.t.1.f.5,
2 Uvedalia. W.	broad-leaved.			1699. 8.10. H. 4	Cav. ic. 3. t. 227.
3 abyssinica. W.	upright.		- Africa.	1775. 4.5. S. J.	
MELAMPODIUM. W		Corymbiferæ. J.		•	
1 americanum. W.	American.		- Vera Cruz.	1733. 8.10. S.O.	Reliq.Houst.9.t.21
2 humile. W.	dwarf.	. 110	- Jamaica.	1782. 6.10. S.O.	
CHAPTALIA. Vent.	CHAPTALIA.	Corymbiferæ. J.	27. 4		2 Hoort
tomentosa. Ph.	woolly.	. 22.	N. America.	1806. 5.6. H.4.	NO.7 2250
Tussilago integrife CALENDULA, W.	MARYGOLD.	Communities Y			
l'arvensis. W.	field.	Corymbiferæ. J.	17	**** * * ***	
2 sicula. W. en.	Sicilian.	<b></b>	- Europe.	1597. 5.9. H.⊙.	
3 stellata. W.	starry.		- Sicily.	1816. — H.⊙.	
4 officinalis. W.	common.		- S Europe	1573. — H.O.	Schk.hand.3. t.265.
β plena.	double-flowered.		of Entope.	15/5. —— 11.0.	
5 sancta. W.	pale-flowered.	-	- Levant.	1731. 5.9. H.⊙.	
6 incana. W.	hoary.	Prince of the second	. Rarbary	1706 60 HO	Doof alt 0 4 045
7 pluvialis. W.	Small Cape.		- C. B. S.	1699. — H.O.	Mill. ic. t. 75, f. 2.
8 hybrida. W.	Great Cape.			1752. 6.7. H.O.	Schk,hand.3.t.264.
9 nudicaulis. W.	naked-stalked.			1731. 6.8. H.O.	Mill. ic. t. 75. f. 2. Schk.hand.3.t.264. Comm. hort.2.t.33.
10 graminifolia. W.	Grass-leaved.			5 0. (+ 7)	Mill in 1 t th th th
11 Tragus. W.	bending-stalked.			1774. 5.6. G.b.	Bot mag 408
& flaccida. V.	flaccid.			G Is	Bot row 00 1001
12 viscosa. H. K.	viscous.			1790. 6.9. G L	Rot ren 410
13 dentata. B. R.	tooth-leaved.			1790, 5.6. (f. h.	Bot. rep. c. ic.
14 oppositifolia. W.	glaucous-leaved.		-	1774. 8. G.h.	
15 fruticosa. W.	shrubby.	<u> </u>		1752. 6.7. G.h.	Mill. ic. 2. t. 283.
16 chrysanthemifolia.V 17 arborescens. W.	rough leaved			1790. 3.8. G.h.	Bot. reg. 40. 22/0
ARCTOTIS. H. K.	rough-leaved.	Commbiform I		1774. 12. G.h.	Jac. ic. 3, t. 596,
1 acaulis. W.		Corymbiferæ. J.	CRC	1750 47 GN	To 4 100
2 tricolor. W.				1759. 4.7. G.4. 1794. 5.7. G.4.	Dot. reg. 122.
3 undulata. W.	wave-leaved.		7	1794. 3.7. G.4.	Jac. schen. 2. t. 160.
4 grandiflora. H. K.	great-flowered.			1774. 3.5. G. J.	9 ac. schoch. 2. 6.100,
5 glaucophylla. W.	Sea-green-leavd.			1794. 5.8. G. H.	Jac,schæn.2.t.170.
6 plantaginea. W.	Plantain-leaved.			1768, 6.8, G.M.	ouciacina in 2. c. 17 c.
7 argentea. W.	silver-leaved.			1774. 8. G. A.	
8 rosea. W.	Rose.			1793, 7.9, G.M.	Jac.schæn. 2.t.162.
9 decumbens. W.	decumbent.			1790. — G 2/	3. t. 381.
10 angustifolia. W.	narrow-leaved.			1739. — G.b.	
11 flaccida. W.	bending-stalked.			1794. 5.7. G.O.	Jac.scheen. 2. t. 163.
12 decurrens. W.	decurrent.			6.7. G. h.	2. t. 165,
13 melanocicla. W. en.	various-colour'd.	·		1812. — G.h.	
14 reptans. W.	creeping.		·	1795. 7.9. G.4.	Jac.schæn.3.t.382.
15 auriculata. W.	ear-leaved.			6.8. G.h.	2. t. 169. 2. t. 166,
16 fastuosa. W.	Orange-nowered.			5.7. G. J.	2. t. 166,
17 spinulosa. W.	enotted			5.8. G.O.	2. t. 167.
18 maculata. W.	broad rongh 1d		9	1710 70 CI	Bot. reg. 130.
19 aspera. B. reg. 20 aureola. B. reg.	marrow rough 1d			1/10. /.g. G.h.	34.
21 bicolor. W. en.	two-coloured.			1812. — G. h.	3%.
OSTEOSPERMUM \				1012. — G. n.	
W.	OSTEOSPERMUM.	Corymbiferæ. J.			
1 spinosum. H. K.	rough-leaved.		C. B. S.	1700, 2.10, G.L	Com. hort. 2. t. 43.
	smooth-leaved				Jac. scheen.3.t.377.
3 pisiferum. W.	smooth				Mill.ic.2.t.194.f.1.
4 moniliferum. W.				1714. 7.8. G.h.	Dill. elt. t. 68. f. 79.
5 ilicifolium. W.	Holly-leaved			1816. — G.b.	Burm.afr.172.t.62.
6 rigidum. W.	rigid.			1774. 4.7. G.h. 6.9. G.h.	
7 cœruleum. W.	blue-flowered			6.9. G.h.	Jac. ic. 1. t. 179.
8 polygaloides. W.	Milkwort-leav'd			1759. — G. h.	Pluk. mant. t. 382.
OTHONNA. W.		Corymbiferæ. J.			
1 pinnata. W.			C.B.S.	1759. 4.6. G.4.	Bot. mag. 768.
2 pectinata. W.	Wormwood-ld			1731. — G.h.	306.
3 Athanasiæ. W.	Athanasia-like			1795.11.12. G.h.	Jac.schæn.2, t.242. Bot. reg. 108.
4 abrotanifolia. W.	Southern wood-la.			1692. 1.3. G.h.	Bot. reg. 108.
5 retrofracta. W.	Dending-stalked.			1812. 3.8. G.h.	Jac.schœn.3.t.376. Comm.hort.2.t.70.
6 coronopifolia. W.	Street Lagrand		Rarbary	1731. 7.9. G.h.	Bot reg occ
7 cheirifolia. W.	Stuck-leaved, =		Darbar A.	1752, 4.6. F.h.	Dor' 168' x00'

- ic 11 ***							
8 crassifolia. W.	thick-leaved.	Corymbiferæ. J.	C. B. S.	1710.	9.10.	G.h.	Mill.ic.2.t. 245.f.2.
9 denticulata. W.	tooth-leaved.			1774.	4.7.	G. h .	
10 heterophylla. W.	various-leaved.			1812.		G.h.	
11 Lingua. W.	tongue-leaved.			1787.	5.9.	G.4.	Jac.schæn.2.t.238.
12 filicaulis. W.	Yam-rooted.	<del></del>		1791.	4.5.	G. 4.	2. t. 241. Breyn. cent. t. 66.
13 bulbosa. W.	bulbous.			1774.	5.6.	G. 4.	Bot mag 1910
14 perfoliata. Jac.	perfoliate.			1704	7.0	G. 4.	Bot. mag. 1312.
15 parviflora. W. 16 ericoides. W.	small-flowered. Heath-leaved.			1915	7.0.	G h	VOIA. HOTID. C. 220.
17 tenuissima. W.	fine-leaved.			1759.	4.7.	G.h.	Volk. norib. t. 226.  Jac.schæn.2.t.239.
18 arborescens. W.	tree.	-		1723.	7.8.	G.h.	Dil.elt.t.103.f.123.
19 cacalioides. W.	tuberous.			1774.	5.9.	G. 4.	
HIPPIA. W.	HIPPIA.	Corymbiferæ. J,					
1 frutescens, W.	shrubby.		C. B. S.	1710.	2.8.	G.h.	Bot. mag. 1855.
2 integrifolia. W.	annual.		E. Ind.	1777.	7.8.	S.⊙.	Hout.nat.h.t.67.f.2
GYMNOSTYLES. J.	GYMNOSTYLES.	Corymbiferæ. J.				_	
anthemifolia. J.	Chamomile-lead.		S. America.	1812.	4.12.	G.⊙.	J.ann.mus.t.61.f.1.
PSIADIA. W.	PSIADIA.	Corymbiferæ. J.	3.6			0.7	
glutinosa. W.	glutinous.	0 1:0 1	Mauritius.	1796.	6.8.	S.h.	Jac.schæn.2.t.152.
ERIOCEPHALUS. W.		Corymbiferæ. J.	OBC	1500	1.0	C T	D.4
1 africanus. W.	cluster-leaved. silver-leaved.						Bot. mag. 833.
2 racemosus. W. FILAGO. W.	Cotton-Rose.	Corymbiferæ. J.		1739.	3.4.	α.η.	
pygmæa. W.	pigmy.	Corymonera: 0:		1629.	7.8.	H.O.	Cav. ic. 1. t. 36.
MICROPUS. W.	Micropus.	Corymbiferæ. J.	S. Europe.	10291	7.0.	11.0.	Cur. 10. 1. 0. 00.
1 supinus. W.	trailing.		S. Europe.	1710.	6.9.	н.⊙.	Schk.hand.3.t.267.
2 erectus. W.	upright.						Lœf. hisp. t. 1. f. 3.
PARTHENIUM. W.	PARTHENIUM.	Corymbiferæ? J.				Ü	•
1 Hysterophorus. W.	cut-leaved.		Jamaica.	1728.	7.10.	$H.\odot$ .	Cav. ic. 4. t. 378.
2 integrifolium. W.	entire-leaved.			1661.	6.10.	H.4.	W. hort. ber. 4.
IVA. W.	Iva.	Corymbiferæ? J.					
1 annua. W.	annual.		S. America.	1768.	7.8.	S.⊙.	Schmidel. ic. t. 16.
2 frutescens. W.	shrubby.		N. America.	1711.	8.	H. h.	Pluk.alm. t.27.f. 1.
	\	SEGREGATA					
ELEPHANTOPUS.			•				
w. <i>S</i>	FOOT.	Corymbiferæ. J.			<i>a</i> .	2 44	T1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
W. S	Foot. frough-leaved.	Corymbiferæ. J.					Rheed. mal. 10. t.7.
W. 1 scaber. W. 2 carolinianus. W.	Foot. frough-leaved. Carolina.	Corymbiferæ. J.	E. Ind.	1732.	7.9.	G. 4.	Rheed. mal. 10. t.7. Dill.elt. t.106.f.126
W. 1 scaber. W. 2 carolinianus. W. 3 tomentosus. W.	Foot. frough-leaved. Carolina. woolly.	Corymbiferæ. J.	E. Ind.		7.9.	G. 4.	
W. 1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. CEDERA. W.	Foot. frough-leaved. Carolina. woolly. CEDERA.	Corymbiferæ. J.	E. Ind. America. W. Ind.	1732. 1733.	7.9. 7.8.	G.4. G.4.	Dill.elt.t.106.f.126
W. 1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. CEDERA. W. prolifera. W.	Foot. frough-leaved. Carolina. woolly. ŒDERA. proliferous.	Corymbiferæ. J.	E. Ind. America. W. Ind.	1732. 1733.	7.9. 7.8.	G.4. G.4.	
W. 1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. GEDERA. W. prolifera. W. STCEBE. W.	Foot. rough-leaved. Carolina. woolly. ŒDERA. proliferous. STŒBE.	Corymbiferæ. J.  Corymbiferæ. J.	E. Ind. America. W. Ind. C. B. S. Seriphium, P.	1732. 1733. 1789. . S.	7.9. 7.8. 5.6.	G.4. G.4. G.h.	Dill.elt.t.106.f.126
W. 1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. EDERA. W. prolifera. W.	Foot. frough-leaved. Carolina. woolly. ŒDERA. proliferous.	Corymbiferæ. J.  Corymbiferæ. J.	E. Ind. America. W. Ind. C. B. S. Seriphium. P. C. B. S.	1732. 1733. 1789. S. 1759.	7.9. 7.8. 5.6.	G. 4. G. 4. G. h.	Dill.elt.t.106.f.126  Bot. mag. 1637.
W. 1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. EDERA. W. prolifera. W. STEBE. W. 1 æthiopica. W.	Foot. rough-leaved. Carolina. woolly. EDERA. proliferous. STEBE. Juniper-leaved. Heath-leaved.	Corymbiferæ. J.  Corymbiferæ. J.	E. Ind. America. W. Ind. C. B. S. Seriphium. P. C. B. S.	1732. 1733. 1789. S. 1759.	7.9. 7.8. 5.6.	G. 4. G. 4. G. h.	Dill.elt.t.106.f.126
W. 1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. EDERA. W. prolifera. W. STŒBE. W. 1 æthiopica. W. 2 cinerea. W. NAUENBURGIA. W.	Foot. rough-leaved. Carolina. woolly. Edera. proliferous. Stæbe. Juniper-leaved. Heath-leaved. Nauenburgia.	Corymbiferæ. J.  Corymbiferæ. J.  Corymbiferæ. J.  Corymbiferæ? B	E. Ind. America. W. Ind. C. B. S. Seriphium. P. C. B. S.	1732. 1733. 1789. S. 1759. 1774.	7.9. 7.8. 5.6. 8. 7.9.	G. 4. G. 4. G. h. G. h.	Dill.elt.t.106.f.126  Bot. mag. 1637.  Pluk.man.t.297.f.1
W. 1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. EDERA. W. prolifera. W. STCEBE. W. 1 æthiopica. W. 2 cinerea. W. NAUENBURGIA. W. trinervata. W.	Foot. rough-leaved. Carolina. woolly. EDERA. proliferous. STŒBE. Juniper-leaved. Heath-leaved. NAUENBURGIA. three-nerved.	Corymbiferæ. J.  Corymbiferæ. J.  Corymbiferæ. J.  Corymbiferæ? B	E. Ind. America. W. Ind. C. B. S. Seriphium. P. C. B. S.	1732. 1733. 1789. S. 1759. 1774.	7.9. 7.8. 5.6. 8. 7.9.	G. 4. G. 4. G. h. G. h.	Dill.elt.t.106.f.126  Bot. mag. 1637.
W. 1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. EDERA. W. prolifera. W. STŒBE. W. 1 æthiopica. W. 2 cinerea. W. NAUENBURGIA. W. trinervata. W. CASSINIA. H. K.	FOOT. rough-leaved. Carolina. woolly. EDERA. proliferous. STEBE. Juniper-leaved. Heath-leaved. NAUENBURGIA. three-nerved. CASSINIA.	Corymbiferæ. J.  Corymbiferæ. J.  Corymbiferæ? B	E. Ind. America. W. Ind. C. B. S. Seriphium. P. C. B. S. rotera, P. S. S. America.	1732. 1733. 1789. S. 1759. 1774.	7.9. 7.8. 5.6. 8. 7.9.	G. ¼. G. ¼. G. ħ. G. ħ. H.⊙.	Dill.elt.t.106.f.126  Bot. mag. 1637.  Pluk.man.t.297.f.1  Schrad. bot. j. 1800. 2.t. 5.
W.  1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. EDERA. W. prolifera. W. STEBE. W. 1 æthiopica. W. 2 cinerea. W. NAUENBURGIA. W. trinervata. W. CASSINIA. H. K. aurea. H. K.	FOOT. rough-leaved. Carolina. woolly. EDERA. proliferous. STŒBE. Juniper-leaved. Heath-leaved. NAUENBURGIA. three-nerved. CASSINIA. yellow.	Corymbiferæ. J.  Corymbiferæ. J.  Corymbiferæ. J.  Corymbiferæ? B	E. Ind. America. W. Ind. C. B. S. Seriphium. P. C. B. S. rotera. P. S. S. America. N. Holland.	1732. 1733. 1789. S. 1759. 1774.	7.9. 7.8. 5.6. 8. 7.9.	G. ¼. G. ¼. G. ħ. G. ħ. H.⊙.	Dill.elt.t.106.f.126  Bot. mag. 1637.  Pluk.man.t.297.f.1  Schrad. bot. j. 1800. 2.t. 5.
W. 1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. EDERA. W. prolifera. W. STŒBE. W. 1 æthiopica. W. 2 cinerea. W. NAUENBURGIA. W. trinervata. W. CASSINIA. H. K. aurea. H. K. SPHÆRANTHUS. W.	Foot. rough-leaved. Carolina. woolly. EDERA. proliferous. STŒBE. Juniper-leaved. Heath-leaved. NAUENBURGIA. three-nerved. CASSINIA. yellow. SPHÆRANTHUS.	Corymbiferæ. J.  Corymbiferæ. J.  Corymbiferæ. P	E. Ind. America. W. Ind. C. B. S. Seriphium. P. C. B. S. rotera. P. S. S. America. N. Holland. J.	1732. 1733. 1789. S. 1759. 1774.	7.9. 7.8. 5.6. 8. 7.9. 7.8.	G. 4. G. 4. G. h. G. h. G. h. G. h.	Dill.elt.t.106.f.126  Bot. mag. 1637.  Pluk.man.t.297.f.1  Schrad. bot. j. 1800. 2. t. 5.
W.  1 scaber. W. 2 carolinianus. W. 3 tomentosus. W.  EDERA. W. prolifera. W. STCEBE. W. 1 æthiopica. W. 2 cinerea. W. NAUENBURGIA. W. trinervata. W.  CASSINIA. H. K. aurea. H. K. SPHÆRANTHUS. W. 1 indicus. W.	Foot. rough-leaved. Carolina. woolly. Edera. proliferous. Stæbe. Juniper-leaved. Heath-leaved. Nauenburgia. three-nerved. Cassinia. yellow. SPHÆRANTHUS. Indian.	Corymbiferæ. J.  Corymbiferæ. J.  Corymbiferæ? B  Cynarocephalæ?	E. Ind. America. W. Ind. C. B. S. Seriphium. P. C. B. S. rotera. P. S. S. America. N. Holland. J. E. Ind.	1732. 1733. 1789. S. 1759. 1774. 1799. 1803.	7.9. 7.8. 5.6. 8. 7.9. 7.8. 8.12.	G. 4. G. 4. G. h. G. h. G. h. G. 4. S. 4.	Dill.elt.t.106.f.126  Bot. mag. 1637.  Pluk.man.t.297.f.1  Schrad. bot. j. 1800.2.t.5.  Burm.zeyl.t.94.f.3.
W.  1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. EDERA. W. prolifera. W. STŒBE. W. 1 athiopica. W. 2 cinerea. W. NAUENBURGIA. W. trinervata. W. CASSINIA. H. K. aurea. H. K. SPHÆRANTHUS. W. 1 indicus. W. 2 africanus. W.	FOOT. rough-leaved. Carolina. woolly. EDERA. proliferous. STŒBE. Juniper-leaved. Heath-leaved. NAUENBURGIA. three-nerved. CASSINIA. yellow. SPHÆRANTHUS. Indian. African.	Corymbiferæ. J.  Corymbiferæ. J.  Corymbiferæ? B  Cynarocephalæ?	E. Ind. America. W. Ind. C. B. S. Seriphium. P. C. B. S. rotera. P. S. S. America. N. Holland. J. E. Ind. C. B. S.	1732. 1733. 1789. S. 1759. 1774. 1799. 1803.	7.9. 7.8. 5.6. 8. 7.9. 7.8. 8.12.	G. 4. G. 4. G. h. G. h. G. h. G. 4. S. 4.	Dill.elt.t.106.f.126  Bot. mag. 1637.  Pluk.man.t.297.f.1  Schrad. bot. j. 1800. 2. t. 5.
W.  1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. GEDERA. W. prolifera. W. STŒBE. W. 1 æthiopica. W. 2 cinerea. W. NAUENBURGIA. W. trinervata. W. CASSINIA. H. K. aurea. H. K. SPHÆRANTHUS. W. 1 indicus. W. 2 africanus. W. ECHINOPS. W.	FOOT. rough-leaved. Carolina. woolly. EDERA. proliferous. STŒBE. Juniper-leaved. Heath-leaved. NAUENBURGIA. three-nerved. CASSINIA. yellow. SPHÆRANTHUS. Indian. African. GLOBE-THISTLE	Corymbiferæ. J.  Corymbiferæ. J.  Corymbiferæ? B  Cynarocephalæ?	E. Ind. America. W. Ind. C. B. S. Seriphium. P. C. B. S. rotera. P. S. S. America. N. Holland. J. E. Ind. C. B. S. J.	1732. 1733. 1789. S. 1759. 1774. 1799. 1803. 1699. 1759.	7.9. 7.8. 5.6. 8. 7.9. 7.8. 8.12. 7.8.	G. ¼. G. ¼. G. ħ. G. ħ. G. ħ. G. ¼. G. ¼.	Dill.elt.t.106.f.126  Bot. mag. 1637.  Pluk.man.t.297.f.1  Schrad. bot. j. 1800.2.t.5.  Burm.zeyl.t.94.f.3.
W.  1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. EDERA. W. prolifera. W. STEBE. W. 1 æthiopica. W. 2 cinerea. W. NAUENBURGIA. W. trinervata. W. CASSINIA. H. K. aurea. H. K. SPHÆRANTHUS. W. 1 indicus. W. 2 africanus. W. ECHINOPS. W. 1 sphærocephalus, W.	FOOT. rough-leaved. Carolina. woolly. EDERA. proliferous. STŒBE. Juniper-leaved. Heath-leaved. NAUENBURGIA. three-nerved. CASSINIA. yellow. SPHÆRANTHUS. Indian. African. GLOBE-THISTLE great.	Corymbiferæ. J.  Corymbiferæ. J.  Corymbiferæ? B  Cynarocephalæ?	E. Ind. America. W. Ind. C. B. S. Seriphium. P. C. B. S. rotera. P. S. S. America. N. Holland. J. E. Ind. C. B. S. J. Austria.	1732. 1733. 1789. .S. 1759. 1774. 1799. 1803. 1699. 1759.	7.9. 7.8. 5.6. 8. 7.9. 7.8. 8.12. 7.8.	G. 4. G. 4. G. h. G. h. G. h. G. 2. G. 2. G. 2. G. 2. G. 2. G. 2. G. 4.	Dill.elt.t.106.f.126  Bot. mag. 1637.  Pluk.man.t.297.f.1  Schrad. bot. j. 1800.2.t.5.  Burm.zeyl.t.94.f.3.  Pluk.man.t.108.f.7
W.  1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. EDERA. W. prolifera. W. STŒBE. W. 1 æthiopica. W. 2 cinerea. W. NAUENBURGIA. W. trinervata. W. CASSINIA. H. K. aurea. H. K. SPHÆRANTHUS. W. 1 indicus. W. 2 africanus. W. ECHINOPS. W. 1 sphærocephalus, W. 2 spinosus. W.	Foot. rough-leaved. Carolina. woolly. EDERA. proliferous. STŒBE. Juniper-leaved. Heath-leaved. NAUENBURGIA. three-nerved. CASSINIA. yellow. SPHÆRANTHUS. Indian. African. GLOBE-THISTLE great. thorny-headed.	Corymbiferæ. J.  Corymbiferæ. J.  Corymbiferæ? B  Cynarocephalæ?  Cynarocephalæ?	E. Ind. America. W. Ind. C. B. S. Seriphium. P. C. B. S. rotera. P. S. S. America. N. Holland. J. E. Ind. C. B. S. J. Austria. Egypt.	1732. 1733. 1789. S. 1759. 1774. 1799. 1808. 1699. 1759. 1596. 1597.	7.9. 7.8. 5.6. 8. 7.9. 7.8. 8.12. 7.8.	G. 4. G. 4. G. h. G. h. G. h. G. 4. G. 2. G. 2. H. 2. H. 2.	Dill.elt.t.106.f.126  Bot. mag. 1637.  Pluk.man.t.297.f.1  Schrad. bot. j. 1800. 2. t. 5.  Burm.zeyl.t.94.f.3.  Pluk.man.t.108.f.7  Moris. s.7.t.35.f.4.
W.  1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. EDERA. W. prolifera. W. STEBE. W. 1 æthiopica. W. 2 cinerea. W. NAUENBURGIA. W. trinervata. W. CASSINIA. H. K. aurea. H. K. SPHÆRANTHUS. W. 1 indicus. W. 2 africanus. W. ECHINOPS. W. 1 sphærocephalus, W.	FOOT. rough-leaved. Carolina. woolly. EDERA. proliferous. STŒBE. Juniper-leaved. Heath-leaved. NAUENBURGIA. three-nerved. CASSINIA. yellow. SPHÆRANTHUS. Indian. African. GLOBE-THISTLE great.	Corymbiferæ. J.  Corymbiferæ. J.  Corymbiferæ? B  Cynarocephalæ?	E. Ind. America. W. Ind. C. B. S. Seriphium. P. C. B. S. rotera. P. S. S. America. N. Holland. J. E. Ind. C. B. S. J. Austria.	1732. 1733. 1789. S. 1759. 1774. 1799. 1803. 1699. 1759. 1596. 1597. 1570.	7.9. 7.8. 5.6. 8. 7.9. 7.8. 7.8. 7.8. 7.9.	G. 4. G. 4. G. h. G. h. G. h. G. 4. G. 2. G. 2. H. 2. H. 4. H. 4. H. 4.	Dill.elt.t.106.f.126  Bot. mag. 1637.  Pluk.man.t.297.f.1  Schrad. bot. j. 1800.2.t.5.  Burm.zeyl.t.94.f.3.  Pluk.man.t.108.f.7  Moris. s.7.t.35.f.4.  Bot. mag. 932.
W.  1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. EDERA. W. prolifera. W. STŒBE. W. 1 æthiopica. W. 2 cinerea. W. NAUENBURGIA. W. trinervata. W. CASSINIA. H. K. aurea. H. K. SPHÆRANTHUS. W. 1 indicus. W. 2 africanus. W. ECHINOPS. W. 1 sphærocephalus, W. 2 spinosus. W. 8 Ritro. W.	FOOT. rough-leaved. Carolina. woolly. EDERA. proliferous. STŒBE. Juniper-leaved. Heath-leaved. NAUENBURGIA. three-nerved. CASSINIA. yellow. SPHÆRANTHUS. Indian. African. GLOBE-THISTLE great. thorny-headed. small.	Corymbiferæ. J.  Corymbiferæ. J.  Corymbiferæ? B  Cynarocephalæ?	E. Ind. America. W. Ind. C. B. S. Seriphium. P. C. B. S. S. America. N. Holland. J. E. Ind. C. B. S. J. Austria. Egypt. Europe.	1732. 1733. 1789. S. 1759. 1774. 1799. 1803. 1699. 1759. 1596. 1597. 1729.	7.9. 5.6. 8. 7.9. 7.8. 7.8. 7.8. 7.8. 7.9.	G. 4. G. 4. G. h. G. h. G. h. G. 4. G. 2. G. 2. G. 2. G. 2. G. 2. G. 3. G. 4. G. 6. G. 4. G. 6. G. 6.	Dill.elt.t.106.f.126  Bot. mag. 1637.  Pluk.man.t.297.f.1  Schrad. bot. j. 1800. 2. t. 5.  Burm.zeyl.t.94.f.3.  Pluk.man.t.108.f.7  Moris. s.7.t.35.f.4.
W.  1 scaber. W. 2 carolinianus. W. 3 tomentosus, W. EDERA. W. prolifera. W. STEBE. W. 1 athiopica. W. 2 cinerea. W. NAUENBURGIA. W. trinervata. W. CASSINIA. H. K. aurea. H. K. SPHÆRANTHUS. W. 1 indicus. W. 2 africanus. W. ECHINOPS. W. 1 sphærocephalus, W. 2 spinosus. W. 3 Ritro. W. 4 strigosus. W.	FOOT. rough-leaved. Carolina. woolly. EDERA. proliferous. STEBE. Juniper-leaved. Heath-leaved. NAUENBURGIA. three-nerved. CASSINIA. yellow. SPHÆRANTHUS. Indian. African. GLOBE-THISTLE great. thorny-headed. small. annual.	Corymbiferæ. J.  Corymbiferæ. J.  Corymbiferæ? B  Cynarocephalæ?	E. Ind. America. W. Ind. C. B. S. Seriphium. P. C. B. S. votera. P. S. S. America. N. Holland. J. E. Ind. C. B. S. J. Austria. Egypt. Europe. Spain. Levant.	1732. 1733. 1789. S. 1759. 1774. 1799. 1803. 1699. 1759. 1596. 1597. 1570.	7.9. 5.6. 8. 7.9. 7.8. 7.8. 7.8. 7.8. 7.9.	G. 4. G. 4. G. h. G. h. G. h. G. 4. G. 2. G. 2. G. 2. G. 2. G. 2. G. 3. G. 4. G. 6. G. 4. G. 6. G. 6.	Dill.elt.t.106.f.126  Bot. mag. 1637.  Pluk.man.t.297.f.1  Schrad. bot. j. 1800.2.t.5.  Burm.zeyl.t.94.f.3.  Pluk.man.t.108.f.7  Moris. s.7.t.35.f.4.  Bot. mag. 932.
W.  1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. EDERA. W. prolifera. W. STŒBE. W. 1 æthiopica. W. 2 cinerea. W. NAUENBURGIA. W. trinervata. W. CASSINIA. H. K. aurea. H. K. SPHÆRANTHUS. W. 1 indicus. W. 2 africanus. W. ECHINOPS. W. 1 sphærocephalus, W. 2 spinosus. W. 3 Ritro. W. 4 strigosus. W. 5 lanuginosus. W. ROLANDRA. W. argentea. W.	FOOT. rough-leaved. Carolina. woolly. EDERA. proliferous. STEBE. Juniper-leaved. Heath-leaved. NAUENBURGIA. three-nerved. CASSINIA. yellow. SPHÆRANTHUS. Indian. African. GLOBE-THISTLE great. thorny-headed. small. annual. woolly.	Corymbiferæ. J.  Corymbiferæ. J.  Corymbiferæ? B  Cynarocephalæ?  Cynarocephalæ?	E. Ind. America. W. Ind. C. B. S. Seriphium. P. C. B. S. rotera. P. S. S. America. N. Holland. J. E. Ind. C. B. S. J. Austria. Egypt. Europe. Spain. Levant. J. W. Ind.	1732. 1733. 1789. S. 1759. 1774. 1799. 1803. 1699. 1759. 1596. 1597. 1570. 1729. 1736.	7.9. 7.8. 5.6. 8. 7.9. 7.8. 7.8. 7.9. 6.7.	G. ¼. G. ħ. G. ħ. G. ħ. G. ¼. G. ¼. H. ♥. H. ¼. H. Ψ. H. Ψ.	Dill.elt.t.106.f.126  Bot. mag. 1637.  Pluk.man.t.297.f.1  Schrad. bot. j. 1800. 2. t. 5.  Burm.zeyl.t.94.f.3.  Pluk.man.t.108.f.7  Moris. s. 7. t.35.f.4.  Bot. mag. 932.  Herm. parad.t.224.
W.  1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. EDERA. W. prolifera. W. STŒBE. W. 1 athiopica. W. 2 cinerea. W. NAUENBURGIA. W. trinervata. W. CASSINIA. H. K. aurea. H. K. SPHÆRANTHUS. W. 1 indicus. W. 2 africanus. W. ECHINOPS. W. 1 sphærocephalus, W. 2 spinosus. W. 3 Ritro. W. 4 strigosus. W. 5 lanuginosus. W. ROLANDRA. W. argentea. W. BROTERA. W.	FOOT. rough-leaved. Carolina. woolly. EDERA. proliferous. STEBE. Juniper-leaved. Heath-leaved. NAUENBURGIA. three-nerved. CASSINIA. yellow. SPHÆRANTHUS. Indian. African. GLOBE-THISTLE great. thorny-headed. small. annual. woolly. ROLANDRA. silver-leaved. BROTERA.	Corymbiferæ. J.  Corymbiferæ. J.  Corymbiferæ ? B  Cynarocephalæ ?  Cynarocephalæ ?	E. Ind. America. W. Ind. C. B. S. Seriphium. P. C. B. S. rotera. P. S. S. America. N. Holland. J. E. Ind. C. B. S. J. Austria. Egypt. Europe. Spain. Levant. J. W. Ind.	1732. 1733. 1789. S. 1759. 1774. 1799. 1803. 1699. 1759. 1596. 1597. 1570. 1729. 1736.	7.9. 7.8. 5.6. 8. 7.9. 7.8. 7.8. 7.9. 6.7.	G. ¼. G. ħ. G. ħ. G. ħ. G. ¼. G. ¼. H. ♥. H. ¼. H. Ψ. H. Ψ.	Dill.elt.t.106.f.126  Bot. mag. 1637.  Pluk.man.t.297.f.1  Schrad. bot. j. 1800.2.t.5.  Burm.zeyl.t.94.f.3.  Pluk.man.t.108.f.7  Moris. s.7.t.35.f.4.  Bot. mag. 932.
W.  1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. EDERA. W. prolifera. W. STEBE. W. 1 æthiopica. W. 2 cinerea. W. NAUENBURGIA. W. trinervata. W. CASSINIA. H. K. aurea. H. K. SPHÆRANTHUS. W. 1 indicus. W. 2 africanus. W. ECHINOPS. W. 1 sphærocephalus. W. 2 spinosus. W. 3 Ritro. W. 4 strigosus. W. 5 lanuginosus. W. ROLANDRA. W. argentea. W. BROTERA. W. corymbosa. W.	FOOT. rough-leaved. Carolina. woolly. EDERA. proliferous. STŒBE. Juniper-leaved. Heath-leaved. NAUENBURGIA. three-nerved. CASSINIA. yellow. SPHÆRANTHUS. Indian. African. GLOBE-THISTLE great. thorny-headed. small. annual. woolly. ROLANDRA. silver-leaved. BROTERA. umbelled.	Corymbiferæ. J.  Corymbiferæ. J.  Corymbiferæ. J.  Corymbiferæ? B  Cynarocephalæ?  Cynarocephalæ?  Cynarocephalæ?	E. Ind. America. W. Ind. C. B. S. Seriphium. P. C. B. S. rotera. P. S. S. America. N. Holland. J. E. Ind. C. B. S. J. Austria. Egypt. Europe. Spain. Levant. J. W. Ind. J. Cardopatu. S. Europe.	1732. 1733. 1789. S. 1759. 1774. 1799. 1803. 1699. 1759. 1596. 1597. 1570. 1729. 1736. 1714. m. P. S	7.9. 7.8. 5.6. 8. 7.9. 7.8. 7.8. 7.8. 7.9. 6.7.	G. ¼. G. ħ. G. ħ. G. ħ. G. ħ. H.⊙. S. ¼. G.⊙. H. ¼. H. ¼. H. ¼. S. ħ.	Dill.elt.t.106.f.126  Bot. mag. 1637.  Pluk.man.t.297.f.1  Schrad. bot. j. 1800. 2. t. 5.  Burm.zeyl.t.94.f.3.  Pluk.man.t.108.f.7  Moris. s. 7. t.35.f.4.  Bot. mag. 932.  Herm. parad.t.224.
W.  1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. EDERA. W. prolifera. W. STEBE. W. 1 æthiopica. W. 2 cinerea. W. NAUENBURGIA. W. trinervata. W. CASSINIA. H. K. aurea. H. K. SPHÆRANTHUS. W. 1 indicus. W. 2 africanus. W. ECHINOPS. W. 1 sphærocephalus, W. 2 spinosus. W. 3 Ritro. W. 4 strigosus. W. 5 lanuginosus. W. ROLANDRA. W. argentea. W. BROTERA. W. corymbosa. W. GUNDELIA. W.	FOOT.  rough-leaved. Carolina.  woolly. EDERA. proliferous. STEBE. Juniper-leaved. Heath-leaved. NAUENBURGIA. three-nerved. CASSINIA. yellow. SPHERANTHUS. Indian. African. GLOBE-THISTLE great. thorny-headed. small. annual. woolly. ROLANDRA. silver-leaved. BROTERA. umbelled. GUNDELIA.	Corymbiferæ. J.  Corymbiferæ. J.  Corymbiferæ. J.  Corymbiferæ? B  Cynarocephalæ?  Cynarocephalæ?  Cynarocephalæ?  Cynarocephalæ?	E. Ind. America. W. Ind. C. B. S. Seriphium. P. C. B. S. rotera. P. S. S. America. N. Holland. J. E. Ind. C. B. S. J. Austria. Egypt. Europe. Spain. Levant. J. U. Cardopatu. S. Europe. J. S. Europe. J.	1732. 1733. 1789. S. 1759. 1774. 1799. 1803. 1699. 1596. 1597. 1570. 1729. 1736. 1714. m. P. S.	7.9. 7.8. 8.7.9. 7.8. 7.8. 7.8. 7.9. 6.7. 7.6.	G. ¼. G. ħ. G. ħ. G. ħ. G. ¼. G. ¼. H. ¼. H. ¼. H. ¼. H. ¼. H. ¼.	Dill.elt.t.106.f.126  Bot. mag. 1637.  Pluk.man.t.297.f.1  Schrad. bot. j. 1800.2.t.5.  Burm.zeyl.t.94.f.3.  Pluk.man.t.108.f.7  Moris.s.7.t.35.f.4. Bot. mag. 932.  Herm. parad.t.224.  Sloan.jam.1.t.7.f.3.  Moris.s.7.t.33.f.17.
W.  1 scaber. W. 2 carolinianus. W. 3 tomentosus. W. EDERA. W. prolifera. W. STEBE. W. 1 æthiopica. W. 2 cinerea. W. NAUENBURGIA. W. trinervata. W. CASSINIA. H. K. aurea. H. K. SPHÆRANTHUS. W. 1 indicus. W. 2 africanus. W. ECHINOPS. W. 1 sphærocephalus. W. 2 spinosus. W. 3 Ritro. W. 4 strigosus. W. 5 lanuginosus. W. ROLANDRA. W. argentea. W. BROTERA. W. corymbosa. W.	FOOT. rough-leaved. Carolina. woolly. EDERA. proliferous. STŒBE. Juniper-leaved. Heath-leaved. NAUENBURGIA. three-nerved. CASSINIA. yellow. SPHÆRANTHUS. Indian. African. GLOBE-THISTLE great. thorny-headed. small. annual. woolly. ROLANDRA. silver-leaved. BROTERA. umbelled.	Corymbiferæ. J.  Corymbiferæ. J.  Corymbiferæ. J.  Corymbiferæ? B  Cynarocephalæ?  Cynarocephalæ?  Cynarocephalæ?	E. Ind. America. W. Ind. C. B. S. Seriphium. P. C. B. S. rotera. P. S. S. America. N. Holland. J. E. Ind. C. B. S. J. Austria. Egypt. Europe. Spain. Levant. J. U. Cardopatu. S. Europe. J. S. Europe. J.	1732. 1733. 1789. S. 1759. 1774. 1799. 1803. 1699. 1596. 1597. 1570. 1729. 1736. 1714. m. P. S.	7.9. 7.8. 8.7.9. 7.8. 7.8. 7.8. 7.9. 6.7. 7.6.	G. ¼. G. ħ. G. ħ. G. ħ. G. ¼. G. ¼. H. ¼. H. ¼. H. ¼. H. ¼. H. ¼.	Dill.elt.t.106.f.126  Bot. mag. 1637.  Pluk.man.t.297.f.1  Schrad. bot. j. 1800.2.t.5.  Burm.zeyl.t.94.f.3.  Pluk.man.t.108.f.7  Moris. s.7.t.35.f.4. Bot. mag. 932.  Herm. parad.t.224.  Sloan.jam.1.t.7.f.3.

# CLASS XX.

#### GYNANDRIA MONANDRIA.

ORCHIS. B. P.	ORCHIS.	Orchideæ. B. P.					
1 Morio. W.	meadow.		Britain.		5.6.	H.31	Eng. bot. 2059.
2 longicornu. P. S.	flat-spurred.		Barbary				
			Darbary.	1010.	4.5.	G. 4.	Bot. reg. 202.
3 mascula. W.	early purple.		Britain.	• • • •		F1.4.	Eng. bot. 631.
4 ustulata. W.	dwarf.		England.		5.6.	H.4.	18.
5 fusca. W.	brown.					H.4.	16. 1873.
6 militaris. W.	military.					H.2.	1873.
7 acuminata. W.	pointed-flower'd.						Bot. mag. 1932. 367
8 globosa. W.	round-spiked.		Anothio	1500	C. =	TT 31	Los aust 9 t ocs
	Tound-spiked.	Orchider, B. P.	Trustina.	1/92.	0.7.	11.4.	Jac. aust. 3. t. 265.
9 pyramidalis. W.	pyramidal.		Britain.	• • • •		H.4.	Eng. bot. 110.
10 hircina. W.	Lizard.		England.			H.4.	34.
11 latifolia. W.	marsh.		Britain.		5.6.	H. 24.	2308.
12 maculata. W.	spotted palmate.		-		6.7.	H. 21.	632.
13 spectabilis. W.	showy.		N America	1801		H 2/	40
14 papilionacea. W.	papilionaceous.		S Europa	1700		LI N	
	Carrate and accoust	O. I. I. D. D.	O. L.T.	11000		11.4.	
GYMNADENIA. H.K	C. I.	Oremaca, m. 1.	Crements oper				
conopsea. H. K.	fragrant.		Britain.	• • • •	6.7.	н.4.	Eng. bot. 10.
ACERAS. H. K.	Aceras.	Orchideæ. B. P.	Ophrydis sp. i	W.			
anthropophora.	Greenman.				6.	H. 24.	Eng. bot. 29.
HERMINIUM. H. K.		Orchideæ. B. P.					8 11
			England	•	C =	ET 3/	Eur hot 71
Monorchis, H. K.	musk.	O. 1.1. D. P.	Carling and	77	0.7.	11.4.	Eng. bot. 71.
HABENARIA. B. P.	HABENARIA.	Orchideæ. B. P.	Oremdis sp. /				
1 nigra. H. K.	dark-flowered.		Austria.	1759.	6.7.	H.4.	Flor. dan. t. 998.
2 viridis. H. K.	Frog.		Britain.			H.4.	Eng. bot. 94.
3 bracteata. H. K.	long-bracted.		N. America.	1805.	5.6.	н.υ.	Par. lond. 110.
4 albida. H. K.	small white		Britain		6.7	Hal	Eug. hot. 505.
	on the		Lasland	1005	0.7.	TT 21	Ing. bot. ooo.
5 hyperborea. H. K.	northern.		regand.	1805.		11.4.	E - L-t co
6 bifolia. H. K.	Butterfly.		Britain.		5.6.	H.4.	Eng. bot. 22.
7 herbiola. H. K.	American.		N. America.	1789.	6.7.	H.4.	D 1 - 4
8 fimbriata. H. K.	purple-fringed.		Canada.			H.4.	20 MA 10 8
9 cristata. H. K.	yellow-crested.		N. America.	1806.	9.	H. 24.	6
O CLISTIANIA LA ANT	jeno n erecetar		2		0.		
20 cilionic II K	vellow-fringed			1706	67.	H 21.	Bot mag. 1668.
10 ciliaris. H. K.	yellow-fringed.	Ourtides P. D.	Ouglidie ou	1796.	6.7.	H.4.	Bot. mag. 1668.
BARTHOLINA. H.K.	yellow-fringed. Bartholina.						Eng. bot. 22.  Bot. mag. 1668.
BARTHOLINA. H.K.	DARTHOLINA						
	BARTHOLINA. pectinated.	Orenidea, D. 1	C. B. S.	1787.	10.		
BARTHOLINA. H.K.	pectinated.	Orenidea, D. 1	C. B. S.	1787.	10.		Sot. mag. 1668.  Journ. Sc. & Arts, v. 4. t. 8. f. 2.
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K.	pectinated. SERAPIAS.	Orchideæ. B. P.	C. B. S.  Helleborinis sp	1787. o. P. S.	10.	G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2.
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W.	pectinated. SERAPIAS. tongue-lipped.	Orchideæ. B. P.	C. B. S.  Helleborinis sp	1787. o. P. S.	10.	G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2.
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W.	pectinated. SERAPIAS. tongue-lipped. heart-lipped.	Orchideæ. B. P.	C. B. S.  Helleborinis sp	1787. o. P. S.	10.	G.4.	
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W.	pectinated. SERAPIAS. tongue-lipped. heart-lipped. OPHRYS.	Orchideæ. B. P.	C. B. S.  Helleborinis sp S. Europe.	1787. o. P. S. 1786. 1806.	10. 5.6. 7.8.	G.4. G.4. G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2. Mor.s.12.t.14.f.21. Bot. rep. 475.
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W.	pectinated. SERAPIAS. tongue-lipped. heart-lipped. OPHRYS.	Orchideæ. B. P.	C. B. S.  Helleborinis sp S. Europe.	1787. b. P. S. 1786. 1806.	10. 5.6. 7.8. 6.7.	G.4. G.4. G.4. H.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2. Mor.s.12.t.14.f.21. Bot. rep. 475. Eng. bot. 383.
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W.	pectinated. SERAPIAS. tongue-lipped. heart-lipped. OPHRYS.	Orchideæ. B. P.	C. B. S.  Helleborinis sp S. Europe.	1787. b. P. S. 1786. 1806.	10. 5.6. 7.8. 6.7. 4.5.	G.4. G.4. G.4. H.4. G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2.  Mor.s. 12. t. 14. f. 21.  Bot. rep. 475.  Eng. bot. 383.  Bot. reg. 205. 37. 103.
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W.	pectinated. SERAPIAS. tongue-lipped. heart-lipped. OPHRYS.	Orchideæ. B. P.	C. B. S.  Helleborinis sp S. Europe.	1787. b. P. S. 1786. 1806.	10. 5.6. 7.8. 6.7. 4.5.	G.4. G.4. G.4. H.4. G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2.  Mor.s. 12. t. 14. f. 21.  Bot. rep. 475.  Eng. bot. 383.  Bot. reg. 205. 37. 103.
BARTHOLINA. H.K. pectinata, H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W.	pectinated. SERAPIAS. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider.	Orchideæ. B. P.	C. B. S.  Helleborinis sp. S. Europe.  England. Barbary. England.	1787. b. P. S. 1786. 1806.	10. 5.6. 7.8. 6.7. 4.5.	G.4. G.4. G.4. H.4. G.4. H.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2. Mor.s.12.t.14.f.21. Bot. rep. 475. Eng. bot. 383. Bot. reg. 205. 37.103. Eng. bot. 65.
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W. 4 muscifera. H. K.	pectinated.  SERAPIAS. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider. Fly.	Orchideæ. B. P.	C. B. S.  Hellchorinis sp. S. Europe.  England. Barbary. England.	1787. b. P. S. 1786. 1806.	5.6. 7.8. 6.7. 4.5.	G.4. G.4. G.4. H.4. G.4. H.4. H.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2. Mor.s.12.t.14.f.21. Bot. rep. 475. Eng. bot. 388. Bot. reg. 205. in 193. Eng. bot. 65.
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W. 4 muscifera. H. K. SATYRIUM. H. K.	pectinated.  SERAPIAS. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider. Fly. SATYRIUM.	Orchideæ. B. P.	C. B. S.  Hellchorinis sp. S. Europe.  England. Barbary. England.	1787. b. P. S. 1786. 1806.	5.6. 7.8. 6.7. 4.5.	G.4. G.4. G.4. H.4. G.4. H.4. H.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2. Mor.s.12.t.14.f.21. Bot. rep. 475. Eng. bot. 388. Bot. reg. 205. in 193. Eng. bot. 65.
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W. 4 muscifera. H. K. SATYRIUM. H. K. 1 cucullatum. W.	pectinated.  SERAPIAS. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider. Fly. SATYRIUM. cucullate.	Orchideæ. B. P.	C. B. S.  Helleborinis sp S. Europe.  England. Barbary. England.  Diplecthrum. C. B. S.	1787. p. P. S. 1786. 1806.  1815 P. S. 1787.	5.6. 7.8. 6.7. 4.5. 5.6.	G.4. G.4. G.4. H.4. G.4. H.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2.  Mor.s.12.t.14.f.21. Bot. rep. 475.  Eng. bot. 383. Bot. reg. 205. 20193. Eng. bot. 65. 64.  Bot. rep. 315. 20146
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W. 4 muscifera. H. K. SATYRIUM. H. K.	pectinated.  SERAPIAS. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider. Fly. SATYRIUM.	Orchideæ. B. P. Orchideæ. B. P. Orchideæ. B. P.	C. B. S.  Helleborinis sp S. Europe.  England. Barbary. England.  Diplecthrum. C. B. S.	1787. p. P. S. 1786. 1806.  1815 P. S. 1787.	5.6. 7.8. 6.7. 4.5. 5.6.	G.4. G.4. G.4. H.4. G.4. H.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2. Mor.s.12.t.14.f.21. Bot. rep. 475. Eng. bot. 383. Bot. reg. 205. 37.103. Eng. bot. 65.
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W. 4 muscifera. H. K. SATYRIUM. H. K. 1 cucullatum. W.	pectinated.  SERAPIAS. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider. Fly. SATYRIUM. cucullate.	Orchideæ. B. P. Orchideæ. B. P. Orchideæ. B. P.	C. B. S.  Helleborinis sp. S. Europe.  England. Barbary. England.  Diplecthrum. C. B. S.	1787. p. P. S. 1786. 1806.  1815.  P. S. 1787.	5.6. 7.8. 6.7. 4.5. 5.6.	G.4. G.4. G.4. H.4. G.4. H.4. G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2.  Mor.s.12.t.14.f.21. Bot. rep. 475.  Eng. bot. 388. Bot. reg. 205. 30. 103. Eng. bot. 65. ————————————————————————————————————
BARTHOLINA. H.K. pectinata, H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W. 4 muscifera. H. K. SATYRIUM. H. K. 1 cucullatum. W. 2 carneum. H. K. DISA. Sw.	pectinated.  SERAPIAS. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider. Fly. SATYRIUM. cucullate. great-flowered. DISA.	Orchideæ. B. P. Orchideæ. B. P. Orchideæ. B. P.	C. B. S.  Helleborinis sp. S. Europe.  England. Barbary. England.  Diplecthrum. C. B. S.	1787.  2. P. S. 1786. 1806.  1815.  P. S. 1787.	5.6. 7.8. 6.7. 4.5. 5.6.	G.4. G.4. G.4. H.4. G.4. H.4. G.4. G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2.  Mor.s.12.t.14.f.21. Bot. rep. 475.  Eng. bot. 383. Bot. reg. 205. 30. 103. Eng. bot. 65.  64.  Bot. rep. 315. 20. 103. Bot. mag. 1512.
BARTHOLINA. H.K. pectinata, H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W. 4 muscifera. H. K. SATYRIUM. H. K. 1 cucullatum. W. 2 carneum. H. K.	pectinated.  SERAPIAS. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider. Fly. SATYRIUM. cucullate. great-flowered. DISA. horned.	Orchideæ. B. P. Orchideæ. B. P. Orchideæ. B. P.	C. B. S.  Helleborinis sp. S. Europe.  England. Barbary. England.  Diplecthrum. C. B. S.	1787.  2. P. S. 1786. 1806.  1815.  P. S. 1787.	5.6. 7.8. 6.7. 4.5. 5.6.	G.4. G.4. G.4. H.4. G.4. H.4. G.4. G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2.  Mor.s.12.t.14.f.21. Bot. rep. 475.  Eng. bot. 383. Bot. reg. 205. 30. 103. Eng. bot. 65.  64.  Bot. rep. 315. 20. 103. Bot. mag. 1512.
BARTHOLINA. H.K. pectinata, H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W. 4 muscifera. H. K. SATYRIUM. H. K. 1 cucullatum. W. 2 carneum. H. K. DISA. Sw.	pectinated.  SERAPIAS. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider. Fly. SATYRIUM. cucullate. great-flowered. DISA.	Orchideæ. B. P. Orchideæ. B. P. Orchideæ. B. P.	C. B. S.  Helleborinis sp. S. Europe.  England. Barbary. England.  Diplecthrum. C. B. S.	1787.  2. P. S. 1786. 1806.  1815.  P. S. 1787.	5.6. 7.8. 6.7. 4.5. 5.6.	G.4. G.4. G.4. H.4. G.4. H.4. G.4. G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2.  Mor.s.12.t.14.f.21. Bot. rep. 475.  Eng. bot. 383. Bot. reg. 205. 30. 103. Eng. bot. 65.  64.  Bot. rep. 315. 20. 103. Bot. mag. 1512.
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W. 4 muscifera. H. K. SATYRIUM. H. K. 1 cucullatum. W. 2 carneum. H. K. DISA. Sw. 1 cornuta. W.	pectinated.  Serapias. tongue-lipped. heart-lipped. Ophrys. Bee. Saw-fly. Spider. Fly. Satyrium. cucullate. great-flowered. Disa. horned. spoon-lipped.	Orchideæ. B. P. Orchideæ. B. P. Orchideæ. B. P.	C. B. S.  Helleborinis sp. S. Europe.  England. Barbary. England.  Diplecthrum. C. B. S.	1787.  2. P. S. 1786. 1806.  1815.  P. S. 1787.	5.6. 7.8. 6.7. 4.5. 5.6.	G.4. G.4. G.4. H.4. G.4. H.4. G.4. G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2.  Mor.s.12.t.14.f.21. Bot. rep. 475.  Eng. bot. 383. Bot. reg. 205. 30. 103. Eng. bot. 65.  64.  Bot. rep. 315. 20. 103. Bot. mag. 1512.
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W. 4 muscifera. H. K. NATYRIUM. H. K. 1 cucullatum. W. 2 carneum. H. K. DISA. Sw. 1 cornuta. W. 2 spathulata. W. 3 prasinata. B. reg.	pectinated.  SERAPIAS. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider. Fly. SATYRIUM. cucullate. great-flowered. DISA. horned. spoon-lipped. green-flowered.	Orchideæ. B. P. Orchideæ. B. P. Orchideæ. B. P.	C. B. S.  Helleborinis sp. S. Europe.  England. Barbary. England.  Diplecthrum. C. B. S.	1787.  2. P. S. 1786. 1806.  1815.  P. S. 1787.	5.6. 7.8. 6.7. 4.5. 5.6.	G.4. G.4. G.4. H.4. G.4. H.4. G.4. G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2.  Mor.s.12.t.14.f.21. Bot. rep. 475.  Eng. bot. 388. Bot. reg. 205. 30. 103. Eng. bot. 65. ————————————————————————————————————
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W. 4 muscifera. H. K. SATYRIUM. H. K. 1 cucullatum. W. 2 carneum. H. K. DISA. Sw. 1 cornuta. W.	pectinated.  Serapias. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider. Fly. Satyrium. cucullate. great-flowered. Disa. horned. spoon-lipped. green-flowered. Pterygodium.	Orchideæ. B. P. Orchideæ. B. P. Orchideæ. B. P. Orchideæ. B. P.	C. B. S.  Helleborinis sp S. Europe.  England. Barbary. England.  Diplecthrum. C. B. S.	1787. p. P. S. 1786. 1806 1815 1805 1815.	10. 5.6. 7.8. 6.7. 4.5. 5.6. 6.9.	G.4. G.4. H.4. G.4. H.4. H.4. G.4. G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2.  Mor.s.12.t.14.f.21. Bot. rep. 475.  Eng. bot. 383. Bot. reg. 205. 30. 103. Eng. bot. 65.  64.  Bot. rep. 315. 20. 103. Bot. mag. 1512.
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W. 4 muscifera. H. K. NATYRIUM. H. K. 1 cucullatum. W. 2 carneum. H. K. DISA. Sw. 1 cornuta. W. 2 spathulata. W. 3 prasinata. B. reg.	pectinated.  SERAPIAS. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider. Fly. SATYRIUM. cucullate. great-flowered. DISA. horned. spoon-lipped. green-flowered.	Orchideæ. B. P. Orchideæ. B. P. Orchideæ. B. P. Orchideæ. B. P.	C. B. S.  Helleborinis sp S. Europe.  England. Barbary. England.  Diplecthrum. C. B. S.	1787.  2. P. S. 1786. 1806.  1815.  P. S. 1787.	10. 5.6. 7.8. 6.7. 4.5. 5.6. 6.9.	G.4. G.4. H.4. G.4. H.4. H.4. G.4. G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2.  Mor.s.12.t.14.f.21. Bot. rep. 475.  Eng. bot. 383. Bot. reg. 205. 30. 103. Eng. bot. 65.  64.  Bot. rep. 315. 20. 103. Bot. mag. 1512.
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W. 4 muscifera. H. K. SATYRIUM. H. K. 1 cucullatum. W. 2 carneum. H. K. DISA. Sw. 1 cornuta. W. 2 spathulata. W. 3 prasinata. B. reg. PTERYGODIUM. Sw. 1 volucris. W.	pectinated.  Serapias. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider. Fly. Satyrium. cucullate. great-flowered. DISA. horned. spoon-lipped. green-flowered. Pyerygodium. arrow-lipped.	Orchideæ. B. P. Orchideæ. B. P. Orchideæ. B. P. Orchideæ. B. P.	C. B. S.  Helleborinis sp S. Europe.  England. Barbary. England.  Diplecthrum. C. B. S.	1787. p. P. S. 1786. 1806 1815 1805 1815.	10. 5.6. 7.8. 6.7. 4.5. 5.6. 6.9.	G.4. G.4. H.4. G.4. H.4. H.4. G.4. G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2.  Mor.s.12.t.14.f.21. Bot. rep. 475.  Eng. bot. 383. Bot. reg. 205. 30. 103. Eng. bot. 65.  64.  Bot. rep. 315. 20. 103. Bot. mag. 1512.
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W. 4 muscifera. H. K. SATYRIUM. H. K. 1 cucullatum. W. 2 carneum. H. K. DISA. Sw. 1 cornuta. W. 2 spathulata. W. 3 prasinata. B. reg. PTERYGODIUM.Sw. 1 volucris. W. DISPERIS. Sw.	pectinated.  Serapias. tongue-lipped. heart-lipped. Ophrys. Bee. Saw-fly. Spider. Fly. Satyrium. cucullate. great-flowered. Disa. horned. spoon-lipped. green-flowered. Pterygodium. arrow-lipped. Dispers.	Orchideæ. B. P.	C. B. S.  Helleborinis sp. S. Europe.  England. Barbary. England.  Diplecthrum. C. B. S.  C. B. S.	1787.  p. P. S. 1786. 1806.  1815 1787.  1805.  1815.	10. 5.6. 7.8. 6.7. 4.5. 5.6. 6.9.	G.4. G.4. G.4. H.4. G.4. H.4. G.4. G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2.  Mor.s.12.t.14.f.21. Bot. rep. 475.  Eng. bot. 383. Bot. reg. 205. 30. 103. Eng. bot. 65.  64.  Bot. rep. 315. 20. 103. Bot. mag. 1512.
BARTHOLINA. H.K. pectinata, H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W. 4 muscifera. H. K. SATYRIUM. H. K. 1 cucullatum. W. 2 carneum. H. K. DISA. Sw. 1 cornuta. W. 2 spathulata. W. 3 prasinata. B. reg. PTERYGODIUM. Sw. 1 volucris. W. DISPERIS. Sw. secunda. W.	pectinated.  Serapias. tongue-lipped. heart-lipped. Ophrys. Bee. Saw-fly. Spider. Fly. Satyrium. cucullate. great-flowered. Disa. horned. spoon-lipped. green-flowered. Pterygodium. arrow-lipped. Dispers. side-flowering.	Orchideæ. B. P.	C. B. S.  Hellchorinis sp. S. Europe.  England. Barbary. England.  Diplecthrum. C. B. S.  C. B. S.  C. B. S.	1787.  o. P. S. 1786. 1806.  1815.  P. S. 1787.  1805.  1797.	10. 5.6. 7.8. 6.7. 4.5. 5.6. 6.9. 6.7.	G.4. G.4. G.4. H.4. G.4. H.4. G.4. G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2.  Mor.s.12.t.14.f.21. Bot. rep. 475.  Eng. bot. 383. Bot. reg. 205. 37. 103.  Eng. bot. 65.  64.  Bot. rep. 315. eng. 163.  Bot. mag. 1512.  Journ. Sc. & Arts, v. 4. t. 8. f. 3. Bot. reg. 209.
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera, W. 3 aranifera. W. 4 muscifera. H. K. NATYRIUM. H. K. 1 cucullatum. W. 2 carneum. H. K. DISA. Sw. 1 cornuta. W. 2 spathulata. W. 3 prasinata. B. reg. PTERYGODIUM. Sw. 1 volucris. W. DISPERIS. Sw. secunda. W. GOODYERA. H. K.	pectinated.  SERAPIAS. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider. Fly. SATYRIUM. cucullate. great-flowered. DISA. horned. spoon-lipped. green-flowered. PTERYGODIUM. arrow-lipped. DISPERIS. side-flowering. GOODYERA.	Orchideæ. B. P.	C. B. S.  Hellchorinis sp. S. Europe.  England. Barbary. England.  Diplecthrum. C. B. S.  C. B. S.  C. B. S.	1787.  o. P. S. 1786. 1806.  1815.  P. S. 1787.  1805.  1797.	10. 5.6. 7.8. 6.7. 4.5. 5.6. 6.9. 6.7.	G.4. G.4. G.4. H.4. G.4. H.4. G.4. G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2.  Mor.s.12.t.14.f.21. Bot. rep. 475.  Eng. bot. 383. Bot. reg. 205. 37. 103.  Eng. bot. 65.  64.  Bot. rep. 315. eng. 163.  Bot. mag. 1512.  Journ. Sc. & Arts, v. 4. t. 8. f. 3. Bot. reg. 209.
BARTHOLINA. H.K. pectinata, H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera, W. 3 aranifera. W. 4 muscifera. H. K. SATYRIUM. H. K. 1 cucullatum. W. 2 carneum. H. K. DISA. Sw. 1 cornuta. W. 2 spathulata. W. 3 prasinata. B. reg. PTERYGODIUM. Sw. 1 volucris. W. DISPERIS. Sw. secunda. W. GOODYERA. H. K. 1 repens. H. K.	pectinated.  Serapias. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider. Fly. Satyrium. cucullate. great-flowered. DISA. horned. spoon-lipped. green-flowered. Pterygodium. arrow-lipped. Dispersis. side-flowering. Goodyera. creeping.	Orchideæ. B. P.	C. B. S.  Hellchorinis sp. S. Europe.  England. Barbary. England.  Diplecthrum. C. B. S.  C. B. S.  C. B. S.	1787.  o. P. S. 1786. 1806.  1815.  P. S. 1787.  1805.  1797.	10. 5.6. 7.8. 6.7. 4.5. 5.6. 6.9. 6.7.	G.4. G.4. G.4. H.4. G.4. H.4. G.4. G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2.  Mor.s.12.t.14.f.21. Bot. rep. 475.  Eng. bot. 383. Bot. reg. 205. 37. 103.  Eng. bot. 65.  64.  Bot. rep. 315. eng. 163.  Bot. mag. 1512.  Journ. Sc. & Arts, v. 4. t. 8. f. 3. Bot. reg. 209.
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W. 4 muscifera. H. K. SATYRIUM. H. K. 1 cucullatum. W. 2 carneum. H. K. DISA. Sw. 1 cornuta. W. 2 spathulata. W. 3 prasinata. B. reg. PTERYGODIUM. Sw. 1 volucris. W. DISPERIS. Sw. secunda. W. GOODYERA. H. K. 1 repens. H. K.	pectinated.  Serapias. tongue-lipped. heart-lipped. Ophrys. Bee. Saw-fly. Spider. Fly. Satyrium. cucullate. great-flowered. DISA. horned. spoon-lipped. green-flowered. Pterygodium. arrow-lipped. DISPERIS. side-flowering. Goodyera. creeping. downy.	Orchideæ. B. P.	C. B. S.  Hellchorinis sp. S. Europe.  England. Barbary. England.  Diplecthrum. C. B. S.  C. B. S.  C. B. S.	1787.  o. P. S. 1786. 1806.  1815.  P. S. 1787.  1805.  1797.	10. 5.6. 7.8. 6.7. 4.5. 5.6. 6.9. 6.7.	G.4. G.4. G.4. H.4. G.4. H.4. G.4. G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2.  Mor.s.12.t.14.f.21. Bot. rep. 475.  Eng. bot. 383. Bot. reg. 205. 37. 103.  Eng. bot. 65.  64.  Bot. rep. 315. eng. 163.  Bot. mag. 1512.  Journ. Sc. & Arts, v. 4. t. 8. f. 3. Bot. reg. 209.
BARTHOLINA. H.K. pectinata, H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera, W. 3 aranifera. W. 4 muscifera. H. K. SATYRIUM. H. K. 1 cucullatum. W. 2 carneum. H. K. DISA. Sw. 1 cornuta. W. 2 spathulata. W. 3 prasinata. B. reg. PTERYGODIUM. Sw. 1 volucris. W. DISPERIS. Sw. secunda. W. GOODYERA. H. K. 1 repens. H. K.	pectinated.  Serapias. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider. Fly. Satyrium. cucullate. great-flowered. DISA. horned. spoon-lipped. green-flowered. Pterygodium. arrow-lipped. Dispersis. side-flowering. Goodyera. creeping.	Orchideæ. B. P.	C. B. S.  Hellchorinis sp. S. Europe.  England. Barbary. England.  Diplecthrum. C. B. S.  C. B. S.  C. B. S.	1787.  o. P. S. 1786. 1806.  1815.  P. S. 1787.  1805.  1797.	10. 5.6. 7.8. 6.7. 4.5. 5.6. 6.9. 6.7.	G.4. G.4. G.4. H.4. G.4. H.4. G.4. G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2.  Mor.s.12.t.14.f.21. Bot. rep. 475.  Eng. bot. 383. Bot. reg. 205. 37. 103.  Eng. bot. 65.  64.  Bot. rep. 315. eng. 163.  Bot. mag. 1512.  Journ. Sc. & Arts, v. 4. t. 8. f. 3. Bot. reg. 209.
BARTHOLINA. H.K.  pectinata. H. K.  SERAPIAS. H. K.  1 Lingua. W. 2 cordigera. W.  OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W. 4 muscifera. H. K.  SATYRIUM. H. K. 1 cucullatum. W. 2 carneum. H. K. DISA. Sw. 1 cornuta. W. 2 spathulata. W. 3 prasinata. B. reg. PTERYGODIUM. Sw. 1 volucris. W. DISPERIS. Sw. secunda. W. GOODYERA. H. K. 1 repens. H. K. 2 pubescens. H. K. 3 discolor. B. reg.	pectinated.  Serapias. tongue-lipped. heart-lipped. Ophrys. Bee. Saw-fly. Spider. Fly. Satyrium. cucullate. great-flowered. DISA. horned. spoon-lipped. green-flowered. Pterygodium. arrow-lipped. DISPERIS. side-flowering. Goodyera. creeping. downy.	Orchideæ. B. P.	C. B. S.  Helleborinis sp. S. Europe.  England. Barbary. England.  Diplecthrum. C. B. S.  C. B. S.  C. B. S.  Neottiæ sp. J. Scotland. N. America. S. America.	1787.  p. P. S. 1786. 1806.  1815.  1815. 1787.  1805.  1797.  1602. 1815.	10. 5.6. 7.8. 6.7. 4.5. 5.6. 6.9. 6.7. 6.7. 7.8. 7. 11.12	G.4. G.4. G.4. H.4. G.4. H.4. G.4. G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2.  Mor.s.12.t.14.f.21. Bot. rep. 475.  Eng. bot. 383. Bot. reg. 205. 30. 103.  Eng. bot. 65.  64.  Bot. rep. 315. eng. 103.  Journ. Sc. & Arts, v. 4. t. 8. f. 3. Bot. reg. 209.  Eng. bot. 289.  Bot. reg. 271. 2055
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W. 4 muscifera. H. K. NATYRIUM. H. K. 1 cucullatum. W. 2 carneum. H. K. DISA. Sw. 1 cornuta. W. 2 spathulata. W. 3 prasinata. B. reg. PTERYGODIUM. Sw. 1 volucris. W. DISPERIS. Sw. secunda. W. GOODYERA. H. K. 1 repens. H. K. 2 pubescens. H. K. 3 discolor. B. reg. NEOTTIA. B. P.	pectinated.  SERAPIAS. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider. Fly. SATYRIUM. cucullate. great-flowered. DISA. horned. spoon-lipped. green-flowered. PTERYGODIUM. arrow-lipped. DISPERIS. side-flowering. GOODYERA. creeping. downy. purple-leaved. NEOTTIA.	Orchideæ. B. P.	C. B. S.  Helleborinis sp. S. Europe.  England. Barbary. England.  Diplecthrum. C. B. S.  C. B. S.  C. B. S.  Neottiæ sp. J. Scotland. N. America. S. America.	1787.  p. P. S. 1786. 1806.  1815.  1815. 1787.  1805.  1797.  1602. 1815.	10. 5.6. 7.8. 6.7. 4.5. 5.6. 6.9. 6.7. 6.7. 7.8. 7. 11.12	G.4. G.4. G.4. H.4. G.4. H.4. G.4. G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2.  Mor.s.12.t.14.f.21. Bot. rep. 475.  Eng. bot. 383. Bot. reg. 205. 30. 103.  Eng. bot. 65.  64.  Bot. rep. 315. eng. 103.  Journ. Sc. & Arts, v. 4. t. 8. f. 3. Bot. reg. 209.  Eng. bot. 289.  Bot. reg. 271. 2055
BARTHOLINA. H.K. pectinata, H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W. 4 muscifera. H. K. SATYRIUM. H. K. 1 cucullatum. W. 2 carneum. H. K. DISA. Sw. 1 cornuta. W. 2 spathulata. W. 3 prasinata. B. reg. PTERYGODIUM. Sw. 1 volucris. W. DISPERIS. Sw. secunda. W. GOODYERA. H. K. 1 repens. H. K. 2 pubescens. H. K. 3 discolor. B. reg. NEOTTIA. B. P. 1 speciosa. W.	pectinated.  Serapias. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider. Fly. Satyrium. cucullate. great-flowered. DISA. horned. spoon-lipped. green-flowered. Pterygodium. arrow-lipped. Disperis. side-flowering. Goodyera. creeping. downy. purple-leaved. Neotha. showy.	Orchideæ. B. P.	C. B. S.  Helleborinis sp. S. Europe.  England. Barbary. England.  Diplecthrum. C. B. S.  C. B. S.  C. B. S.  Neottiæ sp. J. Scotland. N. America. S. America.	1787.  p. P. S. 1786. 1806.  1815.  1815. 1787.  1805.  1797.  1602. 1815.	10. 5.6. 7.8. 6.7. 4.5. 5.6. 6.9. 6.7. 6.7. 7.8. 7. 11.12	G.4. G.4. G.4. H.4. G.4. H.4. G.4. G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2.  Mor.s.12.t.14.f.21. Bot. rep. 475.  Eng. bot. 383. Bot. reg. 205. 30. 103.  Eng. bot. 65.  64.  Bot. rep. 315. eng. 103.  Journ. Sc. & Arts, v. 4. t. 8. f. 3. Bot. reg. 209.  Eng. bot. 289.  Bot. reg. 271. 2055
BARTHOLINA. H.K. pectinata. H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W. 4 muscifera. H. K. SATYRIUM. H. K. 1 cucullatum. W. 2 carneum. H. K. DISA. Sw. 1 cornuta. W. 2 spathulata. W. 3 prasinata. B. reg. PTERYGODIUM. Sw. 1 volucris. W. DISPERIS. Sw. secunda. W. GOODYERA. H. K. 1 repens. H. K. 2 pubescens. H. K. 3 discolor. B. reg. NEOTTIA. B. P. 1 speciosa. W. 2 orchioides. W.	pectinated.  Serapias. tongue-lipped. heart-lipped. Ophrys. Bee. Saw-fly. Spider. Fly. Satyrium. cucullate. great-flowered. Disa. horned. spoon-lipped. green-flowered. Pyerygodium. arrow-lipped. Disperis. side-flowering. Goodyera. creeping. downy. purple-leaved. Neottia. showy. frosted-flowered.	Orchideæ. B. P.	C. B. S.  Helleborinis sp. S. Europe.  England. Barbary. England.  Diplecthrum. C. B. S.  C. B. S.  C. B. S.  Neottiæ sp. J. Scotland. N. America. S. America.	1787.  p. P. S. 1786. 1806.  1815.  1815. 1787.  1805.  1797.  1602. 1815.	10. 5.6. 7.8. 6.7. 4.5. 5.6. 6.9. 6.7. 6.7. 7.8. 7. 11.12	G.4. G.4. G.4. H.4. G.4. H.4. G.4. G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2.  Mor.s.12.t.14.f.21. Bot. rep. 475.  Eng. bot. 383. Bot. reg. 205. 30. 103.  Eng. bot. 65.  64.  Bot. rep. 315. eng. 103.  Journ. Sc. & Arts, v. 4. t. 8. f. 3. Bot. reg. 209.  Eng. bot. 289.  Bot. reg. 271. 2055
BARTHOLINA. H.K. pectinata, H. K. SERAPIAS. H. K. 1 Lingua. W. 2 cordigera. W. OPHRYS. B. P. 1 apifera. W. 2 tenthredinifera. W. 3 aranifera. W. 4 muscifera. H. K. SATYRIUM. H. K. 1 cucullatum. W. 2 carneum. H. K. DISA. Sw. 1 cornuta. W. 2 spathulata. W. 3 prasinata. B. reg. PTERYGODIUM. Sw. 1 volucris. W. DISPERIS. Sw. secunda. W. GOODYERA. H. K. 1 repens. H. K. 2 pubescens. H. K. 3 discolor. B. reg. NEOTTIA. B. P. 1 speciosa. W.	pectinated.  Serapias. tongue-lipped. heart-lipped. OPHRYS. Bee. Saw-fly. Spider. Fly. Satyrium. cucullate. great-flowered. DISA. horned. spoon-lipped. green-flowered. Pterygodium. arrow-lipped. Disperis. side-flowering. Goodyera. creeping. downy. purple-leaved. Neotha. showy.	Orchideæ. B. P.	C. B. S.  Helleborinis sp. S. Europe.  England. Barbary. England.  Diplecthrum. C. B. S.  C. B. S.  C. B. S.  Neottiæ sp. J. Scotland. N. America. S. America.	1787.  D. P. S. 1786. 1806.  1815.  P. S. 1787.  1805.  1797.  1802. 1815. 1790. 1806.	10. 5.6. 7.8. 6.7. 4.5. 5.6. 6.9. 6.7. 7.8. 7. 11.12 4.6. 5. 4.6.	G.4. G.4. G.4. H.4. G.4. H.4. G.4. G.4.	Journ. Sc. & Arts, v. 4. t. 8. f. 2.  Mor.s.12.t.14.f.21. Bot. rep. 475.  Eng. bot. 383. Bot. reg. 205. 37. 103.  Eng. bot. 65.  64.  Bot. rep. 315. eng. 163.  Bot. mag. 1512.  Journ. Sc. & Arts, v. 4. t. 8. f. 3. Bot. reg. 209.

	GIN	didicity 1	TOTALLAD	TATTI.		201
5 cernua. W,	nodding-flower'd	Orchidea, B. P.	N. America.	1796.	7. H. 2.	Bot. mag. 1568.
6 spiralis. W.	Ladies-traces.					Eng. bot. 541.
PONTHIEVA. H. K.		Orchideæ. B. P.	Neottiæ sp. B.		·	
glandulosa. H. K.	glandular.				.3. S.4.	Bot. mag. 842.
DIURUS. B. P.	Diurus.	Orchideæ. B. P.				
aurea. B. P.	golden-flowered.		N. S. W.	1810	G.24.	Exot. bot. 1. t. 9.
THELYMITRA. B, P.	THELYMITRA.	Orchideæ. B. P.				
ixioides. B. P.	spotted blue.		N. S. W.	1810	G. 4.	Exot. bot. 1. t. 29.
LISTERA. H. K.	LISTERA.	Orchideæ. B. P.	Ophrydis sp. 1	E,B.		
1 ovata. H. K.	Twayblade.		· Britain.	5	.6. H 24.	Eng. bot. 1548.
2 cordata. H. K.	heart-leaved.				.7. H.24.	358.
EPIPACTIS. Sw.	EPIPACTIS.	Orchideæ. B. P.				_
1 Nidus-avis. W.	bird's nest.					Eng. bot. 48.
2 latifolia. W.	broad-leaved.					269.
3 palustris. W.	marsh.				11.4.	270.
4 pallens. W.	white.					<del></del>
5 ensifolia. W.	narrow-leaved.			• • • • •		494.
6 rubra. W.,	purple.				.7. H.4.	437.
POGONIA. H. K.	Pogonia.	Orchideæ. B. P.	Arethusæ sp. 1	<i>Pn</i> .		•
1 ophioglossoides.	Adder's-tongue.	-	N. America,	1816. 6	6.7. G. 24.	Bot. reg. 148,
B. reg.				1608	TT 21	Lam. ill. t, 729.f.3.
2 divaricata, H. K.	Lily-leaved.			1787	F1.4.	Lam, III. t, 729.1.3.
CALADENIA. B. P.	CALADENIA.	Orchideæ. B. P.	N.C W	1010 5	0 0 31	
alba. B. P. GLOSSODIA. B. P.	white.	Orchideæ. B. P.	14.0. W	1010. 7	.s. G.4.	
	GLOSSODIA.	Orenideæ. B. P.	M C W	1010	G. 2/.	
major, B. P. PTEROSTYLIS, B. P.	larger.	Orchideæ. B. P.	14.15.14.	1010.	G.4.	
obtusa. B. P.		Ofchiaeæ. B. F.	N S W	1010 7	0 63	
CALEYA. H. K.	blunt-lipped.	Orchideæ. B. P.			.8. G.4.	
major. H. K.	smooth-lipped.	Orchideæ. D. F.			G.4.	
CALOPOGON. H. K.		Orchideæ. B. P.			0.4.	
pulchellus. H. K.	tuberous-rooted.				78 F 31	Bot. mag. 116.
Limodorum tuberosi			- 11. IAIIICI IOD;	.,,	1.4.	1500. mag. 110.
ARETHUSA. H. K.	ARETHUSA.	Orchideæ. B. P.				
bulbosa. H. K.	bulbous.		N. America.		6.6. G.2L.	Pluk.man.t.348.f.7
BLETIA. H. K.	BLETIA.	Orchideæ. B. P.				2 2000
1 Tankervilliæ. H. K.			- China.	1778. 3	3.4. S. 2L.	Bot. mag. 1924.
2 verecunda. H. K.	tall.		W. Ind.	1733. 1	1.5. S. 24.	Bot. mag. 1924.
3 florida. H. K.	purple.		-	1786. 2	7.8. S. 21.	Redouté lil. 83.
4 hyaciuthina. H. K.		·	- China.	1802. 3	3.6. S. 1.	Bot. mag. 1492.
5 capitata. H. K.	headed.	-	· W. Ind.	1795. 6	5.7. S.4.	Bot. mag. 1492.
GEODORUM. H.K.	GEODORUM.	Orchideæ. B. P.	Limodori sp.	Roxb.		
1 purpureum. H. K.	purple.		Tr. Lod	1000 - 6	3.8. S. 4.	Roxb. cor. 1. t. 40.
2 citrinum. H. K.	Lemon-colour'd.			10	0.12. S. 4.	Bot. rep. 626. 7 Roxb. cor. 1. t. 39.
3 dilatatum. H. K.	shovel-lipped.			5	.8. S. 24.	Roxb. cor. 1. t. 39.
CALYPSO. P. L.	CALYPSO.	Orchideæ. B. P.		, *		
americana. H. K.	American.		N. America.	1805. 5	6.6. H.4.	Par. lond. 89.
MALAXIS. H. K.	MALAXIS.	Orchideæ. B. P.				500
1 paludosa. W.	marsh.		- England.		7. H.4.	Eng. bot. 72.
2 Loeselii. W.	Loesel's.					
3 lilifolia. W.	Lily-leaved.		N. America.	1758. 6	5.7. H.4.	Bot. rep. 65.
CORALLORRHI-	CORALLORRHIZA	Orchideæ. B. P.	Ophrydis sp.	E. B.		
ZA. H. K. jinnata. H. K.					TT at	Thum had area
	spurless.		- Scotland.		6.7. H.4.	Eng. bot. 1547.
ISOCHILUS. H. K.	Isochilus.	Orchideæ. B. P.	Cympian sp. 1	· · · · · · · · · · · · · · · · · · ·		T
1 linearis. H. K.	linear. proliferous.		W. Ind.			Jac.amer.t.131.f.1.
2 prolifer. H. K. ORNITHIDIUM.H.K.		Orchideæ. B. P.	Cambidii an		3.4.	A. 325
coccineum. H. K.	scarlet-flowered.				10 8 31	Bot mag 1427
STELIS. H. K.	STELIS.	Orchideæ. B. P.	- W. Ind.	1780. 1	.12. 0.4.	Bot. mag. 1437.
1 ophioglossoides. W.	tongue-lead.		- W. Ind.	1791. 5	5.6. S.4.	Jac.amer.t.133.f. 2,
	small-flowered.		- Jamaica.			Exot. bot. 2. t. 75.
2 micrantha. W. PLEUROTHAL- LIS. H. K.						augusto docto no to /Uo
LIS. H. K.	PLEUROTHALLIS.	Orchideæ. B. P.	Epidendri sp.	Jac.		
	(Butcher's- )					
ruscifolia. H. K.	broom-leavd	<del></del>	- W. Ind.	1791.	5.6. S.4.	Jac.amer.t.133.f.3.
OCTOMERIA. H. K.		Orchideæ. B. P.	Dendrobii sn.	W.		
graminifolia. H. K.			- W. Ind.		6.7. S.21.	Plum. ic. 176. f. 1.
		Do		1		

AERIDES. Sw.	AIR-PLANT.	Orchideæ. B. P.	Epidendri sp.	L.			
i paniculatum. B.reg.			- China.		5.8.	8.4.	Bot. reg. 220.
2 odoratum. H. K.	fragrant.	-		1800.		8.4.	
3 araclinites. Sw.	common.		Japan.	1793.	• • • •	S.4.	
CRYPTARRHENA )	CRYPTARRHENA.	Orchidere, B. P.					
B. reg.							
lunata. B. reg.	crescent-lipped.		- W. Ind.	1815.	5.8.	S. 4.	Bot. reg. 153.
DENDROBIUM.H.K		Orchideæ. B. P.					
1 speciosum. B. P.	showy.						Exot. bot. 1. t. 10,
2 linguiforme. B. P.	tongue-leaved.	•					1. t. 11.
3 Barringtoniæ. W.	large-flowered.		- W. Ind.	1790.	6.8.	S.4.	Smith ic. pict- 25.
GOMESA. B. M.	GOMESA.	Orchideæ. B. P.					
recurva. B. M.	recurved.				5.6.	S. 4.	Bot. mag. 1748.
CYMBIDIUM. H. K.		Orchideæ. B. P.	Epidendri sp.	L.			0
1 aloifolium. W.	Aloe-leaved.		E. Ind.				Bot. mag. 387.
2 ensifolium. W.	sword-leaved.						1751.
3 sinense. W.	Chinese.						888.
4 præmorsum. W.	snip-leaved.			1800.	6.	S. 4.	Roxb. cor. 1. t. 43.
5 tripterum. W.	triangular-fruitd.		- Jamaica.	1790.	6.7.	S.4.	Smith ic. pict. 14.
BRASSIA. H. K.	BRASSIA.	Orchideæ. B. P.	,				
maculata. H. K.	spotted-flower'd.		- Jamaica.	1806.	6.7.	S.4.	Bot. mag. 1691.
ONCIDIUM. Sw.	ONCIDIUM.	Orchideæ. B. P.	Epidendri sp.	L.			
1 altissimum. W.	sharp-petaled.		· W. Ind.	1793.	8.9.	S. 4.	Jac. amer. t. 141.
2 carthagenense. W.	Spread-eagle.			1791.	5.6.	S. 4.	Bot. mag. 777.
3 bifolium. H. K.	two-leaved.		S. America.	1811.	7.	S: 4.	<del></del>
4 triquetrum. H. K.	triangular-leavd.		Jamaica.	1793.		S. 24 .	
CYRTOPODIUM. }	Cypropopy						
H. K. }	CYRTOPODIUM.	Orchideæ. B. P.					
1 Andersonii. H. K.	Anderson's.		W. Ind.	1804.	5.8.	S. 24 .	Bot. mag. 1800.
2 Woodfordii. B. M.	Woodford's.		S. America.				1814.
BRASSAVOLA. H.K.	BRASSAVOLA.	Orchideæ. B. P.	Cymbidii sp. 1			•	
cucullata. H. K.	single-flowered.				6.9.	S. 24.	Bot. mag. 543.
BROUGHTONIA. ?		0 111 7 7	TO 7 7 ***			•	e e
H. K.	BROUGHTONIA.	Orchideæ. B. P.	Dendrobii sp.	w.			
sanguinea. H. K.	blood-coloured.		Jamaica.	1793.	6.7.	S. 24.	Slo.jam.1.t.121.f.2.
EPIDENDRUM. H.K	. EPIDENDRUM.	Orchideæ. B. P.					
1 cochlcatum. W.	dark-purple.		W. Ind.	1786.	12.2.	S. 24.	Bot. mag. 572.
2 fragrans. W.	sweet-scented.		Jamaica.				1669.
3 secundum. W.	side-flowering.		W. Ind.				Jac. amer. t. 137.
4 fuscatum. W.	brown.			1790.		S. 2L.	Bot, reg. 67.
5 elongatum. W.	long-stalked.			1798.	5.8.	S. 21 -	Bot. mag. 611.
6 umbellatum. W.	umbelled.		Jamaica.	1793.	6.7.	S. 2L.	Bot. reg. 80. 2030
7 nutans. W.	nodding.					S. 2L.	17.
8 conopseum. H. K.	Florida.		Florida.	1775.	8.	S. 21.	
9 ciliare. W.	fringed.		W Ind	1790.	28.	S. 21 .	Bot. mag. 463. 79
VANILLA. Sw.	VANILLA.	Orchideæ. B. P.	Enidendri en	r.	0.0	2.4.	Bott Mag. 1001 / (5
1 aromatica. H. K.	aromatic.				6.8.	S. h.	Plum.ic.183.t.188.
2 planifolia. H. K.	fragrant.		W. Ind.				Bot. rep. 538.
2 Plantona 22 12	1105101111		***************************************	10001	-2101	5.16.	Horrich, ogos
		*** * * * * * * * * * * * * * * * * *					
		DIANDRIA	٠.				
CYPRIPEDIUM. W.	LADIES-SLIPPER.	Orchideæ. B. P.					
1 Calceolus. W.	common.		England.		5.7.	H.4.	Eng. bot. 1.
2 parviflorum. W.	small-flowered.		N. America.	1759.	5.6.	H. 24.	Bot. mag. 911.
3 pubescens. W.	yellow-downy.			1790.		н.и.	W. hort. ber. 13.
4 spectabile. W.	white petalled.		-	1731.	6.7.	H. 4.	Bot. mag. 216.
5 humile. W.	two-leaved.			1786.	5.6.	H. 24.	<del></del>
6 arietinum. H. K.	Ram's-head.						<del></del>
STYLIDIUM. B. P.	STYLIDIUM.	Stylideæ. B. P.	Tentenatia. En	. R. C.	andoll	en Lal	5.
1 graminifolium. B.P.			N. S. W.	1803.	4.8.	G. 24.	Bot. reg. 90. 0 191
2 fruticosum. B. P.	shrubby.		N. Holland.		5.10.	G.b.	Par. lond. 77.
3 scandens. B. P.	climbing.						
GUNNERA. W.	GUNNERA.	Urticeæ? J.			,		1
	Marsh-mary-						
perpensa. W.	gold-leaved.		C. B. S.	1688.	• • • •	G.4.	Pluk. alm. t. 18. f.2.
							7340
		HEXANDRIA	Y. 1				
A DICTOR OF CALLY	n						
ARISTOLOCHIA.W.		Aristolochiæ. J.			4.5	6.	
1 trilobata. W.	three-lobed.		S. America.				T + 140
2 maxima. W.	greatest.		New Spain.	1759.	7.	5. h.	Jac. amer. t. 146.

#### MONŒCIA MONANDRIA.

3	Sipho. W.	broad-leaved.	Aristolochiæ. J.	N. America.	1763. 6.7. H. h.	Bot. mag. 534.
4	tomentosa. B. M.	downy-leaved.			1799. — H. h.	1369.
5	odoratissima. W.	sweet-scented.	·	Jamaica.	1737. 7. S.h.	Slo.jam. 1.t.104.f.1.
6	barbata, W.	bearded.		Caracas.	1796 S.4.	Jac. ic. 3. t. 608.
7	indica. W.	Indian.		E. Ind.	1780. 6.7. S.h.	Rheed.mal 8.1.25.
8	bœtica. W.	Spanish.		Spain.	1596. 5.6. H.4.	Moris.s.12.t.17.f.6
9	glanca. W.	glaucous-leaved.		Barbary.	1785. 7. G.h.	Bot. mag. 1115.
10	sempervirens. W.	evergreen.		Candia.	1727. 5.6. G.h.	1116.
11	longa. W.	long-rooted.		S. Europe.	1548. 6.10. H. 4.	Mill. ic. t. 51. f. 2.
12	Serpentaria. W.	Snake-root.		N. America.	1632. 6.7. H. 4.	Jac.schen.3.t,385,
13	bracteata. W.	bracteated.		E. Ind.	1793. 7. S.24.	
14	Pistolochia. W.	small.		S. Europe.	1597. 6.7. H.4.	
15	rotunda. W.	round-rooted.			1596. 3.10. G.4.	
16	pallida. W.	pale-flowered.		Italy.	1640. 5.8. H. 4.	Moris.s.12.t.18.f.2,
17	hirta. W.	ĥairy.		Chio.	1759. 5.6. G.4.	Tourn. it. 1. t. 147,
18	Clematitis. W.	common.		England.	5.8. H.4.	Eng. bot. 398,
19	arborescens. W,	tree.		America.	1737, 6.7. G.h.	

## CLASS XXI.

#### MONŒCIA MONANDRIA.

ZANNICHELLIA.W. POND WEED. Naiades. J.

palustris. W.	horned.	Nalades, 5.	Britain.		7	HO	Eng. bot. 1844.
CHARA. W.	CHARA.	Naiades. J.	Diltain.	• • • •	/ ·	11.0.	Eng. opt. 1044.
1 yulgaris. W.	common.		Britain.		7.8.	н.О.	Eng. bot. 336.
2 gracilis. H. K.	slender.		England.				2140.
3 hispida. W.	prickly.		Britain.		6.9.	Н ⊙.	463.
4 tomentosa. W.	tomentose.						Moris. s. 15. t. 4. f.9,
5 flexilis. W.	smooth.			• • • •			Eng. bot. 1070.
6 translucens. H. K.							1855.
7 nidifica. H. K. CERATOCARPUS.W	proliferous.	Chananadam P. D.		• • • •		H.O.	<del></del>
arenarius. W.	sand.	Chenopodeæ. B. P.		1757	63	но	Bux.in act.pet.1.t.9
ARTOCARPUS. W.	BREAD FRUIT.	Urticeæ. J.	t at tary.	1/5/-	0.7.	11	Duxin aptipetities
1 incisa. W.	true.		S. Sea Isl.	1793.	,	S. h .	Rumph.amb.1.t.33
O internitalia XXI	T //D						
2 integrifolia. W.	Jaca Tree.	-	E. Ind.	1778.	0.	D. 17 .	Rheed. mal. 3. t. 2θ-28,
CASUARINA. W.	CASUARINA.	Coniferæ. J.					
1 equisetifolia. W.		·					Rumph amb. 3. t.57
2 stricta, W.	upright.		N. S. W.				Bot, rep. 346.
3 distyla. W.	two-styled.	<del></del>	N. Holland.	1812.		G.h.	{ Vent.desc.pl.nov. t. 62.
4 torulosa. W.	Cork-barked.					G.h.	
5 quadrivalvis. P. S.	four-valved.	<del></del>		1812.		G.h.	{ Lab. nov. holl. 2. t, 218.
		DIANDRIA,					
ANGURIA. W.	Anguria.	Cucurbitaceæ. J,					
trilobata. W,	three-lobed.		Carthagena.	1793.	6.7.	S. 4.	Jac. amer. t. 156.
LEMNA. W.	DUCK WEED.	Naiades. J.					
1 trisulca. W.	Ivy-leaved.		Britain.				Eng. bot. 926.
2 minor. W.	lesser.						1095,
3 gibba. W.	gibbous,						
4 polyrhiza. W.	greater.			• • • •	5.9.	11.0.	2408,
		TRIANDRIA					
TYPHA. W.	CAT'S-TAIL,	Aroideæ. B. P.					
1 latifolia. W.							
			Britain.		7.	H. 1.	Eng. bot. 1455.
2 minor. W.	great. dwarf.						Eng. bot. 1455,
2 minor. W. 3 angustifolia. W.	great.		England.		7.	H.4.	
3 angustifolia. W. SPARGANIUM. W.	great. dwarf. lesser. Bur Reed.	Aroideæ. B. P.	England. Britain.	• • • •	7. 6.7.	H.4. H.4.	
3 angustifolia. W. SPARGANIUM. W. 1 ramosum. W.	great. dwarf. lesser. Bur Reed. branched.		England. Britain.	• • • • • • • • • • • • • • • • • • • •	7. 6.7. 7.8.	H.4. H.4.	1457. ————————————————————————————————————
3 angustifolia. W. SPARGANIUM. W. 1 ramosum. W. 2 simplex. W.	great. dwarf. lesser. BUR REED. branched. unbranched.	Aroideæ. B. P.	England. Britain. Britain.	• • • • • • • • • • • • • • • • • • • •	7. 6.7. 7.8.	H.4. H.4. H.4.	I 1457. ————————————————————————————————————
3 angustifolia. W. SPARGANIUM. W. 1 ramosum. W.	great. dwarf. lesser. Bur Reed. branched.	Aroideæ. B. P.	England. Britain.  Britain.  England.	• • • • • • • • • • • • • • • • • • • •	7. 6.7. 7.8.	H.4. H.4. H.4.	1457. ————————————————————————————————————

# MONŒCIA TRIANDRIA.

ZEA. W.	INDIAN CORN.	Gramineæ. J.					
Mays. W.	common.	Graninea. J.	America.	1569.	6.7.	HO	Lam. ill. t. 749.
TRIPSACUM. W.	TRIPSACUM.	Graminea, J.	A CHICLION	10020	0.7.	12.0.	Dam. III. to 745.
1 dactyloides. W.	rough-seeded.		Virginia.	1640.	8.	H.24.	Lam. ill. t. 750.
2 monostachyon. W.	single-spilled.		N. America.	1815.		н.ц.	W. hort. ber. t. 1.
3 hermaphrodi-	hermaphrodite.		Jamaica.	1776.	8.9.	S.O.	
tum. W. S	JoB's TEARS.					_	ole M. out -
1 Lachryma. W.	common.	Gramineæ. J.	W Ind			6 31	Rumph.am. t.75.f.2
2 agrestis. W.	round-fruited.			1810	0.7.	S.4.	6.t.9.f.1.
OLYRA. W.	OLYRA.	Gramineæ. J.		20120		2124	0,010,1212
paniculata. W.	broad-leaved.		W. Ind.	1783.	7.	S. 24 .	Sloa. jam. 1.t. 64.f. 2
CAREX. W.	CAREX.	Cyperaccæ. B. P.					
1 dioica. W.	diœcious.		- Britain.				Eng. bot. 543.
2 Davalliana. W. 3 Frascriana. H. K.	Davall's. Fraser's.		N. A	1000	4.0	- H. 4.	2123.
4 pauciflora. W.	few-flowered.		- IV. America.				Bot. mag. 1891. Eng. bot. 2041.
5 pulicaris. W.	Flea.						——————————————————————————————————————
6 cyperoides. W.	Bohemian.		Bohemia.				Schk. caric. t. A. f.5.
7 fœtida. W.	stinking.	-					
			- Switzerianu.				
8 incurva. W.	curved. black.	to the same products	- Scotland.				Eng. bot. 927.
9 atrata. W. 10 arenaria. W.	sand.						2044.
11 intermedia. W.	soft brown.				5.7	- M·4·	928.
12 Schreberi. W.	Schreber's.		- Germany.				Host.gram.1.t.46.
13 ovalis. W.	oval-spiked.		- Britain.			-H.4.	Eng. bot. 306.
14 lagopodioides. W.	Hare's Foot.		- N. America.	1805.		-H.4.	Sch.car.t.Yyy.f.177
15 scoparia. W.	Broom.			- 1812.		-H.4.	t.Xxx.f.175
16 vulpina. W.	great-spiked.		- Britain.				Eng. bot. 307.
17 appressa. B. P. 18 divisa. W.	close-spiked. bracteated.		- N. S. W.			- G. 4.	
19 brizoides. W.	Briza-like.		- Britain. - Germany				Eng. bot. 1096. Host. gram. 36. t. 47
20 muricata. W.	greater prickly.		- Britain.				Eng. bot. 1097.
21 divulsa. W.	gray.						629.
22 stelluluta. W.	little prickly.				5.6	. H. 21.	806.
23 rosea. W.	Rose.		- N. America.				Sch.car.t.Zzz.f.179
24 axillaris. W.	axillary.		- England.				Eng. bot. 993.
25 remota. W. 26 elongata. W.	remote. elongated.		- Britain.				- 832.
27 curta. W.	white.		- England. - Britain		5.0.	H 2/	1920. 1386.
							(Schk. car. t. Xxx
28 straminea. W.	slender-stalked.			1803.	6.7	. H. 24.	Schk. car. t. Xxx f. 174.
29 teretiuscula. W.	lesser-panicled.		- Britain.		5.6.	H.4.	Eng. bot. 1065.
30 paniculata. W.	great-panicled.		- England.	* * * *			1064.
31 clandestina. W.	dwarf silvery.						2124.
32 digitata. W. 33 plantaginea. W.	fingered. broad-leaved.				5.6	. £1.74.	Schk. car. t. U. f.70.
34 pilulifera. W.	round-headed.	1	- R. America. - Britain	1803.			Eng. bot. 885.
35 præcox. W.	vernal.	De Service de la Company de la	-				1099.
36 tomentosa. W.	downy-fruited.	-	- England.		6.	, н. 4.	2046
37 extensa. W.	long-bracted.		- Britain.			- H. 24.	
38 flava. W.	yellow.		70 1 1		5.6		1294.
39 Œderi. E. B. 40 fulva. W.	Œderian. tawny.		- England.	• • • •			1778
41 distans. W.	loose.		- Dritain.	- • • • •			
42 binervis. W.	green-ribbed.						1235.
43 rigida. W.	rigid.		-		6.7	H.21.	2047.
44 pulla. W.	russet.		- Scotland.		7.	H.4.	2045.
45 alpestris. W.	Alpine.		- Europe.				Schk. car. t.G.f. 35.
46 nitida. W.	glossy.	(m. 1. 1. 1) 1) 1 1 1 1 1 1 1 1 1 1 1 1 1					Host. gram.1. t.71.
47 Mielichhoferi. W. 48 depauperata. W.	loose-spiked.						Eng. bot. 2293.
49 granularis. W.	starved wood.		- England. - N. America.	1907	6.7	. H.4.	Sch.car.t.Vvv.f.169
50 anceps. W.	two-edged.		- 14. America.	- 1805.	7.8.	H.24.	t.Fff.f.128.
51 panicea. W.	Pink-leaved.		- Britain.				Eng. bot. 1505.
52 cæspitosa. W.	tufted bog.	***************************************					1507.
53 stricta. W.	straight-leaved.						914.
54 pendula. W.	great pendulous		271				2315.
55 strigosa. W.	roose beudulons		- England.		4.5	н.4.	994.

## MONŒCIA TETRANDRIA.

	AVE O1	CLOTTE IL	1 2011112				
56 capillaris. W.	capillary.	Cyperaceæ. B. P.	Britain.		7.8.	H.4.	Eng. bot. 2069.
57 pallescens. W.	pale.				4.6.	H.4.	2185.
58 ustulata. W.	scorched Alpine.		Scotland.		6.7.	H. 4.	2404.
59 limosa. W.	green and gold.		Britain.		6.	H. 4.	2043.
60 rariflora. E. B.	loose-flowered.		Scotland.			H.4.	2516.
61 lævigata. W.	smooth-stalked.	<del></del>	Britain.		5.6.	H.4.	<del></del> 1387.
62 Pseudo-Cyperus.W.	BastardCyperus.		Britain.		6.7.	H.4.	242.
			N. America.	1007		T-T 2/	Schk. car. t. Ddd. et Aaaa. f. 124.
63 flexuosa. W.	bending.		14. America.	1007.		11.4.	et Aaaa. f. 124.
64 sylvatica. E. B.	wood.				5.6.	H.4.	Eng. bot. 995.
65 recurva. W.	glaucous Heath.		England.			H.4.	1506.
66 nutans. W.	nodding.		Austria.	1815.	6.7.	H.24.	Host. gram.1. t.83.
67 salina. W.	salt marsh.		Norway.		6.	H.4.	
68 filiformis. W.	slender-leaved.		Britain.		6.7.	H.4.	Eng. bot. 904.
69 crinita. W.	haired.		N. America.	1807.		H. 4.	Sch.car.t.Eee.f.125
70 acuta: W.	slender-spiked.		Britain.		5.6.	H. 24.	Eng. bot. 580.
71 paludosa. W.	lesser common.					H.4.	807.
72 riparia. W.	great common.				4.6.	H. 24.	<del> 579.</del>
an abiliananna W	short-fruited.				67	H.24.	f Mich. gen. 62. t.
73 ambleocarpa. W.	short-maneu.						
74 vesicaria. W.	short-spiked.				5.6.	H.4.	Eng. bot. 779.
75 ampullacea. W.	slender-beaked.					T.I 2/	
	blistoned				c	TET 31	Schk. car. t. Uuu.
76 bullata. W.	blistered.		N. America.	1011.	0.	п.4.	€ f. 166.
77 hordeiformis. W.	Barley-form.			1805.	6.7.	H.4.	t. Ddd. f.121.
78 hirta. W,	hairy.		Britain.		5.6.	H.24.	Eng. bot. 685.
COMPTONIA. W.	COMPTONIA.	Amentaceæ. J.					
asplenifolia. W.	Fern-leaved.		N. America.	1714.	3.5.	H.h.	Plu.alm.t.100.f.6.7
AXYRIS. W.	AXYRIS.	Chenopodeæ. B. I	2.			-	
1 amaranthoides. W.	simple-spiked.		Siberia.	1758.	6.7.	H.O.	Gmel. sib. t. 2. f. 2.
2 hybrida. W.	bastard.			1780.	6.8.	H.O.	t. 4. f. 1.
3 prostrata. W.	trailing.			1798.	7.8.	$H.\widetilde{\odot}.$	t. 4. f. 2.
TRAGIA. W.	TRAGIA.	Euphorbiaceæ. J.					
1 volubilis. W.	twining.		W. Ind.	1739.	6.7.	S.b.	Trew.pl.rar. 2.t.15.
2 involucrata. W.	involucred.		E. Ind.				Jac. ic. 1. t. 190.
3 urens. W.	stinging.		Virginia.				Pluk.alm.t.107.f.5.
4 Chamælea. W.	lance-leaved.	P					Rheed. mal.2. t. 34.
5 cannabina. W.	Hemp-leaved.						Burm. ind. t.63. f.1.
HERNANDIA. W.	JACK IN A BOX.	Laurinæ? J.					
sonora. W.	peltate-leaved.		W. Ind.	1693.		S.b.	Rumph.amb.2.t.35
50120100 11 0	r						
		TETRANDRIA					
AUCUBA. W.	AUCUBA.	Rhamni? J. Eu					
japonica. W.	blotch-leaved.			1783.	5.7.	н.ь.	Bot. mag. 1197.
EMPLEURUM. W.	EMPLEURUM.	Diosmaceæ.					
serrulatum. W.	Cape.		C. B. S.	1774.	6.7.	G.b.	Exot. bot. 2. t. 63.
SERPICULA. W.	SERPICULA.	Onagrariæ. J.			, •		
repens. W.	creeping.	*	C. B. S.	1789.	7.8.	G. 24.	Lam. ill. t. 758.
LITTORELLA. W.	SHORE WEED.	Plantagineæ. B. P			, , , ,		
lacustris. W.	Plantain-leaved.				6.8.	H.24.	Eng. bot. 468.
ALNUS. W.	ALDER.	Amentaceæ. J. B		B,		7	0
1 glutinosa. W.	common.		Britain.	• • • •	3.4.	Н.Ь.	Eng. bot. 1508.
B laciniata.	cut-leaved.					•	Willd. arb. 44.
2 oblongata. W.	oblong-leaved.		S. Europe.			H. h.	
β elliptica.	elliptic-leaved.					,,,	
3 ineana. W.	hoary-leaved.		Europe.	1780.	6.	Н. 72.	
β angulata.	Elm-leaved.		•				
4 undulata. W.	curl-leaved.		N. America.	1782.	5.6.	H.b.	
5 serrulata. W.	notch-leaved.						Abb. ins. 2. t. 92.
CICCA. W.	CICCA.	Euphorbiaceæ. J.	,				
disticha. W.	long-leaved.		E. Ind.	1796.		S.h.	Jac.scheen.2.t.194.
BUXUS. W.	Box Trée.	Euphorbiaceæ. J.					
1 balearica. W.	Minorca.		Minorca.	1780.	7.	Н.Ъ.	
2 sempervirens. W.	common.		England.			•	Eng. bot. 1341.
β angustifolia.	narrow-leaved.						
y suffruticosa.	dwarf.						
PACHYSANDRA.Mi.		Euphorbiaceæ. J.					
procumbens. W.	trailing.		N. America.	1800.	3.4.	H. 21.	Bot. reg. 33.
DIOTIS. W.	Dioris.	Chenopodeæ. B. I					
ceratoides. W.	shrubby.		Siberia.			H. b.	Jac. ic. 1. t. 189.
	•					- 64	

URTICA. W.	NETTLE.	Urticeæ. J.			
1 pilulifera. W.	Roman.	Cricea. v.	77. 1 1	0 - 77 -	
			England.	6.8. H.⊙.	Eng. bot. 148.
2 balearica. W.	Balearic.		Balearic Isl.	1731. 6.7. H.⊙.	Blackw. t. 321. f. 1.
3 Dodartii. W.	Dodart's.		S. Europe.	1683. 7.8. H.⊙.	
4 grandifolia. W.	great-leaved.		Jamaica.	1793. — S. b.	Sloa.jam.1.t.83.f.2.
5 reticulata. W.	net-leaved.		Jamaica	1793. 6.8. S.h.	510aijaini 1. t. 00.11.2.
6 rufa. W.	rusty.	-	o amaica.		
			Y1	6.9. S.h.	
7 urens. W.	small.		Britain.	6.10. H.⊙.	Eng. bot. 1236.
8 dioica. W.	common.			7.9. H.4.	<del></del>
9 cannabina. W.	Hemp-leaved.		Siberia.	1749 H. 2.	Am.ruth. 249. t.25.
10 rugosa. W.	rough-leaved.		Jamaica.	1793. 5.7. S. d.	
11 nudicaulis. W.	naked-stalked.			- S.h.	
12 gracilis. W.	slender-stalked.		Hade 's Don	1782. 6.8. H.4.	
13 Parietaria. W.	and the same of th		Truus, s Day.		
	Pellitory-leaved.		Jamaica.	1793. 7.9. S.h.	Sloa.jam.1.t.93.f.1.
14 ciliata. W.	ciliated.			1815. — S. h.	
15 microphylla. W.	small-leaved.		W. Ind.		Sloa.jam.1.t.93.f.2.
16 scabrella. Rox.	rough.	-	E. Ind.	1815 S.h.	•
17 æstuans. W.	Surinam.		Surinam		Jac.scheen.3.t.388.
18 canadensis. W.	Canada,		Canada		
			Canada.		Plu.alm.t.239.f.2,
19 nivea. W.	white-leaved.		China.		Jac. vind, 2. t. 166,
20 baccifera. W.	berry-bearing.		S. America.	1793. 7.8. S.h.	Bot. rep. 454.
BŒHMERIA. W.	Всенмени.	Urticeæ. J.			
1 cylindrica. W.	cylindrical.		Virginia.	1759. 6.8. H.M.	Sloa.janı.1.t.82.f.2.
2 rubescens. W.	tree.	-	Canaries.		Jac. frag. t. 5. f. 1.
MORUS. W.	MULBERRY.	Urticeæ. J.		1.10. 4.0. G.N.	o,,c. 11ug. t. 0.1. 1.
	white.	Officeæ. J.	China	1500 C TT T	Calle hand a con-
1 alba. W.			China,		Schk.hand.3.t.290.
2 tatarica. W.	Tartarian,		Tartary.	1784. — H.h.	Pall. ros. 2. t. 52.
3 nigra. W.	common.		Italy.	1548. —— H. h.	
4 rubra. W.	red.		N. America.	1629. 6.7. H.h.	
5 tinctoria. W.	Fustick-wood.		W. Ind.	1739 S.h.	Plum ic t 204
• • • • • • • • • • • • • • • • • • • •		·	11 - 21241	2,000	1 Mill. 10. 6. 20-1.
		DESIGNATION (A			
200000100000000000000000000000000000000	_	PENTANDRIA.			•
SCHISANDRA. W.	Schisandra.	Menispermeæ? D			
- coccinea. W.	scarlet-flowered.		N. America.	1806. 6.7. G.h.	Bot. mag. 1413.
NEPHELIUM. W.	NEPHELIUM.	Corymbiferæ? J.			, and the second
	~				
lannaceum, W.	Bur-seeded.		E. Ind.	1800 S L	Lam ill + 764
lappaceum. W.	Bur-seeded.	Corumbiform? I	E. Ind.	1809 S.h.	Lam. ill. t. 764.
XANTHIUM. W.	XANTHIUM.	Corymbiferæ? J.			
XANTHIUM. W. 1 Strumarium. W.	XANTHIUM. Small Burdock.	Corymbiferæ? J.		7.9. H.⊙.	Eng. bot, 2544.
XANTHIUM. W.	XANTHIUM.	Corymbiferæ? J.		7.9. H.⊙.	
XANTHIUM. W. 1 Strumarium. W.	XANTHIUM. Small Burdock.	Corymbiferæ? J.		7.9. H.⊙. 1685. — H.⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291.
XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W.	XANTHIUM. Small Burdock. oriental. spiny.	Corymbiferæ? J.		7.9. H.⊙. 1685. — H.⊙.	Eng. bot, 2544.
XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W.	XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA.	Corymbiferæ? J.  Corymbiferæ? J.	England. China. S. Europe.	7.9. H.⊙. 1685. — H.⊙. 1713. — H.⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291.
XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph.	XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA. entire-leaved.	Corymbiferæ? J.  Corymbiferæ? J.	England. China. S. Europe. N. America.	7.9. H.⊙. 1685. — H.⊙. 1713. — H.⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246.
XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph.	XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA. entire-leaved. trifid-leaved.	Corymbiferæ? J.  Corymbiferæ? J.	England. China. S. Europe.	7.9. H.⊙. 1685. — H.⊙. 1713. — H.⊙. 1816. 7.9. H.⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246.
XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph.	XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA. entire-leaved. trifid-leaved.	Corymbiferæ? J.  Corymbiferæ? J.	England. China. S. Europe.	7.9. H.⊙. 1685. — H.⊙. 1713. — H.⊙. 1816. 7.9. H.⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246.
XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph.	XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA. entire-leaved. trifid-leaved.	Corymbiferæ? J.	England. China. S. Europe. N. America.	7.9. H. ①. 1685. — H. ②. 1713. — H. ②. 1816. 7.9. H. ③. 1699. — H. ③. 1696. 7.8. H. ③.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246. Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35.
XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph.	XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA. entire-leaved. trifid-leaved.	Corymbiferæ? J.	England. China. S. Europe. N. America.	7.9. H. ①. 1685. — H. ②. 1713. — H. ②. 1816. 7.9. H. ③. 1699. — H. ③. 1696. 7.8. H. ③.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246. Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35.
XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 5 paniculata. Ph.	Xanthium. Small Burdock. oriental. spiny. Ambrosia. entire-leaved. trifid-leaved, tall. Mugwort-leav'd.	Corymbiferæ? J.	England. China. S. Europe. N. America.	7.9. H. ①. 1685. — H. ②. 1713. — H. ②. 1816. 7.9. H. ③. 1699. — H. ③. 1696. 7.8. H. ③.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246. Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35.
XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 5 paniculata. Ph. 6 maritima. W.	XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea.	Corymbiferæ? J.	England. China. S. Europe. N. America.	7.9. H. ①. 1685. — H. ②. 1713. — H. ②. 1816. 7.9. H. ③. 1699. — H. ③. 1696. 7.8. H. ③.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246.
XANTHIUM. W.  1 Strumarium. W.  2 orientale. W.  3 spinosum. W.  AMBROSIA. W.  1 integrifolia. Ph.  2 trifida. Ph.  3 elatior. Ph.  4 artemisifolia. Ph.  5 paniculata. Ph.  6 maritima. W.  FRANSERIA. Cav.	XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. FRANSERIA.	Corymbiferæ? J.  Corymbiferæ? J.  Corymbiferæ? J,	England. China. S. Europe. N. America.  Italy,	7.9. H. ①. 1685. — H. ②. 1713. — H. ②. 1816. 7.9. H. ③. 1699. — H. ③. 1699. — H. ③. 1759. — H. ③. 1811. 7.9. H. ③. 1570. 7.8. H. ⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246.  Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35.  Pluk. alm. t. 10. f. 5. Schk. hand. 3. t. 292.
XANTHIUM. W.  1 Strumarium. W.  2 orientale. W.  3 spinosum. W.  AMBROSIA. W.  1 integrifolia. Ph.  2 trifida. Ph.  3 elatior. Ph.  4 artemisifolia. Ph.  5 paniculata. Ph.  6 maritima. W.  FRANSERIA. Cav.  1 artemisioides. W.	XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. FRANSERIA.	Corymbiferæ? J.  Corymbiferæ? J.  Corymbiferæ? J,	England. China. S. Europe. N. America.  Italy,	7.9. H.O. 1685. H.O. 1713. H.O. 1816. 7.9. H.O. 1699. H.O. 1696. 7.8. H.O. 1759. H.O. 1811. 7.9. H.O. 1570. 7.8. H.O.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246.  Moris. s. 6. t. 1. f. 4, Herm. lugdb. t. 35, Pluk. alm. t. 10. f. 5, Schk. hand. 3. t. 292, W. hort. ber. 2.
XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 5 paniculata. Ph. 6 maritima. W. FRANSERIA. Cav. 1 artemisioides. W. 2 ambrosioides. W.	XANTHIUM. Small Burdock. oriental. spiny. Ambrosia. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. Franseria. Mugwort-leav'd. Ambrosia-leav'd.	Corymbiferæ? J.  Corymbiferæ? J.  Corymbiferæ? J,	England. China. S. Europe. N. America.  Italy,	7.9. H. ①. 1685. — H. ②. 1713. — H. ②. 1816. 7.9. H. ③. 1699. — H. ③. 1699. — H. ③. 1759. — H. ③. 1811. 7.9. H. ③. 1570. 7.8. H. ⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246.  Moris. s. 6. t. 1. f. 4, Herm. lugdb. t. 35, Pluk. alm. t. 10. f. 5, Schk. hand. 3. t. 292, W. hort. ber. 2.
XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 5 paniculata. Ph. 6 maritima. W. FRANSERIA. Cav. 1 artemisioides. W. 2 ambrosioides. W. LUFFA. Cav.	XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. FRANSERIA. Mugwort-leav'd. Ambrosia-leav'd. LUFFA.	Corymbiferæ? J.  Corymbiferæ? J.  Corymbiferæ? J.  Cucurbitaceæ. J.	England. China. S. Europe. N. America.  Italy. Peru. Mexico.	7.9. H.O. 1685. H.O. 1713. H.O. 1816. 7.9. H.O. 1699. H.O. 1696. 7.8. H.O. 1759. H.O. 1570. 7.8. H.O. 1759. 7.9. G. h. 1796. G. h.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246.  Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35. Pluk. alm. t. 10. f. 5. Schk.hand. 3. t. 292. W. hort. ber. 2. Cav. ic. 2. t. 200.
XANTHIUM. W.  1 Strumarium. W.  2 orientale. W.  3 spinosum. W.  AMBROSIA. W.  1 integrifolia. Ph.  2 trifida. Ph.  3 elatior. Ph.  4 artemisifolia. Ph.  5 paniculata. Ph.  6 maritima. W.  FRANSERIA. Cav.  1 artemisioides. W.  2 ambrosioides. W.  LUFFA. Cav.  feetida. P. S.	XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. FRANSERIA. Mugwort-leav'd. Ambrosia-leav'd. LUFFA. stinking.	Corymbiferæ? J.  Corymbiferæ? J.  Corymbiferæ? J.	England. China. S. Europe. N. America.  Italy. Peru. Mexico. India.	7.9. H.O. 1685. H.O. 1713. H.O. 1816. 7.9. H.O. 1699. H.O. 1696. 7.8. H.O. 1759. H.O. 1811. 7.9. H.O. 1570. 7.8. H.O.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246.  Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35. Pluk. alm. t. 10. f. 5. Schk.hand. 3. t. 292. W. hort. ber. 2. Cav. ic. 2. t. 200.
XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 5 paniculata. Ph. 6 maritima. W. FRANSERIA. Cav. 1 artemisioides. W. 2 ambrosioides. W. LUFFA. Cav.	XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. FRANSERIA. Mugwort-leav'd. Ambrosia-leav'd. LUFFA. stinking. AMARANTH.	Corymbiferæ? J.  Corymbiferæ? J.  Corymbiferæ? J.  Cucurbitaceæ. J.	England. China. S. Europe. N. America. Italy, Peru. Mexico. India. P.	7.9. H.O. 1685. H.O. 1713. H.O. 1816. 7.9. H.O. 1699. H.O. 1696. 7.8. H.O. 1759. H.O. 1570. 7.8. H.O. 1759. 7.9. G. h. 1796. G. h.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246.  Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35. Pluk. alm. t. 10. f. 5. Schk.hand. 3. t. 292. W. hort. ber. 2. Cav. ic. 2. t. 200.
XANTHIUM. W.  1 Strumarium. W.  2 orientale. W.  3 spinosum. W.  AMBROSIA. W.  1 integrifolia. Ph.  2 trifida. Ph.  3 elatior. Ph.  4 artemisifolia. Ph.  5 paniculata. Ph.  6 maritima. W.  FRANSERIA. Cav.  1 artemisioides. W.  2 ambrosioides. W.  LUFFA. Cav.  fœtida. P. S.  AMARANTHUS. W.	XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. FRANSERIA. Mugwort-leav'd. Ambrosia-leav'd. LUFFA. stinking. AMARANTH.	Corymbiferæ? J.  Corymbiferæ? J.  Corymbiferæ? J.  Cucurbitaceæ. J.	England. China. S. Europe. N. America. Italy, Peru. Mexico. India. P.	7.9. H.⊙. 1685. — H.⊙. 1713. — H.⊙. 1816. 7.9. H.⊙. 1699. — H.⊙. 1699. — H.⊙. 1759. — H.⊙. 1759. — H.⊙. 1570. 7.8. H.⊙. 1759. 7.9. G. k. 1796. — G. k. 1812. 6.10. F.⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246.  Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35. Pluk. alm. t. 10. f. 5. Schk.hand. 3. t. 292. W. hort. ber. 2. Cav. ic. 2. t. 200.
XANTHIUM. W.  1 Strumarium. W.  2 orientale. W.  3 spinosum. W.  AMBROSIA. W.  1 integrifolia. Ph.  2 trifida. Ph.  3 elatior. Ph.  4 artemisifolia. Ph.  5 paniculata. Ph.  6 maritima. W.  FRANSERIA. Cav.  1 artemisioides. W.  2 ambrosioides. W.  LUFFA. Cav.  fœtida. P. S.  AMARANTHUS. W.  1 tenuifolius. W.	XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. FRANSERIA. Mugwort-leav'd. Ambrosia-leav'd. LUFFA. stinking. AMARANTH.	Corymbiferæ? J.  Corymbiferæ? J.  Corymbiferæ? J.  Cucurbitaceæ. J.	England. China. S. Europe. N. America. Italy, Peru. Mexico. India. P.	7.9. H. ①. 1685. H. ②. 1713. H. ②. 1816. 7.9. H. ③. 1699. H. ③. 1696. 7.8. H. ③. 1759. H. ②. 1811. 7.9. H. ③. 1570. 7.8. H. ③. 1759. 7.9. G. h. 1796. G. h. 1812. 6.10. F. ③. 1801. 7.9. H. ⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246.  Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35. Pluk. alm. t. 10. f. 5. Schk.hand. 3. t. 292. W. hort. ber. 2. Cav. ic. 2. t. 200.
XANTHIUM. W.  1 Strumarium. W.  2 orientale. W.  3 spinosum. W.  AMBROSIA. W.  1 integrifolia. Ph.  2 trifida. Ph.  3 elatior. Ph.  4 artemisifolia. Ph.  5 paniculata. Ph.  6 maritima. W.  FRANSERIA. Cav.  1 artemisioides. W.  2 ambrosioides. W.  LUFFA. Cav.  fœtida. P. S.  AMARANTHUS. W.  1 tenuifolius. W.  2 angustifolius. W.	XANTHIUM. Small Burdock. oriental. spiny. Ambrosia. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. Franseria. Mugwort-leav'd. Ambrosia-leav'd. LUFFA. stinking. Amaranth. fine-leaved. narrow-leaved.	Corymbiferæ? J.  Corymbiferæ? J.  Corymbiferæ? J.  Cucurbitaceæ. J.	England. China. S. Europe. N. America.  Italy, Peru. Mexico.  India. P. E. Ind. Levant.	7.9. H.⊙. 1685. — H.⊙. 1713. — H.⊙. 1816. 7.9. H.⊙. 1699. — H.⊙. 1696. 7.8. H.⊙. 1759. — H.⊙. 1570. 7.8. H.⊙. 1759. 7.9. G. ħ. 1796. — G. ħ. 1812. 6.10. F.⊙. 1801. 7.9. H.⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246.  Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35. Pluk. alm. t. 10. f. 5. Schk.hand. 3. t. 292. W. hort. ber. 2. Cav. ic. 2. t. 200. Bot. mag. 1638.
XANTHIUM. W.  1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 5 paniculata. Ph. 6 maritima. W. FRANSERIA. Cav. 1 artemisioides. W. 2 ambrosioides. W. LUFFA. Cav. fœtida. P. S. AMARANTHUS. W. 1 tenuifolius. W. 2 angustifolius. W. 3 albus. W.	XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. FRANSERIA. Mugwort-leav'd. LUFFA. stinking. AMBANATH. fine-leaved. marrow-leaved. white.	Corymbiferæ? J.  Corymbiferæ? J.  Corymbiferæ? J.  Cucurbitaceæ. J.  Amaranthaceæ. B.	England. China. S. Europe. N. America. Italy. Peru. Mexico. India. P. E. Ind. Levant. N. America.	7.9. H.⊙. 1685. — H.⊙. 1713. — H.⊙. 1816. 7.9. H.⊙. 1699. — H.⊙. 1696. 7.8. H.⊙. 1759. — H.⊙. 1570. 7.8. H.⊙. 1759. 7.9. G. ħ. 1796. — G. ħ. 1812. 6.10. F.⊙. 1801. 7.9. H.⊙. 1723. — H.⊙. 1778. — H.⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246.  Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35. Pluk. alm. t. 10. f. 5. Schk.hand. 3. t. 292. W. hort. ber. 2. Cav. ic. 2. t. 200. Bot. mag. 1638.  W. amar. 9. t. 1. f. 2.
XANTHIUM. W.  1 Strumarium. W.  2 orientale. W.  3 spinosum. W.  AMBROSIA. W.  1 integrifolia. Ph.  2 trifida. Ph.  3 elatior. Ph.  4 artemisifolia. Ph.  5 paniculata. Ph.  6 maritima. W.  FRANSERIA. Cav.  1 artemisioides. W.  2 ambrosioides. W.  LUFFA. Cav.  fœtida. P. S.  AMARANTHUS. W.  1 tenuifolius. W.  2 angustifolius. W.  3 albus. W.  4 græcizans. W.	XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. FRANSERIA. Mugwort-leav'd. LUFFA. stinking. AMARANTH. fine-leaved. narrow-leaved. white. Pellitory-leaved.	Corymbiferæ? J.  Corymbiferæ? J.  Corymbiferæ? J.  Cucurbitaceæ. J.  Amaranthaceæ. B.	England. China. S. Europe. N. America.  Italy. Peru. Mexico. India. P. E. Ind. Levant. N. America.	7.9. H.⊙. 1685. — H.⊙. 1713. — H.⊙. 1816. 7.9. H.⊙. 1699. — H.⊙. 1759. — H.⊙. 1570. 7.8. H.⊙. 1759. 7.9. G. k. 1796. — G. k. 1812. 6.10. F.⊙. 1801. 7.9. H.⊙. 1723. — H.⊙. 1778. — H.⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246.  Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35. Pluk. alm. t. 10. f. 5. Schk.hand. 3. t. 292. W. hort. ber. 2. Cav. ic. 2. t. 200. Bot. mag. 1638.  W. amar. 9. t. 1. f. 2. ———————————————————————————————————
XANTHIUM. W.  1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 5 paniculata. Ph. 6 maritima. W. FRANSERIA. Cav. 1 artemisioides. W. 2 ambrosioides. W. LUFFA. Cav. fœtida. P. S. AMARANTHUS. W. 1 tenuifolius. W. 2 angustifolius. W. 3 albus. W.	XANTHIUM. Small Burdock. oriental. spiny. Ambrosia. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. Franseria. Mugwort-leav'd. Ambrosia-leav'd. LUFFA. stinking. AMARANTH. fine-leaved. narrow-leaved. white. Pellitory-leaved. melancholy.	Corymbiferæ? J.  Corymbiferæ? J.  Corymbiferæ? J.  Cucurbitaceæ. J.  Amaranthaceæ. B.	England. China. S. Europe. N. America.  Italy. Peru. Mexico. India. P. E. Ind. Levant. N. America. E. Ind.	7.9. H.⊙. 1685. H.⊙. 1713. H.⊙. 1816. 7.9. H.⊙. 1699. H.⊙. 1699. H.⊙. 1579. H.⊙. 1570. 7.8. H.⊙. 1759. 7.9. G. h. 1796. G. h. 1812. 6.10. F.⊙. 1801. 7.9. H.⊙. 1723. H.⊙. 1759. 7.9. H.⊙. 1759. 7.9. H.⊙. 1759. 7.9. H.⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246.  Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35. Pluk. alm. t. 10. f. 5. Schk. hand. 3. t. 292. W. hort. ber. 2. Cav. ic. 2. t. 200, Bot. mag. 1638.  W. amar. 9. t. 1. f. 2.  8. t. 4. f. 7.  15. t. 9. f. 18.
XANTHIUM. W.  1 Strumarium. W.  2 orientale. W.  3 spinosum. W.  AMBROSIA. W.  1 integrifolia. Ph.  2 trifida. Ph.  3 elatior. Ph.  4 artemisifolia. Ph.  5 paniculata. Ph.  6 maritima. W.  FRANSERIA. Cav.  1 artemisioides. W.  2 ambrosioides. W.  LUFFA. Cav.  fœtida. P. S.  AMARANTHUS. W.  1 tenuifolius. W.  2 angustifolius. W.  3 albus. W.  4 græcizans. W.	XANTHIUM. Small Burdock. oriental. spiny. Ambrosia. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. Franseria. Mugwort-leav'd. Ambrosia-leav'd. LUFFA. stinking. AMARANTH. fine-leaved. narrow-leaved. white. Pellitory-leaved. melancholy.	Corymbiferæ? J.  Corymbiferæ? J.  Corymbiferæ? J.  Cucurbitaceæ. J.  Amaranthaceæ. B.	England. China. S. Europe. N. America.  Italy. Peru. Mexico. India. P. E. Ind. Levant. N. America. E. Ind.	7.9. H.⊙. 1685. H.⊙. 1713. H.⊙. 1816. 7.9. H.⊙. 1699. H.⊙. 1699. H.⊙. 1579. H.⊙. 1570. 7.8. H.⊙. 1759. 7.9. G. h. 1796. G. h. 1812. 6.10. F.⊙. 1801. 7.9. H.⊙. 1723. H.⊙. 1759. 7.9. H.⊙. 1759. 7.9. H.⊙. 1759. 7.9. H.⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246.  Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35. Pluk. alm. t. 10. f. 5. Schk. hand. 3. t. 292. W. hort. ber. 2. Cav. ic. 2. t. 200, Bot. mag. 1638.  W. amar. 9. t. 1. f. 2.  8. t. 4. f. 7.  15. t. 9. f. 18.
XANTHIUM. W.  1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 5 paniculata. Ph. 6 maritima. W. FRANSERIA. Cav. 1 artemisioides. W. 2 ambrosioides. W. LUFFA. Cav. fœtida. P. S. AMARANTHUS. W. 1 tenuifolius. W. 2 angustifolius. W. 3 albus. W. 4 græcizans. W. 5 melancholicus. W. 6 tricolor. W.	Xanthium. Small Burdock. oriental. spiny. Ambrosia. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. Franseria. Mugwort-leav'd. Ambrosia-leav'd. Luffa. stinking. Amaranth. fine-leaved. narrow-leaved. white. Pellitory-leaved. melancholy. three-coloured.	Corymbiferæ? J.  Corymbiferæ? J.  Corymbiferæ? J.  Cucurbitaceæ. J.  Amaranthaceæ. B.	England. China. S. Europe. N. America.  Italy, Peru. Mexico. India. P. E. Ind. Levant. N. America. E. Ind.	7.9. H. ①. 1685. — H. ②. 1713. — H. ②. 1816. 7.9. H. ③. 1699. — H. ③. 1699. — H. ③. 1759. H. ③. 1570. 7.8. H. ③. 1759. 7.9. G. ħ. 1812. 6.10. F. ④. 1812. 6.10. F. ④. 1723. — H. ④. 1759. 7.9. H. ④. 1778. — H. ④. 1759. 7.9. H. ④. 1759. 7.9. H. ④. 1759. 7.9. H. ④. 1759. 7.9. H. ⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246.  Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35. Pluk. alm. t. 10. f. 5. Schk.hand. 3. t. 292. W. hort. ber. 2. Cav. ic. 2. t. 200. Bot. mag. 1638.  W. amar. 9. t. 1. f. 2. ———————————————————————————————————
XANTHIUM. W.  1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 5 paniculata. Ph. 6 maritima. W. FRANSERIA. Cav. 1 artemisioides. W. 2 ambrosioides. W. LUFFA. Cav. fœtida. P. S. AMARANTHUS. W. 1 tenuifolius. W. 2 angustifolius. W. 3 albus. W. 4 græcizans. W. 5 melancholicus. W. 6 tricolor. W. 7 bicolor. W.	XANTHIUM. Small Burdock. oriental. spiny. Ambrosia. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. Franseria. Mugwort-leav'd. Ambrosia-leav'd. LUFFA. stinking. Amaranth. fine-leaved. narrow-leaved. white. Pellitory-leaved. melancholy. three-coloured.	Corymbiferæ? J.  Corymbiferæ? J.  Corymbiferæ? J.  Cucurbitaceæ. J.  Amaranthaceæ. B.	England. China. S. Europe. N. America.  Italy, Peru. Mexico.  India. P. E. Ind. Levant. N. America.  E. Ind.	7.9. H.O. 1685. — H.O. 1713. — H.O. 1816. 7.9. H.O. 1699. — H.O. 1699. — H.O. 1696. 7.8. H.O. 1759. T.O. 1570. 7.8. H.O. 1759. 7.9. G. h. 1796. — G. h. 1812. 6.10. F.O. 1723. — H.O. 1723. — H.O. 1731. 6.9. H.O. 1548. — S.O. 1548. — S.O.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246.  Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35. Pluk. alm. t. 10. f. 5. Schk.hand. 3. t. 292. W. hort. ber. 2. Cav. ic. 2. t. 200. Bot. mag. 1638.  W. amar. 9. t. 1. f. 2.  ——————————————————————————————————
XANTHIUM. W.  1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 6 maritima. W. FRANSERIA. Cav. 1 artemisioides. W. 2 ambrosioides. W. LUFFA. Cav. fœtida. P. S. AMARANTHUS. W. 1 tenuifolius. W. 2 angustifolius. W. 3 albus. W. 4 græcizans. W. 5 melancholicus. W. 6 tricolor. W. 7 bicolor. W. 8 polygamus. W.	Xanthium. Small Burdock. oriental. spiny. Ambrosia. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. Franseria. Mugwort-leav'd. Luffa. stinking. Ambrosia-leav'd. Luffa. stinking. Amarath. fine-leaved. narrow-leaved. white. Pellitory-leaved. melancholy. three-coloured. two-coloured. hermaphrodite.	Corymbiferæ? J.  Corymbiferæ? J.  Corymbiferæ? J.  Cucurbitaceæ. J.  Amaranthaceæ. B.	England. China. S. Europe. N. America.  Italy, Peru. Mexico. India. P. E. Ind. Levant. N. America. E. Ind.	7.9. H.⊙. 1685. — H.⊙. 1713. — H.⊙. 1816. 7.9. H.⊙. 1699. — H.⊙. 1699. — H.⊙. 1699. — H.⊙. 1759. — H.⊙. 1811. 7.9. H.⊙. 1759. 7.9. G. ħ. 1796. — G. ħ. 1812. 6.10. F.⊙. 1801. 7.9. H.⊙. 1723. — H.⊙. 1723. — H.⊙. 1731. 6.9. H.⊙. 1731. 6.9. H.⊙. 1802. 7.9. H.⊙. 1802. 7.9. H.⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246.  Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35.  Pluk. alm. t. 10. f. 5. Schk.hand. 3. t. 292.  W. hort. ber. 2. Cav. ic. 2. t. 200.  Bot. mag. 1638.  W. amar. 9. t. 1. f. 2.  8. t. 4. f. 7.  15. t. 9. f. 18. Knor.the. 2. t. A. 3. 5.  Rumph. amb. 5. t. 82
XANTHIUM. W.  1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 6 maritima. W. FRANSERIA. Cav. 1 artemisioides. W. 2 ambrosioides. W. LUFFA. Cav. fœtida. P. S. AMARANTHUS. W. 1 tenuifolius. W. 2 angustifolius. W. 2 angustifolius. W. 3 albus. W. 4 græcizans. W. 5 melancholicus. W. 6 tricolor. W. 7 bicolor. W. 8 polygamus. W. 9 gangeticus. W.	XANTHIUM. Small Burdock. oriental. spiny. AMBROSIA. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. FRANSERIA. Mugwort-leav'd. LUFFA. stinking. AMARANTH. fine-leaved. narrow-leaved. white. Pellitory-leaved. melancholy. three-coloured. two-coloured. two-coloured. hermaphrodite. oval-spiked.	Corymbiferæ? J.  Corymbiferæ? J.  Corymbiferæ? J.  Cucurbitaceæ. J.  Amaranthaceæ. B.	England. China. S. Europe. N. America.  Italy. Peru. Mexico. India. P. E. Ind. Levant. N. America. E. Ind.	7.9. H.⊙. 1685. — H.⊙. 1713. — H.⊙. 1816. 7.9. H.⊙. 1699. — H.⊙. 1696. 7.8. H.⊙. 1759. — H.⊙. 1759. 7.9. G. k. 1796. — G. k. 1812. 6.10. F.⊙. 1801. 7.9. H.⊙. 1723. — H.⊙. 1723. — H.⊙. 1731. 6.9. H.⊙. 1748. — S.⊙. 1802. 7.9. H.⊙. 1780. — H.⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246.  Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35. Pluk. alm. t. 10. f. 5. Schk.hand. 3. t. 292. W. hort. ber. 2. Cav. ic. 2. t. 200. Bot. mag. 1638.  W. amar. 9. t. 1. f. 2.  ——————————————————————————————————
XANTHIUM. W.  1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 5 paniculata. Ph. 6 maritima. W. FRANSERIA. Cav. 1 artemisioides. W. 2 ambrosioides. W. LUFFA. Cav. fœtida. P. S. AMARANTHUS. W. 1 tenuifolius. W. 2 angustifolius. W. 3 albus. W. 4 græcizans. W. 5 melancholicus. W. 6 tricolor. W. 7 bicolor. W. 8 polygamus. W. 9 gangeticus. W. 10 mangostanus. W.	Xanthium. Small Burdock. oriental. spiny. Ambrosia. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. Franseria. Mugwort-leav'd. Ambrosia-leav'd. Luffa. stinking. Amaranth. fine-leaved. narrow-leaved. white. Pellitory-leaved. melancholy. three-coloured. two-coloured. hermaphrodite. oval-spiked. rhomb-leaved.	Corymbiferæ? J.  Corymbiferæ? J.  Corymbiferæ? J.  Cucurbitaceæ. J.  Amaranthaceæ. B.	England. China. S. Europe. N. America.  Italy. Peru. Mexico. India. P. E. Ind. Levant. N. America.  E. Ind.	7.9. H.⊙. 1685. — H.⊙. 1713. — H.⊙. 1816. 7.9. H.⊙. 1699. — H.⊙. 1699. — H.⊙. 1696. 7.8. H.⊙. 1759. H.⊙. 1570. 7.8. H.⊙. 1759. 7.9. G. ħ. 1812. 6.10. F.⊙. 1801. 7.9. H.⊙. 1723. — H.⊙. 1723. — H.⊙. 1723. — H.⊙. 1759. 7.9. H.⊙. 1759. 19. H.⊙. 1760. — H.⊙. 1778. — H.⊙. 1778. — H.⊙. 1778. — H.⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246.  Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35. Pluk. alm. t. 10. f. 5. Schk.hand. 3. t. 292. W. hort. ber. 2. Cav. ic. 2. t. 200. Bot. mag. 1638.  W. amar. 9. t. 1. f. 2.  ——————————————————————————————————
XANTHIUM. W.  1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 6 maritima. W. FRANSERIA. Cav. 1 artemisioides. W. 2 ambrosioides. W. LUFFA. Cav. fœtida. P. S. AMARANTHUS. W. 1 tenuifolius. W. 2 angustifolius. W. 2 angustifolius. W. 3 albus. W. 4 græcizans. W. 5 melancholicus. W. 6 tricolor. W. 7 bicolor. W. 8 polygamus. W. 9 gangeticus. W.	XANTHIUM. Small Burdock. oriental. spiny. Ambrosia. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. Franseria. Mugwort-leav'd. Ambrosia-leav'd. LUFFA. stinking. Amaranti. fine-leaved. narrow-leaved. white. Pellitory-leaved. melancholy. three-coloured. two-coloured. hermaphrodite. oval-spiked. rhomb-leaved. many-spiked.	Corymbiferæ? J.  Corymbiferæ? J.  Corymbiferæ? J.  Cucurbitaceæ. J.  Amaranthaceæ. B.	England. China. S. Europe. N. America.  Italy. Peru. Mexico. India. P. E. Ind. Levant. N. America. E. Ind.	7.9. H. ①. 1685. — H. ②. 1713. — H. ②. 1816. 7.9. H. ③. 1699. — H. ③. 1699. — H. ③. 1759. H. ③. 1570. 7.8. H. ③. 1759. 7.9. G. ħ. 1759. G. ħ. 1812. 6.10. F. ④. 1812. 6.10. F. ④. 1723. — H. ④. 1723. — H. ④. 1731. 6.9. H. ④. 1731. 6.9. H. ④. 1731. 6.9. H. ④. 1731. 6.9. H. ⑥. 1731. 6.9. H. ⑥. 1731. 6.9. H. ⑥. 1731. 6.9. H. ⑥. 1731. 16.9. H. ⑥. 1731. 16.9. H. ⑥. 1731.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246.  Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35. Pluk. alm. t. 10. f. 5. Schk.hand. 3. t. 292. W. hort. ber. 2. Cav. ic. 2. t. 200, Bot. mag. 1638.  W. amar. 9. t. 1. f. 2. ———————————————————————————————————
XANTHIUM. W.  1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 5 paniculata. Ph. 6 maritima. W. FRANSERIA. Cav. 1 artemisioides. W. 2 ambrosioides. W. LUFFA. Cav. fœtida. P. S. AMARANTHUS. W. 1 tenuifolius. W. 2 angustifolius. W. 3 albus. W. 4 græcizans. W. 5 melancholicus. W. 6 tricolor. W. 7 bicolor. W. 8 polygamus. W. 9 gangeticus. W. 10 mangostanus. W.	Xanthium. Small Burdock. oriental. spiny. Ambrosia. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. Franseria. Mugwort-leav'd. Ambrosia-leav'd. Luffa. stinking. Amaranth. fine-leaved. narrow-leaved. white. Pellitory-leaved. melancholy. three-coloured. two-coloured. hermaphrodite. oval-spiked. rhomb-leaved.	Corymbiferæ? J.  Corymbiferæ? J.  Corymbiferæ? J.  Cucurbitaceæ. J.  Amaranthaceæ. B.	England. China. S. Europe. N. America.  Italy. Peru. Mexico. India. P. E. Ind. Levant. N. America. E. Ind.	7.9. H. ①. 1685. — H. ②. 1713. — H. ②. 1816. 7.9. H. ③. 1699. — H. ③. 1699. — H. ③. 1759. H. ③. 1570. 7.8. H. ③. 1759. 7.9. G. ħ. 1759. G. ħ. 1812. 6.10. F. ④. 1812. 6.10. F. ④. 1723. — H. ④. 1723. — H. ④. 1731. 6.9. H. ④. 1731. 6.9. H. ④. 1731. 6.9. H. ④. 1731. 6.9. H. ⑥. 1731. 6.9. H. ⑥. 1731. 6.9. H. ⑥. 1731. 6.9. H. ⑥. 1731. 16.9. H. ⑥. 1731. 16.9. H. ⑥. 1731.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246.  Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35. Pluk. alm. t. 10. f. 5. Schk.hand. 3. t. 292. W. hort. ber. 2. Cav. ic. 2. t. 200. Bot. mag. 1638.  W. amar. 9. t. 1. f. 2.  ——————————————————————————————————
XANTHIUM. W. 1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 5 paniculata. Ph. 6 maritima. W. FRANSERIA. Cav. 1 artemisioides. W. 2 ambrosioides. W. LUFFA. Cav. fœtida. P. S. AMARANTHUS. W. 1 tenuifolius. W. 2 angustifolius. W. 3 albus. W. 4 græcizans. W. 5 melancholicus. W. 6 tricolor. W. 7 bicolor. W. 8 polygamus. W. 9 gangeticus. W. 10 mangostanus. W. 11 polystachyus. W. 12 tristis. W.	Xanthium. Small Burdock. oriental. spiny. Ambrosia. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. Franseria. Mugwort-leav'd. Ambrosia-leav'd. Luffa. stinking. Amaranth. fine-leaved. marrow-leaved. white. Pellitory-leaved. melancholy. three-coloured. two-coloured. hermaphrodite. oval-spiked. round-headed.	Corymbiferæ? J.  Corymbiferæ? J.  Corymbiferæ? J.  Cucurbitaceæ. J.  Amaranthaceæ. B.	England. China. S. Europe. N. America.  Italy. Peru. Mexico.  India. P. E. Ind. Levant. N. America.  E. Ind.	7.9. H.⊙. 1685. — H.⊙. 1713. — H.⊙. 1816. 7.9. H.⊙. 1699. — H.⊙. 1696. 7.8. H.⊙. 1759. H.⊙. 1570. 7.8. H.⊙. 1759. 7.9. G. ħ. 1796. — G. ħ. 1812. 6.10. F.⊙. 1781. — H.⊙. 1782. — H.⊙. 1778. — H.⊙. 1781. 6.9. H.⊙. 1780. — H.⊙. 1780. — H.⊙. 1780. — H.⊙. 1780. — H.⊙. 1781. — H.⊙. 1781. — H.⊙. 1780. — H.⊙. 1801. — H.⊙. 1801. — H.⊙. 1816. — H.⊙. 1816. — H.⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246.  Moris. s. 6. t. 1. f. 4. Herm. lugdb. t. 35. Pluk. alm. t. 10. f. 5. Schk.hand. 3. t. 292. W. hort. ber. 2. Cav. ic. 2. t. 200. Bot. mag. 1638.  W. amar. 9. t. 1. f. 2.  8. t. 4. f. 7.  15. t. 9. f. 18. Knor. the. 2. t. A. 3.5. Rumph. amb. 5. t. 82 W. amar. 16. t. 6. f. 11  13. t. 12. W. amar. 21. t. 5. f. 10
XANTHIUM. W.  1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 5 paniculata. Ph. 6 maritima. W. FRANSERIA. Cav. 1 artemisioides. W. 2 ambrosioides. W. LUFFA. Cav. fœtida. P. S. AMARANTHUS. W. 1 tenuifolius. W. 2 angustifolius. W. 3 albus. W. 4 græcizans. W. 5 melancholicus. W. 6 tricolor. W. 7 bicolor. W. 9 polygamus. W. 9 gangeticus. W. 11 polystachyus. W. 12 tristis. W. 13 lividus. W.	XANTHIUM. Small Burdock. oriental. spiny. Ambrosia. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. Franseria. Mugwort-leav'd. Luffa. stinking. Ambrosia-leav'd. Luffa. stinking. Ambrosia-leav'd. white. Pellitory-leaved. melancholy. three-coloured. two-coloured. hermaphrodite. oval-spiked. rhomb-leaved. many-spiked. round-headed. livid.	Corymbiferæ? J.  Corymbiferæ? J.  Corymbiferæ? J.  Cucurbitaceæ, J.  Amaranthaceæ. B.	England. China. S. Europe. N. America.  Italy, Peru. Mexico.  India. P. E. Ind. Levant. N. America.  E. Ind.	7.9. H. ①. 1685. H. ②. 1713. H. ②. 1816. 7.9. H. ③. 1699. H. ③. 1759. H. ③. 1811. 7.9. H. ③. 1570. 7.8. H. ④. 1759. 7.9. G. h. 1796. G. h. 1812. 6.10. F. ③. 1781. H. ③. 1782. H. ③. 1783. H. ③. 1784. S. ③. 1802. 7.9. H. ③. 1780. H. ④.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246.  Moris. s. 6. t. 1. f. 4, Herm. lugdb. t. 35, Pluk. alm. t. 10. f. 5, Schk.hand. 3. t. 292, W. hort. ber. 2. Cav. ic. 2. t. 200, Bot. mag. 1638.  W. amar. 9. t. 1. f. 2.  ——————————————————————————————————
XANTHIUM. W.  1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 5 paniculata. Ph. 6 maritima. W. FRANSERIA. Cav. 1 artemisioides. W. 2 ambrosioides. W. LUFFA. Cav. fœtida. P. S. AMARANTHUS. W. 1 tenuifolius. W. 2 angustifolius. W. 3 albus. W. 4 græcizans. W. 5 melancholicus. W. 6 tricolor. W. 7 bicolor. W. 9 gangeticus. W. 10 mangostanus. W. 11 polystachyus. W. 12 tristis. W. 13 lividus. W. 14 oleraceus. W.	XANTHIUM. Small Burdock. oriental. spiny. Ambrosia. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. Franseria. Mugwort-leav'd. Luffa. stinking. Amaranth. fine-leaved. narrow-leaved. white. Pellitory-leaved. melancholy. three-coloured. two-coloured. two-coloured. two-coloured. two-roloured. two-piked. rhomb-leaved. many-spiked. round-headed. livid. eatable.	Corymbiferæ? J.  Corymbiferæ? J.  Corymbiferæ? J.  Cucurbitaceæ. J.  Amaranthaceæ. B.	England. China. S. Europe. N. America.  Italy. Peru. Mexico. India. P. E. Ind. Levant. N. America. E. Ind.	7.9. H. ①. 1685. — H. ②. 1713. — H. ②. 1816. 7.9. H. ③. 1699. — H. ③. 1696. 7.8. H. ③. 1811. 7.9. H. ③. 1570. 7.8. H. ④. 1759. 7.9. G. ħ. 1796. — G. ħ. 1812. 6.10. F. ③. 1801. 7.9. H. ③. 1723. — H. ③. 1724. — H. ③. 1731. 6.9. H. ③. 1731. 6.9. H. ③. 1731. 6.9. H. ③. 1748. — H. ③. 1759. 7.9. H. ⑥. 1748. — H. ③. 1759. 7.9. H. ⑥. 1759. 6.9. H. ③. 1778. — H. ⑤. 1764. 7.9. H. ③.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246.  Moris. s. 6. t. 1. f. 4, Herm. lugdb. t. 35, Pluk. alm. t. 10. f. 5, Schk.hand. 3. t. 292, W. hort. ber. 2. Cav. ic. 2. t. 200, Bot. mag. 1638.  W. amar. 9. t. 1. f. 2.  ——————————————————————————————————
XANTHIUM. W.  1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 5 paniculata. Ph. 6 maritima. W. FRANSERIA. Cav. 1 artemisioides. W. 2 ambrosioides. W. LUFFA. Cav. fœtida. P. S. AMARANTHUS. W. 1 tenuifolius. W. 2 angustifolius. W. 3 albus. W. 4 græcizans. W. 5 melancholicus. W. 6 tricolor. W. 7 bicolor. W. 8 polygamus. W. 10 mangostanus. W. 11 polystachyus. W. 12 tristis. W. 13 lividus. W. 14 oleraceus. W. 15 Blitum. W.	Xanthium. Small Burdock. oriental. spiny. Ambrosia. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. Franseria. Mugwort-leav'd. Ambrosia-leav'd. Luffa. stinking. Amaranth. fine-leaved. narrow-leaved. white. Pellitory-leaved. melancholy. three-coloured. hermaphrodite. oval-spiked. rhomb-leaved. many-spiked. round-headed. livid. eatable. wild.	Corymbiferæ? J.  Corymbiferæ? J.  Corymbiferæ? J.  Cucurbitaceæ. J.  Amaranthaceæ. B.	England. China. S. Europe. N. America.  Italy, Peru. Mexico. India. P. E. Ind. Levant. N. America. E. Ind. China. N. America. E. Ind. England,	7.9. H.⊙. 1685. H.⊙. 1713. H.⊙. 1816. 7.9. H.⊙. 1699. H.⊙. 1699. H.⊙. 1699. H.⊙. 1699. H.⊙. 1759. H.⊙. 1811. 7.9. H.⊙. 1570. 7.8. H.⊙. 1759. G. ħ. 1812. 6.10. F.⊙. 1801. 7.9. H.⊙. 1723. H.⊙. 1723. H.⊙. 1788. H.⊙. 1798. H.⊙. 1799. 7.9. H.⊙. 1759. 7.9. H.⊙. 1759. 7.9. H.⊙. 1759. 7.9. H.⊙. 1801. H.⊙. 1764. H.⊙. 1759. 6.8. H.⊙. 1764. 7.8. H.⊙. 1764. 7.8. H.⊙. 1764. 7.8. H.⊙.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246.  Moris. s. 6. t. 1. f. 4, Herm. lugdb. t. 35, Pluk. alm. t. 10. f. 5, Schk.hand. 3. t. 292, W. hort. ber. 2. Cav. ic. 2. t. 200, Bot. mag. 1638.  W. amar. 9. t. 1. f. 2.  ——————————————————————————————————
XANTHIUM. W.  1 Strumarium. W. 2 orientale. W. 3 spinosum. W. AMBROSIA. W. 1 integrifolia. Ph. 2 trifida. Ph. 3 elatior. Ph. 4 artemisifolia. Ph. 5 paniculata. Ph. 6 maritima. W. FRANSERIA. Cav. 1 artemisioides. W. 2 ambrosioides. W. LUFFA. Cav. fœtida. P. S. AMARANTHUS. W. 1 tenuifolius. W. 2 angustifolius. W. 3 albus. W. 4 græcizans. W. 5 melancholicus. W. 6 tricolor. W. 7 bicolor. W. 9 gangeticus. W. 10 mangostanus. W. 11 polystachyus. W. 12 tristis. W. 13 lividus. W. 14 oleraceus. W.	XANTHIUM. Small Burdock. oriental. spiny. Ambrosia. entire-leaved. trifid-leaved, tall. Mugwort-leav'd. panicled. sea. Franseria. Mugwort-leav'd. Luffa. stinking. Amaranth. fine-leaved. narrow-leaved. white. Pellitory-leaved. melancholy. three-coloured. two-coloured. two-coloured. two-coloured. two-roloured. two-piked. rhomb-leaved. many-spiked. round-headed. livid. eatable.	Corymbiferæ? J.  Corymbiferæ? J.  Corymbiferæ? J.  Cucurbitaceæ. J.  Amaranthaceæ. B.	England. China. S. Europe. N. America.  Italy. Peru. Mexico. India. P. E. Ind. Levant. N. America. E. Ind. China. N. America. E. Ind. England, France.	7.9. H. ①. 1685. — H. ②. 1713. — H. ②. 1816. 7.9. H. ③. 1699. — H. ③. 1696. 7.8. H. ③. 1811. 7.9. H. ③. 1570. 7.8. H. ④. 1759. 7.9. G. ħ. 1796. — G. ħ. 1812. 6.10. F. ③. 1801. 7.9. H. ③. 1723. — H. ③. 1724. — H. ③. 1731. 6.9. H. ③. 1731. 6.9. H. ③. 1731. 6.9. H. ③. 1748. — H. ③. 1759. 7.9. H. ⑥. 1748. — H. ③. 1759. 7.9. H. ⑥. 1759. 6.9. H. ③. 1778. — H. ⑤. 1764. 7.9. H. ③.	Eng. bot, 2544. Sch. hand. 3. t. 291. Herm. parad. 246.  Moris. s. 6. t. 1. f. 4, Herm. lugdb. t. 35, Pluk. alm. t. 10. f. 5, Schk.hand. 3. t. 292, W. hort. ber. 2. Cav. ic. 2. t. 200, Bot. mag. 1638.  W. amar. 9. t. 1. f. 2.  ——————————————————————————————————

18 viridis. W.	green.	Amaranthaceæ.B.P	. Brazil.	1768. 8.9. H.⊙.	W.amar.18.t.8.f.16
19 scandens: W.	climbing.			1796. 7.8. H.⊙.	
20 deflexus. W.	bending.			1805. — H.O.	W.am.10.t.10.f.20.
21 polygonoides. W.	spotted-lcaved.		Jamaica.		11.t.6.f.12.
22 hybridus. W.	clustered.				26.t.9.f.17.
23 hecticus. W.	oval-leaved.				25.t.7.f.13.
					27. t. 3. f. 5.
24 strictus. W.	upright.				32. t. 2. f. 4.
25 paniculatus. W.	panicled.		D. Lane L.		
26 sanguineus. W.	spreading.		Banama 181.	1775. — H.O.	31.t.2.f.3.
27 retroflexus. W.	hairy.	٠,	Pensylvania.	1759. —— H	33.t.11.f.21.
28 lætus. W.	blunt-leaved.				28. t.8. f. 15.\
29 flavus. W.	pale.		India.	1759. —— H.O.	35. t. 3. f. 6.
30 chlorostachys. W.	nodding.			1796. —— H.⊙.	34.t.10.f.19.
31 hypochondriacus.W	. Prince's Feather		Virginia.	1684. — H.O.	
32 cruentus. W.	various-leaved.		China.	1728. 6.8. H.O.	
33 candatus. W.	Love lies bleedg		E. Ind.	1596. 8.9. H.O.	
β maximus.	tree.				
34 spinosus. W.	prickly.		India.	1683, 7.9, H.O.	W.amar.38.t.4.f.8.
84 spinosus: W.	prickly.		280101	10001 7101 11101	***************************************
	,				
		HEXANDRIA	L.		
ZIZANIA. W.	ZIZANIA.	Gramineæ. J.			
aquatica. H. K.	Canada Rice.		N America	1790 79 H Q	Linn. trans. 7. t. 13.
			14. Zimerica.	1730. 7.3. 11.0.	Dillin. Class. 7. C. 138
PHARUS. W.	PHARUS.	Gramineæ. J.	T	1 # 0 0 # 0 6 31	D- to- 4 00 f 6
latifolius. W.	broad-leaved.		Jamaica.	1793. 7.8. 5.4.	Br. jam. t. 38. f. 3.
GUETTARDA. W.	GUETTARDA.	Rubiaceæ. J.			
1 speciosa. W.	great-flowered.		E. Ind.	1771 S.h.	
2 rugosa. W.	rough-leaved.		W. Ind.	1793 S.h.	
COCOS W	(COCOA-NUT-)	Dalman D D			
cocos. w.	TREE.	Palmæ. B. P.			
1 nucifera. W.	common.		E. Ind.	1690 S.b.	Roxb. cor. 1. t. 73.
2 aculeata. W.	prickly.				Jac.amer.278.t.169
a tibelianian iii	Great Ma-				
3 fusiformis. W.	caw-tree.		Jamaica.	1731S.h.	
DACTEDIS W		Dolmo B D			
BACTRIS. W.	BACTRIS.	Palmæ. B. P.	C America	1001 6 1	Ton annua 6 7 m 2 5 2
1 minor. W.	lesser.		S. America.		Jac.amer.t.171.f.1.
2 majór. W.	greater.		Carthagena.	1800 S.h.	t.171.f.2.
ELATE. W.	ELATE.	Palmæ. B. P.			
sylvestris. W.	prickly-leaved.		E. Ind.	1763. 4.6. S.h.	Reed.mal, 3.t. 22-25
SAGUS. G.	SAGO-PALM.	Palmæ. B. P.			
Rumphii. W.	Rumphius's.		E. Ind.	1800 S.h.	Rum.amb.1.t.17.18
• •	•			•	
		DOLLI AND DIA			
ann i manifert E 3		POLYANDRIA			
CERATOPHYL- }	Hornwort.	Naiades. J.			
LUM. W.					
1 demersum. W.	common.		Britain.	7.9. Н.4.	Eng. bot. 947.
2 submersum. W.	unarmed.			— Н.4.	679.
MYRIOPHYLLUM	( WATER-	NT-1- June T			
w. }	MILFOIL.	Naiades. J.			
1 spicatum. W.	spiked.	***************************************	Britain.	6.8. H.24.	Eng. bot. 83.
2 verticillatum. W.	verticillate.		England.	7. H.4.	
SAGITTARIA. W.	ARROW-HEAD.	Alismaceæ. B. P.			
1 sagittifolia. W.	common.	THISIMACCA: D. 1.	England	6.8. Н.4.	Eng hot 24
2 sinensis. B. M.	Chinese.			1812. 9.11. G. 4.	
3 obtusifolia. W.	blunt-leaved.		XX7 X 1	1804. 7.8. 5.4.	Rheed.mal.11.t.45.
4 lancifolia. W.	lance-leaved.		W.Ind.	1787. 6.7. G.4.	
5 rigida. B. M.	brittle-leaved.		N. America.	1806. — H. 4.	<del></del>
6 graminea. Ph.	Grass-leaved.		Carolina.	1812. 7.8. G.4.	
BEGONIA. W.	BEGONIA.	Hydrocharideæ. I	P. L.		
1 nitida. W.	shining-leaved.		Jamaica.	1777. 5.12. S.h.	Par. lond. 72.
2 dichotoma. W.	forked.		Caracas.	1800. 7.8. S.h.	
3 Evansiana. B. R.	two-coloured.		China.	1804. 5.9. S.4.	
discolor. H. K.				,	
4 macrophylla. W.	large-leaved.		Jamaica	1793 - S L	Plum.ic.34.t.45.f.1.
	ange touteur		O 141141010040	5.η.	CRumph cmh c
5 tuberosa, W.	tuberous.		Amboyna.	1810. 7.9. S. 4.	1 co f c
					( 169, 1. 2.
6 acuminata. W.	pointed-leaved.		Jamaica.	1790. 5.12. S.L.	Rumph, amb. 5. t. 169. f. 2. Lion.trans.1.t.14. f. 5. 6.
	•				L f. 5. 6.
7 humilis. W.	small.		W. Ind.	1788. 10. S.J.	1. t. 15.
8 hirsuta. W.	shaggy-leaved.		,	1789. 5.6. S.J.	Aub. gui. 2. t. 348.

### MONŒCIA POLYANDRIA.

ACIDOTON. W.	ACIDOTON,	• • • • • • • • • • • • • • • • • • • •			
urens. W.	stinging.		Jamaica.	1793 S.b.	Sloa.jam.1.t.83.f.1.
THELYGONUM. W.		Urticeæ. J.			<b>,</b>
Cynocrambe. W.	Dog's-cabbage.	70 7	S. Europe.	1710. 7. H.⊙.	Schk, hand. 3. t. 299,
POTERIUM. W. 1 Sanguisorba. W.	BURNET.	Rosaceæ. J.	England	e TT 21	E 1 . 4 . 0.00
2 polygamum. W.	Hungarian,		Hungary	7. H.4.	Pl.rar.hung.2.t.198
3 hybridum. W.	sweet.		France.	1683. 6.7. H.4.	
4 caudatum. W.	smooth shrubby.		Canaries.	1779. 1.4. G. h.	23/11
5 spinosum. W.	prickly shrubby.		Levant.		Moris. s. 8. t. 18. f.5.
JUGLANS. W.	WALNUT.	Terebintaceæ? J.			
1 regia. W.	common.			1562. 4.5. H.h.	Lam. ill. 781.
2 nigra. W. 3 cinerea. W.	black. shell-bark.		N. America.	1629. — H. h.	Jac. 1c. 1. t. 191.
4 olivæformis. H. K.				$\dots$ — H.h.	Mich. arb. 1. t. 3
5 angustifolia. H. K.				1766. — H. h.	11210111 42 01 11 11 01
6 sulcata. W.	channelled.			1804. — H.b.	Mich. arb. 1. t. 8.
7 alba. W.	white.			1629. — H. h.	1. t. 6.
8 compressa. W.	flat-fruited.	-		1730. — H. I <sub>2</sub> .	1. t. 7.
9 amara. Ph. 10 obcordata.	bitter. obcordate.			1800. 5. H.h.	Mich.arb.1.t.9.f.3.4
11 glabra. W.	smooth.			1799 — H. h	1. t. 9. f. 1. 2.
QUERCUS. W.	OAK.	Amentaceæ. J.		1100.	
1 Phellos. Ph.	Willow-leaved.		N. America.	1723. 5.6. H.h.	Mich. arb. 1. t. 12,
2 maritima. Ph.	sea.		-	1811 H. h.	Mich.querc.t.13.f.1
3 sericea. Ph.	running.			1724. —— H.b.	Mich. arb. 2. t. 15.
4 virens. Ph. 5 cinerea. Ph.	live. ash-coloured.			1739. 5. H.h.	2. t. 11. 2. t. 14.
6 imbricaria. Ph.	tile-cupped.			1786 — H h	2. t. 14.
7 laurifolia. Ph.	Laurel-leaved.			- 5. H.h.	Mich, querc, t. 17.
B obtusa.	blunt-leaved.				t. 18,
\$ gramuntia. W.	Holly-leaved.		France.	1730. 6. H.h.	
9 Ilex. W.	evergreen.	-	S. France.	1581. 5.6. H.h.	
a integrifolia. B serrata.	common. notched-leaved.			H L	Duham orh 1 f 103
y oblonga.	long-leaved.			——— H. h.	Duham.arb.1.t.123
10 Suber. W.	Cork-tree.			1699. 6. H.h.	2. t. 80.
11 coccifera. W.	Kermes.	<del></del>		1683. 5. H.h.	2017
12 Prinus. Ph. 13 bicolor. Ph.	Chesnut-leaved. white swamp.		N. America.	1730. 5.6. H.h. 1811. 5. H.h.	Mich. arb. 2. t. 7.
14 montana. Ph.	Rock Chesnut.			1800 H. h.	2, t, 8,
15 heterophylla, Ph.	various-leaved.			— Н. Б.	2. t. 16,
16 aquatica. Ph.	water.			1723. — H. h.	2. t. 16, 2. t. 17.
17 nana. Ph.	dwarf.		-	1738. — H.h.	Abb. ins. 2. t. 59.
18 triloba. Ph.	three-lobed.	•		1800. — H.h.	Mich. querc. t. 26.
19 nigra. Ph. 20 tinctoria. Ph.	black. dyer's.			1789. J. H. h.	Mich. arb. 2. t. 18,
21 discolor. Ph.	two-coloured.			1763. — H. h.	Mich. querc. t. 24.
22 coccinea. Ph.	scarlet.	-		1691. — H. h.	Mich. arb, 2. t. 23.
23 ambigua. Ph.	gray.	<del>,</del>		1800. — H.h.	Mich. arb. 2. t. 23. 2. t. 24.
24 rubra. Ph.	champion.			1739. —— H. h.	2. t. 26.
25 falcata. Ph.	downy-leaved.			1763. — H. h.	2. t. 21.
26 palustris. Ph. 27 Banisteri. Ph.	marsh. Banister's.			1800. — H. η.	2. t. 25. 2. t. 19.
28 Ægilops. W.	Velanida.		Levant.	1731 H. h.	Mill.dict.n.7.t.215,
29 Esculus. W.	Italian.			1739. 5. H.h.	
30 Robur. W.	sessile-fruited.			4.5. H.h.	Eng. bot. 1845.
31 pedunculata. W.	common.			— н. h.	1342.
32 pubescens. W. 33 obtusiloba. Ph.	durmast. starred.			1800. 5. H.h.	Sec.du chen. p.3. t.5
34 olivæformis. Ph.	mossy-cup.			1811. — H. h.	
35 lyrata. Ph.	lyre-leaved.			1786. — H h.	2, t. 5.
36 alba. Ph.	white.			1724. — H. h. 1800. — H. h.	2. t. 1.
37 macrocarpa. Ph.	over-cup white.		0.7	1800. — H.h.	2.t.3.
38 Cerris. W.	Turkey.	-	S. Europe.	1735. — H.h.	Du Roi. 2. t. 5. f. 1.
β bullata. •y sinuata.	rough-leaved.				
δ exoniensis.	Lucombe.				
* sempervirens.	Fulham.				

# MONŒCIA POLYANDRIA.

							,
FAGUS. W.	Веесн.	Amentaceæ. J.					
1 sylvatica. W.	common.		Britain.		4.5.	H.h.	Eng. bot. 1846.
β purpurea.	purple-leaved.						
y asplenifolia.	Fern-leaved.				- 0		351 1 0 4 0
2 ferruginea. W.	American.		N. America.	1766.	5.6.	H.h.	Mich. arb. 2. t. 9.
CASTANEA. W.	CHESNUT.	Amentaceæ. J.	17 3		= 0	TTT	Eng hat 000
1 vesca. W.	common.		England.	1600	5.6.	H.h.	Eng. bot. 886. Mich. arb. 2. t. 7.
2 pumila. W. BETULA. W.	dwarf.	Amentaceæ. J.	iv. America.	1039.	1.	Π.η.	Mich. ard. 2. t. 7.
1 alba. W.	Birch.	Amentacea. o.	Reitain		16	HL	Eng. bot. 2198.
β pendula.	weeping.		Di louili.		7.0.	11.16.	2115. 000. 2190.
2 populifolia. W.	Poplar-leaved.		N. America.	1750.	7.	Н.Ь.	Mich. arb. 2. t. 2.
3 excelsa. W.	tall.	-		1767.	5.	H.h.	Willd. arb. t. 2. f. 2.
4 daurica. W.	Daurian.		Siberia.	1786.	7.	H.b.	Pall. ross. 1. t. 39.
5 nigra. W.	black.		N. America.	1736.	7.8.	H.h.	Willd. arb. t. 2. f. 6.
6 papyracea. W.	paper.			1750.	6.	H.h.	t. 2. f. 1.
7 lenta. W.	soft.			1759.	7	H L	∫ Mich.arb.2.p.145.
				11000			Mich.arb.2.p.145. t. 4. Eng. bot. 2326.
8 nana. W.	smooth dwarf.		Scotland.		5.	H.h.	Eng. bot. 2326.
9 pumila, W.	hairy dwarf.		N. America.	1762.	4.5.	H.h.	Jac. vind. 2. t. 122.
CARPINUS. W.	Hornbeam.	Amentaceæ. J.	TD-14-1-		0.5	TT T	F 1.4 2000
1 Betulus. W. β incisa.	common.		Diltain.	• • • •	3.0.	Π.η.	Eng. Dot. 2032.
2 americana. W.	American.		N America	1810		H L	Mich. arb. 3. t. 8.
3 orientalis. W.	eastern.		Levant.				Scop. carn. 2. t. 60.
OSTRYA. W.	HOP-HORNBEAM		Devano	1700.	• • • •	11. 12.	Scopi carni 21 ci oos
			T( )		_	** *	( Mich. gen. t. 104.
1 vulgaris. W.	common.		Italy.	1724.	5.	H. h.	Mich. gen. t. 104. f. 1. 2.
2 virginica. W.	American.		N. America.	1692.	5.6.	н. р.	Abb. ins. 2. t. 75.
CORYLUS. W.	NUT-TREE.	Amentaceæ. J.					
1 Avellana. W.	Common Hazel.	***************************************	Britain.	• • • •	2.4.	н. ђ.	Eng. bot. 723.
β alba.	White Filbert.						
y rubra.	Red Filbert.			7			
8 grandis.	Cob.						
glomerata. 2 tubulosa. W.	clustered Lambert's.		S Europa	1750	9.4	THE T.	Lam. ill. t. 780.
3 americana. W.	Dwarf Cuckold.		N. America.	1798.		H.h.	Wang. amer. t. 29. f. 63.
4 rostrata. W.	CommonCuckold	,		1745.		H. h.	Willd. arb. t. 1. f. 2.
5 Colurna. W.	Constantinople.		Constantinple	. 1665.		H. h.	
PLATANUS. W.	PLANE-TREE.	Amentaceæ. J.					
1 orientalis. W.	oriental.		Levant.	1548.	4.5.	H.h.	Lam. ill. t. 783.
2 cuneata. W.	wave-leaved.			1739.		H.h.	
3 acerifolia. W.	Maple-leaved.			1724.		·Н. ħ.	Cat. car. 1. t. 56.
4 occidentalis. W.	American.		N. America.	1640.	-	· Н. h.	Cat. car. 1. t. 56.
LIQUIDAMBAR. W.	LIQUIDAMBAR.	Amentaceæ. J.					(Mich out on 104
1 Styraciflua. W.	Sweet-gum.		N. America.	1683.	3.4.	H.h.	Mich.arb.3.p.194. t. 4.
2 imberbe. W.	oriental.		Levant.	1759.		HL	( , 4,
SALISBURIA. L. T.	SALISBURIA.					77.17.	
adiantifolia. L. T.	Maiden-hair-ld.				4.5.	н.ь.	Kæmp.amæn.t.813
ARUM. W.	ARUM.	A! J D D	-				<del>-</del>
1 crinitum. W.	hairy-sheathed.	Aroideæ. B. P.	Minorca.	1777.	3.4.	F. 4.	0.031
2 Dracunculus. W.	CommonDragon		S. Europe.	1548.	6.7.	H.4.	Moris.s.13.t.5.f.46.
3 Dracontium. W.							6.000
4 venosum. W.	purple-flowered.		T. A	1774.			T) / oro
5 triphyllum. W. 6 atrorubens. W.	three-leaved.		14. America.				Bot. mag. 950.
7 ternatum. W.	Japan.		Japan			F. 4.	Pluk.alm. t. 77. f. 5.
8 Colocasia. W.	Egyptian.		Levant.			S. 24.	-
9 macrorhizon. W.	long-rooted.						Herm. parad. 73.
10 divaricatum. W.	divaricated.						Rheed.mal.11.t.20.
11 trilobatum. W.	three-lobed.		Ceylon.				Bot. mag. 339. 12 5
12 maculatum. W.	common.		Britain.				Eng. bot. 1298.
13 orixense. B. P.	Orixian.		E. Ind.	1802.	8.10.	S.4.	Bot. rep. 356.
14 italicum. W.	Italian.		Italy.				3. Con. 2432
15 minutum. W. 16 virginicum. W.	small.		E. Ind.	1812.	5.7.	S. 24.	Rheed.mal.11.t.17.
17 Arisarum. W.	Virginian. Friar's Cowl.		S Furone				
18 tenuifolium. W.	Grass-leaved.		3. Europe.				Jac.schœn.2.t.192. Moris.s.13.t.6.f.21.
77.51MAP 17 6	-AUDU ACUTOUT	E	e	10/0,		4.4.	1120113.0.10.0.0.1.210

## MONŒCIA MONADELPHIA.

19 hederaceum. W.	Ivy-leaved.	Aroideæ. B. P.	W. Ind.	1793. 5.6.	S.b.	Jac. amer. t. 152.
20 lingulatum. W.	tongue-leaved.		-			Plum. ic. 26. t. 37.
CALADIUM. W.	CALADIUM.	Aroideæ. B. P.				21414110120101011
1 helleborifolium. W.			Caracas	1706 67	S 21	Jac. ic. 3. t. 613.
2 bicolor. W.	two-coloured.					
						Bot. mag. 820.
3 nymphæifolium. W.						Rheed.mal.11.t.22.
4 esculentum. W.	esculent.		America.			Slo.jam.1.t.106.f.1.
5 sagittifolium. W.	arrow-leaved.	*****				Jac. vind. 2. t. 157.
6 pinnatifidum. W.	pinnatifid.					Jac.schoen.2.t.187.
7 seguinum. W.	Dumb-Cane.		America.	1759. 5.	S.h.	Mill. ic. 2. t. 295. 96
8 grandifolium. W.	great-leaved.		Caracas.	1803. 5.7.	S.h.	Jac.schæn.2.t.189.
9 arborescens. W.	tree.		W. Ind.	1759. 6.7.	S.h.	Plum.amer.44.t.60
10 tripartitum. W.	ternate-leaved.	·	Caracas.			Jac.scheen.2.t.190.
11 auritum. W.	ear-leaved.	-	America.			2. t. 191.
PARIANA. W.	PARIANA.					
campestris. W.	Cayenne.		Cavenne.	1802	S.b.	Aub. gui. 2. t. 337.
CARYOTA. W.	CARYOTA.	Palmæ. B. P.	cujemie	10001	7	raus gais at to bott
urens. W.	torn-leaved.		F Ind	1799	Q L	Rheed mal 1 f 71
dichis. W.	corn-reareus		E. Inu.	1/00	J. n.	Rheed. mal. 1.t. 71.
		MONADELI	DITIA.			
		*	ETITY.			
ARECA. W.	CABBAGE-TREE.	Palmæ. B. P.				
1 Catechu. W.	medicinal.			1690	S.h.	Rox. cor. 1. t. 75.
2 humilis. W.	dwarf.	-				Rumph.amb.1. t.7.
3 oleracea. W.	esculent.		W. Ind.			Jac. amer. t. 170.
PINUS. W.	PINE OF FIR.	Coniferæ. J.				
1 sylvestris. W.	Scotch.		Scotland	. 5	HL	Lamb. pin. 1. t. 1.
2 Fumilio, W.	Mugho.		Carniola			
	0		Carmora			5. t. 2.
3 Laricio. P. S.	Corsican.		. Corsica.	1814	F1. 17.	35' 1 1 2 01 4 5
4 pungens. Ph.	pungent.		N. America.	1804	H.h.	Mich.arb.1.p.61.t.5
5 Banksiana. Ph.	Hudson's Bay.		Hudson's Bay	.1785. 5.6.	H.h.	Lamb. pin. 7. t. 3.
6 Pinaster. W.	cluster.	-	S. Europe.	1596. 4.5.	H.h.	9. t. 4. 5.
7 Pinea. W.	stone.			1548. 5.	H.h.	11. t. 6, 7. 8
8 maritima. W.	maritime.			1759. 5.6.	H.h.	
9 halepensis. W.	Aleppo.		Levant.	1683. 5.	H.h.	15. t. 11.
10 inops. Ph.	Jersey.		N. America.	1739.	H.b.	18. t. 13.
11 resinosa. Ph.	pitch.			1756	H. h.	20. t. 14.
12 variabilis. Ph.	two and three-la.			1730 56	HL	20 t 15
				1719	LI L	22. 6. 10.
13 Tæda. Ph.	frankincense.			1/13.	π.η.	23. t, 16. 17. Mich.arb.1.p.86.t.7
14 serotina. Ph.	Fox-tail.				11.2.	Michard.1.p.86.t.7
15 rigida. Ph.	three-leaved.			1759. ——	H.h.	Lam.pin.25.t.18.19
16 palustris. Ph.	swamp.			1730	H.h.	27. t. 20.
17 canariensis.	Canary.		Canaries.	1815	G.h.	
18 longifolia. W.	long-leaved.	<del></del>	E. Ind.	1801	G.h.	29.t.21.
19 Strobus, W.	Weymouth.		N. America.	1705. 4.	H.h.	31.t.22.
20 Cembra. W.	Siberian.		Siberia.	1746. 5.	H.b.	34, t. 23, 24,
21 Abies. W.	Norway Spruce.		N. Europe.	1548. 4.	H. b.	37. t. 25.
22 alba. Ph.	White Spruce.		N America.	1700 56	FI L	39. t. 26.
23 rubra. Ph.			Tit Ithicited.	1755 5	FI L	12 t 00
	Red Spruce.			1700. 5.	TI I	41 t 07
24 nigra. Ph.	Black Spruce.			1790. 0.	II. N.	50 + 20
25 canadensis. Ph.			Compe	1/30.	11. h.	46 4 90
26 Picea. W.	Silver Fir.		Germany,	1603.	n.h.	40. t. 30.
27 Balsamea. W.	Balm of Gilead.	<del></del>	N. America.	1696.	H.h.	48. t. 31.
28 Fraseri. Ph.	Double Balsam.		Pensylvania.	1811. —	H.h.	
29 lanceolata. H. K.	lance-leaved.		China.			Lamb. pin. 52. t. 34.
30 Larix. W.	Common Larch.		Germany.	1629. 3.4.	H.h.	53. t. 35.
31 pendula. W.	Black Larch.					56. t. 36.
32 microcarpa. W.	Red Larch.					58. t. 37.
33 Cedrus. W.	Cedar of Lebanon		Levant.			59. t. 37.
34 Dammara. W.	Dammar.		Amboyna.			61. t. 38.
		Coniferæ. J.	Zimiooyiia.	20.72. ****	2.17.	01 00.
THUJA. W.	ARBOR-VITÆ.		N America	1506 5	T.T. T.	Mich arl 2 n an to
1 occidentalis. W.	American,		N. America.			Mich.arb.3.p.29.t.3
2 orientalis. W.	Chinese.		China.			Lam. ill. t. 787. f.2.
3 articulata. W.	jointed.		Barbary.			Vahl. symb. 2. t. 43.
4 cupressoides. W.	African.		C. B. S.	1799	G.h.	
CUPRESSUS. W.	CYPRESS.	Coniferæ. J.				
1 sempervirens. W.	common.		Candia.	1548. 5.	H.h.	Pall. ros. 2. t. 53.
a stricta.	upright.				•	
B horizontalis.	spreading.					
2 lusitanica. W.	Cedar of Goa.		Goa.	1683. 4.5.	F.b.	Lamb. pin.95. t. 42.
						•

	MOTA	ATOTAL MEGI		LILLE.		WIL
3 disticha. W.	deciduous.	Coniferæ. J.	N. America.	1640. 5.	H. h.	Mich.arb.3.p.4.t.1.
β nutans.	long-leaved.					•
4 thyoides. W.	White Cedar.			1736. 4.5	. H.h.	3.p.20.t.2.
5 juniperoides. W.	African.		C.B.S.	1756	- G.h.	•
6 australis. P. S.		,			- G.h.	
PODOCARPUS.L'Her		Coniferæ. J. Tax				
1 macrophyllus. W.	long-leaved.	<del></del>	China.			Kæmpf. ic. t. 24,
2 verticillatus. W.	whorl-leaved.		Japan.			
3 elongatus. P. S.	African.		C. B. S.	1774. 7.	G. h.	
PLUKENETIA. W.	PLUKENETIA.	Euphorbiaceæ. J.	117 Y., 3	3800 80	СТ	Dl :
volubilis. W.	twining.	Eurhaubinium I	w. Ind.	1739. 7.8	. s.n.	Plum.ic. 220. t.226.
DALECHAMPIA. W. scandens. W.		Euphorbiaceæ. J.	W. Ind	1739. 6.7	S T.	Jac.amer.252.t.160
ACALYPHA. W.	climbing. ACALYPHA.	Euphorbiaceæ. J.	ty . Inu,	1703. 0.7	. 13.17.	0 ac.amer.202.6.100
1 virginica. W.	Virginian.		N. America.	1759. 7.8	. H.O.	Schk.hand.3.t.311.
2 caroliniana. W.	Carolina.	***************************************				Lam. ill. t.780.f.2.
3 ciliata. W.	ciliated.		E. Ind.			Vahl. symb. 1. t. 20.
	few-flowered.		China.	1816	- H.⊙.	
5 brachystachya.W.en	.saw-leaved.			1816. —	- H.⊙.	
6 indica. W.	Indian.	<del>,</del>	E. Ind.			Rheed.mal.10.t.81.
7 alopecuroidea. W.	Fox-tail.		Venezuela.	1804.	<b>-</b> H.⊙.	Jac. ic. 3. t. 620.
CROTON, W.	CROTON.	Euphorbiaceæ. J.				
1 variegatum. W.	variegated.		E. Ind.			Rheed.mal. 6.t. 61.
2 lineare. Jac.	Willow-leaved.					Jac.amer.t.162.f.4.
3 maritimum. W.	sea-side.			1786		20-1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
4 palustre. W.	marsh.	<del></del>	Vera Cruz.			Mart. dec. 4. t. 38.
5 glabellum. W.	Laurel-leaved.		Jamaica.	1778	. s.n.	Slo.jam.2.t.174.f.2.
6 tinctorium. W.	officinal.		S. Europe.	1570. 7.	H.⊙.	Nis. act. par. 1712. t. 17.
7 argenteum. W.	silver-leaved,		S America	1733. 7.8		( 0.17.
9 Tiglium. W.	nurging.		E. Ind.			Rheed. mal. 2. t. 33.
9 Eluteria. W.	Sea-side Balsam.		Jamaica.	1748		
10 micans, Sw.	glittering.			1815	. S.h.	Pluk.alm.t.220.f.5.
11 pungens. W.	pungent.	<del></del>	Caracas.			Jac. ic. 3. t. 622.
12 penicillatum. W.	pencilled.				_	Vent. choix. 12.
13 aromaticum. W.	aromatic.		Ceylon.			Rumph.am.3.t.126
14 humile, W.	humble.		Jamaica.	1799		
15 moluccanum. W. Alearites ambinux,	Molucca.		Ceylon.	1803	. s.n.	
46 Astroites. W.	woolly.		W Ind	1782. 7.	8 S L	
17 lobatum. W.	various-leaved.		Vera Cruz.			Mart. dec. 5. t. 46.
JATROPHA. W.	PHYSIC-NUT.	Euphorbiaceæ. J.	VCIW CIGDY	1,000	2.0.	1744 01 4001 01 01 401
1 gossypifolia. W.	Cotton-leaved.		W. Ind.	1690. 5.8	s. S.4.	Sloan. jam. 1.t. 84.
2 integerrima. W.	spicy.		Cuba.	1809	- S.h.	Bot. mag. 1464.
3 panduræfolia. W.	fiddle-leaved.	<del></del>		1800	- S.h.	604.
4 Curcas. W.	angular-leaved.		S. America.	1731	. S.h.	Jac. vind. 3. t. 63.
5 multifida. W.	multifid.			1696. 6.8	3. S.h.	Par. lond. 91.
6 Manihot. W.	Cassava.					Sloan. jam. 1. t. 85.
7 urens. W.	stinging.		Brazil.	1690. 5.7	7. S.h.	Jac. vind. 1. t. 21.
8 herbacea. W.	annual.		Vera Cruz.	1759. 7.8	s. s.o.	Reliq.hous.6.t. 15.
RICINUS. W.		Euphorbiaceæ. J.	F Ind	1548. 7.8	8 4	Lam. ill. t. 792.
2 viridis. W.	green.		E. III.	1802. 8		W. hort. ber. 49.
3 africanus. W.	African.			7.8		P. HOIL JCI. 45.
4 lividus. W.	livid-leaved.		C. B. S.			Jac. ic. 1. t. 196.
5 inermis. W.	smooth-capsuled.		India.			1. t. 195.
6 armatus. B. R.	rough-capsuled.		Malta.			Bot. rep. 430.
7 Tanarius. W.	scollop-leaved.		E, Ind.			Rumph.am.3.t.121
OMPHALEA. W.	OMPHALEA.	Euphorbiaceæ. J.				
triandra. W.	long-leaved.		Jamaica.	1763. 6.	7. S.h.	
HIPPOMANE. W.	MANCHINEEL.	Euphorbiaceæ. J.				
Mancinella. W.	common.	Emphanhia and I			S.h.	Cat. car. 2. t. 95.
SAPIUM. W.	SAPIUM.	Euphorbiaceæ. J.	Hippomanis		S I	Inc amor + 150
aucuparium. W. PHYLLANTHUS. W.	two-glanded.	Euphorbiaceæ. J.				Jac. amer. t. 158.
1 obovatus. W.	annual.	Euphororaceæ. 5.				p. 23.
2 maderaspatensis. W.			E. Ind.	1783. 7		
3 grandifolius.	great-leaved.	-	America.	1771		
4 virosus. W.	venomous.		E. Ind.	1802		
5 turbinatus, B. M.	shining-leaved.		China,	7.	. S.h.	Bot. mag. 1862.
This was a		E e 2				

## MONŒCIA MONADELPHIA.

6 Conami. W.	Brazilian.	Euphorbiaceæ. J.	W. Ind.	1791. 7.	S.h.	Aub. gui. 2. t. 354.
7 racemosus. W.	racemed.		E. Ind.	1793. 7.8.	S.h.	Rheed.mal.10.t.15.
8 Nirari. W.	Indian annual.			1692. 6.9.	S.⊙.	Rheed.mal.10.t.15.
9 polyphyllus. W.	many-leaved.			1805. 7.9.	a.h.	D1. 1 1. 1. 1.00
10 Emblica. W.	shrubby.		Tomo: oo	1768	S.n.	Rheed.mal. 1. t.38.
11 latifolius. W. en.	Sea-side Laurel.		- Jamaica.	1700 5.10	3. n.	Dot. mag. 1021.
12 angustifolius. W.ei 14 falcatus. W. en.	sickle-leaved.		Bahama Iel	1600 7 8	S.N.	Bot. mag. 1021.  Bot. rep. 331. 373
STILLINGIA. W.	STILLINGIA.	Euphorbiaceæ. J.	Danama 151.	1099. 7.0.	5. n.	Dot. 1ch. 351. 37.3
1 sylvatica. W.	wood.	Emphorolacca: 0:		1787. 7,8.	G. 21 .	
2 ligustrina. W.	Privet-leaved.		N. America.	1812		
3 sebifera. W.	Tallow-tree.		China.			Plu.amal.t.390.f.2.
ALEURITES. W.	ALEURITES.	Euphorbiaceæ. J.				
triloba, W.	three-lobed.		· Society Isl.	1793	S.h.	
HURA. W.	SANDBOX-TREE.	Euphorhiaceæ, J.				
1 strepens. W. en.	unequal-toothed.		- S. America.		S.h.	
2 crepitans. W. en.	equal-toothed.			1733	S. h.	Lam. ill. t. 793.
STERCULIA. W.	STERCULIA.	Sterculiaceæ. Ven	ıt.			
1 Balanghas. W.						Bot. reg. 185.
2 crinita. W.	hairy-capsuled.	**	· W. Ind.			Aub. gui. 2. t. 279.
3 urens. W.	stinging.		E. Ind.			Rox. cor. 1. t. 24.
4 platanifolia. W.			China.			Cav. diss. 5. t. 145.
5 fœtida. W.	fetid.		E. Ind.	1690	S.h.	Rheed.mal. 4. t. 36.
HERITIERA. W.	LOOKING-					
	GLASS PLANT.		71 Y . 1		C 7	Dh J   C 4 01
littoralis. W.	Laurel-leaved.		· E. Ind.	1780	S.n.	Rheed.mal.6.t.21.
TRICHOSAN-	SNAKE-GOURD.	Cucurbitaceæ. J.				
THES. W. J	aommon		China	1755 5 6	7E (C)	Bot. mag. 722.
2 cucumerina. W.	common. Cucumber-like.					Rheed.mal. 8. t. 15.
3 tuberosa. W.	tuberous.					Plum. ic. t. 24.
MOMORDICA. W.	Momordica.	Cucurbitaceæ. J.	W . III	1010.	0.4.	and Re
1 Balsamina. W.	Balsam Apple.	- Cucuronal Cucus of	India.	1568. 6.7.	F.O.	
2 Charantia. W.	hairy.					Rheed. mal. 8. t. 9. 2
3 operculata. W.	rough-fruited.		W. Ind.			Comm. rar. t. 22.
4 Luffa. W.	Egyptian.		E. Ind.			Rumph.am.5. t.147
5 Elaterium. W.	[ Squirting ]					Bot. mag. 1914.
	Cucumber.	,	S. Europe.	1940. 0.7.	11.4.	100. mag. 1314.
CUCURBITA. W.	Gourb.	Cucurbitaceæ. J.				
1 lagenaria. W.	bottle.		· India.			Rumph.am.5.t.144
2 aurantia. W.	Orange-fruited.			1802. 6.8.		
3 Pepo. W.	Pumpkin.		Levant.	1570. ——		
4 verrucosa. W.	warted.			1658. 6.7.		37
5 Melopepo. W.	squash.		0.73	1597. 5.9.		Moris. s. 1. t. 8.
6 Citrullus. W.	Water Melon.	Q 124 T	S. Europe.		F.O.	Rumph.am.5. t.146
CUCUMIS. W.	CUCUMBER.	Cucurbitaceæ. J.	OPS	1551 50	FO	
1 Colocynthis. W.	bitter.	*	Lament	1551. 5.8.		Inc wind 1 t 0
2 prophetarum. W.	globe.		Levant.			Jac. vind. 1. t. 9.
3 Anguria. W. 4 acutangulus. W.	round prickly.		India			Mill. ic. 1. t. 33. Jac.vind.3.t.73.74.
5 Melo. W.	Melon.		· muia.	1570. 5.9.	F.O.	940.VIII.0.0.70.7±
6 Dudaim. W.	Apple-shaped.		Levant.			Bot. rep. 548.
7 Chate. W.	hairy.					Alp. ægypt. t. 117.
8 pubescens. W.	pubescent.			1815. 6.9.	F	
9 sativus. W.	common.		E. Ind.	1573. 7.9.	H.O.	
10 flexuosus. W.	Snake.					Ger. herb. 763. f. 3.
11 maderaspatanus.W						Pluk.alm.t.170.f.2.
BRYONIA. W.	BRYONY.	Cucurbitaceæ. J.				
1 scabra. W.	globe-fruited.		C.B.S.	1774. 9.10.	G.4.	
2 verrucoșa. W.	rough.		Canaries.	1779		
3 grandis. W.	great-flowered.		E. Ind.	1783. 5.8.	S.4.	Rumph. amb. 5. t. 166. f. 1.
	umbel-flowered.			1815	S.4.	( 100.1.1.
4 epigæa. W. 5 scabrella. W.	bristly.			1781. 5.7.	S.O.	
6 latebrosa. W.	hairy.		Canaries.	1779. 6.	G.4.	
7 dioica: W.	red-berried.		Britain.			Eng. bot. 439.
s alba. W.	white.		Europe.			Lam. ill.t. 796.
9 cretica. W.	Cretan.		Candia.	1750 70	G 21	Des an mus. 12.t.17
10 quinqueloha. Th.	five-lobed.		C. B. S.	6.10	G. 1.	Bot. reg. 82.
11 ficifolia. W.	Fig-leaved.			.1726	G. 21.	Dill. elt. t. 50. f. 58.
	9		D. 00 400 00 4 7 2 0 0		4.44.4	

12 palmata. W.	palmated.	Cucurbitaceæ. J.			7.8. S. 4.	
13 laciniosa. W.	laciniated.		E. Ind.	1710.	S.4.	Herm. ludg. t. 97.
14 africana. W.	African.		C. B. S.	1759.	7.8. G.4.	Herm. parad. t.708.
15 dissecta. W.	smooth-leaved.			1710.	- G. 24.	
SICYOS. W.	SINGLE-SEED- EDCUCUMBER	Cucurbitaceæ. J.				
angulata. W.	angular-leaved.		N. America.	1710.	7.9. H.O.	Lam. ill. t. 796.
		GYNANDRIA.	•			
ANDRACHNE. W.	BASTARDORPINE	.Euphorbiacea. J.				
telephioides. W.	annual.		Italy.	1732.	7.Ş. H.⊙.	Lam. ill. t. 797.

# CLASS XXII.

### DIŒCIA MONANDRIA.

THE STATE ADDITION AND	0 7	n 1 n n					
PANDANUS. W.	SCREW-PINE.	Pandaneæ. B. P.	m - 1			OT	D. 1
1 odoratissimus. W.	green-spined.						Roxb.cor.1.t.94-6.
2 utilis. W. en.	red-spined.						Jac.frag.t.13.14.f.1
3 spiralis. B. P.	spiral.					S.h.	T C
4 humilis. W.	dwarf.	An i	Mauritius.		• • • •	S. h.	Jac. frag. t. 14. f. 2.
		DY AND DY					
CECTODIA W	Carana III	DIANDRIA	١.				
CECROPIA. W.	SNAKE-WOOD.	Urticeæ. J.	Tomaton	2 ## # 0		e 1	Y a !!! 4 200
peltata. W.	peltated.		Jamaica.	1778.		5. n.	Lam. ill. t. 800.
SALIX. W.	WILLOW.	Amentaceæ. J.	Duitain		= 0	T.T. T.	Fun hat 1405
1 triandra. W.	long-leaved.		England	• • • •			Eng. bot. 1435.
2 lanceolata. E. B.	sharp-leaved.		England.	• • • •	4.5.	n.n.	1436.
3 amygdalina. W.	Almond-leaved.	***************************************	Britain.			H.h.	1936.
4 decipiens. E. B.	varnished.		England.	• • • •			1937.
5 Russelliana. W.	Bedford.						1808.
6 tetrasperma, W.	four-seeded.			1796.		n.n.	Rox. cor. 1. t. 97.
7 nigra. Ph.	black.		N. America.	1811.	э.	H.n.	Ann. bot. 2. t. 5. f. 5.
8 lucida. Ph.	shining.		Dultain.				2.t. 5. f.7.
9 pentandra. W.	Bay-leaved.			• • • •			Eng. bot. 1805.
10 nigricans. W.	dark broad-lead.		England.	• • • •			1213.
11 phylicifolia. W.	Tea-leaved.						1958.
12 laurina. W.	two-coloured.						1806.
13 tenuifolia. W.	thin-leaved.		Britain.				2186.
14 hastata. W.	halbert-leaved.	1000	Lapland.	1780.			L.fl.lap.354.t.8.f.g.
15 petiolaris. Ph.	dark long-leavd.	0	N. America.	• • • •	4.		Eng. bot. 1147.
16 myricoides. Ph.	Gale-like.			1811.	4.	H.h.	Ann.bot. 2.t. 5.f.2.
17 prinoides. Ph.	Prinos-like.						
18 discolor. Ph.	brown-branch'd.				4.	H.h.	Ann. bot. 2. t. 5.f.1.
19 angustata. Ph.	narrow-leaved.		Pensylvania.		3.4.	H.h.	
20 cordata. Ph.	heart-leaved.		N. America.		4.5.	H.h.	Ann. bot. 2.t. 5.f.8. 
21 rigida. Ph.	rigid.		73 1 1	,		H.h.	
22 vitellina. W.	yellow.		England.	• • • •			Eng. bot. 1389.
23 fragilis. W.	crack.						1807.
24 babylonica. W.	weeping.						Rauw. it. 183. t. 25.
25 pupurea. W.	bitter purple.		England.	• • • •			Eng. bot. 1388.
26 Helix. W.	Rose.		Britain.	• • • •			1343.
27 Lambertiana. W.	Boyton.		England.	• • • •			1359.
28 Forbyana. W.	Basket Osier.	<del></del>		• • • •			1344.
29 rubra. W.	Green Osier.			• • • •			1145.
30 Croweana. W.	Crowe's.						1146.
31 malifolia. W.	Apple-leaved.	•	2 11 1				1617.
32 prunifolia. W.	Plum-leaved.		Scotland.	• • • •			1361.
33 vacciniifolia. E. B.	Bilberry-leaved.			• • • •			2341.
34 venulosa. E. B.	veiny-leaved.			• • • •		H.h.	1362.
35 mysinites. W.	Whortle-leaved.			• • • •	4.6.	H.h.	1360.
36 carinata. W.	folded-leaved.				4.5.	H.h.	1363.
37 arbuscula. W.	little-tree.		X7:		4.	H.h.	1366,
38 Houstoniana. Ph.	Houstoun's.		Virginia.	* * * * *	4.5.	H.h.	
39 falcata. Ph.	sickle-leaved.						
40 pedicellaris, Ph.	pedicellated.	-	-	-	4.	H.h.	

## DIŒCIA TRIANDRIA.

×17	وه	IGOIA III	IMINIDIU.	£2.			
41 planifolia. Ph.	flat-leaved.	Amentaceæ. J.	Labrador.	1811.		H.h.	
42 rupestris. E. B.	silky-rock.		Scotland.		4.	H.h.	Eng. bot. 2342.
43 Andersoniana. E. B					4.5.	H.b.	9343.
44 Forsteriana. E. B.	Forster's.	<del></del>				H.h.	9344.
45 Stuartiana. E. B.	Stuart's.	-			7.8.	H.b.	2586.
46 fuscata. Ph.	brown-stemmed.		N. America.	1811.	4.	H. h.	
47 herbacea. W.	least.		Britain.				Eng. bot. 1907.
48 Uva-ursi. Ph.	Bearberry-like.		Labrador.			н. ь.	0
49 retusa. W.	blunt-leaved.		Italy.	1763.			
50 reticulata. W.	wrinkled.	-	Britain.		6.7.	H.h.	Eng. bot. 1908.
51 myrtilloides. W.	Myrtle-leaved.		Sweden.	1772.	5.	H.b.	Vil.dau.3.t.50.f.11,
52 recurvata. Ph.	recurved-flowd.		N. America.	1811.	4.	H.b.	
53 cordifolia. Ph.	cordate-leaved.					H.h.	
54 glauca. W.	glaucous.	<del></del>	Scotland.		5.	H.h.	Eng. bot. 1810.
55 arenaria. W.	downy mountain.				5.6.	H.h.	1809.
56 cinerea. W.	gray.	<del></del>	Britain.		5.	H.b.	1897.
57 tristis. Ph.	linear-leaved.		N. America.	1765.	4.	H.h.	
58 Muhlenbergiana }	Muhlenberg's.						Ann. bot. 2. t.5.f.9,
Ph.							
59 argentea. W.	silky sand.		Britain.	***	5.	H.h.	Eng. bot. 1364.
60 parvifolia. E. B.	small-leaved.		England.		4.5.	H.h.	1961.
61 adscendens. E. B.	ascending.		73.14.1			H.h.	1962.
62 repens. W.	creeping.		Britain.		5.	H.h.	<del></del>
63 fusca. W.	brown.			• • • •		H.h.	1960.
64 prostrata. W.	prostrate.				4 -	H.h.	1959.
65 hirta. W.	hairy-branched.			• • • •			1404.
66 Dicksoniana. W.	Dickson's.		Scotland.	• • • •			1390.
67 incubacea. W.	trailing.		Europe.			H.h.	m 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
68 rosmarinifolia. W.	, , , , , , , , , , , , , , , , , , , ,	Management of the second	Britain.	• • • •			Eng. bot. 1365.
69 aurita. W. en.	cared.		Europe.	• • • •			Hoff. sal.1.t.22.f.1,
70 uliginosa. W. en.	marsh.		Britain.		4.6.	H.h.	Eng. bot. 1487.
aurita, E.B.						** *	
71 aquatica. W.	water.		-				1437.
72 oleifolia. W.	Olive-leaved.			• • • •			1402,
73 cotinifolia. W.	Quince-leaved.		Castland				1403.
74 sphacelata. W.	withered-pointed		Pritoin	• • • •			2333.
75 caprea. W.	great round-led.		Diffain.	• • • •	4	TI. U.	1488. 1434.
76 acuminata. W.			N. America	1000			
78 viminalis. W.	Cone-bearing.		Pritain	1000.			Wan.ame.t.31.f.72, Eng. bot. 1898.
79 Smithiana. W. en.	Common Osier. Smith's.		England				1509.
mollissima. E. B.	omiti s.		England.	• • • •		11.7.	1003.
80 stipularis. W.	auricled.	-			2.1	HL	1214.
81 candida. Ph.	hoary.		N America	1911	15	H L	1214
\$2 alba. W.	common white.		Britain	1011.	4.0.	H L	2430 <sub>e</sub>
83 cærulea. E. B.	blue.	-	England.			HL	2431,
BORYA. W.	BORYA.	Euphorbiaceæ. J.	Adelia sn. A	Tich.		15 .	2019
1 porulosa. W.	Florida.	zaproromoce, at				н. ь.	
2 ligustrina. W.	Privet-leaved.		N. America.	1812.		H.h.	
3 acuminata. W.	pointed.					H.b.	Mich. amer. 2. t. 28
3800							
4000		TRIANDRIA,	ę				
EMPETRUM. W.	CROW BERRY.	Ericeæ? J.					
1 album. W.	white-berried.		Portugal.	1774.	4.6.	G.h.	
2 nigrum. W.	black-berried.						Eng. bot. 526.
STILAGO. W.	STILAGO.						
1 Bunius. W.	Laurel-leaved.		E. Ind.	1757.	8.	S.h.	Rheed. mal. 4. t.56.
2 diandra. W.	diandrous.			1800.		S.h.	Rox. cor. 2. t. 166.
OSYRIS. W.	POET'S CASSIA.	Santalaceæ? B. P					
alba. W.	white.		S. Europe.	1739.		G.h.	Lam. ill. t. 802.
WILLDENOVIA. Th.	WILLDENOVIA.	Restiaceæ. B. P.	•				
tones W7	round-etalled		CRE	1700	6 7	GN	Th. in act. holm. 1790. t. 2. f. 2.
teres. W.	round-stalked.		O. D. S.	1790.	0./.	0.4.	1790. t. 2. f. 2.
RESTIO. W.	Rope Grass.	Restiaceæ. B. P.					
tectorum. W.	thatch.		C. B. S.	1793.	5.6.	G. 4.	Rot.gram.10.t.3.f.2
ELEGIA. W.	ELEGIA.	Restiaceæ. B. P.					,
1 juncea. W.	Rush-like.		C. B. S.				Rott.gram.8.t.3.f.4
2 racemosa. W.	racemed.	-		1804.	5.6.	G.4.	Lam.ill. t. 884. f. 4.

## DICECIA TETRANDRIA.

PHŒNIX. W.	DATE PALM.	Palmæ. B. P.					
		ranna. D. 1.	Lavant	1507		G. b .	{ Kæmpf. amæn. 686. t. 1. 2.
1 dactylifera. W.	common.						Jac. frag. 27. t. 24.
2 reclinata. W. 3 farinifera. W.	reclining.						Rox. cor. 1. t. 74.
ANTHOSPER-		FETRANDRIA.					
MUM. W.	AMBER TREE.	Rubiaceæ. J.					
æthiopicum. W.	Ethiopian.		C. B. S.	1692.	6.7.	G.h.	Pluk.alm.t.183.f.1.
TROPHIS. W.	RAMOON TREE. American.		W Ind	1789.	4.5.	S. b.	Brown.jam.t.37.f.1
2 aspera. W.	rough-leaved.		E. Ind.	1802			Dio miljum do / mil
MONTINIA. W.	MONTINIA.	Onagrariæ. J.					69 10 1 11
caryophyllacea. H. K.	Sea-Purslane leaved.		C. B. S.	1774.	7.	G.h.	Smith spic. 14. t.
VISCUM. W.	MISSELTOE.	Caprifoliæ. J.					( 10.
album. W.	common.		England.	• • • •	5.	H.h.	Eng. bot. 1470.
SCHÆFFERIA. W.	SCHÆFFERIA. white-flowered.		W. Ind.	1798		S.h.	Lam. ill. t. 809.
BRUCEA. W.	BRUCEA.	Terebintaceæ. J.	***************************************	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,	3,72,	2200111 21 20 2000
ferruginea. W.	Ash-leaved.		Abyssinia.	1775.	4.5.	S.h.	Lam. ill. t. 810.
BROUSSONETIA. W	BROUSSONETIA.	Urticeæ.J.	Janan.	1751.	2.9.	Н. Ь.	Bot. rep. 488. 233
HIPPOPHAE. W.	SEABUCKTHORN.		баран	1,01.	2101	11.12.	2001 Top: 1001
1 rhamnoides. W.	common.		England.		4.5.	Н. 4.	Eng. bot. 425.
2 canadensis. W.	Canadian.		N. America.	1759		H.h.	
MYRICA. W.	RY MYRTLE.	Amentaceæ. J.					
1 Gale. W.	Sweet Gale.		Britain.		5.	H.h.	Eng. bot. 562.
2 cerifera. W. 3 carolinensis. Ph.	broad-leaved.	/	N. America.	1699. 3	5.6.	H.h.	Cat. car. 1. t. 69.
4 pensylvanica. Ph.	Pensylvanian.					H.h.	——————————————————————————————————————
5 Faya. W.	Azorian.		Azores.	1777.	6.7.	H.h.	
6 æthiopica. W. 7 serrata. W.	African. saw-leaved.		C. B. S.	1795	8.	G.h.	Burm. afr.t. 98.f. 1.
8 laciniata. W. en.	smooth Oak-led.	····		1752. 6	6.7.	G.h.	Jac. frag. 2. t. 1. f. 4.
9 quercifolia. W. en.	hairy Oak-leavd.					G.h.	DI T I A Bas Co
10 cordifolia. W. AULAX. L. T.	heart-leaved.	Proteaceæ. B. P.		1759. 8	5.7.	G.h.	Pluk.alm.t.319.f.7.
1 pinifolia. L. T.	Pine-leaved.		C. B. S.	1780.	7.9.	G.h.	Bot. rep. 76.
2 umbellata. L. T.	umbelled.			1774.	6.8.	G.h.	248.
DRON. L. T.	LEUCADENDRON	Proteaceæ. B. P.	Protea. Eur	yspermu	m, &	c. Kn. I	P.
1 argenteum. L. T.	Silver Tree.		C. B. S.	1693.	8.	G.h.	Lam. ill. t. 53. f.1.
2 plumosum. L. T.							
3 imbricatum. L. T. 4 buxifolium. L. T.	imbricated. Box-leaved.						
5 Levisanus. L. T.	short-leaved.			1774.	4.6.	G.h.	Burm.afr.t.100.f.2.
6 linifolium. L. T.	Flax-leaved.	-				G.h.	Jac. scheen. 1. t. 26.
7 stellatum	starred.  Kn. P. Protea	stellaris, B. M.					Bot. mag. 881.
8 tortum. L. T.	twisted-leaved.			1790. 3	3.5.	G. h .	1.026.
9 cinereum. L. T.	gray.			1774.	7.8.	G.h.	
10 corymbosum. L. T. 11 decorum. L. T.	decorous.			1790.	4.7.	G. h.	Bot. rep. 495.
12 concolor. L. T.	one-coloured.			1774. 3	3.6.	G.h.	Bot. rep. 307.
13 grandiflorum. L. T.				1789. 4	4.6.	G.h.	Par. lond. 105.
14 decurrens. L. T. 15 strictum. L. T.	decurrent.			1812	4.6.	G. h.	Par. lond, 75.
16 virgatum. L. T.	slender.			~		G.h.	,
17 adscendens. L. T.	pale.			1774. 6	6.8.	G.h.	Pluk.man. t.229.f.6
18 concinnum. L. T. 19 salignum. L. T.	neat. Willow-leaved.			1800.	4.6.	G. h.	Boer.lugd.2.t.204.
20 uliginosum. L. T.	swamp.			1795		G. h.	Breyn. cent. 21. t.9, Bot. rep. 572.
21 floridum. L. T.	florid.				0.0	G.h.	Bot. rep. 572.
22 æmulum. L. T. 23 abietinum. L. T.	incurved. Pine-leaved.			1789.	5.9. 7.9.	G. h.	429.
24 scabrum. L. T.	rough.			1812		G.h.	20%

### PENTANDRIA.

PISTACIA W.   0   0   0   0   0   0   0   0   0			PENTANDRIA				
1 officinarum. H. K. 2 relienlata. W. 3 Terebinthus. W. 3 Terebinthus. W. 4 atlantica. W. 4 atlantica. W. 5 Lentiscus. W. 5 Lentiscus. W. 5 Lentiscus. W. 5 Massicliumis. 5 Lentiscus. W. 6 Massicliumis. 6 Massicliumis. 6 Massicliumis. 6 Massicliumis. 6 Massicliumis. 7 Lanzignatiumis. 8 Massicliumis. 8	PISTACIA. W.	PISTACHIATREE.	Tcrebintaceæ. J.				
2 Preibulata. W.     3 Terebinta. V.     4 atlantica. W.     4 atlantica. W.     4 atlantica. W.     4 atlantica. W.     5 Lentiscus. W.     5 Massificusis.     2 Calva Herroti. W. Lentiscus-leavid.     1 composition. W.     3 fraximeum. W.     4 tircarpan. H. K.     5 Calva Herroti. W. Lentiscus-leavid.     4 tircarpan. H. K.     5 Recessive M.     5 Satismeum. W.     4 tircarpan. H. K.     5 Euphorbiaccus. J.     7 tircarpan. H. K.     7 tircarpan. H. K.     7 tircarpan. H. K.     8 Euphorbiaccus. J.     7 tircarpan. M.     8 Ashl-caved.     8 Ashl-caved.     8 Ashl-caved.     9 paineata. W.     9 paineata. W.     1 paineata. W.     2 paineata. W.     2 paineata. W.     1 paineata.     8 Pinaccus.     1 paineata.     1 principal.     1 paineata. W.     1 paineata.     1 paineata. W.     2 paineata. W.     1 paineata. W.				Levant	1570 45	LI T.	Decree :4 50 4 0
3 Terebirthus. W. A aflantia. W. Athick.  5 Lentiscos. W. Mastick Tree.  5 Lentiscos. W. Lentiscos. M. Mastick Tree.  6 Lentiscos. W. Lentiscos. M. Mastick Tree.  6 Lentiscos. W. Lentiscos. M. Mastick Tree.  6 Lentiscos. W. Lentiscos. M. Mastick Martin Mastick.  7 Lentiscos. W. Lentiscos. M. Mastick.  7 Lentiscos. W. Lentiscos. M. Mastick.  8 Lentiscos. M. Lentiscos. M. Mas				Lice vanie.	10/0. 4.5.	n.n.	Rauw. 11. 72. t. 9.
A atlantica. W. 5 Lentiscas. W.     β massilicansis. S Lentone     β massilicansis. S Lentone     β massilicansis. S Lentone     β massilicansis. S Lentone     β massilicansis. S Lentone S Lenton		met-reaveu.		0. 77			
5 Lentiscus. W. & mastick Tree.				S. Europe.	1656. 6.7.	H.h.	
5 Lentiscus. W. & mastick Tree.	4 atlantica. W.	Atlantic.		Barbary.	1790	G.h.	
## Characterisms.  ## Carrain For Characterisms.    1	5 Lentiscus, W.	Mastick Tree.		S. Europe			Dot man 100
ZANTHOXYILUM.W. TOOTH-ACHTREE.Terbintacene? J.   Jamaica.   1739				C. Darope.	1004.	U.n.	Dot. mag. 1967.
1 c marginatum. W. 2 Clava Ricreutis. W. Lendicasu-elav'd. 3 frazineum. W. 4 tricarpum. H. K. SECURINEGA. J. nitida. P. S. PICRAMNIA. W. Antidesma. W. Alelevaed. ANTIDESMA. W. 1 alexiteria. W. 2 panieulata. W. PIDESMA. W. 2 panieulata. W. PIORICA. W. SPINACIA. W. SINAGE. coloraca. W. a spinasa. β inermis. ACNIDA. W. CANNABIS. W. sativa. W. CANNABIS. W. Sativa. W. HEMP. Cannabina. W. CANNABIS. W. Sativa. W. Cannabina. W. Canna			. m . 1' 4 5 T				
2 Clava Rifferents, W. Leftiscost-lear d.   W. Ind.   4 tricarpum, H. K.     4 tricarpum, H. K.     5 tracerum, W.     4 tricarpum, H. K.     5 tracerum, H. K.     6 tricarpum, H. K.     7 tricarpum, H. K.     7 tricarpum, H. K.     7 tricarpum, H. K.     7 tricarpum, H. K.     8 tricarpum, H. K.     9 tricarpum, H. K.     8 tricarpum, H. K.     1 tricarpum, H.							
2 Clava Rifferents, W. Leftiscost-lear d.   W. Ind.   4 tricarpum, H. K.     4 tricarpum, H. K.     5 tracerum, W.     4 tricarpum, H. K.     5 tracerum, H. K.     6 tricarpum, H. K.     7 tricarpum, H. K.     7 tricarpum, H. K.     7 tricarpum, H. K.     7 tricarpum, H. K.     8 tricarpum, H. K.     9 tricarpum, H. K.     8 tricarpum, H. K.     1 tricarpum, H.					1739	S.b.	Slojam.2. t.168.f.4.
Straineum. W.   Chempole   Securing Sea.	2 Clava Herculis. W.	Lentiscus-leav'd.		W. Ind.	15	Ct L	Cot con 1 + ac
Salphomacet.   Oltaheite   1793   S. S.   5.	3 fraxineum, W.	common.		N America	1750 94	LI L	Dubon out 1 4 05
Salphomacet.   Oltaheite   1793   S. S.   5.				To This Circus	1000	TT 7	Dunam. arv.1. 0.97
Salphomacet.   Oltaheite   1793   S. S.   5.			T4 1 1: T		1806	H.h.	
PICRAMNIA . W.			Euphorbiaceæ.J.				
PICRAMNIA	nitida. P. S.	Otaheite Myrtle.		Otaheite.	1793. 3.8.	S.b.	
ANTIDESMA. W. 1 alexiteria. W. 2 panientata. W. RESINE. W. celosicides. W. SPINACIA. W. oferacea. W. a spinana. β internits. ACNIDA. W. CANNABIS. W. cannabina. W. CANNABIS. W. CANNABIS. W. Lupulus. W. HENP. Lupulus. W. HOMULUS. W. Lupulus. W. CANNABIS. W. CANNABIS	PICRAMNIA. W.	PICRAMNIA.					
ANTIDESMA   ANTIDESMA   Lalexiferia   W   2 paniculata   W   IRESINE   W   IRESINE   W   IRESINE   Colosiodies   W   SPINACIA   W   SPINAC					1702	e i	Slation at agg Fa
1 alexiteria. W. 2 panicalata. W. IRESINE. W. celosioides. W. SPINACIA. W. SPINACIA. W. oleracea. W. aspinosa. β inermis. ACNIDA. W. CANNABIS. W. common. Bearing. Accommon. HEMP. 3 common. Common. HEMP. 3 common. HEMP. 4 common. HEMP. 5 common. HEMP. 5 common. HEMP. 6 common. HEMP. 6 common. HEMP. 6 common. HEMP. 7 common. HEMP. 7 common. HEMP. 7 common. HEMP. 8				vamaica.	1/90	3.n.	510.jam.2.t.208.1.2.
RESINE W.   Celosioides. W.   Florida   Amaranthaccæ.B.P   Amaranthaccæ.B.P   Chenopodeæ. B. P.   1733. 7.8. F. 2 . Lam. ill. t. 813.   SPINACIA. W.   Common.   Prickly.   Common.   Chenopodeæ. B. P.   1568. 3.10. H. O.   Schk.hand 3.t.324.   Prickly.   Schk.hand 3.t.324.   Prickly.   Common.   Chenopodeæ. B. P.   1568. 3.10. H. O.   Schk.hand 3.t.324.   Prickly.   Common.   Chenopodeæ. B. P.   1568. 3.10. H. O.   Schk.hand 3.t.324.   Prickly.   Common.   Chenopodeæ. B. P.   Chen							
RESINE W.   Colosiodes. W.   Florida   SPINACE.   Amaranthaccæ.B.P   1733. 7.8. F. 2. Lam. ill.t. \$13.   SPINACE.   Chenopodeæ. B. P.   1733. 7.8. F. 2. Lam. ill.t. \$13.   SPINACE.   Chenopodeæ. B. P.   1568. 3.10. H. O.   Schk.hand 3.t.324.   2 common.   Schk.hand 3.t.325.   Schk.hand 3.t.324.   Schk.hand 3.t.325.   Schk.hand 3.t.324.   Schk.hand 3.t.325.   Schk.hand 3.t.325.   Schk.hand 3.t.324.   Sch	I alexiteria. W.	Laurel-leaved.		E. Ind.	1793. 5.6.	S.h.	Rheed. mal. 5. t. 11.
RESINE   W.   Colosiodes   W.   SPINACIA   W.   SPINACIA   W.   SPINACIA   W.   Oleracea   W.   a spinosa   B pinosa	2 paniculata. W.	panicled.					
Celosioides W.   SPINAGE   Chenopodeæ B. P.			Amaranthaceæ B				
SPINACIA W. oleracea. W. a spinosa. B internit.   Schk.hand 3.t.324.					1729 7 0	E 24	Tom :11 4 0 40
Oleracea, W.   Spilosoa.	_				1700. 7.8.	r.4.	Lam. III. t. 813.
## a spinosa. ## prickly. ##	_						
## a spinosa. ## prickly. ##	oleracea. W.	common.			1568. 3.10.	H.Os	Schk.hand 3.t.324.
Cannabina W. Lupulus W. Common. Hearp. Urticeæ. J. India 6.7. H.⊙. Schk.hand.3.t.325. Hearp. Urticeæ. J. Common. Britain 6.8. H.½. Eng. bot. 427.	a spinosa.	prickly.				-	
Cannabina W. Lupulus W. Common.							
Cannabin. W.   Ca							
Cannabina W.   CANNABIS. W.   Sativa W.   Humulus. W.   Common.   Lupulus. W.   Common.   Empire W.   Common.   Empire W.   Eng. bot. 427.	ACNIDA. W.		Chenopodeæ. B. I	P			
CANNABIS. W.   Hamp.   Urticeæ. J.   India.			•				
CANNABIS. W.   Hamp.   Urticeæ. J.   India.	cannabina. W.	common.		N. America.	1640. 6.7.	H.O.	
Safiva W.   HUMULUS W.   Lupulus W.   Common.   Urticeæ. J.   Eng. bot. 427.	CANNABIS. W.	Немр.	Urticeæ. J.			_	
HUMULUS, W.   Hor.   Common,   Britain,     6.8   H. ½   Eng. bot. 427.		common.		India.	67	HO	Schle hand a + gas
Lupulus. W.   Common,   Britain,   C.   6.8   H. ½   Eng. bot. 427.				LIIdia	0.7.	11.0.	SCHE.Hattu.5. 6.525#
MEXANDRIA.   Smilacæ. B. P.   Rough Bindweed   S. Europe.   1648.   9.   H. h.   Schk.hand.3.t.325.   Spariculata.   Spria.   Spria.   1739.   8.9.   G. h.   Buxb. cent.1.t.27.   Sarsaparilla. W.   Chinese.   China.   1664.   7.8.   H. h.   Chicago.   China.   1759.   G. ft.   H. h.   Cat. car. 1.t. 15.   Sarsaparilla. W.   Sarsaparilla. W.   Chinese.   China.   1759.   G. ft.   H. h.   Cat. car. 1.t. 15.   Sarsaparilla. W.   Saurifolia. W.				No. 1. 1			
SMILAX. W.   1 aspera. W.   Rough Bindweed   S. Europe.   1648. 9. H. ½.   Schk.hand.3.t.325.	Lupulus. W.	common		Britain.	6.8	H.4.	Eng. bot. 427.
SMILAX. W.   1 aspera. W.   Rough Bindweed   S. Europe.   1648. 9. H. ½.   Schk.hand.3.t.32s.   2 excelsa. W.   4 quadrangularis. W.   5 Sarsaparilla. W.   6 China. W.   Chinese.   China.   1778 ½.   Rum.amb.5.t.161.   Redicinal.   1664. 7.8. H. ½.   1664. 7.8.							
1 aspera W.   β auriculata, ear-leaved.   1   1739. S. H. ½. Schk.hand.3.t.328, ear-leaved.   1   1739. S. G. ½. Buxb.cent.1.t.27. Buxb.cent.1.t.27. Buxb.cent.1.t.27. Buxb.cent.1.t.27. Buxb.cent.1.t.27. Buxb.cent.1.t.27. Buxb.cent.1.t.27. Buxb.cent.1.t.27. Ceylon.   E. Ind.   1778 S. ½. Rum.amb.5.t.161.   178 S. ½. Rum.amb.5.t.161.   1780 S. ½. Rum.amb.5.t.161.			HEXANDRIA	•			
1 aspera W.   β auriculata, ear-leaved.	SMILAX, W.	SMILAY.	Smilacere, B. P.				
Apriculata   Care-leaved   Syria   1739   S.9   G.   Buxb. cent. 1.10. f. 8				C Furana	1640 0	LI T.	Cable hand a 4 agai
N. America   1812   6.7.   H. h.				S. Europe.	1040. 97	n.n.	Schanand.s.t.328
N. America   1812   6.7.   H. h.						H.h.	Pluk.alm. t.110. f.3
N. America   1812   6.7.   H. h.	2 excelsa. W.	tall.		Syria.	1739. 8.9.	G.h.	Buxb. cent. 1. t. 27.
N. America   1812   6.7.   H. h.	3 zeylanica. W.	Ceylon.		E. Ind.	1778	S.h.	Rum. amb. 5. t. 161.
Sarsaparilla W.   Chinese.   China.   1664. 7.8.   H.   h.				N America	1819 67	HL	
Chinese. — China. 1759 G. h. Kæmpf.amce.t.782. 7 rotundifolia. W. Baurifolia. W. 2 tamnoides. W. Tamus-leaved. — M. America. 1760. 7.8. H. h. Cat. car. 1. t. 15. 9 tamnoides. W. Tamus-leaved. — M. America. 1769 G. h. M. America. 1769. 7. H. h. Cat. car. 1. t. 15. 10 australis. B. P. oblong-leaved. — N. S. W. 1815 G. h. M. America. 1769. G.7. H. h. Cat. car. 1. t. 15. 11 caduca. W. deciduous. — N. America. 1759. G.7. H. h. Olive. M. America. 1769. G.7. H. h. Olive. M. America. 1699. 7. H. h. Olive. M. America. 1699. 7. H. h. Olive. M. America. 1699. 7. H. h. Olive. M. America. 1785. 5.6. H. h. Cat. car. 2. t. 84. Olive. M. America. 1785. 5.6. H. h. Cat. car. 2. t. 84. Olive. M. America. 1789. 5.6. H. h. Cat. car. 2. t. 84. Olive. M. America. 1789. 5.6. H. h. Cat. car. 2. t. 84. Olive. M. America. 1789. 5.6. H. h. Cat. car. 2. t. 84. Olive. M. America. 1789. 5.6. H. h. Cat. car. 2. t. 84. Olive. M. America. 1789. 5.6. H. h. Cat. car. 2. t. 84. Olive. M. America. 1789. 5.6. H. h. Cat. car. 2. t. 84. Olive. M. America. 1789. 5.6. H. h. Cat. car. 2. t. 84. Olive. M. America. 1789. 5.6. H. h. Cat. car. 2. t. 84. Olive. M. America. 1789. 5.6. H. h. Cat. car. 2. t. 84. Olive. M. America. 1809. 7. H. h. Olive. M. America. 1809. 7. H. h. Olive. M. America. 1806 H. h. Olive. M. America. 1812. 5.7. H. h. Olive. M. America. 1812. 5.7. H. h. Olive. M. America. 1812. 5.7. H. h. Olive. M. M. America. 1812. 5.7. H. h. Olive. M. M. America. 1812. 5.7. H. h. Olive. M. M. M. M. Olive. M. M. M. Olive. M. Olive. M. M. M. Olive. M. Olive. M. Olive. M. M. M. Olive.				14. Milierica.	1072. 0.7.	TT T	
7 rotundifolia. W. 8 laurifolia. W. 10 australis. B. P. 11 caduca. W. 12 Bona nox. W. 13 latifolia. B. P. 14 herbacea. W. 15 lanceolata. W. 16 glyciphylla. B. P. 17 pubera. W. 18 Pseudo-china. W. 19 peduncularis. W. 19 glauca. B. M. 17 glaucous-leaved.  18 Pseudo-china. W. 19 peduncularis. W. 10 glauca. B. M.  TAMUS. W. 10 communis. W. 20 glauca. B. M.  TAMUS. W. 10 communis. W. 21 communis. W. 22 Elephantipes. W. 33 cretica. W. 45 Cretan.  RAJANIA. W. Cordata. W. Cordata. W. 10 pentaphylla. W. 25 aculeata. W. 26 aculeata. W. 27 pentaphylla. W. 28 pentaphylla. W. 29 glaucat. B. M. 20 proception of the five leaved. 20 glauca. B. M. 21 pentaphylla. W. 22 aculeata. W. 23 aculeata. W. 24 pentaphylla. W. 25 lephantipes. W. 26 pentaphylla. W. 27 pentaphylla. W. 28 pentaphylla. W. 29 aculeata. W. 20 glaucata. W. 20 proception of the five leaved. 20 glauca. B. M. 21 pentaphylla. W. 22 pentaphylla. W. 23 aculeata. W. 24 pentaphylla. W. 25 pentaphylla. W. 26 pentaphylla. W. 27 pentaphylla. W. 28 pentaphylla. W. 29 aculeata. W. 20 proception of the five leaved. 21 pentaphylla. W. 22 pentaphylla. W. 23 pentaphylla. W. 24 pentaphylla. W. 25 pentaphylla. W. 26 pentaphylla. W. 27 pentaphylla. W. 28 pentaphylla. W. 29 pentaphylla. W. 20 proception of the five leaved. 20 proception of the five leaved. 20 proception of the five leaved. 21 pentaphylla. W. 22 pentaphylla. W. 23 pentaphylla. W. 24 pentaphylla. W. 25 pentaphylla. W. 26 pentaphylla. W. 27 pentaphylla. W. 28 pentaphylla. W. 29 pentaphylla. W. 20 proception of the five leaved. 20 proception of the five leaved. 20 proception of the five leaved. 21 pentaphylla. W. 22 pentaphylla. W. 23 pentaphylla. W. 24 pentaphylla. W. 25 pentaphylla. W. 26 pentaphylla. W. 27 pentaphylla. W. 28 pentaphylla. W. 29 pentaphylla. W. 20 pentaphylla. W. 20 pentaphylla. W. 20 pentaphylla. W. 21 pentaphylla. W. 22 pentaphylla. W. 23 pentaphylla. W. 24 pentaphylla. W. 25 pentaphylla. W. 26 penta				01.	1004. 7.8.	n.n.	
Stamnoides W.   Laurel-leaved.   — — — — — — — — — — — — — — — — — —		Chinese.		China.	1759	G. h &	Kæmpf.amce.t.782.
Stamnoides W.   Laurel-leaved.   — — — — — — — — — — — — — — — — — —	7 rotundifolia. W.	round-leaved.		N. America.	1760. 7.8.	H.h.	
10 australis. B. P.   11 caduca. W.   1815   1759   6.7   H. h.   1759	8 laurifolia. W.	Laurel-leaved.		<u> </u>	1739. 7.	H.h.	Cat. car. 1. t. 15.
10 australis. B. P.   11 caduca. W.   1815   1759   6.7   H. h.   1759				1	6.7	Hai	1 + 50
1 caduca. W.   12 Bona nox. W.   13 latifolia. B. P.   16 broad-leaved.   1739. — H. ½.   17				N C YET	1015	C. T.	1. 0. 024
1739.				14. D. W.	1010	G.h.	
13   1atifolia. B. P.   broad-leaved.   herbaceous.   N. Holland.   1791 G. h.     14 herbacea. W.   herbaceous.   N. America.   1699. 7. H. \( \frac{1}{2} \)   Bot. mag.   1920?     15 lanceolata. W.   spear-leaved.     1785. 5.6. H. \( \frac{1}{2} \)   Cat. car. 2. t. 84.     16 glyciphylla. B. P.   Botany Bay Tea.     N. S. W.   1815 G. \( \frac{1}{2} \)     17 pubera. W.   downy.   N. America.   1806 H. \( \frac{1}{2} \)     18 Pseudo-china. W.   Bastard Chinese.     America.   1739. 5.6. F. \( \frac{1}{2} \)     19 peduncularis. W.   glaucous-leaved.     N. America.   1812. 5.7. H. \( \frac{1}{2} \)     10 communis. W.   Black Bryony.   Smilaceæ?     1811. 5.7. H. \( \frac{1}{2} \)     1 communis. W.   2 Elephantipes. W.   3 cretica. W.   Cretan.   Candia.   1739.   H. \( \frac{1}{2} \)     1 condata. W.   Tamus-leaved.   Dioscoreæ. B. P.   Dioscoreæ. B. P.   Dioscoreæ. B. P.     1 pentaphylla. W.   2 aculeata. W.   prickly-stemmed   1803 S. \( \frac{1}{2} \)   Rheed.mal. 7. t. 35.   2 alata. W.   bulb-bearing.   E. Ind.   1692. 7.8. S. \( \frac{1}{2} \)   Rheed.mal. 8. t. 51.   1733.   8. S. \( \frac{1}{2} \)   Rheed.mal. 8. t. 51.   Rheed.mal. 8. t. 51.				N. America.	1759. 6.7.	H.h.	
13   1atifolia. B. P.   broad-leaved.   herbaceous.   N. Holland.   1791 G. h.     14 herbacea. W.   herbaceous.   N. America.   1699. 7. H. \( \frac{1}{2} \)   Bot. mag.   1920?     15 lanceolata. W.   spear-leaved.     1785. 5.6. H. \( \frac{1}{2} \)   Cat. car. 2. t. 84.     16 glyciphylla. B. P.   Botany Bay Tea.     N. S. W.   1815 G. \( \frac{1}{2} \)     17 pubera. W.   downy.   N. America.   1806 H. \( \frac{1}{2} \)     18 Pseudo-china. W.   Bastard Chinese.     America.   1739. 5.6. F. \( \frac{1}{2} \)     19 peduncularis. W.   glaucous-leaved.     N. America.   1812. 5.7. H. \( \frac{1}{2} \)     10 communis. W.   Black Bryony.   Smilaceæ?     1811. 5.7. H. \( \frac{1}{2} \)     1 communis. W.   2 Elephantipes. W.   3 cretica. W.   Cretan.   Candia.   1739.   H. \( \frac{1}{2} \)     1 condata. W.   Tamus-leaved.   Dioscoreæ. B. P.   Dioscoreæ. B. P.   Dioscoreæ. B. P.     1 pentaphylla. W.   2 aculeata. W.   prickly-stemmed   1803 S. \( \frac{1}{2} \)   Rheed.mal. 7. t. 35.   2 alata. W.   bulb-bearing.   E. Ind.   1692. 7.8. S. \( \frac{1}{2} \)   Rheed.mal. 8. t. 51.   1733.   8. S. \( \frac{1}{2} \)   Rheed.mal. 8. t. 51.   Rheed.mal. 8. t. 51.	12 Bona nox. W.	ciliated.			1739	H.h.	Pluk.alm.t.111.f.1.
14 herbacea. W.   herbaceous.   Spear-leaved.   16 glyciphylla. B. P.   Botany Bay Tea.   1785. 5.6. H. ½. Cat. car. 2. t. 84.     16 glyciphylla. B. P.   Botany Bay Tea.   N. S. W.   1815 G. ½.     17 pubera. W.   downy.   N. America.   1806 H. ½.     18 Pseudo-china. W.   Bastard Chinese.   America.   1739. 5.6. F. ½. Slo.jam.1.t.143.f.1.     19 peduncularis. W.   glaucous-leaved.   N. America.   1812. 5.7. H. ½.     20 glauca. B. M.   Glaucous-leaved.   Smilaceæ?   1811. 5.7. H. ½.   Bot. mag. 1846.     TAMUS. W.   Gumon.   England.   1811. 5.7. H. ½.   Bot. mag. 1846.     2 Elephantipes. W.   Smilaceæ?   C. B. S.   1774. 7.8. G. ½.   Bot. mag. 1347.     2 Elephantipes. W.   Gretan.   Candia.   1739.   H. ½.     RAJANIA. W.   Cordata. W.   Tamus-leaved.   Dioscoreæ. B. P.     1 pentaphylla. W.   2 aculeata. W.   Dioscoreæ. B. P.     2 aculeata. W.   prickly-stemmed   Salata. W.   wing-stalked.   India.   1692. 7.8. S. ½.   Par. lond. 17.     3 alata. W.   bulb-bearing.   E. Ind.   1692. 7.8. S. ½.   Rheed.mal. 8.t. 51.     5 sativa. W.   Yam.   W. Ind.   1733. 8. S. ½.   Rheed.mal. 8.t. 51.	13 latifolia. B. P.	broad-leaved.		N. Holland.	1791	G. h.	
18   18   18   18   18   18   18   18				N. America	1699. 7	H.21	Bot. mag. 1990 >
17 pubera. W.   2 pseudo-china. W.   30 glauca. B. M.   3 paturd Chinese.   4 merica.   1306   5.6   5.6   5.7   5.8   1739   5.6   5.7		anona los-		1 11merica.	1000 T.	11 T	Cot son 0 t 04
17 pubera. W.   2 pseudo-china. W.   30 glauca. B. M.   3 paturd Chinese.   4 merica.   1306   5.6   5.6   5.7   5.8   1739   5.6   5.7	a contract of	spear-leaved.	****	AT 0 777	1785. 5.6.	n.h.	Cat. car. 2. t. 84.
17 pubera. W.   2 pseudo-china. W.   30 glauca. B. M.   3 paturd Chinese.   4 merica.   1306   5.6   5.6   5.7   5.8   1739   5.6   5.7	16 glyciphylla. B. P.	Botany Bay Tea.		N. S. W.	1815	G.h.	
18 Pseudo-china. W.   19 peduncularis. W.   19 peduncularis. W.   10 long-peduncled.   18 12. 5.7. H. \( \frac{1}{2} \)   18 11. 5.7. H. \( \frac{1}{2} \)	17 pubera. W.	downy.		N. America.	1806	H.h.	
19 peduncularis. W.   long-peduncled.   S. America.   1812. 5.7. H. ¼.   Bot. mag. 1846.   TAMUS. W.   Lommunis. W.   2 Elephantipes. W.   3 cretica. W.   Cretan.   Candia.   1739.   H. ¼.   RAJANIA.   Dioscoreæ. B. P.   Candia.   1739.   H. ¼.   DIOSCOREA. W.   1 pentaphylla. W.   2 aculeata. W.   3 alata. W.   4 bulbifera. W.   bulb-bearing.   5 sativa. W.   Yam.   W. Ind.   1733.   8. S. ¼.   Rheed.mal. 8.t. 51.    N. America.   1812. 5.7. H. ¼.   Bot. mag. 1846.    N. America.   1811. 5.7. H. ¼.   Bot. mag. 1846.    N. Amus.   1. ¼.   1. ¼.   Eng. bot. 91.    N. Amus.   1. ¼.   1. ¼.   Eng. bot. 91.    N. Amus.   1. ¼.   1. ¼.   Eng. bot. 91.    N. Amus.   1. ¼.   1. ¼.   Eng. bot. 91.    N. Amus.   1. ¼.   1. ¼.   Eng		Bastard Chinese.	-	America.	1739, 5.6.	FL	Slo.jam.1.f.143.f.1.
20 glauca. B. M. glaucous-leaved. BLACK BRYONY. Smilaceæ?  1 communis. W. 2 Elephantipes. W. 3 cretica. W. RAJANIA. W. cordata. W. DIOSCOREA. W. 1 pentaphylla. W. 2 aculeata. W. 2 aculeata. W. 3 alata. W. 4 bulb-bearing. 5 sativa. W. 1733. W. 1733. Bot. mag. 1846. Smilaceæ?  1811. 5.7. H. ½. Bot. mag. 1846. Smilaceæ?  1811. 5.7. H. ½. Bot. mag. 1846. Smilaceæ?  1774. 7.8. G. ½. Bot. mag. 1847. M. ½. Eng. bot. 91. Tot. 1774. 7.8. G. ½. Bot. mag. 1347. M. ½. Tot. 1774. 7.8. G. ½. Bot. mag. 1846. Smilaceæ?  1811. 5.7. H. ½. Bot. mag. 1846. Smilaceæ?  1812. 5.8. H. ½. Eng. bot. 91. Tot. 9	10 paduparlaria W	long nadunaled		N Amorias	1910 5 7	LI N	
TAMUS. W. 1 communis. W. 2 Elephantipes. W. 3 cretica. W. RAJANIA. W. cordata. W. 1 pentaphylla. W. 2 aculeata. W. 3 cauleata. W. 4 bulbifera. W. 5 sativa. W.  1 common.  England. C. B. S. 1774. 7.8. G. l <sub>2</sub> . Bot. mag. 1347. Applications of the process of the p		rong-peduncied.		14. America.	1012. 0.7.	11.4·	D-4 1212
1 communis. W.   2 Elephantipes. W.   3 cretica. W.   Cretan.   Candia.   1739.   H. \(\pmu\).					1811. 5.7.	H.h.	Bot. mag. 1846.
RAJANIA. W. cordata. W. Tamus-leaved.  DIOSCOREA. W. Dioscoreæ. B. P. W. Ind. 1786. 7. S. 4. Plum.ic. t.155. f.1.  pentaphylla. W. five-leaved. 2 aculeata. W. prickly-stemmed 1803 S. 4. Rheed.mal. 7. t. 35. 4 bulbifera. W. bulb-bearing. E. Ind. 1739 S. 4 7. t. 38. 4 bulbifera. W. yam. W. Ind. 1733. 8. S. 4. Rheed.mal. 8. t. 51.	TAMUS. W.	BLACK BRYONY.					
RAJANIA. W. cordata. W. Tamus-leaved.  DIOSCOREA. W. Dioscoreæ. B. P. W. Ind. 1786. 7. S. 4. Plum.ic. t.155. f.1.  pentaphylla. W. five-leaved. 2 aculeata. W. prickly-stemmed 1803 S. 4. Rheed.mal. 7. t. 35. 4 bulbifera. W. bulb-bearing. E. Ind. 1739 S. 4 7. t. 38. 4 bulbifera. W. yam. W. Ind. 1733. 8. S. 4. Rheed.mal. 8. t. 51.	1 communis. W.	common.		England.	5.8.	H. 24.	Eng. bot. 91.
RAJANIA. W. cordata. W. Tamus-leaved.  DIOSCOREA. W. Dioscoreæ. B. P. W. Ind. 1786. 7. S. 4. Plum.ic. t.155. f.1.  pentaphylla. W. five-leaved. 2 aculeata. W. prickly-stemmed 1803 S. 4. Rheed.mal. 7. t. 35. 4 bulbifera. W. bulb-bearing. E. Ind. 1739 S. 4 7. t. 38. 4 bulbifera. W. yam. W. Ind. 1733. 8. S. 4. Rheed.mal. 8. t. 51.				C. B. S.			
RAJANIA. W. cordata. W. Tamus-leaved.  DIOSCOREA. W. Dioscoreæ. B. P. W. Ind. 1786. 7. S. 4. Plum.ic. t.155. f.1.  pentaphylla. W. five-leaved. 2 aculeata. W. prickly-stemmed 1803 S. 4. Rheed.mal. 7. t. 35. 4 bulbifera. W. bulb-bearing. E. Ind. 1739 S. 4 7. t. 38. 4 bulbifera. W. yam. W. Ind. 1733. 8. S. 4. Rheed.mal. 8. t. 51.				Candia			
cordata. W.       Tamus-leaved.       W. Ind.       1786.       7.       S.4.       Plum.ic. t.155. f.1.         DIOSCOREA. W.       Dioscoreæ. B. P.       E. Ind.       1768.       S. 4.       Rheed.mal. 7. t. 35.         2 aculeata. W.       prickly-stemmed       1803.       S. 4.       7. t. 37.         3 alata. W.       bulb-bearing.       E. Ind.       1739.       S. 4.       7. t. 38.         4 bulbifera. W.       bulb-bearing.       E. Ind.       1692.       7.8.       S. 4.       Par. lond. 17.         5 sativa. W.       Yam.       W. Ind.       1733.       8.       S. 4.       Rheed.mal. 8.t. 51.				Одлига.	1/09.	11.4.	
DIOSCOREA. W.         Dioscorea. B. P.           1 pentaphylla. W.         five-leaved.           2 aculeata. W.         prickly-stemmed           3 alata. W.         wing-stalked.           4 bulbifera. W.         bulb-bearing.           5 sativa. W.         Yam.           W. Ind.         1733.           W. Ind.         1733.           8. J. Rheed.mal. 7. t. 35.           1803.         S. J. Par. lond. 17.           7. t. 38.           4. bulb-fera. W.         W. Ind.           1733.         8. S. J. Rheed.mal. 8. t. 51.							
DIOSCOREA. W.         Dioscorea. B. P.           1 pentaphylla. W.         five-leaved.           2 aculeata. W.         prickly-stemmed           3 alata. W.         wing-stalked.           4 bulbifera. W.         bulb-bearing.           5 sativa. W.         Yam.           W. Ind.         1733.           8. J. Rheed.mal. 7. t. 35.           1803.         S. J. Rheed.mal. 7. t. 37.           1803.         S. J. Par. lond. 17.           7. t. 38.         S. J. Rheed.mal. 8. t. 51.	cordata. W.	Tamus-leaved.		W. Ind.	1786. 7.	S.4.	Plum.ic. t.155. f.1.
1 pentaphylla. W. 2 aculeata. W. prickly-stemmed			Dioscoreæ. B. P.				
2 aculeata. W. prickly-stemmed				E. Ind.	1768	S. L.	Rheed, mal. 7, t. 85.
3 alata. W.       wing-stalked.       India.       1739       S.4.       — 7.t.38.         4 bulbifera. W.       bulb-bearing.       E. Ind.       1692. 7.8.       S.4.       Par. lond. 17.         5 sativa. W.       Yam.       W. Ind.       1733. 8.       S.4.       Rheed.mal. 8.t. 51.				Z. III.			
4 bulbifera. W. bulb-bearing. E. Ind. 1692. 7.8. S. 4. Par. lond. 17. 5 sativa. W. Yam. W. Ind. 1733. 8. S. 4. Rheed.mal. 8. t. 51.				Y 1:	1000	5.4.	7.6.07.
5 sativa. W. Yam. W. Ind. 1733. 8. S. 4. Rheed.mal. 8. t. 51.							
5 sativa. W. Yam. W. Ind. 1733. 8. S.4. Rheed.mal. 8. t. 51.	4 bulbifera. W.	bulb-bearing.		E. Ind.	1692. 7.8.	S. 4.	Par. lond. 17.
The American Control of the Am							
	Account Tite	TO LIT TOWY CH.		TAN YEMICTICES			

### DIŒCIA DODECANDRIA.

7 villosa. Ph.	pubescent.	Dioscoreæ. B. P.	N. America.	1752. 8.	H.4.	Jac. ic. 3. t. 626.
8 oppositifolia. W.	opposite-leaved.					Pet. gaz. t. 31. f. 6.
MABA. J.	MABA.	Ebenaceæ. B. P.				9
buxifolia. P. S.	Box-leaved.				S.b.	Rox. cor. 1. t. 45.
ELAIS. W.	OILY PALM.	Palmæ. B. P.	231 22200			
guineensis. W.	Guinea.	Tama. D. T.	Guines	1730	S.h.	Jac. amer. t. 172.
CHAMÆDOREA. W.		Palmæ. B. P. Bo		1,000	~	0.000 0.000 0.000 0.000
				1009	S L	Jac.sch@.2.t.247.8
PODACOLO W	slender.	n.1 n.n.	Caracas.	1003	D. 17 .	0 ac.scnc. 2. 6.2.27.10
BORASSUS, W.	Borassus.	Palmæ. B. P.	77 7 1	1.551	C T	Davb con 1 + 51 50
flabelliformis. W.	fan-leaved.		E. Ind.	1771	s.n.	Roxb.cor.1.t.71.72.
		0.0001277774				`
DODT*** ***		OCTANDRIA.	•			
POPULUS. W.	POPLAR.	Amentaceæ. J.			~~ -	77 1 1 1 2 2 2 2
1 alba. W.	Abele Tree.					Eng. bot. 1618.
2 canescens. W.	gray.		England.		H.h.	1619.
3 trepida. W.	Trembling \		N America.	1812	H.b.	Mich. arb.3. t.8.f.1.
o treplitat W	American.					
4 tremula. W.	Aspen.	<i>y</i>	Britain.	3.4.	H.h.	Eng. bot. 1909.
5 lævigata. W.	smooth.		N. America.	1769	H.h.	Mich. arb. 3. t. 11.
6 græca. W.	Athenian.		Archipelago.	1779. 3.4.	H.h.	Duha.arb.184.t.54.
7 nigra. W.	black.		Britain.		H.h.	Eng. bot. 1910. Mich.arb.3.t.10.f.1.
8 betulifolia. Ph.	Black American.		N. America.		H.h.	Mich.arb.3.t.10.f.1.
9 dilatata. W.	Lombardy.		Italy.	1758	Н. Б.	
10 monilifera. W.	Canadian.		Canada.			Mich.arb.3.t.10.f.2.
11 angulata. W.	Carolina.		Carolina.			3.p.302.t.12;
12 balsamifera. W.	Tacamahac.		N America	1692. 4.	H.b.	3. t. 13. t. 1.
13 candicans. W.	heart-leaved.		14. 7 Interieus	1770 8	HL	Cat. car. 1. t. 34.
14 heterophylla. W.	various-leaved.			1765 45	H L	Mich. arb. 3. t. 9.
				1700. 4.0.	11.77.	Training of the Or
RHODIOLA. W.	Rose Root.	Semperviveæ. J.	Duttetin	E #	LI N	Fra bot 500
rosea. W.	common.		Britain.	5.7.	11.4.	Eng. bot. 508.
			-			
350000000000000000000000000000000000000		ENNEANDRIA	•	,		
MERCURIALIS. W.	Mercury.	Euphorbiaceæ. J.				-
1 perennis. W.	perennial.		Britain.			Eng. bot. 1872.
2 ambigua. W.	doubtful.		Spain.	1806. 7.8.	H.⊙.	Lin. fil. dec. 1. t. 8.
3 annua. W.	annual.		Britain.	7.9.	H.⊙.	Eng. bot. 559.
4 elliptica. W.	oval-leaved.		Portugal.	1802. 5.7.	G. h.	Vent. cels. 12.
5 tomentosa. W.	woolly.		Spain.	1640. 7.9.	H.h.	
HYDROCHARIS. W.	FROG-BIT.	Hydrocharideæ.B.I			, -	
Morsus-ranæ. W.	common.			6.7.	H.24.	Eng. bot. 808.
	***************************************					- 3
		DECANDRIA				
CARICA. W.	PAPAW TREE.	Cucurbitaceæ? J.				
1 Papaya. W.	common.			1690. 7.	S. L.	Ehret pict. t. 3. f.1.
2 cauliflora. W.			Cornege			Jac.schæn.3.t.311.
	stem-flowering.		Caracas.			
3 microcarpa, W.	small-fruited.				5. n.	3.t.309.10.
GYMNOCLADUS.W.		Leguminosæ. J.			LT T	Mich omer 2 4 51
canadensis. W.	Canadian.	72 1 1 T		1/48	17. N.	Mich. amer. 2. t. 51.
KIGGELARIA. W.	KIGGELARIA.	Euphorbiaceæ. J.		1000 50	CI	I am :11 4 001
africana. W.	African.	713 1 1 4 X	C. B. S.	1683. 5.6.	G.h.	Lam. ill. t. 821.
SCHINUS. W.	Schinus.	Terebintaceæ. J.			0.	3011
1 Molle. W.	Peruvian.		Peru.			Mill. ic. 2. t. 246.
2 dentata. H. K.	tooth-leaved.					Bot. rep. 620.
3 dependens. H. K.	entire-leaved.		Chili.	1790	· H.h.	Cav. ic. 3. t. 239.
Amyris polygama.						
CORIARIA. W.	CORIARIA.		•			
myrtifolia. W.	Myrtle-leaved.		S. Europe.	1629. 5.8.	H. h.	Schk.hand.3.t.334.
	·		-			
		DODECANDRIA.				
STRATIOTES. W.		Hydrocharideæ.B.l				
aloides. W.	Aloe-like.			6,7.	H.2.	Eng. bot. 379.
HYÆNANCHE.H.K.						3
globosa. H. K.	Cape.		C. B. S.		G.b.	Lamb.cinc.52.t.10.
EUCLEA. W.	EUCLEA.		0.1.0.	.,00. 400	,.	
1 racemosa. W.	round-leaved.		CBS	1700 11 10	G L	Jac. frag. 3.t. 1.f. 5.
2 undulata. W.						V
	wave-leaved.			1794	u.n.	
DATISCA. W. cannabina. W.	DATISCA.	• • • • • • • • • • • • • • • • • • • •		1640 70	T.T. 21	Schle hand 2 4 2 C
	Hemp-like.	31		1040. 7.9.	11.4.	Schk.hand.3.t.3 6.
MENISPERMUM. D.		Menispermeæ. D	DT A.	1001 0 =	T.Y. T	Pot man 1010
1 canadense. W.	Canadian.		- N. America.	1691. 6.7.	n.n.	Bot. mag. 1910.
		F f				

## DIŒCIA MONADELPHIA.

1					
2 virginicum. W.	Virginian.	Menispermen D	N America	1720 67 H L	Dill.elt.t.178.f.219
3 smilacinum. D.	Smilax-leaved.		Carolina.	1776 G.h.	Jac. ic. 3. t. 629.
Cissampelos smi	lacina. W.				
COCCULÚS. D.	Cocculus.	Menispermeæ. D.	Menimermi	en IV	
	officinal.	medispermed. D.	Tachesperme	1700	701 1
1 Plukenetii. D.			E. Ind.	1790 S.h.	Pluk.mán.t.345.f.2. Rheed.mal.11.t.62.
2 orbiculatus. D.	round-leaved.			S. h	Rheed.mal.11.t.62.
3 villosus. D.	villous.			1900 S.L.	Pluk.amal.t.384.f.3
				1800 3.n	. Flux.amai.t.364.125
B hirsutus.	hairy.			— S.h	t.384.f.7
		ICOSANDRIA			
THE ACCULTINGUE A TY	E		k•	*	•
FLACOURTIA. W		Tiliaceæ. J.			
Ramontchi. W.	shining-leaved.		- Madagascar.	1775. 6.7. S. b	. L'Her.stirp.59.t.30
2 flavescens. W.	yellow-flowered.		- Guinas	1780 S.h	
3 cataphracta. W.	many-spined.	-	· E. Ind.	1894 S. h	•
4 sapida. W.	esculent.			1800 S. h	. Roxb. cor. 1. t. 69.
GELONIUM, Rox	GELONIUM.			·	
			·		
bifarium. W.	oval-leaved.		- E.Ind.	1793. 6.8. S.h	•
ROTTLERA. Rox.	ROTTLERA.				
tinctoria. W.	dyer's.		E. Ind.	1810 S. L	. Roxb. cor. 2. t.168.
	4,01 00		- 12. Inu.	1010 5.7	. 1toxb. cor. 2. t.100.
		POLYANDRIA	i.		
TREWIA. W.	TREWIA.				
				AMOC ST	Dhand wal 1 4 40
nudiflora. W.	naked-flowered.				. Rheed.mal. 1.t. 42.
EMBRYOPTERIS	. W EMBRYOPTERIS.	Ebenaceæ. B. P.	Diospyri sp.	P. S.	
glutinifera. W.	Indian.	*	10 1		. Roxb. cor. 1. t. 70.
			©	17301 1111 131 17	. 220/10/ 001/ 21/ 0/ 70/
CLIFFORTIA. W.	CLIFFORTIA.	Rosaceæ. J.			
1 cuneata. W.	wedge-leaved.		- C. B. S.	1787. 4. G.h	
2 ilicifolia. W.	Ilex-leaved.			1714 59 G b	. Dill.elt. t.31. f. 85.
				G. h.	. Din. c. c. c. 51. 1. 55.
3 tridentata. W.	three-toothed.			(i. h.	
4 ruscifelia. W.	Ruseus-leaved.			1752. 6.7. G.b.	L. hort. cliff. t. 31.
5 cinerea. W.	cinereous.			1900 C T-	
	beautiful.			1795. 4.5. G.h	•
6 pulchella. W.				1795. 4.5. G. n	•
7 crenata. W.	_ notched-leaved.			1791. 7.8. G.h	Pluk.slm.t.319.f.4.
8 ericæfolia. W.	Heath-leaved.			1799. 7.9. G h	
9 obcordata. W.	heart-leaved.			1700 CO CI	•
				1790. 6.8. G. n	
10 trifoliata. W.	three-leaved.			1752. 4.7. G.h.	. Pluk.alm.t.319.f.4.
11 sarmentosa. W.	twiggy.	-		1793. 6.8. G.h	
CYCAS. W.	CYCAS.	Cycadeæ. B. P.		2,001 0101 0112	
CICAS. W.	OI CAS.				(7)
1 circinalis. W.	broad-leaved.		T Ind	1700 S.L	Rheed. mal. 3. t.
1 chemans. w.	oroau-reaveu.		.E. 1114.	1700 5. 7	13. 21.
2 revoluta. W.	narrow-leaved.		China	IFOF FO ST	Linn.trans. 6. t.29.
			Cililia.	1707. 7.0. D. N.	. Milli. Clans. C. 6.2.5.
ZAMIA. W.	ZAMIA.	Cycadeæ. B. P.			
1 pungens. W.	needle.		C. B. S.	1775 G. b .	Till. pis. 129. t. 45.
2 cycadifolia. W.	Cycas-leaved.			C L	Jac from 1 + 05 96
			D.1 . T.1	7.8. S.h	1 :- 0 4 606
3 angustifolia. Jac.			Danama 1si.	7.8. S. n.	. Jac. 10. 3. t. 030.
4 media. Jac.	intermediate.		W. Ind.	S.h.	Bot. mag. 1838.
5 debilis. W.	long-leaved.			1777. — S. h.	Comm.hort. 1. t.58.
	dwarf.			1768. — S.h.	Bot mag 1851
6 integrifolia. W.				1,000 - 3. n.	Dot. mag. 1001.
7 pygmæa. B. M.	least.			5. S.h.	1741.
8 furfuracea. W.	broad-leaved.			1001 # 0 C T	Trans about 4 ac 14
9 spiralis. B. P.	spiral.		N. S. W.	1796 G. h	Jac.frag.27.t.27.28 Th. act. ups. 2. t. 5.
	•		0 D 6	1000 - 0.7	In a fun or 07 4 07 57
10 horrida. W.	gray.	***************************************	C. B. S.	1800 G.h.	Jac.17ag.27.1.27.28
11 Cycadis. W.	Cycas-like.			1775 G. h.	Th. aet. ups. 2. t. 5.
	•				BM 306
/2 m/		A CONTAINED DAYS	•		WE KNY THE STREET
		MONADELPHIA			
ARAUCARIA. J.	ARAUCARIA.	Coniferæ. J. Don	nbeya. Lam.		
1 imbricata. W.	imbricated.			1796 G. h.	Lam. ill. t. 328.
2 excelsa. H. K.	Norfolk Island.		Norfolk Isl.	1793 G. n.	Lamb.pin.t.39.40
JUNIPERUS. W.	JUNIPER.	Coniferæ. J.			
1 thur fera. W.	Spanish.		S. Europe.	1752. 5.6. H.h.	
			Rempulae		
2 bermodiana. W.	Dei mudas Cedar.		Dermutias.	1000 r.n.	Herm. lugd. t.347.
3 chinensis. W.	Chinese.		China.	1804. — F.h.	
4 excelsa. W.	tall.		Siberia.	1806 H.h.	
5 Sabina. W.					
	Common Savin.			1548. 5.6. H.h.	
6 tamariscifolia.	Tamarisk-leav'd.			1562. — H. h.	
7 prostrata. P. S.	prostrate.			H.h.	
	Daurian.			1701 60 HIL	Rot. ren. 534.
8 daurica. H. K.				1791. 6.8. H.h.	Mill and O 4 "
9 virginiana. W.	Red Cedar.			1664. 5.6. H.h.	Mich. arb. 3. t. 5.
10 communis. W.	common.		Britain.	H.h.	Eng. bot. 1100.
11 suecica.	Swedish.	-	N. Europe	H.h.	
7 % harorotte	O II CUISIII		Ti Turobe	AL. 7.	

12 nana. W.	mountain.	Coniferæ. J.	Siberia.	5.6. H.h.	Pall. ross. 2. t. 54. f. A. B.	
13 Oxycedrus. W.	brown-berried.		Spain.	1739. — H.b.	Duham.arb,2.t.128	
14 pliœnicea. W.	Phœnician.		S. Europe.		Pall. ross. 2. t. 57.	
15 lycia. W.	Lycian.				2. t. 56.	
16 barbadensis. W.					Pluk.alm.t.197.f.4	
TAXUS. W.	YEW-TREE.	Coniferæ, J.	- 10114			
1 baccata, W.	common.		Britain.	2.4. H.h.	Eng. bot. 746.	
2 nucifera. W.	Acorn-bearing.				Kæmp.amæn.t.815	
EPHEDRA. W.	EPHEDRA.	Coniferæ. J.				
1 distachya. W.	great.		France.	1570, 6.7, H.b.	Schk. han. 3. t. 339.	
2 monostachya. W.	small.		Siberia.		Pall. ross. 2. t. 83.	,
CISSAMPELOS. D.	CISSAMPELOS.	Menispermeæ. D.	,			
1 Pareira. D.	velvet-leaf.		S. America.	1733. 7.8. S. 24.	Lam. ill. t. 830.	
2 Caapeba. D.	nervous-leaved.				Plum. ic. 67. f. 2.	
3 capensis. D.	Cape.		C. B. S.	1775 G. h .		
EXCECARIA. W.	EXCECARIA.	Euphorbiaceæ. J.				
serrata. H. K.	saw-leaved.		Chili.	1796. 11.2. G.b.		
ADELIA. W.	ADELIA.	Euphorbiaceæ. J.	,	-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
1 Bernardia. W.	villous-leaved.		Jamaica.	1768. 7.8. S.h.		
2 Ricinella. W.	smooth-leaved.			6.8. S.h.		
3 Acidoton. W.	Box-leaved.	<del></del>	Jamaica.	1768. 6.7. S.h.		
LOUREIRA. W.	LOUREIRA.					
glandulosa. W.	glandulous.				Cav. ic. 5. t. 430.	
MYRISTICA. W.	NUTMEG.	Myristicææ. B. P.	2.20.000	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
1 moschata. W.	true.		E. Ind.	1795 S.h.	Lam. ill. t. 832.	
2 fatua. W.	tasteless.				Pluk.alm.t.250.f.6,	
NEPENTHES, W.						
distillatoria, W.	Chinese.		China.	1789, 4.5, S.M.	Burm.zeyl.42.t.17.	
	(BUTCHER's-)			11001 1,00 014	234141207112101210	
RUSCUS. W.	BROOM.	Smilaceæ?				
1 aculeatus. W.	prickly.		England.	12.6. H.h.	Eng. bot. 560.	
2 laxus. L. T.	loose.		Portugal.	1.6. H.h.		
3 Hypophyllum. W.	broad-leaved.		Italy.		Col.ecp.1.t.165.f.1.	0.17/
4 Hypoglossum. W.	double-leaved.				Schk,hand.3.t.340.	A V P
5 androgynus. W.	climbing.		Canaries.	1713 G.h.		
	(Alexandrian)					
6 racemosus. W,	Laurel.		Portugal.	6. H.h.	Herm. ludg. t. 681.	
LATANIA. J.	BOURBON PALM.	Palmæ. B. P.				
rubra. W.	red.	<u></u>	Mauritius.	1788 S.h.	Jac. frag. 13. t. 8.	
		GYNANDRIA				
CLUYTIA. W.	CLUYTIA.	Euphorbiaceæ. J.				
1 alaternoides. W.	narrow-leaved.		C. B. S.	1692. 12.3. G.h.	Bot. mag. 1321.	
2 polygonoides. W.	Polygonum-like.			1790 G. h		
3 daphnoides. W.	Daphne-leaved.		-	1731, 5.6, G.b.	52.	
4 ericoides. W.	Heath-leaved.			1790. 4.6. G.h	. 779 Jac. scheen. 2. t. 50	
5 polifolia. W.	Poley-leaved.			G.h	Jac. schoen, 2, t. 50	
6 tomentosa. W,	tomentose.			1812 G.h.		
7 pulchella. W.	broad-leaved.			1739. 1.6. G.h		
8 collina. W.	hill.	Principle Communication of the			. Roxb. cor. 2. t. 169	
				, , , , , , , , , , , , , , , , , , , ,		

# CLASS XXIII.

## POLYGAMIA MONŒCIA.

MUSA. W.	PLANTAIN-TREE	Musaceæ. J.		
1 paradisiaca. W.	common.	India.	1690. 10.12. S. h	Trew chret. 3. t
2 sapientum. W. 3 rosacea. W. 4 coccinea. W. VERATRUM. W. 1 album. W. 2 viride. W.	Banana-tree. Rose-coloured. scarlet-flowered. VERATRUM. white. green-flowered.	W. Ind. Mauritius. China. Melanthaceæ. B. P. Europe. N. America.	1729. 10.3. S. h. 1805. 3.6. S. h. 1792. 12.3. S. h. 1548. 6.8. H.4.	Jac.schœn.4.t.445. 706 Bot. mag. 1559.
	9.40th 11011ctcts	Ff 2	17 TAO 7:00 11.40	тос. шав. 1030.

## POLYGAMIA MONŒCIA.

3 virginicum. H. K.	Virginian.	Melanthaceæ. B.P.	N. America.	1768. 6.7. H.4. Bot. mag. 985.
4 nigrum. W.	dark-flowered		Siberia.	1596. — H. 4. — 963.
5 parviflorum. W.	small-flowered.		Carolina.	1809. — H. 4.
ANDROPOGON. W.	Andropogon.	Gramineæ, B. P.		
1 striatus. W.	nerve-glumed.	CHARACTER STATE	E. Ind	1793. 8. S.4.
2 contortus. W.	twisted.	~	33. 1110.	
				1779. 7.9. S. 4. Schk.han.3.t.342.a.
3 Schenanthus. W.	Lemon-grass.	***************************************	0.71	1786 S. 24. Rum.am.5.t.72.f.2.
4 distachyos. W.	two-spiked.		S. Europe.	1805. 7.8. H.4. Fl. græc. 1. t. 69.
5 muticus. W.	smooth-spiked.		C. B. S.	1794. 7.9. G.4.
6 Ischæmum. W.	woolly.		S. Europe.	1768. 8. H. 4. Schreb.gram.2.t.33
CHLORIS. W.	CHLORIS.	Gramineæ. B. P.		
1 petraæa. W.	flat-stalked.		Jamaica.	1779. 7.8. S.4. Vahl. symb. 2.t. 27.
2 ciliata. W.	ciliated.			7.9. S.2!.
3 radiata. W.	many-spiked.		W. Ind.	1739. 8.9. S.O. Moris. s. 8. t. 3. f. 15.
4 barbata. W.	bearded.		E. Ind.	1777. 6.7. S.O.
5 curtipendula. Ph.	short-spiked.		Illinois.	1808. 6.8. H. 4.
PENICILLARIA.	· Pre-		111110101	1000. 0.0. 22. 27.
W. en.	Penicillaria.	Gramineæ. B. P		
	aniland		77 Ta. J	1500 CE SO Dint alm + 20 f 4
1 spicata. W. en.	spiked.	-		1592. 6.7. S.O. Pluk.alm.t.32.f.4.
2 ciliata. W. en.	ciliated.		Jamaica.	1739. 7.10. H.⊙.
Alopecurus indicus				
SORGHUM. W. en.	Sorghum.	Gramineæ. B. P.		
1 Grylļus.			S. Europe.	1791. 6.7. H. 4. Fl. græc. 1. t. 67.
Andropogon Grylli				
		•	D	1731. 7. H
2 bicolor. W. en.	two-coloured.		Persia.	1731. 7. H.O. \ t.4.f.4.
3 vulgare. W. en.	Indian Millet.		India	1596. 7. H.O. —— 8. t. 4. f. 3.
4 rubens. W. en.	red-seeded.	P		1817. — H.⊙.
4 Iubens, w.en.	reu-seeded.			
5 saccharatum. W.en.	yellow-seeded.		India.	1759. 7.8. S. J. {Ard. act. ac. pat. 1. t. 4. f. 2.
6 halepense. P. S.	panicled.		· Syria.	1691. — H. 4. Fl. græc. 1. t. 68.
HOLCUS. W. en.	SOFT-GRASS.	Gramineæ. B. P.		
mollis. W.	creeping.		Britain.	7.8. H.4. Eng. bot. 1170.
2 lanatus. W.	meadow.	-		6.7. H.4. —————————————————————————————————
3 avenaceus. W. en.	Oat-like.			Н. 2 813.
4 bulbosus. W. en.	bulbous-rooted.			— Н. 4.
5 odoratus. W.	sweet-scented.		N. America.	1777. — H. 4.
ISCHÆMUM. W.	Ischæmum.	Gramineæ. B. P.		
1 aristatum. W.	bearded.		F Ind	1803. 6.7. S. 24.
2 rugosum. W.	rough.		- Inches	1791. 7.8. S.O. Sal.stirp.rar.1.t.1.
ÆGILOPS. W.	HARD-GRASS.	Gramineæ. B. P.	A ***	and an II of III
1 ovata. W.	oval-spiked.		- S. Europe.	1683. 6.7. H.O. Fl. græc. 1. t. 93.
2 triuncialis. W.	long-spiked.			1739. 7.8. H.O. Schreb.gr.1,t.10.f.1
3 cylindrica. W.	cylindrical.		· Hungary.	1805. 6.7. H.O. Host. gram. 2. t. 7.
4 squarrosa. W.	rough-spiked.		- Levant.	1794. — H. 4. Schreb.gr.2.t.27.f.2
5 candata. W.	Cretan.	-		1789. — H.O. Fl. græc. 1. t. 95.
MANISURIS. W.	MANISURIS.	Gramineæ. B. P.		
granularis. W.	round-grained.			1784. 6.7. S.O. Roxb.cor. 2. t. 118.
VALANTIA. W.	VALANTIA.	Rubiaceæ. J.		.,
1 cruciata. W.	Crosswort.	Tenoracca. o.	- Britain	5.6. H.4. Eng. bot. 143.
			S Firens	1739. 5.7. H.O. Col. ecph. t. 297.
2 muralis. W.	wall.			
3 hispida. W.	bristly.			
4 filiformis. W.	least.			1780. 7.9. H.⊙.
5 pedemontana. W.	Piedmont.			1799. 7. H.O. Pl.rar.hung.1.t.33.
6 Cucullaria. W.	hooded.		- Levant.	1780. 5.6. H.O. Bux.cent.1.t.19.f.2
7 Aparine. W.	warty-fruited.		- Britain.	6.8. H.O. Eng. bot. 2173.
Galium verrucosur	n. E. B.			
8 articulata. W.	jointed.	***************************************	- Egypt.	1752. 7.8. H.⊙.
9 glabra. W.	smooth.		- S. Europe.	1731. — H.4. Pl.rar.hung.1.t.32.
10 aspera. W.	rough.		- Siberia.	1804. 6.7. H.4.
PARIETARIA. W.	PELLITORY.	Urticeæ. J.		
		OTTICEE: 5:	E Ind	1790. 4.5. S.4.
1 indica. W.	Indian.			
2 officinalis. W.	wail.		- Dritain.	
3 judaica. W.	Basil-leaved.			1728. — H.4. Schk.hand.3.t.346.
4 urticæfolia. W.	Nettle-leaved.			1700. — S.O.
5 lusitanica. W.	Chickweed-lead		- Spain.	1710. 7.8. H.O. Bocc. sic. t. 24. f. B.
6 polygonoides. W.	Polygonum-lead	·. ————	- Armenia.	1728. — H.O.
ATRIPLEX. W.	ORACHE.	Chenopodeæ. B.		
1 Halimus. W.	tall shrubby.			1640. 7.8. H. L. Park.theat.724.f.2.
2 portulacoides. W.	dwarf shrubby.		- Britain.	H, h, Eng. bot. 261.
- Promise and the		4		

	101	I GAMIA	MONGAC	IA.	72 L
3 glauca. W.	glancone	Chenopodeæ. B.P.	S Furone	1720 78 G L	Dill. elt. t. 40. f. 46.
0	glaucous.				Din. Cit. t. 40. 1. 40.
4 albicans. W.	white.		C. E.mana	1774. 6.7. G.h.	Sable hand 2 + 250
5 rosea. W.	Rose.		S. Europe.		Schk.hand.3. t.350.
6 sibirica. W.	Siberian.				3. p.538. t.350.
7 tatarica. W.	Tartarian.	<del> </del>	Tartary.		3.p.539.t.349.
8 hortensis. W.	garden.			1548. — H.O.	
& rubra.	red garden.				-
9 laciniata. W.	frosted sea.				Eng. hot. 165.
10 patula. W.	spreading.				936.
11 angustifolia. W.	narrow-leaved.	-		6.8. H.⊙.	1774.
12 erecta. W.	upright.				2223.
13 littoralis. W.	Grass-leaved.		Britain.	8.9. H.⊙.	708.
14 pedunculata. W.	pedunculated.		England.	7.9. H.⊙.	232.
15 microsperma. W.	small-seeded.			1800. — H.⊙.	
RHAGODIA. B. P.	RHAGODIA.	Chenopodeæ. B. I			
hastata. B. P.	halberd-leaved.		N. S. W.	1803. 6.7. G.h.	
TERMINALIA. W.	TERMINALIA.	Combretaceæ. B.		•	
1 Catappa. W.	broad-leaved.		E. Ind.	1778 S. h.	Jac. ic. 1. t. 197.
2 moluccana. W.	Molucca.			1804 S. b.	Roxb. cor. 2. t. 197.
3 Chebula. W.	oval-leaved.		-	1796 S. h.	Roxb. cor. 2, t. 197.
4 angustifolia. W.	narrow-leaved.			1692 S. b.	Jac. vind. 3. t. 100.
FUSANUS. L.	Fusanus.	Santalaceæ. B. P.		7	oue
-compressus. H. K.		Santalacea, D. F.			Berg.cap.38.t.1.f.1.
compressus. 11. IX.			Ç. D. S.	1770	Deig.cap.30.1.1.1.
BRABEJUM. W.	AFRICAN-	Proteaceæ. B. P.	"bie		
-4-11-1:C-1: 337	{ Almond. }		O.B.C	1 mos 0.4 O.5	D 4 4 4
stellulifolium. W.	common.		U. B. S.	1731. 3.4. G.h.	Breyn. cent. 1. t. 1.
FERONIA. L. T.	{ELEPHANT-}				
9	APPLE.			0.7	7 1
elephantum. W.	Indian.	Di III.	E. Ind.	1804. , S.h.	Roxb. cor. 2. t.141.
AILANTHUS. W.	AILANTHUS.	Terebintaceæ. J.	64.1		* 1 * * * * * * * * * * * * * * * * * *
1 glandulosa. W.	Chinese.		China,		L'Her. stirp. t. 84.
2 excelsa. W.	Indian.		E. Ind.	1800 S.h.	Roxb. cor. 1. t. 23.
CLUSIA. W.	BALSAM-TREE.	Guttiferæ. J.			_
1 rosea. W.	Rose-coloured.		Carolina.	1692. 7.8. S.h.	
2 alba. W.	white-flowered.			1752 S.h.	
3 flava. W.	yellow-flowered.			1759. 9. S.h.	Bot. rep. 223.
4 venosą. W.	veiny-leaved.		S. America.	1733 S.h.	Plum. ic. 87. f. 2.
OPHIOXYLON. W.	OPHIOXYLON.	Apocyneæ. B. P.			
serpentinum. W.	red-flowered.		E. Ind.	1690. 5.6. S.h.	Bot. mag. 784.
ACER. W.	MAPLE.	Acereæ. J.			
1 heterophyllum. W.	evergreen.		Levant.	1759. 5.6. H.h.	W. arb. 10. t. 1. f. 1.
2 tataricum. W.	Tartarian.		Tartary.	— — Н. h.	
3 Pseudo-Platanus.	Sycamore.		Britain.	4.5. H.O.	Eng. bot. 303.
4 rubrum. W. "	scarlet-flowered.		N. America.	1656. — H. h.	Mich. arb. 2. t. 14.
5 dasycarpum. W.	SirChas, Wager's.			1725. —— H. h.	2. t. 13.
6 barbatum. Ph.	bearded.			1812. — H. lz.	
7 saccharinum. W.	Sugar.			1735. — H.h.	Mich. arb. 2. t. 15.
8 nigrum. Ph.	black.			1812. — H.h.	2. t. 16.
9 platanoides. W.	Norway.		Europe	1683, 5.7. H. L	Schm. arb. 1.t.3.4.
B laciniatum.	cut-leaved.		zurope.		1. t. 5
10 striatum. Ph.	striped-barked.		N America	1755 5 6 H L	Mich. arb. 2. t. 17.
11 montanum. Ph.	mountain.		11. Timerica.	1750. 45 H L	Schm. arb. 1. t. 11.
12 campestre. W.	common.		Britain		
13 Opalus. W.	Italian.		Italia	5.6. H.h.	
14 moneueculonum	Italiali.			1752. — H.h.	
W.	Montpelier.		France.	1739. 5. H.b.	Schm. arb. 1. t. 14.
15 creticum W	Croton				
15 creticum. W.	Cretan.	-		1752. 5.6. H.h.	
16 Negundo, W.	Ash-leaved.	A	N. America.	1688. 4. H.h.	1. 7. 12.
CELTIS. W.	NETTLE-TREE.	Amentaceæ. J.	0.77		
1 australis, W.	European.			1796. 5. H.h.	m ti
2 Tournefortii. W.	Tournefort's.				Tourn. it. 2. t. 41.
3 occidentalis. W.	American.		N. America.		Mill. ic. 1. t. 88.
4 crassifolia. Ph.	thick-leaved.				Duham. arb. 2. t. 9.
5 pumila. Ph.	dwarf.			5. H.h.	
6 micrantha. W.	smooth.		Jamaica.	1739. 8.9. S.h.	Plum.ic.t. 206. f. 1.
7 aculeata. W.	prickly.			1791 S.h.	
GOUANIA. W.	GOUANIA.	Rhamni? J.			
1 domingensis. W.	Chaw-stick.			1739 S.h.	Pluk.alm.t.201.f.4.
2 tiliæfolia.	Lime-tree-leav'd.		E. Ind.	1810 S. h.	Roxb. cor. 1. t. 98.

perere	1.01	DI CILILII		****			
HERMAS. W.	HERMAS.	Umbelliferæ. J.					
1 depauperata. W.	hairy.	Province of the Control of the Contr					Burm. afr. t.71.f. 2,
2 gigantea. W.	gigantic.	-		1794		G, 4.	Th. in act. pet. 14.
INGA. W.	INGA.	Leguminosæ. 3.					C
1 dulcis. W.	sweet.			1800		S.h.	Roxb. cor. 1. t. 99.
2 Unguis-Cati. W.	four-leaved.						Jac.schæn.3.t.392.
3 mierophylla. W. en			· Cumana.	1815			
4 vera. W.	common. villous.		- W. Ind.				Sl.jam. 2. t. 183. f. 1.
5 rhoifolia. W. en. 6 alba. W.	white.			1815.			
7 marginata. W.	Beech-leaved.		·W. Ind.	1752.		S.h.	Pluk.alm. t.141.f.2,
8 nodosa. W.	knobbed.		- Ceylon.	1690.		S.h.	
9 latifolia. W.	broad-leaved.			1768.	3.4.	S.h.	Plum. ic. t. 9.
10 purpurea. W.	Soldier Wood.						
11 circinalis. W.	spiral-podded.	Y amount of		1726.	• • • •	S. h.	Plum. ic. t. 5.
MIMOSA. W.	Mimosa. lively.	Leguminosæ. J.	Tampica	1720	70	S 21	Slo.jam.2.t.182.f.7,
2 casta. W.	chaste.	7		1741.			Comm.hort.1.t.28
3 sensitiva. W.	Sensitive Plant.		Brazil.	1648.	4.9.	S. 3.	Bot. reg. 25.
4 obtusifolia. W. en			-	1816.		S.b.	
5 pudica. W.	Humble Plant.			1638.	4.9.	S.h.	Bot. rep. 544.4. 941
6 pigra. H. K.	straight-spined.		- Vera Cruz.				Mill.ic.2. t.182.f.5,
7 rubicaulis. W. 8 concinna. W.	Bramble-stalked neat.	3	E. Ind.	1799.		S.h.	Roxb. cor. 2. t. 200,
9 polystachya. W. er			- Martinico.	1816.		S. h.	
SCHRANKIA. W.	SCHRANKIA.	Leguminosæ. J.	Mimosæsn. L			~. 16.	
1 aculeata. W.	Vera Cruz.				7.8.	S. 4.	Mill.ic. 2. t. 182. f. 1,
2 uncinata. W.	hooked.		- N. America.	1789,		G.4.	Vent. choix. 28.
DESMANTHUS, W		Leguminosæ. J.				0.0	<b>T</b>
1 natans. W.	floating.			1800.			Bot. rep. 629. Mill.ic.2.t.182.f.2.
2 plenus. W. 3 diffusus. W.	double yellow. prostrate.		- Vera Cruz.				Pluk.alm. t.307.f.3,
4 virgatus. W.	long-twigged.		***************************************	1774.	7.0.	S.h.	Jac. vind. 1. t. 80. 245
5 punctatus. W.	spotted-stalked.	-	- Jamaica.	1686.		S. 3.	Comm. hort.1.t.31,
6 cinereus. W.	Ash-coloured.		- E. Ind.				Roxb. cor. 2. t.174.
7 divergens. W. en.	divergent.			1816	<del></del>	S.h.	
ACACIA. W.	ACACIA.	Leguminosæ. J.			9.5	G L	Pot mag 110
1 verticillata. W. 2 juniperina. W.	whorl-leaved. Juniper-leaved.						Vent. malm. 64,
3 acicularis. H. K.	needle-leaved.			1796.	3.8.	G.h.	A Otive marine a sá
	is a different speci	es.					A
4 sulcata. H. K.	furrowed-lcaved.		N. Holland.	1803.	5.8.	G.h.	Jac.schæn.3.t.391.
5 suaveolens. W.			- N. S. W.	1790.	2.6.	G.h.	Jac.schæn.3.t.391.
6 glaucescens. W. er				1000	- C	G. h.	Vent. choix. 13.
7 floribunda. W. 8 linifolia. W.	many-flowered. Flax-leaved.			1790.	5.0.	G.h.	Bot. rep. 394. 2168
9 stricta. W.	double-headed.				9 5.	G.h.	53.
10 longifolia. W.	long-leaved.	-	-	1792.	3.5.	G.h.	207. 22. 12
11 falcata. W.	sickle-leaved.			1790.	5.6.	G.h.	2166
12 laurifolia. W.			- Tanna.	1775.		S.h.	
13 melanoxylon. H. E	Sophore padded		- VanDiem.Isl	1808.	4.6.	G.h.	Lab.nov.ho.2.t.237
14 Sophoræ. H. K. 15 marginata. H. K.	marginate-leav'd		- N.S. W.	1803.		G.h.	Dag in Or in O. Z. i. 20 f
16 myrtifolia. W.	Myrtle-leaved.	. — — — — — — — — — — — — — — — — — — —		1789.	2.5.	G.h.	Bot. mag. 302.
17 hispidula. W.	little harsh.			1794.	4.5.	G.h.	Sm.n. holl.53. t.16,
18 decipiens. H. K.	paradoxical.		- N. Helland.	1803.	3.6.	G.h.	Bot. mag. 1745.
19 biflora. H. K.	two-flowered.				10	G.h.	Dat mag 1650
20 armata. H. K.				-	4.6.	G.h.	Bot. mag, 1653.
21 alata. H. K. 22 scandens. W.	wing-stalked. climbing.		- India	1780	4.7.	S.h.	Rheed.mal. 9. t. 77.
23 pulchella. H. K.	zigzag spiny.		- N. Holland.	1803.	4.7.	G.h.	
24 ciliata. H. K.	ciliate-winged.						
ciliata. IV. en. is	a different species.						7 1 1 1 2 1 2 2 2 1 3
25 nigricans. H. K.			- C		5.7.	G.h.	Lab. n.hol.2. t. 238. 216
26 guianensis. W.	Guiana.		- Cayenne.	1700	0.11	S. L.	Aub. gui. 2. t.357. Bot. reg. 98.
27 Houstoni. W. 28 odoratissima. W.	Houstoun's. fragrant.						Roxb. cor. 2. t.120.
29 venusta. W. cn.	charming.		- S. America.	1816.		S.h.	
30 arborea. W.	tree.		- Jamaica.	1768.		S.h.	Pluk.al.6. t.251.f.2.

	10.	LYGAMIA	Diagoir	r.	2.	33
21 Julibrissin. W.	smooth tree.	Leguminosæ. J.	Levant.	1745. 8. H.	h . Scop. in. 1. t. 8.	
32 speciosa. W.	splendid.		E. Ind.		h. Jac. ic. 1. t. 198	
33 latisiliqua. W.	broad-podded.		W. Ind.		h. Plum. ic. 3. t. 6.	
34 discolor. W.	two-coloured.		N.S.W.		h. Bot. rep. 235.	
35 pubescens. H. K.	hairy-stemmed.		N. S. W.		h. Bot. mag. 1263.	= 3
36 lophantha. W.	two-spiked.		N. Holland.		h. Bot. rep. 563.	11 2
37 brachyloba. W.			N. America.	G	. 4. . h. Vent. choix. 27.	
38 glandulosa. W. 39 decurrens. W.	glandulous. decurrent.		NSW		.h. Vent. malm. 61	
40 pernambucana. W.	slothful.				h. Pluk.alm. t.307.	
41 peregrina. W.	white-flowered.		S. America.	1780. 7. S.	.h.	2103
42 grandiflora. W.	great-flowered.		E. Ind.		h. Bot. rep. 592.	
43 glauca. W.	glaucous.		America.		. h . Cat. car. 2. t. 49	2.
44 reticulata. W. en.	netted.		C. B. S.	1816 G.	h. Pluk.alm. t.123.	f.2.
45 juliflora. W.	long-flowered.		Jamaica.	1793 S.	. ի .	
46 Giraffæ. W. en.	camelopard's.		C. B. S.	1816 S.		
47 Cafra. W.	Hottentot.		T I	1800 G	. ի .	
48 Chundra. W.	hook-spined.					
49 Catechu. W. 50 leucophlœa. W. en.	medicinal.			1910	.h. Roxb.cor. 2. t.1	50
51 cornigera. W.	Cuckold Tree.		S. America.	1692 S	. h. Pluk.al.3.t.122	. 50°
52 eburnea. W.	ivory-thorned.		E. Ind.	1792 S	.h. Roxb. cor. 2. t. 1	99.
53 hæmatoxylon.W.en			C. B. S.	1816 S	. h .	
54 farnesiana. W.	Sponge Tree.		St. Domingo	1656, 6.8. S	. b. Dubarh ed n t	.28.
55 vera. W.	Egyptian Thorn.		Egypt.	1596. 7. S	.h. Pluk.al.3.t.123	.f. 1.
56 cæsia. W.	gray.					
57 pennata. W.	fine-leaved.			s	h. Burm. zeyl. 2.	t. 1.
58 Intsia. W.	angular-stalked.		2 4 1	1778 S	.h. Rheed mal. 6.	t. 4.
59 Ceratonia. W.	round-leaved.		S. America.		.h. Plum. ic. t. 8.	
60 tamarindifolia. W.		Palmæ. B. P.	w.ind.	1774 S	.h. Jac.scheen.3.t.	3.96.
RHAPIS. W.  1 flabelliformis. W.	RHAPIS. creeping-rooted.	Palmæ. B. P.	China	1774. 8. S	T. Dot man 1951	
2 arundinacea. W.	simple-leaved.		Carolina.	1765. 9. G	h. Bot. mag. 1371	٠
2 ai	simple leaved		C41 0111111	1,000	. 12.	
		DIŒCIA				
GLEDITSCHIA. W.	GLEDITSCHIA.	Leguminosæ. J.				
1 triacanthos. Ph.	three-thorned.		N. America.	1700. 6.7. H	.h. Duham.arb.1.t.	195
\$ inermis.	smooth.					
2 brachycarpa. Ph.	curved-spined.			— Н	.h.	
3 monosperma. Ph.	single-seeded.			1723. —— H	. b . Cat. car. 1. t. 42	
4 horrida. W.			Cilciana	1074 II	T	3-0
r singuais D C	strong-spined.		China,	1774. — H	. h .	Sa :
5 sinensis. P. S. CERATONIA W	Chinese.	Leguminosæ, J.	China,	1774. — H 1812 F	.h. l.h. Cat. car.1.t. 48 l.h. l.h.	a .
CERATONIA. W.	Chinese. CAROB TREE.	Leguminosæ. J.				) a
CERATONIA. W. Siliqua. W.	Chinese. CAROB TREE. St. John's Bread.	Leguminosæ. J.			.h. .h. .h. Bot. rep. 567.	S a
CERATONIA. W.	Chinese. CAROB TREE.	Oleinæ. B. P.	Levant.	1570. 9.10. G	h. Bot. rep. 567.	
CERATONIA. W. Siliqua. W. FRAXINUS. W.	Chinese. CAROB TREE. St. John's Bread. Ash Tree.	Leguminosæ. J.	Levant.	1570. 9.10. G		
CERATONIA. W. Siliqua. W. FRAXINUS. W. 1 simplicifolia. W. 2 excelsior. W.  \$\beta\$ pendula.	Chinese. CAROB TREE. St. John's Bread. Ash TREE. various-leaved. common. weeping.	Oleinæ. B. P.	Levant. England. Britain.	1570. 9.10. G 4.5. H H	h. Bot. rep. 567.	
CERATONIA. W. Siliqua. W. FRAXINUS. W. 1 simplicifolia. W. 2 excelsior. W.  \$\beta\$ pendula. 3 sambucifolia. W.	Chinese. CAROB TREE. St. John's Bread. Ash TREE. various-leaved. common. weeping. Elder-leaved.	Oleinæ. B. P.	Levant. England. Britain.	1570. 9.10. G 4.5. H H 1800 H	6. h. Bot. rep. 567. 6. h. Eng. bot. 2476 6. h. 1692	
CERATONIA. W. Siliqua. W. FRAXINUS. W. 1 simplicifolia. W. 2 excelsior. W. \$\beta\$ pendula. 3 sambucifolia. W. 4 oxycarpa. W.	Chinese. CAROB TREE. St. John's Bread. ASH TREE. various-leaved. common. weeping. Elder-leaved. Caucasian.	Oleinæ. B. P.	England. Britain. N. America. Caucasus.	1570. 9.10. G 4.5. H H 1800 H 1815 H	6.h. Bot. rep. 567. 6.h. Eng. bot. 2476 6.h. 1692 6.h.	
CERATONIA. W. Siliqua. W. FRAXINUS. W. 1 simplicifolia. W. 2 excelsior. W. \$\beta\$ pendula. 3 sambucifolia. W. 4 oxycarpa. W. 5 lentiscifolia. W.	Chinese. CAROB TREE. St. John's Bread. ASH TREE. various-leaved. common. weeping. Elder-leaved. Caucasian. Aleppo.	Oleinæ. B. P.	England. Britain. N. America. Caucasus. Aleppo.	1570. 9.10. G 4.5. H H 1800 H 1815 H 1710. 5.6. H	E. H. Bot. rep. 567.  Eng. bot. 2476  L. H. 1692  L. H. 1.  L. H. Pluk.alm.t. 132	
CERATONIA. W. Siliqua. W. FRAXINUS. W. 1 simplicifolia. W. 2 excelsior. W. \$\beta\$ pendula. 3 sambucifolia. W. 4 oxycarpa. W. 5 lentiscifolia. W. 6 americana. W.	Chinese. CAROB TREE. St. John's Bread. ASH TREE. various-leaved. common. weeping. Elder-leaved. Caucasian.	Oleinæ. B. P.	England. Britain. N. America. Caucasus. Aleppo.	1570. 9.10. G 4.5. H H 1800 H 1815 H 1710. 5.6. H	E. H. Bot. rep. 567.  Eng. bot. 2476  L. H. 1692  L. H. 1.  L. H. Pluk.alm.t. 132	
CERATONIA. W. Siliqua. W. FRAXINUS. W. 1 simplicifolia. W. 2 excelsior. W. \$\beta\$ pendula. 3 sambucifolia. W. 4 oxycarpa. W. 5 lentiscifolia. W. 6 americana. W. acaminata. Ph.	Chinese. CAROB TREE. St. John's Bread. ASH TREE. various-leaved. common. weeping. Elder-leaved. Caucasian. Aleppo. white.	Oleinæ. B. P.	England. Britain. N. America. Caucasus. Aleppo. N. America.	1570. 9.10. G 4.5. H H 1800 H 1815 H 1710. 5.6. H 1723. 5. H	E. H. Bot. rep. 567.  Eng. bot. 2476  L. H. 1692  L. H. 1. 182	
CERATONIA. W. Siliqua. W. FRAXINUS. W. 1 simplicifolia. W. 2 excelsior. W. 3 sambucifolia. W. 4 oxycarpa. W. 5 lentiscifolia. W. 6 americana. W. acuminata. Ph. 7 caroliniana. Ph.	Chinese. CAROB TREE. St. John's Bread. Ash TREE. various-leaved. common. weeping. Elder-leaved. Caucasian. Aleppo. white. shining.	Oleinæ. B. P.	England. Britain. N. America. Caucasus. Aleppo. N. America.	1570. 9.10. G 4.5. H H 1800 H 1815 H 1710. 5.6. H 1723. 5. H	6. h. Bot. rep. 567. 6. h. Eng. bot. 2476 6. h. 1692 6. h. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	. f.4.
CERATONIA. W. Siliqua. W. FRAXINUS. W. 1 simplicifolia. W. 2 excelsior. W. B. pendula. 3 sambucifolia. W. 4 oxycarpa. W. 5 lentiscifolia. W. acuminata. Ph. 7 caroliniana. Ph. 8 pubescens. W.	Chinese. CAROB TREE. St. John's Bread. ASH TREE. various-leaved. common. weeping. Elder-leaved. Caucasian. Aleppo. white. shining. black.	Oleinæ. B. P.	England. Britain. N. America. Caucasus. Aleppo. N. America.	1570. 9.10. G 4.5. H H 1800 H 1815 H 1710. 5.6. H 1723. 5. H 1811 H 1783. 5. H	6. h. Bot. rep. 567. 6. h. Eng. bot. 2476 6. h. 1692 6. h.	. f.4.
CERATONIA. W. Siliqua. W. FRAXINUS. W. 1 simplicifolia. W. 2 excelsior. W. 3 sambucifolia. W. 4 oxycarpa. W. 5 lentiscifolia. W. 6 americana. W. acuminata. Ph. 7 caroliniana. Ph.	Chinese. CAROB TREE. St. John's Bread. Ash TREE. various-leaved. common. weeping. Elder-leaved. Caucasian. Aleppo. white. shining.	Oleinæ. B. P.	Levant.  England. Britain.  N. America. Caucasus. Aleppo. N. America.	1570. 9.10. G 4.5. H H 1800 H 1815 H 1710. 5.6. H 1723. 5. H 1811 H 1783. 5. H 5.6. H	E. Rot. rep. 567.  Eng. bot. 2476  L. L. 1692  L. L. 1892  L. L. 1892  L. L. 1892  L. L. 1892  L. L. 1893  L. 1	. f.4.
CERATONIA. W. Siliqua. W. FRAXINUS. W. 1 simplicifolia. W. 2 excelsior. W. \$\beta\$ pendula. 3 sambucifolia. W. 4 oxycarpa. W. 5 lentiscifolia. W. 6 americana. W. acuminuta. Ph. 7 caroliniana. Ph. 8 pubescens. W. 9 juglandifolia. W.	Chinese. CAROB TREE. St. John's Bread. ASH TREE. various-leaved. common. weeping. Elder-leaved. Caucasian. Aleppo. white. shining. black. Walnut-leaved.	Oleinæ. B. P.	Levant.  England. Britain.  N. America. Caucasus. Aleppo. N. America.	1570. 9.10. G 4.5. H H 1800 H 1815 H 1710. 5.6. H 1723. 5. H 1811 H 1783. 5. H 5.6. H	E. R. Bot. rep. 567.  Eng. bot. 2476  L. L. 1692  L. L. 18.  L. L. Pluk.alm.t.132  L. L. L. Du Roi.ed. 2.1	. f.4.
CERATONIA. W. Siliqua. W. FRAXINUS. W. 1 simplicifolia. W. 2 excelsior. W. \$\beta\$ pendula. 3 sambucifolia. W. 4 oxycarpa. W. 5 lentiscifolia. W. 6 americana. W. acaminata. Ph. 7 caroliniana. Ph. 5 pubescens. W. 9 juglandifolia. W. 10 aurea. W. en.	Chinese. CAROB TREE. St. John's Bread. ASH TREE. various-leaved. common. weeping. Elder-leaved. Caucasian. Aleppo. white. shining. black. Walnut-leaved. yellow-barked. dwarf. green curled-led.	Oleinæ. B. P.	Levant.  England. Britain.  N. America. Caucasus. Aleppo. N. America.	1570. 9.10. G 4.5. H H 1800 H 1815 H 1710. 5.6. H 1723. 5. H 1811 H 1783. 5. H 5.6. H	E. H. Bot. rep. 567.  Eng. bot. 2476  Eng. bot	. f.4.
CERATONIA. W. Siliqua. W. FRAXINUS. W. 1 simplicifolia. W. 2 excelsior. W. \$\beta\$ pendula. 3 sambucifolia. W. 4 oxycarpa. W. 5 lentiscifolia. W. 6 americana. W. accuminata. Ph. 7 caroliniana. Ph. 8 pubescens. W. 9 juglandifolia. W. 10 aurea. W. en. 11 nana. W. en. 12 atrovirens. P. S. BROSIMUM. W.	Chinese. CAROB TREE. St. John's Bread. ASH TREE. various-leaved. common. weeping. Elder-leaved. Caucasian. Aleppo. white. shining. black. Walnut-leaved. yellow-barked. dwarf. green curled-led. BREAD NUT.	Oleinæ. B. P.	Levant.  England. Britain.  N. America. Caucasus. Aleppo. N. America.	1570. 9.10. G 4.5. H H 1800 H 1815 H 1710. 5.6. H 1723. 5. H 1811 H 1783. 5. H H H	E. H. Bot. rep. 567.  Eng. bot. 2476  h. 1692  h	.f.4.
CERATONIA. W. Siliqua. W. FRAXINUS. W. 1 simplicifolia. W. 2 excelsior. W. \$\beta\$ pendula. 3 sambucifolia. W. 4 oxycarpa. W. 5 lentiscifolia. W. 6 americana. W. acuminata. Ph. 7 caroliniana. Ph. 8 pubescens. W. 9 juglandifolia. W. 10 aurea. W. en. 11 nana. W. en. 12 atrovirens. P. S. BROSIMUM. W. 1 Alicastrum. W.	Chinese. CAROB TREE. St. John's Bread. ASH TREE. various-leaved. common. weeping. Elder-leaved. Caucasian. Aleppo. white. shining. black. Walnut-leaved. yellow-barked. dwarf. green curled-led. BREAD NUT. Jamaica.	Oleinæ. B. P.	Levant.  England. Britain.  N. America. Caucasus. Aleppo. N. America.	1570. 9.10. G 4.5. H H  1800 H 1815 H 1710. 5.6. H 1723. 5. H  1811 H 1783. 5. H H H H H H H	E. Rot. rep. 567.  Eng. bot. 2476  L. L. 1692  L. L. Pluk.alm.t.132  L. L. Du Roi.ed. 2.1  L. L	.f.4.
CERATONIA. W. Siliqua. W. FRAXINUS. W. 1 simplicifolia. W. 2 excelsior. W. B pendula. 3 sambucifolia. W. 4 oxycarpa. W. 5 lentiscifolia. W. 6 americana. W. acaminata. Ph. 7 caroliniana. Ph. 9 juglandifolia. W. 10 aurea. W. en. 11 nana. W. en. 12 atrovirens. P. S. BROSIMUM. W. 1 Alicastrum. W. 2 spurium. W.	Chinese. CAROB TREE. St. John's Bread. ASH TREE. various-leaved. common. weeping. Elder-leaved. Caucasian. Aleppo. white.  shining. black. Walnut-leaved. yellow-barked. dwarf. green curled-led. BREAD NUT. Jamaica. Milkwood.	Oleinæ. B. P.	Levant.  England. Britain.  N. America. Caucasus. Aleppo. N. America.	1570. 9.10. G 4.5. H H 1800 H 1815 H 1710. 5.6. H 1723. 5. H 1811 H 1783. 5. H H H	E. Rot. rep. 567.  Eng. bot. 2476  L. L. 1692  L. L. Pluk.alm.t.132  L. L. Du Roi.ed. 2.1  L. L	.f.4.
CERATONIA. W. Siliqua. W. FRAXINUS. W. 1 simplicifolia. W. 2 excelsior. W. & pendula. 3 sambucifolia. W. 4 oxycarpa. W. 5 lentiscifolia. W. 6 americana. W. acaminata. Ph. 7 caroliniana. Ph. 9 juglandifolia. W. 10 aurea. W. en. 11 nana. W. en. 12 atrovirens. P. S. BROSIMUM. W. 1 Alicastrum. W. 2 spurium. W. DIOSPYROS. W.	Chinese. CAROB TREE. St. John's Bread. ASH TREE. various-leaved. common. weeping. Elder-leaved. Caucasian. Aleppo. white. shining. black. Walnut-leaved. yellow-barked. dwarf. green curled-led. BREAD NUT. Jamaica. Milkwood. DATE PLUM.	Dleinæ. B. P.  Ebenacæ. B. P.	Levant.  England. Britain.  N. America. Caucasus. Aleppo. N. America.	1570. 9.10. G 4.5. H H 1800 H 1815 H 1710. 5.6. H 1723. 5. H 1811 H 1783. 5. H H H H H H H 1776 S 1789 S	Eng. bot. 2476  1. h. Eng. bot. 2476  1. h. 1692  1. h. 1. Pluk.alm.t.182  1. h. Du Roi.ed. 2.1  1. h.	.f.4.
CERATONIA. W. Siliqua. W. FRAXINUS. W. 1 simplicifotia. W. 2 excelsior. W. \$\beta\$ pendula. 3 sambucifolia. W. 4 oxycarpa. W. 5 lentiscifolia. W. 6 americana. W. accuminata. Ph. 7 caroliniana. Ph. 9 pubescens. W. 9 juglandifolia. W. 10 aurea. W. en. 11 nana. W. en. 12 atrovirens. P. S. BROSIMUM. W. 1 Alicastrum. W. 2 spurium. W. DIOSPYROS. W. 1 Lotus. W.	Chinese. CAROB TREE. St. John's Bread. ASH TREE. various-leaved. common. weeping. Elder-leaved. Caucasian. Aleppo. white. shining. black. Walnut-leaved. yellow-barked. dwarf. green curled-led. BREAD NUT. Jamaica. Milkwood. DATE PLUM. European.	Dleinæ. B. P.  Ebenaceæ. B. P.	Levant.  England. Britain.  N. America. Caucasus. Aleppo. N. America.  Jamaica.	1570. 9.10. G 4.5. H H 1800 H 1815 H 1710. 5.6. H 1723. 5. H 1811 H 1783. 5. H H H H H H 1776 S 1596. 6.7. H	A. H. Bot. rep. 567.  A. H. Eng. bot. 2476  A. H. 1692  A. H. 1892  A. H. 1912  A. H. 1914  A. H. 192  A. H. 193  A. H. 194  A. H. 195  A. H. Mill. ic. t. 116.	.f.4.
CERATONIA. W. Siliqua. W. FRAXINUS. W.  1 simplicifolia. W. 2 excelsior. W. B pendula. 3 sambucifolia. W. 4 oxycarpa. W. 5 lentiscifolia. W. 6 americana. W. acuminata. Ph. 7 caroliniana. Ph. 8 pubescens. W. 9 juglandifolia. W. 10 aurea. W. en. 11 nana. W. en. 12 atrovirens. P. S. BROSIMUM. W. 1 Alicastrum. W. 2 spurium. W. DIOSPYROS. W. 1 Lotus. W. 2 virginiana. W.	Chinese. CAROB TREE. St. John's Bread. ASH TREE. various-leaved. common. weeping. Elder-leaved. Caucasian. Aleppo. white. shining. black. Walnut-leaved. yellow-barked. dwarf. green curled-led. BREAD NUT. Jamaica. Milkwood. DATE PLUM. European. American.	Dleinæ. B. P.  Ebenaceæ. B. P.	Levant.  England. Britain.  N. America. Caucasus. Aleppo. N. America.  Jamaica.  Italy. N. America.	1570. 9.10. G 4.5. H H 1800 H 1815 H 1710. 5.6. H 1723. 5. H 1811 H 1783. 5. H H H H H H 1776 S 1789 S	A. Bot. rep. 567.  A. L. Eng. bot. 2476  A. L. L. 1692  A. L. L. Pluk.alm.t.132  A. L. Du Roi.ed. 2.1  A. L.	.f.4.
CERATONIA. W. Siliqua. W. FRAXINUS. W.  1 simplicifolia. W. 2 excelsior. W. B pendula. 3 sambucifolia. W. 4 oxycarpa. W. 5 lentiscifolia. W. 6 americana. W. acuminata. Ph. 7 caroliniana. Ph. 9 juglandifolia. W. 10 aurea. W. en. 11 nana. W. en. 12 atrovirens. P. S. BROSIMUM. W. 1 Alicastrum. W. 2 spurium. W. DIOSPYROS. W. 1 Lotus. W. 2 virginiana. W. 3 pubescens. Ph.	Chinese. CAROB TREE. St. John's Bread. ASH TREE. various-leaved. common. weeping. Elder-leaved. Caucasian. Aleppo. white.  shining. black. Walnut-leaved. yellow-barked. dwarf. green curled-led. BREAD NUT. Jamaica. Milkwood. DATE PLUM. European. American. pubescent.	Dleinæ. B. P.  Ebenaceæ. B. P.	Levant.  England. Britain.  N. America. Caucasus. Aleppo. N. America.  Jamaica.  Italy. N. America.	1570. 9.10. G 4.5. H H 1800 H 1815 H 1710. 5.6. H 1723. 5. H 1811 H 1783. 5. H H 1789 S 1789 S 1596. 6.7. H 1629. H 1812. 4. H	E. Rot. rep. 567.  Eng. bot. 2476  Lt.  Lt.  Lt.  Pluk.alm.t.132  Lt.  Lt.  Du Roi.ed. 2.1  Lt.  Lt.  Lt.  Lt.  Lt.  Lt.  Lt.  L	. f.4. 1.1.
CERATONIA. W. Siliqua. W. FRAXINUS. W.  1 simplicifolia. W. 2 excelsior. W. B pendula. 3 sambucifolia. W. 4 oxycarpa. W. 5 lentiscifolia. W. 6 americana. W. acuminata. Ph. 7 caroliniana. Ph. 8 pubescens. W. 9 juglandifolia. W. 10 aurea. W. en. 11 nana. W. en. 12 atrovirens. P. S. BROSIMUM. W. 1 Alicastrum. W. 2 spurium. W. DIOSPYROS. W. 1 Lotus. W. 2 virginiana. W. 3 pubescens. Ph. 4 sylvatica. W.	Chinese. CAROB TREE. St. John's Bread. ASH TREE. various-leaved. common. weeping. Elder-leaved. Caucasian. Aleppo. white.  shining. black. Walnut-leaved. yellow-barked. dwarf. green curled-led. BREAD NUT. Jamaica. Milkwood. DATE PLUM. European. American. pubescent. wood.	Dleinæ. B. P.  Ebenaceæ. B. P.	Levant.  England. Britain.  N. America. Caucasus. Aleppo. N. America.  Jamaica.  Italy. N. America.	1570. 9.10. G 4.5. H H 1800 H 1815 H 1710. 5.6. H 1723. 5. H 1811 H 1783. 5. H H 1789 S 1789 S 1596. 6.7. H 1629. H 1812. 4. H S	A. Bot. rep. 567.  A. L. Eng. bot. 2476  A. L. L. 1692  A. L. L. Pluk.alm.t.132  A. L. L. Du Roi.ed. 2.1  A. L.	6. 47.
CERATONIA. W. Siliqua. W. FRAXINUS. W.  1 simplicifolia. W. 2 excelsior. W. B pendula. 3 sambucifolia. W. 4 oxycarpa. W. 5 lentiscifolia. W. 6 americana. W. acuminata. Ph. 7 caroliniana. Ph. 9 juglandifolia. W. 10 aurea. W. en. 11 nana. W. en. 12 atrovirens. P. S. BROSIMUM. W. 1 Alicastrum. W. 2 spurium. W. DIOSPYROS. W. 1 Lotus. W. 2 virginiana. W. 3 pubescens. Ph.	Chinese. CAROB TREE. St. John's Bread. ASH TREE. various-leaved. common. weeping. Elder-leaved. Caucasian. Aleppo. white.  shining. black. Walnut-leaved. yellow-barked. dwarf. green curled-led. BREAD NUT. Jamaica. Milkwood. DATE PLUM. European. American. pubescent.	Dleinæ. B. P.  Ebenaceæ. B. P.	Levant.  England. Britain.  N. America. Caucasus. Aleppo. N. America.  Jamaica.  Italy. N. America.	1570. 9.10. G 4.5. H H 1800 H 1815 H 1710. 5.6. H 1723. 5. H 1811 H 1783. 5. H H 1789 S 1789 S 1596. 6.7. H 1629. H 1812. 4. H S	E. Rot. rep. 567.  Eng. bot. 2476  Lt.  Lt.  Lt.  Pluk.alm.t.132  Lt.  Lt.  Du Roi.ed. 2.1  Lt.  Lt.  Lt.  Lt.  Lt.  Lt.  Lt.  L	6. 47.

### POLYGAMIA DIŒCIA.

	_					
7 cordifolia. W.	heart-leaved.	Ebenaceæ. J.	E. Ind.	1794	. S.h	. Roxh. cor. 1. t. 50.
8 obovata. W.	four-seeded.		- W. Ind.			Jac.schœn.3. t.312.
MYRSINE. B. P.	MYRSINE.	Myrsineæ. B. P.				
1 africana. W.	African.	****		1691. 3.5	G. h.	Comm.hort.1. t.64
2 retusa. W.	round-leaved.					Vent. cels. 86.
3 Samara.	oval-leaved.	-	- C. B. S.	1770. 11.9	2. G. h.	•
Samara pentandre			C D C		~ -	
4 melanophleos.	Laurel-leaved.	-	- C. B. S.	1783	. G.h.	Jac. vind. 1. t. 71.
Sideroxylon melan		Cantalana ) D T	,			
NYSSA. W. 1 villosa. W.	TUPELO.	Santalaceæ? B. I		2000 -	** *	351 1 2 0
	hairy-leaved.		- N. America.	1806. 5.	H. h.	Mich. arb. 21.
2 biflora. W. 3 capitata. H. K.	mountain. round-headed.			1739. 4.5.	ri. h.	22.
4 candicans. W.	hoary.			1806	H.h.	Mist out 22
5 denticulata. W.	water.			1705	II. N.	Cat. car. 1. t. 60.
HAMILTONIA. W.	OIL NUT.		Pavalavia	A Sich	. II. n.	Cat. car. 1. t. 00.
oleifera. W.	Olive-bearing.		N. America	1800	G L	
LAUROPHYLLUS }	e e		14. Hinchica.	1000	α.η.	
w. }	LAUROPHYLLUS.					
- capensis. W.	Cape.		. C. B. S.	1801	Gh	
BURSERA. W.	BURSERA.	Terebintaceæ. J.				
gummifera. W.	Jamaica.		W. Ind.	1690	S.b.	Jac. amer. t. 65.
ARCTOPUS. W.	ARCTOPUS.	Umbelliferæ? J.				
echinatus. W.	rough.		C. B. S.	1774	G. 24.	Burm. afr. 1. t. 1. 70
PANAX. W.	PANAX.	Araliæ. J.				
1 quinquefolium. W.	Ginseng.	-	N. America.	1740. 6.	H.24.	Bot. mag. 1333.
2 trifolium. W.	lesser.			1759. 5.6.	H.4.	1334.
3 aculeatum. W.	prickly.	Terrorian and the second secon	China.	1773. 11.	S. h.	Jac. ic. 3. t. 634.
4 fruticosum. W.	shrubby.		Ternate.			Bot. rep. 595.
FICUS. W.	FIG TREE.	Urticeæ. J.				
1 Carica. W.	common.	•	S. Europe.	1548. 6.7.	H.h.	Trew.ehret.t.73.4.
2 aquatica. W.	rough-leaved.		E. Ind.	1758	S.h.	Rheed.mal.3.t.62.
3 nymphæifolia. W.	Water-Lily-lead.		-	1759	S.h.	T) 1 1
4 religiosa. W.	Poplar-leaved.		-	1731	S.h.	Rheed.mal. 1. t. 27.
5 benghalensis. W.	Bengal.			1690. 4.	S.h.	
6 venosa. W.	vein-leaved.			1763	S. n.	W.hort. ber.1. t.36.
7 coriacea. W.	leathery-leaved.			17/2	3. n.	<b>&amp;</b>
8 costata. W.	rib-leaved. shining-leaved.			1703	S.n.	-
9 lucida. W. 10 martinicensis. W.	round-fruited.		W Ind			Sloan.jam.2.t.223.
11 infectoria. W.	veiny.		E. Ind			Rheed.mal. 3. t. 64.
12 pedunculata. W.	Willow-leaved.		S. America.	1776	S.h.	Pluk.alm.t.178.f.4.
13 cordata. W.	heart-leaved.		C. B. S.			Thunb. diss. c. ic.
14 macrophylla. P. S.	large-leaved.					
15 australis. W.	ferrugineous.	-	N. S. W.			Vent. malm. t. 114.
16 clastica. Rox.	elastic-gum.		E Ind.	1815		
17 stipulata. W.	trailing.		China.	1771		
18 pumila. W.	dwarf.					Kæmp.amæn.t.804
19 tinctoria. W.	Otaheite.		Society Isl.	1793. 5.6.	Տ. Ն.	
20 benjamina. W.	oval-leaved.		E. Ind.	1757	S.h.	Rhecd.mal.1. t. 26.
21 pertusa. W.	Laurel-leaved.	-	S. America.	1780	S.h.	
22 nitida. W.	glossy-leaved.		E. Ind.	1786. 3.6.	S. b .	Rheed.mal. 3.t. 55.
23 indica. W.	Banyan Tree.			1759	S.h.	3.t.63.
24 racemosa. W.	clustered.	<del></del>	-		S.h.	
25 retusa. W.	blunt-leaved.		errors thousand a reconstruction	1793	S.h.	
26 repens. W.			AT XX.71 3	1805	S.h.	
27 aspera. W.	rough-leaved.		N. Holland.	1807. 3.6.	G.h.	Dowh con C 4 104
28 oppositifolia. W.	opposite-leaved.		E. Ind.	1802	5. h.	Roxb. cor. 2. t.124.
scabra. P. S.	Cana		CPC	1816.*	G T	
29 capensis. W.	Саре. Снам <i>ж</i> кору.		C. D. S.	1810	G.n.	
CHAMÆROPS. W.		Palmæ. B. P.	S Farence	1707 00	G L	Bot. rep. 599. 2152
1 humilis. W. 2 serrulata. W.	Dwarf Fan Palm. saw-leaved.		N America	1/31. 2.3.	G L	Dog. 1ch. 222. V 877
3 Hystrix. Ph.	Porcupine.		Georgia	1809 1801		
4 Palmetto. W.			Carolina.	1809		
	The straight of		Com Canada			

# CLASS XXIV.

## CRYPTOGAMIA GONOPTERIDES.

EQUISETUM. W.	Horse-TAIL.	,					
1 arvense. W.	corn.		- Britain.		3.4.	Н. Ь.	Eng. bot. 2020.
2 fluviatile. W.	great water.		-		4.5.	H. 4.	2022.
3 sylvaticum. W.	wood.			• • • • •		-H.4.	2022. ——————————————————————————————————
4 limosum. W.	smooth naked.		-	• • • • •	6.7.	H. 4.	929.
5 palustre. W.	marsh.			• • • • •		- H.4.	2021.
6 variegatum. W.	variegated.		- Scotland.		-	- H.4.	1987,
7 hyemale. W.	Shave Grass.		- Britain.	0 0 7 9	7.8.	н, 4.	915.
*****		STACHYOPTER:					
LYCOPODIUM. W.	CLUB-Moss.	Lycopodineæ. B.					
1 clavatum. W.	common.		Britain,		7.8.	н.4.	Eng. bot. 224.
2 complanatum. W.	Arbor-vitæ-lead.		N. America.	1770.		- н. 4.	Fl. dan. 78.
3 alpinum. W. 4 dendroideum. W.	Savin-leaved.		N. America.	1550	8.		Eng. bot. 234.
5 annotinum. W.			Reitoin				Schk, fil. t. 164.
6 inundatum. W.	interrupted. marsh.		- Dritain.	• • • • •	6.7	11.4.	Eng. bot. 1727.
7 Selaginoides. W.	prickly.				8	H 1/	239. 1148.
8 ornithopodioides.W				1812.	6.8.	H. 7/ .	Dill.M.t. 66.f.1.B.
9 helveticum. W.	Swiss.		Switzerland.	1779.	••••	H.7.	t. 64, f. 2.
10 denticulatum. W.	toothed.			-	7.	H.4.	t.66.f.1.A.
11 Selago. W.	Fir.		Britain.				Eng. bot. 233,
PSILOTUM. Sw.	PSILOTUM.	Lycopodineæ. B.				·	
triquetrum. W.	triangular.		· W. Ind.	1793.	7.8.	S.4.	Schk. fil. t. 165. b
OPHIOGLOSSUM, W.							
1 vulgatum. W.	common.		Britain.				Eng. bot. 108.
2 reticulatum. W.	netted.		· W. Ind.			· S.4.	Plum. fil. t. 164.
BOTRYCHIUM. Sw. 1 Lunaria. W.	Moonwort,	Filices. B. P. O.			- 0	TT N	Franchist one
2 fumarioides. W.	common. Fumitory-leav'd.			1906			Eng. bot, 318. Schk. fil. t. 157.
3 dissectum. W.	cut-leaved.		N. America,				t. 158.
4 virginicum. W.	Virginian.	-	111111111111111111111111111111111111111				t. 156.
	,8				•		,
	•	POROPTERII	DES.				
MARATTIA. Sw.	MARATTIA.	Filices. B. P. My					
alata. W.	winged.		Jamaica.	1793.		8 21	Sm. ined. t. 46.
	1111Seas		- Outtidiess	x100		13.24.	Diffi. Iffects 6: 40.
•		SCHISMATOPT	ERIDES.				
	SNAKE'S- ?	Filices. B. P. Hy	draglassian II	TIme	ma (	Y (7.2)	
	Tongue.		~	_			
scandens. Sw. ANEMIA, Sw.	Climbing. ANEMIA.	Filices. B. P.	E. Ind.	1793.	5.9.	S.4.	
1 hirsuta. W.	hairy.		Tamaica	1704		8 21	Plum. fil. t. 162.
2 adiantifolia. W.	Maiden-hair-ld.		W. Ind.				t. 158.
OSMUNDA. B. P.	OSMUNDA.	Filices. B. P.		-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
1 cinnamomea. Ph,	woolly.		N. America.	1772.	6.	H.4.	Schk. fil, t. 146.
2 regalis. W.	Flowering-Fern.	-	Britain.		7.8.	H.4.	Eug. bot. 209.
3 Claytoniana. Ph,	Clayton's.		N. America.	1772.	8.	H. 21.	
4 interrupta. Ph.	interrupted.		<del></del>		6.7.	H.4.	Schk. fil. t. 144. Pluk.alm.t.184.f.4
	showy.		0.72.0	1311.	7.	H.4.	Pluk.alm.t.184.f.4
6 barbata, B. P.	African.		C. B. S.	1805.	5.8.	G. 4.	Schk. fil, t. 147.
Todea africana. W.							
A op o ôm com		FILICES	,				
ACROSTICHUM. W.	ACROSTICHUM.	Filices. B. P.				0	
	simple.		Jamaica.	1793.			Th A Ion + co
	tongue-leaved.		Ullina.	1817.	ð./.	6.4.	Th. fl. Jap. t. 33.
	hairy. Elk's-horn.		N S W				Plum. fil. t. 125. Bot. reg. 262-3.
	Sorbus-leaved.		W. Ind.				Plum. fil. t. 117.
0 11	woolly.		Madeira.				Desf. alt. 2. t. 256.
- 1 1	mealy.		W. Ind.				W. hort. ber. 41.
	9		Ge				

THE PARTY OF THE P							
HEMIONITIS. W.	HEMIONITIS.	Filices. B. P.	*** * *				
1 lanceolata. W.	spear-leaved.		W. Ind.				Schk. fil. t. 6.
2 palmata. W.	palmated.		*				Plum. fil. t. 151.
3 rufa. W.	rusty-haired.	EVI D D	Janiaica.			S.4.	Schk. fil. t. 17. 21.
MENISCIUM. W.	MENISCIUM.	Filices. B. P.	35 11 1				701 01 1
reticulatum. W. GRAMMITIS. Sw.	netted.	Elland D. D.	Martinico.	1793.	• • • •	5.4.	Plum. fil. t. 110.
Ceterach. Sw.	GRAMMITIS.	Filices. B. P.	Waste of to		c 10	TT	the I a seld
POLYPODIUM. Sw.	Polypody.	Filices. B. P.	Britain.	• • • •	5.10.	11.4.	Eng. bot. 1244.
	Mouse-ear.		337 T. J	1 = 0 #		6 31	ml 61 ( ***
1 piloselloides. W. 2 lycopodioides. W.	Club-moss.	-	w. ma.	1793.	• • • •	5.4.	Pium. ni. t. 118.
3 phyllitidis. W.	and the second s				<i>c</i> 0	5.4.	Schk. fil. t. 8. c. p.
4 aureum. W.	Hart's-tongue.			1740	0.9.	5.4.	Plum. III. t. 130.
5 vulgare. W.	common.		Daitain	1742.	3.4.	3.4.	Eng. het 1140
β cambricum.	Welsh.		Diltain.	• • • •	5.10.	п. 4.	Eng. bot. 1149. Bolt. fil. t. 2. f. 5. a.
6 virginianum. W.	Virginian.		N. America		7	EI. 4.	Dir. III. t. 2. 1. 5. 8.
7 pectinatum. W.	comb-leaved.		W Ind	1709	60	\$ 21	Schk. fil. t. 17. b.
8 asplenifolium. W.	Splcenwort-lead.		Martinica	1700	0.9.	5.4.	Plum. fil. t. 102. A.
9 incanum. Ph.	hoary.	<u> </u>	N America	1790.	7	H 1	Sohle fil + 11 h
10 Phegopteris. W.	Sun-fern.		Britain	1011.	67	H 7	Eng. bot. 2224.
11 hexagonopterum.W			N America	1911	7	H 2/	Pluk.alm.t.284.f.2.
12 pruinatum. W.	white-leaved.		Jamaica	1702	/ •	8 21	1 lun.aim.u.204.1.26
13 effusum. W.	spreading.		oamarca.	1780	11	8 21	Sloa.jam.1.t.57.f.3.
14 Dryoptiris. W.			Britain	1703.			Eng. bot. 616.
15 calcareum. W.	rigid-branched.		Direction.		_		
WOODSIA. L. T.	Woodsia.	Filices. B. P.		• • • •	/-	11.4.	1020.
1 hyperborea. Ph.	hairy Alpine.	Finces. B. F.	Castland		<b>7</b> 0	T.T. 31	Eng hot 0000
2 ilvensis. Ph.	rock.		N. America	1010	6.7	H. 4.	Eng. bot. 2023. Schk. fil. t. 19.
NEPHRODIUM. B.P.		Ellipso D D Ass	N. America.	1012.	Cont	11.4.	Schr. hi. t. 19.
1 trifoliatum. W.	three-leaved.	Filices. B. P. Asp					Ing in 2 4 600
2 Lonchitis. W.	rough Alpine.		Pritain	1709.		LI N	Jac. ic. 3. t. 638. Eng. bot. 797.
2 Holichicis. W.	rough zarpine.			• • • •	J.0.	11.4.	(Burn govl 00 4
3 auriculatum. W.	eared.		E. Ind.	1793.	7.	S.4.	Burm. zeyl. 98. t. 44. f. 2.
4 exaltatum. B. P.	lofty.		Jamaica				Schk. fil. t. 32. b.
4 Cantitudini B. I.	• •					0.4.	(Burm zevl 08 t
5 unitum. B. P.	smooth-united.		E. Ind.			S. 24.	Burm. zeyl. 98. t. 44. f. 1.
6 propinquum. B. P.	nubescent.	0				8.21.	( 1111111
7 patens. W.	downy.	•	Jamaica				Schk. fil. t. 334.
8 noveboracense. W.		0	N America.	1819	7.	H. 2/ .	t. 46.
9 Oreopteris., W.	Heath.		Britain.			H. 7.	Eng. bot. 1019.
10 Thelypteris. W.	Lady-fern.						1018.
11 cristatum. W.	lesser crested.		England.				2125.
12 aculeatum. W.	common prickly.		Britain			H 2/.	1562.
13 marginale. W.	marginal-flowers.		N America	1.000		****	10020
14 Filix-mas. W.	Male Fern.				6.9.	H. 21.	Schk, fil. t. 45, b.
15 lobatum. W.			Britain.				Schk. fil. t. 45. b.
			Britain.	• • • •	6.8.	н.4.	Eng. bot. 1458.
	close-leaved.		Britain.	• • • •	6.8.	H.4.°	Eng. bot. 1458.
16 spinulosum. W.	close-leaved. crested prickly.		Britain.	• • • • •	6.8.	H.4.° H.4.° H.4.	Eng. bot. 1458.  1563.  1460.
16 spinulosum. W. 17 dilatatum. W.	close-leaved. crested prickly. great-crested.		Britain. England. Britain.	• • • • • • • • • • • • • • • • • • • •	6.8.	H.4. H.4.° H.4. H.4.	Eng. bot. 1458.
16 spinulosum. W. 17 dilatatum. W. 18 elongatum. W.	close-leaved. crested prickly. great-crested. cut-leaved.		Britain. England. Britain.	1779.	7.8.	H.4. H.4.° H.4. G.4.	Eng. bot. 1458.  ———————————————————————————————————
16 spinulosum. W. 17 dilatatum. W. 18 elongatum. W. 19 villosum. W.	close-leaved. crested prickly. great-crested. cut-leaved. villous.		Britain. England. Britain. Madeira. W. Ind.	• • • • • • • • • • • • • • • • • • • •	7.8.	H.4. H.4.° H.4. G.4.	Eng. bot. 1458.  1563.  1460.
16 spinulosum. W. 17 dilatatum. W. 18 elongatum. W. 19 villosum. W. ALLANTODIA. B. P.	close-leaved. crested prickly. great-crested. cut-leaved. villous.	Filices, B. B. As	Britain. England. Britain.  Madeira. W. Ind. epidii sp. IV.	1779. 1793.	7.8.	H.4. H.4. H.4. H.4. G.4. S.4.	Eng. bot. 1458.  1563.  1460.  1461.  Schk. fil. t. 46. b.
16 spinulosum. W. 17 dilatatum. W. 18 elongatum. W. 19 villosum. W. ALLANTODIA. B. P. umbrosa. B. P.	close-leaved. crested prickly. great-crested. cut-leaved. villous.	Filices, B. B. As	Britain. England. Britain.  Madeira. W. Ind. spidit sp. IV. Madeira.	1779. 1779.	7.8.	H.4. H.4. H.4. H.4. G.4. S.4.	Eng. bot. 1458.  ———————————————————————————————————
16 spinulosum. W. 17 dilatatum. W. 18 clongatum. W. 19 villosum. W. AILANTODIA. B. P. umbrosa. B. P. ASPIDIUM. B. P.	close-leaved. crested prickly. great-crested. cut-leaved. villous. Allantodia. Madeira. Shield-Fern.	Filices. B. B. As	Britain. England. Britain.  Madeira. W. Ind. spidii sp. IV. Madeira. chyrium. Spren	1779. 1793. 1779.	7.8. 7. 6.9.	H.4. H.4.° H.4. G.4. S.4.	Eng. bot. 1458.  1563.  1460.  1461.  Schk. fil. t. 46. b.  Schk. fil. t. 61.
16 spinulosum. W. 17 dilatatum. W. 18 elongatum. W. 19 villosum. W. ALLANTODIA. B. P. umbrosa. B. P. ASPIDIUM. B. P. 1 dentatum. W.	close-leaved. crested prickly. great-crested. cut-leaved. villous. ALLANTODIA. Madeira. SHIELD-FERN. toothed.	Filices, B. B. As	Britain. England. Britain.  Madeira. W. Ind. Spidii sp. IV. Madeira. Chyrium. Spren	1779. 1793. 1779.	7.8. 7. 6.9.	H.4. H.4.° H.4. G.4. S.4. G.4.	Eng. bot. 1458.  1563.  1460.  1461.  Schk. fil. t. 46. b.
16 spinulosum. W. 17 dilatatum. W. 18 elongatum. W. 19 villosum. W. ALLANTODIA. B. P. umbrosa. B. P. ASPIDIUM. B. P. 1 dentatum. W. 2 bulbiferum. W.	close-leaved. crested prickly. great-crested. cut-leaved. villous. ALLANTODIA. Madeira. SHIELD-FERN. toothed. bulbifereus.	Filices, B. B. As	Britain. England. Britain.  Madeira. W. Ind. piddi sp. IV. Madeira. Khyrium. Spren Wales. N. America.	1779. 1793. 1779. 1779.	7.8. 7. 6.9.	H.4. H.4. H.4. G.4. S.4. G.4. H.4. H.4.	Eng. bot. 1458.  1563.  1460.  1461.  Schk. fil. t. 46. b.  Schk. fil. t. 61.
16 spinulosum. W. 17 dilatatum. W. 18 elongatum. W. 19 villosum. W. ALLANTODIA. B. P. umbrosa. B. P. ASPIDIUM. B. P. 1 dentatum. W. 2 bulbiferum. W. 3 axillare. W.	close-leaved. crested prickly. great-crested. cut-leaved. villous. ALLANTODIA. Madeira. SHIELD-FERN. toothed. bulbifereus. slender.	Filices, B. B. As	Britain. England. Britain.  Madeira. W. Ind. spidii sp. IV. Madeira. shyrium. Spren Wales. N. America. Madeira.	1779. 1793. 1779. 2g. 1638. 1779.	7.8. 7. 6.9. 7. 6.9.	H.4. H.4. H.4. G.4. S.4. G.4. H.4. G.4.	Eng. bot. 1458.  1563.  1460.  1461.  Schk. fil. t. 46. b.  Schk. fil. t. 61.  Eng. bot. 1588.
16 spinulosum. W. 17 dilatatum. W. 18 elongatum. W. 19 villosum. W. ALLANTODIA. B. P. umbrosa. B. P. ASPIDIUM. B. P. 1 dentatum. W. 2 bulbiferum. W. 3 axillare. W. 4 fragile. W.	close-leaved. crested prickly. great-crested. cut-leaved. villous. ALLANTODIA. Madeira. SHIELD-FERN. toothed. bulbifereus. slender. brittle.	Filices, B. B. As	Britain. England. Britain.  Madeira. W. Ind. piddi sp. IV. Madeira. Khyrium. Spren Wales. N. America.	1779. 1793. 1779. 2g. 1638. 1779.	7.8. 7. 6.9. 7. 6.9. 6.9.	H.4. H.4. H.4. G.4. S.4. G.4. H.4. H.4. H.4.	Eng. bot. 1458.  1563.  1460.  1461.  Schk. fil. t. 46. b.  Schk. fil. t. 61.  Eng. bot. 1588.  Eng. bot. 1587.
16 spinulosum. W. 17 dilatatum. W. 18 elongatum. W. 19 villosum. W. AILANTODIA. B. P. umbrosa. B. P. ASPIDIUM. B. P. 1 dentatum. W. 2 bulbiferum. W. 3 axillare. W. 5 regium. W.	close-leaved. crested prickly. great-crested. cut-leaved. villous. ALLANTODIA. Madeira. SHIELD-FERN. toothed. bulbifereus. slender.	Filices, B. B. As	Britain. England. Britain.  Madeira. W. Ind. spidii sp. IV. Madeira. shyrium. Spren Wales. N. America. Madeira.	1779. 1793. 1779. 2g. 1638. 1779.	7.8. 7. 6.9. 7. 6.9. 6.8. 6.8.	H.4. H.4. H.4. G.4. S.4. G.4. H.4. H.4. H.4. H.4.	Eng. bot. 1458.  1563.  1460.  1461.  Schk. fil. t. 46. b.  Schk. fil. t. 61.  Eng. bot. 1588.
16 spinulosum. W. 17 dilatatum. W. 18 elongatum. W. 19 villosum. W. ALLANTODIA. B. P. umbrosa. B. P. ASPIDIUM. B. P. 1 dentatum. W. 2 bulbiferum. W. 3 axillare. W. 4 fragile. W. 5 regium. W. 6 rhæticum. W.	close-leaved. crested prickly. great-crested. cut-leaved. villous. ALLANTODIA. Madeira. SHIELD-FERN. toothed. bulbifereus. slender. brittle. laciniated.	Filices, B. B. As	Britain. England. Britain.  Madeira. W. Ind. spidii sp. IV. Madeira. shyrium. Spren Wales. N. America. Madeira.	1779. 1779. 1779. 1779. 1638.	7.8. 7. 6.9. 7. 6.9. 6.8. 6.	H. 4. H. 4. H. 4. H. 4. G. 4. S. 2. G. 4. H. 4. H. 4. H. 4. H. 4. H. 4.	Eng. bot. 1458.  1563.  1460.  1461.  Schk. fil. t. 46. b.  Schk. fil. t. 61.  Eng. bot. 1588.  Eng. bot. 1587.
16 spinulosum. W. 17 dilatatum. W. 18 elongatum. W. 19 villosum. W. ALLANTODIA. B. P. umbrosa. B. P. ASPIDIUM. B. P. 1 dentatum. W. 2 bulbiferum. W. 3 axillare. W. 4 fragile. W. 5 regium. W. 6 rhæticum. W. 7 irriguum. E. B.	close-leaved. crested prickly. great-crested. cut-leaved. villous. ALLANTODIA. Madeira. SHIELD-FERN. toothed. bulbifercus. slender. brittle. laciniated. stone.	Filices, B. B. As	Britain. England. Britain.  Madeira. W. Ind. spidli sp. IV. Madeira. Myrium. Spren Wales. N. America. Madeira. Britain.	1779. 1779. 1779. 25. 	7.8. 7. 6.9. 7. 6.9. 6.8. 6.	H.4. H.4. H.4. G.4. S.4. G.4. H.4. H.4. H.4. H.4. H.4.	Eng. bot. 1458.  1563.  1460.  1461.  Schk. fil. t. 46. b.  Schk. fil. t. 61.  Eng. bot. 1588.  Eng. bot. 1587.
16 spinulosum. W. 17 dilatatum. W. 18 elongatum. W. 19 villosum. W. ALLANTODIA. B. P. umbrosa. B. P. ASPIDIUM. B. P. 1 dentatum. W. 2 bulbiferum. W. 3 axillare. W. 4 fragile. W. 5 regium. W. 6 rhæticum. W.	close-leaved. crested prickly. great-crested. cut-leaved. villous. ALLANTODIA. Madeira. SHIELD-FERN. toothed. bulbiferous. slender. brittle. laciniated. stone. brook.	Filices, B. B. As	Britain. England. Britain.  Madeira. W. Ind. spidii sp. IV. Madeira. shyrium. Spren Wales. N. America. Madeira.	1779. 1779. 1779. 25. 	7.8. 7. 6.9. 7. 6.9. 6.8. 6.	H. 4. H. 4. H. 4. H. 4. G. 4. S. 2. G. 4. H. 4. H. 4. H. 4. H. 4. H. 4.	Eng. bot. 1458.  1563.  1460.  1461.  Schk. fil. t. 46. b.  Schk. fil. t. 61.  Eng. bot. 1588.  Eng. bot. 1587.
16 spinulosum. W. 17 dilatatum. W. 18 elongatum. W. 19 villosum. W. AILANTODIA. B. P. umbrosa. B. P. ASPIDIUM. B. P. 1 dentatum. W. 2 bulbiferum. W. 3 axillare. W. 4 fragile. W. 5 regium. W. 6 rhæticum. W. 7 irriguum. E. B. 8 æmulum. W. ASPLENIUM. B. P.	close-leaved. crested prickly. great-crested. cut-leaved. villous. ALLANTODIA. Madeira. SHIELD-FERN. toothed. bulbifereus. slender. brittle. laciniated. stone. brook. dwarf.	Filices. B. P. At	Britain. England. Britain.  Madeira. W. Ind. spidii sp. W. Madeira. shyrium. Spren Wales. N. America. Madeira. Britain.  Madeira.	1779. 1793. 1779. 1793. 1779. 1638. 1779.	7.8. 7. 6.9. 7.8. 6.9. 6.9. 6.8. 6.7.	H. 4. H. 4. H. 4. G. 4. H. 4. H. 4. G. 4. H. 4. H. 4. G. 4. H. 4. H. 4. H. 4. H. 4. H. 4. G. 4.	Eng. bot. 1458.  1563.  1460.  1461.  Schk. fil. t. 46. b.  Schk. fil. t. 61.  Eng. bot. 1588.  Eng. bot. 1587.  163.
16 spinulosum. W. 17 dilatatum. W. 18 elongatum. W. 19 villosum. W. AILANTODIA. B. P. umbrosa. B. P. ASPIDIUM. B. P. 1 dentatum. W. 2 bulbiferum. W. 3 axillare. W. 4 fragile. W. 5 regium. W. 6 rhæticum. W. 7 irriguum. E. B. 8 æmulum. W. ASPLENIUM. B. P. 1 fontanum. B. P.	close-leaved. crested prickly. great-crested. cut-leaved. villous. ALLANTODIA. Madeira. SHIELD-FERN. toothed. bulbifercus. slender. brittle. laciniated. stone. brook. dwarf. SPLEENWORT. smooth rock.	Filices. B. P. At	Britain. England. Britain.  Madeira. W. Ind. spidli sp. IV. Madeira. Myrium. Spren Wales. N. America. Madeira. Britain.	1779. 1779. 1779. 25. 	7.8. 7. 6.9. 7.8. 6.9. 6.9. 6.8. 6.7.	H. 4. H. 4. H. 4. G. 4. H. 4. H. 4. G. 4. H. 4. H. 4. G. 4. H. 4. H. 4. H. 4. H. 4. H. 4. G. 4.	Eng. bot. 1458.  1563.  1460.  1461.  Schk. fil. t. 46. b.  Schk. fil. t. 61.  Eng. bot. 1588.  Eng. bot. 1587.
16 spinulosum. W. 17 dilatatum. W. 18 elongatum. W. 19 villosum. W. ALLANTODIA. B. P. umbrosa. B. P. ASPIDIUM. B. P. 1 dentatum. W. 2 bulbiferum. W. 3 axillare. W. 4 fragile. W. 5 regium. W. 6 rhæticum. W. 7 irriguum. E. B. 8 æmulum. W. ASPLENIUM. B. P. Aspidium fontanum.	close-leaved. crested prickly. great-crested. cut-leaved. villous. ALLANTODIA. Madeira. SHIELD-FERN. toothed. bulbifereus. slender. brittle. laciniated. stone. brook. dwarf. SPLEENWORT. smooth rock. a. E. B.	Filices. B. P. At	Britain. England. Britain.  Madeira. W. Ind. piddi sp. IV. Madeira. Madeira. N. America. Madeira. Britain.  Madeira. Eritain.	1779. 1779. 1779. 1779. 1779. 1638. 1779.	7.8. 7. 6.9. 7. 6.9. 6.9. 6.8. 6. 6.7.	H. 4. H. 4. H. 4. H. 4. G. 4. S. 4. G. 4. H. 4. G. 4. H. 4. G. 4. H. 4. H. 4. G. 4. H. 4.	Eng. bot. 1458.  1563.  1460.  1461.  Schk. fil. t. 46. b.  Schk. fil. t. 61.  Eng. bot. 1588.  Eng. bot. 1587.  163.  Eng. bot. 2024.
16 spinulosum. W. 17 dilatatum. W. 18 clongatum. W. 19 villosum. W. ALLANTODIA. B. P. umbrosa. B. P. ASPIDIUM. B. P. 1 dentatum. W. 2 bulbiferum. W. 3 axillare. W. 4 fragile. W. 5 regium. W. 6 rhæticum. W. 7 irriguum. E. B. 8 æmulum. W. ASPLENIUM. B. P. 1 fontanum. B. P. Aspidium fontanum. 2 Filix-femina. B. P.	close-leaved. crested prickly. great-crested. cut-leaved. villous. ALLANTODIA. Madeira. SHIELD-FERN. toothed. bulbifercus. slender. brittle. laciniated. stone. brook. dwarf. SPLEENWORT. smooth rock. a. E. B. female.	Filices. B. P. At	Britain. England. Britain.  Madeira. W. Ind. spidii sp. W. Madeira. shyrium. Spren Wales. N. America. Madeira. Britain.  Madeira.	1779. 1793. 1779. 1793. 1779. 1638. 1779.	7.8. 7. 6.9. 7.8. 6.9. 6.9. 6.8. 6.7. 6.9.	H. 4. H. 4. H. 4. H. 4. G. 4. G. 4. H. 4. H. 4. H. 4. H. 4. H. 4. H. 4. H. 4. H. 4.	Eng. bot. 1458.  1563.  1460.  1461.  Schk. fil. t. 46. b.  Schk. fil. t. 61.  Eng. bot. 1588.  Eng. bot. 1587.  163.  Eng. bot. 2024.
16 spinulosum. W. 17 dilatatum. W. 18 elongatum. W. 19 villosum. W. ALLANTODIA. B. P. umbrosa. B. P. ASPIDIUM. B. P. 1 dentatum. W. 2 bulbiferum. W. 3 axillare. W. 4 fragile. W. 5 regium. W. 6 rhæticum. W. 7 irriguum. E. B. 8 æmulum. W. ASPLENIUM. B. P. 1 fontanum. B. P. Aspidium fontanum. 2 Filix-femina. B. P. 3 Adiantum-nigrum	close-leaved. crested prickly. great-crested. cut-leaved. villous. ALLANTODIA. Madeira. SHIELD-FERN. toothed. bulbifereus. slender. brittle. laciniated. stone. brook. dwarf. SPLEENWORT. smooth rock. a. E. B. female.	Filices. B. P. At	Britain. England. Britain.  Madeira. W. Ind. piddi sp. IV. Madeira. Madeira. N. America. Madeira. Britain.  Madeira. Eritain.	1779. 1779. 1779. 1779. 1779. 1638. 1779.	7.8. 7. 6.9. 7.8. 6.9. 6.9. 6.8. 6.7. 6.9.	H. 4. H. 4. H. 4. H. 4. G. 4. G. 4. H. 4. H. 4. H. 4. H. 4. H. 4. H. 4. H. 4. H. 4.	Eng. bot. 1458.  1563.  1460.  1461.  Schk. fil. t. 46. b.  Schk. fil. t. 61.  Eng. bot. 1588.  Eng. bot. 1587.  163.  Eng. bot. 2024.
16 spinulosum. W. 17 dilatatum. W. 18 clongatum. W. 19 villosum. W. ALLANTODIA. B. P. umbrosa. B. P. ASPIDIUM. B. P. 1 dentatum. W. 2 bulbiferum. W. 3 axillare. W. 4 fragile. W. 5 regium. W. 6 rhæticum. W. 7 irriguum. E. B. 8 æmulum. W. ASPLENIUM. B. P. 1 fontanum. B. P. Aspidium fontanum. 2 Filix-femina. B. P.	close-leaved. crested prickly. great-crested. cut-leaved. villous. ALLANTODIA. Madeira. SHIELD-FERN. toothed. bulbifercus. slender. brittle. laciniated. stone. brook. dwarf. SPLEENWORT. smooth rock. a. E. B. female.	Filices. B. P. At	Britain. England. Britain.  Madeira. W. Ind. piddi sp. IV. Madeira. Madeira. N. America. Madeira. Britain.  Madeira. Eritain.	1779. 1779. 1779. 2g. 1638. 1779.	7.8. 7. 6.9. 7.8. 6.9. 6.9. 6.8. 6.9. 4.10.	H. 4. H. 4. H. 4. H. 4. H. 4. G. 4. S. 4. G. 4. H. 4. H. 4. H. 4. G. 4. H. 4. H. 4. H. 4. H. 4. H. 4.	Eng. bot. 1458.  1563.  1460.  1461.  Schk. fil. t. 46. b.  Schk. fil. t. 61.  Eng. bot. 1588.  Eng. bot. 1587.  163.  Eng. bot. 2024.
16 spinulosum. W. 17 dilatatum. W. 18 elongatum. W. 19 villosum. W. ALLANTODIA. B. P. umbrosa. B. P. ASPIDIUM. B. P. 1 dentatum. W. 2 bulbiferum. W. 3 axillare. W. 4 fragile. W. 5 regium. W. 6 rhæticum. W. 7 irrignum. E. B. 8 æmulum. W. ASPLENIUM. B. P. 1 fontanum. B. P. Aspidium fontanum. 2 Filix-femina. B. P. 3 Adiantum-nigrum W.	close-leaved. crested prickly. great-crested. cut-leaved. villous. ALLANTODIA. Madeira. SHIELD-FERN. toothed. bulbifereus. slender. brittle. laciniated. stone. brook. dwarf. SPLEENWORT. smooth rock. a. E. B. female. black.	Filices. B. P. At	Britain. England. Britain.  Madeira. W. Ind. spidii sp. W. Madeira. shyrium. Spren Wales. N. America. Madeira. Britain.  Madeira. Britain.	1779. 1779. 1779. 2g. 1638. 1779.	7.8. 7. 6.9. 7.8. 6.9. 6.8. 6.7. 6.9. 4.10. 7.	H. 4. H. 4. H. 4. G. 4. S. 4. G. 4. H. 4. H. 4. G. 4. H. 4. H. 4. G. 4. H. 4.	Eng. bot. 1458.  1563.  1460.  1461.  Schk. fil. t. 46. b.  Schk. fil. t. 61.  Eng. bot. 1588.  Eng. bot. 1587.  163.  Eng. bot. 2024.
16 spinulosum. W. 17 dilatatum. W. 18 elongatum. W. 19 villosum. W. AILANTODIA. B. P. umbrosa. B. P. ASPIDIUM. B. P. 1 dentatum. W. 2 bulbiferum. W. 3 axillare. W. 5 regium. W. 6 rhæticum. W. 7 irriguum. E. B. 8 æmulum. W. ASPLENIUM. B. P. 1 fontanum. B. P. Aspidium fontanum. 2 Filix-femina. B. P. 3 Adiantum-nigrum W. 4 montanum. W.	close-leaved. crested prickly. great-crested. cut-leaved. villous. ALLANTODIA. Madeira. SHIELD-FERN. toothed. bulbifercus. slender. brittle. laciniated. stone. brook. dwarf. SPLEENWORT. smooth rock. a. E. B. female. black. mountain.	Filices. B. P. At	Britain. England. Britain.  Madeira. W. Ind. piddi sp. IV. Madeira. Madeira. N. America. Madeira. Britain.  Madeira. England. Britain.  N. America. Rolling. N. America.	1779. 1779. 1779. 1779. 1638. 1779.  1779.	7.8. 7. 6.9. 7.8. 6.9. 6.8. 6.9. 4.10. 7. 6.10.	H. 4. H. 4. H. 4. G. 4. S. 4. G. 4. H. 4. H. 4. G. 4. H. 4. H. 4. G. 4. H. 4.	Eng. bot. 1458.  1563.  1460.  1461.  Schk. fil. t. 46. b.  Schk. fil. t. 61.  Eng. bot. 1588.  Eng. bot. 1587.  163.  Eng. bot. 2024.  1459.  1950.

	CRY	PTOGAMIA	A FILIC	ES.			227
7 Ruta-muraria. W.	Wall-rue.	Filices. B. P.	Britain.		6.10.	H.4.	Eng. bot. 150.
8 præmorsum. W.	snip-leaved.						Pluk. alm. t. 73. f. 5.
9 striatum. W.	striated.	Per-	W. Ind.				Plum. fil. t. 18. 19.
10 rhizophorum. W.	root-bearing.		Jamaica.	-		S. 24	Sloan.jam.1.t.29.
11 viride. W.	green.		Britain				Eng. bot. 2257.
12 melanocaulon. Ph.	black-stalked.		N. America.	1812.	7.	H.4.	2116. 001. 2207.
13 Trichomanes. W.	Maiden-hair.		Britain.		5.10.	H.4.	Eng. bot. 576.
14 Breynii. Sw.	alternate-leaved.		Scotland.	• • • •	6.10.	H.4.	2258.
15 ebeneum. Ph.	ivory-striped.		N. America.				
16 monanthemum. W.	sea.						Smith ined. t. 73. Eng. bot. 392.
18 augustifolium. W.	narrow-leaved.		N. America.	1812.	6.7.	H.24.	Schk. fil. t. 67. 69.
19 septentrionale. W.	forked.		Britain.		6.10.	н. 4.	Eng. bot. 1017.
20 Hemionitis. W.	Mules-fern.		Madeira.	1779.	6.7.	G.4.	Schk. fil. t. 66.
21 rhizophyllum. W. 22 serratum. W.	rooting-leaved.		N. America.	1680.		H.4.	Pluk.alm.t.105.f.8. Schk. fil. t. 64.
	SAW-leaved.		w. ma.	1793.	• • • •	5.4.	SCHK. III. t. 64.
DRIUM. W.	TONGUE.	Filices. B. P.					
officinarum. W.	common.		Britain.		7.8.	H.4.	Eng. bot. 1150.
β crispum.	curled-leaved.				n	H.4.	
y undulatum.	wave-leaved.			• • • •		H.4.	Pluk. pliyt. 248. f.1.
δ multifidum. ε ramosum.	clustered. branching.					H 21	Pluk.phyt. 248. f.2.
DIPLAZIUM. Sw.	DIPLAZIUM.	Filices, B. P.					1 1ds.phyt. 240.1.2.
grandifolium. W.	large-leaved.		Jamaica.	1793.		S.4.	,
PTERIS. W.	BRAKE.	Filices, B. P.					
1 longifolia. W.	long-leaved.						Jac.sch.3.t.399.400
2 grandifolia. W. 3 serrulata. W.	large-leaved. various-leaved.		India				Schk. fil. t. 89.
4 atropurpurea. W.	purple.		N. America.			· H. 14.	t. 91. t. 101.
5 arguta. W.	sharp-notched.		<ul> <li>Madeira.</li> </ul>	1778.	-	G. 4.	Pluk.alm.t.290.f.2.
6 crispa. W.	curled.		Britain.				Eng. bot. 1150.
7 aculeata. W.			W. Ind.				Plum.fil.t.5. et 11.
8 esculenta. B. P. 9 caudata. W.	esculent. American.		N.S.W,				Lab.n.holl.2.t.244. Jac. ic. 3. t. 645.
10 aquilina. W.	common.		Britain.				Eng. bot. 1679.
11 podophylla. W.	pedated.		- Jamaica.				Brown.jam. 89.t.1.
VITTARIA. Sm.	VITTARIA.	Filices. B. P.					•
lineata. W.	linear-leaved.	70 D D	- America.	1793,	• • • •	S.4.	Schk. fil. t. 101. b.
ONOCLEA. Sw. 1 sensibilis. W.	Onoclea. sensitive.	Filices. B. P.	- Virginia	1799	R	T-T 21	Schk. fil. t. 102.
2 obtusilobata. Ph.	obtuse-lobed.		- N. America.	1812	7.	н.и.	t. 103.
3 Struthiopteris. Sw.	Russian.		- Europe.	1760	7.8.	H.4.	t. 105.
BLECHNUM. Sw.	BLECHNUM.	Filices. B. P.					
1 horeale. W.	northern.		- Britain.	1001			Eng. bot. 1159.
2 australe. W. 3 occidentale. W.	Cape. American.		- C. D. S. - S. America	1091			Schk. fil. t. 110. b. Jac. ic. 3. t. 644.
WOODWARDIA. Sm		Filices, B. P.					
1 onocleoides. Ph.	Onoclea-like.		- N. America,	1812	. 8.	н.4.	Schk. fil. t. 111.
2 virginica. Ph.	Virginian.			- 1774	. 8.9.	н.4.	Pluk.alm.t.179.f.2.
3 radicans. W,	rooting-leaved.	n'i' n n	- Madeira.	1779	. 9.	G.4.	Schk. fil. t. 112.
DOODIA. B. P. aspera. B. P.	Doodia. rough-stalked.	Filices. B. P.	- N. S. W.	1808	3.9.	G. 4.	
ADIANTUM. W.	MAIDENHAIR.	Filices. B. P.	11101111			0,40	
1 reniforme. W.	kidney-leaved.		- Madeira.				Piuk.alm.t.287.f.5.
2 radiatum. W.	radiated.						P!um. fil. t. 100.
3 macrophyllum. W.		•	- Jamaica.				Brown.jam.t.38.f.1
4 pedatum. W. 5 villosum. W.	Canadian. hairy-stalked.		- N. America. - Jamaica.				Schk. fil. t. 115. 
6 pulverulentum. W.							t. 119.
7 trapeziforme. W.	rhomb-leaved.		<del>,</del>	-		. s.4.	t. 122.
8 Capillus-veneris. W			- Britain.				Eng. bot. 1564.
9 tenerum, W.	tender.		- Jamaica.	1793	. 7.	S. 4.	Pluk.alm.t.254.f.1.
CHEILANTHES. Sw 1 vestita. W.	hairy.	Filices. B. P.	- N. America	. 1819	7.	H.2/	Schk. fil. t. 124.
2 pteroides. W.	Pteris-like.		- C. B. S.				Hout.n.his.t.96.f.3,
3 fragrams. W.	sweet-scented.						Sw. sym. fil. t. 3. f.6.
LONCHITIS. W.	Lonchitis.	Filices. B. P.	*** * 3			C 4:	0.11.01.4
hirsuta. W.	hairy.		- W. Ind.	1793		. 5.4.	Schk. fil. t. 86.
		G g 2					

# CRYPTOGAMIA HYDROPTERIDES.

DAVALLIA. Sm.	DAVALLIA.	Filices. B. P.				
1 pyxidata. B. P.	shining.		N. S. W.	1808. 4.9	. G.h.	
2 canariensis. W.	Hare's-foot.		Canaries.	1699	- G. 4.	Jac. ic. 1. t. 200.
DICKSONIA. W.	DICKSONIA.	Filices. B. P.			•	
1 arborescens, H. K.	tree.		St.Helena.	1786. 6.12	2. S.b.	
2 Culcita. W.	shining-leaved.		Madeira.	1779. 9.10		
	cut-leaved.			1793. —		
4 pilosiuscula. W.		-				Schk. fil. t. 131.
CYATHEA. W.	CYATHEA.	Filices, B. P.	200 Z ELLICOTOCUS	,1011. 7.0	. 11.27.	501.21 1.11 11 1011
arborea. W.	treé.	I moest area.	W. Ind.	1703	S. 21	Plum. fil. 1. t. 1. 2.
TRICHOMANES.B.P		Filices. B. P.	*** * 1114*	1750	. 0.4.	1141111 1111 11 (1 11 21
brevisetum. H. K.		Timees, D. T.	Britain	5.0	LT 1/	Eng. bot. 1417.
Hymenophyllum al			Diltain.	0.0	. 11.4.	1311g. 000. 1417.
HYMENOPHYL- }	FILMY-LEAF.	Filices. B. P.				
			The stantage	- 0	TT 31	Fan hat 100
tunbridgense. W.	Tunbriage.	<del></del>	Britain.	5.6	. H.4.	Eng. bot. 162.
			DIDEG			
		HYDROPTE	RIDES.			
ISOETES. W.	QUILLWORT.	Marsileaceæ. B. P	•			
lacustris. W.	marsh.		Britain.	5.10	o. H. 4.	Eng. bot. 1084.
PILULARIA. W.	PILLWORT.	Marsileaceæ. B. P				9
globulifera. W.	Pepper-grass.			444 6.9	H.21.	Eng. bot. 521.
D	- LL - D. cope					

# ADDENDA ET CORRIGENDA.

MC	NANDRIA MONOGYNIA.
CANNA.  8 iridiflora. P. S. ALPINIA. 7 spiralis. Jac. 8 Galanga. W. AMOMUM. 3 angustifolium. Rox. 4 Granum Paradisi. W. Grain of Paradis	Scitamineæ.  E. Ind.  Peru, 1816. 12.1. S. 4. Bot. mag. 1968. 7. 66  10.12. S. 4. Jac. schæn. 1. t. 1.  Scitamineæ.  E. Ind.  S. 4. Rumph.amb.5.t.63  S. 4. Sonn. it. 2. t. 137.
, DI.	ANDRIA MONOGYNIA.
JASMINUM.  14 simplicifolium. B.M. simple-leaved. CODARIUM. Vahl. nitidum. Vahl. VERONICA. 63 polymorpha. W. en. WULFENIA. Jac.  JASMINE. CODARIUM. SIMPLE-LEAVED. SPEEDWELL. WULFENIA.	Jasmineæ.  Society Isles 3.6. S. h. Bot. mag. 980.  Dialii sp. W.  Guinea. 1800 S. h. Ræm. archiv. 1. t. 6.  Scrophularinæ.  Scrophularinæ.
carinthiaca. Jac. annual.	Carinthia. 1817. 6.9. H Jac. ic. 1. t. 2. 2200
TR	IANDRIA MONOGYNIA.
MARICA. B. reg. 9 Bermudiana. Ker. 10 anceps. Ker. 11 convoluta. Ker. 12 tenuifolia. Ker. 13 spathacea. Ker. Moræa spathacea. Moræa spathacea. page 11.	S. America. 1816. 5.7. G.4. W. hort. ber. 91.
GYROTHECA. Sal. tinctoria. Dilatris tinctoria. Ph. Herietiera	N. America. 1812. 6.7. G.4. Mich. amer. 1. t. 4.
TE	TRANDRIA MONOGYNIA.
HEDYOTIS. G. HEDYOTIS. herbacea. P. S. herbaceous.	Rubiaceæ, J.  E. Ind. 1816. 6.9. S.O. Burm. ind. 37. t. 14. f. 1.
GONIOCARPUS. Th. GONIOCARPUS micranthus. Th. small-flowered	Onagrariæ. J. China. 1805. 6.9. G.⊙. Th. jap. 69. t. 15.
PE	NTANDRIA MONOGYNIA.
ALDÆA. W. en. ALDÆA.	Boragineæ. B. P.
circinata. W. en. woolly.	Magellan. 1816. 6.10. H.4. { Lam. journ. his. 10. t.19.
Hydrophyllum magellanicum. La: ANDROSACE. 10 obtusifolia. W. IPOMŒA. 46 cœrulea. B. reg. 47 chryseides. B. reg. golden.	Primulaceæ.       Italy.       1817. 4.7. H.⊙. All. ped. t. 46. f. 1.         Convolvulaceæ.       E. Ind.       1817. 6.10. S.⊙. Bot. reg. 276.         China.       — G. ¼.       270.
48 Turpethum. B. reg. square-stalked GARDENIA. 12 campanulata. Rox. bell-flowered. 13 longispina. Rox. long-spined.	Rubiaceæ.  E. Ind. 1815 S. h.
SOLANDRA. SOLANDRA. 2 viridiflora. B. M. green-flowered	Solaneæ. S. America. 1816. 5.8. S. h. Bot. mag. 194

# ADDENDA ET CORRIGENDA.

SOLANUM. 55 decurrens. B. reg. 56 aculeatissimum. W. ARDISIA.	ARDISIA.	Solaneæ.  Myrsineæ.	S. America.	1816.	4.9.	G.h. G.h.	Bot. reg. 140. Jac. ic. 1. t. 41.
SCLEROXYLON. W. en.	crenated. Scleroxylon.	Sapoteæ.	China.			11	Bot. mag. 1950.
Jacquini. Sideroxylon mite. SABBATIA.	SABBATIA.	Gentianeæ.			. 1		Bot. mag. 1858.
4 paniculata. Ph. ECHITES. 7 caryophyllata. B.M.	panicled. ECHITES. Clove-scented.	Apocyneæ.					Bot. mag. 1919.
		DIGYNIA					
NAMA. L.	NAMA.	Convolvulaceæ. J.					
jamaicensis. W. BUMALDA. Th. trifolia. Th.	Jamaica. Bumalda. three-leaved.	Rhamni? J.	Jamaica. Japan.				Lam. ill. t. 184.
	HEV	ANDRIA MO	MOGVNI	Λ			
PANCRATIUM.		Amaryllideæ.	MOGINI	A.			
21 guianenese. B. reg. NARTHECIUM. p. BUONAPARTEA. p	long-tubed.		Guiana.	1803.	6.9.	S.4.	Bot. reg. 265.
·		ANDDIA MC	)				
CENTATUED A		ANDRIA MO	DNOGYNI	Α.			
CENOTHERA. 22 corymbosa. B. M.	ŒNOTHERA. corymbed.	Onagrariæ.	Mexico.	1816. 9	9.10.	G. 3.	Bot. mag. 1974.
ERICA. 321 sulphurea. B. M.	HEATH.	Ericeæ.	C. B. S.	1800.	5.9.	G.b.	Bot. mag. 1984.
· ·	-			•	-101	٠٠,٢٠	Dott Mag. 1901.
		EANDRIA T	'RIGYNIA				
PLEEA. Mi. tenuifolia. Mi.	PLEEA. slender-leaved.	Junceæ. B. P.	Carolina.	1812.	5.8.	G. 4.	Bot. mag. 1956.
	DEC.	ANDRIA MO	NOGYNI	A.			
CACUCIA. Aub. coccinea. P. S.	CACUCIA. scarlet.	Onagrariæ. J. Sc	housbæa. W. Guiana.			S.I <sub>2</sub> .	Aub. gui. 1. t. 179.
	DOL	ECANDRIA	MONOG	YNIA.			
GARCINIA.	GARCINIA.	Guttiferæ.					
2 cornea. W.	nodding-flowerd.		E. Ind.	1817	• • •	S. h.	Rum. amb. 2. t.30
		TRIGYNIA	•				t .
EUPHORBIA. 124 rigida. M. B.	Spurge. rigid.	Euphorbiaceæ.	Siberia.	1816.	1.3.	G. 4.	Bot. reg. 274.
		DODECAGYN	IA.				
SEMPERVIVUM.	Houseleek.	Sempervivæ.					
18 Smithii. B. M. 19 Simsii. ciliatum. B. M. no.	hispid-stemmed. ciliated. t of W. en.		Canaries.	1815.	9. 9.4.	G. h. G. 4.	Bot. mag. 1980, Bot. mag. 1978.
	YOO	ACANDOKA B	forogra	TEA			
WOLLD LITTLE		SANDRIA N	IONOGYI	NIA.			
PSIDIUM. 6 polycarpum. L. T.	Guava. many-fruited.	Myrti.	W. Ind.	1	.12.	S.h.	
	DOT:	VANDOTA	DICZNIKA				
HIBBERTIA.		YANDRIA T					
3 dentata. D.	toothed.	Dilleniaceæ. D. A.	N. Holland.	1814. 1	.8.	G.4.	Bot. reg. 282.

	1	VDA EI					202
DELPHINIUM.	LARKSPUR.	Ranunculaceæ.					
18 chinense.	Chinese.		China.	1816.	6.9.	H.4.	
grandiflorum β. c	hinense. D.					TT 21	
19 ochroleucum. D.			Iberia.	1817.	7.9.	н. 4.	
20 revolutum. D. 21 cuneatum. D.	revolute. wedge-leaved.		Siberia	1815.		H.2/.	
22 flexuosum. D.	flexuose.		Caucasus.	1817		H.4.	
ACONITUM.	WOLF'S-BANE.	Ranunculaceæ.	Cuacasas				
18 neubergense. D.	Clusius's.		Europe.		6.8.	H.4.	Clus.his.2.p.96.f.1.
							.\
		PENTAGYNI	A.				
COLBERTIA. D.	COLBERTIA.	Dilleniaceæ. D.					
coromandeliana. L	. Coromandel.		E. Ind.	1803.		S. L.	Roxb. cor. 1. t. 20.
Dillenia pentagynia.	p. 126.						
		POLYGYNIA					
DILLENIA D	20			200			· ·
DILLENIA. D. UNONA. D.	DILLENIA. Unona.	Dilleniaceæ. D I Anonaceæ. D.	uagnouæ: p.	120.			
odorata. D.	sweet-scented.	Allohacea. D.	Java.	1804.	5.7.	S. b.	Rumph.amb.2.t.65.
Uvaria odorata. p.			04144			,.	
GUATTERIA. D. virgata. D.	GUATTERIA.	Anonaceæ. D.					
			Jamaica.	1793.		S.h.	Dunal. mon. t. 31.
Uvaria lanceolata	. p. 126.						
	DOT W	ANDRIA PO	TACANTIA				
	POLY	ANDRIA PO	LIGINIA	7.0			
ASIMINA. D.	Asimina.	Anonaceæ. D. P				** *	D 1 4 0
1 parviflora. D.	small-flowered.		N. America.	1806.	4.5.	H.h.	Dunal. mon. t. 9.
Porcelia parviflora 2 triloba. D.	trifid-fruited.			1796	7 8	нь	Mich. arb. 3. t. 9.
Porcelia triloba. p				17000	,	11.16.	A11011 0. 0. 0. 0. 0.
3 pygmæa. D.	dwarf.			1812.		н.ь.	Dunal. mon. t. 10.
ANEMONE.	ANEMONE.	Ranunculaceæ.				-	
16 pavonina. D.	acute-petalled.		Europe.	• • • •	4.5.	H.4.	Lob. ic. t. 278.
β flore pleno.	double-flowered.	D					
NARAVELIA, D.	NARAVELIA.	Ranunculaceæ.	Caulan	1706		S L	Roxb. cor. 2. t.188.
zeylanica. D.  Atragene zeylanic	Ceylon.		Ceylon.	1/30.	• • • •	J. N.	1000.001. 2. 1.104.
CLEMATIS.	Virgin's Bower	Ranunculaceæ.					
22 triternata. D.	triternate.			1806.		H.h.	
THALICTRUM.	MEADOW-RUE.	Ranunculaceæ.					
27 glaucescens. D.	glaucous.		Russia.	• • • •		H.4.	
28 nutans. D.	glaucous. nodding.		Italy.		6.4.	H.h.	
28 nutans. D. 29 saxatile. D.	glaucous. nodding. rock.		Italy.		6.4.	H.h.	
28 nutans. D. 29 saxatile. D. ADONIS.	glaucous. nodding. rock. Adonis.	Ranunculaceæ.	Italy.	• • • • •	6.4. 6.8.	H.h. H.4.	Tab. ic. 790. f. 1.
28 nutans. D. 29 saxatile. D. ADONIS. 5 flava. D.	glaucous. nodding. rock. ADONIS. yellow.	Ranunculaceæ.	Italy.	• • • • •	6.4. 6.8.	H.h. H.4.	Tab. ic. 790. f. 1,
28 nutans. D. 29 saxatile. D. ADONIS.	glaucous. nodding. rock. Adonis.	Ranunculaceæ.	France. Pyrenees.	1817.	6.4. 6.8. 6.8. 6.7.	H. h. H. 4. H.⊙. H. 4.	Tab. ic. 790. f. 1,
28 nutans. D. 29 saxatile. D. ADONIS. 5 flava. D. 6 pyrenaica. D.	glaucous. nodding. rock. ADONIS. yellow. Pyrenean. CROW-FOOT. three-parted.	Ranunculaceæ.	France. Pyrenees. Britain.	1817.	6.4. 6.8. 6.8. 6.7.	H. ħ. H. 4. H.⊙. H. 4.	D.ic.Gall.rar.1.t.49.
28 nutans. D. 29 saxatile, D. ADONIS. 5 flava. D. 6 pyrenaica. D. RANUNCULUS.	glaucous. nodding. rock. ADONIS. yellow. Pyrenean. CROW-FOOT. three-parted.	Ranunculaceæ.	France. Pyrenees. Britain.	1817.	6.4. 6.8. 6.8. 6.7.	H. ħ. H. 4. H.⊙. H. 4.	D.ic.Gall.rar.1.t.49.
28 nutans. D. 29 saxatile. D. ADONIS. 5 flava. D. 6 pyrenaica. D. RANUNCULUS. 43 tripartitus. D.	glaucous. nodding. rock. ADONIS. yellow. Pyrenean. CROW-FOOT. three-parted.	Ranunculaceæ.	France. Pyrenees. Britain.	1817.	6.4. 6.8. 6.8. 6.7.	H. ħ. H. 4. H.⊙. H. 4.	
28 nutans. D. 29 saxatile. D. ADONIS. 5 flava. D. 6 pyrenaica. D. RANUNCULUS. 43 tripartitus. D.	glaucous. nodding. rock. ADONIS, yellow. Pyrenean. CROW-FOOT. three-parted. Fumitory-leav'd.	Ranunculaceæ.	France. Pyrenees. Britain.	1817.	6.4. 6.8. 6.8. 6.7. 5.8.	H. ħ. H. 4. H.⊙. H. 4.	D.ic.Gall.rar.1.t.49.
28 nutans. D. 29 saxatile. D. ADONIS. 5 flava. D. 6 pyrenaica. D. RANUNCULUS. 43 tripartitus. D. 44 fumariæfolius. D.	glaucous. nodding. rock. Addonis. yellow. Pyrenean. Crow-Foor. three-parted. Fumitory-leav'd.	Ranunculaceæ.  Ranunculaceæ.	France. Pyrenees. Britain.	1817.	6.4. 6.8. 6.8. 6.7. 5.8.	H. ħ. H. 4. H.⊙. H. 4.	D.ic.Gall.rar.1.t.49.
28 nutans. D. 29 saxatile. D. ADONIS. 5 flava. D. 6 pyrenaica. D. RANUNCULUS. 43 tripartitus. D. 44 fumariæfolius. D.	glaucous. nodding. rock. ADONIS. yellow. Pyrenean. CROW-FOOT. three-parted. Fumitory-leav'd. DID HEBENSTRETIA.	Ranunculaceæ.  Ranunculaceæ.  YNAMIA AN Verbenaceæ.	France. Pyrenees. Britain.	 1817. 	6.4. 6.8. 6.8. 6.7. 5.8.	H.ħ. H.4. H.⊙. H.4. H.4.	D.ic.Gall.rar.1. t. 49. Desf. ic. pict. h. par. t. 74.
28 nutans. D. 29 saxatile. D. ADONIS. 5 flava. D. 6 pyrenaica. D. RANUNCULUS. 43 tripartitus. D. 44 fumariæfolius. D.	glaucous. nodding. rock. Addonis. yellow. Pyrenean. Crow-Foor. three-parted. Fumitory-leav'd.	Ranunculaceæ.  Ranunculaceæ.  YNAMIA AN Verbenaceæ.	France. Pyrenees. Britain.	 1817. 	6.4. 6.8. 6.8. 6.7. 5.8.	H.ħ. H.4. H.⊙. H.4. H.4.	D.ic.Gall.rar.1.t.49.
28 nutans. D. 29 saxatile. D. ADONIS. 5 flava. D. 6 pyrenaica. D. RANUNCULUS. 43 tripartitus. D. 44 fumariæfolius. D.	glaucous. nodding. rock. ADONIS. yellow. Pyrenean. CROW-FOOT. three-parted. Fumitory-leav'd.  DID HEBENSTRETIA. shrubby.	Ranunculaceæ.  Ranunculaceæ.  YNAMIA AN Verbenaceæ.	France. Pyrenees. Britain. VGIOSPEF	1817. 	6.4. 6.8. 6.8. 6.7. 5.8.	H.ħ. H.4. H.⊙. H.4. H.4.	D.ic.Gall.rar.1. t. 49. Desf. ic. pict. h. par. t. 74.
28 nutans. D. 29 saxatile. D. ADONIS. 5 flava. D. 6 pyrenaica. D. RANUNCULUS. 43 tripartitus. D. 44 fumariæfolius. D. HEBENSTRETIA. 7 fruticosa. B. M.	glaucous. nodding. rock. ADONIS. yellow. Pyrenean. CROW-FOOT. three-parted. Fumitory-leav'd.  DID HEBENSTRETIA. shrubby.	Ranunculaceæ.  Ranunculaceæ.  YNAMIA AN Verbenaceæ.	France. Pyrenees. Britain. VGIOSPEF	1817. 	6.4. 6.8. 6.8. 6.7. 5.8.	H.ħ. H.4. H.⊙. H.4. H.4.	D.ic.Gall.rar.1. t. 49. Desf. ic. pict. h. par. t. 74.
28 nutans. D. 29 saxatile. D. ADONIS. 5 flava. D. 6 pyrenaica. D. RANUNCULUS. 43 tripartitus. D. 44 fumariæfolius. D.	glaucous. nodding. rock. ADONIS. yellow. Pyrenean. CROW-FOOT. three-parted. Fumitory-leav'd.  DID HEBENSTRETIA. shrubby.	Ranunculaceæ.  Ranunculaceæ.  YNAMIA AN Verbenaceæ.	France. Pyrenees. Britain. VGIOSPEF	1817. RMIA. 1816.	6.4. 6.8. 6.8. 6.7. 5.8.	H. h. H. 2. H. ⊙. H. 2. H. 2. H. 2. H. 2.	D.ic.Gall.rar.1.t.49.  Desf. ic. pict. h.  par. t. 74.  Bot. mag. 1970.
28 nutans. D. 29 saxatile. D. ADONIS. 5 flava. D. 6 pyrenaica. D. RANUNCULUS. 43 tripartitus. D. 44 fumariæfolius. D. HEBENSTRETIA. 7 fruticosa. B. M.	glaucous. nodding. rock. Addonis. yellow. Pyrenean. Crow-Foor. three-parted. Fumitory-leav'd.  DID Hebenstretia. shrubby.  MOI Passion-Flowe	Ranunculaceæ.  Ranunculaceæ.  YNAMIA AN Verbenaceæ.  NADELPHIA R. Passifloræ.	France. Pyrences. Britain. NGIOSPEF C. B. S. PENTAN	1817. RMIA. 1816.	6.4. 6.8. 6.8. 6.7. 5.8.	H. h. H. 2. H. ⊙. H. 2. H. 2. H. 2. H. 2.	D.ic.Gall.rar.1.t.49.  Desf. ic. pict. h.  par. t. 74.  Bot. mag. 1970.
28 nutans. D. 29 saxatile. D. ADONIS. 5 flava. D. 6 pyrenaica. D. RANUNCULUS. 43 tripartitus. D. 44 fumariæfolius. D. HEBENSTRETIA. 7 fruticosa. B. M. PASSIFLORA. 34 mexicana. J.	glaucous. nodding. rock. Addonis. yellow. Pyrenean. Crow-Foor. three-parted. Fumitory-leav'd.  DID Hebenstretia. shrubby.  MOI Passion-Flowe spotted-leaved.	Ranunculaceæ.  Ranunculaceæ.  YNAMIA AN Verbenaceæ.  NADELPHIA R. Passifloræ.	France. Pyrences. Britain. NGIOSPEF C. B. S. PENTAN	1817 RMIA. 1816. NDRIA	6.4. 6.8. 6.8. 6.7. 5.8.	H. h. d. H. 4. H. 2. H. 4. H. 4. H. 4. G. h.	D.ic.Gall.rar.1. t. 49.  { Desf. ic. pict. h. par. t. 74.  Bot. mag. 1970.  { J. ann. mus. p. 198. t. 38. f. 2.
28 nutans. D. 29 saxatile. D. ADONIS. 5 flava. D. 6 pyrenaica. D. RANUNCULUS. 43 tripartitus. D. 44 fumariæfolius. D. HEBENSTRETIA. 7 fruticosa. B. M. PASSIFLORA.	glaucous. nodding. rock. Addonis. yellow. Pyrenean. Crow-Foor. three-parted. Fumitory-leav'd.  DID Hebenstretia. shrubby.  MOI Passion-Flowe spotted-leaved.	Ranunculaceæ.  Ranunculaceæ.  YNAMIA AN Verbenaceæ.  NADELPHIA R. Passifloræ.	France. Pyrences. Britain. NGIOSPEF C. B. S. PENTAN	1817 RMIA. 1816. NDRIA	6.4. 6.8. 6.8. 6.7. 5.8.	H. h. d. H. 4. H. 2. H. 4. H. 4. H. 4. G. h.	D.ic.Gall.rar.1. t. 49.  { Desf. ic. pict. h. par. t. 74.  Bot. mag. 1970.  { J. ann. mus. p. 198. t. 38. f. 2.
28 nutans. D. 29 saxatile. D. ADONIS. 5 flava. D. 6 pyrenaica. D. RANUNCULUS. 43 tripartitus. D. 44 fumariæfolius. D. HEBENSTRETIA. 7 fruticosa. B. M. PASSIFLORA. 34 mexicana. J.	glaucous. nodding. rock. Addonis. yellow. Pyrenean. Crow-Foor. three-parted. Fumitory-leav'd.  DID Hebenstretia. shrubby.  MOI Passion-Flowe spotted-leaved. scarlet-flowered.	Ranunculaceæ.  Ranunculaceæ.  YNAMIA AN Verbenaceæ.  NADELPHIA R. Passifloræ.	France. Pyrences. Britain.  NGIOSPEF C. B. S. PENTAN  Mexico. S. America.	1817 RMIA. 1816. NDRIA	6.4. 6.8. 6.8. 6.7. 5.8.	H. h. d. H. 4. H. 2. H. 4. H. 4. H. 4. G. h.	D.ic.Gall.rar.1. t. 49.  { Desf. ic. pict. h. par. t. 74.  Bot. mag. 1970.  { J. ann. mus. p. 198. t. 38. f. 2.
28 nutans. D. 29 saxatile. D. ADONIS. 5 flava. D. 6 pyrenaica. D. RANUNCULUS. 43 tripartitus. D. 44 fumariæfolius. D. HEBENSTRETIA. 7 fruticosa. B. M. PASSIFLORA. 34 mexicana. J. 35 racemosa. L. T.	glaucous. nodding. rock. Abonis. yellow. Pyrenean. Crow-Foor. three-parted. Fumitory-leav'd.  DID Hebenstretia. shrubby.  MOI Passion-Flowe spotted-leaved. scarlet-flowered.	Ranunculaceæ.  Ranunculaceæ.  YNAMIA AN Verbenaceæ.  NADELPHIA R. Passifloræ.	France. Pyrences. Britain.  NGIOSPEF C. B. S. PENTAN  Mexico. S. America.	1817 RMIA. 1816. NDRIA	6.4. 6.8. 6.8. 6.7. 5.8.	H. h. d. H. 4. H. 2. H. 4. H. 4. H. 4. G. h.	D.ic.Gall.rar.1. t. 49.  { Desf. ic. pict. h. par. t. 74.  Bot. mag. 1970.  { J. ann. mus. p. 198. t. 38. f. 2.
28 nutans. D. 29 saxatile. D. ADONIS. 5 flava. D. 6 pyrenaica. D. RANUNCULUS. 43 tripartitus. D. 44 fumariæfolius. D. HEBENSTRETIA. 7 fruticosa. B. M. PASSIFLORA. 34 mexicana. J. 35 racemosa. L. T.	glaucous. nodding. rock. Abonis, yellow. Pyrenean. Crow-Foor. three-parted. Fumitory-leav'd.  DID Hebenstretia. shrubby.  MOI Passion-Flowe spotted-leaved. scarlet-flowered.  DIA Hovea.	Ranunculaceæ.  Ranunculaceæ.  YNAMIA AN Verbenaceæ.  NADELPHIA R. Passifloræ.  DELPHIA D Leguminosæ.	France. Pyrences. Britain.  NGIOSPEF C. B. S. PENTAN Mexico. S. America.	1817 RMIA. 1816. NDRIA. 1812. 1816.	6.4. 6.8. 6.8. 6.7. 5.8.	H. h. d. H. 4. H. 4. H. 4. H. 4. S. h. S. h.	D.ic.Gall.rar.1. t. 49.  { Desf. ic. pict. h. par. t. 74.  Bot. mag. 1970.  { J. ann. mus. p. 108. t. 38. f. 2. Bot. reg. 285.
28 nutans. D. 29 saxatile. D. ADONIS. 5 flava. D. 6 pyrenaica. D. RANUNCULUS. 43 tripartitus. D. 44 fumariæfolius. D. HEBENSTRETIA. 7 fruticosa. B. M.  PASSIFLORA. 34 mexicana. J. 35 racemosa. L. T.  HOVEA. 5 Celsi. B. reg.	glaucous. nodding. rock. Addonis. yellow. Pyrenean. Crow-Foor. three-parted. Fumitory-leav'd.  DID Hebenstretia. shrubby.  MOI Passion-Flowe spotted-leaved. scarlet-flowered.  DIA Hovea. Cels's.	Ranunculaceæ.  Ranunculaceæ.  YNAMIA AN Verbenaceæ.  NADELPHIA R. Passifloræ.  DELPHIA D Leguminosæ.	France. Pyrences. Britain.  NGIOSPEF C. B. S. PENTAN Mexico. S. America.	1817 RMIA. 1816. NDRIA. 1812. 1816.	6.4. 6.8. 6.8. 6.7. 5.8.	H. h. d. H. 4. H. 4. H. 4. H. 4. S. h. S. h.	D.ic.Gall.rar.1. t. 49.  { Desf. ic. pict. h. par. t. 74.  Bot. mag. 1970.  { J. ann. mus. p. 198. t. 38. f. 2.
28 nutans. D. 29 saxatile. D. ADONIS. 5 flava. D. 6 pyrenaica. D. RANUNCULUS. 43 tripartitus. D. 44 fumariæfolius. D. HEBENSTRETIA. 7 fruticosa. B. M. PASSIFLORA. 34 mexicana. J. 35 racemosa. L. T.	glaucous. nodding. rock. Abonis, yellow. Pyrenean. Crow-Foor. three-parted. Fumitory-leav'd.  DID Hebenstretia. shrubby.  MOI Passion-Flowe spotted-leaved. scarlet-flowered.  DIA Hovea.	Ranunculaceæ.  Ranunculaceæ.  YNAMIA AN Verbenaceæ.  NADELPHIA R. Passifloræ.  DELPHIA D Leguminosæ.	France. France. Pyrenees. Britain.  NGIOSPEF C. B. S. PENTAN Mexico. S. America. DECANDR N. Holland.	1817 RMIA. J816. NDRIA. 1812. 1816. IA.	6.4. 6.8. 6.8. 6.7. 5.8.	H. h. d. H. 4. H. 4. H. 4. H. 4. S. h. S. h.	D.ic.Gall.rar.1. t. 49.  { Desf. ic. pict. h. par. t. 74.  Bot. mag. 1970.  { J. ann. mus. p. 108. t. 38. f. 2. Bot. reg. 285.  Bot. reg. 280.

#### ADDENDA ET CORRIGENDA.

#### POLYADELPHIA POLYANDRIA.

CITRUS.

CITRUS.

Aurantiæ.

1 Medica. W.

Lemon-tree.

acida. p. 173. errata.

Lime-tree.

2 acida. Rox.

limonia. p. 173.

#### GYNANDRIA MONANDRIA.

LIMODORUM. Sw. LIMODORUM. falcatum. Sw.

sickle-leaved.

Orchideæ. B. P.

Japan. 1816. 3.4. G. 4. Bot. reg. 283,

#### MONŒCIA POLYANDRIA.

BEGONIA.

BEGONIA. 9 spathulata. B. reg. spathulate. Hydrocharideæ.

- ..... 1816. 3.6. S.h.

#### POLYGAMIA MONŒCIA.

BRIDELIA. W. scandens. W. BRIDELIA. climbing.

Euphorbiaceæ. J.

E. Ind.

1804. .... S. J. Rox. cor. 2. t. 173,

#### INDEX GENERUM.

ABROMA, Page 173. Abrus, 159. Acacia, 222. Acæna, 7. Acalypha, 211. Acanthus, 138. Acarna, 180. Acer, 221. Aceras, 200. Achania, 157. Achillea, 193. Achras, 43. Achyranthes, 48. Acidoton, 208. Acisanthera, 94. Acmella, 194. Acuida, 216. Aconitum, 125. Acorus, 76. Acrostichum, 225. Actæa, 121. Actinocarpus, 79. Acynos, 134. Adansonia, 154. Adelia, 219. Adenandra, 45. Adenanthera, 92. Adiantum, 227. Adina, 23. Adonis, 128. Adoxa, 89. Ægilops, 220. Ægiphila, 25. Ægle, 123. Ægopodium, 59. Aerides, 202. Ærua, 48. Æschynomene, 167. Æsculus, 79. Æthionema, 143. Æthusa, 58. Agapanthus, 67. Agathosma, 45. Agave, 75. Ageratum, 181. Agrimonia, 106. Agrostemma, 104. Agrostis, 14. Ailanthus, 221. Aira, 17. Aitonia, 153. Aizoon, 117. Ajuga, 129. Alangium, 123. Albuca, 70. Alchemilla, 28. Alcina, 197. Aldæa, 229. Aletris, 67.

Alisma, 79. Allamanda, 49. Allantodia, 226. Allionia, 24. Allium, 69. Aluus, 205. Aloe, 74. Alonsoa, 142. Alopecurus, 18. Aloysia, 137. Alpinia, 1. Alstræmeria, 73. Alternanthera, 48. Althæa, 155. Alyssum, 144, Amaranthus, 206. Amaryllis, 65. Ambrosia, 206. Amellus, 193. Amerimnum, 159. Amethystea, 5. Ammannia, 27. Ammi, 56. Amomum, 2. Amorpha, 160. Amsonia, 50. Amygdalus, 111. Amyris, 81. Anabasis, 53. Anacampseros, 106. Anacardium, 89. Anacyclus, 192. Anagallis, 33. Anagyris, 90. Anarrhinum, 140. Anastatica, 143. Anchusa, 30. Andersonia, 34. Andrachne, 213. Andromeda, 95. Andropogon, 220. Androsace, 32. Andryala, 177. Anemia, 225. Anemone, 126. Anethum, 59. Angelica, 57. Anguria, 203. Anigozanthus, 76. Anisomeles, 129. Anona, 126. Anomatheca, 10. Anthemis, 192. Anthericum, 71. Anthocercis, 142. Antholyza, 11. Anthospermum, 215. Astroloma, 34. Anthoxanthum, 7.

Aleurites, Page 212. Anthriscus, Page 58. Athanasia, Page 188. Blakea, Page 105. Anthyllis, 162. Antidesma, 216. Antirrhinum, 140. Anychia, 48. Aotus, 91. Apargia, 176. Aphelandra, 139. Aphyllanthes, 69. Apios, 163. Apium, 59. Apocyaum, 50. Aponogeton, 79. Aquilegia, 125. Arabis, 145. Arachis, 162. Aralia, 61. Araucaria, 218. Arbutus, 96. Arctium, 178. Arctopus, 224. Arctotheca, 196. Arctotis, 198. Ardisia, 43. Arduina, 49. Areca, 210. Arenaria, 101. Arethusa, 201. Aretia, 32. Argemone, 121. Aristea, 11. Aristolochia, 202. Aristotelia, 105. Armeniaca, 112. Armeria, 61. Arnica, 190. Arnopogon, 175. Artedia, 56. Artemisia, 183. Arthropodium, 72. Artocarpus, 203, Arum, 209. Arundo, 17. Asarum, 105. Asclepias, 51, Ascyrum, 174. Asimina, 231. Aspalathus, 160. Asparagus, 72. Asperugo, 31. Asperula, 24. Asphodelus, 71. Aspidium, 226. Asplenium, 226. Aster, 187. Astragalus, 169. Astrantia, 55.

Atractylis, 180. Atragene, 127. Atraphaxis, 77. Atriplex, 220. Atropa, 41. Aubletia, 122. Aucuba, 205. Aulax, 215. Avena, 15. Averrhoa, 102. Avicennia, 137, Axyris, 205. Ayenia, 49. Azalea, 33. Babiana, 11. Baccharis, 185. Bactris, 207. Bæckia, 81. Balbisia, 193. Ballota, 133. Balsamita, 183. Baltimora, 197. Bambusa, 77. Banisteria, 102. Banksia, 22. Baptisia, 90. Barbarea, 146. Barleria, 138. Barosma, 45. Barringtonia, 157. Bartholina, 200. Bartonia, 110. Bartsia, 142. Basella, 61. Bassia, 105. Batschia, 30. Baucra, 124. Bauhinia, 91. Beaufortia, 173. Beckmannia, 18. Begonia, 207. Bejaria, 105. Bellis, 190. Bellium, 190. Berardia, 180. Berberis, 77. Berckheya, 195, Besleria, 139. Beta, 53. Betonica, 132. Betula, 209. Bidens, 181. Bignonia, 137. Billardiera, 46. Biscutella, 143. Biserrula, 169. Bixa, 122.

Blandfordia, 67. Blechnum, 227. Blechum, 139. Bletia, 201. Blighia, 81. Blitum, 2. Bocconia, 105. Boehmeria, 206. Boerhaavia, 2. Boltonia, 192. Bombax, 154. Bontia, 137. Borago, 31. Borassus, 217. Borbonia, 159. Boronia, 81. Borya, 214. Bosea, 53. Bossiæa, 161. Botrychium, 225. Bourreria, 32. Bouvardia, 25. Brabejum, 221. Brachysema, 90. Brassavola, 202. Brassia, 202. Brassica, 147. Briza, 18. Brodiæa, 69. Bromelia, 64. Bromus, 15. Brosimum, 223. Brossæa, 46. Brotera, 199. Broughtonia, 202. Broussonetia, 215. Browallia, 139. Brownea, 153. Brucea, 215. Brugmansia, 41. Brunia, 45. Brunnichia, 101. Brunsfelsia, 142. Brunsvigia, 65. Bryonia, 212. Bryophyllum, 88. Bubon, 58. Bubroma, 173. Buchnera, 142. Bucida, 96. Buddlea, 26. Buffonia, 28. Bulbocodium, 69. Bumalda, 230. Bumelia, 43. Bunias, 143. Bunium, 56. Buonapartea, 74.

Athamanta, 56.

Blæria, 26.

Buphthalmum, Page Carolinea, Page 154. Chrysocoma, Page 182. Cornus, Page 27. 194. Bupleurum, 55. Bursaria, 46. Bursera, 224. Burtonia, 91. Butea, 159. Butomus, 89. Buttneria, 49. Buxus, 205. Bystropogon, 131. Cacalia, 182. Cachrys, 57. Cactus, 109. Cacucia, 230. Cadia, 92. Cæsalpinia, 92. Cæsia, 72. Cæsulia, 182. Cakile, 142. Caladenia, 201. Caladium, 210. Calamagrostis, 17. Calamintha, 134. Calamus, 76. Calceolaria, 5. Caldasia, 36. Calea, 182. Calenchoe, 88. Calendula, 198. Caleya, 201. Calistachys, 90. Calla, 79. Callicarpa, 25. Callicoma, 106. Calligonum, 108. Callisia, 13. Callitriche, 2. Calluna, 82. Calodendrum, 46. Calophyllum, 122. Calopogon, 201. Calothamnus, 173. Calotropis, 51. Caltha, 129. Calycanthus, 121. Calypso, 201. Calyptranthes, 111. Calystegia, 35. Camelina, 144. Camellia, 157. Cameraria, 50. Campanula, 36. Camphorosma, 28. Canarina, 77. Canella, 105. Canna, 1. Cannabis, 216. Capparis, 121. Capraria, 139. Capsicum, 42. Caralluma, 52. Cardamine, 145. Cardiospermum, 88. Carduus, 178. Carex, 204. Careya, 157. Carica, 217. Carissa, 49. Carlina, 180.

Carpesium, 185. Carpinus, 209. Carpopogon, 162. Carthamus, 180. Carum, 59. Caryophyllus, 111. Caryota, 210. Cassia, 92. Cassine, 60. Cassinia, 199. Castanea, 209. Castilleja, 142. Casuarina, 203. Catalpa, 3. Catananche, 178. Catesbæa, 25. Cathartocarpus, 92. Caucalis, 55. Caulophyllum, 76. Ceanothus, 44. Gecropia, 213. Cedrela, 46. Celastrus, 44. Celosia, 48. Celsia, 142. Celtis, 221. Cenchrus, 14. Cenia, 192. Centaurea, 196. Centunculus, 26. Cephaelis, 39. Cephalanthus, 23. Cephalophora, 181. Cerastium, 104. Ceratocarpus, 203. Ceratocephalus, 63. Ceratonia, 223. Ceratophyllum, 207. Cerbera, 49. Cercis, 91. Cerinthe, 31. Cestrum, 42. Chærophyllum, 58. Chamædorea, 217. Chamærops, 224. Chaptalia, 198. Chara, 203. Cheilanthes, 227. Cheiranthus, 146. Chelidonium, 121. Chelone, 138. Chenolea, 48. Chenopodium, 53. Cherleria, 101. Chimaphila, 96. Chiococca, 39. Chionanthus, 3. Chironia, 49. Chlora, 81. Chloranthus, 28. Chloris, 220. Chlorophytum, 72. Chomelia, 25. Chondrilla, 176. Chorispernium, 148. Coriandrum, 58. Chorizenia, 90. Chrysanthellum, 193. Coris, 40. Chrysanthemum, 191. Corispermum, 2. Chrysobalanus, 112. Cornucopiæ, 14.

Chrysophyllum, 43. Cornutia, 136. Chrysosplenium, 97. Coronilla, 166. Chrysurus, 18. Cicca, 205. Cicer, 165. Cichorium, 178. Cicuta, 58. Cimicifuga, 125. Cinchona, 38. Cineraria, 189. Circæa, 4. Cissampelos, 219. Cissus, 27. Cistus, 123. Citharexylum, 136. Citrus, 173. Cladium, 14. Claytonia, 47. Clematis, 127. Cleome, 148. Cleonia, 135. Clerodendrum, 136. Clethra, 96. Cliffortia, 218. Clinopodium, 134. Clitoria, 163. Clusia, 221. Cluytia, 219. Clypeola, 143. Cneorum, 8. Cnicus, 179. Cobœa, 35. Coccocypsilum, 25. Coccoloba, 88. Cocculus, 218. Cochlearia, 144. Cocos, 207. Codarium, 229. Codon, 93. Coffea, 39. Coix, 204. Colbertia, 231. Colchicum, 78. Coldenia, 29. Collinsonia, 7. Columnea, 139. Colutea, 166. Comarum, 120. Commelina, 12. Commersonia, 63. Comocladia, 8. Comptonia, 205. Conium, 56. Conocarpus, 40. Convallaria, 75. Convolvulus, 34. Conyza, 185. Cookia, 93. Copaifera, 93. Coptis, 129. Corallorhiza, 201. Corchorus, 122. Cordia, 32. Coreopsis, 195. Coriaria, 217.

Coronopus, 143. Corræa, 81. Corrigiola, 61. Cortusa, 33. Corydalis, 158. Corylus, 209. Coryplia, 76. Cosmea, 195. Costus, 1. Cotula, 192. Cotyledon, 102. Crambe, 143. Crassula, 63. Cratæva, 105. Crepis, 177. Crescentia, 142. Crinum, 65. Cristaria, 154. Crithmum, 57. Crocus, 9. Crossandra, 139. Crotalaria, 161. Croton, 211. Crowea, 93. Crucianella, 25. Crypsis, 19. Cryptarrhena, 202. Cryptospermum, 24. Cryptostemma, 196. Cucubalus, 99. Cucumis, 212. Cucurbita, 212. Cullumia, 195. Cuminum, 58. Cunila, 6. Cunonia, 97. Cuphea, 106. Cupressus, 210. Curatella, 124. Curculigo, 74. Curcuma, 2. Curtisia, 28. Cuscuta, 54. Cussonia, 54. Cyanella, 74. Cyathea, 228. Cycas, 218. Cyclamen, 33. Cyclopia, 90. Cydonia, 113. Cylista, 163. Cymbaria, 140. Cymbidium, 202. Cynanchum, 51. Cynara, 180. Cynodon, 18. Cynoglossum, 30. Cynonietra, 92. Cynosurus, 18. Cyperus, 13. Cyphia, 38. Cypripedium, 202. Cyrilla, 46. Cyrtanthus, 65. Cyrtopodium, 202. Cysticapnos, 158. Cytisus, 165.

Dactylis, Page 18. Dæmia, 51. Dahlia, 190. Dais, 94. Dalbergia, 159. Dalea, 170. Dalechampia, 211. Dalibarda, 120. Damasonium, 79. Dampiera, 38. Daphne, 87. Datisca, 217. Datura, 40. Daucus, 56. Davallia, 228. Daviesia, 91. Decumaria, 105. Deeringia, 48. Delphinium, 125. Dendrobium, 202. Dentella, 39. Desmanthus, 222. Dianella, 72. Dianthus, 99. Diapensia, 33. Dichondra, 54. Dicksonia, 228. Dictamnus, 93. Didelta, 195. Diervilla, 40. Digitalis, 140. Digitaria, 19. Dilatris, 13. Dillenia, 126. Dillwynia, 91. Dimocarpus, 81. Dionæa, 94. Dioscorea, 206. Diosma, 45. Diospyros, 223. Diotis, 205. Dipliylleia, 76. Diplazium, 227. Dipsacus, 23. . Dipterix, 159. Dirca, 87. Disa, 200. Disandra, 79. Disperis, 200. Diuris, 201. Dodartia, 139. Dodecatheon, 33. Dodonæa, 81. Dolichos, 162. Dombeya, 153. Doodia, 227. Doronicum, 190. Dorstenia, 27. Doryanthes, 67. Dorycnium, 172. Draba, 144. Dracæna, 73. Dracocephalum, 134. Dracontium, 79. Drimia, 72. Drosera, 62. Dryandra, 23. Dryas, 120. Drypis, 61. Duranta, 136.

Echinaria, Page 18. Echinophora, 55. Echinops, 199. Echites, 50. Echium, 31. Eclipta, 194. Edwardsia, 90. Ehretia, 32. Ehrharta, 77. Ekebergia, 93. Elæagnus, 28. Elæocarpus, 123. Elæocharis, 13. Elæodendrum, 43. Elais, 217. Elate, 207. Elatine, 89. Elegia, 214. Elephantopus, 199. Elettaria, 1. Eleusine, 18. Elichrysum, 184. Ellisia, 32. Elsholtzia, 131. Elymus, 16. Elytraria, 4. Embryopteris, 218. Empetrum, 214. Empleurum, 205. Enkianthus, 96. Epacris, 34. Ephedra, 219. Ephielis, 81. Epidendrum, 202. Epigæa, 95. Epilobium, 80. Epimedium, 27. Epipactis, 201. Equisetum, 225. Eranthemum, 5. Eranthis, 129. Erica, 82. Erigeron, 185. Erinus, 142. Eriocaulon, 20. Eriocephalus, 199. Eriogonum, 89. Eriophorum, 14. Eriospermum, 70. Erithalis, 39. Erodium, 150. Ervum, 165. Erucaria, 147. Eryngium, 54. Erysimum, 146. Erythræa, 49. Erythrina, 159. Erythronium, 69. Ethulia, 182. Eucalyptus, 111. Euchilus, 91. Euclea, 217. Euclidium, 143. Eucomis, 68. Eucrosia, 67. Eugenia, 110. Eupatorium, 181. Euphorbia, 107. Euphrasia, 142. Euryale, 122.

Eustoma, Page 49. Eustrephus, 72. Eutaxia, 91. Euthales, 38. Evolvulus, 54. Evonymus, 44. Exacum, 26. Excecaria, 219. Fabricia, 110. Fagara, 27. Fagonia, 93. Fagus, 209. Falkia, 77. Farsetia, 145. Fedia, 8. Feronia, 221. Ferraria, 148. Ferula, 57. Festuca, 15. Ficaria, 128. Ficus, 224. Filago, 199. Flacourtia, 218. Flagellaria, 78. Flaveria, 197. Flemingia, 168. Fontanesia, 3. Forskohlea, 89. Fothergilla, 124. Fragaria, 120. Frankenia, 77. Franseria, 206. Frasera, 26. Fraxinus, 223. Fritillaria, 68. Fuchsia, 81. Fumaria, 158. Furcrœa, 75. Fusanus, 221. Gærtnera, 93. Gagea, 70. Galactia, 163. Galactites, 197. Galanthus, 65. Galardia, 195. Galax, 46. Galaxia, 148. Galega, 168. Galenia, 87. Galcobdolon, 132. Galeopsis, 132. Galinsogea, 194. Galipea, 3. Galium, 24. Garcinia, 105. Gardenia, 38. Garidella, 101. Garuga, 94. Gastrolobium, 91. Gaultheria, 96. Gaura, 80. Gazania, 195. Geissorhiza, 9. Gelonium, 218. Gelsemium, 49. Genipa, 38. Genista, 160. Gentiana, 54. Geodorum, 201. Geoffroya, 165.

Geranium, Page 153. Halleria, Page 139. Gerardia, 141. Geropogon, 174. Gesneria, 138. Gethyllis, 67. Getonia, 94. Geum, 120. Ghinia, 5. Gisekia, 62. Gladiolus, 10. Glaucium, 121. Glaux, 49. Glechoma, 132. Gleditschia, 223. Glinus, 108. Globba, 2. Globularia, 23. Glossodia, 201. Gloriosa, 69. Gloxinia, 138. Glyceria, 17. Glycine, 163. Glycyrrhiza, 166. Gmelina, 136. Gnaphalium, 184. Gnidia, 87. Gomesa, 202. Gomphia, 93. Gomphocarpus, 51. Gompholobium, 90. Gomphrena, 48. Goniocarpus, 229. Gonolobus, 51. Goodenia, 38. Goodia, 161. Goodyera, 200. Gordonia, 157. Gorteria, 195. Gossypium, 156. Gouania, 221. Grammitis, 226. Grangea, 192. Gratiola, 5. Grevillea, 22. Grewia, 122. Grias, 122. Grielum, 103. Grindelia, 190. Grislea, 81. Gronovia, 47. Guaiacum, 93. Guarea, 81. Guatteria, 230. Guettarda, 207. Guilandina, 92. Gundelia, 199. Gunnera, 202. Gustavia, 157. Gymnadenia, 200. Gymnema, 51. Gymnocladus, 217. Gymnostyles, 199. Gypsophila, 98. Gyrotheca, 229. Habenaria, 200. Hæmanthus, 64. Hæmatoxylon, 93. Hæmodorum, 13. Hakea, 22. Halesia, 105. Hh 2

Hallia, 167. Haloragis, 89. Hamamelis, 28. Hamellia, 39. Hamiltonia, 224. Hasselquistia, 55. Hebenstretia, 136. Hedeoma, 6. Hedera, 46. Hedychium, 1. Hedyotis, 229. Hedypnois, 178. Hedysarum, 167. Helenium, 190. Helianthemum, 123. Helianthus, 194. Heliconia, 47. Helicteres, 153. Heliocarpus, 106. Heliophila, 145. Heliopsis, 194. Heliotropium, 29. Helleborus, 129. Hellenia, 1. Helminthia, 177. Helonias, 78. Hemerocallis, 67. Hemidesmus, 50. Hemionitis, 226. Hepatica, 126. Heracleum, 57. Heritiera, 212. Hermannia, 148. Hermas, 222. Herminium, 200. Hernandia, 205. Herniaria, 53. Herpestis, 139. Hesperantha, 9. Hesperis, 147. Heterospermum, 191. Isatis, 143. Heuchera, 54. Heynea, 94. Hibbertia, 125. Hibiscus, 156. Hieracium, 176. Hillia, 77. Hippia, 199. Hippocratea, 9. Hippocrepis, 166. Hippomane, 211. Hippophae, 215. Hippuris, 2. Hirtella, 46. Hoffmanseggia, 92. Holcus, 220. Holmskioldia, 136. Holosteum, 20. Hopea, 173. Hordeum, 16. Hornemannia, 140. Hosta, 136. Hottonia, 33. Hovea, 161. Hovenia, 44. Houstonia, 24. Hoya, 51. Hudsonia, 105. Huernia, 52.

Humes, Page 182. Humulus, 216. Hura, 212. Hutchinsia, 143. Hyacinthus, 73. Hyænanche, 217. Hydrangea, 97. Hydrastis, 129. Hydrocharis, 217. Hydrocotyle, 55. Hydrolea, 54. Hydropeltis, 129. Hydrophyllum, 32. Hymenæa, 92. Hymenopappus, 181. Hymenophyllum, 228. Hyoscyanius, 41. Hyoseris, 178. Hypecoum, 28. Hyperanthera, 92. Hypericum, 173. Hypochæris, 178. Hypoxis, 73. Hyptis, 132. Hyssopus, 130. Iberis, 144. Ichnocarpus, 50. Ilex, 29. Illecebrum, 48. Illicium, 126. Impatiens, 47. Imperatoria, 58. Indigofera, 168. Inga, 222. Inocarpus, 96. Inula, 189. Ionidium, 47. Ipomœa, 35. Ipomopsis, 36. Iresine, 216. Iris, 11. Ischæmum, 220. Isnardia, 27. Isochilus, 201. Isoetes, 228. Isolepis, 13. Isopogon, 20. Isopyrum, 129. Itea, 46. Iva, 199. Ixia, 9. Ixodia, 182. Ixora, 25. Jacksonia, 91. Jacquinia, 43. Jambolifera, 81. Jasione, 37. Jasminum, 2. Jatropha, 211. Jeffersonia, 81. Jonesia, 79. Juglans, 208. Juncus, 76. Juniperus, 21% Jussieua, 94. Justicia, 5. Kæmpferia, 2. Kalmia, 94. Kennedia, 163.

Kiggelaria, Page 217. Lilium, Page 68. Kitaibelia, 156. Kleinhofia, 106. Kleinia, 182. Knappia, 14. Knautia, 24. Knowltonia, 128. Kochia, 53. Kœleria, 17. Kœlreuteria, 31. Kœnigia, 20. Krigia, 178. Kyllinga, 13. Lachenalia, 73. Lachnæa, 87. Lactuca, 175. Lagasca, 182. Lagerstræmia, 123. Lagetta, 87. Lagoecia, 47. Lagunæa, 154. Lagurus, 18. Lambertia, 22. Lamium, 132. Lanaria, 76. Lantana, 137. Lapeyrousia, 11: Lappago, 18. Lappula, 30. Lapsana, 178 Larochea, 62. Laserpitium, 57. Lasiopetalum, 45: Latania, 219. Lathræa, 138. Lathyrus, 164. Lavandula, 131. Lavatera, 155. Lavenia, 182. Laurophyllus, 224. Laurus, 89. Lawsonia, 81. Lebeckia, 160: Lechea, 20. Ledum, 94. Leea, 46. Leersia, 20. Lemna, 203. Leonotis, 133: Leontice, 76. Leontodon, 176. Leonurus, 133. Lepechinia, 132. Lepidium, 144. Leptanthus, 13. Leptospermum, 110. Lessertia, 166. Lestibudesia, 48. Leucadendron, 215. Leucas, 133. Leucojum, 65. Leucopogon, 34. Leucospermum, 21. Leysera, 191. Liatris, 180. Licuala, 76. Lidbeckia, 192. Lightfoctia, 36. Ligusticum, 57. Ligustrum, 3.

Limeum, 79. Limnetis, 14. Limedorum, 232. Limonia, 93. Limosella, 139. Linaria, 141. Lindernia, 139. Linnæa, 142. Linociera, 3. Linum, 62. Liparia, 165. Liquidambar, 209. Liriodendron, 126. Lisianthus, 49. Listera, 201. Lithospermum, 30. Littorella, 205. Lobelia, 37. Loddigesia, 161. Læflingia, 9. Logania, 49. Lolium, 16. Lomatia, 22. Lonchitis, 227. Lonicera, 39. Lopezia, 2. Lophiola, 76. Lotus, 171. Loureira, 219. Ludwigia, 27. Luffa, 206. Lunaria, 145. Lupinaster, 170. Lupinus, 162. Luzula, 76. Lychnis, 104. Lycium, 43. Lycopodium, 225. Lycopsis, 5. Lycopus, 31. Lygeum, 14. Lygodium, 225. Lysimachia, 33. Lysinema, 34. Lythrum, 106. Maba, 217. Macroenemum, 39. Macropodium, 146. Madia, 185. Magnolia, 126. Mahernia, 63. Malachra, 154. Malaxis, 201. Malcomia, 147. Malope, 156. Malpighia, 101. Malva, 155. Mammea, 123. Mandragora, 41. Manettia, 25. Mangifera, 46. Manisuris, 220. Manulea, 142. Maranta, 1. Marattia, 225. Marcgravia, 121. Marica, 12. Mariscus, 13.

Marrubium, 133.

Marsdenia, Page 51. Marshallia, 181. Martynia, 138. Massonia, 71. Mathiola, 147. Matricaria, 192. Maurandia, 140. Mazus, 139. Medeola, 78. Medicago, 172. Melaleuca, 173. Melampodium, 193. Melampyrum, 141. Melananthera, 181: Melanthium, 78. Melasphærula, 11. Melastonia, 94. Melhania, 149. Melia, 94. Melianthus, 142. Melica, 18. Melicocca, 81. Melilotus, 170. Melissa, 134. Melittis, 135. Melochia, 149. Melodinus, 50. Melothria, 9. Memccylon, 81. Meniscium, 226. Menispermum, 217. Mentha, 131. Mentzelia, 123. Menyanthes, 48. Menziesia, 87. Mercurialis, 217. Mesembryanthemum, 114. Mespilus, 112. Metrosideros, 110. Meum, 58. Michauxia, 81. Michelia, 126. Microchloa, 20. Microloma, 50. Micropus, 199. Mikania, 180. Milium, 18. Milleria, 197. Mimetes, 21. Mimosa, 222. Mimulus, 139. Mimusops, 81. Minuartia, 20. Mirabilis, 40. Mirbelia, 91. Mitchella, 25. Mitella, 98. Mœhringia, 87. Mœnchia, 29. Mollia, 48. Mollugo, 20. Moluccella, 133. Momordica, 212. Monarda, 6. Monetia, 27. Monnieria, 158. Monotoca, 34. Monotropa, 94. Monsonia, 153

Montia, Page 20. Montinia, 215. Moræa, 11. Morina, 7. Morinda, 39. Morus, 206. Mullera, 165. Muntingia, 1226 Murraya, 93. Musa, 64. 2/3 Muscari, 78. Mussænda, 38. Myagtum, 143. Myginda, 28. Mylocaryum, 96. Myoporum, 137. Myosotis, 29. Myosurus, 63. Myrica, 215. Myriophyllum, 207. Myristica, 219. Myrodia, 157. Myrrhis, 58. Myrsine, 224. Myrsiphyllum, 78. Myrtus, 111. Nama, 230. Nandina, 77. Napæa, 154. Naravelia, 231. Narcissus, 66. Nardus, 14. Narthecium, 72. Nasturtium, 146. Nauclea, 39. Nauenbergia, 199. Nelumbium, 126. Nemesia, 140. Neottia, 200. Nepenthes, 219. Nepeta, 130. Nephelium, 206. Nephrodium, 226. Nerium, 50. Nicandra, 41. Nicotiana, 41. Nigella, 125. Nissolia, 159. Nitraria, 105. Nivenia, 21. Nolana, 32. Nolina, 78. Notelæa, 3. Notoceras, 146. Nuphar, 122. Nyctanthes, 2. Nymphæa, 122. Nyssa, 224. Ochna, 123. Ochroma, 149. Ochrus, 163. Ocymum, 135. Octomeria, 201. Œdera, 199. Œnanthe, 58. Œnothera, 80. Oldenlandia, 27. Olea, 3. Oliveria, 58. Olyra, 204.

Oncidium, 202. Onoclea, 227. Ocenis, 161. Onopordum, 179. Onosnia, 31. Onosmodium, 30. Opercularia, 24. Ophicglossum, 223. Ophiopogon, 76. Ophioxylon, 221. Ophrys, 200. Orchis, 200. Origanum, 134. Ormosia, 90. Ornithidium, 201. Ornithogalum, 70. Ornithopus, 166. Ornitrophe, 81. Ornus, 3. Orobanche, 138. Orobus, 164. Orontium, 76. Ortegia, 9. Orthopogon, 19. Oryza, 77. Osbeckia, 80. Osmites, 195. Osmunda, 225. Osteospermum, 198. Ostrya, 209. Osyris, 214. Othonna, 198. Oxalis, 103. Oxyanthus, 39. Oxybaphus, 8. Oxycoccus, 81. Oxylobium, 90. Oxystelma, 51. Oxytropis, 168. Pachysandra, 205. Pæderia, 39. Pæonia, 124. Palavia, 154. Pallasia, 195. Panax, 224. Pancratium, 67. Pandanus, 213. Panicum, 19. Papaver, 121. Pardanthus, 12. Pariana, 210. Parietaria, 220. Paris, 89. Parkinsonia, 92. Parnassia, 61. Paronychia, 48. Parthenium, 199. Pascalia, 194. Paspalum, 19. Passerina, 87. Passiflora, 149. Pastinaca, 59. Patersonia, 148. Pavetta, 25. Paullinia, 88. Pavonia, 157. Pectis, 191. Pedalium, 137. Pedicularis, 141.

Omphalea, Page 211:

#### INDEX GENERUM.

Peganum, Page 105. Pelargonium, 150. Peliosanthes, 69. Peltaria, 143. Penæa, 26. Penicillaria, 220. Pennisetum, 19. Pentapetes, 153. Penthorum, 103. Pentstemon, 138. Pentzia, 183. Peplis, 77. Perdicium, 190. Pergularia, 51. Perilla, 132. Periploca, 50. Perotis, 14. Persoonia, 22. Petalostemum, 158. Petiveria, 79. Petrea, 136. Petrocallis, 144. Petrophila, 20. Peucedanum, 56. Phaca, 168. Phalangium, 72. Phalaris, 19. Pharnaceum, 61. Pharus, 207. Phaseolus, 162. Phellandrium, 58. Philadelphus, 110. Philoxerus, 48. Philydrum, 2. Phleum, 18. Phlomis, 133. Phlox, 36. Phœnix, 215. Phormium, 73. Phryma, 136. Phrynium, 1. Phylica, 44. Phyllanthus, 211. Phyllis, 54. Phylloma, 73. Physalis, 41. Phyteuma, 37. Phytolacca, 105. Piaranthus, 52. Picramnia, 216. Picridium, 175. Picris, 176. Pilularia, 228. Pimelea, 3. Pimpinella, 59. Pinckneya, 38. Pinguicula, 5. Pinus, 210. Piper, 7. Piqueria, 182. Piscidia, 159. Pisonia, 79. Pistacia, 216. Pisum, 163. Pitcairnia, 64. Pittosporum, 46. Plantago, 26. Platanus, 209. Platylobium, 160. Plectranthus, 135.

Plectronia, Page 45. Pyxidanthera, Page Pleea, 230. Pleurothallis, 201. Plecama, 39. Plukenetia, 211. Plumbago, 34. Plumeria, 50. Poa, 17. Podalyria, 90. Podolepis, 190. Podocarpus, 211. Podolobium, 90. Podophyllum, 121. Pogonia, 201. Poinciana, 92. Polemonium, 35. Pollichia, 2. Polianthes, 68. Polycarpon, 20. Polycnemum, 9. Polygala, 158. Polygonatum, 75. Polygonum, 88. Polymnia, 198. Polypodium, 226. Polypogon, 14. Pomaderris, 44. Pongamia, 159. Pontederia, 64. Ponthieva, 201. Populus, 217. Porcelia, 126. Portlandia, 38. Portulaca, 105. Portulacaria, 61. Potamogeton, 29. Potentilla, 120. Poterium, 208. Pothos, 28. Prasium, 135. Prenanthes, 176. Primula, 32. Prinos, 76. Priva, 137. Prosopis, 93. Prostanthera, 135. Protea, 20. Prunella, 135. Prunus, 112. Psiadia, 199. Psidium, 110. Psilotum, 225. Psoralea, 170. Psychotria, 39. Ptelea, 27. Pteris, 227. Pterocarpus, 159. Pteronia, 180. Pterospermum, 154. Pterostylis, 201. Pterygodium, 200. Pulmonaria, 30. Pulsatilla, 127. Pultenæa, 91. Punica, 111. Pupalia, 48. Pycnanthemum, 130. Pyrethrum, 191. Pyrola, 96. Pyrus, 113.

33. Quassia, 93. Quercus, 208. Queria, 20. Quisqualis, 94. Radiola, 29. Rafnia, 160. Rajama, 216. Ramonda, 40. Randia, 39. Ranunculus, 128. Raphanus, 148. Rapistrum, 143. Rauwolfia, 49. Reaumuria, 126. Relhania, 191. Reseda, 106. Restio, 214. Retzia, 35. Rhagadiolus, 178. Rhagodia, 221. Rhamnus, 43. Rhapis, 223. Rheum, 89. Rhexia, 80. Rhinanthus, 142. Rhipsalis, 110. Rhodiola, 217. Rhododendron, 94. Rhodora, 94. Rhopala, 22. Rhus, 59. Rhynchospora, 14. Ribes, 46. Richardia, 77. Ricinus, 211. Ricotia, 145. Rivina, 28. Robinia, 165 Roella, 37. Rolandra, 199. Rondeletia, 39. Rosa, 117. Rosmarinus, 6. Rothia, 177. Rotthoellia, 19. Rottlera, 218. Roxburghia, 81. Royena, 97. Rubia, 25. Rubus, 119. Rudbeckia, 195. Ruellia, 139. Ruizia, 156. Rumex, 77. Ruppia, 29. Ruscus, 219. Russelia, 139. Ruta, 93. Sabal, 79. Sabbatia, 49. Saccharum, 19. Sagina, 29. Sagittaria, 207. Sagus, 207. Salicornia, 2. Salisburia, 209. Salix, 213. Salsola, 58.

Salvia, Page 6. Sambucus, 60. Samolus, 38. Samyda, 96. Sanguinaria, 121. Sanguisorba, 27. Sanicula, 55. Sanseviera, 68. Santalum, 28. Santolina, 182. Sanvitalia, 193. Sapindus, 88. Sapium, 211. Saponaria, 98. Sarcophyllum, 160. Sarcostemma, 50. Sarracenia, 122. Satureja, 130. Satyrium, 200. Saururus, 79. Saxifraga, 97. Scabiosa, 23. Scævola, 38. Scandix, 58. Schæfferia, 215. Scheuchzeria, 78. Schinus, 217. Schisandra, 206. Schkuhria, 191. Scheenus, 14. Schotia, 93. Schrankia, 222. Schwenkia, 5. Scilla, 71. Scirpus, 13. Scleranthus, 97. Sclerocarpus, 195. Sclerothamnus, 91. Scleroxylon, 230. Scolopendrium, 227. Scolymus, 178. Scoparia, 26. Scopolia, 49. Scorpiurus, 166. Scorzonera, 175. Scottia, 161. Scrophularia, 140. Scutellaria, 135. Sebæa, 26. Secale, 16. Secamone, 50. Securidaca, 159. Securinega, 216. Sedum, 102. Selago, 136. Selinum, 56. Sempervivum, 108. Senacia, 44. Senecio, 186. Septas, 80. Serapias, 200. Seriana, 88. Seriola, 178. Serissa, 39. Serpicula, 205. Serratula, 178. Serruria, 21. Sersalisia, 43. Sesamum, 138. Sesbana, 166.

Seseli, Page 58. Sesleria, 14. Sesuvium, 113. Sherardia, 24. Sibbaldia, 63. Sibthorpia, 142, Sicyos, 213. Sida, 154. Sideritis, 131. Siderodendrum, 25. Sideroxylon, 43. Sigesbeckia, 194. Silene, 99. Silphium, 197. Sinapis, 147. Sison, 58. Sisymbrium, 146. Sium, 57. Sloanea, 122. Smilacina, 75. Smilax, 216. Smithia, 167. Smyrnium, 59. Solandra, 41. Solanum, 41. Soldanella, 33. Solidago, 183. Sonchus, 175. Sophora, 90. Sorghum, 220. Sorocephalus, 22. Sowerbæa, 69. Spananthe, 55. Sparaxis, 9. Sparganium, 203. Sparrmannia, 122. Spartium, 159. Spatalla, 22. Spathelia, 60. Spergula, 104. Spermacoce, 24. Sphæranthus, 199. Sphærolobium, 91. Sphenogyne, 196. Spielmannia, 137. Spigelia, 49. Spilanthes, 181. Spinacia, 216. Spiræa, 113. Spondias, 102. Sporobolus, 14. Sprengelia, 34. Staavia, 45. Stachys, 132. Stachytarpheta, 5. Stæhelina, 180. Stapelia, 51. Staphylea, 61. Starkea, 193. Statice, 62. Stauracanthus, 160. Stelis, 201. Stellaria, 101. Stellera, 87. Stemodia, 139. Stenanthera, 34. Stenochilus, 137. Sterculia, 212. Stevia, 181. Stilago, 214.

Stillingia, Page 212. Stizolobium, 163. Stobæa, 180. Steebe, 199. Stokesia, 180. Stratiotes, 217. Strelitzia, 48. Streptopus, 75. Strumaria, 65. Struthiola, 28. Strychnos, 49. Stuartia, 157. Stylidium, 202. Styphelia, 34. Styrax, 96. Subularia, 144. Succowia, 143. Sutherlandia, 166. Swainsona, 166. Swertia, 54. Swietenia, 94. Symphoria, 40. Symphytum, 30. Synedrella, 194. Syringa, 3. Tabernæmontana, 50. Tacca, 76. Tagetes, 191. Talinum, 106. Tamarindus, 148. Tamarix, 61. Tamus, 216. Tanacetum, 183. Tarchonanthus, 182. Taxus, 219. Tectona, 43. Teedia, 139. Teesdalia, 143. Telephium, 61. Telopea, 22.

Templetonia, Page 161. Tephrosia, 168. Terminalia, 221. Tetragonia, 114. Tetragonotheca, 190. Tetratheca, 81. Teucrium, 129. Thalia, 1. Thalictrum, 127. Thapsia, 59. Thelygonum, 208. Thelymitra, 201. Theobroma, 172. Thermopsis, 90. Thesium, 40. Thlaspi, 143. Thrinax, 76. Thrincia, 176. Thuja, 210. Thunbergia, 138. Thymbra, 130. Thymus, 134. Thysanotus, 70. Tiarella, 98. Tigridia, 148. Tilia, 122. Tillæa, 29. Tillandsia, 64. Tofieldia, 78. Tolpis, 177. Tordylium, 55. Tormentilla, 120. Tournefortia, 31. Tourrettia, 138. Tozzettia, 19. Trachelium, 37. Tradescantia, 64. Tragia, 205. Tragopogon, 175. Trapa, 27.

Trevirana, Page 139. Trewia, 218. Trianthema, 97. Tribulus, 93. Trichilia, 93. Trichodesma, 31. Trichodium, 14. Trichomanes, 228. Trichonema, 9. Trichophorum, 14. Trichosanthes, 212. Trichostema, 135. Trientalis, 79. Trifolium, 170. Triglochin, 78. Trigonella, 172. Trillium, 78. Triodia, 17. Triosteum, 40. Tripsacum, 204. Trisetum, 15. Tristania, 173. Triticum, 16. Tritoma, 67. Tritonia, 10. Triumfetta, 105. Trollius, 129. Tropæolum, 80. Trophis, 215. Troximon, 175. Tulbagia, 68. Tulipa, 68. Tupistra, 76. Turnera, 61. Turritis, 146. Tussilago, 186. Typha, 203. Ulex, 160. Ulmus, 53. Uniola, 18. Unona, 231.

Urania, Page 64. Urena, 156. Uropetalon, 72. Urtica, 206. Utricularia, 5. Uvaria, 126. Uvularia, 69. Vaccinium, 95. Valantia, 220. Valeriana, 8. Vanguiera, 39. Vanilla, 202. Velezia, 54. Vella, 143. Veltheimia, 68. Veratrum, 219. Verbascum, 40. Verbena, 137. Verbesina, 194. Vernonia, 180. Veronica, 4. Vesicaria, 145. Vestia, 36. Viburnum, 60. Vicia, 164. Villarsia, 49. Viminaria, 91. Vinca, 49. Viola, 47. Virgilia, 90. Viscum, 215. Visnaga, 56. Visnea, 108. Vitex, 136. Vitis, 46. Vittaria, 227. Volkameria, 136. Wachendorfia, 13. Waldsteinia, 112. Waltheria, 148. Watsonia, 10. Webera, 39.

Wendlandia, Page 79. Westringia, 130. Wiborgia, 161. Willdenovia, 214. Witheringia, 25. Witsenia, 11. Woodsia, 226. Woodwardia, 227. Wrightia, 50. Wulfenia, 229. Xanthium, 206. Xanthochymus, 173. Xanthorrhœa, 70. Xeranthemum, 184. Ximenesia, 190. Ximenia, 81. Xiphidium, 13. Xylomelum, 22. Xylophylla, 61. Xylopia, 126. Xyris, 13. Xysmalobium, 51. Yucca, 74. Zacintha, 178. Zaluzania, 194. Zamia, 218. Zannichellia, 203. Zanthorhiza, 63. Zanthoxylum, 216. Zapania, 137. Zea, 204. Zieria, 25. Zingiber, 1. Zinnia, 191. Zizania, 207. Ziziphora, 6. Zizyphus, 44. Zœgea, 196. Zornia, 168. Zygophyllum, 93.

#### ENGLISH INDEX.

ABELE TREE, Page Adam's Needle, 74. Adder's-tongue, 225. Balsam Apple, 212. African Almond, 221. Balsam Herb, 5. African Fleabane, 182. African Lily, 67. African Marygold, 191. Agrimony, 106. Air Plant, 202. Akee Tree, 81. Alaternus, 44. Alder, 205. Alexanders, 59. Alexandrian Laurel, 219. Alligator Pear, 89. Allseed, 20. Allspice, 121. Allspice Tree, 111. Almond, 106. Althæa-frutex, 156. Amaranth, 206. Amber Tree, 215. American Cowslip, 33. Anchovy Pear, 122. Angelica, 57. Angelica Tree, 61. Anise, 59. Aniseed Tree, 126. Apple, 113. Apple-berry, 46. Apricot, 112. Arbor-vitæ, 210. Archangel, 132. Arrow Grass, 78. Arrowhead, 207. Arrow Root, 1. Artichoke, 180. Asarabacca, 105. Ash Tree, 223. Aspen, 217. Asphodel, 71. Auricula, 32. Avens, 120. Awlwort, 144. Azarole, 112. Bahama Red Wood, 44. Balm, 134.

134. Balsam, 47. Balsam of Capevi, 93. Bindweed, 34. Balsam Tree, 221. Bamboo Cane, 77. Banana, 64. Bane Berry, 121. Banyan Tree, 224. Barbadoes Bastard Cedar, 173. Barbadoes Cherry, 101. Barberry, 77. Barley, 16. Barrenwort, 27. Base Rocket, 106. Basil, 135. Bastard Balm, 135. Bastard Cabbage Tree, 165. Bastard Cedar, 46. Bastard Hare's-ear, 54. Bastard Indigo, 160. Bastard Lupine, 170. Box Thorn, 43. Bastard Mangeneel, 50. Bastard Orpine, 213. Brasiletto, 92. Bastard Pimpernell, 26. Bastard Toad Flax, 40. Bastard Vervain, 5. Bastard Vetch, 168. Bawd-money, 58. Bay, 89. Bead Tree, 94. Bean, 165. Bean Caper, 93. Bean Trefoil, 90. Bear-bind, 35. Bear Berry, 96. Bear's-breech, 138. Bear's-ear Sanicle, 33. Bed Straw, 24. Beech, 209. Beet, 53. Bell Flower, 36.

Benjamin Tree, 89.

Balm of Gilead, Page Bent Grass, Page 14. Berry-bearing Alder, 43. Betony, 132. Birch. 209. Bird Pepper, 42. Bird's-eye, 32. Bird's-foot, 166. Bird's-foot Trefoil, 171. Birthwort, 202. Bishop's Weed, 56. Bitter-sweet, 41. Bitter Vetch, 164. Black Bryony, 216. Black Saltwort, 48. Black Snakeroot, 125. Bladder Nut, 61. Bladder Senna, 166. Blood Flower, 64. Bog Rush, 14. Borage, 31. Bourbon Palm, 219. Box Tree, 205. Brake, 227. Bramble, 119. Bread Fruit, 203. Bread Nut, 223. Bread Root, 170. Brome Grass, 15. Brooklime, 4. Brookweed, 38. Broom, 159. Broom Rape, 138. Bryony, 212. Buck Bean, 48. Buckler Mustard, 143. Buck Thorn, 43. Buck Wheat, 88. Buck Wheat Tree, 96. Bugle, 129. Bugloss, 30. Bugwort, 125. Burdock, 178.

Burnet, 208.

Bur Parsley, Page 55. Bur Reed, 203. Butcher's Broom, Butter Bur, 186. Butterwort, 5. Button Tree, 40. Button Flower, 93. Button Weed, 24. Button Wood, 23. Cabbage, 147. Cabbage Tree, 210. Calabash Tree, 142. Calamint, 134. Calathian Violet, 54. Caltrops, 93. Camphire Tree, 89. Campion, 99. Canada Rice, 207. Canary Grass, 19. Candleberry Myrtle, 215. Candy Carrot, 56. Candytuft, 144. Canterbury Bell, 37. Cape Jasmine, 38. Caper Tree, 121. Caraway, 59. Cardamom, 1. Cardinal Flower, 37. Cardoon, 180. Carline Thistle, 180, Carnation, 99. Carob Tree, 223. Carrot, 56. Cashew Nut, 89. Cassava, 211. Castor Oil Plant, 211. Catchfly, 99. Cat Mint, 130. Cat's-ear, 178. Cat's-tail, 203. Cat's-tail Grass, 18. Cat Thyme, 129. Cedar of Goa, 210. Cedar of Lebanon, 210. Celandine, 121. Celery, 59. Centaury, 196. Burnet Saxifrage, 59. Chamomile, 192.

Chaste Tree, Page 136. Chawstick, 221. Cheese Rennet, 24. Cherry, 112. Cherry Pepper, 42. Chervil, 58. Chesnut, 209. Chick Pea, 165. Chickweed, 101. Chocolate Nut, 172. Christmas Rose, 129, Christ's Thorn, 44. Chulan, 28. Cicely, 58. Cinnamon, 89. Cinquefoil, 120. Clary, 7. Clearing Nut, 49. Cleavers, 25. Cloud Berry, 120. Clover, 171. Clove Tree, 111. Clown's All-heal, 132. Club Moss, 225. Club Rush, 13. Cock's-comb, 48. Cock's-foot Grass, 13. Cocoa Nut, 207. Cocoa Plum, 112. Codlins and Cream, 80. Coffee Tree, 39. Cogwood Tree, 89, Colewort, 143. Colpoon Tree, 60. Colt's-foot, 186. Columbine, 125. Comfrey, 30. Common Acacia, 165. Common Dragon, 209. Contrajerva Root, 27. Coral Tree, 159. Coriander, 58. Cork Tree, 208. Cornelian Cherry, 27. Corn Flag, 10. Costmary, 183. Cotton, 156. Cotton Grass, 14. Cotton Rose, 199.

Cotton Thistle, Page Felwort, Page 54. Couch Grass, 16. Cowbane, 58. Cowitch, 163. Cow Parsnep, 57. Cowslip, 32. Cow Wheat, 141. Cranberry, 81. Crane's-bill, 153. Cress, 144. Cress Rocket, 143. Crosswort, 220. Crowberry, 214. Crowfoot, 128. Cuckoo Flower, 145. Flax, 62. Cucumber, 212. Cumin, 58. Currant, 46. Custard Apple, 126. Cypress, 210. Daffodil, 67. Daisy, 190. Dandelion, 176. Darnel, 16. Date Palm, 215. Date Plum, 223. Day Lily, 67. Deadly Carrot, 59. Deadly Nightshade, 41. Devil's Bit, 23. Dill, 59. Dittany, 134. Dock, 77. Dodder, 54. Dog's-bane, 50. Dog's Cabbage, 208. Dog's-tail Grass, 18. Dog's-tooth Violet, 69. Dogwood, 27. Dragon, 79. Dragon's-head, 134. Dragon Tree, 73. Dropwort, 113. Duck's-foot, 121. Duck-weed, 203. Dumb Cane, 210. Dwarf Fan Palm, 224. Earth Nut, 56. Earth Pea, 164. Egg Plant, 42. Elder, 60. Elecampane, 189. Elephant Apple, 221. Elephant's-foot, 216. Elm Tree, 53. Enchanter's Nightshade, 4. Endive, 178. Eryngo, 54. Evening Flower, 9. Everlasting, 184. Everlasting Pea, 164. Eyebright, 142. Feather Grass, 15. Goosefoot, 53.

Fennel, 59. Fennel Flower, 125. Fenugreek, 172. Fescue Grass, 15. Feverfew, 191. Feverwort, 40. Fiddlewood, 136. Field Madder, 24. Fig Marygold, 114. Fig Tree, 224. Figwort, 140. Filmy Leaf, 228. Finger Grass, 19. Fir Tree, 210. Flax Lily, 73. Flat Pea, 160. Fleabane, 185. Fleawort, 189. Flixweed, 146. Flower Fence, 92. Flowering Ash, 3. Flowering Fern, 225. Hart's Tongue, 227. Flowering Rush, 89. Hartwort, 55. Fool's Parsley, 58. Hassagay Tree, 28. Foxglove, 140. Fox-tail Grass, 18. Fraxinella, 93. French Honeysuckle, Heart's Ease, 47. 167. French Marygold, 191. Friar's Cowl, 209. Fringe Tree, 3. Fritillary, 68. Frog Bit, 217. Fumitory, 153. Furze, 160. Galangale, 2. Garland Flower, 1. Garlick, 69. Garlick Pear, 105. Genip Tree, 38. Gentian, 54. Germander, 129. German Madwort, 31. Giant Fennel, 57. Ginger, 1. Ginseng, 224. Gladwyn, 12. Glasswort, 2. Globe Amaranth, 48. Hop, 216. Globe Flower, 129. Globe Thistle, 199. Goat's Beard, 175. Goat's Rue, 168. Goat's Thorn, 169. Goat Weed, 142. Golden Rod, 188. Golden Rod Tree, 53. Horse Radish Tree, Golden Saxifrage, 97. Golden Thistle, 178. Goldylocks, 182. Gooseberry, 46.

Gourd, Page 212. Goutweed, 59. Grass of Parnassus, 61. Grape, 46. Grape Hyacinth, 73. Hyacinth, 73. Great Burnet, 27. Greek Valerian, 35. Green Dragon, 209. Gromwell, 30. Ground Ivy, 132. Ground Pine, 129. Groundsel, 186. Groundsel Tree, 185. Indian Fig, 109. Guelder Rose, 60. Gum Succory, 176. Hair Grass, 17. Hard Grass, 19. Hare's Ear, 55. Hare's Foot Fern, 228. Hare's Tail Grass, 18. Hatchet Vetch, 169. Hawkweed, 176. Hawthorn, 112. Heart Seed, 88. Heath, 82. Hedge Hyssop, 5. Hedge Mustard, 146. Hedge Nettle, 132. Hemlock, 56. Hemp, 216. Hemp Nettle, 132, Henbane, 41. Henbit, 132. Herb Robert, 153. Heron's Bill, 150. Hog Plum, 102. Hogweed, 2. Holly, 29. Hollyhock, 155. Honesty, 145. Honewort, 58. Honey Berry, 81. Honey Flower, 142. Honeysnckle, 39. Honeywort, 31. Hooded Milfoil, 5. Hop Hornbeam, 209. Hornbeam, 209. Horned Poppy, 121. Hornwort, 207. Horse Chesnut, 79. Horse Radish, 144. 92. Horseshoe Vetch, 166. Horsetail, 225. Horsetail Tree, 207. Horse Thistle, 179.

Hottentot Cherry, Page 60. Houseleek, 108. Humble Plant, 222. Hyana Poison, 217. Hyssop, 130. Ice Plant, 115. Indian Corn, 204. Indian Cress, 80. Indian Cucumber, 78. Indian Madder, 27. Indian Millet, 220. Indian Shot, 1. Indigo, 168 Iron Tree, 25. Ironwort, 131. Ivy, 46. Jaca Tree, 203. Jack in a Box, 205. Jalap, 35. Jasmine, 2. 194. Jerusalem Sage, 133. Malabar Nut, 5. Job's Tears, 204. Jonquil, 66. Judas Tree, 91. Juniper, 218. Kanguru Vine, 27. Kidney Bean, 162. Kidney Vetch, 162. Knapweed, 196. Knawel, 97. Knot Grass, 48. Laburnum, 165. Ladies' Mantle, 28. Ladies' Slipper, 202. Ladies' Smock, 145. Lady Fern, 226. Lamb's Lettuce, 8. Lancashire Asphodel, 72. Larch, 210. Larkspur, 125. Laserwort, 57. Lavender, 131. Lavender Cotton, 182. Laurel, 112. Laurestine, 60 Leadwort, 34. Leather Wood, 87. Lee Chee, 81. Leek, 69. Lemon Grass, 220. Lentil, 165. Leopard's Bane, 191. Lettuce, 175. Lignum Vitæ, 93. Lilac, 3. Lily, 68. Lily of the Valley, 75. Lily Pink, 69.

Lily Thorn, Page 25. Lime Tree, 122. Hound's Tongue, 30. Lion's Tail, 133. Liquorice, 166. Lizard's Tail, 79. Locust Tree, 92. Logwood, 93. Looking-glass Plant, 212. Loose Strife, 33. Loquat, 113. Lovage, 57. Love Apple, 42. Love Grass, 17. Lousewort, 141. Lungwort, 30. Lupine, 162. Lychnidea, 36. Lyme Grass, 16. Macaw Tree, 207. Madder, 25. Madwort, 144. Mahogany, 94. Maidenhair, 227. Maiden Plum, 8. Jerusalem Artichoke, Malabar Nightshade, 60. Malay Apple, 110. Mallow, 155. Mammee Tree, 123. Manchineel, 211. Mandrake, 41. Mangosteen, 105. Mango Tree, 46. Maple, 221. Mare's Tail, 2. Marjoram, 134. Marsh Mallow, 155. Marsh Marygold, 129. Martagon, 68. Marvel of Peru, 40, Marygold, 198. Masterwort, 55. Mastick Tree, 216, Mat Grass, 14. May Apple, 121. Meadow Grass, 17. Meadow Rue, 127. Meadow Saxifrage, 58. Medick, 172. Medlar, 112. Melic Grass, 18. Melilot, 170. Melon, 212. Mercury, 217. Mignonette, 106. Milfoil, 193. Milk Parsley, 56. Milk Vetch, 169. Milk Wood, 223. Milkwort, 153. Millet Grass, 18. Mint, 131. Misseltoe, 215. Molucca Balm, 133.

Moneywort, Page 33. Pea, Page 163. Monkey Flower, 139. Peach Tree, 111. Monkshood, 125. Moon Seed, 217. Moon Trefoil, 172. Moonwort, 225. Moschatel, 89. Motherwort, 133. Moving Plant, 167. Mountain Ebony, 91. Pepperwort, 144. Mouse-ear Chickweed, Periwinkle, 49. 104. Mouse Tail, 63. Mudwort, 139. Mugwort, 183. Mulberry, 206. Mule's Fern, 227. Mullein, 40. Mustard, 147. Myrrh, 58. Myrtle, 111. Naseberry Tree, 43. Navelwort, 102. Nettle, 206. Nettle Tree, 221. New Jersey Tea, 44. Plantain, 26. New Zealand Tea, 110. Nicker Tree, 92. Nightshade, 41. Nipplewort, 178. Nutmeg, 219. Nut Tree, 209. Oak, 208. Oat, 15.

Oil Nut, 224. Oily Grain, 138. Oily Palm, 217. Old Man's Beard, 174. Oleander, 50. Oleaster, 28. Olive, 3. Olive-bark Tree, 96. Olive Wood, 43. Onion, 70. Orache, 220. Orange Tree, 173. Orpine, 61. Osier, 214. Oswego Tea, 6. Otaheite Chesnut, 96. Otaheite Myrtle, 216. Rampion, 37. Ox-eye, 194. Ox-eye Daisy, 191. Oxlip, 32. Ox-tongue, 176. Pæony, 124. Palma Christi, 211. Panic Grass, 19. Papaw Tree, 217.

Parsley, 59.

Parsnep, 59.

Parsley Piert, 28.

Rocket, 147.

Pasque Flower, 127. Rope Grass, 214,

Passion Flower, 149. Rose, 117.

Rock Rose, 123.

Pearlwort, 29. Pear Tree, 113. Pellitory, 220. Pennyroyal, 132, Pennywort, 55. Pepper, 7. Pepper Vine, 27. Persicaria, 88 Phillyrea, 3. Physic Nut, 211. Pilewort, 128. Pillwort, 228. Pimpernell, 33. Pine Apple, 64. Pine Tree, 210. Pink, 99. Pipewort, 20. Pistachia Tree, 216. Pitcher Plant, 219. Plane Tree, 209. Plank Plant, 161. Plantain Tree, 64. Plowman's Spikenard, 185. Plum Tree, 112. Poet's Cassia, 214. Poison Nut, 49. Poison Oak, 60. Polypody, 226. Pomegranate, 111. Pond Weed, 29. Poplar, 217. Poppy, 121. Potatoe, 42. Primrose, 32. Prince's Feather, 207. Screw Tree, 153. Privet, 3. Puccoon, 121. Pumpkin, 212. Purslane, 105. Purslane Tree, 61. Quaking Grass, 18. Quillwort, 228. Quince Tree, 113. Radish, 148. Ragged Robin, 104. Ragwort, 198. Ramoon Tree, 215. Ramson, 70. Rape, 147. Raspberry, 119. Red Cedar, 218. Reed, 17. Rest Harrow, 161. Rhubarb, 89. Rib Grass, 26. Paper Mulberry, 215. Rice, 77. Rocambole, 69.

Rose Acacia, Page 166. Rose Campion, 104. Rosemary, 6. Rose of Jericho, 143. Rose Root, 217. Rough Chervil, 58. Rue, 93. Rupturewort, 53. Rush, 76. Rush Broom, 91. Rush Nut, 13. Rye, 16. Rye Grass, 16. Sacred Bean, 126. Sage, 6. Sago Palm, 207. St. Andrew's Cross, 174. Saintfoin, 167. St. John's-wort, 173. St. Peter's-wort, 40. Salt Tree, 166. Saltwort, 53. Samphire, 57. Sandal Wood, 28. Sandbox Tree, 212. Sandwort, 101. Sanicle, 55. Sassafras Tree, 89. Savanna Flower, 50. Savin, 218. Såvory, 130. Saw-wort, 178. Saxifrage, 97. Scabious, 23. Scammony, 34. Scorpion Grass, 29. Scorpion Senna, 166. Screw Pine, 213. Scunk Weed, 28. Scurvy Grass, 144. Sea Buckthorn, 215. Sea Heath, 77. Sea Holly, 55. Sea Kale, 143. Sea Lavender, 62. Sea Parsnep, 55. Sea Rocket, 142. Seaside Grape, 88. Seaside Laurel, 212. Seaside Oat, 18. Self Heal, 135. Sensitive Plant, 222. Septfoil, 120. Service Tree, 113. Shallot, 69. Sheep's Beard, 175. Sheep's Scabious, 37. Shepherd's Purse, 143. Shepherd's Club, 40. Shield Fern, 226. Shoreweed, 205.

Side-saddle Flower, Page 122. Silk-cotton Tree, 154. Silver Tree, 215. Single-seeded Cucum- Supple Jack, 88. ber, 213. Skirret, 57. Skull Cap, 135. Slipperwort, 5. Snake's Beard, 76. Snake's Tongue, 225. Snake Wood, 213. Snap Dragon, 140. Snap Tree, 5. Sneezewort, 193. Snowberry, 39. Snowdrop, 65. Snowdrop Tree, 105. Snowflake, 65. Soapberry, 88. Soapwort, 98. Soft Grass, 220. Soldier Wood, 222. Solomon's Seal, 75. Sorrel, 78. Sour Gourd, 154. Southernwood, 183. South Sea Tea, 29. Sow Thistle, 175. Spanish Elm, 32. Spanish Nut, 11. Sparrow-wort, 87. Speedwell, 4. Spiderwort, 64. Spignel, 56. Spike Rush, 13. Spinage, 216. Spindle Tree, 44. Spleenwort, 226. Spring Grass, 7. Spurge, 106. Spurrey, 104. Squash, 212. Squill, 71. Staff Tree, 44. Star Apple, 43. Star of Bethlehem, 70. Star of the Earth, 26. Star Thistle, 197. Starwort, 187. Stinking Horehound, 133. Stitchwort, 101. Stock, 147. Stonecrop, 102. Storax, 96. Stork's Bill, 150. Strapwort, 61. Strawberry, 120. Strawberry Blite, 2. Strawberry Tree, 96. Stramonium, 40. Succory, 178. Sugar Cane, 19. Sulphurwort, 56.

Sumach, Page 59. Sundew, 62. Sun Fern, 226. Sunflower, 194. Sun Rose, 123. Swallow-wort, 51. Sweet Flag, 76. Sweet Gale, 215. Sweet Gum Tree, 209. Sweet Pea, 164. Swine's Succory, 178, Syrian Rue, 105. Syringa, 110. Tacamahac, 217. Tallow Tree, 212. Tamarind, 148. Tamarisk, 61. Tansy, 183. Tare, 165. Tea Tree, 157. Teak Wood, 43. Teasel, 23. Thistle, 178. Thorn Apple, 40. Thrift, 61. Throatwort, 37. Thyme, 134. Tickseed, 2. Tiger Flower, 148. Tile Root, 9. Toad Flax, 141. Tobacco, 41. Tenquin Bean, 159. Toothach Tree, 216. Toothpick, 56. Toothwort, 138. Touch me not, 47. Tower Mustard, 146. Treacle Mustard, 143. Tree Celandine, 105. Tree Mallow, 155. Trefoil, 170. Trumpet Flower, 137. Tuberosc. 68. Tulip, 68. Tulip Tree, 126. Tupelo, 224. Turmerick, 2. Turnep, 147. Turnsole, 29. Twayblade, 201. Umbrella-wort, 8. Valerian, 8. Venus's Comb, 58. Venus's Flytrap, 94. Vervain, 137. Vetch, 164. Vine, 46. Violet, 47. Viper's Bugloss, 31. Viper's Grass, 175. Virginian Poke, 105. Virgin's Bower, 127. Wall Cress, 145.

Wallflower, Page

#### ENGLISH INDEX.

32. Water Lily, 122. Walnut, 208, Wampee Tree, 93. Water Milfoil, 207. Water Parsnep, 57. Warratah, 22. Water Plantain, 79. Wart Cress, 143. Water Soldier, 217. Wartwort, 108. Water Starwort, 2. Water Caltrops, 27. Water Chickweed, Water Violet, 33. Waterwort, 89. 20. Water Dropwort, 58. Wax Tree, 3. Willow, 213. Water Hemlock, 58. Wayfaring Tree, 60. Willow Herb, 80. Water Horehound, 5. Wheat, 16.

Water Leaf, Page

White Cedar, Page 211. White Thorn, 112. Whitlow Grass, 144. Winter Cress, 146. Whortle Berry, 95. Widow Wait, 8. Wild Basil, 134. Wild Bugloss, 31. Wild Cumin, 47. Wild Liquorice, 159. Woodruff, 24. Winter Aconite, 129.

Winter Berry, Page 76. Winter Cherry, 41. Winter Green, 79. Witch Hazel, 28. Woad, 143. Wolfsbane, 125. Woodbine, 39. Wood Sage, 130. Wood Sorrel, 99.

Worm Grass, Page Wormwood, 183. Yam, 216. Yarrow, 193. Yellow Bird's Nest, 94. Yellow Rattle, 142. Yellow Root, 63. Yellow-wort, 81. Yew Tree, 219. Zedoary, 2.

THE END.







